CORNELL
UNIVERSITY
LIBRARY

FROM

The Supt. of Documents

CORNELL UNIVERSITY LIBRARY
3 1924 070 704 550

Cornell University Library

The original of this book is in
the Cornell University Library.

There are no known copyright restrictions in
the United States on the use of the text.

http://archive.org/details/cu31924070704550

CENSUS REPORTS

VOLUME IV

TWELFTH CENSUS OF THE UNITED STATES,
TAKEN IN THE YEAR 1900

WILLIAM R. MERRIAM, DIRECTOR

VITAL STATISTICS

PART II

STATISTICS OF DEATHS

PREPARED UNDER THE SUPERVISION OF WILLIAM A. KING,
CHIEF STATISTICIAN FOR VITAL STATISTICS

WASHINGTON
UNITED STATES CENSUS OFFICE
1902

CONTENTS—PART II.

		Page.
Letter of transmittal of the Chief Statistician for Vital Statistics to the Director of the Census		v
Table 1.	Population and deaths, by states and territories, at each census: 1850 to 1900	1
Table 2.	Deaths in each state and territory, by sex, at each census: 1870 to 1900	3
Table 3.	Deaths in each state and territory, during the census year ending May 31, 1900, by color and race	5
Table 4.	Deaths in the United States, each state and territory, and each registration city, during the census year ending May 31, 1900, by color, general nativity, parent nativity, and sex	7
Table 5.	Deaths in the United States, each state and territory, and each registration city, during the census year ending May 31, 1900, at each age, by sex	21
Table 6.	Deaths in the United States, the registration area and its subdivisions and in each state and territory, during the census year ending May 31, 1900, at each age, by sex, color, general nativity, parent nativity, and birthplaces of mothers	55
Table 7.	Deaths in the United States, each state, state group, and registration city, during the census year ending May 31, 1900, from each reported cause	115
Table 8.	Deaths in the United States, the registration area and its subdivisions, and in each state and territory, during the census year ending May 31, 1900, from each specified disease and class of diseases, by sex and age	227
Table 9.	Deaths in the United States, during the census year ending May 31, 1900, from each specified disease and class of diseases, by color and race	669
Table 10.	Deaths in the registration area, during the census year ending May 31, 1900, from each specified disease and class of diseases, by color and race	703
Table 11.	Deaths of white persons in the registration area, during the census year ending May 31, 1900, from each specified disease and class of diseases, by birthplaces of mothers	729
Table 12.	Deaths in each registration state, during the census year ending May 31, 1900, from each specified disease and class of diseases, by birthplaces of mothers	843
Table 13.	Deaths in the United States, the registration area and its subdivisions and in each grand group, during the census year ending May 31, 1900, at certain ages and from certain specified diseases and classes of diseases, by months	881

LETTER OF TRANSMITTAL.

DEPARTMENT OF THE INTERIOR,
CENSUS OFFICE,
WASHINGTON, D. C., *January 22, 1902.*

SIR:

I have the honor to transmit for publication Part II of the Report on Vital Statistics.

This part of the report on this subject constitutes Volume IV of the Census Reports, and contains general tables giving the statistics of deaths by cause, sex, and age, in relation to color, general nativity, parent nativity, birthplaces of mothers, and month of death in various combinations.

Part I of this report, which constitutes Volume III of the Census Reports, will contain the tables showing the relation of conjugal condition and occupation to cause of death, and the analysis and ratio tables.

Very respectfully,

WILLIAM A. KING,
Chief Statistician for Vital Statistics.

Hon. WILLIAM R. MERRIAM,
Director of the Census.

TABLE 1.

POPULATION AND DEATHS, BY STATES AND TERRITORIES, AT EACH CENSUS: 1850 TO 1900.

TABLE 1.—POPULATION AND DEATHS, BY STATES AND TERRITORIES, AT EACH CENSUS: 1850 TO 1900.

STATES AND TERRITORIES.	1900		1890		1880		1870		1860		1850	
	Population.	Deaths.	Population.	Deaths.	Population.	Deaths.	Population.	Deaths.	Population.	Deaths.	Population.	Deaths.
The United States	[1] 75,994,575	1,039,094	[1] 62,947,714	841,419	50,155,783	732,017	38,558,371	483,203	31,443,321	392,613	23,191,876	322,721
Alabama	1,828,697	25,699	1,513,401	19,883	1,262,505	17,355	996,992	10,569	964,201	12,700	771,623	9,084
Arizona	122,931	1,223	88,243	649	40,440	289	9,658	252				
Arkansas	1,311,564	22,518	1,128,211	14,083	802,525	14,496	484,471	6,033	435,450	8,836	209,897	3,014
California	1,485,053	22,506	1,213,398	17,161	864,694	11,115	560,247	8,699	379,994	3,663	92,597	905
Colorado	539,700	7,428	413,249	5,298	194,327	2,515	39,864	372	34,277			
Connecticut	908,420	15,422	746,258	13,863	622,700	8,977	537,454	6,731	460,147	6,113	370,792	5,774
Dakota					135,177	1,270	14,181	98	4,837	4		
Delaware	184,735	3,075	168,493	3,073	146,608	2,190	125,015	1,550	112,216	1,246	91,532	1,209
District of Columbia	278,718	6,364	230,392	5,449	177,624	4,192	131,700	1,993	75,080	1,285	51,687	846
Florida	528,542	6,482	391,422	4,057	269,493	3,103	187,748	2,248	140,424	1,762	87,445	929
Georgia	2,216,331	26,941	1,837,353	20,424	1,542,180	20,777	1,184,109	13,051	1,057,286	12,758	906,185	9,896
Idaho	161,772	1,242	88,548	719	32,610	321	14,999	50				
Illinois	4,821,550	61,229	3,826,352	50,213	3,077,871	43,416	2,539,891	32,560	1,711,951	19,205	851,470	11,755
Indiana	2,516,462	33,586	2,192,404	23,296	1,978,301	30,102	1,680,637	17,405	1,350,428	15,280	988,416	12,675
Indian Territory	392,060	5,286	180,182	145								
Iowa	2,231,853	19,573	1,912,297	17,124	1,624,615	18,875	1,194,020	9,461	674,913	7,227	192,214	2,043
Kansas	1,470,495	16,261	1,428,108	11,647	996,096	14,749	364,399	4,492	107,206	1,553		
Kentucky	2,147,174	27,091	1,858,635	23,019	1,648,690	22,836	1,321,011	14,064	1,155,684	16,347	982,405	15,016
Louisiana	1,381,625	20,955	1,118,588	15,634	939,946	14,161	726,915	13,969	708,002	12,303	517,762	11,941
Maine	694,466	12,148	661,086	9,974	648,936	9,334	626,915	7,699	628,279	7,613	583,169	7,584
Maryland	1,188,044	20,422	1,042,390	17,090	934,943	16,113	780,894	9,686	687,049	7,359	583,034	9,604
Massachusetts	2,805,346	49,756	2,238,947	43,102	1,783,085	31,752	1,457,351	25,582	1,231,066	21,206	994,514	19,380
Michigan	2,420,982	33,572	2,093,890	24,118	1,636,937	19,144	1,184,059	11,020	749,113	7,391	397,654	4,511
Minnesota	1,751,394	17,005	1,310,283	14,876	780,773	8,790	439,706	3,485	172,023	1,109	6,077	29
Mississippi	1,551,270	20,251	1,289,600	14,549	1,131,597	14,136	827,922	9,042	791,305	12,151	606,526	8,711
Missouri	3,106,665	38,084	2,679,185	30,730	2,168,380	35,314	1,721,295	27,232	1,182,012	17,607	682,044	12,285
Montana	243,329	2,188	142,924	1,302	39,159	331	20,595	185				
Nebraska	1,066,300	8,264	1,062,656	8,307	452,402	5,776	122,993	991	28,841	381		
Nevada	42,335	438	47,355	450	62,266	717	42,491	614	6,857			
New Hampshire	411,588	7,400	376,530	6,856	346,991	5,503	318,300	4,285	326,073	4,467	317,976	4,231
New Jersey	1,883,669	32,735	1,444,933	28,455	1,131,116	18,434	906,096	10,532	672,035	7,516	489,555	6,461
New Mexico	195,310	2,674	160,282	2,766	119,565	2,417	91,874	1,178	93,516	1,301	61,547	1,157
New York	7,268,894	130,268	6,003,174	117,837	5,082,871	84,450	4,382,759	68,479	3,880,735	46,786	3,097,394	45,549
North Carolina	1,893,810	21,068	1,617,949	18,001	1,399,750	20,915	1,071,361	10,496	992,622	12,562	869,039	10,145
North Dakota	319,146	2,287	190,983	1,827								
Ohio	4,157,545	53,362	3,672,329	47,847	3,198,062	40,972	2,665,260	28,777	2,339,511	24,613	1,980,329	28,951
Oklahoma	398,331	3,181	78,475	456								
Oregon	413,536	3,396	317,704	2,643	174,768	1,814	90,923	614	52,465	300	13,294	47
Pennsylvania	6,302,115	90,199	5,258,113	70,612	4,282,891	62,055	3,521,951	51,303	2,906,215	30,138	2,311,786	28,518
Rhode Island	428,556	8,176	345,506	7,234	276,531	4,507	217,353	2,701	174,620	2,475	147,545	2,224
South Carolina	1,340,316	17,166	1,151,149	15,017	995,577	15,173	705,606	7,343	703,708	9,700	668,507	8,036
South Dakota	401,570	3,088	348,600	3,392								
Tennessee	2,020,616	30,572	1,767,518	23,060	1,542,359	24,987	1,258,520	13,974	1,109,801	15,064	1,002,717	11,846
Texas	3,048,710	34,160	2,235,527	25,720	1,591,749	23,896	818,579	11,057	604,215	9,342	212,592	3,051
Utah	276,749	3,079	210,779	2,118	143,963	2,360	86,786	884	40,273	374	11,380	239
Vermont	343,641	5,829	332,422	5,261	332,286	4,887	330,551	3,511	315,098	3,351	314,120	3,128
Virginia	1,854,184	25,252	1,655,980	22,454	1,512,565	23,840	1,225,163	14,930	1,596,318	22,355	1,421,661	19,044
Washington	518,103	4,910	357,232	2,768	75,116	734	23,955	218	11,594	50		
West Virginia	958,800	9,588	762,794	7,997	618,457	7,159	442,014	3,953				
Wisconsin	2,069,042	24,928	1,693,330	18,380	1,315,497	15,529	1,054,670	9,761	775,881	7,120	305,391	2,903
Wyoming	92,531	767	62,555	483	20,789	189	9,118	74				

[1] Inclusive of Indian Territory and Indian reservations.

TABLE 2.

DEATHS IN EACH STATE AND TERRITORY, BY SEX, AT EACH CENSUS: 1870 TO 1900.

TABLE 2.—DEATHS IN EACH STATE AND TERRITORY, BY SEX, AT EACH CENSUS: 1870 TO 1900.

STATES AND TERRITORIES.	1900			1890			1880			1870		
	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
The United States	1,039,094	551,611	487,483	841,419	444,355	397,064	732,017	377,370	354,647	483,203	255,391	227,812
Alabama	25,699	12,970	12,729	19,883	10,046	9,837	17,355	8,504	8,851	10,569	5,506	5,063
Arizona	1,223	750	473	649	419	230	289	206	83	252	168	84
Arkansas	22,518	11,813	10,705	14,083	7,512	6,571	14,496	7,555	6,941	6,033	3,150	2,883
California	22,506	13,998	8,508	17,161	10,843	6,318	11,115	7,169	3,946	8,699	5,506	3,193
Colorado	7,428	4,471	2,957	5,298	3,151	2,147	2,515	1,589	926	372	231	141
Connecticut	15,422	7,902	7,520	13,863	7,183	6,680	8,977	4,508	4,469	6,731	3,513	3,218
Dakota							1,270	720	550	98	69	29
Delaware	3,075	1,644	1,431	3,073	1,635	1,438	2,190	1,100	1,090	1,550	818	732
District of Columbia	6,364	3,274	3,090	5,449	2,872	2,577	4,192	2,110	2,082	1,993	1,055	938
Florida	6,482	3,520	2,962	4,057	2,171	1,886	3,103	1,586	1,517	2,248	1,219	1,029
Georgia	26,941	13,321	13,620	20,424	10,258	10,166	20,777	10,342	10,435	13,051	6,686	6,365
Idaho	1,242	762	480	719	420	299	321	200	121	50	39	11
Illinois	61,229	33,641	27,588	50,213	27,139	23,074	43,416	22,774	20,642	32,560	17,549	15,011
Indiana	33,586	17,454	16,132	23,296	11,981	11,315	30,102	15,304	14,798	17,405	9,076	8,329
Indian Territory	5,286	2,795	2,491	145	79	66						
Iowa	19,573	10,612	8,961	17,124	9,016	8,108	18,875	9,890	8,985	9,461	5,035	4,426
Kansas	16,261	8,978	7,283	11,647	6,146	5,501	14,749	7,688	7,061	4,492	2,403	2,089
Kentucky	27,091	13,843	13,248	23,019	12,061	10,958	22,836	11,413	11,423	14,064	7,230	6,834
Louisiana	20,955	10,971	9,984	15,634	8,492	7,142	14,161	7,652	6,509	13,969	7,905	6,064
Maine	12,148	6,292	5,856	9,974	5,276	4,698	9,384	4,647	4,737	7,699	3,977	3,722
Maryland	20,422	10,526	9,896	17,090	8,737	8,353	16,113	8,147	7,966	9,686	5,054	4,632
Massachusetts	49,756	25,352	24,404	43,102	21,545	21,557	31,752	15,560	16,192	25,582	12,733	12,849
Michigan	33,572	18,084	15,488	24,118	12,813	11,305	19,144	10,065	9,079	11,020	5,665	5,355
Minnesota	17,005	9,354	7,651	14,876	8,010	6,866	8,790	4,708	4,082	3,485	1,925	1,560
Mississippi	20,251	10,299	9,952	14,549	7,530	7,019	14,136	7,258	6,878	9,042	4,713	4,329
Missouri	38,084	20,480	17,604	30,730	16,490	14,240	35,314	18,474	16,840	27,232	15,201	12,031
Montana	2,188	1,387	801	1,302	840	462	331	223	108	185	137	48
Nebraska	8,264	4,480	3,784	8,307	4,458	3,849	5,776	3,016	2,760	991	540	451
Nevada	438	290	148	450	337	113	717	530	187	614	422	192
New Hampshire	7,400	3,663	3,737	6,856	3,431	3,425	5,503	2,726	2,777	4,285	2,087	2,198
New Jersey	32,735	17,462	15,273	28,455	14,954	13,501	18,434	9,499	8,935	10,532	5,683	4,849
New Mexico	2,674	1,455	1,219	2,766	1,463	1,303	2,417	1,339	1,078	1,178	621	557
New York	130,268	68,648	61,620	117,837	62,206	55,631	84,450	43,742	40,708	68,479	36,366	32,113
North Carolina	21,068	10,427	10,641	18,001	8,968	9,033	20,915	10,215	10,700	10,496	5,087	5,409
North Dakota	2,287	1,159	1,128	1,827	998	829						
Ohio	53,362	28,648	24,714	47,847	25,214	22,633	40,972	21,099	19,873	28,777	15,292	13,485
Oklahoma	3,181	1,741	1,440	456	262	194						
Oregon	3,396	2,019	1,377	2,643	1,566	1,077	1,814	1,005	809	614	334	280
Pennsylvania	90,199	49,150	41,049	70,612	37,867	32,745	62,055	32,528	29,527	51,303	27,192	24,111
Rhode Island	8,176	4,132	4,044	7,234	3,633	3,601	4,507	2,228	2,279	2,701	1,403	1,298
South Carolina	17,166	8,461	8,705	15,017	7,507	7,510	15,173	7,298	7,875	7,343	3,737	3,606
South Dakota	3,088	1,654	1,434	3,392	1,736	1,656						
Tennessee	30,572	15,354	15,218	23,060	11,788	11,272	24,987	12,243	12,744	13,974	6,819	7,155
Texas	34,160	18,045	16,115	25,720	14,168	11,552	23,896	12,619	11,277	11,057	6,171	4,886
Utah	3,079	1,821	1,258	2,118	1,138	980	2,360	1,238	1,122	884	448	436
Vermont	5,829	2,936	2,893	5,261	2,568	2,693	4,887	2,428	2,459	3,511	1,781	1,730
Virginia	25,252	13,112	12,140	22,454	11,527	10,927	23,840	11,720	12,120	14,930	7,414	7,516
Washington	4,910	3,148	1,762	2,768	1,596	1,172	734	454	280	218	129	89
West Virginia	9,588	5,046	4,542	7,997	4,129	3,868	7,159	3,629	3,530	3,953	2,019	1,934
Wisconsin	24,928	13,815	11,113	18,380	9,867	8,513	15,529	8,303	7,226	9,761	5,224	4,537
Wyoming	767	452	315	483	309	174	189	119	70	74	59	15

TABLE 3.

DEATHS IN EACH STATE AND TERRITORY DURING THE CENSUS YEAR ENDING MAY 31, 1900, BY COLOR AND RACE.

TABLE 3.—DEATHS IN EACH STATE AND TERRITORY, BY COLOR AND RACE: CENSUS YEAR 1900.

STATES AND TERRITORIES.	Aggregate.	White.	COLORED.				
			Total.	Black.	Indian.	Chinese.	Japanese.
The United States	1,039,094	892,092	147,002	140,934	4,801	1,150	117
Alabama	25,699	12,937	12,762	12,758	4		
Arizona	1,223	947	276	8	266	2	
Arkansas	22,518	16,372	6,146	6,142	3	1	
California	22,506	21,081	1,425	266	266	811	82
Colorado	7,428	7,210	218	179	34	5	
Connecticut	15,422	15,048	374	367	5	2	
Delaware	3,075	2,490	585	585			
District of Columbia	6,364	3,660	2,704	2,701		3	
Florida	6,482	3,408	3,074	3,074			
Georgia	26,941	13,094	13,847	13,841	1	5	
Idaho	1,242	1,075	167	3	146	18	
Illinois	61,229	59,618	1,611	1,600	1	10	
Indiana	33,586	32,312	1,274	1,267	7		
Indian Territory	5,286	3,936	1,350	426	924		
Iowa	19,573	19,362	211	187	23	1	
Kansas	16,261	15,209	1,052	1,017	35		
Kentucky	27,091	22,035	5,056	5,056			
Louisiana	20,955	10,250	10,705	10,675	20	10	
Maine	12,148	12,112	36	25	10	1	
Maryland	20,422	15,341	5,081	5,080		1	
Massachusetts	49,756	49,061	695	660	7	28	
Michigan	33,572	33,205	367	247	120		
Minnesota	17,005	16,816	189	62	126	1	
Mississippi	20,251	7,444	12,807	12,747	58	2	
Missouri	38,084	34,959	3,125	3,117	1	7	
Montana	2,188	1,930	258	17	223	15	3
Nebraska	8,264	8,015	249	110	138	1	
Nevada	438	349	89	6	78	5	
New Hampshire	7,400	7,388	12	12			
New Jersey	32,735	31,069	1,666	1,662	1	3	
New Mexico	2,674	2,398	276	31	245		
New York	130,268	127,332	2,936	2,715	127	91	3
North Carolina	21,068	13,217	7,851	7,813	38		
North Dakota	2,287	2,046	241	7	234		
Ohio	53,362	51,481	1,881	1,877		4	
Oklahoma	3,181	2,704	477	161	316		
Oregon	3,396	3,176	220	11	146	53	10
Pennsylvania	90,199	86,653	3,546	3,519	10	17	
Rhode Island	8,176	7,939	237	236		1	
South Carolina	17,166	5,808	11,358	11,357	1		
South Dakota	3,088	2,448	640	3	636	1	
Tennessee	30,572	21,029	9,543	9,539	3	1	
Texas	34,160	26,216	7,944	7,938	4	2	
Utah	3,079	2,972	107	11	80	15	1
Vermont	5,829	5,804	25	25			
Virginia	25,252	14,070	11,182	11,174	7	1	
Washington	4,910	4,594	316	42	237	22	15
West Virginia	9,588	9,074	514	513		1	
Wisconsin	24,928	24,747	181	58	123		
Wyoming	767	651	116	7	97	9	3

TABLE 4.

DEATHS IN THE UNITED STATES, EACH STATE AND TERRITORY, AND EACH REGISTRATION CITY, DURING THE CENSUS YEAR ENDING MAY 31, 1900, BY COLOR, GENERAL NATIVITY, PARENT NATIVITY, AND SEX.

TABLE 4.—DEATHS BY COLOR, GENERAL NATIVITY, STATES AND TERRITORIES.

	STATES AND TERRITORIES.	AGGREGATE.			WHITE.					
					Total.			Native.		
								Total.		
		Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
1	The United States	1,039,094	551,611	487,483	892,092	477,080	415,012	694,382	366,122	328,260
2	Alabama	25,699	12,970	12,729	12,937	6,541	6,396	12,308	6,164	6,144
3	Arizona	1,223	750	473	947	616	331	681	434	247
4	Arkansas	22,518	11,813	10,705	16,372	8,689	7,683	15,804	8,281	7,523
5	California	22,506	13,998	8,508	21,081	12,912	8,169	13,687	8,049	5,638
6	Colorado	7,428	4,471	2,957	7,210	4,351	2,859	4,856	2,779	2,077
7	Connecticut	15,422	7,902	7,520	15,048	7,717	7,331	10,800	5,580	5,220
8	Delaware	3,075	1,644	1,431	2,490	1,348	1,142	2,134	1,148	986
9	District of Columbia	6,364	3,274	3,090	3,660	1,967	1,693	2,989	1,574	1,415
10	Florida	6,482	3,520	2,962	3,408	1,933	1,475	2,943	1,628	1,315
11	Georgia	26,941	13,321	13,620	13,094	6,547	6,547	12,637	6,276	6,361
12	Idaho	1,242	762	480	1,075	674	401	850	505	345
13	Illinois	61,229	33,641	27,588	59,618	32,752	26,866	42,545	22,798	19,747
14	Indiana	33,586	17,454	16,132	32,312	16,789	15,523	28,307	14,480	13,827
15	Indian Territory	5,286	2,795	2,491	3,936	2,119	1,817	3,863	2,083	1,780
16	Iowa	19,573	10,612	8,961	19,362	10,490	8,872	14,089	7,511	6,578
17	Kansas	16,261	8,978	7,283	15,209	8,444	6,765	11,337	6,174	5,163
18	Kentucky	27,091	13,843	13,248	22,035	11,337	10,698	19,947	10,151	9,796
19	Louisiana	20,955	10,971	9,984	10,250	5,590	4,660	8,465	4,556	3,909
20	Maine	12,148	6,292	5,856	12,112	6,268	5,844	10,497	5,438	5,059
21	Maryland	20,422	10,526	9,896	15,341	8,054	7,287	12,177	6,383	5,794
22	Massachusetts	49,756	25,352	24,404	49,061	24,985	24,076	34,952	18,207	16,745
23	Michigan	33,572	18,084	15,488	33,205	17,893	15,312	24,068	12,742	11,326
24	Minnesota	17,005	9,354	7,651	16,816	9,250	7,566	10,318	5,456	4,862
25	Mississippi	20,251	10,299	9,952	7,444	3,880	3,564	7,120	3,680	3,440
26	Missouri	38,084	20,480	17,604	34,959	18,833	16,126	29,383	15,525	13,858
27	Montana	2,188	1,387	801	1,930	1,256	674	1,069	624	445
28	Nebraska	8,264	4,480	3,784	8,015	4,355	3,660	6,042	3,239	2,805
29	Nevada	438	290	148	349	240	109	201	128	73
30	New Hampshire	7,400	3,663	3,737	7,388	3,660	3,728	5,848	2,904	2,944
31	New Jersey	32,735	17,462	15,273	31,069	16,617	14,452	22,829	12,187	10,642
32	New Mexico	2,674	1,455	1,219	2,398	1,290	1,108	2,228	1,171	1,057
33	New York	130,268	68,648	61,620	127,332	67,135	60,197	88,479	46,814	41,665
34	North Carolina	21,068	10,427	10,641	13,217	6,484	6,733	12,805	6,265	6,540
35	North Dakota	2,287	1,159	1,128	2,046	1,050	996	1,291	635	656
36	Ohio	53,362	28,648	24,714	51,481	27,612	23,869	40,219	21,184	19,035
37	Oklahoma	3,181	1,741	1,440	2,704	1,508	1,196	2,563	1,428	1,135
38	Oregon	3,396	2,019	1,377	3,176	1,880	1,296	2,412	1,364	1,048
39	Pennsylvania	90,199	49,150	41,049	86,653	47,300	39,353	67,229	36,217	31,012
40	Rhode Island	8,176	4,132	4,044	7,939	4,021	3,918	5,571	2,922	2,649
41	South Carolina	17,166	8,461	8,705	5,808	2,919	2,889	5,605	2,796	2,809
42	South Dakota	3,088	1,654	1,434	2,448	1,349	1,099	1,672	894	778
43	Tennessee	30,572	15,354	15,218	21,029	10,568	10,461	20,257	10,093	10,164
44	Texas	34,160	18,045	16,115	26,216	14,041	12,175	23,526	12,409	11,117
45	Utah	3,079	1,821	1,258	2,972	1,764	1,208	1,934	1,067	867
46	Vermont	5,829	2,936	2,893	5,804	2,920	2,884	4,885	2,455	2,430
47	Virginia	25,252	13,112	12,140	14,070	7,302	6,768	13,472	6,899	6,573
48	Washington	4,910	3,148	1,762	4,594	2,955	1,639	3,065	1,812	1,253
49	West Virginia	9,588	5,046	4,542	9,074	4,756	4,318	8,651	4,507	4,144
50	Wisconsin	24,928	13,815	11,113	24,747	13,724	11,023	15,298	8,225	7,073
51	Wyoming	767	452	315	651	395	256	474	281	193

PARENT NATIVITY, AND SEX: CENSUS YEAR 1900.

STATES AND TERRITORIES.

WHITE—continued.									COLORED.			
Native—Continued.						Foreign.						
Both parents native.			One or both parents foreign.									
Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	
406,104	209,670	196,434	143,214	77,472	65,742	175,252	97,309	77,943	147,002	74,531	72,471	1
10,039	5,034	5,005	215	105	110	341	228	113	12,762	6,429	6,333	2
279	168	111	250	155	95	219	146	73	276	134	142	3
14,224	7,364	6,860	366	210	156	280	204	76	6,146	3,124	3,022	4
2,968	1,730	1,238	1,431	797	634	6,874	4,480	2,394	1,425	1,086	339	5
2,098	1,185	913	711	405	306	1,233	842	391	218	120	98	6
5,020	2,482	2,538	4,057	2,190	1,867	3,941	1,955	1,986	374	185	189	7
352	192	160	29	12	17	236	125	111	585	296	289	8
2,198	1,145	1,053	522	270	252	616	359	257	2,704	1,307	1,397	9
2,120	1,156	964	178	95	83	381	245	136	3,074	1,587	1,487	10
10,075	4,899	5,176	108	63	45	257	160	97	13,847	6,774	7,073	11
533	303	230	219	125	94	189	138	51	167	88	79	12
16,744	8,819	7,925	4,409	2,434	1,975	16,052	9,297	6,755	1,611	889	722	13
21,836	11,089	10,747	3,205	1,624	1,581	3,247	1,876	1,371	1,274	665	609	14
3,548	1,903	1,645	84	49	35	37	23	14	1,350	676	674	15
8,056	4,254	3,802	3,025	1,608	1,417	4,240	2,401	1,839	211	122	89	16
7,106	3,776	3,330	1,677	918	759	1,720	1,064	656	1,052	534	518	17
16,295	8,200	8,095	570	306	264	1,221	699	522	5,056	2,506	2,550	18
6,039	3,173	2,866	1,098	607	491	1,670	955	715	10,705	5,381	5,324	19
7,954	4,073	3,881	2,009	1,091	918	1,487	762	725	36	24	12	20
4,056	2,160	1,896	353	196	157	2,391	1,258	1,133	5,081	2,472	2,609	21
15,357	7,748	7,609	16,194	8,788	7,406	13,645	6,517	7,128	695	367	328	22
13,038	6,789	6,249	9,125	4,904	4,221	8,752	4,858	3,894	367	191	176	23
4,221	2,229	1,992	5,513	2,896	2,617	6,285	3,634	2,651	189	104	85	24
6,677	3,433	3,244	160	87	73	150	95	55	12,807	6,419	6,388	25
19,236	9,962	9,274	1,824	994	830	4,771	2,824	1,947	3,125	1,647	1,478	26
494	289	205	342	193	149	534	394	140	258	131	127	27
2,976	1,561	1,415	1,442	770	672	1,737	987	750	249	125	124	28
89	51	38	71	42	29	137	107	30	89	50	39	29
3,051	1,502	1,549	1,651	855	796	1,077	529	548	12	3	9	30
12,309	6,370	5,939	8,334	4,565	3,769	7,915	4,202	3,713	1,666	845	821	31
1,985	1,031	954	204	110	94	116	78	38	276	165	111	32
42,006	21,581	20,425	38,071	20,694	17,377	37,505	19,428	18,077	2,936	1,513	1,423	33
12,166	5,945	6,221	53	28	25	63	38	25	7,851	3,943	3,908	34
345	171	174	894	432	462	715	391	324	241	109	132	35
25,885	13,383	12,502	8,695	4,668	4,027	9,356	5,294	4,062	1,881	1,036	845	36
2,126	1,169	957	223	124	99	113	62	51	477	233	244	37
1,218	686	532	331	192	139	632	409	223	220	139	81	38
28,823	15,531	13,292	9,257	5,121	4,136	16,354	9,313	7,041	3,546	1,850	1,696	39
2,726	1,342	1,384	2,694	1,488	1,206	2,295	1,054	1,241	237	111	126	40
5,285	2,626	2,659	142	62	80	144	85	59	11,358	5,542	5,816	41
728	400	328	866	454	412	751	432	319	640	305	335	42
17,729	8,755	8,974	252	122	130	511	330	181	9,543	4,786	4,757	43
18,323	9,543	8,780	2,228	1,178	1,050	2,136	1,292	844	7,944	4,004	3,940	44
961	509	452	782	424	358	983	645	338	107	57	50	45
						844	424	420	25	16	9	46
10,689	5,384	5,305	165	102	63	439	319	120	11,182	5,810	5,372	47
1,676	975	701	877	500	377	1,211	895	316	316	193	123	48
7,858	4,060	3,798	337	186	151	338	201	137	514	290	224	49
6,340	3,392	2,948	7,802	4,137	3,665	8,974	5,173	3,801	181	91	90	50
247	148	99	169	96	73	137	82	55	116	57	59	51

TABLE 4.—DEATHS BY COLOR, GENERAL NATIVITY,

REGISTRATION CITIES.

	REGISTRATION CITIES.	AGGREGATE.			WHITE.					
					Total.			Native.		
								Total.		
		Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
1	Total	402,666	215,115	187,551	367,430	196,694	170,736	250,506	133,654	116,852
2	Adams town, Mass	179	93	86	179	93	86	127	69	58
3	Alameda, Cal	224	122	102	220	121	99	137	76	61
4	Albany, N. Y	1,813	897	916	1,787	881	906	1,212	612	600
5	Alexandria, Va	351	179	172	180	97	83	165	90	75
6	Allegheny, Pa	2,385	1,326	1,059	2,341	1,300	1,041	1,652	901	751
7	Allentown, Pa	646	346	300	645	345	300	564	291	273
8	Altoona, Pa	752	440	312	741	432	309	645	373	272
9	Amesbury town, Mass	144	77	67	143	77	66	117	62	55
10	Amsterdam, N. Y	336	168	168	334	166	168	251	120	131
11	Annapolis, Md	170	87	83	83	47	36	67	39	28
12	Ann Arbor, Mich	185	101	84	180	98	82	124	64	60
13	Ansonia town, Conn	227	122	105	212	115	97	136	75	61
14	Appleton, Wis	175	107	68	175	107	68	110	66	44
15	Arlington town, Mass	133	64	69	133	64	69	96	46	50
16	Ashtabula, Ohio	219	134	85	216	132	84	140	87	53
17	Atlanta, Ga	2,387	1,255	1,132	1,250	668	582	1,210	642	568
18	Atlantic City, N. J	466	244	222	384	199	185	306	148	158
19	Attleboro town, Mass	160	76	84	157	75	82	113	59	54
20	Auburn, N. Y	521	265	256	511	261	250	395	207	188
21	Augusta, Me	308	147	161	308	147	161	258	116	142
22	Aurora, Ill	362	197	165	352	194	158	246	131	115
23	Baltimore, Md	10,679	5,414	5,265	8,193	4,230	3,963	6,365	3,297	3,068
24	Bangor, Me	354	188	166	352	187	165	270	146	124
25	Barre, Vt	158	80	78	157	79	78	117	60	57
26	Bath, Me	146	70	76	143	68	75	114	54	60
27	Battle Creek, Mich	250	135	115	243	132	111	196	111	85
28	Bay City, Mich	351	206	145	350	206	144	220	128	92
29	Bayonne, N. J	545	286	259	535	281	254	377	202	175
30	Bellaire, Ohio	167	94	73	160	90	70	123	65	58
31	Belleville, Ill	269	150	119	263	146	117	162	89	73
32	Beloit, Wis	152	74	78	151	74	77	123	60	63
33	Bennington town, Vt	127	61	66	126	61	65	102	54	48
34	Berlin, N. H	149	79	70	149	79	70	106	54	52
35	Beverly, Mass	205	93	112	205	93	112	158	77	81
36	Biddeford, Me	375	206	169	375	206	169	271	158	113
37	Binghamton, N. Y	698	350	348	689	346	343	566	275	291
38	Boston, Mass	11,277	5,726	5,551	10,950	5,554	5,396	7,088	3,735	3,353
39	Bridgeport, Conn	1,226	658	568	1,195	643	552	812	445	367
40	Bridgeton, N. J	200	102	98	182	96	86	172	90	82
41	Bristol town, Conn	149	63	86	147	63	84	115	47	68
42	Brockton, Mass	529	285	244	527	283	244	420	224	196
43	Brookline town, Mass	260	133	127	258	132	126	189	102	87
44	Buffalo, N. Y	5,207	2,779	2,428	5,157	2,747	2,410	3,254	1,798	1,456
45	Burlington, Iowa	384	222	162	371	212	159	237	138	99
46	Burlington, Vt	347	169	178	339	163	176	261	136	125
47	Cambridge, Mass	1,699	841	858	1,598	790	808	1,074	535	539
48	Camden, N. J	1,235	634	601	1,069	553	516	887	446	441
49	Canton, Ohio	408	212	196	405	210	195	302	157	145
50	Carbondale, Pa	295	166	129	295	166	129	201	113	88
51	Carlisle, Pa	207	113	94	181	98	83	177	95	82
52	Central Falls, R. I	290	148	142	289	148	141	172	101	71
53	Charleston, S. C	2,094	1,081	1,013	621	330	291	481	247	234
54	Chelsea, Mass	636	330	306	629	325	304	449	243	206
55	Chicago, Ill	27,533	15,135	12,398	26,854	14,752	12,102	16,997	9,084	7,913
56	Chicopee, Mass	399	203	196	399	203	196	281	150	131
57	Chillicothe, Ohio	277	131	146	252	123	129	192	94	98
58	Chippewa Falls, Wis	100	54	46	100	54	46	60	29	31
59	Cincinnati, Ohio	6,214	3,383	2,831	5,786	3,153	2,633	3,573	1,939	1,634
60	Cleveland, Ohio	6,521	3,599	2,922	6,411	3,526	2,885	4,377	2,386	1,991
61	Clinton town, Mass	224	113	111	224	113	111	136	75	61
62	Cohoes, N. Y	484	238	246	484	238	246	329	166	163
63	Columbia, Pa	239	120	119	229	115	114	208	102	106
64	Columbus, Ind	162	76	86	153	72	81	140	64	76
65	Columbus, Ohio	1,983	1,085	898	1,809	986	823	1,450	790	660
66	Concord, N. H	357	171	186	356	171	185	308	144	164
67	Corning, N. Y	199	106	93	196	105	91	163	89	74
68	Cortland, N. Y	120	56	64	119	56	63	108	48	60
69	Covington, Ky	869	477	392	814	454	360	588	340	248
70	Danbury town, Conn	320	163	157	317	161	156	229	117	112
71	Danvers town, Mass	152	67	85	151	67	84	101	46	55
72	Danville, Ill	312	190	122	293	177	116	210	124	86
73	Davenport, Iowa	562	307	255	553	302	251	284	159	125
74	Dayton, Ohio	1,405	726	679	1,333	690	643	1,008	503	505
75	Decatur, Ill	355	191	164	345	186	159	279	140	139
76	Denver, Colo	2,484	1,431	1,053	2,391	1,377	1,014	1,555	869	686
77	Detroit, Mich	4,893	2,522	2,371	4,790	2,465	2,325	3,113	1,639	1,474
78	District of Columbia	6,364	3,274	3,090	3,660	1,967	1,693	2,989	1,574	1,415
79	Dover, N. H	257	129	128	256	129	127	192	102	90
80	Dubois, Pa	131	68	63	130	67	63	103	54	49
81	Duluth, Minn	698	436	262	696	435	261	369	199	170

PARENT NATIVITY, AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES.

WHITE—continued.									COLORED.			
Native—Continued.						Foreign.						
Both parents native.			One or both parents foreign.									
Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	
70,281	36,297	33,984	80,595	43,763	36,832	106,484	56,683	49,801	35,236	18,421	16,815	1
31	18	13	86	48	38	50	24	26				2
						76	39	37	4	1	3	3
521	270	251	423	213	210	541	251	290	26	16	10	4
99	57	42	4	3	1	15	7	8	171	82	89	5
1,001	536	465	605	341	264	670	384	286	44	26	18	6
						64	38	26	1	1		7
						82	53	29	11	8	3	8
62	34	28	48	25	23	26	15	11	1		1	9
125	59	66	110	53	57	82	45	37	2	2		10
30	18	12	3	2	1	7	4	3	87	40	47	11
71	39	32	34	14	20	52	30	22	5	3	2	12
37	20	17	90	51	39	74	39	35	15	7	8	13
43	26	17	60	35	25	64	41	23				14
48	18	30	44	26	18	37	18	19				15
39	27	12	34	18	16	61	38	23	3	2	1	16
						38	24	14	1,137	587	550	17
179	87	92	60	30	30	74	47	27	82	45	37	18
60	26	34	46	29	17	43	16	27	3	1	2	19
240	119	121	109	62	47	115	54	61	10	4	6	20
170	69	101	31	11	20	46	28	18				21
172	97	75	72	32	40	106	63	43	10	3	7	22
						1,800	913	887	2,486	1,184	1,302	23
199	106	93	56	32	24	75	37	38	2	1	1	24
						39	19	20	1	1		25
91	38	53	23	16	7	29	14	15	3	2	1	26
144	77	67	23	14	9	40	19	21	7	3	4	27
68	41	27	141	83	58	124	74	50	1		1	28
126	65	61	235	126	109	154	76	78	10	5	5	29
75	39	36	35	17	18	23	15	8	7	4	3	30
						94	52	42	6	4	2	31
78	38	40	33	16	17	26	12	14	1		1	32
						22	6	16	1		1	33
8	4	4	85	46	39	31	17	14				34
108	50	58	41	22	19	46	15	31				35
81	45	36	180	109	71	101	47	54				36
325	156	169	123	60	63	111	65	46	9	4	5	37
2,342	1,197	1,145	4,138	2,233	1,905	3,765	1,756	2,009	327	172	155	38
290	147	143	441	254	187	357	181	176	31	15	16	39
133	66	67	10	6	4	9	6	3	18	6	12	40
49	21	28	50	23	27	28	14	14	2		2	41
213	108	105	166	95	71	105	58	47	2	2		42
100	51	49	73	42	31	68	30	38	2	1	1	43
1,117	584	533	1,824	1,034	790	1,884	940	944	50	32	18	44
						110	62	48	13	10	3	45
						74	24	50	8	6	2	46
417	198	219	602	315	287	514	248	266	101	51	50	47
613	308	305	199	101	98	171	99	72	166	81	85	48
						70	36	34	3	2	1	49
						92	51	41				50
						2	1	1	26	15	11	51
45	25	20	126	76	50	112	45	67	1		1	52
340	176	164	75	32	43	107	62	45	1,473	751	722	53
182	94	88	208	113	95	178	82	96	7	5	2	54
						9,658	5,513	4,145	679	383	296	55
57	26	31	218	121	97	118	53	65				56
						56	27	29	25	8	17	57
17	7	10	40	20	20	35	21	14				58
1,574	832	742	1,373	742	631	1,730	916	814	428	230	198	59
1,511	762	749	2,245	1,266	979	1,940	1,075	865	110	73	37	60
37	20	17	93	52	41	86	37	49				61
126	70	56	191	89	102	152	69	83				62
						18	12	6	10	5	5	63
94	43	51	19	9	10	9	5	4	9	4	5	64
982	533	449	318	164	154	330	177	153	174	99	75	65
172	86	86	82	35	47	42	23	19	1		1	66
93	58	35	52	24	28	33	16	17	3	1	2	67
80	36	44	10	3	7	10	8	2	1		1	68
374	217	157	147	87	60	208	102	106	55	23	32	69
111	53	58	66	35	31	80	40	40	3	2	1	70
71	32	39	17	6	11	48	20	28	1		1	71
						49	31	18	19	13	6	72
						234	121	113	9	5	4	73
						275	152	123	72	36	36	74
						52	36	16	10	5	5	75
						467	300	167	93	54	39	76
814	420	394	1,771	941	830	1,649	803	846	103	57	46	77
2,198	1,145	1,053	522	270	252	616	359	257	2,704	1,307	1,397	78
91	47	44	65	40	25	53	23	30	1		1	79
55	27	28	35	19	16	23	10	13	1	1		80
79	39	40	242	132	110	300	213	87	2	1	1	81

TABLE 4.—DEATHS BY COLOR, GENERAL NATIVITY,

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGGREGATE.			WHITE.					
					Total.			Native.		
								Total.		
		Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
1	Dunkirk, N. Y	172	91	81	172	91	81	114	66	48
2	Easton, Pa	421	231	190	414	228	186			
3	Eau Claire, Wis	257	138	119	256	137	119	163	82	81
4	Elizabeth, N. J	911	502	409	886	490	396	595	318	277
5	Elmira, N. Y	550	294	256	537	287	250	424	229	195
6	Erie, Pa	801	460	341	796	457	339	502	283	219
7	Escanaba, Mich	188	125	63	187	125	62	111	65	46
8	Evansville, Ind	1,045	572	473	875	483	392	652	345	307
9	Everett, Mass	386	178	208	376	173	203	287	133	154
10	Fall River, Mass	2,345	1,196	1,149	2,341	1,195	1,146	1,601	861	740
11	Findlay, Ohio	275	142	133	272	141	131	243	125	118
12	Fitchburg, Mass	428	237	191	427	236	191	312	172	140
13	Flint, Mich	185	93	92	180	91	89	144	71	73
14	Framingham town, Mass	190	95	95	190	95	95	136	63	73
15	Frederick, Md	185	91	94	141	67	74	126	61	65
16	Fresno, Cal	187	110	77	157	85	72	134	68	66
17	Galesburg, Ill	270	149	121	259	143	116	163	85	78
18	Gardner town, Mass	205	90	115	205	90	115	165	70	95
19	Geneva, N. Y	153	72	81	145	69	76	103	52	51
20	Glens Falls, N. Y	242	106	136	241	106	135	188	85	103
21	Gloucester, Mass	388	205	183	387	205	182	286	154	132
22	Gloversville, N. Y	217	103	114	216	103	113	185	89	96
23	Grand Rapids, Mich	1,258	685	573	1,258	685	573	901	485	416
24	Green Bay, Wis	315	173	142	315	173	142	213	118	95
25	Greenwich town, Conn	206	109	97	200	105	95	145	81	64
26	Hamilton, Ohio	349	189	160	342	184	158	252	129	123
27	Harrisburg, Pa	895	495	400	798	442	356	648	357	291
28	Harrison town, N. J	234	114	120	232	113	119	148	79	69
29	Hartford, Conn	1,546	779	767	1,507	755	752	1,055	540	515
30	Haverhill, Mass	561	283	278	557	280	277	434	216	218
31	Hazleton, Pa	205	109	96	205	109	96	144	67	77
32	Helena, Mont	154	86	68	149	82	67	75	44	31
33	Hoboken, N. J	1,253	719	534	1,252	718	534	754	422	332
34	Holyoke, Mass	820	394	426	820	394	426	518	268	250
35	Hudson, N. Y	208	117	91	188	108	80	156	89	67
36	Hutchinson, Kans	189	95	94	185	95	90	180	91	89
37	Hyde Park town, Mass	215	113	102	215	113	102	138	76	62
38	Indianapolis, Ind	2,817	1,434	1,383	2,437	1,254	1,183	1,973	1,017	956
39	Iron Mountain, Mich	122	73	49	122	73	49	88	48	40
40	Ironton, Ohio	221	118	103	201	104	97	158	77	81
41	Ironwood, Mich	126	81	45	126	81	45	77	46	31
42	Ishpeming, Mich	196	114	82	196	114	82	118	73	45
43	Ithaca, N. Y	214	86	128	208	81	127	174	69	105
44	Jackson, Mich	338	177	161	328	171	157	249	126	123
45	Jacksonville, Fla	825	457	368	311	185	126	259	147	112
46	Jacksonville, Ill	329	179	150	309	167	142	154	80	74
47	Jamestown, N. Y	288	144	144	288	144	144	185	89	96
48	Jeffersonville, Ind	227	117	110	169	81	88	140	65	75
49	Jersey City, N. J	4,277	2,285	1,992	4,177	2,234	1,943	2,789	1,518	1,271
50	Johnstown, N. Y	135	79	56	133	77	56	109	63	46
51	Johnstown, Pa	710	414	296	704	409	295	541	304	237
52	Kalamazoo, Mich	416	229	187	405	222	183	292	158	134
53	Kansas City, Mo	2,852	1,558	1,294	2,388	1,340	1,048	1,707	931	776
54	Keene, N. H	125	61	64	125	61	64	104	51	53
55	Keokuk, Iowa	279	143	136	257	132	125	173	88	85
56	Key West, Fla	486	280	206	329	205	124	204	130	74
57	Kingston, N. Y	442	206	236	420	197	223	315	141	174
58	Laconia, N. H	163	86	77	162	86	76	136	68	68
59	Lafayette, Ind	296	159	137	292	157	135	183	108	75
60	Lancaster, Pa	724	388	336	707	376	331	536	287	249
61	Lansing, Mich	232	114	118	222	106	116	174	79	95
62	Lansingburg, N. Y	248	122	126	242	119	123	188	95	93
63	Lawrence, Kans	179	85	94	130	64	66	94	48	46
64	Lawrence, Mass	1,262	644	618	1,261	643	618	763	408	355
65	Leadville, Colo	351	237	114	351	237	114			
66	Leavenworth, Kans	419	218	201	322	172	150	218	115	103
67	Lebanon, Pa	326	161	165	326	161	165	305	149	156
68	Leominster town, Mass	176	79	97	174	77	97	146	70	76
69	Lima, Ohio	377	204	173	364	198	166			
70	Lincoln, Nebr	476	262	214	455	252	203	327	172	155
71	Lockport, N. Y	259	131	128	258	131	127	190	99	91
72	Los Angeles, Cal	1,857	1,121	736	1,752	1,047	705	1,277	745	532
73	Louisville, Ky	4,092	2,106	1,986	2,970	1,573	1,397	2,292	1,211	1,081
74	Lowell, Mass	1,876	934	942	1,872	931	941	1,252	660	592
75	Lynchburg, Va	523	248	275	223	105	118	176	82	94
76	Lynn, Mass	1,124	582	542	1,108	576	532	829	440	389
77	McKeesport, Pa	592	311	281	574	300	274	461	240	221
78	Madison, Wis	216	118	98	215	118	97	134	79	55
79	Mahanoy, Pa	360	212	148	359	212	147	226	124	102
80	Malden, Mass	486	222	264	480	221	259	352	166	186

PARENT NATIVITY, AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

WHITE—continued.									COLORED.			
Native—Continued.						Foreign.						
Both parents native.			One or both parents foreign.									
Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	
35	18	17	71	43	28	58	25	33				1
									7	3	4	2
67	30	37	84	44	40	88	50	38	1	1		3
226	119	107	315	165	150	287	170	117	25	12	13	4
282	147	135	120	72	48	110	55	55	13	7	6	5
						246	141	105	5	3	2	6
33	20	13	71	40	31	71	56	15	1		1	7
391	208	183	182	94	88	202	125	77	170	89	81	8
139	66	73	128	59	69	88	39	49	10	5	5	9
297	157	140	1,264	684	580	737	331	406	4	1	3	10
209	109	100	32	16	16	27	15	12	3	1	2	11
124	72	52	172	92	80	112	62	50	1	1		12
97	51	46	38	17	21	32	17	15	5	2	3	13
66	27	39	55	29	26	51	31	20				14
113	54	59	1		1	11	5	6	44	24	20	15
						21	15	6	30	25	5	16
						76	46	30	11	6	5	17
67	22	45	91	46	45	39	20	19				18
60	28	32	37	21	16	40	15	25	8	3	5	19
116	54	62	62	29	33	51	21	30	1		1	20
143	75	68	122	65	57	100	50	50	1		1	21
129	61	68	32	17	15	30	14	16	1		1	22
397	204	193	438	240	198	344	194	150				23
92	63	29	111	52	59	94	49	45				24
69	39	30	67	35	32	52	23	29	6	4	2	25
150	76	74	69	36	33	78	49	29	7	5	2	26
						57	28	29	97	53	44	27
43	24	19	87	51	36	81	32	49	2	1	1	28
288	141	147	371	190	181	416	195	221	39	24	15	29
251	124	127	129	71	58	117	60	57	4	3	1	30
						61	42	19				31
						41	23	18	5	4	1	32
229	121	108	484	279	205	494	292	202	1	1		33
105	53	52	380	196	184	295	123	172				34
112	62	50	29	18	11	28	16	12	20	9	11	35
						3	2	1	4		4	36
70	41	29	63	34	29	76	36	40				37
1,227	648	579	362	179	183	410	211	199	380	180	200	38
6	4	2	79	42	37	34	25	9				39
118	57	61	21	11	10	29	14	15	20	14	6	40
3	1	2	73	44	29	49	35	14				41
13	9	4	104	64	40	75	38	37				42
131	52	79	20	11	9	29	11	18	6	5	1	43
145	72	73	67	37	30	71	38	33	10	6	4	44
						45	31	14	514	272	242	45
						64	40	24	20	12	8	46
124	62	62	56	23	33	101	55	46				47
						29	16	13	58	36	22	48
1,027	526	501	1,622	891	731	1,354	689	665	100	51	49	49
79	49	30	25	13	12	22	14	8	2	2		50
						160	102	58	6	5	1	51
166	89	77	94	50	44	103	57	46	11	7	4	52
999	537	462	373	216	157	360	232	128	464	218	246	53
68	35	33	21	11	10	20	9	11				54
						62	33	29	22	11	11	55
						116	68	48	157	75	82	56
194	80	114	87	40	47	100	51	49	22	9	13	57
74	36	38	40	21	19	24	17	7	1		1	58
						50	22	28	4	2	2	59
						104	61	43	17	12	5	60
122	51	71	36	22	14	46	25	21	10	8	2	61
98	44	54	59	38	21	52	24	28	6	3	3	62
						21	12	9	49	21	28	63
172	89	83	573	312	261	486	230	256	1	1		64
												65
						93	50	43	97	46	51	66
293	143	150	3	1	2	18	10	8				67
69	26	43	48	32	16	26	6	20	2	2		68
									13	6	7	69
						84	51	33	21	10	11	70
114	62	52	60	30	30	64	29	35	1		1	71
						423	268	155	105	74	31	72
						595	313	282	1,122	533	589	73
288	142	146	826	457	369	593	260	333	4	3	1	74
						4	3	1	300	143	157	75
415	219	196	292	163	129	269	132	137	16	6	10	76
						108	57	51	18	11	7	77
73	38	35	49	34	15	75	35	40	1		1	78
81	44	37	123	65	58	110	75	35	1		1	79
184	81	103	136	72	64	124	53	71	6	1	5	80

TABLE 4.—DEATHS BY COLOR, GENERAL NATIVITY,

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGGREGATE.			WHITE.					
					Total.			Native.		
								Total.		
		Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
1	Manchester, N. H	1,092	519	573	1,091	519	572	735	358	377
2	Manchester town, Conn	126	68	58	126	68	58	86	45	41
3	Manitowoc, Wis	168	90	78	168	90	78	104	50	54
4	Mankato, Minn	159	98	61	159	98	61	110	66	44
5	Marietta, Ohio	182	101	81	179	99	80			
6	Marinette, Wis	232	122	110	228	121	107	146	76	70
7	Marlboro, Mass	219	110	109	219	110	109	163	86	77
8	Marquette, Mich	167	99	68	164	97	67	105	60	45
9	Marshalltown, Iowa	181	106	75	180	106	74			
10	Massillon, Ohio	197	109	88	196	108	88	121	64	57
11	Meadville, Pa	185	96	89	173	91	82	128	61	67
12	Medford, Mass	262	125	137	259	124	135	206	103	103
13	Melrose, Mass	191	98	93	188	97	91	151	77	74
14	Memphis, Tenn	2,572	1,436	1,136	1,145	671	474	951	543	408
15	Menominee, Mich	179	101	78	179	101	78	120	63	57
16	Meriden town, Conn	409	213	196	406	212	194	248	129	119
17	Michigan City, Ind	210	118	92	208	116	92	147	83	64
18	Middletown, N. Y	253	117	136	243	110	133	197	89	108
19	Middletown, Ohio	145	84	61	139	81	58	100	57	43
20	Middletown town, Conn	290	138	152	282	134	148	183	90	93
21	Milford town, Mass	207	116	91	207	116	91	148	77	71
22	Millville, N. J	176	81	95	174	80	94	167	77	90
23	Milwaukee, Wis	4,550	2,496	2,054	4,537	2,488	2,049	2,914	1,560	1,354
24	Minneapolis, Minn	2,183	1,154	1,029	2,156	1,140	1,016	1,404	712	692
25	Mobile, Ala	995	548	447	469	274	195	354	202	152
26	Montclair, N. J	217	98	119	188	82	106	149	68	81
27	Morristown, N. J	191	103	88	162	88	74	129	77	52
28	Mount Carmel, Pa	295	163	132	294	162	132	226	123	103
29	Mount Vernon, N. Y	411	203	208	372	183	189	308	147	161
30	Muncie, Ind	286	146	140	273	142	131	252	123	129
31	Muscatine, Iowa	240	147	93	240	147	93	166	101	65
32	Muskegon, Mich	255	139	116	253	137	116	178	95	83
33	Nashua, N. H	479	237	242	479	237	242	350	175	175
34	Nashville, Tenn	2,042	1,039	1,003	1,055	545	510	925	464	461
35	Natchez, Miss	485	270	215	139	76	63			
36	Natick town, Mass	133	80	53	133	80	53	96	59	37
37	Naugatuck town, Conn	179	86	93	179	86	93	126	67	59
38	Newark, N. J	4,866	2,622	2,244	4,659	2,515	2,144	3,155	1,718	1,437
39	Newark, Ohio	269	153	116	261	147	114	209	119	90
40	New Bedford, Mass	1,154	601	553	1,127	586	541	796	429	367
41	New Britain town, Conn	483	247	236	483	247	236	317	159	158
42	New Brunswick, N. J	425	215	210	395	203	192	285	141	144
43	Newburg, N. Y	500	226	274	481	222	259	355	166	189
44	Newburyport, Mass	312	147	165	308	144	164	243	111	132
45	Newcastle, Pa	437	259	178	429	256	173	316	179	137
46	New Haven town, Conn	1,862	953	909	1,767	907	860	1,165	615	550
47	New London, Conn	345	179	166	337	175	162	251	127	124
48	New Orleans, La	8,287	4,524	3,763	4,977	2,798	2,179	3,462	1,942	1,520
49	Newport, Ky	572	312	260	559	307	252			
50	Newport, R. I	421	223	198	382	205	177	261	150	111
51	New Rochelle, N. Y	246	132	114	224	121	103	158	89	69
52	Newton, Mass	479	240	239	472	237	235	371	191	180
53	New York city, N. Y	70,229	37,499	32,730	68,259	36,493	31,766	43,393	23,489	19,904
54	Bronx borough	3,624	1,972	1,652	3,534	1,931	1,603	2,307	1,260	1,047
55	Brooklyn borough	23,263	12,063	11,200	22,722	11,797	10,925	15,312	8,089	7,223
56	Manhattan borough	39,331	21,254	18,077	38,086	20,609	17,477	23,178	12,727	10,451
57	Queens borough	2,642	1,416	1,226	2,578	1,377	1,201	1,704	906	798
58	Richmond borough	1,369	794	575	1,339	779	560	892	507	385
59	Niagara Falls, N. Y	297	152	145	287	146	141	183	95	88
60	Norfolk, Va	1,173	610	563	486	261	225	446	235	211
61	Norristown, Pa	524	262	262	504	257	247	367	188	179
62	North Adams, Mass	334	163	171	333	163	170	247	121	126
63	Northampton, Mass	281	144	137	280	143	137	207	107	100
64	Norwalk town, Conn	299	143	156	290	139	151	225	106	119
65	Norwich town, Conn	405	189	216	392	185	207	261	126	135
66	Oakland, Cal	1,121	597	524	1,086	584	502	693	370	323
67	Ogdensburg, N. Y	204	101	103	204	101	103	121	58	63
68	Oil City, Pa	199	117	82	198	116	82	121	68	53
69	Olean, N. Y	119	51	68	116	51	65	83	35	48
70	Omaha, Nebr	1,382	793	589	1,310	748	562	918	514	404
71	Orange, N. J	490	272	218	424	235	189	294	163	131
72	Oskaloosa, Iowa	167	86	81	163	83	80	111	56	55
73	Ottawa, Ill	150	84	66	147	84	63	102	54	48
74	Ottumwa, Iowa	317	182	135	298	170	128	231	127	104
75	Owosso, Mich	121	66	55	121	66	55	99	52	47
76	Paducah, Ky	541	297	244	342	187	155	288	155	133
77	Passaic, N. J	563	286	277	547	278	269	385	204	181
78	Paterson, N. J	2,000	1,081	919	1,956	1,060	896	1,273	688	585

PARENT NATIVITY, AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

WHITE—continued.									COLORED.			
Native—Continued.						Foreign.						
Both parents native.			One or both parents foreign.									
Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	
200	90	110	472	241	231	346	154	192	1		1	1
23	10	13	48	29	19	35	21	14				2
34	17	17	58	25	33	56	35	21				3
55	32	23	48	31	17	46	29	17				4
									8	2	1	5
34	17	17	106	56	50	80	43	37	4	1	3	6
82	39	43	72	41	31	56	24	32				7
24	13	11	74	42	32	58	36	22	3	2	1	8
									1		1	9
93	49	44	22	11	11	66	40	26	1	1		10
						27	20	7	12	5	7	11
125	61	64	72	39	33	52	20	32	3	1	2	12
96	42	54	41	24	17	34	19	15	3	1	2	13
						187	122	65	1,427	765	662	14
23	6	17	83	55	28	56	35	21				15
96	47	49	105	60	45	150	79	71	3	1	2	16
64	37	27	81	44	37	60	32	28	2	2		17
110	48	62	34	16	18	43	18	25	10	7	3	18
65	35	30	27	16	11	28	17	11	6	3	3	19
108	57	51	56	26	30	91	42	49	8	4	4	20
68	29	39	65	42	23	58	38	20				21
144	72	72	17	2	15	6	3	3	2	1	1	22
794	422	372	1,963	1,034	929	1,585	891	694	13	8	5	23
633	316	317	629	317	312	718	404	314	27	14	13	24
						100	61	39	526	274	252	25
71	33	38	54	27	27	39	14	25	29	16	13	26
90	50	40	38	27	11	32	10	22	29	15	14	27
101	59	42	104	56	48	67	39	28	1	1		28
138	73	65	151	67	84	62	36	26	39	20	19	29
210	106	104	21	9	12	15	13	2	13	4	9	30
						71	46	25				31
75	42	33	89	46	43	74	41	33	2	2		32
106	48	58	205	112	93	112	55	57				33
678	336	342	49	24	25	119	72	47	987	494	493	34
									346	194	152	35
63	41	22	25	11	14	36	21	15				36
38	13	25	86	54	32	47	17	30				37
1,218	640	578	1,408	770	638	1,444	763	681	207	107	100	38
						42	22	20	8	6	2	39
267	138	129	453	253	200	325	152	173	27	15	12	40
107	56	51	186	94	92	159	85	74				41
141	67	74	70	36	34	98	54	44	30	12	18	42
174	81	93	71	36	35	104	46	58	19	4	15	43
150	68	82	73	36	37	62	32	30	4	3	1	44
						65	49	16	8	3	5	45
483	230	253	541	310	231	588	281	307	95	46	49	46
123	62	61	92	48	44	78	41	37	8	4	4	47
1,669	920	749	864	486	378	1,449	811	638	3,310	1,726	1,584	48
									13	5	8	49
158	81	77	99	65	34	113	48	65	39	18	21	50
68	37	31	83	48	35	66	32	34	22	11	11	51
168	67	101	155	102	53	98	44	54	7	3	4	52
13,642	7,140	6,502	26,623	14,542	12,081	24,279	12,563	11,716	1,970	1,006	964	53
811	430	381	1,370	761	609	1,193	645	548	90	41	49	54
5,770	2,999	2,771	8,903	4,750	4,153	7,269	3,603	3,666	541	266	275	55
6,005	3,167	2,838	14,977	8,284	6,693	14,523	7,594	6,929	1,245	645	600	56
654	337	317	984	526	458	859	460	399	64	39	25	57
402	207	195	389	221	168	435	261	174	30	15	15	58
71	35	36	96	51	45	99	47	52	10	6	4	59
						31	23	8	687	349	338	60
217	108	109	73	36	37	109	54	55	20	5	15	61
96	46	50	125	66	59	82	40	42	1		1	62
114	52	62	78	47	31	71	36	35	1	1		63
126	62	64	71	28	43	61	31	30	9	4	5	64
131	62	69	106	52	54	131	59	72	13	4	9	65
						387	211	176	35	13	22	66
						78	39	39				67
51	24	27	50	27	23	28	19	9	1	1		68
						28	12	16	3		3	69
47	15	32	23	14	9	319	194	125	72	45	27	70
						128	71	57	66	37	29	71
107	56	51	155	88	67	15	9	6	4	3	1	72
						45	30	15	3		3	73
112	61	51	20	15	5	55	38	17	19	12	7	74
68	35	33	29	17	12	22	14	8				75
201	112	89	25	13	12	18	12	6	199	110	89	76
71	34	37	281	151	130	153	69	84	16	8	8	77
376	196	180	661	362	299	660	358	302	44	21	23	78

TABLE 4.—DEATHS BY COLOR, GENERAL NATIVITY,

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGGREGATE.			WHITE.					
					Total.			Native.		
								Total.		
		Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
1	Pawtucket, R. I	723	346	377	721	345	376	460	232	228
2	Peabody town, Mass	185	95	90	181	92	89	137	70	67
3	Peekskill, N. Y	206	102	104	205	101	104	164	77	87
4	Perth Amboy, N. J	250	143	107	245	140	105	185	105	80
5	Peru, Ind	136	69	67	134	67	67	120	57	63
6	Petersburg, Va	678	359	319	308	162	146	290	153	137
7	Philadelphia, Pa	27,456	14,381	13,075	25,468	13,358	12,110	18,575	9,832	8,743
8	Phillipsburg, N. J	161	87	74	161	87	74	130	73	57
9	Phoenixville, Pa	203	110	93	193	104	89	141	75	66
10	Pittsburg, Pa	6,436	3,668	2,768	5,991	3,435	2,556	4,119	2,261	1,858
11	Pittsfield, Mass	338	164	174	332	159	173	236	113	123
12	Pittston, Pa	274	159	115	274	159	115	187	101	86
13	Plainfield, N. J	242	138	104	213	121	92	159	96	63
14	Plymouth, Pa	286	167	119	286	167	119	163	93	70
15	Plymouth town, Mass	173	83	90	173	83	90	138	69	69
16	Pontiac, Mich	138	77	61	137	76	61	103	56	47
17	Port Huron, Mich	238	131	107	237	131	106	136	69	67
18	Port Jervis, N. Y	149	83	66	142	78	64	103	61	42
19	Portland, Me	1,100	580	520	1,093	575	518	860	466	394
20	Portland, Oreg	856	495	361	803	453	350	545	283	262
21	Portsmouth, N. H	180	92	88	178	91	87	148	79	69
22	Portsmouth, Ohio	328	173	155	300	160	140	252	135	117
23	Pottstown, Pa	240	118	122	237	116	121	221	103	118
24	Pottsville, Pa	244	133	111	243	132	111	192	103	89
25	Poughkeepsie, N. Y	496	220	276	471	209	262	328	148	180
26	Providence, R. I	3,491	1,772	1,719	3,358	1,705	1,653	2,335	1,220	1,115
27	Pueblo, Colo	648	392	256	617	370	247	473	273	200
28	Quincy, Ill	556	297	259	519	281	238	358	193	165
29	Quincy, Mass	366	197	169	366	197	169	258	129	129
30	Raleigh, N. C	371	184	187	179	91	88	156	77	79
31	Reading, Pa	1,401	755	646	1,384	743	641	1,229	641	588
32	Revere town, Mass	162	81	81	162	81	81	116	57	59
33	Richmond, Ind	292	141	151	266	129	137	218	101	117
34	Richmond, Va	2,523	1,339	1,184	1,294	685	609	1,108	577	531
35	Rochester, N. H	188	99	89	188	99	89	158	80	78
36	Rochester, N. Y	2,446	1,225	1,221	2,430	1,215	1,215	1,526	789	737
37	Rockland, Me	146	88	58	146	88	58	141	86	55
38	Rome, N. Y	267	154	113	265	153	112	200	112	88
39	Rutland, Vt	190	98	92	188	97	91	138	72	66
40	Sacramento, Cal	724	460	264	642	388	254	443	252	191
41	Saginaw, Mich	560	319	241	556	318	238	343	194	149
42	St. Joseph, Mo	933	497	436	834	447	387	641	330	311
43	St. Louis, Mo	10,320	5,776	4,544	9,165	5,135	4,030	6,082	3,338	2,744
44	St. Paul, Minn	1,574	828	746	1,550	813	737	957	488	469
45	Salem, Mass	787	394	393	782	391	391	606	315	291
46	Salt Lake, Utah	854	486	368	835	470	365	520	288	232
47	San Antonio, Tex	1,257	724	533	1,087	628	459	724	398	326
48	San Diego, Cal	399	234	165	382	220	162	287	161	126
49	San Francisco, Cal	7,040	4,367	2,673	6,416	3,848	2,568	3,500	1,988	1,512
50	San Jose, Cal	334	190	144	318	177	141	241	129	112
51	Saratoga Springs, N. Y	265	120	145	249	114	135	202	97	105
52	Sault Ste. Marie, Mich	163	94	69	163	94	69	97	53	44
53	Savannah, Ga	1,862	1,000	862	645	367	278	523	293	230
54	Schenectady, N. Y	479	247	232	477	245	232	321	167	154
55	Scranton, Pa	2,111	1,114	997	2,103	1,110	993	1,331	700	631
56	Seattle, Wash	898	621	277	870	599	271	464	301	163
57	Shreveport, La	728	422	306	244	157	87	213	131	82
58	Sioux City, Iowa	435	241	194	432	238	194	304	163	141
59	Somerville, Mass	946	447	499	946	447	499	647	323	324
60	South Bethlehem, Pa	256	138	118	251	135	116	195	105	90
61	Southbridge town, Mass	204	107	97	203	107	96	152	81	71
62	Spokane, Wash	511	306	205	507	302	205	361	199	162
63	Springfield, Ill	642	349	293	590	325	265	436	227	209
64	Springfield, Mass	1,057	513	544	1,048	507	541	769	389	380
65	Stamford town, Conn	319	178	141	309	174	135	206	123	83
66	Steelton, Pa	213	117	96	189	108	81	152	83	69
67	Stonington town, Conn	144	74	70	137	71	66	101	48	53
68	Superior, Wis	352	209	143	350	207	143	203	111	92
69	Syracuse, N. Y	1,494	779	715	1,476	770	706	1,046	546	500
70	Tacoma, Wash	425	265	160	412	257	155	256	156	100
71	Taunton, Mass	615	343	272	613	342	271	435	257	178
72	Terre Haute, Ind	587	300	287	555	283	272	434	210	224
73	Tiffin, Ohio	139	60	79	139	60	79	112	49	63
74	Toledo, Ohio	2,112	1,091	1,021	2,083	1,074	1,009	1,511	775	736
75	Torrington town, Conn	182	88	94	179	87	92	137	66	71
76	Town of Union, N. J	207	107	100	207	107	100	129	69	60
77	Traverse City, Mich	148	77	71	148	77	71	106	53	53
78	Trenton, N. J	1,174	615	559	1,124	580	544	804	419	385
79	Troy, N. Y	1,393	745	648	1,378	739	639	927	506	421
80	Utica, N. Y	990	530	460	984	526	458	696	381	315

PARENT NATIVITY, AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

WHITE—continued.									COLORED.			
Native—Continued.						Foreign.						
Both parents native.			One or both parents foreign.									
Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	
198	93	105	254	137	117	255	111	144	2	1	1	1
83	39	44	47	27	20	43	22	21	4	3	1	2
105	50	55	33	16	17	39	23	16	1	1		3
37	18	19	136	79	57	58	34	24	5	3	2	4
78	36	42	24	11	13	13	9	4	2	2		5
						7	4	3	370	197	173	6
						6,434	3,240	3,194	1,988	1,023	965	7
95	51	44	24	15	9	30	13	17				8
92	48	44	46	26	20	51	29	22	10	6	4	9
1,773	981	792	2,244	1,212	1,032	1,822	1,133	689	445	233	212	10
110	48	62	86	46	40	84	37	47	6	5	1	11
61	32	29	101	54	47	74	47	27				12
110	70	40	39	20	19	54	25	29	29	17	12	13
						46	30	16				14
80	43	37	44	22	22	34	13	21				15
67	34	33	26	15	11	33	19	14	1	1		16
56	27	29	69	39	30	98	59	39	1		1	17
63	31	32	17	14	3	33	14	19	7	5	2	18
564	304	260	224	125	99	214	101	113	7	5	2	19
						249	162	87	53	42	11	20
90	48	42	33	18	15	25	12	13	2	1	1	21
168	86	82	38	22	16	48	25	23	28	13	15	22
						15	12	3	3	2	1	23
119	61	58	35	19	16	44	26	18	1	1		24
195	83	112	95	48	47	136	57	79	25	11	14	25
1,024	508	516	1,252	676	576	1,012	477	535	133	67	66	26
385	223	162	74	39	35	112	71	41	31	22	9	27
193	107	86	99	51	48	140	77	63	37	16	21	28
92	50	42	154	73	81	105	66	39				29
						2	2		192	93	99	30
						139	90	49	17	12	5	31
54	26	28	52	24	28	45	24	21				32
165	75	90	38	18	20	30	19	11	26	12	14	33
						131	76	55	1,229	654	575	34
96	47	49	39	20	19	18	13	5				35
737	375	362	676	357	319	884	416	468	16	10	6	36
127	78	49	13	7	6	5	2	3				37
116	62	54	57	35	22	65	41	24	2	1	1	38
						45	24	21	2	1	1	39
						185	124	61	82	72	10	40
126	70	56	168	100	68	202	117	85	4	1	3	41
						122	71	51	99	50	49	42
						2,931	1,694	1,237	1,155	641	514	43
390	190	200	473	245	228	572	310	262	24	15	9	44
277	130	147	289	168	121	174	74	100	5	3	2	45
244	128	116	201	104	97	302	171	131	19	16	3	46
						335	211	124	170	96	74	47
						94	59	35	17	14	3	48
						2,825	1,777	1,048	624	519	105	49
138	74	64	87	47	40	76	47	29	16	13	3	50
144	68	76	36	19	17	47	17	30	16	6	10	51
19	6	13	70	39	31	57	34	23				52
						112	66	46	1,217	633	584	53
157	78	79	131	70	61	142	70	72	2	2		54
						486	269	217	8	4	4	55
206	133	73	148	97	51	265	192	73	28	22	6	56
						17	14	3	484	265	219	57
						91	54	37	3	3		58
						293	122	171				59
291	133	158	297	163	134	56	30	26	5	3	2	60
125	66	59	70	39	31							
37	20	17	111	60	51	48	24	24	1		1	61
174	89	85	115	61	54	131	91	40	4	4		62
311	154	157	90	53	37	143	92	51	52	24	28	63
324	160	164	318	167	151	264	111	153	9	6	3	64
111	66	45	71	43	28	98	49	49	10	4	6	65
104	59	45	38	21	17	30	22	8	24	9	15	66
59	31	28	27	12	15	33	21	12	7	3	4	67
54	30	24	113	62	51	104	65	39	2	2		68
567	284	283	355	194	161	408	212	196	18	9	9	69
139	81	58	80	48	32	146	93	53	13	8	5	70
188	120	68	201	111	90	170	82	88	2	1	1	71
278	139	139	73	35	38	89	52	37	32	17	15	72
70	35	35	18	8	10	25	10	15				73
742	379	363	728	370	358	539	275	264	29	17	12	74
52	26	26	73	36	37	42	21	21	3	1	2	75
50	30	20	76	38	38	76	37	39				76
65	31	34	29	14	15	39	22	17				77
393	203	190	292	143	149	300	149	151	50	35	15	78
403	205	198	466	271	195	443	226	217	15	6	9	79
331	186	145	300	162	138	280	139	141	6	4	2	80

TABLE 4.—DEATHS BY COLOR, GENERAL NATIVITY,

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGGREGATE.			WHITE.					
					Total.			Native.		
								Total.		
		Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
1	Vernon town, Conn	127	48	79	125	46	79	76	30	46
2	Vincennes, Ind	196	85	111	184	80	104	152	63	89
3	Wakefield town, Mass	135	72	63	134	71	63	106	58	48
4	Wallingford town, Conn	138	81	57	137	80	57	102	63	39
5	Waltham, Mass	329	148	181	328	148	180	249	115	134
6	Ware town, Mass	112	54	58	112	54	58	72	31	41
7	Warren, Ohio	143	79	64	139	77	62	111	57	54
8	Waterbury town, Conn	869	441	428	852	430	422	599	313	286
9	Watertown, N. Y	356	179	177	351	177	174	259	126	133
10	Watertown town, Mass	143	77	66	142	77	65	92	54	38
11	Watervliet, N. Y	275	144	131	275	144	131	195	104	91
12	Webster town, Mass	146	67	79	146	67	79	100	46	54
13	West Bay City, Mich	196	114	82	196	114	82	128	79	49
14	Westfield town, Mass	236	121	115	232	118	114	191	98	93
15	Weymouth town, Mass	203	102	101	201	100	101	162	75	87
16	Wheeling, W. Va	554	300	254	527	285	242	386	206	180
17	Wichita, Kans	390	212	178	354	193	161			
18	Wilkesbarre, Pa	857	482	375	842	473	369			
19	Williamsport, Pa	345	173	172	324	165	159	274	146	128
20	Wilmington, Del	1,595	854	741	1,341	710	631	1,121	591	530
21	Wilmington, N. C	565	292	273	208	108	100	186	95	91
22	Windham town, Conn	173	79	94	169	75	94	114	52	62
23	Winona, Minn	276	148	128	276	148	128	195	109	86
24	Woburn, Mass	241	128	113	232	124	108	155	83	72
25	Woonsocket, R. I	516	257	259	516	257	259	344	192	152
26	Worcester, Mass	1,838	945	893	1,816	936	880	1,268	659	609
27	Yonkers, N. Y	781	422	359	755	408	347	518	289	229
28	Youngstown, Ohio	745	417	328	733	413	320	509	280	229

PARENT NATIVITY, AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

WHITE—continued.									COLORED.			
Native—Continued.						Foreign.						
Both parents native.			One or both parents foreign.									
Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	
19	6	13	47	19	28	46	14	32	2	2		1
107	42	65	19	11	8	22	12	10	12	5	7	2
58	27	31	30	15	15	27	13	14	1	1		3
48	34	14	39	22	17	33	15	18	1	1		4
114	49	65	115	56	59	79	33	46	1		1	5
31	11	20	41	20	21	40	23	17				6
						26	18	8	4	2	2	7
180	89	91	383	206	177	249	115	134	17	11	6	8
142	66	76	81	43	38	82	46	36	5	2	3	9
44	22	22	39	25	14	50	23	27	1		1	10
96	53	43	88	45	43	80	40	40				11
29	16	13	63	28	35	43	19	24				12
36	22	14	86	53	33	67	34	33				13
111	60	51	56	29	27	34	16	18	4	3	1	14
97	50	47	46	21	25	39	25	14	2	2		15
206	103	103	112	64	48	137	75	62	27	15	12	16
									36	19	17	17
									15	9	6	18
208	113	95	36	13	23	46	18	28	21	8	13	19
						178	91	87	254	144	110	20
						13	8	5	357	184	173	21
56	26	30	42	18	24	49	20	29	4	4		22
79	43	36	106	59	47	80	38	42				23
63	35	28	83	43	40	75	39	36	9	4	5	24
89	48	41	254	143	111	171	65	106				25
509	247	262	626	342	284	540	272	268	22	9	13	26
188	108	80	306	165	141	232	118	114	26	14	12	27
181	95	86	272	154	118	209	121	88	12	4	8	28

TABLE 5.

DEATHS IN THE UNITED STATES, EACH STATE AND TERRITORY AND EACH REGISTRATION CITY, DURING THE CENSUS YEAR ENDING MAY 31, 1900, AT EACH AGE, BY SEX.

TABLE 5.—DEATHS BY AGE

STATES AND TERRITORIES.

	STATES AND TERRITORIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5–9	10–14	15–19	20–24	25–29
1	The United States	1,039,094	199,325	59,879	28,136	17,638	12,554	317,532	36,748	24,500	38,109	51,004	48,693
2	Males	551,611	110,673	31,599	14,658	8,942	6,340	172,212	18,660	12,196	18,329	25,252	24,173
3	Females	487,483	88,652	28,280	13,478	8,696	6,214	145,320	18,088	12,304	19,780	25,752	24,520
4	Alabama	25,699	5,142	2,071	843	488	308	8,852	1,059	783	1,388	1,816	1,375
5	Males	12,970	2,756	1,096	457	240	161	4,710	528	405	618	893	648
6	Females	12,729	2,386	975	386	248	147	4,142	531	378	770	923	727
7	Arizona	1,223	192	106	51	26	21	396	81	49	49	64	80
8	Males	750	109	63	22	18	9	221	44	15	27	44	62
9	Females	473	83	43	29	8	12	175	37	34	22	20	18
10	Arkansas	22,518	4,076	1,911	988	603	486	8,064	1,382	933	1,451	1,583	1 289
11	Males	11,813	2,165	1,014	510	279	242	4,210	723	468	715	795	622
12	Females	10,705	1,911	897	478	324	244	3,854	659	465	736	788	667
13	California	22,506	2,514	555	297	239	183	3,788	628	402	655	1,118	1 264
14	Males	13,998	1,431	306	160	131	94	2,122	328	203	335	617	733
15	Females	8,508	1,083	249	137	108	89	1,666	300	199	320	501	531
16	Colorado	7,428	1,208	331	171	135	104	1,949	296	185	268	420	492
17	Males	4,471	651	169	94	69	54	1,037	172	107	145	243	288
18	Females	2,957	557	162	77	66	50	912	124	78	123	177	204
19	Connecticut	15,422	3,101	569	280	175	137	4,262	369	218	348	539	604
20	Males	7,902	1,725	294	145	91	62	2,317	174	115	173	258	326
21	Females	7,520	1,376	275	135	84	75	1,945	195	103	175	281	278
22	Delaware	3,075	597	139	88	39	32	895	133	79	94	139	100
23	Males	1,644	346	76	51	21	15	509	65	35	37	57	60
24	Females	1,431	251	63	37	18	17	386	68	44	57	82	40
25	District of Columbia	6,364	1,306	268	129	105	67	1,875	184	140	189	358	344
26	Males	3,274	687	135	66	45	34	967	98	63	78	183	185
27	Females	3,090	619	133	63	60	33	908	86	77	111	175	159
28	Florida	6,482	1,360	475	220	122	99	2,276	298	199	278	379	333
29	Males	3,520	734	259	120	60	43	1,216	153	118	143	208	162
30	Females	2,962	626	216	100	62	56	1,060	145	81	135	171	171
31	Georgia	26,941	5,786	2,285	1,032	552	351	10,006	998	757	1,282	1 771	1,451
32	Males	13,321	3,035	1,175	533	305	168	5,216	482	355	567	826	646
33	Females	13,620	2,751	1,110	499	247	183	4,790	516	402	715	945	805
34	Idaho	1,242	214	72	26	28	21	361	73	60	57	47	48
35	Males	762	121	32	17	10	16	196	38	26	31	22	27
36	Females	480	93	40	9	18	5	165	35	34	26	25	21
37	Illinois	61,229	11,169	3,386	1,596	1,038	834	18,023	2,385	1,413	2,014	2,705	2,824
38	Males	33,641	6,284	1,760	800	506	401	9,751	1,247	730	980	1,367	1,430
39	Females	27,588	4,885	1,626	796	532	433	8,272	1,138	683	1,034	1,338	1,394
40	Indiana	33,586	5,850	1,562	782	439	337	8,970	1,054	837	1,430	1,669	1,537
41	Males	17,454	3,294	826	378	221	179	4,898	520	407	652	797	681
42	Females	16,132	2,556	736	404	218	158	4,072	534	430	778	872	856
43	Indian Territory	5,286	1,220	699	269	168	111	2,467	364	216	305	273	248
44	Males	2,795	668	345	146	79	60	1,298	190	112	155	136	116
45	Females	2,491	552	354	123	89	51	1,169	174	104	150	137	132
46	Iowa	19,573	3,256	753	382	246	174	4,811	597	471	754	876	851
47	Males	10,612	1,884	425	212	133	84	2,738	305	247	333	411	375
48	Females	8,961	1,372	328	170	113	90	2,073	292	224	421	465	476
49	Kansas	16,261	2,939	1,009	420	255	186	4,809	631	476	627	796	659
50	Males	8,978	1,653	517	208	133	97	2,608	335	239	315	383	325
51	Females	7,283	1,286	492	212	122	89	2,201	296	237	312	413	334
52	Kentucky	27,091	5,059	1,727	829	486	307	8,408	937	759	1,317	1,721	1,460
53	Males	13,843	2,809	892	428	251	158	4,538	448	391	564	768	683
54	Females	13,248	2,250	835	401	235	149	3,870	489	368	753	953	777
55	Louisiana	20,955	3,785	1,389	668	400	288	6,530	873	634	1,067	1,468	1,305
56	Males	10,971	2,043	697	341	190	146	3,417	446	338	509	732	704
57	Females	9,984	1,742	692	327	210	142	3,113	427	296	558	736	601
58	Maine	12,148	1,946	408	187	125	88	2,754	265	162	364	445	439
59	Males	6,292	1,085	215	93	70	41	1,504	138	80	186	209	200
60	Females	5,856	861	193	94	55	47	1,250	127	82	178	236	239
61	Maryland	20,422	4,227	979	464	331	248	6,249	674	433	692	874	867
62	Males	10,526	2,315	508	251	159	127	3,360	308	204	319	434	428
63	Females	9,896	1,912	471	213	172	121	2,889	366	229	373	440	439
64	Massachusetts	49,756	10,754	2,331	1,058	714	499	15,356	1,184	674	1,100	1,779	2,068
65	Males	25,352	6,028	1,246	542	385	240	8,441	614	307	533	930	1,045
66	Females	24,404	4,726	1,085	516	329	259	6,915	570	367	567	849	1,023
67	Michigan	33,572	6,570	1,434	668	431	275	9,378	934	683	1,083	1,347	1,444
68	Males	18,084	3,743	763	359	212	153	5,230	485	344	543	627	632
69	Females	15,488	2,827	671	309	219	122	4,148	449	339	540	720	812
70	Minnesota	17,005	3,569	692	367	239	192	5,059	624	471	634	813	770
71	Males	9,354	1,998	367	187	134	101	2,787	346	213	311	391	381
72	Females	7,651	1,571	325	180	105	91	2,272	278	258	323	422	389
73	Mississippi	20,251	3,542	1,450	731	444	316	6,483	1,029	827	1,363	1,539	1,236
74	Males	10,299	1,906	783	389	208	160	3,446	517	422	638	774	574
75	Females	9,952	1,636	667	342	236	156	3,037	512	405	725	765	662
76	Missouri	38,084	6,806	2,398	1,063	712	493	11,472	1,494	1,058	1,650	2,133	1,906
77	Males	20,480	3,742	1,232	561	352	241	6,128	763	527	775	1,032	968
78	Females	17,604	3,064	1,166	502	360	252	5,344	731	531	875	1,101	938

AND SEX: CENSUS YEAR 1900.

STATES AND TERRITORIES.

AGES—continued.															
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.	
43,857	44,367	41,449	40,201	42,666	43,169	48,178	52,190	53,073	46,039	33,786	17,247	6,135	2,721	7,440	1
22,349	23,296	22,428	22,529	23,915	24,024	26,269	28,563	28,761	24,627	17,525	8,457	2,616	1,045	4,385	2
21,508	21,071	19,011	17,672	18,751	19,145	21,909	23,627	24,312	21,412	16,261	8,790	3,519	1,676	3,055	3
1,128	1,011	889	982	899	702	898	926	862	719	569	287	153	136	265	4
534	456	428	503	447	342	465	461	441	382	289	141	76	52	151	5
594	555	461	479	452	360	433	465	421	337	280	146	77	84	114	6
58	70	61	71	55	33	45	15	27	12	13	4	4	2	34	7
40	48	44	45	35	22	34	8	16	6	7	3	3	----------	26	8
18	22	17	26	20	11	11	7	11	[illegible]	6	1	1	2	8	9
969	888	881	886	811	619	660	558	495	360	263	110	43	42	231	10
471	431	453	494	471	371	393	319	293	217	143	57	19	17	131	11
498	457	428	392	340	248	267	239	202	143	120	53	24	25	100	12
1,238	1,358	1,231	1,230	1,296	1,205	1,559	1,553	1,497	1,114	665	332	94	44	235	13
767	872	824	831	879	795	1,036	1,065	1,021	730	398	201	52	18	171	14
471	486	407	399	417	410	523	488	476	384	267	131	42	26	64	15
473	479	435	391	378	317	279	312	227	194	113	44	12	5	159	16
293	301	307	257	272	206	186	192	145	120	53	18	7	3	119	17
180	178	128	134	106	111	93	120	82	74	60	26	5	2	40	18
606	638	554	600	704	754	844	938	995	915	767	428	172	47	120	19
312	363	296	319	375	377	400	480	483	461	352	186	62	10	63	20
294	275	258	281	329	377	444	458	512	454	415	242	110	37	57	21
112	123	123	123	116	131	157	179	176	166	117	56	22	5	29	22
59	62	68	81	64	88	79	100	86	89	55	22	9	----------	19	23
53	61	55	42	52	43	78	79	90	77	62	34	13	5	10	24
267	244	275	254	310	356	349	348	313	238	185	83	24	21	7	25
149	125	130	129	174	203	178	197	156	117	82	40	7	6	7	26
118	119	145	125	136	153	171	151	157	121	103	43	17	15	----------	27
306	305	261	245	248	232	224	226	227	155	115	58	21	28	68	28
155	159	147	152	139	119	134	140	129	99	62	28	11	8	38	29
151	146	114	93	109	113	90	86	98	56	53	30	10	20	30	30
1,064	1,126	991	955	1,020	717	966	885	910	711	545	284	140	120	242	31
490	492	451	472	512	372	497	455	475	358	281	140	62	47	125	32
574	634	540	483	508	345	469	430	435	353	264	144	78	73	117	33
53	54	55	48	48	64	59	63	52	41	17	7	3	6	26	34
31	31	33	37	35	48	45	48	41	33	8	4	1	5	22	35
22	23	22	11	13	16	14	15	11	8	9	3	2	1	4	36
2,806	2,942	2,719	2,519	2,655	2,699	2,926	3,258	3,122	2,623	1,875	885	295	116	425	37
1,513	1,639	1,643	1,545	1,620	1,617	1,680	1,817	1,780	1,403	1,003	423	137	51	265	38
1,293	1,303	1,076	974	1,035	1,082	1,246	1,441	1,342	1,220	872	462	158	65	160	39
1,398	1,335	1,244	1,282	1,260	1,532	1,619	1,899	2,151	1,849	1,343	661	216	69	231	40
663	615	608	658	695	829	883	1,055	1,211	1,015	674	342	104	31	116	41
735	720	636	624	565	703	736	844	940	834	669	319	112	38	115	42
206	162	165	176	147	114	128	80	71	58	30	16	3	8	49	43
106	82	76	100	91	69	85	46	40	28	20	9	2	5	29	44
100	80	89	76	56	45	43	34	31	30	10	7	1	3	20	45
741	756	692	650	765	859	973	1,382	1,367	1,321	918	449	145	40	155	46
335	387	359	361	394	461	520	813	800	789	546	253	65	22	98	47
406	369	333	289	371	398	453	569	567	532	372	196	80	18	57	48
593	590	588	598	615	789	789	913	904	777	520	254	68	33	232	49
257	309	315	318	346	500	484	589	537	472	307	138	38	16	147	50
336	281	273	280	269	289	305	324	367	305	213	116	30	17	85	51
1,110	1,185	1,044	989	1,023	990	1,097	1,187	1,198	1,041	719	377	110	77	342	52
525	558	521	516	549	545	577	614	633	565	389	206	57	27	169	53
585	627	523	473	474	445	520	573	565	476	330	171	53	50	173	54
1,028	977	904	865	861	713	838	752	640	510	405	200	106	111	168	55
577	531	485	471	496	391	423	401	342	241	214	91	47	43	72	56
451	446	419	394	365	322	415	351	298	269	191	109	59	68	96	57
393	374	403	412	443	610	736	890	924	929	824	487	192	57	45	58
172	183	192	183	219	318	393	493	500	504	438	264	75	19	22	59
221	191	211	229	224	292	343	397	424	425	386	223	117	38	23	60
780	830	805	778	887	866	1,066	1,105	1,144	915	652	348	111	63	283	61
387	423	443	420	483	465	552	600	599	438	309	151	28	21	154	62
393	407	362	358	404	401	514	505	545	477	343	197	83	42	129	63
2,061	1,999	1,861	1,926	2,232	2,412	2,639	2,892	2,926	2,761	2,074	1,140	427	126	119	64
1,077	1,056	931	1,019	1,129	1,213	1,313	1,405	1,395	1,304	932	459	142	37	70	65
984	943	930	907	1,103	1,199	1,326	1,487	1,531	1,457	1,142	681	285	89	49	66
1,183	1,268	1,239	1,281	1,294	1,540	1,780	2,001	2,187	2,104	1,560	807	279	85	95	67
539	640	639	710	722	906	995	1,097	1,266	1,212	811	450	128	37	71	68
644	628	600	571	572	634	785	904	921	892	749	357	151	48	24	69
769	732	712	594	660	633	724	870	960	843	629	288	97	42	81	70
415	393	399	350	390	386	415	512	573	457	368	150	43	22	52	71
354	339	313	244	270	247	309	358	387	386	261	138	54	20	29	72
932	774	750	650	693	550	703	585	640	487	391	190	118	118	193	73
426	373	352	309	358	283	365	326	349	265	216	101	61	48	96	74
506	401	398	341	335	267	338	259	291	222	175	89	57	70	97	75
1,768	1,719	1,545	1,523	1,557	1,700	1,726	1,899	1,708	1,370	974	448	128	65	241	76
883	922	833	897	914	972	1,003	1,072	985	773	572	241	45	32	143	77
885	797	712	626	643	728	723	827	723	597	402	207	83	33	98	78

TABLE 5.—DEATHS BY AGE

STATES AND TERRITORIES—Continued.

	STATES AND TERRITORIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Montana	2,188	306	95	45	44	22	512	84	38	76	119	120
2	Males	1,387	178	48	21	21	11	279	34	25	36	66	69
3	Females	801	128	47	24	23	11	233	50	13	40	53	51
4	Nebraska	8,264	1,642	479	252	135	91	2,599	322	237	318	363	337
5	Males	4,480	929	242	122	69	44	1,406	173	124	170	165	170
6	Females	3,784	713	237	130	66	47	1,193	149	113	148	198	167
7	Nevada	438	46	20	3	8	2	79	10	12	7	27	20
8	Males	290	23	11	2	4	2	42	3	6	5	11	9
9	Females	148	23	9	1	4	----------	37	7	6	2	16	11
10	New Hampshire	7,400	1,384	306	137	101	53	1,981	156	108	156	238	218
11	Males	3,663	759	161	65	43	30	1,058	77	51	68	111	101
12	Females	3,737	625	145	72	58	23	923	79	57	93	127	117
13	New Jersey	32,735	7,292	1,873	830	505	370	10,870	1,032	520	745	1,150	1,419
14	Males	17,462	4,202	968	450	245	179	6,044	542	275	393	588	743
15	Females	15,273	3,090	905	380	260	191	4,826	490	245	352	562	676
16	New Mexico	2,674	562	250	118	106	76	1,112	202	95	108	112	112
17	Males	1,455	326	120	60	53	42	601	96	43	37	46	61
18	Females	1,219	236	130	58	53	34	511	106	52	71	66	51
19	New York	130,268	25,492	7,248	3,240	2,065	1,336	39,381	3,474	1,860	2,786	4,735	5,813
20	Males	68,648	14,169	3,889	1,690	1,056	674	21,478	1,765	929	1,386	2,336	3,037
21	Females	61,620	11,323	3,359	1,550	1,009	662	17,903	1,709	931	1,400	2,399	2,776
22	North Carolina	21,068	4,200	1,647	723	400	249	7,219	754	642	1,039	1,335	945
23	Males	10,427	2,310	854	375	217	113	3,869	344	297	465	622	414
24	Females	10,641	1,890	793	348	183	136	3,350	410	345	574	713	531
25	North Dakota	2,287	506	144	78	46	49	823	152	99	106	124	98
26	Males	1,159	272	70	39	20	25	426	62	43	52	63	47
27	Females	1,128	234	74	39	26	24	397	90	56	54	61	51
28	Ohio	53,362	8,819	2,190	1,123	711	515	13,358	1,583	1,034	1,733	2,419	2,388
29	Males	28,648	4,913	1,137	596	368	281	7,295	834	507	806	1,211	1,137
30	Females	24,714	3,906	1,053	527	343	234	6,063	749	527	927	1,208	1,251
31	Oklahoma	3,181	744	333	107	82	53	1,319	182	120	157	170	132
32	Males	1,741	421	173	53	39	28	714	95	67	82	89	58
33	Females	1,440	323	160	54	43	25	605	87	53	75	81	74
34	Oregon	3,396	372	100	73	40	38	623	137	119	161	180	160
35	Males	2,019	215	50	44	22	22	353	71	64	77	88	87
36	Females	1,377	157	50	29	18	16	270	66	55	84	92	73
37	Pennsylvania	90,199	18,409	5,130	2,548	1,704	1,258	29,049	3,290	1,861	2,641	3,737	3,808
38	Males	49,150	10,427	2,804	1,351	868	630	16,080	1,700	993	1,414	2,059	2,100
39	Females	41,049	7,982	2,326	1,197	836	628	12,969	1,590	868	1,227	1,678	1,708
40	Rhode Island	8,176	1,854	495	195	133	75	2,752	192	117	197	288	319
41	Males	4,132	1,036	260	102	63	41	1,502	99	63	94	138	159
42	Females	4,044	818	235	93	70	34	1,250	93	54	103	150	160
43	South Carolina	17,166	3,477	1,436	666	378	241	6,198	722	554	943	1,177	920
44	Males	8,461	1,824	754	368	191	119	3,256	364	259	417	505	420
45	Females	8,705	1,653	682	298	187	122	2,942	358	295	526	672	500
46	South Dakota	3,088	616	187	98	78	45	1,024	197	126	158	161	120
47	Males	1,654	360	99	51	41	23	574	93	53	77	77	59
48	Females	1,434	256	88	47	37	22	450	104	73	81	84	61
49	Tennessee	30,572	5,546	2,134	1,023	603	423	9,729	1,285	1,018	1,734	2,061	1,743
50	Males	15,354	2,977	1,136	509	313	221	5,156	607	452	794	981	787
51	Females	15,218	2,569	998	514	290	202	4,573	678	566	940	1,080	956
52	Texas	34,160	7,604	3,204	1,525	877	678	13,888	1,794	1,192	1,615	2,011	1,742
53	Males	18,045	4,086	1,729	782	435	364	7,396	887	586	802	991	783
54	Females	16,115	3,518	1,475	743	442	314	6,492	907	606	813	1,020	959
55	Utah	3,079	580	183	77	53	41	934	145	92	142	158	171
56	Males	1,821	324	104	39	27	14	508	64	52	88	86	108
57	Females	1,258	256	79	38	26	27	426	81	40	54	72	63
58	Vermont	5,829	825	169	73	31	33	1,131	119	94	150	211	225
59	Males	2,936	490	90	35	17	14	646	55	47	85	104	91
60	Females	2,893	335	79	38	14	19	485	64	47	65	107	134
61	Virginia	25,252	4,921	1,462	677	392	296	7,748	943	639	1,189	1,565	1,147
62	Males	13,112	2,717	746	366	207	148	4,184	472	294	573	811	529
63	Females	12,140	2,204	716	311	185	148	3,564	471	345	616	754	618
64	Washington	4,910	629	178	89	81	73	1,050	177	154	214	293	251
65	Males	3,148	379	105	48	39	38	609	113	72	104	166	145
66	Females	1,762	250	73	41	42	35	441	64	82	110	127	106
67	West Virginia	9,588	1,956	610	311	180	130	3,187	373	267	509	601	480
68	Males	5,046	1,098	319	167	95	59	1,738	183	128	261	279	243
69	Females	4,542	858	291	144	85	71	1,449	190	139	248	322	237
70	Wisconsin	24,928	5,213	970	485	333	240	7,241	824	546	732	1,060	958
71	Males	13,815	2,950	513	240	178	128	4,009	433	274	341	503	481
72	Females	11,113	2,263	457	245	155	112	3,232	391	272	391	557	477
73	Wyoming	767	142	37	31	12	10	232	53	37	34	37	53
74	Males	452	76	22	13	9	4	124	27	21	25	19	34
75	Females	315	66	15	18	3	6	108	26	16	9	18	19

AND SEX: CENSUS YEAR 1900—Continued.

STATES AND TERRITORIES—Continued.

AGES—continued.															
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.	
154	180	133	138	112	102	78	77	67	41	17	8	5	----------	127	1
92	131	96	98	83	76	59	56	44	24	6	3	2	----------	108	2
62	49	37	40	29	26	19	21	23	17	11	5	3	----------	19	3
358	350	349	294	359	341	421	416	411	345	235	120	35	14	40	4
161	163	180	163	212	188	259	264	237	199	134	71	16	4	21	5
197	187	169	131	147	153	162	152	174	146	101	49	19	10	19	6
16	10	26	17	32	30	39	36	25	17	13	10	4	----------	5	7
10	7	20	13	28	23	26	28	18	15	10	7	2	----------	7	8
6	3	6	4	4	7	13	8	7	2	3	3	2	----------	1	9
207	222	231	250	274	339	364	509	575	559	502	263	122	33	93	10
100	100	112	114	136	158	190	259	295	284	256	104	46	2	46	11
107	122	119	136	138	181	174	250	280	275	246	159	76	31	47	12
1,365	1,511	1,347	1,280	1,397	1,544	1,678	1,793	1,709	1,502	1,045	515	187	53	73	13
699	821	759	722	769	799	929	923	863	738	487	225	72	25	46	14
666	690	588	558	628	745	749	870	846	764	558	290	115	28	27	15
99	106	84	72	73	84	90	65	65	48	32	21	14	8	72	16
54	56	46	44	46	54	57	44	42	31	19	16	9	4	49	17
45	50	38	28	27	30	33	21	23	17	13	5	5	4	23	18
6,081	6,372	5,706	5,602	6,004	6,280	6,856	7,200	7,250	6,492	4,623	2,449	830	231	243	19
3,323	3,551	3,229	3,124	3,309	3,298	3,456	3,618	3,559	3,284	2,250	1,144	356	77	139	20
2,758	2,821	2,477	2,478	2,695	2,982	3,400	3,582	3,691	3,208	2,373	1,305	474	154	104	21
802	789	746	692	777	648	765	811	895	787	620	320	136	96	255	22
345	332	330	351	396	332	383	431	437	403	308	158	60	32	118	23
457	457	416	341	381	311	382	380	458	384	312	162	76	64	137	24
106	113	96	83	70	56	67	82	60	57	44	16	4	1	30	25
42	55	52	47	37	31	34	50	35	30	25	7	2	----------	19	26
64	58	44	36	33	25	33	32	25	27	19	9	2	1	11	27
2,189	2,227	2,133	2,124	2,259	2,529	2,796	3,349	3,571	3,251	2,391	1,228	388	114	298	28
1,068	1,182	1,180	1,188	1,237	1,418	1,629	1,914	1,979	1,763	1,268	640	171	47	174	29
1,121	1,045	953	936	1,022	1,111	1,167	1,435	1,592	1,488	1,123	588	217	67	124	30
101	121	112	101	99	124	91	104	82	62	45	21	4	4	30	31
47	60	54	55	59	79	52	68	58	40	28	14	1	3	18	32
54	61	58	46	40	45	39	36	24	22	17	7	3	1	12	33
153	180	163	149	176	154	191	223	227	173	90	64	20	8	45	34
82	106	101	96	108	96	124	158	146	116	60	36	8	5	37	35
71	74	62	53	68	58	67	65	81	57	30	28	12	3	8	36
3,632	3,639	3,521	3,518	3,762	3,933	4,363	4,845	4,960	4,078	3,031	1,504	441	144	442	37
1,963	2,014	1,969	2,066	2,170	2,258	2,360	2,576	2,600	2,115	1,545	674	170	50	274	38
1,669	1,625	1,552	1,452	1,592	1,675	2,003	2,269	2,360	1,963	1,486	830	271	94	168	39
303	317	309	330	379	404	426	432	449	428	275	163	53	16	27	40
157	161	168	162	189	213	199	209	208	198	117	61	16	5	14	41
146	156	141	168	190	191	227	223	241	230	158	102	37	11	13	42
676	718	661	571	636	490	599	536	576	440	319	166	74	70	120	43
272	302	315	291	344	261	292	270	303	241	157	77	23	28	64	44
404	416	346	280	292	229	307	266	273	199	162	89	51	42	56	45
105	103	134	111	86	126	120	139	122	110	80	24	10	3	29	46
46	46	63	61	50	77	71	87	70	62	49	15	4	1	19	47
59	57	71	50	36	49	49	52	52	48	31	9	6	2	10	48
1,236	1,233	1,121	1,106	1,232	1,050	1,131	1,179	1,182	926	701	357	133	99	316	49
577	568	546	577	648	566	575	619	624	481	358	201	54	31	152	50
659	665	575	529	584	484	556	560	558	445	343	156	79	68	164	51
1,410	1,269	1,207	1,152	1,142	877	978	951	893	694	511	266	102	89	377	52
651	634	623	687	682	515	588	562	534	410	263	134	57	38	222	53
759	635	584	465	460	362	390	389	359	284	248	132	45	51	155	54
131	157	136	103	92	107	115	131	146	119	88	39	17	1	55	55
89	105	94	64	54	74	78	85	83	64	45	16	5	----------	49	56
42	52	42	39	28	33	37	46	63	55	43	23	12	1	6	57
164	197	217	177	225	292	361	382	475	539	450	231	121	34	34	58
73	81	114	86	94	147	174	192	271	273	242	90	43	13	15	59
91	116	103	91	131	145	187	190	204	266	208	141	78	21	19	60
1,004	943	953	879	1,009	920	1,163	1,165	1,239	951	778	417	173	121	306	61
473	444	457	463	544	489	608	635	680	516	420	215	76	47	182	62
531	499	496	416	465	431	555	530	559	435	358	202	97	74	124	63
261	349	312	284	270	239	245	228	235	122	101	28	19	6	72	64
166	239	218	215	194	174	185	157	151	75	74	15	15	4	57	65
95	110	94	69	76	65	60	71	84	47	27	13	4	2	15	66
368	324	353	302	300	349	309	403	444	392	292	139	47	31	118	67
189	165	171	164	154	183	168	230	232	228	159	65	22	15	69	68
179	159	182	138	146	166	141	173	212	164	133	74	25	16	49	69
848	937	936	802	894	999	1,122	1,394	1,677	1,688	1,212	632	211	79	136	70
455	489	534	476	534	604	624	813	990	957	711	350	104	37	96	71
393	448	402	326	360	395	498	581	687	731	501	282	107	42	40	72
46	61	26	36	30	20	26	24	15	5	8	3	2	----------	19	73
39	33	20	25	19	13	14	10	6	2	5	1	1	----------	14	74
7	28	6	11	11	7	12	14	9	3	3	2	1	----------	5	75

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES.

	REGISTRATION CITIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Total	402,666	85,384	22,388	10,337	6,686	4,784	129,579	12,525	6,791	10,539	17,633	20,005
2	Males	215,115	47,769	11,847	5,398	3,410	2,372	70,796	6,431	3,427	5,218	8,976	10,519
3	Females	187,551	37,615	10,541	4,939	3,276	2,412	58,783	6,094	3,364	5,321	8,657	9,486
4	Adams town, Mass	179	65	7	3	2		77	5	4	5	7	8
5	Males	93	34	3	3	1		41	3		2	3	4
6	Females	86	31	4		1		36	2	4	3	4	4
7	Alameda, Cal	224	19	2	3	2	4	30	5	1	8	15	12
8	Males	122	13		3	1	2	19	2		3	11	6
9	Females	102	6	2		1	2	11	3	1	3	4	6
10	Albany, N. Y	1,813	311	53	39	31	20	454	47	28	49	75	93
11	Males	897	177	25	22	17	12	253	23	10	24	38	48
12	Females	916	134	28	17	14	8	201	24	18	25	37	45
13	Alexandria, Va	351	75	16	10	8	8	117	17	14	12	25	17
14	Males	179	42	10	5	6	3	66	6	5	5	16	10
15	Females	172	33	6	5	2	5	51	11	9	7	9	7
16	Allegheny, Pa	2,385	535	148	72	34	32	821	73	43	68	131	133
17	Males	1,326	303	82	36	19	21	461	47	22	34	70	81
18	Females	1,059	232	66	36	15	11	360	26	21	34	61	52
19	Allentown, Pa	646	148	27	20	12	16	223	23	10	20	35	20
20	Males	346	89	19	10	10	8	136	11	5	11	15	12
21	Females	300	59	8	10	2	8	87	12	5	9	20	8
22	Altoona, Pa	752	195	36	20	14	16	281	21	16	29	42	22
23	Males	440	110	25	12	9	8	164	9	12	16	32	14
24	Females	312	85	11	8	5	8	117	12	4	13	10	8
25	Amesbury town, Mass	144	35	6	3	2	1	47	3	2	4	6	5
26	Males	77	20	3	3	2		28	3	1	3	3	2
27	Females	67	15	3			1	19		1	1	3	3
28	Amsterdam, N. Y	336	68	11	7	2	4	92	11	6	12	14	10
29	Males	168	39	6	3		2	50	1	5	7	7	5
30	Females	168	29	5	4	2	2	42	10	1	5	7	5
31	Annapolis, Md	170	39	11	6	2	3	61	9	3	5	10	3
32	Males	87	25	6	6		1	38	5		2	5	1
33	Females	83	14	5		2	2	23	4	3	3	5	2
34	Ann Arbor, Mich	185	17	3	1			21	2	1	9	10	16
35	Males	101	11	1				12	2	1	3	8	5
36	Females	84	6	2	1			9			6	2	11
37	Ansonia town, Conn	227	67	15	3	7	2	94	7	5	8	9	7
38	Males	122	39	10	1	6	1	57	3	2	2	1	5
39	Females	105	28	5	2	1	1	37	4	3	6	8	2
40	Appleton, Wis	175	39	8	5		2	54	6	1	10	4	11
41	Males	107	26	5	2		1	34	5	1	1	2	7
42	Females	68	13	3	3		1	20	1		9	2	4
43	Arlington town, Mass	133	23	6	2	2	1	34	1	6	3	2	4
44	Males	64	12	5	2	2	1	22	1	2	1	1	1
45	Females	69	11	1				12		4	2	1	3
46	Ashtabula, Ohio	219	51	14	1	2	4	72	5	6	1	8	17
47	Males	134	28	6	1	1	2	38	3	3		5	9
48	Females	85	23	8		1	2	34	2	3	1	3	8
49	Atlanta, Ga	2,387	523	189	80	39	27	858	56	43	100	166	138
50	Males	1,255	272	106	47	23	17	465	29	22	50	85	69
51	Females	1,132	251	83	33	16	10	393	27	21	50	81	69
52	Atlantic City, N. J	466	112	20	8	7	6	153	10	6	13	7	24
53	Males	244	63	9	5	4	2	83	4	3	5	2	13
54	Females	222	49	11	3	3	4	70	6	3	8	5	11
55	Attleboro town, Mass	160	35	7	7	5	5	59	5	2	6	8	3
56	Males	76	19	4	6		2	31	2	2	1	7	2
57	Females	84	16	3	1	5	3	28	3		5	1	1
58	Auburn, N. Y	521	89	15	8	8	6	126	21	9	17	24	26
59	Males	265	53	9	3	4	3	72	11	4	7	18	13
60	Females	256	36	6	5	4	3	54	10	5	10	6	13
61	Augusta, Me	308	52	3	3	2	1	61	7	3	4	13	10
62	Males	147	18	2	1	2		23	3	1	2	8	3
63	Females	161	34	1	2		1	38	4	2	2	5	7
64	Aurora, Ill	362	61	13	4	7	5	90	15	8	8	18	12
65	Males	197	36	5	1	4		46	9	5	7	11	5
66	Females	165	25	8	3	3	5	44	6	3	1	7	7
67	Baltimore, Md	10,679	2,549	513	262	187	135	3,646	346	191	313	427	482
68	Males	5,414	1,393	257	143	91	63	1,947	153	95	154	210	245
69	Females	5,265	1,156	256	119	96	72	1,699	193	96	159	217	237
70	Bangor, Me	354	43	12	4	2	2	63	8	7	12	10	10
71	Males	188	30	3	3	1	1	38	5	3	7	6	5
72	Females	166	13	9	1	1	1	25	3	4	5	4	5
73	Barre, Vt	158	37	7	9	5	4	62	13	4	1	5	8
74	Males	80	20	4	5	3		32	7	2		2	3
75	Females	78	17	3	4	2	4	30	6	2	1	3	3
76	Bath, Me	146	26	5	3	2	1	37	1	1		7	4
77	Males	70	16	1	1	1		19	1			3	2
78	Females	76	10	4	2	1	1	18		1		4	2

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES.

AGES—continued.															
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.	
19,633	20,551	18,538	17,983	18,742	18,760	19,710	19,788	18,460	14,664	10,053	5,014	1,686	678	1,334	1
10,881	11,627	10,743	10,442	10,751	10,372	10,388	10,188	9,185	6,994	4,515	2,074	560	225	803	2
8,752	8,924	7,795	7,541	7,991	8,388	9,322	9,600	9,275	7,670	5,538	2,940	1,126	453	531	3
7	4	4	9	8	6	6	12	4	8		3		1	1	4
3	1	2	7	4	5	4	6	1	3		3			1	5
4	3	2	2	4	1	2	6	3	5				1		6
12	19	8	13	14	7	14	17	19	16	11	2	2		1	7
8	8	5	5	6	4	10	8	10	9	4	2	1		1	8
4	11	3	8	8	3	4	9	9	7	7		1			9
99	93	87	91	98	106	118	109	94	70	58	27	7	5	5	10
50	55	39	43	49	50	52	46	43	35	22	13	2		2	11
49	38	48	48	49	56	66	63	51	35	36	14	5	5	3	12
8	14	6	9	13	18	14	20	15	9	14	3	3	2	1	13
6	6	3	4	7	7	7	8	7	5	6	1	2	1	1	14
2	8	3	5	6	11	7	12	8	4	8	2	1	1		15
108	112	114	112	114	113	82	106	92	84	53	17	4	3	2	16
69	68	73	68	63	63	44	47	44	43	20	8			1	17
39	44	41	44	51	50	38	59	48	41	33	9	4	3	1	18
32	26	16	24	23	31	18	33	48	25	22	8	1	3	5	19
11	14	6	13	12	19	9	17	20	18	12	2			3	20
21	12	10	11	11	12	9	16	28	7	10	6	1	3	2	21
31	18	30	29	33	28	34	32	37	34	17	9	6	1	2	22
22	14	15	13	19	16	17	20	19	19	7	6	4		2	23
9	4	15	16	14	12	17	12	18	15	10	3	2	1		24
6	4	6	2	8	5	7	6	10	11	7	5				25
2	1	2	1	3	3	6	3	6	5	2	3				26
4	3	4	1	5	2	1	3	4	6	5	2				27
8	19	20	14	12	21	24	15	24	9	9	11	2		3	28
4	10	12	10	4	8	15	8	9	4	3	3	2		1	29
4	9	8	4	8	13	9	7	15	5	6	8			2	30
5	1	4	3	6	6	7	5	12	10	6	5	3	1	5	31
1		2	2	2	4	5	4	7	2	3	1	1		2	32
4	1	2	1	4	2	2	1	5	8	3	4	2	1	3	33
11	9	10	10	9	15	14	13	9	16	6	3	1			34
6	4	6	4	5	11	11	6	6	6	3	2				35
5	5	4	6	4	4	3	7	3	10	3	1	1			36
8	9	4	8	8	11	10	16	12	3	3	2			3	37
6	5	2	3	6	5	4	8	7	1	3	1			1	38
2	4	2	5	2	6	6	8	5	2		1			2	39
5	3	5	7	7	8	8	13	5	13	10	2	1	1	1	40
2	1	3	5	5	5	3	11	3	10	7		1		1	41
3	2	2	2	2	3	5	2	2	3	3	2		1		42
5	4	11	4	6	8	9	8	4	11	8	3	1		1	43
3	2	5	2	3	4	5	4		4	1	2	1			44
2	2	6	2	3	4	4	4	4	7	7	1			1	45
5	17	5	10	13	12	9	13	9	5	6	3	2			46
1	11	5	6	11	7	6	5	8	3	6	3	1			47
2	6		4	2	5	3	8	1	2			1			48
104	117	101	103	111	87	102	97	73	65	29	19	5	10	3	49
47	60	53	66	62	48	53	51	42	26	10	8	3	4	2	50
57	57	48	37	49	39	49	46	31	39	19	11	2	6	1	51
21	25	34	16	27	21	21	26	20	21	15	4	2			52
10	11	19	8	14	12	13	13	11	17	4	2				53
11	14	15	8	13	9	8	13	9	4	11	2	2			54
2	10	5	8	2	3	6	6	10	13	7	5				55
	7	3	3	1	1	1	3	3	5	3	1				56
2	3	2	5	1	2	5	3	7	8	4	4				57
14	27	17	23	13	30	27	31	42	28	21	16	8	1		58
11	13	13	14	7	14	9	14	17	12	12	4				59
3	14	4	9	6	16	18	17	25	16	9	12	8	1		60
21	17	16	21	19	14	25	18	19	13	17	5	4		1	61
11	9	8	9	10	7	17	8	8	4	11	3	2			62
10	8	8	12	9	7	8	10	11	9	6	2	2		1	63
13	12	10	20	14	16	23	19	32	23	19	8	2			64
8	7	6	10	5	12	11	12	19	12	8	2	2			65
5	5	4	10	9	4	12	7	13	11	11	6				66
455	503	473	458	495	474	540	547	500	369	269	116	46	25	4	67
229	269	271	250	268	244	257	270	237	150	111	41	2	9	2	68
226	234	202	208	227	230	283	277	263	219	158	75	44	16	2	69
15	14	15	10	15	19	17	35	29	25	25	18	4	1	2	70
8	7	10	5	10	9	9	18	13	11	11	10	2		1	71
7	7	5	5	5	10	8	17	16	14	14	8	2	1	1	72
6	5	12	8	2	10	4	5	5	3	2	3	2			73
4	1	7	2	1	7	1	2	4	1	1	2	1			74
2	4	5	6	1	3	3	3	1	2	1	1	1			75
3	4	7	8	6	6	11	9	11	15	7	6	2	1		76
1	3	3	3	1	2	7	5	9	6	3	2				77
2	1	4	5	5	4	4	4	2	9	4	4	2	1		78

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Battle Creek, Mich	250	27	9	4	2	2	44	7	3	5	7	9
2	Males	135	18	3	2	2	1	26	4	2	1	2	5
3	Females	115	9	6	2		1	18	3	1	4	5	4
4	Bay City, Mich	351	72	17	11	6	2	108	13	12	16	14	12
5	Males	206	49	9	7	3	1	69	4	5	9	4	5
6	Females	145	23	8	4	3	1	39	9	7	7	10	7
7	Bayonne, N. J	545	156	49	21	8	3	237	28	10	9	22	30
8	Males	286	85	26	12	5	2	130	16	6	5	10	18
9	Females	259	71	23	9	3	1	107	12	4	4	12	12
10	Bellaire, Ohio	167	38	10	6	5	3	62	5	7	4	8	6
11	Males	94	24	5	4	1	1	35	4	5	2	4	2
12	Females	73	14	5	2	4	2	27	1	2	2	4	4
13	Belleville, Ill	269	51	13	7	2	5	78	9	7	8	9	20
14	Males	150	29	6	4	1	4	44	4	4	5	3	13
15	Females	119	22	7	3	1	1	34	5	3	3	6	7
16	Beloit, Wis	152	33	3	5	2		43	5	6	1	6	7
17	Males	74	19	2	1			22	3	4		3	5
18	Females	78	14	1	4	2		21	2	2	1	3	2
19	Bennington town, Vt	127	18	2	1		1	22	1		3	7	7
20	Males	61	12	1				13			1	4	2
21	Females	66	6	1	1		1	9	1		2	3	5
22	Berlin, N. H	149	57	14	3	8		82	6	2	3	3	9
23	Males	79	33	7	1	5		46	5	1		3	5
24	Females	70	24	7	2	3		36	1	1	3		4
25	Beverly, Mass	205	40	6	4	3	2	55	3	2	4	6	8
26	Males	93	15	2	2	1	2	22	2		1	1	3
27	Females	112	25	4	2	2		33	1	2	3	5	5
28	Biddeford, Me	375	134	24	12	10	6	186	12	2	13	15	11
29	Males	206	86	17	6	6	4	119	9		9	5	4
30	Females	169	48	7	6	4	2	67	3	2	4	10	7
31	Binghamton, N. Y	698	116	17	11	8	13	165	26	17	18	38	28
32	Males	350	63	7	6	3	8	87	12	9	8	20	15
33	Females	348	53	10	5	5	5	78	14	8	10	18	13
34	Boston, Mass	11,277	2,421	620	310	226	137	3,714	277	121	229	432	596
35	Males	5,726	1,352	317	159	130	66	2,024	125	54	109	222	302
36	Females	5,551	1,069	303	151	96	71	1,690	152	67	120	210	294
37	Bridgeport, Conn	1,226	298	72	36	12	14	432	28	20	33	42	53
38	Males	658	172	36	24	7	5	244	12	11	16	19	33
39	Females	568	126	36	12	5	9	188	16	9	17	23	20
40	Bridgeton, N. J	200	49	5	3	2		59	3	6	8	9	8
41	Males	102	26	4	3	1		34	2	4	2	3	5
42	Females	98	23	1		1		25	1	2	6	6	3
43	Bristol town, Conn	149	34	12	7	1		54	2	1	3	4	3
44	Males	63	20	3				23		1		3	2
45	Females	86	14	9	7	1		31	2		3	1	1
46	Brockton, Mass	529	98	19	16	3	6	142	21	11	16	26	21
47	Males	285	63	12	5	1	3	84	14	6	8	10	8
48	Females	244	35	7	11	2	3	58	7	5	8	16	13
49	Brookline town, Mass	260	38	5	5	4	2	54	8	1	6	7	15
50	Males	133	26	4	3	3	2	38	6		3	3	4
51	Females	127	12	1	2	1		16	2	1	3	4	11
52	Buffalo, N. Y	5,207	1,268	342	139	69	52	1,870	152	86	115	176	190
53	Males	2,779	745	189	71	40	18	1,063	86	42	67	92	99
54	Females	2,428	523	153	68	29	34	807	66	44	48	84	91
55	Burlington, Iowa	384	49	6	4	3	1	63	11	8	17	18	27
56	Males	222	31	3	1	1		36	4	5	14	9	15
57	Females	162	18	3	3	2	1	27	7	3	3	9	12
58	Burlington, Vt	347	91	16	1	1	4	113	11	6	13	12	17
59	Males	169	54	7	1		3	65	4	4	8	8	5
60	Females	178	37	9		1	1	48	7	2	5	4	12
61	Cambridge, Mass	1,699	396	96	48	39	23	602	56	31	47	56	63
62	Males	841	211	54	30	22	8	325	22	19	19	28	33
63	Females	858	185	42	18	17	15	277	34	12	28	28	30
64	Camden, N. J	1,235	289	70	40	27	18	444	78	21	28	35	43
65	Males	634	155	36	17	13	8	229	43	8	14	21	19
66	Females	601	134	34	23	14	10	215	35	13	14	14	24
67	Canton, Ohio	408	78	8	8	4	7	105	23	9	8	19	23
68	Males	212	47	6	2	2	7	64	13	4	3	9	9
69	Females	196	31	2	6	2		41	10	5	5	10	14
70	Carbondale, Pa	295	51	17	7	5	9	89	18	12	5	11	8
71	Males	166	31	9	2	1	5	48	10	7	4	6	6
72	Females	129	20	8	5	4	4	41	8	5	1	5	2
73	Carlisle, Pa	207	40	7	8	2		52	7	5	6	7	9
74	Males	113	26	5	1	2		34	3	4	5	5	4
75	Females	94	14	2	2			18	4	1	1	2	5
76	Central Falls, R. I	290	90	24	10	4	3	131	11	4	6	8	6
77	Males	148	52	15	5	3	1	76	7	2	3	2	1
78	Females	142	38	9	5	1	2	55	4	2	3	6	5

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.															
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.	
9	17	17	11	13	14	17	15	21	17	13	8	1	2		1
3	10	12	5	7	8	8	12	10	7	7	5		1		2
6	7	5	6	6	6	9	3	11	10	6	3	1	1		3
15	13	12	15	17	19	17	18	21	13	9	7				4
7	7	9	11	9	15	7	11	17	8	6	3				5
8	6	3	4	8	4	10	7	4	5	3	4				6
26	31	23	17	24	15	24	23	8	12	4	1	1			7
16	15	10	8	13	5	12	12	5	4			1			8
10	16	13	9	11	10	12	11	3	8	4	1				9
8	10	2	4	5	6	9	9	10	4	5	1			2	10
2	7	2	2	3	3	4	7	5	3	2				2	11
6	3		2	2	3	5	2	5	1	3	1				12
11	11	6	5	12	10	20	15	13	20	9	3	1		2	13
5	6	4	4	7	7	13	8	9	9	2	1			2	14
6	5	2	1	5	3	7	7	4	11	7	2	1			15
5	6	9	5	2	11	7	6	8	7	8	5	3		2	16
2	2	3	4	2	5	2	2	5	2	4	1	2		1	17
3	4	6	1		6	5	4	3	5	4	4	1		1	18
7	4	7	3	5	8	16	7	9	8	6	4	1	2		19
3	3	2	1	2	4	9	4	4	3	4	2				20
4	1	5	2	3	4	7	3	5	5	2	2	1	2		21
1	7	2	3	3	2	2	3	2	3	2				14	22
1	3	1	2		1	1	1	2	2					5	23
	4	1	1	3	1	1	2		1	2				9	24
9	8	10	7	8	5	10	18	16	18	10	5	2	1		25
4	4	5	5	3	2	8	10	5	9	7	1	1			26
5	4	5	2	5	3	2	8	11	9	3	4	1	1		27
11	15	14	11	10	15	18	7	10	8	8	5	2	2		28
4	7	5	7	4	6	9	4	3	3	3	3		2		29
7	8	9	4	6	9	9	3	7	5	5	2	2			30
32	35	26	30	42	36	40	38	36	35	28	20	6	1	1	31
14	18	13	17	21	23	23	21	18	13	6	11	1			32
18	17	13	13	21	13	17	17	18	22	22	9	5	1	1	33
629	581	500	498	548	526	568	571	542	412	296	157	58	20	2	34
356	314	263	272	280	271	279	256	234	173	116	54	16	6		35
273	267	237	226	268	255	289	315	308	239	180	103	42	14	2	36
57	60	61	57	69	68	54	51	44	36	30	9	4	2	16	37
30	38	33	37	43	37	24	20	15	19	12	5	1		9	38
27	22	28	20	26	31	30	31	29	17	18	4	3	2	7	39
9	4	2	6	11	17	8	14	9	12	11	4				40
4		1	1	6	7	5	8	5	6	6	3				41
5	4	1	5	5	10	3	6	4	6	5	1				42
6		2	12	6	7	7	5	8	9	7	6	4		3	43
2		1	8	3	4	3	1	3	3	3	2	1			44
4		1	4	3	3	4	4	5	6	4	4	3		3	45
22	29	19	26	12	31	24	35	27	27	19	14			7	46
11	15	6	20	7	19	14	17	13	17	7	4			5	47
11	14	13	6	5	12	10	18	14	10	12	10			2	48
12	7	8	15	12	21	15	15	14	22	13	10	3		2	49
8	1	2	9	7	12	5	6	7	10	6	4	1		1	50
4	6	6	6	5	9	10	9	7	12	7	6	2		1	51
243	258	238	226	221	221	253	230	263	208	148	76	22	6	5	52
127	129	133	124	127	114	140	116	135	89	55	33	6	1	1	53
116	129	105	102	94	107	113	114	128	119	93	43	16	5	4	54
20	14	17	18	22	18	17	32	24	30	21	5	2			55
13	12	14	12	9	9	6	21	14	13	11	4	1			56
7	2	3	6	13	9	11	11	10	17	10	1	1			57
11	16	14	12	17	17	17	10	21	15	8	4	10	3		58
4	4	5	4	10	8	10	4	9	7	4	3	1	2		59
7	12	9	8	7	9	7	6	12	8	4	1	9	1		60
67	58	70	63	73	75	74	98	84	75	54	24	16	4	9	61
35	26	35	30	37	41	36	37	40	33	21	9	6	2	7	62
32	32	35	33	36	34	38	61	44	42	33	15	10	2	2	63
52	57	41	52	49	50	75	54	58	55	21	12	5	3	2	64
27	21	26	27	27	30	40	26	31	26	9	5	3	1	1	65
25	36	15	25	22	20	35	28	27	29	12	7	2	2	1	66
12	17	18	19	23	19	17	23	24	18	17	7	2		5	67
7	12	6	11	14	8	7	11	12	6	8	3	1		4	68
5	5	12	8	9	11	10	12	12	12	9	4	1		1	69
15	11	16	11	10	18	19	16	14	6	7	5	3		1	70
8	10	10	6	5	12	11	9	6	3	1	2	1		1	71
7	1	6	5	5	6	8	7	8	3	6	3	2			72
3	7	8	7	8	11	12	12	16	13	8	7	5	1	3	73
	3	4	5	5	3	6	5	10	5	3	4	2	1	2	74
3	4	4	2	3	8	6	7	6	8	5	3	3		1	75
13	8	9	15	11	17	13	11	8	7	5	3	2		2	76
7	4	4	6	4	10	3	7	3	4	2	2			1	77
6	4	5	9	7	7	10	4	5	3	3	1	2		1	78

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Charleston, S. C	2,094	464	137	58	27	14	700	55	44	79	132	129
2	Males	1,081	256	76	31	10	9	382	24	24	38	73	59
3	Females	1,013	208	61	27	17	5	318	31	20	41	59	70
4	Chelsea, Mass	636	125	46	11	12	10	204	14	2	14	23	28
5	Males	330	67	19	7	8	6	107	5	1	3	9	14
6	Females	306	58	27	4	4	4	97	9	1	11	14	14
7	Chicago, Ill	27,533	5,773	1,748	854	547	481	9,403	1,259	552	717	1,093	1,285
8	Males	15,135	3,237	890	424	260	220	5,031	656	283	357	569	681
9	Females	12,398	2,536	858	430	287	261	4,372	603	269	360	524	604
10	Chicopee, Mass	399	151	25	8	7	4	195	8	4	9	21	21
11	Males	203	81	14	5	5	2	107	3	3	5	10	10
12	Females	196	70	11	3	2	2	88	5	1	4	11	11
13	Chillicothe, Ohio	277	24	16	7	4		51	3	6	10	12	17
14	Males	131	18	8	2	3		31		3	4	5	9
15	Females	146	6	8	5	1		20	3	3	6	7	8
16	Chippewa Falls, Wis	100	21	2		1	1	25	4	4	3	6	9
17	Males	54	14	1			1	16	1		1	2	7
18	Females	46	7	1		1		9	3	4	2	3	2
19	Cincinnati, Ohio	6,214	1,056	272	116	79	63	1,586	148	80	160	286	362
20	Males	3,383	582	149	55	40	35	861	86	46	81	159	173
21	Females	2,831	474	123	61	39	28	725	62	34	79	127	189
22	Cleveland, Ohio	6,521	1,610	341	174	112	84	2,321	238	120	159	277	306
23	Males	3,599	901	184	102	62	48	1,297	126	57	81	159	161
24	Females	2,922	709	157	72	50	36	1,024	112	63	78	118	145
25	Clinton town, Mass	224	63	14	4	2	6	89	3	2	5	12	6
26	Males	113	33	9	2	2	5	51	2	1	1	6	3
27	Females	111	30	5	2		1	38	1	1	4	6	3
28	Cohoes, N. Y	484	129	30	13	10	5	187	25	11	12	20	19
29	Males	238	72	14	8	4	2	100	12	7	3	9	8
30	Females	246	57	16	5	6	3	87	13	4	9	11	11
31	Columbia, Pa	239	52	17	5	5	1	80	17	8	4	9	10
32	Males	120	25	11	3	2	1	42	8	2	2	6	3
33	Females	119	27	6	2	3		38	9	6	2	3	7
34	Columbus, Ind	162	28	6	8		3	45	2	2	8	8	3
35	Males	76	10	3	4		2	19	2	1	6	2	1
36	Females	86	18	3	4		1	26		1	2	6	2
37	Columbus, Ohio	1,983	278	68	34	22	17	419	63	47	80	107	121
38	Males	1,085	157	35	18	9	13	232	34	24	38	63	65
39	Females	898	121	33	16	13	4	187	29	23	42	44	56
40	Concord, N. H	357	52	14	7	5	1	79	8	3	5	13	11
41	Males	171	34	5	3	3	1	46	3	2	2	5	5
42	Females	186	18	9	4	2		33	5	1	3	8	6
43	Corning, N. Y	199	32	6	7	1	1	47	9	4	1	15	13
44	Males	106	20	3	4		1	28	4	3		8	8
45	Females	93	12	3	3	1		19	5	1	1	7	5
46	Cortland, N. Y	120	12	4	1	2		19	4	1	4	3	7
47	Males	56	5	2		1		8	1	1	4		2
48	Females	64	7	2	1	1		11	3			3	5
49	Covington, Ky	869	155	44	13	8	7	227	19	13	24	44	52
50	Males	477	93	22	9	2	4	130	11	9	7	25	33
51	Females	392	62	22	4	6	3	97	8	4	17	19	19
52	Danbury town, Conn	320	35	8	7	2	7	59	9	10	5	15	16
53	Males	163	26	4	4		3	37	5	4	3	8	9
54	Females	157	9	4	3	2	4	22	4	6	2	7	7
55	Danvers town, Mass	152	16	2				18		2	3	9	1
56	Males	67	6	2				8				6	
57	Females	85	10					10		2	3	3	1
58	Danville, Ill	312	58	14	6	2	5	85	10	6	12	14	8
59	Males	190	35	8	1	2	3	49	5	3	7	8	6
60	Females	122	23	6	5		2	36	5	3	5	6	2
61	Davenport, Iowa	562	91	15	5	6	3	120	6	8	17	21	32
62	Males	307	50	9	4	5	2	70	3	4	9	9	21
63	Females	255	41	6	1	1	1	50	3	4	8	12	11
64	Dayton, Ohio	1,405	208	33	11	7	6	265	37	20	55	77	69
65	Males	726	112	20	4	2	4	142	20	11	26	35	28
66	Females	679	96	13	7	5	2	123	17	9	29	42	41
67	Decatur, Ill	355	59	16	9	5	2	91	9	7	14	18	16
68	Males	191	31	9	5	1		46	2	5	8	9	6
69	Females	164	28	7	4	4	2	45	7	2	6	9	10
70	Denver, Colo	2,484	367	97	52	37	30	583	66	47	72	150	187
71	Males	1,431	198	44	25	22	14	303	32	28	33	77	120
72	Females	1,053	169	53	27	15	16	280	34	19	39	73	67
73	Detroit, Mich	4,893	1,319	263	119	69	47	1,817	132	87	139	182	233
74	Males	2,522	707	134	68	34	17	960	65	45	68	81	89
75	Females	2,371	612	129	51	35	30	857	67	42	71	101	144
76	District of Columbia	6,364	1,306	268	129	105	67	1,875	184	140	189	358	344
77	Males	3,274	687	135	66	45	34	967	98	63	78	183	185
78	Females	3,090	619	133	63	60	33	908	86	77	111	175	159

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.															
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.	
85	100	119	97	112	87	95	75	65	49	28	12	9	9	13	1
36	52	64	60	62	44	44	34	31	25	9	4	1	5	10	2
49	48	55	37	50	43	51	41	34	24	19	8	8	4	3	3
19	28	23	20	39	29	46	34	40	41	18	10	2		2	4
13	16	10	10	21	19	24	22	21	23	8	4				5
6	12	13	10	18	10	22	12	19	18	10	6	2		2	6
1,446	1,537	1,387	1,309	1,283	1,201	1,198	1,218	996	792	514	228	71	33	11	7
796	904	881	815	813	733	667	649	515	389	247	100	25	17	7	8
650	633	506	494	470	468	531	569	481	403	267	128	46	16	4	9
8	17	12	14	6	14	16	16	10	12	12	2	2			10
3	11	6	7	5	8	6	3	7	7	2					11
5	6	6	7	1	6	10	13	3	5	10	2	2			12
16	6	9	9	12	12	17	23	22	23	12	10	3	2	2	13
4	2	4	5	9	8	9	8	8	7	8	5	1		1	14
12	4	5	4	3	4	8	15	14	16	4	5	2	2	1	15
4	5	3	8	3	5	5	3	5	2	1	2	2		1	16
3	2	1	6		5	2	1	2	1	1	1			1	17
1	3	2	2	3		3	2	3	1		1	2			18
303	384	308	314	319	311	320	325	382	317	178	74	15	9	33	19
168	231	194	187	186	179	169	159	195	173	81	32	3		20	20
135	153	114	127	133	132	151	166	187	144	97	42	12	9	13	21
312	352	313	289	262	287	269	264	252	213	161	72	26	13	15	22
166	192	193	188	150	148	168	146	149	101	73	23	9	3	9	23
146	160	120	101	112	139	101	118	103	112	88	49	17	10	6	24
6	6	10	8	9	10	10	14	14	9	7	3	1			25
2	4	5	4	4	6	4	8	3	4	3	2				26
4	2	5	4	5	4	6	6	11	5	4	1	1			27
18	16	26	14	15	25	23	22	18	15	7	3	1		7	28
9	8	13	5	6	11	15	9	7	7	5	1			3	29
9	8	13	9	9	14	8	13	11	8	2	2	1		4	30
2	10	5	5	13	9	14	17	10	11	8	2	2	1	2	31
1	6		3	6	5	10	10	3	5	4		2	1	1	32
1	4	5	2	7	4	4	7	7	6	4	2			1	33
6	11	4	5	7	8	12	10	8	5	7	4	1	3	3	34
4	5	2	2	4	5	6	2	4	3	3	3		1	1	35
2	6	2	3	3	3	6	8	4	2	4	1	1	2	2	36
122	121	114	94	86	109	100	105	106	77	58	26	10	2	16	37
67	62	63	52	56	66	58	61	47	46	19	14	5	1	12	38
55	59	51	42	30	43	42	44	59	31	39	12	5	1	4	39
8	22	17	10	16	15	15	31	37	22	19	16	8	1	1	40
5	9	7	4	7	8	8	15	14	12	10	4	4		1	41
3	13	10	6	9	7	7	16	23	10	9	12	4	1		42
8	12	13	6	5	11	2	12	11	15	10	3	1	1		43
4	7	7	1	2	6	1	6	7	6	6	1	1			44
4	5	6	5	3	5	1	6	4	9	4	2		1		45
4	4	5	6	6	8	14	5	6	12	6	5	1			46
2	2	2	4	1	3	5	4	4	4	5	3	1			47
2	2	3	2	5	5	9	1	2	8	1	2				48
33	41	41	41	37	32	50	72	47	44	33	9	2	3	5	49
26	25	20	20	27	23	29	32	15	20	13	6	1	3	2	50
7	16	21	21	10	9	21	40	32	24	20	3	1		3	51
12	13	11	12	22	21	22	21	26	23	11	5	3	2	2	52
5	5	7	6	10	12	8	12	13	11	3	1	2		2	53
7	8	4	6	12	9	14	9	13	12	8	4	1	2		54
9	5	7	12	7	7	10	7	16	14	18	4	1		2	55
6	2	3	8	2	4	8	2	7	5	3	2			1	56
3	3	4	4	5	3	2	5	9	9	15	2	1		1	57
13	20	10	14	14	14	12	17	21	16	5	7	3	1	10	58
10	14	9	10	11	11	6	11	12	7	3	2	1		5	59
3	6	1	4	3	3	6	6	9	9	2	5	2	1	5	60
25	19	18	24	17	29	29	59	42	35	38	13	7	1	2	61
10	12	8	13	9	13	14	35	23	22	23	5	3		1	62
15	7	10	11	8	16	15	24	19	13	15	8	4	1	1	63
77	68	63	79	50	78	83	80	106	96	59	30	6	2	5	64
34	35	35	49	35	40	46	40	49	56	25	12	2	1	5	65
43	33	28	30	15	38	37	40	57	40	34	18	4	1		66
17	15	17	11	15	20	20	22	20	13	17	3	3	1	6	67
10	6	8	7	9	11	12	14	14	7	13	1	1	1	1	68
7	9	9	4	6	9	8	8	6	6	4	2	2		5	69
185	178	143	141	137	123	106	127	84	66	46	18	7	2	16	70
119	100	94	83	92	75	65	74	51	42	23	6	4	1	9	71
66	78	49	58	45	48	41	53	33	24	23	12	3	1	7	72
180	208	175	177	199	203	231	246	247	194	133	61	25	9	15	73
93	105	91	111	110	119	133	124	110	104	58	28	13	4	11	74
87	103	84	66	89	84	98	122	137	90	75	33	12	5	4	75
267	244	275	254	310	356	349	348	313	238	185	83	24	21	7	76
149	125	130	129	174	203	178	197	156	117	82	40	7	6	7	77
118	119	145	125	136	153	171	151	157	121	103	43	17	15		78

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5–9	10–14	15–19	20–24	25–29
1	Dover, N. H	257	45	6	4	6	3	64	3	5	5	8	8
2	Males	129	25	6	1	5	2	39	1	3	3	5	5
3	Females	128	20		3	1	1	25	2	2	2	3	3
4	Dubois, Pa	131	40	11	5	2	2	60	3	2	5	3	10
5	Males	68	24	7	1		1	33	1	2		2	4
6	Females	63	16	4	4	2	1	27	2		5	1	6
7	Duluth, Minn	698	150	27	13	4	9	203	16	23	18	43	49
8	Males	436	78	18	6	1	8	111	7	14	9	23	31
9	Females	262	72	9	7	3	1	92	9	9	9	20	18
10	Dunkirk, N. Y	172	31	9	7	4	2	53	5	3	6	5	8
11	Males	91	21	6	4	2		33	3	3	3	1	5
12	Females	81	10	3	3	2	2	20	2		3	4	3
13	Easton, Pa	421	85	10	5	5	4	109	12	6	14	21	22
14	Males	231	42	6	5	4	3	60	8	3	9	14	13
15	Females	190	43	4		1	1	49	4	3	5	7	9
16	Eau Claire, Wis	257	57	10	2	2	1	72	11	11	7	24	13
17	Males	138	28	2	2	1		33	6	9	4	11	5
18	Females	119	29	8		1	1	39	5	2	3	13	8
19	Elizabeth, N. J	911	261	52	22	15	7	357	22	8	15	30	31
20	Males	502	149	19	12	9	4	193	16	5	7	17	17
21	Females	409	112	33	10	6	3	164	6	3	8	13	14
22	Elmira, N. Y	550	72	16	3	3	5	99	10	12	16	37	25
23	Males	294	40	11	1	2	4	58	5	6	10	21	10
24	Females	256	32	5	2	1	1	41	5	6	6	16	15
25	Erie, Pa	801	172	28	17	7	11	235	22	15	18	32	37
26	Males	460	97	18	8	4	5	132	9	9	7	20	18
27	Females	341	75	10	9	3	6	103	13	6	11	12	19
28	Escanaba, Mich	188	45	10	2	4	1	62	5	6	9	15	14
29	Males	125	25	5	2		1	33	3	3	5	10	13
30	Females	63	20	5		4		29	2	3	4	5	1
31	Evansville, Ind	1,045	217	47	17	11	6	298	33	22	36	49	57
32	Males	572	131	27	9	6	5	178	16	9	16	21	25
33	Females	473	86	20	8	5	1	120	17	13	20	28	32
34	Everett, Mass	386	96	15	9	7	3	130	7	6	6	17	23
35	Males	178	46	10	3	3	2	64	6	2	1	6	7
36	Females	208	50	5	6	4	1	66	1	4	5	11	16
37	Fall River, Mass	2,345	916	209	56	32	22	1,235	41	34	42	69	90
38	Males	1,196	514	113	33	17	11	688	23	13	18	35	46
39	Females	1,149	402	96	23	15	11	547	18	21	24	34	44
40	Findlay, Ohio	275	53	8	3	2	2	68	6	6	8	25	11
41	Males	142	27	4	2	1	2	36	4	2	3	8	4
42	Females	133	26	4	1	1		32	2	4	5	17	7
43	Fitchburg, Mass	428	119	21	8	4	7	159	18	6	10	13	19
44	Males	237	63	16	5	3	4	91	12	2	5	6	9
45	Females	191	56	5	3	1	3	68	6	4	5	7	10
46	Flint, Mich	185	22	5	3	2	1	33	6	8	1	7	6
47	Males	93	12	2	3	2		19	2	5		5	2
48	Females	92	10	3			1	14	4	3	1	2	4
49	Framingham town, Mass	190	29	4	2		1	36	5	7	8	10	8
50	Males	95	16	4	2		1	23	4	1	2	4	6
51	Females	95	13					13	1	6	6	6	2
52	Frederick, Md	185	32	9	1	1	4	47	8	3	2	7	5
53	Males	91	21	3	1		3	28	2	2		2	1
54	Females	94	11	6		1	1	19	6	1	2	5	4
55	Fresno, Cal	187	38	11	5	5	2	61	8	8	10	12	9
56	Males	110	19	7	3	2	1	32	5	3	5	4	6
57	Females	77	19	4	2	3	1	29	3	5	5	8	3
58	Galesburg, Ill	270	32	7	3	4	1	47	5	7	6	14	11
59	Males	149	23	3	2	3	1	32	3	3	3	8	5
60	Females	121	9	4	1	1		15	2	4	3	6	6
61	Gardiner town, Mass	205	68	12	6	4	1	91	7	3	4	6	6
62	Males	90	34	3	3	2		42	3		3	3	3
63	Females	115	34	9	3	2	1	49	4	3	1	3	3
64	Geneva, N. Y	153	23	3	2	1	2	31	3	2	4	4	6
65	Males	72	11	1		1	1	14		2	2	2	3
66	Females	81	12	2	2		1	17	3		2	2	3
67	Glens Falls, N. Y	242	34	8	4	4	5	55	8	6	6	11	15
68	Males	106	20	4	3	2	3	32	4	3	1	5	6
69	Females	136	14	4	1	2	2	23	4	3	5	6	9
70	Gloucester, Mass	388	80	13	7	3	6	109	12	9	8	21	17
71	Males	205	42	6	4	1	3	56	9	4	3	12	11
72	Females	183	38	7	3	2	3	53	3	5	5	9	6
73	Gloversville, N. Y	217	44	2	2		1	49	4	2	5	13	10
74	Males	103	25		2			27	3	1	4	7	4
75	Females	114	19	2			1	22	1	1	1	6	6
76	Grand Rapids, Mich	1,258	274	67	35	19	14	409	53	24	32	54	52
77	Males	685	163	31	21	8	10	233	27	11	16	22	23
78	Females	573	111	36	14	11	4	176	26	13	16	32	29

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.															
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.	
11	13	8	8	10	16	15	17	19	19	12	9	3	1	3	1
5	6	5	3	5	11	1	9	11	9	4	2	1		1	2
6	7	3	5	5	5	14	8	8	10	8	7	2	1	2	3
3	5	7		2	5	3	6	7	5			1		4	4
1	4	5		2	3		2	2	3					4	5
2	1	2			2	3	4	5	2			1			6
66	46	46	28	30	27	24	24	15	15	11	3	1	1	9	7
46	31	32	21	22	20	15	17	11	7	10	1		1	7	8
20	15	14	7	8	7	9	7	4	8	1	2	1		2	9
3	8	6	7	7	9	9	7	16	10	5	3	2			10
	5	3	4	4	4	7	3	5	4	3	1				11
3	3	3	3	3	5	2	4	11	6	2	2	2			12
13	17	11	23	21	12	24	27	20	21	25	12	3	1	7	13
4	8	7	19	12	8	10	10	16	9	10	4		1	6	14
9	9	4	4	9	4	14	17	4	12	15	8	3		1	15
14	8	4	16	9	6	15	10	13	10	6	4	1		3	16
9	6	3	12	6	6	8	3	6	2	4	3	1		1	17
5	2	1	4	3		7	7	7	8	2	1			2	18
32	52	30	42	39	40	41	52	41	39	19	18		1	2	19
21	23	22	28	21	25	26	27	19	19	8	7			1	20
11	29	8	14	18	15	15	25	22	20	11	11		1	1	21
28	32	26	19	32	32	39	26	32	38	27	14	3	3		22
19	19	15	12	12	18	23	12	13	18	15	6	1	1		23
9	13	11	7	20	14	16	14	19	20	12	8	2	2		24
28	39	40	39	31	37	41	45	46	42	31	16	5		2	25
12	21	24	26	18	28	24	31	28	23	20	7	1		2	26
16	18	16	13	13	9	17	14	18	19	11	9	4			27
8	15	12	10	10	5	7	4	1	2	2				1	28
7	13	7	8	8	3	6	2		2	2					29
1	2	5	2	2	2	1	2	1						1	30
44	61	48	48	56	44	59	50	53	53	23	6	3	2		31
25	35	23	25	38	32	32	25	27	30	14		1			32
19	26	25	23	18	12	27	25	26	23	9	6	2	2		33
13	24	19	22	18	14	16	21	15	15	11	4	5			34
6	14	8	10	13	7	8	9	7	4	4	1	1			35
7	10	11	12	5	7	8	12	8	11	7	3	4			36
60	69	61	74	92	102	96	82	78	55	33	16	8	2	6	37
31	37	31	31	34	44	47	32	32	24	16	7	4	2	1	38
29	32	30	43	58	58	49	50	46	31	17	9	4		5	39
19	11	16	13	10	15	15	14	17	6	8	6	1			40
10	6	8	10	6	7	13	6	10		5	3	1			41
9	5	8	3	4	8	2	8	7	6	3	3				42
11	11	12	17	18	28	21	19	23	14	16	6	5	1	1	43
6	8	8	11	10	16	10	12	12	7	7	4			1	44
5	3	4	6	8	12	11	7	11	7	9	2	5	1		45
5	9	12	8	9	11	17	12	6	17	8	7	2	1		46
2	4	6	5	5	5	12	6	3	6	2	3		1		47
3	5	6	3	4	6	5	6	3	11	6	4	2			48
16	9	8	5	7	8	14	10	7	16	8	3	2	1	2	49
5	6	3	3	3	7	10	3	4	5	2		2		2	50
11	3	5	2	4	1	4	7	3	11	6	3		1		51
3	3	3	8	8	9	15	10	11	25	9	8	1			52
1	1	1	3	5	3	9	9	5	9	6	4				53
2	2	2	5	3	6	6	1	6	16	3	4	1			54
4	13	9	12	16	7	6	2	6	1	2	1				55
3	8	5	9	14	5	2	1	5	1	2					56
1	5	4	3	2	2	4	1	1			1				57
12	12	11	13	12	18	21	17	25	12	13	3	2		9	58
7	5	7	6	6	10	11	10	17	7	4	1	1		3	59
5	7	4	7	6	8	10	7	8	5	9	2	1		6	60
11	6	2	5	9	6	7	5	10	13	6	5	2		1	61
5	1		3	4	1	3	3	7	4	1	3	1			62
6	5	2	2	5	5	4	2	3	9	5	2	1		1	63
9	11	5	4	5	12	7	16	16	8	4	3	3			64
4	4	3	2	2	6	2	10	7	3	3	1	2			65
5	7	2	2	3	6	5	6	9	5	1	2	1			66
13	10	11	11	12	10	16	19	9	11	12	5	2			67
4	2	7	6	5	4	8	6	4	2	6	1				68
9	8	4	5	7	6	8	13	5	9	6	4	2			69
13	13	17	17	20	14	16	16	19	30	19	15	1		2	70
6	5	9	15	15	7	7	7	8	16	7	6			2	71
7	8	8	2	5	7	9	9	11	14	12	9	1			72
4	13	11	8	3	11	13	19	16	19	11	5	1			73
1	6	6	2	1	3	5	8	11	8	3	2	1			74
3	7	5	6	2	8	8	11	5	11	8	3				75
54	50	62	62	49	55	53	58	54	48	43	23	16	4	3	76
29	22	31	35	29	33	31	33	41	28	21	12	6	1	1	77
25	28	31	27	20	22	22	25	13	20	22	11	10	3	2	78

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Johnstown, N. Y	135	25	2	2		1	30	1	1	4	6	4
2	Males	79	17	2	2		1	22			1	5	
3	Females	56	8					8	1	1	3	1	4
4	Johnstown, Pa	710	198	50	25	18	7	298	27	17	30	33	42
5	Males	414	111	26	14	12	4	167	16	8	21	21	28
6	Females	296	87	24	11	6	3	131	11	9	9	12	14
7	Kalamazoo, Mich	416	59	11	7	3	1	81	5	7	14	14	13
8	Males	229	36	8	4	1	1	50	2	5	5	6	6
9	Females	187	23	3	3	2		31	3	2	9	8	7
10	Kansas City, Mo	2,852	514	169	51	43	33	810	75	62	101	185	176
11	Males	1,558	289	89	25	25	16	444	41	31	42	90	80
12	Females	1,294	225	80	26	18	17	366	34	31	59	95	96
13	Keene, N. H	125	20	1	2			23	3	2	5	7	2
14	Males	61	13	1	1			15	1	1	2	2	
15	Females	64	7		1			8	2	1	3	5	2
16	Keokuk, Iowa	279	34	11	6	5		56	5	1	6	13	18
17	Males	143	22	7	3	1		33	1	1	3	10	7
18	Females	136	12	4	3	4		23	4		3	3	11
19	Key West, Fla	486	159	30	12	4	1	206	16	6	13	22	28
20	Males	280	90	14	7	2		113	9	3	6	15	18
21	Females	206	69	16	5	2	1	93	7	3	7	7	10
22	Kingston, N. Y	442	76	16	8	7	6	113	9	5	14	21	23
23	Males	206	35	7	1	5	4	52	3	2	6	10	13
24	Females	236	41	9	7	2	2	61	6	3	8	11	10
25	Laconia, N. H	163	33	6	6	1	3	49	5	2	1	8	3
26	Males	86	17	5	3		1	26	1	1		4	
27	Females	77	16	1	3	1	2	23	4	1	1	4	3
28	Lafayette, Ind	296	45	10	4	2	2	63	10	9	11	16	8
29	Males	159	29	8	3	1	2	43	4	6	6	10	4
30	Females	137	16	2	1	1		20	6	3	5	6	4
31	Lancaster, Pa	724	130	34	19	17	10	210	32	21	28	20	20
32	Males	388	78	21	11	7	3	120	17	6	12	8	12
33	Females	336	52	13	8	10	7	90	15	15	16	12	8
34	Lansing, Mich	232	31	5	4		3	43	9	4	8	10	8
35	Males	114	20	3			2	25	4		5	3	3
36	Females	118	11	2	4		1	18	5	4	3	7	5
37	Lansingburg, N. Y	248	45	8	11	2	2	68	11	3	7	11	16
38	Males	122	23	6	5	2	1	37	7	2	5	3	7
39	Females	126	22	2	6		1	31	4	1	2	8	9
40	Lawrence, Kans	179	27	12	5	1	1	46	6	1	6	8	11
41	Males	85	13	7	1			21	4	1	3	4	4
42	Females	94	14	5	4	1	1	25	2		3	4	7
43	Lawrence, Mass	1,262	385	83	31	23	14	536	38	19	27	49	43
44	Males	644	224	40	12	8	4	288	22	8	15	23	19
45	Females	618	161	43	19	15	10	248	16	11	12	26	24
46	Leadville, Colo	351	58	15	5	2	6	86	15	2	12	22	27
47	Males	237	26	7	1	1	3	38	11	2	8	15	22
48	Females	114	32	8	4	1	3	48	4		4	7	5
49	Leavenworth, Kans	419	78	21	9	7	3	118	10	6	7	21	16
50	Males	218	40	6	7	4	1	58	5	5	1	13	9
51	Females	201	38	15	2	3	2	60	5	1	6	8	7
52	Lebanon, Pa	326	62	16	8	10	4	100	10	8	11	9	13
53	Males	161	40	9	2	6	2	59	3	4	6	3	4
54	Females	165	22	7	6	4	2	41	7	4	5	6	9
55	Leominster town, Mass	176	37	7	5	4		53	6	3	3	5	5
56	Males	79	23	4	4	3		34	4	3	1	4	
57	Females	97	14	3	1	1		19	2		2	1	5
58	Lima, Ohio	377	77	16	12	3	2	110	9	10	17	18	22
59	Males	204	49	7	7	3	1	67	7	2	5	4	13
60	Females	173	28	9	5		1	43	2	8	12	14	9
61	Lincoln, Nebr	476	80	30	9	9	1	129	9	6	12	22	28
62	Males	262	46	13	2	4	1	66	4	4	5	12	18
63	Females	214	34	17	7	5		63	5	2	7	10	10
64	Lockport, N. Y	259	36	15	1	4	4	60	6	3	12	7	4
65	Males	131	24	7		2	2	35	5	2	4	5	2
66	Females	128	12	8	1	2	2	25	1	1	8	2	2
67	Los Angeles, Cal	1,857	253	39	21	24	17	354	62	37	53	80	121
68	Males	1,121	159	26	11	16	7	219	30	17	22	43	68
69	Females	736	94	13	10	8	10	135	32	20	31	37	53
70	Louisville, Ky	4,092	685	204	102	57	46	1,094	106	70	168	238	255
71	Males	2,106	386	110	51	23	18	588	56	35	79	118	120
72	Females	1,986	299	94	51	31	28	506	50	35	89	120	135
73	Lowell, Mass	1,876	572	105	35	29	17	758	44	20	42	80	78
74	Males	934	334	48	19	16	5	422	23	9	22	40	40
75	Females	942	238	57	16	13	12	336	21	11	20	40	38
76	Lynchburg, Va	523	127	32	14	15	7	195	16	14	25	34	17
77	Males	248	61	15	7	8	3	94	12	5	7	12	8
78	Females	275	66	17	7	7	4	101	4	9	18	22	9

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.															
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.	
3	4	7	5	6	6	7	10	10	11	12	5	3	----	----	1
1	3	4	2	2	3	3	7	7	6	9	3	1	----	----	2
2	1	3	3	4	3	4	3	3	5	3	2	2	----	----	3
27	30	20	33	16	22	21	28	21	15	18	7	2	----	3	4
20	18	14	26	12	9	10	12	7	10	9	2	2	----	2	5
7	12	6	7	4	13	11	16	14	5	9	5	----	----	1	6
25	23	20	24	21	16	34	26	26	17	32	12	4	----	2	7
16	14	9	13	13	12	20	9	17	7	17	6	1	----	1	8
9	9	11	11	8	4	14	17	9	10	15	6	3	----	1	9
175	187	144	149	129	140	112	127	112	66	62	19	7	6	8	10
97	102	83	84	76	84	73	69	62	43	34	10	2	3	8	11
78	85	61	65	53	56	39	58	50	23	28	9	5	3	----	12
8	2	3	4	3	7	4	21	11	7	10	1	1	1	----	13
3	1	1	2	2	2	2	12	5	4	6	----	----	----	----	14
5	1	2	2	1	5	2	9	6	3	4	1	1	1	----	15
12	16	15	4	11	12	14	18	17	27	10	8	1	----	15	16
6	10	7	2	6	6	9	10	8	11	2	3	1	----	7	17
6	6	8	2	5	6	5	8	9	16	8	5	----	----	8	18
17	24	24	16	18	19	20	13	19	10	7	5	----	1	2	19
10	14	16	12	9	9	13	10	9	7	2	3	----	----	2	20
7	10	8	4	9	10	7	3	10	3	5	2	----	1	----	21
13	14	14	12	24	28	29	41	26	29	16	8	2	----	1	22
6	7	8	7	11	17	12	15	10	11	9	6	----	----	1	23
7	7	6	5	13	11	17	26	16	18	7	2	2	----	----	24
9	4	2	3	6	9	10	9	13	11	9	8	----	1	1	25
4	1	2	1	4	6	7	5	6	4	9	5	----	----	----	26
5	3	----	2	2	3	3	4	7	7	----	3	----	1	1	27
12	15	11	14	13	20	15	20	25	15	11	6	1	----	1	28
5	11	3	7	7	13	7	5	15	7	3	2	----	----	1	29
7	4	8	7	6	7	8	15	10	8	8	4	1	----	----	30
30	27	28	27	19	23	39	55	59	38	32	12	4	----	----	31
15	21	19	13	12	9	25	28	34	18	14	4	1	----	----	32
15	6	9	14	7	14	14	27	25	20	18	8	3	----	----	33
11	7	10	12	8	9	19	13	14	19	16	8	2	1	1	34
6	5	5	5	6	6	10	5	7	7	6	4	1	----	1	35
5	2	5	7	2	3	9	8	7	12	10	4	1	1	----	36
8	12	8	9	15	15	13	13	16	3	13	2	2	----	3	37
1	5	5	4	9	11	5	7	6	----	5	1	1	----	1	38
7	7	3	5	6	4	8	6	10	3	8	1	1	----	2	39
7	4	8	9	4	12	9	9	11	11	9	4	1	1	2	40
2	2	3	4	3	9	2	5	6	4	5	1	----	----	2	41
5	2	5	5	1	3	7	4	5	7	4	3	1	1	----	42
45	56	45	46	52	65	61	54	41	38	20	15	5	2	5	43
19	37	21	22	24	27	32	22	22	21	12	7	1	----	2	44
26	19	24	24	28	38	29	32	19	17	8	8	4	2	3	45
21	24	25	19	34	11	16	10	7	7	1	2	----	----	10	46
14	20	21	18	27	5	12	8	4	4	1	----	----	----	7	47
7	4	4	1	7	6	4	2	3	3	----	2	----	----	3	48
15	16	22	17	17	20	29	30	25	21	8	8	8	1	4	49
7	9	13	9	10	13	18	14	10	9	6	3	3	----	3	50
8	7	9	8	7	7	11	16	15	12	2	5	5	1	1	51
7	13	20	11	13	18	22	16	22	13	11	8	----	1	----	52
5	8	10	9	8	8	9	7	8	8	1	----	----	1	----	53
2	5	10	2	5	10	13	9	14	5	10	8	----	----	----	54
10	6	6	4	3	12	10	12	11	17	6	4	----	----	----	55
4	3	----	2	2	3	5	5	2	6	1	----	----	----	----	56
6	3	6	2	1	9	5	7	9	11	5	4	----	----	----	57
16	26	22	12	18	11	17	16	15	13	9	8	2	----	6	58
4	14	18	8	11	6	7	11	9	5	6	----	1	----	6	59
12	12	4	4	7	5	10	5	6	8	3	8	1	----	----	60
27	23	29	26	27	19	25	26	26	19	13	6	1	1	2	61
16	11	12	11	19	11	16	16	14	14	6	6	----	----	1	62
11	12	17	15	8	8	9	10	12	5	7	----	1	1	1	63
8	13	12	4	11	9	20	24	18	17	14	10	2	2	3	64
4	5	8	3	4	6	7	10	6	7	8	4	2	2	2	65
4	8	4	1	7	3	13	14	12	10	6	6	----	----	1	66
120	139	134	116	109	90	109	93	80	68	57	17	5	2	11	67
87	87	74	79	71	63	69	65	47	40	26	9	----	1	4	68
33	52	60	37	38	27	40	28	33	28	31	8	5	1	7	69
188	243	173	169	212	201	193	196	188	142	96	51	13	11	85	70
101	133	101	90	110	112	92	99	89	63	50	25	4	1	40	71
87	110	72	79	102	89	101	97	99	79	46	26	9	10	45	72
83	83	69	72	92	83	72	81	76	66	45	20	6	6	----	73
37	32	33	37	49	34	27	37	34	26	22	6	3	1	----	74
46	51	36	35	43	49	45	44	42	40	23	14	3	5	----	75
21	16	24	25	20	13	25	19	22	12	12	3	1	3	6	76
7	11	13	15	9	5	15	9	15	4	5	1	----	1	----	77
14	5	11	10	11	8	10	10	7	8	7	2	1	2	6	78

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5–9	10–14	15–19	20–24	25–29
1	Lynn, Mass	1,124	213	39	19	13	6	290	29	20	33	41	51
2	Males	582	125	25	10	5	3	168	23	10	14	25	32
3	Females	542	88	14	9	8	3	122	6	10	19	16	19
4	McKeesport, Pa	592	192	47	18	9	11	277	30	9	14	31	31
5	Males	311	99	23	9	4	6	141	12	6	11	19	19
6	Females	281	93	24	9	5	5	136	18	3	3	12	12
7	Madison, Wis	216	33	5	5	5	2	50	8	6	3	11	13
8	Males	118	21	4	3	3	2	33	6	3	2	5	4
9	Females	98	12	1	2	2		17	2	3	1	6	9
10	Mahanoy, Pa	360	100	31	13	8	1	153	8	7	9	11	15
11	Males	212	58	11	9	6		84	5	5	7	8	10
12	Females	148	42	20	4	2	1	69	3	2	2	3	5
13	Malden, Mass	486	100	17	9	5	4	135	11	5	15	13	22
14	Males	222	57	8	1	4	2	72	6	2	9	5	10
15	Females	264	43	9	8	1	2	63	5	3	6	8	12
16	Manchester, N. H	1,092	328	89	33	21	10	481	17	15	28	45	47
17	Males	519	171	48	13	10	5	247	8	6	16	17	24
18	Females	573	157	41	20	11	5	234	9	9	12	28	23
19	Manchester town, Conn	126	35	4	3	2		44	1	2	6	5	9
20	Males	68	22	3				25		1	5	2	7
21	Females	58	13	1	3	2		19	1	1	1	3	2
22	Manitowoc, Wis	168	41	6		3	4	54	8	5	7	9	6
23	Males	90	20	2		1	1	24	4	3	4	4	4
24	Females	78	21	4		2	3	30	4	2	3	5	2
25	Mankato, Minn	159	24	8	4	2	2	40	9	8	4	6	4
26	Males	98	10	7	4		1	22	7	5	1	4	4
27	Females	61	14	1		2	1	18	2	3	3	2	
28	Marietta, Ohio	182	28	6	2			36	4	1	11	7	10
29	Males	101	18	3				21	4	1	6	5	6
30	Females	81	10	3	2			15			5	2	4
31	Marinette, Wis	232	71	24	3	3	4	105	13	3	3	12	13
32	Males	122	41	13	3	2	2	61	3	2	1	5	8
33	Females	110	30	11		1	2	44	10	1	2	7	5
34	Marlboro, Mass	219	55	14	4	4		77	6	3	7	9	10
35	Males	110	37	3	2	3		45	2	1	4	3	6
36	Females	109	18	11	2	1		32	4	2	3	6	4
37	Marquette, Mich	167	43	10	3	2	2	60	9	1	6	6	16
38	Males	99	28	3	1		1	33	5		4	5	10
39	Females	68	15	7	2	2	1	27	4	1	2	1	6
40	Marshalltown, Iowa	181	27	9	6	1	1	44	5	3	10	15	11
41	Males	106	15	7	3		1	26	1	1	2	8	8
42	Females	75	12	2	3	1		18	4	2	8	7	3
43	Massillon, Ohio	197	20	4	3			27	6	2	6	7	9
44	Males	109	11	2	2			15	4	1	3	3	2
45	Females	88	9	2	1			12	2	1	3	4	7
46	Meadville, Pa	185	18	4	1	1	1	25	5	2	6	7	12
47	Males	96	8	2	1			11	1		2	4	8
48	Females	89	10	2		1	1	14	4	2	4	3	4
49	Medford, Mass	262	49	8	5	3	4	69	7	4	5	8	11
50	Males	125	28	5		1	1	35	7	3	4	4	5
51	Females	137	21	3	5	2	3	34		1	1	4	6
52	Melrose, Mass	191	29	5	2	2	2	40	2	4	3	8	11
53	Males	98	15	4	1	1		21	1	3	2	5	6
54	Females	93	14	1	1	1	2	19	1	1	1	3	5
55	Memphis, Tenn	2,572	378	151	61	45	30	665	117	65	115	199	214
56	Males	1,436	207	79	25	22	17	350	51	31	55	108	126
57	Females	1,136	171	72	36	23	13	315	66	34	60	91	88
58	Menominee, Mich	179	44	14	7	3	3	71	5	5	6	13	13
59	Males	101	26	11	5	1	2	45	1	1	4	8	8
60	Females	78	18	3	2	2	1	26	4	4	2	5	5
61	Meriden town, Conn	409	72	10	8	4	4	98	9	5	10	11	12
62	Males	213	37	5	4	2	2	50	6	3	6	4	6
63	Females	196	35	5	4	2	2	48	3	2	4	7	6
64	Michigan City, Ind	210	58	6	5	2	2	73	14	6	5	3	7
65	Males	118	27	3	3	1	2	36	10	3	2	1	3
66	Females	92	31	3	2	1		37	4	3	3	2	4
67	Middletown, N. Y	253	41	6	1	2	2	52	4	2	6	14	13
68	Males	117	24	2	1	1		28	1	2	4	6	7
69	Females	136	17	4		1	2	24	3		2	8	6
70	Middletown, Ohio	145	20	7	4	2		33	4	2	6	5	8
71	Males	84	15	4	2	2		23	3	2		4	4
72	Females	61	5	3	2			10	1		6	1	4
73	Middletown town, Conn	290	36	7	2	1	3	49	11	2	7	7	15
74	Males	138	20	3	1			24	8	1	4	4	8
75	Females	152	16	4	1	1	3	25	3	1	3	3	7
76	Milford town, Mass	207	38	8	3	3	1	53	2	3	4	10	12
77	Males	116	23	7	1	2	1	34		2	3	7	7
78	Females	91	15	1	2	1		19	2	1	1	3	5

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.															
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.	
51	60	54	49	51	52	68	75	77	44	39	27	8	3	2	1
29	28	21	20	25	28	34	40	37	16	14	12	2	2	2	2
22	32	33	29	26	24	34	35	40	28	25	15	6	1		3
30	19	26	24	20	18	13	22	9	10	8	1				4
15	9	16	19	12	7	4	10	5	2	4					5
15	10	10	5	8	11	9	12	4	8	4	1				6
8	9	8	7	6	12	14	15	15	11	12	4	3	1		7
6	7	6	3	3	7	7	9	3	7	6		1			8
2	2	2	4	3	5	7	6	12	4	6	4	2	1		9
15	22	13	13	12	23	14	17	11	11	1	1			4	10
8	17	9	10	8	14	11	6	4	5					1	11
7	5	4	3	4	9	3	11	7	6	1	1			3	12
22	23	24	22	18	19	28	41	23	22	22	12	7	1	1	13
8	8	10	10	11	8	11	20	9	4	13	6				14
14	15	14	12	7	11	17	21	14	18	9	6	7	1	1	15
46	36	36	31	39	49	46	54	36	36	23	14	6	2	5	16
26	16	16	19	14	22	22	21	16	7	15	4	2		1	17
20	20	20	12	25	27	24	33	20	29	8	10	4	2	4	18
5	5	4	4	5	3	3	6	7	8	2	2	4		1	19
2	2	2	1	2	1	1	5	5	4	2		1			20
3	3	2	3	3	2	2	1	2	4		2	3		1	21
8	10	2	2	9	4	5	7	9	6	6	4	2		5	22
4	7	2	1	6	1	3	2	6	4	4	2			5	23
4	3		1	3	3	2	5	3	2	2	2	2			24
6	6	11	10	3	4	11	10	10	7	4	5		1		25
4	5	7	8	2	3	8	3	6	3	3	3				26
2	1	4	2	1	1	3	7	4	4	1	2		1		27
7	10	6	6	3	11	8	14	16	9	13	9	1			28
4	4	4	3	1	5	5	5	9	6	7	5				29
3	6	2	3	2	6	3	9	7	3	6	4	1			30
14	9	8	5	7	6	6	6	5	10	2	4			1	31
8	5	5	3	5	3	1	2	2	6	1	1				32
6	4	3	2	2	3	5	4	3	4	1	3			1	33
12	7	5	5	4	9	12	14	12	12	10	4	1			34
6	4	2	3	1	3	7	5	6	7	4	1				35
6	3	3	2	3	6	5	9	6	5	6	3	1			36
6	15	1	8	4	10	7	4	5	6	2		1			37
4	10	1	5	3	5	7	3	2	2						38
2	5		3	1	5		1	3	4	2		1			39
11	6	9	8	5	6	11	5	12	10	6	3	1			40
8	4	5	6	4	4	6	5	7	4	5	2				41
3	2	4	2	1	2	5		5	6	1	1	1			42
17	6	12	7	11	11	15	9	23	15	10	3		1		43
8	3	8	5	6	7	10	4	13	8	8	1				44
9	3	4	2	5	4	5	5	10	7	2	2		1		45
9	11	4	10	8	10	14	18	14	20	9	1				46
7	6	3	4	6	6	10	7	5	12	4					47
2	5	1	6	2	4	4	11	9	8	5	1				48
6	7	10	15	15	14	13	16	15	22	13	12				49
3	3	9	5	9	6	5	6	5	7	5	4				50
3	4	1	10	6	8	8	10	10	15	8	8				51
9	7	9	5	6	5	14	13	14	23	12	3	3			52
5	4	3	2	3	3	8	7	7	9	6	2	1			53
4	3	6	3	3	2	6	6	7	14	6	1	2			54
158	175	138	138	147	107	94	87	61	36	24	10	9	5	8	55
101	110	95	84	93	67	53	46	28	17	10	3	3	2	3	56
57	65	43	54	54	40	41	41	33	19	14	7	6	3	5	57
5	9	9	5	9	10	3	4	3	3	2	1		2	1	58
1	6	2	3	6	6	1	4	2	1				1	1	59
4	3	7	2	3	4	2		1	2	2	1		1		60
16	16	19	19	27	23	33	26	26	28	17	10	1		3	61
10	10	10	9	14	13	16	14	11	14	10	4	1		2	62
6	6	9	10	13	10	17	12	15	14	7	6			1	63
4	4	12	9	10	9	8	12	12	12	4	4		1	1	64
2	3	9	6	6	5	6	6	6	6	4	3		1		65
2	1	3	3	4	4	2	6	6	6		1			1	66
13	14	10	7	5	12	23	23	18	18	11	8				67
9	9	2	1	3	7	7	8	8	7	4	4				68
4	5	8	6	2	5	16	15	10	11	7	4				69
5	8	7	9	6	8	12	10	12	6	2	1			1	70
2	3	4	4	2	4	8	8	4	6	1	1			1	71
3	5	3	5	4	4	4	2	8		1					72
16	14	14	8	10	20	13	23	28	20	20	6	2	1	4	73
8	11	7	5	2	10	6	10	14	4	8	2	1		1	74
8	3	7	3	8	10	7	13	14	16	12	4	1	1	3	75
5	8	2	3	12	19	11	14	17	21	8	2		1		76
3	5		2	10	10	5	5	6	11	6					77
2	3	2	1	2	9	6	9	11	10	2	2		1		78

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Millville, N. J	176	38	6	1	3	3	51	11	7	7	7	3
2	Males	81	25	4		1		30	6	4	3	1	2
3	Females	95	13	2	1	2	3	21	5	3	4	6	6
4	Milwaukee, Wis	4,550	1,347	240	111	89	65	1,852	171	72	133	175	150
5	Males	2,496	729	120	57	51	34	991	91	32	69	76	71
6	Females	2,054	618	120	54	38	31	861	80	40	64	99	79
7	Minneapolis, Minn	2,183	429	79	47	31	21	607	80	56	74	119	103
8	Males	1,154	230	42	20	18	10	320	43	24	34	52	41
9	Females	1,029	199	37	27	13	11	287	37	32	40	67	62
10	Mobile, Ala	995	227	35	13	10	4	289	19	22	28	62	56
11	Males	548	126	16	9	2	2	155	6	11	16	37	31
12	Females	447	101	19	4	8	2	134	13	11	12	25	25
13	Montclair, N. J	217	56	13	7	2	5	83	4	1	8	5	13
14	Males	98	33	4	4	1	3	45	1		3	4	6
15	Females	119	23	9	3	1	2	38	3	1	5	1	7
16	Morristown, N. J	191	34	10	5		1	50	4	3	3	12	12
17	Males	103	21	8	5		1	35	2	3	2	8	6
18	Females	88	13	2				15	2		1	4	6
19	Mt. Carmel, Pa	295	95	42	19	10	9	175	4	8	8	8	12
20	Males	163	57	18	9	4	3	91	2	1	5	8	9
21	Females	132	38	24	10	6	6	84	2	2	3		3
22	Mt. Vernon, N. Y	411	145	51	15	6	4	221	13	8	9	9	5
23	Males	203	76	29	8		1	114	6	2	3	2	4
24	Females	208	69	22	7	6	3	107	7	6	6	7	1
25	Muncie, Ind	286	67	10	7	2	2	88	4	10	18	18	22
26	Males	146	42	4	3	2	1	52	2	6	8	6	7
27	Females	140	25	6	4		1	36	2	4	10	12	15
28	Muscatine, Iowa	240	35	7		1		43	2	3	7	10	9
29	Males	147	19	4				23	2	2	4	4	6
30	Females	93	16	3		1		20		1	3	6	3
31	Muskegon, Mich	255	57	15	8	8	1	89	7	4	9	7	12
32	Males	139	36	10	3	4	1	54	2	1	5	2	6
33	Females	116	21	5	5	4		35	5	3	4	5	6
34	Nashua, N. H	479	140	28	24	19	4	215	15	9	12	15	14
35	Males	237	76	13	15	4	3	111	9	4	7	8	7
36	Females	242	64	15	9	15	1	104	6	5	5	7	7
37	Nashville, Tenn	2,042	364	144	54	35	26	623	82	53	102	138	127
38	Males	1,039	188	82	33	18	15	336	47	15	49	70	57
39	Females	1,003	176	62	21	17	11	287	35	38	53	68	70
40	Natchez, Miss	485	61	15	12		2	90	15	9	23	48	50
41	Males	270	32	9	6			47	9	1	15	28	27
42	Females	215	29	6	6		2	43	6	8	8	20	23
43	Natick town, Mass	133	13	4	2	1		20	2	1	5	1	4
44	Males	80	7	3		1		11	2	1	3	1	2
45	Females	53	6	1	2			9			2		2
46	Naugatuck town, Conn	179	54	10	4	1	2	71	4	3	3	6	12
47	Males	86	32	5	3	1	1	45	3	1	1	2	8
48	Females	93	22	2	1		1	26	1	2	2	4	4
49	Newark, N. J	4,866	1,120	350	150	88	87	1,795	145	69	114	162	200
50	Males	2,622	660	176	80	38	42	996	73	37	68	85	121
51	Females	2,244	460	174	70	50	45	799	72	32	46	77	79
52	Newark, Ohio	269	52	9	1	4	1	67	5		8	12	17
53	Males	153	34	5		3	1	43	3		4	7	7
54	Females	116	18	4	1	1		24	2		4	5	10
55	New Bedford, Mass	1,154	346	51	29	19	12	457	21	21	38	50	37
56	Males	601	204	31	16	10	8	269	13	11	21	22	17
57	Females	553	142	20	13	9	4	188	8	10	17	28	20
58	New Britain town, Conn	483	145	19	12	9	5	190	19	4	7	18	15
59	Males	247	75	11	6	7	3	102	3	2	2	11	7
60	Females	236	70	8	6	2	2	88	16	2	5	7	8
61	New Brunswick, N. J	425	90	13	8	5	1	117	12	6	11	9	17
62	Males	215	48	10	4	1		63	6	3	5	4	9
63	Females	210	42	3	4	4	1	54	6	3	6	5	8
64	Newburg, N. Y	500	70	18	10	9	9	116	16	9	14	21	24
65	Males	226	37	11	5	3	5	61	7	2	7	7	10
66	Females	274	33	7	5	6	4	55	9	7	7	14	14
67	Newburyport, Mass	312	38	11	10	5	4	68	3	5	7	9	11
68	Males	147	20	3	6	4	1	34	1	1	4	6	7
69	Females	165	18	8	4	1	3	34	2	4	3	3	4
70	Newcastle, Pa	437	93	20	7	7	5	132	11	6	20	26	34
71	Males	259	57	7	3	3	2	72	8	4	9	12	19
72	Females	178	36	13	4	4	3	60	3	2	11	14	15
73	New Haven town, Conn	1,862	376	73	26	23	13	511	34	19	36	77	86
74	Males	953	215	38	13	17	7	290	18	6	19	43	49
75	Females	909	161	35	13	6	6	221	16	13	17	34	37
76	New London, Conn	345	72	6	6	3	2	89	12	7	6	11	9
77	Males	179	35	6	5	1		47	7	5	4	6	2
78	Females	166	37		1	2	2	42	5	2	2	5	7

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.															
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.	
8	8	5	1	4	12	9	10	13	6	6		2		1	1
2	3	3			6	2	4	9	3	2				1	2
6	5	2	1	4	6	7	6	4	3	4		2			3
160	167	191	134	146	178	189	196	230	184	125	69	20	5	3	4
94	101	120	80	93	117	105	109	139	93	66	36	9	2	2	5
66	66	71	54	53	61	84	87	91	91	59	33	11	3	1	6
108	128	126	98	110	93	93	108	107	73	64	29	10	2	5	7
54	67	67	57	62	59	56	58	61	37	39	15	4	1	3	8
54	61	59	41	48	24	37	50	46	36	25	14	6	1	2	9
63	65	45	61	37	41	58	47	34	24	15	17	5	3	4	10
34	42	31	33	21	24	33	23	25	12	6	5	1	1	1	11
29	23	14	28	16	17	25	24	9	12	9	12	4	2	3	12
8	10	9	6	9	11	7	7	11	9	8	4	2	1	1	13
1	4	5	3	4	6	2	4	4	4	1	1				14
7	6	4	3	5	5	5	3	7	5	7	3	2	1	1	15
6	7	5	8	8	10	11	13	11	11	7	4	3		2	16
4	4	3	3	5	3	4	7	6	4	1		1		2	17
2	3	3	5	3	7	7	6	5	7	6	4	2			18
10	4	12	9	5	7	9	11	6	5	4	2			1	19
8	3	7	6	3	4	1	6	3	2	3	1				20
2	1	5	3	2	3	8	5	3	3	1	1			1	21
11	14	12	9	13	7	20	9	14	14	16	6		1		22
4	6	5	3	8	5	14	1	8	5	9	3				23
7	8	6	6	5	2	6	8	6	9	7	3		1		24
13	9	18	9	3	11	6	18	7	16	10	4	1		1	25
9	3	10	4	2	6	3	13	5	7	3	1				26
5	6	8	5	1	5	3	5	2	9	7	3	1		1	27
11	6	14	7	10	19	10	21	25	20	13	7	2		1	28
8	5	7	4	5	7	8	17	19	10	8	5	2		1	29
3	1	7	3	5	12	2	4	6	10	5	2				30
8	7	10	8	6	12	16	22	13	12	11	2				31
4	4	6	4	2	9	6	13	7	6	6	2				32
4	3	4	4	4	3	10	9	6	6	5					33
13	15	18	13	6	18	16	28	21	16	17	9	2		7	34
5	8	10	6	5	8	5	13	7	7	8	3			6	35
8	7	8	7	1	10	11	15	14	9	9	6	2		1	36
105	83	86	75	98	90	79	94	77	48	41	16	9	9	7	37
53	36	40	43	41	55	42	56	43	19	20	7	2	2	6	38
52	47	46	32	57	35	37	38	34	29	21	9	7	7	1	39
28	19	22	26	30	21	20	13	24	21	11	7	3	3	2	40
19	12	12	16	18	15	10	4	15	9	6	1	1	3	2	41
9	7	10	10	12	6	10	9	9	12	5	6	2			42
5	2	6	10	8	9	14	13	11	12	10					43
		5	7	6	6	9	9	6	8	4					44
5	2	1	3	2	3	5	4	5	4	6					45
6	4	8	7	5	8	11	13	6	1	5	3			3	46
3	2	5	3	2	1	4	5				1				47
3	2	3	4	3	7	7	8	6	1	5	2			3	48
216	279	240	216	223	259	221	221	181	164	109	37	10	5		49
115	186	146	132	119	135	122	83	74	68	39	14	6	3		50
101	93	94	84	104	124	99	138	107	96	70	23	4	2		51
11	17	11	13	19	9	16	20	13	10	11	8	1		1	52
9	9	4	7	12	3	10	14	7	5	3	4	1		1	53
2	8	7	6	7	6	6	6	6	5	8	4				54
23	36	34	34	45	50	51	51	48	66	41	26	14	2	4	55
11	22	16	15	19	20	28	30	24	27	20	9	5		2	56
17	14	18	19	26	30	23	21	24	39	21	17	9	2	2	57
21	15	15	17	17	21	26	29	18	15	13	7	11	1	4	58
12	9	9	13	9	9	11	17	7	9	6	4	3	1	1	59
9	6	6	4	8	12	15	12	11	6	7	3	8		3	60
19	15	16	17	17	17	28	33	28	30	19	7	4	2	1	61
9	9	5	9	11	11	20	17	12	9	8	5				62
10	6	11	8	6	6	8	16	16	21	11	2	4	2	1	63
26	19	20	19	28	27	38	30	29	32	17	8	5	1	1	64
9	12	12	8	14	13	17	11	10	11	8	5	1		1	65
17	7	8	11	14	14	21	19	19	21	9	3	4	1		66
7	8	13	14	11	9	13	25	34	34	20	13	4		4	67
3	5	8	5	8	4	7	10	13	13	9	6	2		1	68
4	3	5	9	3	5	6	15	21	21	11	7	2		3	69
23	25	24	13	15	14	15	18	21	13	12	4	4		7	70
16	14	18	9	13	8	4	14	15	6	9	1	2		6	71
7	11	6	4	2	6	11	4	6	7	3	3	2		1	72
86	95	78	103	116	111	133	95	97	73	52	40	16	4		73
49	50	45	49	53	56	59	49	45	33	17	16	6	1		74
37	45	33	54	63	55	74	46	52	40	35	24	10	3		75
27	18	17	13	15	14	13	24	19	19	19	8		1	4	76
13	14	8	8	9	7	7	7	13	12	3	4			3	77
14	4	9	5	6	7	6	17	6	7	16	4		1	1	78

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5–9	10–14	15–19	20–24	25–29
1	New Orleans, La	8,287	1,377	410	193	94	66	2,140	204	168	298	516	559
2	Males	4,524	771	188	110	53	39	1,161	98	102	149	274	325
3	Females	3,763	606	222	83	41	27	979	106	66	149	242	234
4	Newport, Ky	572	112	31	13	8	6	170	11	13	16	26	26
5	Males	312	72	17	6	5	4	104	3	12	7	17	10
6	Females	260	40	14	7	3	2	66	8	1	9	9	16
7	Newport, R. I	421	70	14	8	6	2	100	8	8	10	21	14
8	Males	223	47	8	4	5	1	65	4	7	5	11	8
9	Females	198	23	6	4	1	1	35	4	1	5	10	6
10	New Rochelle, N. Y	246	53	15	9	8	5	90	12	7	2	12	6
11	Males	132	28	8	5	4	3	48	8	4		5	6
12	Females	114	25	7	4	4	2	42	4	3	2	7	
13	Newton, Mass	479	99	25	9	9	5	147	13	7	10	11	15
14	Males	240	61	18	7	5	2	93	8	3	7	5	8
15	Females	239	38	7	2	4	3	54	5	4	3	6	7
16	New York city, N. Y	70,229	16,400	5,321	2,278	1,413	883	26,295	2,042	872	1,333	2,601	3,516
17	Males	37,499	9,089	2,841	1,172	724	437	14,263	1,041	415	657	1,251	1,873
18	Females	32,730	7,311	2,480	1,106	689	446	12,032	1,001	457	676	1,350	1,643
19	Bronx borough, N. Y	3,624	776	256	111	72	53	1,268	113	58	81	147	187
20	Males	1,972	444	143	46	38	26	697	62	30	44	71	113
21	Females	1,652	332	113	65	34	27	571	51	28	37	76	74
22	Brooklyn borough, N. Y	23,263	5,712	1,681	756	491	309	8,949	764	302	476	860	1,068
23	Males	12,063	3,192	878	403	238	146	4,857	375	134	215	412	542
24	Females	11,200	2,520	803	353	253	163	4,092	389	168	261	448	526
25	Manhattan borough, N. Y	39,331	8,935	3,172	1,312	774	480	14,673	1,021	442	703	1,469	2,107
26	Males	21,254	4,909	1,706	675	411	240	7,941	536	214	360	707	1,128
27	Females	18,077	4,026	1,466	637	363	240	6,732	485	228	343	762	979
28	Queens borough, N. Y	2,642	664	143	75	56	33	971	97	54	44	76	99
29	Males	1,416	369	76	37	25	19	526	43	28	25	36	55
30	Females	1,226	295	67	38	31	14	445	54	26	19	40	44
31	Richmond borough, N. Y	1,369	313	69	24	20	8	434	47	16	29	49	55
32	Males	794	175	38	11	12	6	242	25	9	13	25	35
33	Females	575	138	31	13	8	2	192	22	7	16	24	20
34	Niagara Falls, N. Y	297	77	9	2	1	3	92	10	4	8	14	20
35	Males	152	47	5	2	1	1	56	5	1	2	7	8
36	Females	145	30	4			2	36	5	3	6	7	12
37	Norfolk, Va	1,173	282	64	33	19	10	408	27	20	44	70	63
38	Males	610	152	31	17	14	3	217	13	7	23	36	37
39	Females	563	130	33	16	5	7	191	14	13	21	34	26
40	Norristown, Pa	524	66	6	6	2	3	83	7	9	12	18	24
41	Males	262	40	5	3			48	4	2	4	9	11
42	Females	262	26	1	3	2	3	35	3	7	8	9	13
43	North Adams, Mass	334	91	17	6	1	2	117	7	5	10	22	12
44	Males	163	50	8	5	1	1	65	2	3	5	11	7
45	Females	171	41	9	1		1	52	5	2	5	11	5
46	Northampton, Mass	281	43	10	7	3	3	66	5	5	6	9	17
47	Males	144	27	8	2	2	1	40	2	4	2	4	12
48	Females	137	16	2	5	1	2	26	3	1	4	5	5
49	Norwalk town, Conn	299	53	7	7	3	3	73	9	3	5	10	8
50	Males	143	20	6	4		2	32	5	1	4	3	5
51	Females	156	33	1	3	3	1	41	4	2	1	7	3
52	Norwich town, Conn	405	71	15	5	2		93	13	9	11	11	16
53	Males	189	31	8	1	1		41	5	6	6	3	8
54	Females	216	40	7	4	1		52	8	3	5	8	8
55	Oakland, Cal	1,121	131	34	14	14	9	202	21	25	22	53	64
56	Males	597	79	13	9	4	4	109	14	13	10	27	26
57	Females	524	52	21	5	10	5	93	7	12	12	26	38
58	Ogdensburg, N. Y	204	41	1	5	3		50	7	8	5	9	5
59	Males	101	22		1			23	4	3	2	3	1
60	Females	103	19	1	4	3		27	3	5	3	6	4
61	Oil City, Pa	199	44	9	3	2	2	60	5	5	9	9	20
62	Males	117	28	5	1		1	35	4	3	7	4	10
63	Females	82	16	4	2	2	1	25	1	2	2	5	10
64	Olean, N. Y	119	22	1	2	1		26	4	4	2	4	5
65	Males	51	8	1	1			10	1	2	2	2	4
66	Females	68	14		1	1		16	3	2		2	1
67	Omaha, Nebr	1,382	295	64	26	23	11	419	40	23	45	71	76
68	Males	793	163	35	11	13	5	227	21	9	25	34	44
69	Females	589	132	29	15	10	6	192	19	14	20	37	32
70	Orange, N. J	490	118	38	23	8	4	191	19	7	10	20	30
71	Males	272	64	27	12	5	2	110	8	4	7	11	13
72	Females	218	54	11	11	3	2	81	11	3	3	9	17
73	Oskaloosa, Iowa	167	27	5	10	6	2	50	7	1	4	8	5
74	Males	86	16	2	6	3	1	28	4		2	4	2
75	Females	81	11	3	4	3	1	22	3	1	2	4	3
76	Ottawa, Ill	150	25	8				33	3	2	6	6	1
77	Males	84	12	3				15	2	1	3	5	1
78	Females	66	13	5				18	1	1	3	1	

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.															
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.	
473	475	463	456	397	401	424	375	323	242	172	98	40	40	23	1
293	280	263	281	235	225	215	203	154	105	78	38	17	16	12	2
180	195	200	175	162	176	209	172	169	137	94	60	23	24	11	3
20	27	24	23	18	24	27	36	35	35	22	9	4		6	4
9	13	21	11	9	13	10	18	19	16	10	4	2		4	5
11	14	3	12	9	11	17	18	16	19	12	5	2		2	6
13	15	18	18	20	22	31	35	27	25	14	15	2	3	2	7
8	6	10	9	11	12	16	22	12	8	5	1		1	2	8
5	9	8	9	9	10	15	13	15	17	9	14	2	2		9
12	9	10	9	10	7	12	10	19	7	5	4	2	1		10
7	4	8	7	4	4	9	3	7	4	3		1			11
5	5	2	2	6	3	3	7	12	3	2	4	1	1		12
12	17	12	19	21	24	23	27	39	29	29	18	3	2	1	13
5	9	7	7	8	12	12	13	15	12	9	5	1		1	14
7	8	5	12	13	12	11	14	24	17	20	13	2	2		15
3,757	3,889	3,450	3,212	3,347	3,254	3,264	2,970	2,638	1,877	1,081	589	171	63	8	16
2,110	2,277	2,041	1,865	1,949	1,718	1,632	1,523	1,224	900	460	224	58	14	4	17
1,647	1,612	1,409	1,347	1,398	1,536	1,632	1,447	1,414	977	621	365	113	49	4	18
196	197	172	141	147	174	173	185	142	115	73	36	15	2	2	19
122	121	106	82	95	88	71	107	65	46	35	11	4		2	20
74	76	66	59	52	86	102	78	77	69	38	25	11	2		21
1,190	1,154	1,036	978	1,037	1,078	1,062	967	935	718	391	211	59	26	2	22
637	643	584	534	599	536	512	470	427	329	153	82	15	6	1	23
553	511	452	444	438	542	550	497	508	389	238	129	44	20	1	24
2,212	2,326	2,061	1,926	1,984	1,824	1,829	1,614	1,349	879	517	282	77	33	3	25
1,254	1,389	1,245	1,141	1,151	1,003	948	830	619	430	211	104	35	7	1	26
958	937	816	785	833	821	881	784	730	449	306	178	42	26	2	27
104	153	136	107	111	120	135	129	123	93	48	32	8	1	1	28
63	85	79	67	62	60	70	71	60	44	26	16				29
41	68	57	40	49	60	65	58	63	49	22	16	8	1	1	30
55	59	45	60	68	58	65	75	89	72	52	28	12	1		31
34	39	27	41	42	31	31	45	53	51	35	11	4	1		32
21	20	18	19	26	27	34	30	36	21	17	17	8			33
13	19	10	13	15	12	22	7	10	13	8	5	1		1	34
7	10	8	8	7	8	7	1	3	4	6	2	1		1	35
6	9	2	5	8	4	15	6	7	9	2	3				36
60	62	68	70	48	48	45	44	29	26	16	11	2	5	7	37
33	39	37	39	29	30	19	14	11	8	9	3		1	5	38
27	23	31	31	19	18	26	30	18	18	7	8	2	4	2	39
21	35	50	26	28	27	31	33	37	37	25	14	4		3	40
10	19	30	14	15	18	14	10	18	16	9	6	2		3	41
11	16	20	12	13	9	17	23	19	21	16	8	2			42
19	12	11	8	16	16	17	19	19	10	7	5	1		1	43
10	4	3	1	11	6	5	10	9	5	3	1	1		1	44
9	8	8	7	5	10	12	9	10	5	4	4				45
7	8	10	6	9	22	13	16	23	29	13	11	4	2		46
6	4	6	4	4	8	9	4	10	11	6	4	2	2		47
1	4	4	2	5	14	4	12	13	18	7	7	2			48
12	11	9	13	12	18	18	16	25	20	21	13	2	1		49
6	8	5	7	2	10	13	6	12	5	11	6	2			50
6	3	4	6	10	8	5	10	13	15	10	7		1		51
14	19	14	13	22	25	26	29	28	34	19	5	3	1		52
6	10	8	3	14	9	9	19	16	15	9	1	1			53
8	9	6	10	8	16	17	10	12	19	10	4	2	1		54
48	61	57	61	53	57	68	97	88	74	39	19	5	3	4	55
24	33	29	34	30	28	31	52	54	43	24	11	1	2	2	56
24	28	28	27	23	29	37	45	34	31	15	8	4	1	2	57
9	9	9	4	5	6	16	18	11	11	16	2	2	2		58
3	6	2	2	4	5	7	12	7	6	8	1	1	1		59
6	3	7	2	1	1	9	6	4	5	8	1	1	1		60
10	12	5	3	7	5	12	17	8	7	1	2			2	61
6	8	3	2	5	4	7	9	2	5	1	2				62
4	4	2	1	2	1	5	8	6	2					2	63
7	7	4	4	6	7	8	10	4	7	4	4	1	1		64
3	3	2	1	2	3	2	5	3	3	1	1		1		65
4	4	2	3	4	4	6	5	1	4	3	3	1			66
78	95	74	62	67	63	55	57	59	45	25	16	5	2	5	67
48	53	52	44	41	34	38	37	35	22	13	11	1	1	3	68
30	42	22	18	26	29	17	20	24	23	12	5	4	1	2	69
25	23	22	23	9	20	24	28	10	9	12	3	1	2	2	70
14	15	10	9	5	11	17	15	5	6	8	2		1	1	71
11	8	12	14	4	9	7	13	5	3	4	1	1	1	1	72
8	6	7	8	10	4	6	9	7	14	7	3	2		1	73
7	3	4	2	4		3	4	3	10	5	1				74
1	3	3	6	6	4	3	5	4	4	2	2	2		1	75
5	11	6	3	5	7	8	19	13	10	6	3	2	1		76
2	6	4	1	3	2	7	12	9	5	4	1	1			77
3	5	2	2	2	5	1	7	4	5	2	2	1	1		78

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Ottumwa, Iowa	317	54	22	3	5	1	85	9	9	10	16	13
2	Males	182	30	12	2	5		49	5	6	4	8	5
3	Females	135	24	10	1		1	36	4	3	6	8	8
4	Owosso, Mich	121	28	2	1	2	3	36	3	5	5	5	4
5	Males	66	15	1			2	18	2	4	3	3	
6	Females	55	13	1	1	2	1	18	1	1	2	2	4
7	Paducah, Ky	541	74	40	34	13	6	167	21	17	19	43	37
8	Males	297	44	23	14	7	1	89	15	10	10	21	24
9	Females	244	30	17	20	6	5	78	6	7	9	22	13
10	Passaic, N. J	563	217	58	17	5	5	302	16	15	13	28	14
11	Males	286	116	29	12	2	3	162	3	9	2	11	7
12	Females	277	101	29	5	3	2	140	13	6	11	17	7
13	Paterson, N. J	2,000	479	124	62	35	27	727	97	28	51	86	97
14	Males	1,081	266	74	34	22	18	414	50	19	32	43	51
15	Females	919	213	50	28	13	9	313	47	9	19	43	46
16	Pawtucket, R. I	723	166	37	11	13	10	237	19	10	7	31	38
17	Males	346	100	14	9	6	4	133	11	6	3	15	15
18	Females	377	66	23	2	7	6	104	8	4	4	16	23
19	Peabody town, Mass	185	30	7	3	2		42	5	2	6	6	6
20	Males	95	20	3	1			24	3	2	3	2	3
21	Females	90	10	4	2	2		18	2		3	4	3
22	Peekskill, N. Y	206	30	11	10	4	3	58	12	5	6	3	8
23	Males	102	17	7	3	2	1	30	3	1	2	2	5
24	Females	104	13	4	7	2	2	28	9	4	4	1	3
25	Perth Amboy, N. J	250	87	21	10	3	4	125	10	5	5	8	9
26	Males	143	53	12	5	2	2	74	4	3	3	3	6
27	Females	107	34	9	5	1	2	51	6	2	2	5	3
28	Peru, Ind	136	27	9	2		1	39		4	4	6	13
29	Males	69	16	3			1	20		1		3	9
30	Females	67	11	6	2			19		3	4	3	4
31	Petersburg, Va	678	132	45	16	3	5	201	22	21	27	33	29
32	Males	359	81	26	10	2	3	122	5	7	13	17	15
33	Females	319	51	19	6	1	2	79	17	14	14	16	14
34	Philadelphia, Pa	27,456	5,657	1,592	774	543	398	8,964	950	418	608	1,056	1,231
35	Males	14,381	3,167	884	413	272	206	4,942	489	231	300	549	634
36	Females	13,075	2,490	708	361	271	192	4,022	461	187	308	507	597
37	Phillipsburg, N. J	161	36	5	3		2	46	4	3	4	8	8
38	Males	87	27	3	1		2	33	2	1		5	3
39	Females	74	9	2	2			13	2	2	4	3	5
40	Phoenixville, Pa	203	43	12	8		3	66	4	3	2	4	7
41	Males	110	25	8	6		1	40	2	2	1	2	6
42	Females	93	18	4	2		2	26	2	1	1	2	1
43	Pittsburg, Pa	6,436	1,470	533	236	99	71	2,409	208	137	228	383	385
44	Males	3,668	824	281	115	47	38	1,305	112	75	129	221	246
45	Females	2,768	646	252	121	52	33	1,104	96	62	99	162	139
46	Pittsfield, Mass	338	63	10	5	5	3	86	4	7	12	13	9
47	Males	164	26	5	2	1	1	35		5	4	9	7
48	Females	174	37	5	3	4	2	51	4	[illegible]	8	4	2
49	Pittston, Pa	274	80	15	12	4	9	120	15	4	8	5	12
50	Males	159	54	7	5	2	7	75	6	1	7	2	5
51	Females	115	26	8	7	2	2	45	9	3	1	3	7
52	Plainfield, N. J	242	47	15	2	2	2	68	6	5	5	5	11
53	Males	138	32	9	1	1	1	44	3	1	2	3	7
54	Females	104	15	6	1	1	1	24	3	4	3	2	4
55	Plymouth, Pa	286	88	29	10	11	10	148	23	7	7	6	4
56	Males	167	54	17	6	6	3	86	11	[illegible]	4	5	2
57	Females	119	34	12	4	5	7	62	12	1	3	1	2
58	Plymouth town, Mass	173	39	5	3	1	2	50	4	4	3	6	3
59	Males	83	23	3	3		1	30	3		3	3	2
60	Females	90	16	2		1	1	20	1	4		3	1
61	Pontiac, Mich	138	16	4	1	1	1	23	1		5	5	5
62	Males	77	11	1		1	1	14			1	4	3
63	Females	61	5	3	1			9	1		4	1	2
64	Port Huron, Mich	238	50	6	1	3	4	64	9	2	6	12	15
65	Males	131	30	3	1	1	3	38	5		3	6	6
66	Females	107	20	3		2	1	26	4	2	3	6	9
67	Port Jervis, N. Y	149	17	5	2	2		26	3	3	7	3	7
68	Males	83	11	2	1	1		15	3	2	5		7
69	Females	66	6	3	1	1		11		1	2	3	
70	Portland, Me	1,100	181	38	12	16	7	254	20	10	23	54	57
71	Males	580	112	21	5	8	3	149	10	6	15	28	31
72	Females	520	69	17	7	8	4	105	10	4	8	26	26
73	Portland, Oreg	856	106	20	18	12	11	167	32	24	32	47	42
74	Males	495	48	10	10	8	7	83	19	16	14	26	27
75	Females	361	58	10	8	4	4	84	13	8	18	21	15
76	Portsmouth, N. H	180	33	11		3	1	48	2	1		8	2
77	Males	92	20	6		1	1	28	1	1		4	
78	Females	88	13	5		2		20	1			4	2

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.															
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.	
18	15	6	12	13	11	18	23	21	16	12	3	2	1	4	1
13	8	3	4	8	6	10	15	13	9	8	1	2	1	4	2
5	7	3	8	5	5	8	8	8	7	4	2				3
2	3	5	7	2	11	11	5	5	7	3	2				4
2	1	4	4	1	8	4	3	4	3	1	1				5
	2	1	3	1	3	7	2	1	4	2	1				6
27	29	31	18	30	20	26	16	14	10	5	3	2		6	7
17	18	17	9	17	6	15	7	7	7	3	1	1		3	8
10	11	14	9	13	14	11	9	7	3	2	2	1		3	9
21	19	24	22	17	17	11	11	7	11	8	5			2	10
13	7	13	15	11	6	2	9	5	4	3	3			1	11
8	12	11	7	6	11	9	2	2	7	5	2			1	12
82	98	73	78	82	107	102	68	87	78	36	17	5		1	13
36	55	37	39	42	52	56	39	46	41	17	10	1		1	14
46	43	36	39	40	55	46	29	41	37	19	7	4			15
32	21	18	24	36	34	48	37	45	40	24	12	1		9	16
17	7	9	8	17	17	19	17	22	15	8	2			5	17
15	14	9	16	19	17	29	20	23	25	16	10	1		4	18
5	9	6	8	11	11	8	16	15	14	8	6	1			19
2	6	4	2	7	7	2	11	6	5	2	4				20
3	3	2	6	4	4	6	5	9	9	6	2	1			21
11	6	11	7	9	9	7	14	13	8	14	4			1	22
5	3	5	3	4	4	5	5	7	7	8	2			1	23
6	3	6	4	5	5	2	9	6	1	6	2				24
13	7	3	6	7	8	10	8	12	3	5	5	1			25
4	3	1	5	5	5	8	5	7	2	2	3				26
9	4	2	1	2	3	2	3	5	1	3	2	1			27
7	5	9	2	2	6	7	11	6	9	5	1				28
4	5	6	1	1	2	3	4	5	3	2					29
3		3	1	1	4	4	7	1	6	3	1				30
36	27	41	29	40	33	41	33	23	18	12	3	1	2	6	31
21	15	14	16	21	18	19	17	12	11	8	2		1	5	32
15	12	27	13	19	15	22	16	11	7	4	1	1	1	1	33
1,231	1,321	1,232	1,240	1,249	1,264	1,386	1,449	1,356	1,042	772	423	127	52	85	34
654	712	681	707	710	717	687	693	634	446	340	151	35	14	55	35
577	609	551	533	539	547	699	756	722	596	432	272	92	38	30	36
9	2	3	9	7	11	9	12	12	5	6	1	1		1	37
8		3	1	1	5	6	8	7	2	2					38
1	2		8	6	6	3	4	5	3	4	1	1		1	39
6	14	6	6	12	12	14	15	15	9	6	1		1		40
3	4	4	3	7	7	5	5	8	7	3	1				41
3	10	2	3	5	5	9	10	7	2	3			1		42
325	322	279	289	256	233	254	217	208	147	90	41	14	4	7	43
203	198	181	188	158	145	151	119	97	73	36	23	5		3	44
122	124	98	101	98	88	103	98	111	74	54	18	9	4	4	45
21	10	15	9	12	18	19	21	25	20	16	12	7		2	46
11	4	8	4	9	9	10	14	9	11	7	4	2		2	47
10	6	7	5	3	9	9	7	16	9	9	8	5			48
14	12	7	10	17	9	8	10	8	6	4		3	1	1	49
8	7	2	5	10	5	6	6	4	5	2		1	1	1	50
6	5	5	5	7	4	2	4	4	1	2		2			51
12	13	13	8	11	6	16	17	20	13	4	3	2		1	52
7	3	8	7	10	2	10	9	10	7	1	3	1			53
5	10	5	1	4	4	6	8	10	6	3		1		1	54
10	11	12	8	11	11	8	8	3	4	4	1				55
4	6	7	5	8	6	6	4	3	2	2					56
6	5	5	3	3	5	2	4		2	2	1				57
4	5	7	2	5	9	10	8	16	13	11	7	3	2	1	58
1	2	2	2	3	2	5	3	5	6	6	4		1		59
3	3	5		2	7	5	5	11	7	5	3	3	1	1	60
10	7	6	8	15	8	13	6	9	8	6	2	1			61
3	7	4	6	10	3	5	3	3	6	2	2	1			62
7		2	2	5	5	8	3	6	2	4					63
6	7	14	11	10	14	13	8	15	9	13	4	3		3	64
3	4	5	7	8	9	8	5	8	6	6	1	1		2	65
3	3	9	4	2	5	5	3	7	3	7	3	2		1	66
4	11	5	4	6	9	9	17	11	9	5	5	2	1	2	67
4	10	2		3	2	4	8	8	5	1	2		1	1	68
	1	3	4	3	7	5	9	3	4	4	3	2		1	69
52	42	40	48	55	59	77	77	84	54	56	24	13		1	70
28	24	26	21	26	34	33	39	48	30	17	11	4			71
24	18	14	27	29	25	44	38	36	24	39	13	9		1	72
51	54	55	48	45	50	45	52	49	31	8	11	5	2	6	73
28	35	32	33	22	30	25	33	32	21	6	4	2	2	5	74
23	19	23	15	23	20	20	19	17	10	2	7	3		1	75
4	7	6	5	8	4	11	12	15	14	15	11	5	1	1	76
3	2	3	3	7	2	7	7	4	3	8	7	2			77
1	5	3	2	1	2	4	5	11	11	7	4	3	1	1	78

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Portsmouth, Ohio	328	66	13	10	8	4	101	10	7	9	29	20
2	Males	173	35	8	4	2	3	52	3	5	3	14	8
3	Females	155	31	5	6	6	1	49	7	2	6	15	12
4	Pottstown, Pa	240	45	15	3	9		72	10	2	10	10	13
5	Males	118	25	9	2	4		40	3	2	7	7	5
6	Females	122	20	6	1	5		32	7		3	3	8
7	Pottsville, Pa	244	48	7	5	2	3	65	4	3	6	10	12
8	Males	133	34	1	2		2	39	3		2	7	6
9	Females	111	14	6	3	2	1	26	1	3	4	3	6
10	Poughkeepsie, N. Y	496	77	14	7	10	2	110	6	5	12	19	21
11	Males	220	41	9	3	3	1	57	2	2	6	11	9
12	Females	276	36	5	4	7	1	53	6	3	6	8	12
13	Providence, R. I	3,491	784	241	99	56	33	1,213	74	41	91	130	158
14	Males	1,772	429	125	50	27	16	647	35	16	45	69	78
15	Females	1,719	355	116	49	29	17	566	39	25	46	61	80
16	Pueblo, Colo	618	109	35	11	17	4	176	31	21	13	43	51
17	Males	392	48	21	8	8	1	86	17	10	8	25	29
18	Females	256	61	14	3	9	3	90	14	11	5	18	22
19	Quincy, Ill	556	81	17	13	5	6	122	26	19	15	29	32
20	Males	297	45	13	5	3	1	67	12	3	12	14	19
21	Females	259	36	4	8	2	5	55	14	16	3	15	13
22	Quincy, Mass	366	98	19	10	9	5	141	11	10	8	11	15
23	Males	197	50	7	5	6	2	70	5	6	5	4	7
24	Females	169	48	12	5	3	3	71	6	4	3	7	8
25	Raleigh, N. C	371	67	34	12	6	4	123	9	5	13	15	19
26	Males	184	41	18	5	3	2	69	5	3	7	4	8
27	Females	187	26	16	7	3	2	54	4	2	6	11	11
28	Reading, Pa	1,401	335	54	28	27	19	463	50	21	25	54	60
29	Males	755	190	29	14	15	7	255	27	10	14	29	38
30	Females	646	145	25	14	12	12	208	23	11	11	25	22
31	Revere town, Mass	162	40	7	3	4	2	56	6	10	5	4	8
32	Males	81	20	5		2		27	1	4	3	3	6
33	Females	81	20	2	3	2	2	29	5	6	2	1	2
34	Richmond, Ind	292	38	3	7	2	2	52	14	5	10	12	9
35	Males	141	16	1	4	1		22	5	3	6	8	6
36	Females	151	22	2	3	1	2	30	9	2	4	4	3
37	Richmond, Va	2,523	516	132	44	18	21	731	50	36	87	151	137
38	Males	1,339	297	73	26	8	11	415	24	16	46	77	68
39	Females	1,184	219	59	18	10	10	316	26	20	41	74	69
40	Rochester, N. H	188	23	13	8	4	4	52	6	4	2	3	6
41	Males	99	12	7	2	1	3	25	4	3	1		1
42	Females	89	11	6	6	3	1	27	2	1	1	3	5
43	Rochester, N. Y	2,446	340	70	40	26	21	497	71	43	59	101	118
44	Males	1,225	187	37	23	15	5	267	46	25	30	53	42
45	Females	1,221	153	33	17	11	16	230	25	18	29	48	76
46	Rockland, Me	146	18	2	1	1		22	5	1	1	3	6
47	Males	88	13	1	1	1		16	3		1	2	4
48	Females	58	5	1				6	2	1		1	2
49	Rome, N. Y	267	29	7	3	1	3	43	7	3	6	15	8
50	Males	154	14	4	1	1	2	22	3	2	5	9	2
51	Females	113	15	3	2		1	21	4	1	1	6	6
52	Rutland, Vt	190	25	10	3	1	2	41	5	4	5	12	6
53	Males	98	12	7	2	1	1	23	3	3	2	4	3
54	Females	92	13	3	1		1	18	2	1	3	8	3
55	Sacramento, Cal	724	75	13	6	9	1	104	15	13	25	38	45
56	Males	460	45	8	3	4		60	7	9	15	15	31
57	Females	264	30	5	3	5	1	44	8	1	10	23	14
58	Saginaw, Mich	560	99	12	5	4	4	124	15	15	19	36	27
59	Males	319	61	10	2	3	4	80	10	7	10	19	10
60	Females	241	38	2	3	1		44	5	8	9	17	17
61	St. Joseph, Mo	933	142	56	30	13	14	255	33	24	30	42	52
62	Males	497	83	27	9	6	5	130	15	11	11	20	25
63	Females	436	59	29	21	7	9	125	18	13	19	22	27
64	St. Louis, Mo	10,320	1,896	429	213	185	119	2,842	322	168	294	540	579
65	Males	5,776	1,051	227	122	89	57	1,546	179	83	142	278	339
66	Females	4,544	845	202	91	96	62	1,296	143	85	152	262	240
67	St. Paul, Minn	1,574	337	58	31	29	15	470	57	40	46	59	70
68	Males	828	179	26	20	16	6	247	31	14	22	24	35
69	Females	746	158	32	11	13	9	223	26	26	24	35	35
70	Salem, Mass	787	211	53	24	11	8	307	12	8	17	23	20
71	Males	394	128	31	13	6	2	180	8	5	7	13	9
72	Females	393	83	22	11	5	6	127	4	3	10	10	11
73	Salt Lake City, Utah	854	122	44	18	8	5	197	26	21	27	45	51
74	Males	486	68	25	8	3		104	15	10	12	20	29
75	Females	368	54	19	10	5	5	93	11	11	15	25	22
76	San Antonio, Tex	1,257	231	85	29	20	10	375	41	32	31	67	96
77	Males	724	133	41	14	11	6	205	18	16	14	30	51
78	Females	533	98	44	15	9	4	170	23	16	17	37	45

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.															
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.	
12	14	12	10	13	10	10	15	15	19	10	5	5	1	1	1
9	8	7	7	9	4	6	8	6	9	9	3	2	1	----------	2
3	6	5	3	4	6	4	7	9	10	1	2	3	----------	1	3
11	8	8	5	11	10	9	10	15	14	14	4	1	1	2	4
8	4	4	5	7	2	5	6	3	4	3	3	----------	----------	----------	5
3	4	4	----------	4	8	4	4	12	10	11	1	1	1	2	6
22	11	12	5	10	4	15	20	13	11	12	8	----------	----------	1	7
14	5	8	4	5	3	9	10	4	4	7	2	----------	----------	1	8
8	6	4	1	5	1	6	10	9	7	5	6	----------	----------	----------	9
17	20	15	18	33	24	33	41	39	29	27	16	7	1	1	10
6	5	6	8	18	11	10	17	17	13	12	6	2	1	1	11
11	15	9	10	15	13	23	24	22	16	15	10	5	----------	----------	12
154	169	156	152	169	166	185	162	157	149	93	48	19	5	----------	13
78	95	87	86	85	89	89	70	69	72	36	22	2	2	----------	14
76	74	69	66	84	77	96	92	88	77	57	26	17	3	----------	15
46	44	47	33	28	18	23	26	15	13	8	3	----------	1	8	16
27	31	34	24	20	14	14	17	11	8	7	1	----------	1	6	17
19	13	13	9	8	4	9	9	4	5	1	2	----------	----------	----------	18
23	21	24	30	26	24	30	37	31	37	19	5	3	2	1	19
8	10	15	19	15	15	21	18	16	21	8	2	2	----------	----------	20
15	11	9	11	11	9	9	19	15	16	11	3	1	2	1	21
9	11	15	8	15	13	16	17	21	19	14	6	2	----------	1	22
9	5	8	6	11	7	8	12	16	7	8	2	----------	----------	1	23
----------	6	7	2	4	6	8	5	8	12	6	4	2	----------	----------	24
18	12	11	12	16	12	17	23	19	12	11	2	3	2	14	25
13	4	3	6	6	4	11	12	9	9	3	2	1	1	4	26
5	8	8	6	10	8	6	11	10	3	11	----------	2	1	10	27
60	51	52	59	59	59	71	73	92	65	48	27	8	----------	4	28
32	32	31	32	34	35	43	29	52	30	17	10	2	----------	3	29
28	19	21	27	25	24	28	44	40	35	31	17	6	----------	1	30
5	8	10	4	5	7	5	5	12	5	2	3	2	----------	----------	31
2	5	3	3	3	4	3	3	5	4	1	----------	1	----------	----------	32
3	3	7	1	2	3	2	2	7	1	1	3	1	----------	----------	33
13	16	19	10	13	12	10	21	20	15	25	13	3	----------	----------	34
5	6	12	5	3	9	6	12	8	7	9	8	1	----------	----------	35
8	10	7	5	10	3	4	9	12	8	16	5	2	----------	----------	36
121	145	125	105	156	134	127	129	90	84	49	24	12	6	24	37
65	71	66	62	85	68	72	64	52	42	18	6	3	2	17	38
56	74	59	43	71	66	55	65	38	42	31	18	9	4	7	39
5	6	10	9	12	10	7	7	19	9	12	3	2	1	3	40
3	5	3	5	9	5	3	6	10	5	7	3	1	----------	----------	41
2	1	7	4	3	5	4	1	9	4	5	----------	1	1	3	42
119	126	114	134	111	127	147	161	180	149	114	50	15	7	3	43
67	64	67	68	50	66	77	69	87	67	43	24	7	4	2	44
52	62	47	66	61	61	70	92	93	82	71	26	8	3	1	45
8	5	4	3	6	10	12	13	11	16	16	3	3	----------	----------	46
4	3	1	----------	3	7	6	7	7	9	12	3	----------	----------	----------	47
2	2	3	3	3	3	6	6	4	7	4	----------	3	----------	----------	48
7	11	14	17	16	11	10	20	25	21	20	6	4	----------	----------	49
3	8	9	9	10	6	8	10	15	14	12	5	2	----------	----------	50
4	3	5	8	6	5	2	10	10	10	8	1	2	----------	----------	51
3	9	10	5	8	7	14	9	13	15	11	6	4	2	1	52
3	3	7	4	2	2	5	5	9	10	5	3	----------	1	1	53
----------	6	3	1	6	5	9	4	4	5	6	3	4	1	----------	54
59	36	47	42	39	37	45	58	48	30	19	13	4	----------	7	55
34	26	32	32	29	22	29	42	36	16	10	7	4	----------	4	56
25	10	15	10	10	15	16	16	12	14	9	6	----------	----------	3	57
30	18	18	29	26	31	22	42	38	26	23	17	1	1	2	58
15	6	8	18	15	24	15	26	20	14	12	7	1	1	1	59
15	12	10	11	11	7	7	16	18	12	11	10	----------	----------	1	60
47	62	37	39	37	52	35	52	32	30	25	9	3	2	35	61
20	35	22	21	23	32	17	35	16	16	17	4	1	----------	26	62
27	27	15	18	14	20	18	17	16	14	8	5	2	2	9	63
574	605	483	521	524	546	553	569	464	344	219	102	30	14	27	64
352	361	290	338	318	320	310	319	252	165	99	50	10	4	21	65
222	244	193	183	206	226	243	250	212	179	120	52	20	10	6	66
88	89	91	64	65	59	80	71	95	61	39	17	5	5	3	67
47	50	52	38	38	36	44	41	49	28	18	8	1	3	2	68
41	39	39	26	27	23	36	30	46	33	21	9	4	2	1	69
12	23	20	24	37	35	39	45	51	45	36	20	12	1	----------	70
9	11	8	12	22	16	19	20	20	18	8	4	5	----------	----------	71
3	12	12	12	15	19	20	25	31	27	28	16	7	1	----------	72
45	47	44	34	32	48	42	51	48	38	31	10	4	----------	13	73
29	28	32	19	20	32	29	33	27	23	12	2	2	----------	8	74
16	19	12	15	12	16	13	18	21	15	19	8	2	----------	5	75
86	77	71	47	65	38	61	37	41	39	18	12	4	8	11	76
52	51	51	30	40	27	43	26	29	22	5	4	1	2	7	77
34	26	20	17	25	11	18	11	12	17	13	8	3	6	4	78

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	San Diego, Cal	399	41	12	3	1	3	60	6	6	10	25	26
2	Males	234	29	7	1		2	39	2	4	7	10	11
3	Females	165	12	5	2	1	1	21	4	2	3	15	15
4	San Francisco, Cal	7,040	827	153	75	73	60	1,188	170	71	150	350	435
5	Males	4,367	459	94	43	32	32	660	83	37	74	204	253
6	Females	2,673	368	59	32	41	28	528	87	34	76	146	182
7	San Jose, Cal	334	28	9	3	6	2	48	7	9	10	19	13
8	Males	190	18	4	3	6	2	33	4	4	5	7	6
9	Females	144	10	5				15	3	5	5	12	7
10	Saratoga Springs, N. Y	265	48	3	3	3	2	59	5	2	10	13	9
11	Males	120	18		2	3	2	25	2	2	3	8	4
12	Females	145	30	3	1			34	3		7	5	5
13	Sault Ste. Marie, Mich	163	51	7	4	3	1	66	5	2	6	11	10
14	Males	94	24	3	2	2		31	3	2	5	7	8
15	Females	69	27	4	2	1	1	35	2		1	4	2
16	Savannah, Ga	1,862	398	117	53	30	18	616	54	30	82	107	113
17	Males	1,000	209	47	23	16	12	307	28	22	48	53	58
18	Females	862	189	70	30	14	6	309	26	8	34	54	55
19	Schenectady, N. Y	479	106	13	11	6	10	146	15	6	10	14	22
20	Males	247	57	9	7	2	7	82	8	3	5	5	11
21	Females	232	49	4	4	4	3	64	7	3	5	9	11
22	Scranton, Pa	2,111	446	131	104	92	56	829	163	67	60	71	95
23	Males	1,114	241	72	47	49	28	437	71	32	39	30	46
24	Females	997	205	59	57	43	28	392	92	35	21	41	49
25	Seattle, Wash	898	107	21	9	8	8	153	27	14	29	54	58
26	Males	621	78	13	6	4	3	104	17	5	14	33	37
27	Females	277	29	8	3	4	5	49	10	9	15	21	21
28	Shreveport, La	728	91	46	17	12	2	168	23	17	32	90	56
29	Males	422	55	24	7	8	1	95	15	9	16	52	27
30	Females	306	36	22	10	4	1	73	8	8	16	38	29
31	Sioux City, Iowa	435	97	14	6	9	7	133	23	12	15	22	22
32	Males	241	57	8	4	4	5	78	12	10	4	8	9
33	Females	194	40	6	2	5	2	55	11	2	11	14	13
34	Somerville, Mass	946	187	48	19	10	13	277	25	13	19	37	37
35	Males	447	117	24	9	3	9	162	12	4	9	18	15
36	Females	499	70	24	10	7	4	115	13	9	10	19	22
37	South Bethlehem, Pa	256	67	16	9	5	2	99	15	9	7	13	9
38	Males	138	39	8	6	4		57	7	5	4	6	6
39	Females	118	28	8	3	1	2	42	8	4	3	7	3
40	Southbridge town, Mass	204	60	14	8	4	8	94	2	2	2	9	13
41	Males	107	32	7	5	1	3	48	1	1	2	5	9
42	Females	97	28	7	3	3	5	46	1	1		4	4
43	Spokane, Wash	511	86	27	15	6	12	146	11	15	13	23	29
44	Males	306	52	16	6	1	3	78	8	6	6	15	14
45	Females	205	34	11	9	5	9	68	3	9	7	8	15
46	Springfield, Ill	642	113	27	13	14	5	172	24	15	28	37	30
47	Males	349	57	15	7	9	3	91	14	9	14	23	18
48	Females	293	56	12	6	5	2	81	10	6	14	14	12
49	Springfield, Mass	1,057	184	55	29	12	16	296	45	13	17	33	45
50	Males	513	87	27	13	6	8	141	25	5	7	21	22
51	Females	544	97	28	16	6	8	155	20	8	10	12	23
52	Stamford town, Conn	319	54	7	6	1	3	71		5	6	7	12
53	Males	178	34	3	4		2	43		4	4	3	8
54	Females	141	20	4	2	1	1	28		1	2	4	4
55	Steelton, Pa	213	68	20	7	2	3	100	4	4	5	12	11
56	Males	117	35	10	5	2	1	53	3	4	3	11	7
57	Females	96	33	10	2		2	47	1		2	1	4
58	Stonington town, Conn	144	23	4			2	29	2	1	1	3	5
59	Males	74	11	1			1	13	1	1		1	4
60	Females	70	12	3			1	16	1		1	2	1
61	Superior, Wis	352	91	19	7	8	3	128	13	9	8	18	31
62	Males	209	47	13	2	4	1	67	8	5	1	10	19
63	Females	143	44	6	5	4	2	61	5	4	7	8	12
64	Syracuse, N. Y	1,494	251	54	22	20	10	357	36	29	40	63	62
65	Males	779	139	31	12	15	6	203	16	20	23	30	27
66	Females	715	112	23	10	5	4	154	20	9	17	33	35
67	Tacoma, Wash	425	62	11	5	5	3	86	14	12	18	22	22
68	Males	265	39	9	3	3	1	55	11	6	10	7	14
69	Females	160	23	2	2	2	2	31	3	6	8	15	8
70	Taunton, Mass	615	131	25	8	6	3	173	10	8	16	22	21
71	Males	343	82	15	2	4	3	106	6	3	7	12	10
72	Females	272	49	10	6	2		67	4	5	9	10	11
73	Terre Haute, Ind	587	119	24	7	9	5	164	26	16	23	34	34
74	Males	300	57	14	4	5	3	83	10	7	6	19	19
75	Females	287	62	10	3	4	2	81	16	9	17	15	15
76	Tiffin, Ohio	139	15	3	3	4	2	27	3	4	3	3	3
77	Males	60	9	1	2	2	2	16		1	1	1	
78	Females	79	6	2	1	2		11	3	3	2	2	3

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.															
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.	
23	23	15	15	23	19	33	38	25	27	14	7	2	1	1	1
14	10	5	8	17	15	20	20	17	16	8	7	2	1	1	2
9	13	10	7	6	4	13	18	8	11	6					3
426	490	452	469	467	437	520	433	404	270	150	80	18	8	52	4
257	336	322	327	313	279	335	280	264	160	82	39	9	5	48	5
169	154	130	142	154	158	185	153	140	110	68	41	9	3	4	6
17	17	17	24	18	15	27	20	18	26	11	13	1	2	2	7
12	10	10	10	12	4	19	13	11	15	7	7			1	8
5	7	7	14	6	11	8	7	7	11	4	6	1	2	1	9
15	11	10	10	18	12	8	20	26	10	9	12	3		3	10
10	7	2	3	8	6	3	11	14	3	2	4	2		1	11
5	4	8	7	10	6	5	9	12	7	7	8	1		2	12
4	5	8	3	6	7	8	6	6	4	2		1	1	2	13
3	1	5	3	6	5	4	3	3	1	1		1		2	14
1	4	3			2	4	3	3	3	1			1		15
116	117	78	92	96	55	73	50	59	45	25	13	12	4	25	16
78	71	43	54	58	32	45	23	23	19	14	5	4		15	17
38	46	35	38	38	23	28	27	36	26	11	8	8	4	10	18
17	17	10	21	19	28	31	32	26	23	16	10	4	1	11	19
12	10	6	8	7	17	17	14	14	9	5	6	3		5	20
5	7	4	13	12	11	14	18	12	14	11	4	1	1	6	21
77	93	70	73	92	76	95	75	65	42	24	14	2	1	27	22
42	68	38	48	52	37	50	37	26	25	10	8			18	23
35	25	32	25	40	39	45	38	39	17	14	6	2	1	9	24
66	74	70	76	48	55	48	42	39	15	15	3	1		11	25
51	60	53	59	34	41	41	25	23	5	10	1			8	26
15	14	17	17	14	14	7	17	16	10	5	2	1		3	27
57	59	34	35	36	17	25	21	20	13	11	6	3	2	3	28
35	39	26	22	20	9	15	15	14	5	4	2	1		1	29
22	20	8	13	16	8	10	6	6	8	7	4	2	2	2	30
21	28	19	19	22	14	19	16	20	16	5	3	1		4	31
9	13	16	10	10	9	13	9	15	9	4	1			2	32
12	15	3	9	12	5	6	7	5	7	2	2	1		2	33
38	36	27	30	55	35	63	67	56	50	42	26	12	1		34
16	19	14	14	26	15	26	24	22	22	14	12	2	1		35
22	17	13	16	29	20	37	43	34	28	28	14	10			36
10	7	6	5	19	11	4	11	13	11	5	1				37
6	2	3	5	11	3	3	4	5	6	5					38
4	5	3		8	8	1	7	8	5	1	1				39
4	5	4	5	8	7	6	8	8	10	8	4		2	3	40
1	2	1	3	4	4	4	4	5	8	3				2	41
3	3	3	2	4	3	2	4	3	2	5	4		2	1	42
26	48	31	32	30	31	14	18	21	12	5	4	1		1	43
17	24	23	23	21	22	13	11	10	7	4	3	1			44
9	24	8	9	9	9	1	7	11	5	1	1			1	45
23	31	20	26	37	29	35	35	35	33	12	12	4		4	46
15	16	12	16	25	15	18	14	16	16	4	7	3		3	47
8	15	8	10	12	14	17	21	19	17	8	5	1		1	48
46	38	45	47	58	63	53	56	68	56	44	23	8	1	2	49
27	20	24	25	22	28	30	26	36	25	17	8	3		1	50
19	18	21	22	36	35	23	30	32	31	27	15	5	1	1	51
13	15	12	16	19	19	23	24	18	25	20	7	6		1	52
7	8	8	9	8	10	11	13	7	16	11	3	4		1	53
6	7	4	7	11	9	12	11	11	9	9	4	2			54
9	7	9	6	7	9	4	7	5	6	6	1			1	55
2	5	3	1	2	7	3	5	3	2	2	1				56
7	2	6	5	5	2	1	2	2	4	4				1	57
5	7	3	4	15	8	9	11	11	12	12	5	1			58
2	3	1	4	10	3	4	7	6	5	7	2				59
3	4	2		5	5	5	4	5	7	5	3	1			60
30	29	14	10	9	11	4	9	9	8	8	1			3	61
18	19	12	8	6	7	2	4	7	8	5	1			2	62
12	10	2	2	3	4	2	5	2		3				1	63
69	79	63	89	81	88	81	111	83	69	54	28	9	3		64
40	40	38	44	44	44	39	54	47	33	24	9	3	1		65
29	39	25	45	37	44	42	57	36	36	30	19	6	2		66
29	29	29	22	24	25	24	21	24	6	8	3	2		5	67
18	15	19	16	16	17	15	14	19	3	4	2	2		2	68
11	14	10	6	8	8	9	7	5	3	4	1			3	69
31	25	20	22	31	31	35	39	41	29	31	17	9	2	2	70
22	12	14	14	19	17	15	21	23	19	13	5	4	1		71
9	13	6	8	12	14	20	18	18	10	18	12	5	1	2	72
24	30	24	18	23	21	28	31	30	24	23	6	3	1	4	73
10	16	15	6	15	16	14	19	19	10	9	1	2	1	3	74
14	14	9	12	8	5	14	12	11	11	14	5	1		1	75
9	4	12	2	5	9	5	12	16	10	6	1	3	1	1	76
3	4	7	1	2	2	2	6	5	6	1		1		1	77
6		5	1	3	7	3	6	11	4	5	1	2	1		78

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Toledo, Ohio	2,112	461	89	66	50	41	707	100	46	72	87	97
2	Males	1,091	254	38	32	30	15	369	37	20	37	32	43
3	Females	1,021	207	51	34	20	26	338	63	26	35	55	54
4	Torrington town, Conn	182	63	13	6	3	2	87	1	4	5	8	7
5	Males	88	32	6	3	3	1	45		2	3	2	5
6	Females	94	31	7	3		1	42	1	2	2	6	2
7	Town of Union, N. J	207	45	18	7	4	1	75	12	6	5	6	5
8	Males	107	27	11	3	2	1	44	5	1	5	3	2
9	Females	100	18	7	4	2		31	7	5		3	3
10	Traverse City, Mich	148	32		2			34	6	3	1	5	10
11	Males	77	15		1			16	2	1	1	2	4
12	Females	71	17		1			18	4	2		3	6
13	Trenton, N. J	1,174	271	56	23	14	11	375	24	24	24	41	70
14	Males	615	150	27	14	8	4	203	15	10	14	24	43
15	Females	559	121	29	9	6	7	172	9	14	10	17	27
16	Troy, N. Y	1,393	246	51	32	25	14	368	37	22	31	54	75
17	Males	745	132	29	23	11	10	205	24	11	11	31	46
18	Females	648	114	22	9	14	4	163	13	11	20	23	29
19	Utica, N. Y	990	158	24	19	7	6	214	47	17	25	39	40
20	Males	530	96	15	10	2	5	128	32	8	14	16	23
21	Females	460	62	9	9	5	1	86	15	9	11	23	17
22	Vernon town, Conn	127	21	4	2	1	3	31	1	4	6	6	8
23	Males	48	12				1	13	1	1	4		1
24	Females	79	9	4	2	1	2	18		3	2	6	5
25	Vincennes, Ind	196	39	9	8	3	4	63	6	6	8	12	11
26	Males	85	19	6	5	1	2	33	2	2	1	6	7
27	Females	111	20	3	3	2	2	30	4	4	7	6	4
28	Wakefield town, Mass	135	20	7	1	1	1	30	4	2	2	4	7
29	Males	72	11	4			1	16		1	1	1	1
30	Females	63	9	3	1	1		14	4	1	1	3	6
31	Wallingford town, Conn	138	42	2	2			46	1	3	1	4	8
32	Males	81	29	1	1			31	1	3			4
33	Females	57	13	1	1			15			1	4	2
34	Waltham, Mass	329	60	11	4	3	2	80	8	12	5	18	12
35	Males	148	31	6	1	1	1	40	5	6	3	8	4
36	Females	181	29	5	3	2	1	40	3	6	2	10	8
37	Ware town, Mass	112	34	2	2		2	40	1	1	3	1	5
38	Males	54	17	1	1			19			3		3
39	Females	58	17	1	1		2	21	1	1		1	2
40	Warren, Ohio	143	22	7	4	1	1	35	7	2	3	10	6
41	Males	79	11	5	2			18	3	2	2	7	3
42	Females	64	11	2	2	1	1	17	4		1	3	3
43	Waterbury town, Conn	869	259	54	24	14	6	357	20	15	21	29	56
44	Males	441	144	29	12	7	4	196	11	12	13	16	26
45	Females	428	115	25	12	7	2	161	9	3	8	13	30
46	Watertown, N. Y	356	79	14	8	2	2	105	10	5	10	11	20
47	Males	179	46	7	5		1	59	8	3	5	5	8
48	Females	177	33	7	3	2	1	46	2	2	5	6	12
49	Watertown town, Mass	143	22	4	4	1	1	32	4		1	7	5
50	Males	77	16	1	3	1	1	22	2		1	4	4
51	Females	66	6	3	1			10	2			3	1
52	Watervliet, N. Y	275	55	11	7	4	3	80	7	8	7	8	17
53	Males	144	29	7	6	1	1	44	4	5	4	3	8
54	Females	131	26	4	1	3	2	36	3	3	3	5	9
55	Webster town, Mass	146	47	7	3			57	4	2	3	14	6
56	Males	67	20	4	3			27	2	2		6	4
57	Females	79	27	3				30	2		3	8	2
58	West Bay City, Mich	196	46	11	4	3	3	67	11	3	14	9	9
59	Males	114	28	8	3	2		41	10	1	4	5	5
60	Females	82	18	3	1	1	3	26	1	2	10	4	4
61	Westfield town, Mass	236	58	8	9	3	2	80	7	1	4	7	3
62	Males	121	34	6	3	3	1	47	4		2	3	1
63	Females	115	24	2	6		1	33	3	1	2	4	2
64	Weymouth town, Mass	203	31	2	2	2	2	39	4	1	3	6	12
65	Males	102	14		1	1	1	17			3	5	5
66	Females	101	17	2	1	1	1	22	4	1		1	7
67	Wheeling, W. Va	554	79	28	10	5	3	125	14	11	16	36	34
68	Males	300	50	14	8	3	1	76	9	6	6	20	16
69	Females	254	29	14	2	2	2	49	5	5	10	16	18
70	Wichita, Kans	390	60	21	4	6	3	94	11	13	12	27	14
71	Males	212	37	13	1	2	1	54	3	4	7	15	7
72	Females	178	23	8	3	4	2	40	8	9	5	12	7
73	Wilkesbarre, Pa	857	216	38	29	20	15	318	19	17	27	36	31
74	Males	482	124	20	18	9	7	178	13	12	12	17	20
75	Females	375	92	18	11	11	8	140	6	5	15	19	11
76	Williamsport, Pa	345	61	9	9	5	4	88	6	4	10	18	17
77	Males	178	39	4	4	1	2	50	3	4	4	8	8
78	Females	172	22	5	5	4	2	38	3		6	10	9

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.															
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.	
87	80	88	107	84	84	106	111	97	70	38	27	5	4	15	1
49	44	47	59	46	45	65	64	47	35	21	15	2	2	12	2
38	36	41	48	38	39	41	47	50	35	17	12	3	2	3	3
7	6	6	1	8	7	5	5	6	9	4	5			1	4
3	5	2		4	4	3	2	1	2	1	4				5
4	1	4	1	4	3	2	3	5	7	3	1			1	6
10	11	9	12	10	11	7	14	5	3	5				1	7
5	4	6	7	4	8		8	1		3				1	8
5	7	3	5	6	3	7	6	4	3	2					9
2	8	7	9	15	9	6	9	9	8	4	2	1			10
1	4	6	6	7	6	3	6	3	6	2	1				11
1	4	1	3	8	3	3	3	6	2	2	1	1			12
46	51	48	40	51	56	53	67	74	52	34	20	8	4	12	13
21	31	24	22	30	29	25	38	27	23	20	5	2	3	6	14
25	20	24	18	21	27	28	29	47	29	14	15	6	1	6	15
85	98	60	64	91	73	90	76	64	56	32	10	4	1	2	16
54	50	35	39	46	34	53	32	25	24	14	6	3	1	1	17
31	48	25	25	45	39	37	44	39	32	18	4	1		1	18
48	44	46	54	48	56	50	72	61	63	47	10	8	1		19
31	28	23	32	28	25	26	31	24	30	20	8	3			20
17	16	23	22	20	31	24	41	37	33	27	2	5	1		21
4	8	3	8	4	10	8	5	9	5	5	4				22
2	3	2	1	2	5	4	3	2	1	2	1				23
2	5	1	7	2	5	4	2	7	4	3	3				24
6	9	7	3	9	8	10	12	7	6	5	1			7	25
2	1	2	1	6	3	5	7	2	2	2				1	26
4	8	5	2	3	5	5	5	5	4	3	1			6	27
8	3	5	5	4	8	9	11	10	4	13	4	2			28
5	2	3	4	3	5	3	8	6	4	3	1				29
3	1	2	1	1	3	6	3	4		5	3	2			30
6	9	7	3	3	6	9	8	8	11	5	2				31
4	5	4	2	1	3	7	3	5	6	1	1				32
2	4	3	1	2	3	2	5	3	5	4	1				33
13	12	14	13	16	14	25	16	23	23	12	9	4			34
6	5	7	6	8	9	10	8	6	9	3	5				35
7	7	7	7	8	5	15	8	17	14	9	4	4			36
3	3	4	6	8	5	10	6	4	4	5	3				37
1	1		4	3	3	6	3	3	2	2	1				38
2	2	4	2	5	2	4	3	1	2	3	2				39
7	7	6	6	7	5	5	11	8	10	3	3			2	40
4	3	2	3	3	2	1	8	6	9	1				2	41
3	4	4	3	4	3	4	3	2	1	2	3				42
37	41	30	25	28	40	33	47	32	23	21	9	4		1	43
19	23	14	12	16	16	12	17	18	8	7	4			1	44
18	18	16	13	12	24	21	30	14	15	14	5	4			45
19	16	11	12	13	18	24	20	17	19	16	8	1		1	46
11	6	4	2	7	9	12	12	6	9	9	4				47
8	10	7	10	6	9	12	8	11	10	7	4	1		1	48
9	5	8	5	13	7	11	7	9	8	7	3		1	1	49
3	2	5	4	8	2	5	3	4	4	3	1				50
6	3	3	1	5	5	6	4	5	4	4	2		1	1	51
10	17	17	9	8	13	19	13	17	13	8	3	1			52
6	10	9	7	3	7	11	7	8	4	1	2	1			53
4	7	8	2	5	6	8	6	9	9	7	1				54
8	4	5	2	6	2	8	7	4	5	5	2	1	1		55
2	4	3	1	3		3	4	1		2	1	1	1		56
6		2	1	3	2	5	3	3	5	3	1				57
12	10	4	7	7	7	9	5	9	4	5	4				58
8	6	1	3	3	6	4	3	6	2	5	3				59
4	4	3	4	4	1	5	2	3	2	2	1				60
10	13	3	7	11	13	12	11	13	11	19	5	4	1	1	61
7	6	3	3	5	5	4	8	3	7	9	3	1			62
3	7		4	6	8	8	3	10	4	10	2	3	1	1	63
9	6	3	10	11	13	19	16	14	15	8	8	3	2	1	64
5	5	1	6	6	5	12	11	6	8	4	2		1		65
4	1	2	4	5	8	7	5	8	7	4	6	3	1	1	66
30	19	31	31	28	33	24	31	27	38	17	7	1	1		67
18	11	19	20	19	19	10	15	12	20	8	1				68
12	8	12	11	9	14	14	16	15	18	14	6	1	1		69
19	24	16	26	13	25	14	14	25	17	14	6	1	1	4	70
9	15	8	9	9	15	8	10	15	11	4	4	1	1	3	71
10	9	8	17	4	10	6	4	10	6	10	2			1	72
39	30	34	35	47	43	36	45	33	26	27	4	2	1	7	73
21	12	19	15	32	33	20	25	19	13	13	3	1		4	74
18	18	15	20	15	10	16	20	14	13	14	1	1	1	3	75
7	12	15	13	20	23	20	20	26	24	13	5	4			76
5	11	7	6	9	12	4	7	15	12	6	1	1			77
2	1	8	7	11	11	16	13	11	12	7	4	3			78

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Wilmington, Del	1,595	345	71	50	22	21	509	80	40	47	75	62
2	Males	854	200	42	33	12	9	296	39	20	19	32	37
3	Females	741	145	29	17	10	12	213	41	20	28	43	25
4	Wilmington, N. C	565	114	39	11	7	4	175	14	3	16	43	31
5	Males	292	63	19	4	4	2	92	9		8	24	12
6	Females	273	51	20	7	3	2	83	5	3	8	19	19
7	Windham town, Conn	173	28	4	3			35	2	2	5	12	6
8	Males	79	15	2	2			19		2	3	3	3
9	Females	94	13	2	1			16	2		2	9	3
10	Winona, Minn	276	68	12	3	3	1	87	8	5	7	13	10
11	Males	148	44	5	2	3		54	8	3	3	3	5
12	Females	128	24	7	1		1	33		3	4	10	5
13	Woburn, Mass	241	54	11	7	3	4	79	5	4	4	12	11
14	Males	128	33	5	2		3	43	1	2	1	4	5
15	Females	113	21	6	5	3	1	36	4	2	3	8	6
16	Woonsocket, R. I	516	187	29	16	16	6	254	12	10	14	23	23
17	Males	257	110	15	9	7	3	144	7	6	5	7	10
18	Females	259	77	14	7	9	3	110	5	4	9	16	13
19	Worcester, Mass	1,838	444	85	44	26	22	621	42	18	46	60	96
20	Males	945	243	53	28	14	9	347	17	8	22	30	49
21	Females	893	201	32	16	12	13	274	25	10	24	30	47
22	Yonkers, N. Y	781	205	50	14	13	4	286	18	21	18	23	49
23	Males	422	120	26	6	8	2	162	8	10	13	12	22
24	Females	359	85	24	8	5	2	124	10	11	5	11	27
25	Youngstown, Ohio	745	191	38	21	9	6	265	27	13	30	36	31
26	Males	417	105	18	14	4	4	145	10	8	18	17	16
27	Females	328	86	20	7	5	2	120	17	5	12	19	15

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.															
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.	
68	57	74	70	63	65	77	82	74	64	49	19	8	2	10	1
40	30	49	43	34	48	30	41	36	31	17	5	2	----------	5	2
28	27	25	27	29	17	47	41	38	33	32	14	6	2	5	3
30	26	35	24	27	23	24	19	17	12	16	8	1	2	19	4
17	16	15	12	15	11	12	11	9	6	6	6	----------	----------	11	5
13	10	20	12	12	12	12	8	8	6	10	2	1	2	8	6
10	6	5	9	8	13	8	9	13	13	9	7	1	----------	----------	7
3	2	2	3	6	5	4	5	5	7	5	1	1	----------	----------	8
7	4	3	6	2	8	4	4	8	6	4	6	----------	----------	----------	9
15	12	9	9	10	12	7	18	19	11	12	5	4	----------	2	10
6	4	6	4	7	9	3	10	8	7	4	1	1	----------	2	11
9	8	3	5	3	3	4	8	11	4	8	4	3	----------	----------	12
16	12	4	8	10	15	9	9	12	15	12	3	1	----------	----------	13
8	5	2	4	6	11	6	6	7	8	8	----------	1	----------	----------	14
8	7	2	4	4	4	3	3	5	7	4	3	----------	----------	----------	15
13	11	9	16	16	24	12	22	21	17	11	5	3	----------	----------	16
4	6	6	6	5	13	5	8	11	9	3	1	1	----------	----------	17
9	5	3	10	11	11	7	14	10	8	8	4	2	----------	----------	18
82	80	61	83	79	113	96	98	70	78	62	37	7	3	6	19
43	48	29	39	47	64	47	48	28	33	25	14	2	----------	5	20
39	32	32	44	32	49	49	50	42	45	37	23	5	3	1	21
55	31	26	30	39	32	29	33	37	27	16	5	2	1	3	22
32	16	14	16	27	21	15	14	15	14	8	1	2	----------	----------	23
23	15	12	14	12	11	14	19	22	13	8	4	----------	1	3	24
43	46	28	21	31	37	21	41	29	17	12	10	1	1	5	25
30	27	21	12	17	24	12	21	21	8	4	4	----------	----------	2	26
13	19	7	9	14	13	9	20	8	9	8	6	1	1	3	27

TABLE 6.

DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS SUBDIVISIONS, AND IN EACH STATE AND TERRITORY, DURING THE CENSUS YEAR ENDING MAY 31, 1900, AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT NATIVITY, AND BIRTHPLACES OF MOTHERS.

[NOTE.—Nativity, parent nativity, and birthplaces of mothers, was not supplied in the registration returns for certain areas.]

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	THE UNITED STATES.												
1	Total	1,039,094	199,325	59,879	28,136	17,638	12,554	317,532	36,748	24,500	38,109	51,004	48,693
2	Males	551,611	110,673	31,599	14,658	8,942	6,340	172,212	18,660	12,196	18,329	25,252	24,173
3	Females	487,483	88,652	28,280	13,478	8,696	6,214	145,320	18,088	12,304	19,780	25,752	24,520
4	White	892,092	170,665	49,212	22,890	14,648	10,493	267,908	30,272	19,160	28,877	39,519	39,927
5	Males	477,080	95,314	26,033	11,938	7,458	5,340	146,113	15,570	9,780	14,242	19,661	20,008
6	Females	415,012	75,321	23,179	10,952	7,190	5,153	121,795	14,702	9,380	14,635	19,858	19,919
7	Native	694,382	168,448	48,211	22,338	14,241	10,189	263,427	29,091	18,014	25,908	33,315	31,694
8	Both parents native M	209,670	49,002	14,426	6,627	3,978	2,887	76,920	8,573	5,741	7,921	9,262	7,641
	Both parents native F	196,434	39,530	12,924	6,160	3,910	2,764	65,288	8,217	5,546	8,541	10,048	8,895
9	One or both parents foreign M	77,472	27,779	7,033	3,145	1,981	1,341	41,279	3,686	2,046	2,748	3,794	4,118
	One or both parents foreign F	65,742	21,156	6,264	2,781	1,871	1,289	33,361	3,449	1,989	2,708	3,731	3,895
10	Foreign	175,252	547	458	256	211	164	1,636	749	860	2,410	5,153	7,108
11	Males	97,309	301	249	114	115	85	864	405	441	1,241	2,682	3,804
12	Females	77,943	246	209	142	96	79	772	344	419	1,169	2,471	3,304
13	Colored	147,002	28,660	10,667	5,246	2,990	2,061	49,624	6,476	5,340	9,232	11,485	8,766
14	Males	74,531	15,329	5,566	2,720	1,484	1,000	26,099	3,090	2,416	4,087	5,591	4,165
15	Females	72,471	13,331	5,101	2,526	1,506	1,061	23,525	3,386	2,924	5,145	5,894	4,601
	Birthplaces of mothers (white).												
16	United States M	225,623	54,397	15,599	7,163	4,346	3,164	84,669	9,386	6,245	8,625	10,088	8,309
	United States F	210,993	43,750	14,041	6,686	4,292	3,009	71,778	8,969	6,030	9,244	10,865	9,584
17	Ireland M	37,965	3,497	973	438	307	202	5,417	537	309	639	1,521	2,416
	Ireland F	35,276	2,684	868	423	286	188	4,449	503	321	654	1,458	2,154
18	Germany M	39,170	4,751	1,136	566	386	276	7,115	877	529	799	1,193	1,440
	Germany F	30,761	3,609	1,034	461	356	253	5,713	774	512	764	1,263	1,473
19	England and Wales M	13,473	1,359	346	184	109	60	2,058	247	164	283	408	479
	England and Wales F	10,249	1,072	313	142	95	66	1,688	231	153	205	366	426
20	Canada M	11,535	3,508	681	326	219	145	4,879	388	269	404	553	486
	Canada F	10,243	2,679	578	275	212	149	3,893	362	252	420	605	600
21	Scandinavia M	9,293	1,686	452	209	123	101	2,571	310	221	319	444	484
	Scandinavia F	7,399	1,238	402	172	120	109	2,041	321	232	355	471	429
22	Scotland M	3,877	322	79	35	29	15	480	64	48	62	107	118
	Scotland F	3,050	236	72	36	24	19	387	57	33	64	85	123
23	Italy M	6,136	2,142	846	317	176	92	3,573	195	82	147	199	250
	Italy F	4,407	1,650	758	283	155	107	2,953	177	75	112	156	136
24	France M	1,731	149	37	12	8	11	217	21	17	25	50	50
	France F	1,196	113	33	9	5	6	166	12	12	22	35	60
25	Russia and Poland M	6,641	2,509	724	312	177	120	3,842	264	128	150	225	255
	Russia and Poland F	4,992	1,829	622	297	144	102	2,994	236	88	137	172	175
26	Other foreign countries M	12,100	3,122	853	342	199	133	4,649	345	159	306	512	622
	Other foreign countries F	8,890	2,393	702	291	189	123	3,698	349	210	295	430	417
27	Unknown M	41,041	4,462	993	486	313	210	6,464	693	451	792	1,600	1,865
	Unknown F	30,294	3,622	862	434	256	181	5,355	548	449	759	1,375	1,517
	THE REGISTRATION RECORD.												
28	Total	512,669	102,220	25,986	12,020	7,825	5,520	153,571	15,045	8,585	13,420	21,360	23,936
29	Males	272,819	57,251	13,768	6,275	3,972	2,762	84,028	7,707	4,339	6,658	10,831	12,418
30	Females	239,850	44,969	12,218	5,745	3,853	2,758	69,543	7,338	4,246	6,762	10,529	11,518
31	White	475,640	94,269	23,747	10,986	7,276	5,153	141,431	13,969	7,666	11,763	18,689	21,436
32	Males	253,491	52,972	12,593	5,746	3,708	2,596	77,615	7,205	3,931	5,931	9,443	11,112
33	Females	222,149	41,297	11,154	5,240	3,568	2,557	63,816	6,764	3,735	5,832	9,246	10,324
34	Native	336,934	92,789	23,102	10,620	7,009	4,944	138,464	13,163	6,894	9,678	14,174	15,176
35	Both parents native M	64,742	15,996	3,379	1,609	1,011	739	22,734	2,109	1,260	1,670	2,194	1,994
	Both parents native F	61,043	12,706	3,008	1,480	975	685	18,854	2,007	1,244	1,763	2,285	2,254
36	One or both parents foreign M	53,644	21,180	5,403	2,319	1,434	924	31,260	2,363	1,126	1,582	2,364	2,860
	One or both parents foreign F	45,331	16,135	4,805	2,076	1,379	911	25,306	2,205	1,100	1,526	2,338	2,578
37	Foreign	126,465	431	373	209	176	131	1,320	589	628	1,795	3,972	5,635
38	Males	67,546	233	206	95	95	66	695	315	315	901	2,014	2,943
39	Females	58,919	198	167	114	81	65	625	274	313	894	1,958	2,692
40	Colored	37,029	7,951	2,239	1,034	549	367	12,140	1,076	919	1,657	2,671	2,500
41	Males	19,328	4,279	1,175	529	264	166	6,413	502	408	727	1,388	1,306
42	Females	17,701	3,672	1,064	505	285	201	5,727	574	511	930	1,283	1,194
	Birthplaces of mothers (white).												
43	United States M	73,765	19,440	4,080	1,919	1,209	892	27,540	2,523	1,500	2,011	2,600	2,354
	United States F	69,354	15,421	3,670	1,801	1,197	815	22,904	2,399	1,467	2,103	2,693	2,606
44	Ireland M	29,995	3,294	917	411	289	184	5,095	478	253	529	1,294	2,098
	Ireland F	29,767	2,549	817	396	265	173	4,200	448	262	542	1,285	1,865
45	Germany M	22,666	3,277	806	386	267	183	4,919	525	281	438	691	906
	Germany F	18,709	2,517	743	314	255	181	4,010	474	267	399	735	929
46	England and Wales M	7,820	964	232	126	69	38	1,429	175	84	149	214	292
	England and Wales F	6,544	781	206	100	63	45	1,195	130	90	116	207	262
47	Canada M	9,736	3,265	627	293	195	126	4,506	320	219	333	447	392
	Canada F	8,869	2,477	528	244	191	135	3,575	308	203	357	517	514
48	Scandinavia M	3,424	835	232	102	65	42	1,276	127	49	93	137	193
	Scandinavia F	2,671	602	217	70	60	52	1,001	127	75	87	165	163
49	Scotland M	2,338	232	55	26	20	10	343	45	16	32	59	75
	Scotland F	2,048	159	46	22	18	12	257	38	18	47	52	82
50	Italy M	5,428	1,982	804	296	163	79	3,324	172	72	127	180	210
	Italy F	4,073	1,560	715	269	142	93	2,779	163	64	100	138	121
51	France M	981	124	31	8	7	5	175	13	8	10	30	36
	France F	732	91	23	7	2	3	126	7	6	7	21	34
52	Russia and Poland M	5,148	2,025	593	246	134	79	3,077	184	74	106	173	192
	Russia and Poland F	3,882	1,470	497	235	108	74	2,384	149	55	95	136	133
53	Other foreign countries M	7,114	2,190	602	215	119	79	3,205	179	70	154	285	361
	Other foreign countries F	5,305	1,644	508	196	119	70	2,537	200	99	155	249	245
54	Unknown M	16,581	1,904	300	170	105	68	2,547	221	147	258	572	769
	Unknown F	12,933	1,580	290	143	92	63	2,168	158	116	220	471	545

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
43,857	44,367	41,439	40,201	42,666	43,169	48,178	52,190	53,073	46,039	33,786	17,247	6,135	2,721	7,440	1
22,349	23,296	22,428	22,529	23,915	24,024	26,269	28,563	28,761	24,627	17,525	8,457	2,616	1,045	4,385	2
21,508	21,071	19,011	17,672	18,751	19,145	21,909	23,627	24,312	21,412	16,261	8,790	3,519	1,676	3,055	3
37,276	38,074	35,880	34,948	37,211	39,141	43,455	48,329	49,179	43,207	31,289	15,969	5,298	1,769	5,434	4
19,142	20,229	19,673	19,813	20,975	21,791	23,748	26,411	26,599	23,090	16,223	7,822	2,250	658	3,282	5
18,134	17,845	16,207	15,135	16,266	17,350	19,707	21,918	22,580	20,117	15,066	8,147	3,048	1,051	2,152	6
27,307	26,106	24,472	22,594	22,187	22,678	24,785	28,099	29,301	27,001	20,478	10,823	3,682	993	2,427	7
6,321	6,059	6,327	6,718	7,296	7,715	8,890	10,540	10,942	10,022	7,345	3,568	1,071	232	566	8
7,568	6,978	6,741	6,340	6,760	7,027	7,858	8,947	9,623	8,885	6,852	3,796	1,437	402	655	
3,673	3,346	2,883	2,103	1,376	1,237	1,034	995	882	922	684	390	117	30	129	9
3,114	2,772	2,378	1,658	1,180	1,000	879	765	778	743	609	399	151	57	126	
8,762	10,564	10,113	11,134	13,844	15,297	17,438	18,939	18,593	15,100	9,939	4,704	1,470	657	782	10
4,841	6,012	6,093	6,767	8,280	8,758	9,618	10,202	10,037	8,154	5,212	2,438	661	290	509	11
3,921	4,552	4,020	4,367	5,564	6,539	7,820	8,737	8,556	6,946	4,727	2,266	809	367	273	12
6,581	6,293	5,559	5,253	5,425	4,028	4,723	3,861	3,894	2,832	2,497	1,278	837	1,012	2,006	13
3,207	3,067	2,755	2,716	2,940	2,233	2,521	2,152	2,162	1,537	1,302	635	366	387	1,103	14
3,374	3,226	2,804	2,537	2,485	1,795	2,202	1,709	1,732	1,295	1,195	643	471	625	903	15
6,861	6,498	6,702	7,072	7,635	8,035	9,265	10,970	11,396	10,491	7,676	3,739	1,118	239	604	16
8,114	7,391	7,123	6,674	7,076	7,380	8,201	9,319	10,063	9,336	7,181	4,017	1,525	436	687	
2,573	2,679	2,341	2,102	2,482	2,588	2,809	2,720	2,438	1,965	1,266	657	221	118	167	17
2,022	2,204	1,837	1,808	2,206	2,506	2,999	3,013	2,711	1,829	1,375	684	272	139	132	
1,721	1,957	2,124	2,136	2,207	2,370	2,725	3,092	3,301	2,809	1,708	724	181	52	110	18
1,541	1,593	1,483	1,322	1,421	1,652	1,858	2,280	2,528	2,206	1,407	649	198	64	60	
531	614	629	719	798	935	958	1,139	1,157	1,080	749	361	90	16	58	19
466	463	529	504	584	616	691	789	819	765	550	302	91	30	31	
417	503	419	411	406	424	420	471	394	297	188	111	24	21	50	20
524	495	384	362	355	313	350	359	319	280	189	91	34	18	38	
514	543	474	459	471	431	394	400	429	362	284	105	29	11	38	21
435	438	382	237	243	234	239	310	313	308	210	134	35	11	21	
136	191	205	231	272	272	276	331	350	302	244	122	37	14	15	22
120	140	156	158	177	187	210	242	267	250	222	100	43	18	11	
237	287	218	231	196	158	106	92	69	35	27	13	2	3	16	23
137	125	103	81	71	78	48	47	45	30	18	5	2	5	3	
64	78	108	81	113	147	150	145	142	148	87	51	22	7	8	24
49	68	62	75	67	73	92	91	94	91	72	31	19	3	2	
226	264	222	199	186	147	142	115	88	71	58	29	6	6	18	25
176	179	128	80	103	117	89	105	58	52	46	23	12	8	14	
568	596	588	479	514	453	479	437	461	371	256	157	33	22	93	26
381	403	296	266	255	283	306	305	303	280	222	95	34	30	32	
1,937	2,291	2,144	2,186	2,171	2,350	2,491	2,830	2,982	2,636	1,994	1,042	303	80	1,739	27
1,471	1,595	1,406	1,284	1,357	1,373	1,609	1,858	2,088	2,066	1,726	999	392	172	895	
23,185	24,333	22,286	21,919	23,122	24,107	26,155	27,769	27,392	23,917	17,391	9,000	3,212	1,100	1,864	28
12,559	13,540	12,650	12,495	13,004	13,197	13,787	14,414	14,032	12,055	8,350	4,041	1,216	371	1,127	29
10,626	10,793	9,636	9,424	10,118	10,910	12,368	13,355	13,360	11,862	9,041	4,959	1,996	729	737	30
21,230	22,250	20,334	20,124	21,372	22,733	24,867	26,742	26,515	23,293	16,893	8,722	3,050	903	1,658	31
11,446	12,395	11,586	11,485	12,017	12,439	13,135	13,883	13,594	11,759	8,125	3,927	1,159	304	1,000	32
9,784	9,855	8,748	8,639	9,355	10,294	11,732	12,859	12,921	11,534	8,768	4,795	1,891	599	658	33
13,645	13,181	11,889	10,844	10,089	10,507	11,321	12,723	13,190	12,970	10,261	5,590	2,037	459	679	34
1,857	1,826	1,908	2,093	2,359	2,726	3,163	3,762	3,972	3,969	2,994	1,502	489	70	91	35
1,961	1,865	1,863	2,023	2,220	2,506	2,951	3,422	3,793	3,884	3,220	1,874	774	175	105	
2,610	2,372	1,965	1,385	819	709	585	456	349	345	218	131	38	7	70	36
2,113	1,861	1,580	1,098	747	616	507	419	364	337	284	172	75	23	82	
6,884	8,199	7,664	8,520	10,567	11,530	12,829	13,313	12,613	9,725	6,149	2,888	930	421	294	37
3,778	4,647	4,590	5,045	6,143	6,371	6,736	6,741	6,316	4,928	2,954	1,401	382	165	166	38
3,106	3,552	3,074	3,475	4,424	5,159	6,093	6,572	6,297	4,797	3,195	1,487	548	256	128	39
1,955	2,083	1,952	1,795	1,750	1,374	1,288	1,027	877	624	498	278	162	197	206	40
1,113	1,145	1,064	1,010	987	758	652	531	438	296	225	114	57	67	127	41
842	938	888	785	763	616	636	496	439	328	273	164	105	130	79	42
2,162	2,064	2,107	2,278	2,522	2,893	3,359	3,997	4,190	4,210	3,176	1,585	511	75	108	43
2,238	2,083	2,078	2,213	2,378	2,721	3,115	3,632	4,033	4,129	3,414	2,003	829	193	123	
2,243	2,274	1,916	1,690	1,987	2,029	2,094	1,852	1,596	1,219	731	373	120	62	62	44
1,774	1,882	1,564	1,592	1,934	2,168	2,525	2,428	2,140	1,354	987	454	187	101	75	
1,106	1,277	1,376	1,329	1,331	1,347	1,513	1,575	1,609	1,304	739	285	68	23	24	45
982	957	894	836	862	1,015	1,133	1,346	1,484	1,207	736	312	88	28	15	
305	389	357	438	443	555	558	618	618	569	364	188	51	10	14	46
304	312	348	334	350	401	427	494	511	471	312	184	58	20	18	
331	400	314	318	319	330	321	353	309	231	137	87	22	15	32	47
440	414	317	292	311	265	287	299	243	225	150	76	32	13	31	
221	226	186	196	168	144	108	86	76	67	46	12	4	----------	9	48
188	169	122	82	75	58	50	89	83	63	44	25	1	1	3	
98	140	138	138	171	159	164	191	192	156	130	63	20	6	2	49
89	97	115	112	126	137	141	166	179	145	141	63	26	12	5	
199	231	179	177	156	124	85	70	50	32	21	10	2	1	6	50
124	114	96	67	64	69	38	40	41	27	16	4	1	5	2	
45	45	66	47	69	82	83	80	68	64	25	22	9	1	3	51
28	49	39	44	38	46	52	56	65	49	33	19	12	1	----------	
175	201	175	153	148	109	113	87	63	44	36	20	4	3	11	52
135	142	91	60	87	94	73	80	50	38	37	18	9	8	8	
345	361	347	267	299	256	238	203	199	153	98	57	10	6	21	53
197	208	163	142	129	159	170	172	153	139	115	41	18	9	5	
859	1,059	926	947	880	930	966	1,102	1,232	1,187	936	514	154	33	312	54
587	677	603	581	600	623	706	857	967	1,063	935	579	239	91	147	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	REGISTRATION CITIES.												
1	Total	402,666	85,384	22,388	10,337	6,686	4,784	129,579	12,525	6,791	10,539	17,633	20,005
2	Males	215,115	47,769	11,847	5,398	3,410	2,372	70,796	6,431	3,427	5,218	8,976	10,519
3	Females	187,551	37,615	10,541	4,939	3,276	2,412	58,783	6,094	3,364	5,321	8,657	9,486
4	White	367,430	77,867	20,250	9,341	6,159	4,432	118,049	11,499	5,924	8,960	15,054	17,590
5	Males	196,694	43,732	10,721	4,885	3,152	2,209	64,699	5,952	3,043	4,520	7,627	9,249
6	Females	170,736	34,135	9,529	4,456	3,007	2,223	53,350	5,547	2,881	4,440	7,427	8,341
7	Native	250,506	76,519	19,681	9,020	5,919	4,241	115,380	10,814	5,266	7,200	11,128	12,060
8	Both parents native M	36,297	10,979	2,377	1,143	711	530	15,740	1,438	752	920	1,313	1,213
	Both parents native F	33,984	8,677	2,136	1,041	677	515	13,046	1,335	747	989	1,355	1,298
9	One or both parents foreign M	43,763	17,625	4,683	1,997	1,219	771	26,295	1,910	864	1,206	1,904	2,321
	One or both parents foreign F	36,832	13,516	4,180	1,796	1,150	773	21,415	1,776	849	1,143	1,880	2,088
10	Foreign	106,484	351	310	172	154	115	1,102	485	528	1,494	3,433	4,973
11	Males	56,683	197	174	74	85	57	587	258	258	738	1,732	2,612
12	Females	49,801	154	136	98	69	58	515	227	270	756	1,701	2,361
13	Colored	35,236	7,517	2,138	996	527	352	11,530	1,026	867	1,579	2,579	2,415
14	Males	18,421	4,037	1,126	513	258	163	6,097	479	384	698	1,349	1,270
15	Females	16,815	3,480	1,012	483	269	189	5,433	547	483	881	1,230	1,145
	Birthplaces of mothers (white).												
16	United States M	42,624	13,632	2,915	1,391	877	642	19,457	1,732	928	1,162	1,591	1,474
	United States F	39,835	10,789	2,675	1,303	850	619	16,236	1,618	903	1,219	1,658	1,547
17	Ireland M	24,914	2,993	861	379	261	169	4,663	413	212	435	1,108	1,816
	Ireland F	25,095	2,333	750	369	237	155	3,844	400	220	454	1,131	1,629
18	Germany M	19,126	2,852	721	333	222	164	4,292	446	239	364	589	770
	Germany F	15,874	2,200	668	279	225	165	3,537	407	232	332	620	788
19	England and Wales M	5,633	802	192	102	59	32	1,187	134	67	117	170	241
	England and Wales F	4,815	657	175	84	54	34	1,004	99	69	91	156	213
20	Canada M	6,069	2,215	421	189	121	82	3,028	196	116	178	303	245
	Canada F	5,584	1,696	338	158	125	93	2,410	178	121	201	319	337
21	Scandinavia M	2,749	651	184	89	54	33	1,011	108	39	78	115	162
	Scandinavia F	2,114	480	167	59	43	42	791	101	62	69	137	134
22	Scotland M	1,710	188	44	22	18	10	282	35	14	26	46	61
	Scotland F	1,505	127	41	22	14	11	215	29	13	31	44	62
23	Italy M	4,946	1,809	763	277	157	73	3,079	163	65	111	161	187
	Italy F	3,777	1,442	681	251	126	86	2,586	149	62	92	129	111
24	France M	814	108	27	8	7	4	154	13	6	9	24	30
	France F	619	78	21	5	2	2	108	11	6	7	19	29
25	Russia and Poland M	4,740	1,871	564	232	125	70	2,862	165	66	94	152	170
	Russia and Poland F	3,596	1,332	469	219	104	70	2,194	139	48	89	127	125
26	Other foreign countries M	5,863	1,844	523	189	108	65	2,729	150	52	119	235	302
	Other foreign countries F	4,371	1,377	447	168	99	60	2,151	168	79	125	215	202
27	Unknown M	11,531	1,718	263	158	90	64	2,288	195	119	210	458	635
	Unknown F	8,763	1,439	266	128	83	56	1,972	138	95	180	384	450
	REGISTRATION STATES.												
28	Total	301,670	60,524	15,101	6,797	4,385	2,933	89,740	7,909	4,576	7,118	11,090	12,893
29	Males	157,745	33,924	8,021	3,547	2,227	1,468	49,187	4,047	2,274	3,534	5,484	6,519
30	Females	143,925	26,600	7,080	3,250	2,158	1,465	40,553	3,862	2,302	3,584	5,606	6,374
31	White	292,618	58,250	14,521	6,533	4,247	2,836	86,387	7,669	4,341	6,781	10,547	12,367
32	Males	153,183	32,713	7,720	3,421	2,166	1,435	47,455	3,938	2,178	3,405	5,223	6,255
33	Females	139,435	25,537	6,801	3,112	2,081	1,401	38,932	3,731	2,163	3,376	5,324	6,112
34	Native	210,918	57,735	14,177	6,331	4,086	2,724	85,053	7,176	3,900	5,519	7,820	8,564
35	Both parents native M	53,032	12,391	2,575	1,202	772	559	17,499	1,599	955	1,308	1,630	1,531
	Both parents native F	50,627	9,981	2,272	1,119	753	519	14,644	1,548	932	1,362	1,719	1,724
36	One or both parents foreign M	44,845	18,204	4,674	1,981	1,216	767	26,842	1,897	882	1,243	1,896	2,353
	One or both parents foreign F	37,812	13,766	4,099	1,761	1,190	772	21,588	1,811	892	1,202	1,871	2,084
37	Foreign	78,077	353	301	175	148	102	1,079	452	415	1,211	2,607	3,642
38	Males	40,088	189	164	81	82	51	567	248	198	599	1,259	1,802
39	Females	37,989	164	137	94	66	51	512	204	217	612	1,348	1,840
40	Colored	9,052	2,274	580	264	138	97	3,353	240	235	337	543	526
41	Males	4,562	1,211	301	126	61	33	1,732	109	96	129	261	264
42	Females	4,490	1,063	279	138	77	64	1,621	131	139	208	282	262
	Birthplaces of mothers (white).												
43	United States M	60,580	15,305	3,170	1,465	930	681	21,551	1,931	1,142	1,565	1,955	1,820
	United States F	57,563	12,253	2,816	1,382	936	624	18,011	1,868	1,110	1,629	2,035	2,004
44	Ireland M	26,554	3,093	857	383	277	166	4,776	427	213	462	1,136	1,881
	Ireland F	26,858	2,370	749	367	248	166	3,900	411	230	486	1,151	1,687
45	Germany M	16,048	2,403	585	290	190	133	3,601	378	186	304	472	643
	Germany F	13,173	1,848	536	220	193	130	2,927	339	187	252	511	656
46	England and Wales M	6,433	832	193	104	55	33	1,217	142	67	108	175	226
	England and Wales F	5,466	676	176	82	52	39	1,025	104	75	92	169	199
47	Canada M	9,257	3,198	613	288	192	123	4,414	301	203	321	417	362
	Canada F	8,509	2,409	522	238	188	129	3,486	285	197	340	484	484
48	Scandinavia M	2,363	648	176	79	53	30	986	80	27	51	79	125
	Scandinavia F	1,830	439	169	52	48	41	749	89	47	50	94	108
49	Scotland M	1,977	199	47	25	20	9	300	41	11	28	49	64
	Scotland F	1,793	144	40	19	17	12	232	35	13	42	42	73
50	Italy M	4,909	1,872	776	281	154	77	3,160	157	61	105	156	164
	Italy F	3,765	1,450	679	251	136	85	2,601	151	59	90	126	112
51	France M	689	111	29	7	5	5	157	11	7	9	23	21
	France F	508	83	21	7	1	2	114	7	5	3	13	26
52	Russia and Poland M	3,899	1,522	476	184	106	55	2,343	136	53	85	127	137
	Russia and Poland F	3,007	1,113	394	189	81	54	1,831	108	45	72	109	110
53	Other foreign countries M	5,459	1,798	503	166	90	65	2,622	142	62	116	188	245
	Other foreign countries F	4,244	1,333	411	165	107	60	2,076	164	76	123	194	178
54	Unknown M	12,095	1,245	206	114	77	44	1,686	137	99	167	342	476
	Unknown F	9,835	1,085	210	102	60	41	1,498	106	72	132	290	342

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
19,633	20,551	18,538	17,983	18,742	18,760	19,710	19,788	18,460	14,664	10,053	5,014	1,686	678	1,334	1
10,881	11,627	10,743	10,442	10,751	10,372	10,388	10,188	9,185	6,994	4,515	2,074	560	225	803	2
8,752	8,924	7,795	7,541	7,991	8,388	9,322	9,600	9,275	7,670	5,538	2,940	1,126	453	531	3
17,744	18,527	16,660	16,248	17,060	17,464	18,501	18,827	17,660	14,103	9,616	4,766	1,537	495	1,146	4
9,808	10,512	9,710	9,461	9,797	9,658	9,779	9,696	8,790	6,733	4,327	1,975	500	162	687	5
7,936	8,015	6,950	6,787	7,263	7,806	8,722	9,131	8,870	7,370	5,289	2,791	1,028	333	459	6
10,967	10,489	9,177	8,015	7,114	6,875	6,901	7,250	6,947	6,148	4,789	2,523	818	186	459	7
1,186	1,113	1,140	1,166	1,314	1,404	1,467	1,636	1,500	1,330	1,015	454	135	18	43	8
1,091	1,063	1,021	1,046	1,146	1,221	1,357	1,509	1,672	1,624	1,319	740	292	61	52	
2,197	1,955	1,603	1,104	647	511	402	274	174	167	120	48	11	----------	50	9
1,695	1,477	1,231	883	551	441	366	255	241	184	153	101	39	13	51	
6,142	7,254	6,797	7,549	9,308	9,987	10,993	10,993	10,171	7,534	4,499	2,087	664	298	193	10
3,419	4,144	4,112	4,496	5,426	5,503	5,741	5,528	5,002	3,673	2,039	947	251	110	107	11
2,723	3,110	2,685	3,053	3,882	4,484	5,252	5,465	5,169	3,861	2,460	1,140	413	188	86	12
1,889	2,024	1,878	1,735	1,682	1,296	1,209	961	800	561	437	248	149	183	188	13
1,073	1,115	1,033	981	954	714	609	492	395	261	188	99	51	63	116	14
816	909	845	754	728	582	600	469	405	300	249	149	98	120	72	15
1,409	1,279	1,280	1,283	1,417	1,497	1,582	1,738	1,595	1,418	1,091	476	140	21	54	16
1,274	1,213	1,168	1,163	1,233	1,339	1,442	1,609	1,793	1,746	1,421	805	320	68	60	
1,975	1,970	1,689	1,438	1,717	1,678	1,663	1,422	1,162	802	442	212	72	39	36	17
1,556	1,632	1,342	1,400	1,679	1,842	2,103	1,919	1,674	1,015	688	321	129	70	47	
979	1,141	1,218	1,178	1,170	1,153	1,269	1,287	1,280	979	507	197	41	14	13	18
837	818	744	725	760	868	965	1,116	1,217	982	588	241	65	21	11	
243	322	288	334	338	417	404	413	362	308	161	88	26	4	9	19
223	230	265	241	263	309	311	331	339	308	190	116	27	15	10	
236	258	198	195	193	194	185	177	145	106	51	37	8	5	15	20
275	255	205	187	191	159	179	169	130	113	78	39	16	5	17	
188	185	157	162	138	111	89	64	53	43	33	5	2	----------	6	21
150	131	103	69	58	42	43	68	67	48	23	17	----------	----------	1	
86	117	110	107	127	119	118	132	121	86	75	34	8	4	2	22
72	82	94	91	101	106	102	109	120	92	78	40	17	5	2	
173	197	156	159	134	113	81	59	47	26	20	8	2	1	4	23
117	104	89	60	62	61	37	34	37	23	14	4	1	3	2	
42	38	61	43	61	71	71	58	47	50	16	14	5	1	----------	24
25	43	32	40	31	40	45	50	53	39	26	11	2	----------	----------	
162	183	161	140	140	100	108	77	56	40	30	19	4	3	8	25
127	138	81	59	80	91	67	77	48	35	32	18	7	7	7	
291	290	292	234	251	203	192	161	141	102	61	36	6	2	14	26
165	167	129	114	104	136	135	128	111	104	83	29	15	8	3	
726	874	743	756	666	646	630	615	634	502	382	218	52	9	173	27
490	544	461	428	414	398	438	495	491	487	415	267	94	31	91	
12,630	13,142	12,142	12,112	13,262	14,531	16,033	17,385	17,803	16,467	12,305	6,566	2,407	703	856	28
6,601	7,081	6,570	6,568	7,116	7,632	8,227	8,873	8,996	8,375	5,967	3,023	947	231	493	29
6,029	6,061	5,572	5,544	6,146	6,899	7,806	8,512	8,807	8,092	6,338	3,543	1,460	472	363	30
12,225	12,723	11,691	11,691	12,901	14,160	15,716	17,118	17,528	16,287	12,147	6,478	2,372	661	828	31
6,366	6,862	6,354	6,351	6,921	7,434	8,069	8,733	8,856	8,281	5,888	2,985	935	218	476	32
5,859	5,861	5,337	5,340	5,980	6,726	7,647	8,385	8,672	8,006	6,259	3,493	1,437	443	352	33
7,694	7,339	6,790	6,421	6,175	6,848	7,729	8,895	9,686	10,154	8,139	4,540	1,743	380	353	34
1,398	1,416	1,500	1,728	1,953	2,350	2,749	3,358	3,581	3,684	2,778	1,418	463	67	67	35
1,555	1,469	1,515	1,706	1,894	2,195	2,626	3,038	3,417	3,564	2,984	1,754	742	166	73	
2,128	1,918	1,526	1,101	654	559	477	367	292	297	208	112	35	7	51	36
1,732	1,514	1,285	866	593	506	408	346	300	276	232	147	68	18	73	
4,342	5,118	4,629	5,050	6,525	7,111	7,759	8,015	7,591	5,888	3,793	1,815	584	266	185	37
2,241	2,768	2,608	2,813	3,601	3,713	3,913	3,923	3,689	2,952	1,826	907	256	109	96	38
2,101	2,350	2,021	2,237	2,924	3,398	3,846	4,092	3,902	2,936	1,967	908	328	157	89	39
405	419	451	421	361	371	317	267	275	180	158	88	35	42	28	40
235	219	216	217	195	198	158	140	140	94	79	38	12	13	17	41
170	200	235	204	166	173	159	127	135	86	79	50	23	29	11	42
1,644	1,601	1,653	1,878	2,094	2,494	2,916	3,565	3,779	3,912	2,948	1,497	484	70	81	43
1,780	1,639	1,688	1,868	2,032	2,380	2,768	3,224	3,640	3,784	3,158	1,877	795	184	89	
2,002	2,011	1,684	1,499	1,732	1,754	1,830	1,594	1,370	1,044	609	320	105	53	52	44
1,625	1,709	1,411	1,438	1,757	1,958	2,279	2,158	1,893	1,186	862	398	160	86	73	
788	895	954	924	947	940	1,069	1,119	1,102	906	520	215	54	15	16	45
708	678	651	550	608	750	795	954	1,013	829	479	202	56	18	10	
242	312	271	341	363	451	452	506	532	475	318	170	44	10	11	46
249	268	291	276	281	327	360	401	440	403	267	156	53	13	17	
299	363	274	287	295	310	295	335	292	218	127	80	21	15	28	47
421	302	301	269	297	249	277	287	233	220	143	70	30	13	31	
138	151	116	138	106	94	69	56	49	45	36	10	2	----------	5	48
128	116	74	60	51	39	28	61	45	44	30	13	1	1	2	
83	114	113	112	146	125	132	155	165	137	114	58	18	6	1	49
76	85	96	100	109	124	120	145	160	134	120	52	22	10	3	
158	191	148	142	135	104	70	60	40	29	15	7	1	1	5	50
114	99	84	57	60	62	33	35	33	25	13	4	1	4	2	
30	29	38	31	46	58	48	50	43	45	20	14	6	----------	3	51
20	32	25	27	26	23	37	36	43	32	18	13	7	1	----------	
136	152	125	103	108	91	88	77	49	37	29	13	3	1	6	52
103	114	69	47	73	74	63	65	37	29	27	13	8	5	5	
233	268	239	191	230	188	170	141	152	121	78	46	10	5	12	53
160	167	131	128	102	129	132	127	115	105	88	31	10	3	5	
535	694	627	620	625	679	760	884	1,013	1,039	832	465	144	29	242	54
384	447	413	429	453	467	569	702	816	949	846	523	216	84	97	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	CITIES IN REGISTRATION STATES.												
1	Total	191,667	43,688	11,503	5,114	3,246	2,197	65,748	5,389	2,782	4,237	7,363	8,962
2	Males	100,041	24,442	6,100	2,670	1,665	1,078	35,955	2,771	1,362	2,094	3,629	4,620
3	Females	91,626	19,246	5,403	2,444	1,581	1,119	29,793	2,618	1,420	2,143	3,734	4,342
4	White	184,408	41,848	11,024	4,888	3,130	2,115	63,005	5,199	2,599	3,978	6,912	8,521
5	Males	96,386	23,473	5,848	2,560	1,610	1,048	34,539	2,685	1,290	1,994	3,407	4,392
6	Females	88,022	18,375	5,176	2,328	1,520	1,067	28,466	2,514	1,309	1,984	3,505	4,129
7	Native	124,490	41,465	10,756	4,731	2,996	2,021	61,969	4,827	2,272	3,041	4,774	5,448
8	Both parents native M	24,587	7,374	1,573	736	472	350	10,505	928	447	558	749	750
	Both parents native F	23,568	5,952	1,400	680	455	349	8,836	876	435	588	789	768
9	One or both parents foreign M	34,964	14,649	3,954	1,659	1,001	614	21,877	1,444	620	867	1,436	1,814
	One or both parents foreign F	29,313	11,147	3,474	1,481	961	634	17,697	1,382	641	819	1,413	1,594
10	Foreign	58,096	273	238	138	126	80	861	348	315	910	2,068	2,980
11	Males	29,225	153	132	60	72	42	459	191	141	436	977	1,471
12	Females	28,871	120	106	78	54	44	402	157	174	474	1,091	1,509
13	Colored	7,259	1,840	479	226	116	82	2,743	190	183	259	451	441
14	Males	3,655	969	252	110	55	30	1,416	86	72	100	222	228
15	Females	3,604	871	227	116	61	52	1,327	104	111	159	229	213
	Birthplaces of mothers (white).												
16	United States M	29,439	9,497	2,005	937	598	431	13,468	1,140	570	716	946	940
	United States F	28,044	7,621	1,821	884	589	428	11,343	1,087	546	745	1,000	945
17	Ireland M	21,473	2,792	801	351	249	151	4,344	362	172	368	950	1,599
	Ireland F	22,186	2,154	682	340	220	148	3,544	363	188	398	997	1,451
18	Germany M	12,508	1,978	500	237	145	114	2,974	299	144	230	370	507
	Germany F	10,338	1,531	461	185	163	114	2,454	272	152	185	396	515
19	England and Wales M	4,246	670	153	80	45	27	975	101	50	76	131	175
	England and Wales F	3,737	552	145	66	43	28	834	73	54	67	118	150
20	Canada M	5,590	2,148	407	184	118	79	2,936	177	100	166	273	215
	Canada F	5,224	1,628	332	152	122	87	2,321	155	115	184	286	307
21	Scandinavia M	1,688	464	128	66	42	21	721	61	17	36	57	94
	Scandinavia F	1,273	317	119	41	31	31	539	63	34	32	66	79
22	Scotland M	1,349	155	36	21	18	9	239	31	9	22	36	50
	Scotland F	1,250	112	35	19	13	11	190	26	8	26	34	53
23	Italy M	4,427	1,699	735	262	148	71	2,915	148	54	89	137	141
	Italy F	3,469	1,332	615	233	120	78	2,408	137	57	82	117	102
24	France M	522	95	25	7	5	4	136	11	5	8	17	15
	France F	395	70	19	5	1	1	96	6	5	3	11	21
25	Russia and Poland M	3,491	1,368	447	170	97	46	2,128	117	45	73	106	115
	Russia and Poland F	2,721	975	366	173	77	50	1,641	98	38	66	100	102
26	Other foreign countries M	4,208	1,452	424	140	79	51	2,146	113	44	81	138	186
	Other foreign countries F	3,310	1,066	350	137	87	50	1,690	132	56	93	160	135
27	Unknown M	7,045	1,059	169	97	62	40	1,427	111	71	119	228	342
	Unknown F	5,665	944	186	87	51	34	1,302	86	51	92	203	247
	RURAL PART OF REGISTRATION STATES.												
28	Total	110,003	16,836	3,598	1,683	1,139	736	23,992	2,520	1,794	2,881	3,727	3,931
29	Males	57,704	9,482	1,921	877	562	390	13,232	1,276	912	1,440	1,855	1,899
30	Females	52,299	7,354	1,677	806	577	346	10,760	1,244	882	1,441	1,872	2,032
31	White	108,210	16,402	3,497	1,645	1,117	721	23,382	2,470	1,742	2,803	3,635	3,846
32	Males	56,797	9,240	1,872	861	556	387	12,916	1,253	888	1,411	1,816	1,863
33	Females	51,413	7,162	1,625	784	561	334	10,466	1,217	854	1,392	1,819	1,983
34	Native	86,428	16,270	3,421	1,600	1,090	703	23,084	2,349	1,628	2,478	3,046	3,116
35	Both parents native M	28,445	5,017	1,002	466	300	209	6,994	671	508	750	881	781
	Both parents native F	27,059	4,029	872	439	298	170	5,808	672	497	774	930	956
36	One or both parents foreign M	9,881	3,555	720	322	215	153	4,965	453	262	376	460	539
	One or both parents foreign F	8,499	2,619	625	280	229	138	3,891	429	251	383	458	490
37	Foreign	19,981	80	63	37	22	16	218	104	100	301	539	662
38	Males	10,863	36	32	21	10	9	108	57	57	163	282	331
39	Females	9,118	44	31	16	12	7	110	47	43	138	257	331
40	Colored	1,793	434	101	38	22	15	610	50	52	78	92	85
41	Males	907	242	49	16	6	3	316	23	24	29	39	36
42	Females	886	192	52	22	16	12	294	27	28	49	53	49
	Birthplaces of mothers (white).												
43	United States M	31,141	5,808	1,165	528	332	250	8,083	791	572	849	1,009	880
	United States F	29,519	4,632	995	498	317	196	6,668	781	564	884	1,035	1,059
44	Ireland M	5,081	301	56	32	28	15	432	65	41	94	186	282
	Ireland F	4,672	216	67	27	28	18	356	48	42	88	154	236
45	Germany M	3,540	425	85	53	45	19	627	79	42	74	102	136
	Germany F	2,835	317	75	35	30	16	473	67	35	67	115	141
46	England and Wales M	2,187	162	40	24	10	6	242	41	17	32	44	51
	England and Wales F	1,729	124	31	16	9	11	191	31	21	25	51	49
47	Canada M	3,667	1,050	266	104	74	44	1,478	124	103	155	144	147
	Canada F	3,285	781	190	86	66	42	1,165	130	82	156	198	177
48	Scandinavia M	675	184	48	13	11	9	265	19	10	15	22	31
	Scandinavia F	557	122	50	11	17	10	210	26	13	18	28	29
49	Scotland M	628	44	11	4	2	------	61	10	2	6	13	14
	Scotland F	513	32	5	------	4	1	42	9	5	16	8	20
50	Italy M	482	173	41	19	6	6	245	9	7	16	19	23
	Italy F	296	118	34	18	16	7	193	14	2	8	9	10
51	France M	167	16	4	------	------	1	21	------	2	1	6	6
	France F	113	13	2	2	------	1	18	1	------	------	2	5
52	Russia and Poland M	408	154	29	14	9	9	215	19	8	12	21	22
	Russia and Poland F	286	138	28	16	4	4	190	10	7	6	9	8
53	Other foreign countries M	1,251	346	79	26	11	14	476	29	18	35	50	59
	Other foreign countries F	934	267	61	28	20	10	386	32	20	30	34	43
54	Unknown M	5,050	186	37	17	15	4	259	26	28	48	114	134
	Unknown F	4,170	141	24	15	9	7	196	20	21	40	87	95

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
9,078	9,360	8,394	8,176	8,882	9,184	9,588	9,404	8,871	7,214	4,967	2,580	881	281	326	1
4,923	5,168	4,663	4,515	4,863	4,807	4,828	4,647	4,149	3,314	2,132	1,056	291	85	169	2
4,155	4,192	3,731	3,661	4,019	4,377	4,760	4,757	4,722	3,900	2,835	1,524	590	196	157	3
8,739	9,000	8,017	7,815	8,589	8,891	9,350	9,203	8,673	7,097	4,870	2,522	859	253	316	4
4,728	4,979	4,478	4,327	4,701	4,653	4,713	4,546	4,052	3,255	2,090	1,033	285	76	163	5
4,011	4,021	3,539	3,488	3,888	4,238	4,637	4,657	4,621	3,842	2,780	1,489	574	177	153	6
5,016	4,647	4,078	3,592	3,200	3,216	3,309	3,422	3,443	3,332	2,667	1,473	524	107	133	7
727	703	732	801	908	1,028	1,053	1,232	1,109	1,045	799	370	109	15	19	8
685	667	673	729	820	910	1,032	1,125	1,206	1,304	1,083	620	260	52	20	8
1,715	1,501	1,164	820	482	361	294	185	117	119	80	29	8	----------	31	9
1,314	1,130	936	651	397	331	267	182	177	123	101	76	32	8	42	9
3,600	4,173	3,762	4,079	5,266	5,568	5,923	5,695	5,149	3,697	2,143	1,014	318	143	84	10
1,882	2,265	2,130	2,264	2,884	2,845	2,918	2,710	2,375	1,697	911	453	125	54	37	11
1,718	1,908	1,632	1,815	2,382	2,723	3,005	2,985	2,774	2,000	1,232	561	193	89	47	12
339	360	377	361	293	293	238	201	198	117	97	58	22	28	10	13
195	189	185	188	162	154	115	101	97	59	42	23	6	9	6	14
144	171	192	173	131	139	123	100	101	58	55	35	16	19	4	15
891	816	826	883	989	1,098	1,139	1,306	1,184	1,120	863	388	113	16	27	16
816	769	778	818	887	998	1,095	1,201	1,400	1,401	1,165	679	286	59	26	16
1,734	1,707	1,407	1,247	1,462	1,403	1,399	1,164	936	627	320	159	57	30	26	17
1,407	1,459	1,189	1,246	1,502	1,632	1,857	1,649	1,427	847	563	265	102	55	45	17
661	759	796	773	786	746	825	831	773	581	288	127	27	6	5	18
563	539	501	439	506	603	627	724	746	604	331	131	33	11	6	18
180	245	202	237	258	313	298	301	276	214	115	70	19	4	6	19
173	186	208	183	194	235	244	238	268	240	145	88	22	8	9	19
204	221	158	164	169	174	159	159	128	93	41	30	7	5	11	20
256	233	189	164	177	143	169	157	120	108	71	33	14	5	17	20
105	110	87	104	76	61	50	34	26	21	23	3	----------	----------	2	21
90	78	55	47	34	23	21	40	29	29	9	5	----------	----------	----------	21
76	91	85	81	102	85	86	96	94	67	59	29	6	4	1	22
59	70	75	79	84	93	81	88	101	81	57	29	13	3	----------	22
132	157	125	124	113	93	66	49	37	23	14	5	1	1	3	23
107	89	77	50	58	54	32	29	29	21	11	4	1	2	2	23
27	22	33	27	38	47	36	28	22	31	11	6	2	----------	----------	24
17	26	18	23	19	17	30	30	31	22	11	5	4	----------	----------	24
123	134	111	90	100	82	83	67	42	33	23	12	3	1	3	25
95	110	59	46	66	71	57	62	35	26	22	13	6	4	4	25
179	197	184	158	182	135	124	99	94	70	41	25	6	1	5	26
128	126	97	100	77	106	97	83	73	70	56	19	7	2	3	26
402	509	444	429	411	395	424	397	415	354	278	169	42	5	73	27
287	314	271	276	267	242	301	340	340	373	326	211	71	24	41	27
3,552	3,782	3,748	3,936	4,380	5,347	6,445	7,981	8,932	9,253	7,338	3,986	1,526	422	530	28
1,678	1,913	1,907	2,053	2,253	2,825	3,399	4,226	4,847	5,061	3,835	1,967	656	146	324	29
1,874	1,869	1,841	1,883	2,127	2,522	3,046	3,755	4,085	4,192	3,503	2,019	870	276	206	30
3,486	3,723	3,674	3,876	4,312	5,269	6,366	7,915	8,855	9,190	7,277	3,956	1,513	408	512	31
1,638	1,883	1,876	2,024	2,220	2,781	3,356	4,187	4,804	5,026	3,798	1,952	650	142	313	32
1,848	1,840	1,798	1,852	2,092	2,488	3,010	3,728	4,051	4,164	3,479	2,004	863	266	199	33
2,678	2,692	2,712	2,829	2,975	3,632	4,420	5,473	6,243	6,822	5,472	3,067	1,219	273	220	34
671	713	768	927	1,045	1,322	1,696	2,126	2,472	2,639	1,979	1,048	354	52	48	35
870	802	842	977	1,074	1,285	1,594	1,913	2,121	2,260	1,901	1,134	482	114	53	35
413	417	362	281	172	198	183	182	175	178	128	83	27	7	20	36
418	384	349	215	196	175	141	164	123	153	131	71	36	10	31	36
742	945	867	971	1,259	1,543	1,836	2,320	2,442	2,191	1,650	801	266	123	101	37
359	503	478	549	717	868	995	1,213	1,314	1,255	915	454	131	55	59	38
383	442	389	422	542	675	841	1,107	1,128	936	735	347	135	68	42	39
66	59	74	60	68	78	79	66	77	63	61	30	13	14	18	40
40	30	31	29	33	44	43	39	43	35	37	15	6	4	11	41
26	29	43	31	35	34	36	27	34	28	24	15	7	10	7	42
753	785	827	995	1,105	1,396	1,777	2,259	2,595	2,792	2,085	1,109	371	54	54	43
964	870	910	1,050	1,145	1,382	1,673	2,023	2,240	2,383	1,993	1,198	509	125	63	43
268	304	277	252	270	351	431	430	434	417	289	161	48	23	26	44
218	250	222	192	255	326	422	509	466	339	299	133	58	31	28	44
127	136	158	151	161	194	244	288	329	325	232	88	27	9	11	45
145	139	150	111	102	147	168	230	267	225	148	71	23	7	4	45
62	67	69	104	105	138	154	205	256	261	203	100	25	6	5	46
76	82	83	93	87	92	116	163	172	163	122	68	31	5	8	46
95	142	116	123	126	136	136	176	164	125	86	50	14	10	17	47
165	159	112	105	120	106	108	130	113	112	72	37	16	8	14	47
33	41	29	34	30	33	19	22	23	24	13	7	2	----------	3	48
38	38	19	13	17	16	7	21	16	15	21	8	1	1	2	48
12	23	28	31	44	40	46	59	71	70	55	29	12	2	----------	49
17	15	21	21	25	31	39	57	59	53	63	23	9	7	3	49
26	34	23	18	22	11	4	11	3	6	1	2	----------	----------	2	50
7	10	7	7	2	8	1	6	4	4	2	----------	----------	2	----------	50
3	7	5	4	8	11	12	22	21	14	9	8	4	----------	3	51
8	6	7	4	7	6	7	6	12	10	7	8	3	1	----------	51
13	18	14	13	8	9	5	10	7	4	6	1	----------	----------	3	52
8	4	10	1	7	3	6	3	2	3	5	----------	2	1	1	52
54	71	55	33	48	53	46	42	58	51	37	21	4	4	7	53
32	41	34	28	25	23	35	44	42	35	32	12	3	1	2	53
133	185	183	191	214	284	336	487	598	685	554	296	102	24	169	54
97	133	142	153	186	225	268	362	476	576	520	312	145	60	56	54

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	REGISTRATION CITIES IN NONREGISTRATION STATES.												
1	Total	210,999	41,696	10,885	5,223	3,440	2,587	63,831	7,136	4,009	6,302	10,270	11,043
2	Males	115,074	23,327	5,747	2,728	1,745	1,294	34,841	3,660	2,065	3,124	5,347	5,899
3	Females	95,925	18,369	5,138	2,495	1,695	1,293	28,990	3,476	1,944	3,178	4,923	5,144
4	White	183,022	36,019	9,226	4,453	3,029	2,317	55,044	6,300	3,325	4,982	8,142	9,069
5	Males	100,308	20,259	4,873	2,325	1,542	1,161	30,160	3,267	1,753	2,526	4,220	4,857
6	Females	82,714	15,760	4,353	2,128	1,487	1,156	24,884	3,033	1,572	2,456	3,922	4,212
7	Native	126,016	35,054	8,925	4,289	2,923	2,220	53,411	5,987	2,994	4,159	6,354	6,612
8	Both parents native M	11,710	3,605	804	407	239	180	5,235	510	305	362	564	463
	Both parents native F	10,416	2,725	736	361	222	166	4,210	459	312	401	566	530
9	One or both parents foreign M	8,799	2,976	729	338	218	157	4,418	466	244	339	468	507
	One or both parents foreign F	7,519	2,369	706	315	189	139	3,718	394	208	324	467	494
10	Foreign	48,388	78	72	34	28	29	241	137	213	584	1,365	1,993
11	Males	27,458	44	42	14	13	15	128	67	117	302	755	1,141
12	Females	20,930	34	30	20	15	14	113	70	96	282	610	852
13	Colored	27,977	5,677	1,659	770	411	270	8,787	836	684	1,320	2,128	1,974
14	Males	14,766	3,068	874	403	203	133	4,681	393	312	598	1,127	1,042
15	Females	13,211	2,609	785	367	208	137	4,106	443	372	722	1,001	932
	Birthplaces of mothers (white).												
16	United States M	13,185	4,135	910	454	279	211	5,989	592	358	446	645	534
	United States F	11,791	3,168	854	419	261	191	4,893	531	357	474	658	602
17	Ireland M	3,441	201	60	28	12	18	319	51	40	67	158	217
	Ireland F	2,909	179	68	29	17	7	300	37	32	56	134	178
18	Germany M	6,618	874	221	96	77	50	1,318	147	95	134	219	263
	Germany F	5,536	669	207	94	62	51	1,083	135	80	147	224	273
19	England and Wales M	1,387	132	39	22	14	5	212	33	17	41	39	66
	England and Wales F	1,078	105	30	18	11	6	170	26	15	24	38	63
20	Canada M	479	67	14	5	3	3	92	19	16	12	30	30
	Canada F	360	68	6	6	3	0	89	23	6	17	33	30
21	Scandinavia M	1,061	187	56	23	12	12	290	47	22	42	58	68
	Scandinavia F	841	163	48	18	12	11	252	38	28	37	71	55
22	Scotland M	361	33	8	1	--------	1	43	4	5	4	10	11
	Scotland F	255	15	6	3	1	--------	25	3	5	5	10	9
23	Italy M	519	110	28	15	9	2	164	15	11	22	24	46
	Italy F	308	110	36	18	6	8	178	12	5	10	12	9
24	France M	292	13	2	1	2	--------	18	2	1	1	7	15
	France F	224	8	2	--------	1	1	12	--------	1	4	8	8
25	Russia and Poland M	1,249	503	117	62	28	24	734	48	21	21	46	55
	Russia and Poland F	875	357	103	46	27	20	553	41	10	23	27	23
26	Other foreign countries M	1,655	392	99	49	29	14	583	37	8	38	97	116
	Other foreign countries F	1,061	311	97	31	12	10	461	36	23	32	55	67
27	Unknown M	4,486	659	94	56	28	24	861	84	48	91	230	293
	Unknown F	3,098	495	80	41	32	22	670	52	44	88	181	203
	NONREGISTRATION RECORD.												
28	Total	526,425	97,105	33,893	16,116	9,813	7,034	163,961	21,703	15,915	24,689	29,644	24,757
29	Males	278,792	53,422	17,831	8,383	4,970	3,578	88,184	10,953	7,857	11,671	14,421	11,755
30	Females	247,633	43,683	16,062	7,733	4,843	3,456	75,777	10,750	8,058	13,018	15,223	13,002
31	White	416,452	76,396	25,465	11,904	7,372	5,340	126,477	16,303	11,494	17,114	20,830	18,491
32	Males	223,589	42,372	13,440	6,192	3,750	2,744	68,498	8,365	5,849	8,311	10,218	8,896
33	Females	192,863	34,024	12,025	5,712	3,622	2,596	57,979	7,938	5,645	8,803	10,612	9,595
34	Native	357,448	75,659	25,109	11,718	7,232	5,245	124,963	15,928	11,120	16,230	19,141	16,518
35	Both parents native M	144,928	33,006	11,047	5,018	2,967	2,148	54,186	6,464	4,481	6,251	7,068	5,647
	Both parents native F	135,391	26,824	9,916	4,680	2,935	2,079	46,434	6,210	4,302	6,778	7,763	6,641
36	One or both parents foreign M	23,828	6,599	1,630	826	547	417	10,019	1,323	920	1,166	1,430	1,258
	One or both parents foreign F	20,411	5,021	1,459	705	492	378	8,055	1,244	889	1,182	1,393	1,317
37	Foreign	48,787	116	85	47	35	33	316	160	232	615	1,181	1,473
38	Males	29,763	68	43	19	20	19	169	90	126	340	668	861
39	Females	19,024	48	42	28	15	14	147	70	106	275	513	612
40	Colored	109,973	20,709	8,428	4,212	2,441	1,694	37,484	5,400	4,421	7,575	8,814	6,266
41	Males	55,203	11,050	4,391	2,191	1,220	834	19,686	2,588	2,008	3,360	4,203	2,859
42	Females	54,770	9,659	4,037	2,021	1,221	860	17,798	2,812	2,413	4,215	4,611	3,407
	Birthplaces of mothers (white).												
43	United States M	151,858	34,957	11,519	5,244	3,137	2,272	57,129	6,863	4,745	6,614	7,488	5,955
	United States F	141,639	28,329	10,371	4,885	3,095	2,194	48,874	6,570	4,563	7,141	8,172	6,978
44	Ireland M	7,970	203	56	27	18	18	322	59	56	110	227	318
	Ireland F	5,509	135	51	27	21	15	249	55	59	112	173	289
45	Germany M	16,504	1,474	330	180	119	93	2,196	352	248	361	502	534
	Germany F	12,052	1,092	291	147	101	72	1,703	300	245	365	528	544
46	England and Wales M	5,653	395	114	58	40	22	629	72	80	134	194	187
	England and Wales F	3,705	291	107	42	32	21	493	101	63	89	159	164
47	Canada M	1,799	243	54	33	24	19	373	68	50	71	106	94
	Canada F	1,374	202	50	31	21	14	318	54	49	63	88	86
48	Scandinavia M	5,869	851	220	107	58	59	1,295	183	172	226	307	291
	Scandinavia F	4,728	636	185	102	60	57	1,040	194	157	268	306	266
49	Scotland M	1,539	90	24	9	9	5	137	19	32	30	48	43
	Scotland F	1,002	77	26	14	6	7	130	19	15	17	33	41
50	Italy M	708	160	42	21	13	13	249	23	10	20	19	40
	Italy F	334	90	43	14	13	14	174	14	11	12	18	15
51	France M	750	25	6	4	1	0	42	8	9	15	20	14
	France F	464	22	10	2	3	3	40	5	6	15	14	26
52	Russia and Poland M	1,493	484	131	66	43	41	765	80	54	44	52	63
	Russia and Poland F	1,110	359	125	62	36	28	610	87	33	42	36	42
53	Other foreign countries M	4,986	932	251	127	80	54	1,444	166	89	152	227	261
	Other foreign countries F	3,585	749	194	95	70	53	1,161	149	111	140	181	172
54	Unknown M	24,460	2,558	693	316	208	142	3,917	472	304	534	1,028	1,096
	Unknown F	17,361	2,042	572	291	164	118	3,187	390	333	539	904	972

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
10,555	11,191	10,144	9,807	9,860	9,576	10,122	10,384	9,589	7,450	5,086	2,434	805	397	1,008	1
5,958	6,459	6,080	5,927	5,888	5,565	5,560	5,541	5,036	3,680	2,383	1,018	269	140	634	2
4,597	4,732	4,064	3,880	3,972	4,011	4,562	4,843	4,553	3,770	2,703	1,416	536	257	374	3
9,005	9,527	8,643	8,433	8,471	8,573	9,151	9,624	8,987	7,006	4,746	2,244	678	242	830	4
5,080	5,533	5,232	5,134	5,096	5,005	5,066	5,150	4,738	3,478	2,237	942	224	86	524	5
3,925	3,994	3,411	3,299	3,375	3,568	4,085	4,474	4,249	3,528	2,509	1,302	454	156	306	6
5,951	5,842	5,099	4,423	3,914	3,659	3,592	3,828	3,504	2,816	2,122	1,050	294	79	326	7
459	410	408	365	406	376	414	404	391	285	216	84	26	3	24	8
406	396	348	317	326	311	325	384	376	320	236	120	32	9	32	
482	454	439	284	165	150	108	89	57	48	40	19	3	----------	19	9
381	347	295	232	154	110	99	73	64	61	52	25	7	5	9	
2,542	3,081	3,035	3,470	4,042	4,419	5,070	5,298	5,022	3,837	2,356	1,073	346	155	109	10
1,537	1,879	1,982	2,232	2,542	2,658	2,823	2,818	2,627	1,976	1,128	494	126	56	70	11
1,005	1,202	1,053	1,238	1,500	1,761	2,247	2,480	2,395	1,861	1,228	579	220	99	39	12
1,550	1,664	1,501	1,374	1,389	1,003	971	760	662	444	340	190	127	155	178	13
878	926	848	793	792	560	494	391	298	202	146	76	45	54	110	14
672	738	653	581	597	443	477	369	304	242	194	114	82	101	68	15
518	463	454	400	428	399	443	432	411	298	228	88	27	5	27	16
458	444	390	345	346	341	347	408	393	345	256	126	34	9	34	
241	263	232	191	255	275	264	258	226	175	122	53	15	9	10	17
149	173	153	154	177	210	246	270	247	168	125	56	27	15	2	
318	382	422	405	384	407	444	456	507	398	219	70	14	8	8	18
274	279	243	286	254	265	338	392	471	378	257	110	32	10	5	
63	77	86	97	80	104	106	112	86	94	46	18	7	----------	3	19
55	44	57	58	69	74	67	93	71	68	45	28	5	7	1	
32	37	40	31	24	20	26	18	17	13	10	7	1	----------	4	20
19	22	16	23	14	16	10	12	10	5	7	6	2	----------	----------	
83	75	70	58	62	50	39	30	27	22	10	2	2	----------	4	21
60	53	48	22	24	19	22	28	38	19	14	12	----------	----------	1	
10	26	25	26	25	34	32	36	27	19	16	5	2	----------	1	22
13	12	19	12	17	13	21	21	19	11	21	11	4	2	2	
41	40	31	35	21	20	15	10	10	3	6	3	1	----------	1	23
10	15	12	10	4	7	5	5	8	2	3	----------	----------	1	----------	
15	16	28	16	23	24	35	30	25	19	5	8	3	1	----------	24
8	17	14	17	12	23	15	20	22	17	15	6	5	----------	----------	
39	49	50	50	40	18	25	10	14	7	7	7	1	2	5	25
32	28	22	13	14	20	10	15	13	9	10	5	1	3	3	
112	93	108	76	69	68	68	62	47	32	20	11	----------	1	9	26
37	41	32	14	27	30	38	45	38	34	27	10	3	6	----------	
324	365	299	327	255	251	206	218	219	148	104	49	10	4	100	27
203	230	190	152	147	156	137	155	151	114	89	56	23	7	50	
20,672	20,034	19,153	18,282	19,544	19,062	22,023	24,421	25,681	22,122	16,395	8,247	2,923	1,621	5,576	28
9,790	9,756	9,778	10,034	10,911	10,827	12,482	14,149	14,729	12,572	9,175	4,416	1,400	674	3,258	29
10,882	10,278	9,375	8,248	8,633	8,235	9,541	10,272	10,952	9,550	7,220	3,831	1,523	947	2,318	30
16,046	15,824	15,546	14,824	15,869	16,408	18,588	21,587	22,664	19,914	14,396	7,247	2,248	806	3,776	31
7,696	7,834	8,087	8,328	8,958	9,352	10,613	12,528	13,005	11,331	8,098	3,895	1,091	354	2,282	32
8,350	7,990	7,459	6,496	6,911	7,056	7,975	9,059	9,659	8,583	6,298	3,352	1,157	452	1,494	33
13,662	12,925	12,583	11,750	12,098	12,171	13,464	15,376	16,111	14,031	10,217	5,233	1,645	534	1,748	34
4,464	4,233	4,419	4,625	4,937	4,989	5,727	6,778	6,970	6,053	4,351	2,066	582	162	475	35
5,607	5,113	4,878	4,317	4,540	4,521	4,937	5,525	5,830	5,001	3,632	1,922	663	227	550	
1,063	974	918	718	557	528	449	539	533	577	436	259	79	23	59	36
1,001	911	798	560	433	384	372	346	414	406	325	227	76	34	44	
1,878	2,365	2,449	2,614	3,277	3,767	4,609	5,626	5,980	5,375	3,790	1,816	540	236	488	37
1,063	1,365	1,503	1,722	2,137	2,387	2,882	3,461	3,721	3,226	2,258	1,037	279	125	343	38
815	1,000	946	892	1,140	1,380	1,727	2,165	2,259	2,149	1,532	779	261	111	145	39
4,626	4,210	3,607	3,458	3,675	2,654	3,435	2,834	3,017	2,208	1,999	1,000	675	815	1,800	40
2,094	1,922	1,691	1,706	1,953	1,475	1,869	1,621	1,724	1,241	1,077	521	309	320	976	41
2,532	2,288	1,916	1,752	1,722	1,179	1,566	1,213	1,293	967	922	479	366	495	824	42
4,699	4,434	4,595	4,794	5,113	5,142	5,906	6,973	7,206	6,281	4,500	2,154	607	164	496	43
5,876	5,308	5,045	4,461	4,698	4,659	5,086	5,687	6,030	5,207	3,767	2,014	696	243	564	
330	405	425	412	495	559	715	868	842	746	535	284	101	56	105	44
248	322	273	216	272	338	474	585	571	475	388	230	85	38	57	
615	680	748	807	876	1,023	1,212	1,517	1,692	1,505	969	439	113	29	86	45
559	636	589	486	559	637	725	934	1,044	999	671	337	110	36	45	
226	225	272	281	355	380	400	521	539	511	385	173	39	6	44	46
162	151	181	170	184	215	264	295	308	294	238	118	33	10	13	
86	103	105	93	87	94	99	118	85	66	51	24	2	6	18	47
84	81	67	70	44	48	63	60	76	55	39	15	2	5	7	
293	317	288	263	303	287	286	314	353	295	238	93	25	11	29	48
247	269	260	155	168	176	189	221	230	245	166	109	34	10	18	
38	51	67	93	101	113	112	140	158	146	114	59	17	8	13	49
31	43	41	46	51	50	69	76	88	105	81	37	17	6	6	
38	56	39	54	40	34	21	22	19	3	6	3	----------	2	10	50
13	11	7	14	7	9	10	7	4	3	2	1	1	----------	1	
19	33	42	34	44	65	67	65	74	84	62	29	13	6	5	51
21	19	23	31	29	27	40	35	29	42	39	12	7	2	2	
51	63	47	46	38	38	29	28	25	27	22	9	2	3	7	52
41	37	37	20	16	23	16	25	8	14	9	5	3	----------	6	
223	235	241	212	215	197	241	234	262	218	158	100	23	16	72	53
184	195	133	124	126	124	136	133	150	141	107	54	16	21	27	
1,078	1,232	1,218	1,239	1,291	1,420	1,525	1,728	1,750	1,449	1,058	528	149	47	1,397	54
884	918	803	703	757	750	903	1,001	1,121	1,003	791	420	153	81	748	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	ALABAMA.												
1	Total	25,699	5,142	2,071	843	488	308	8,852	1,059	783	1,388	1,816	1,375
2	Males	12,970	2,756	1,096	457	240	161	4,710	528	405	618	893	648
3	Females	12,729	2,386	975	386	248	147	4,142	531	378	770	923	727
4	White	12,937	2,684	1,094	436	256	156	4,626	512	333	561	726	591
5	Males	6,541	1,448	575	230	139	85	2,477	267	184	251	358	294
6	Females	6,396	1,236	519	206	117	71	2,149	245	149	310	368	297
7	Native	12,308	2,658	1,089	433	250	154	4,581	505	328	548	698	567
8	Both parents native M	5,034	1,240	498	193	119	70	2,120	231	149	205	268	202
	F	5,005	1,035	443	173	99	65	1,815	209	128	266	280	227
9	One or both parents foreign M	105	24	8	5	3	1	41	5	3		3	7
	F	110	24	11	7	3		45	5	3	3	4	3
10	Foreign	341	1				1	2	2		5	12	16
11	Males	228	1				1	2	2		4	9	13
12	Females	113									1	3	3
13	Colored	12,762	2,458	977	407	232	152	4,226	547	450	827	1,090	784
14	Males	6,429	1,308	521	227	101	76	2,233	261	221	367	535	354
15	Females	6,333	1,150	456	180	131	76	1,993	286	229	460	555	430
	Birthplaces of mothers (white).												
16	United States M	5,095	1,254	501	194	119	71	2,139	235	151	206	274	203
	F	5,072	1,045	451	177	101	65	1,839	211	129	267	283	229
17	Ireland M	41	1					1					4
	F	36	1	1				2	1	1	1	1	2
18	Germany M	71	1		1	1		3		1	1		5
	F	49	3	2	2			7		1	1	4	1
19	England and Wales M	41	4	1				5	1		1	1	1
	F	20	3	3		1		7	2			1	1
20	Canada M	6										1	1
	F	4	2					2					
21	Scandinavia M	9	1		1			2					2
	F	3				1		1					
22	Scotland M	19	2	2	1	1		6					
	F	8	1		1			2					
23	Italy M	8	1		1	1		3	2		1		1
	F	4	2		1			3					1
24	France M	9									1	1	1
	F	3											
25	Russia and Poland M												
	F	1									1		
26	Other foreign countries M	17	3	2				5				1	3
	F	7	1					1					
27	Unknown M	951	134	63	28	16	12	253	25	28	30	69	56
	F	994	146	54	25	13	4	242	29	16	39	68	52
	ARIZONA.												
28	Total	1,223	192	106	51	26	21	396	81	49	49	64	80
29	Males	750	109	63	22	18	9	221	44	15	27	44	62
30	Females	473	83	43	29	8	12	175	37	34	22	20	18
31	White	947	152	80	40	23	14	309	46	21	34	51	71
32	Males	616	88	48	18	16	6	176	28	5	20	34	58
33	Females	331	64	32	22	7	8	133	18	16	14	17	13
34	Native	681	148	76	38	23	13	298	45	20	29	31	49
35	Both parents native M	168	37	18	6	11	1	73	9	1	7	6	9
	F	111	29	12	5	2	1	49	8	6	7	5	3
36	One or both parents foreign M	155	44	27	11	4	4	90	16	4	8	4	9
	F	95	23	15	15	4	6	63	7	7	3	4	2
37	Foreign	219	4	4	1		1	10		1	5	18	19
38	Males	146	1	1			1	3			1	16	16
39	Females	73	3	3	1			7		1	4	2	3
40	Colored	276	40	26	11	3	7	87	35	28	15	13	9
41	Males	134	21	15	4	2	3	45	16	10	7	10	4
42	Females	142	19	11	7	1	4	42	19	18	8	3	5
	Birthplaces of mothers (white).												
43	United States M	195	45	26	8	11	1	91	13	1	8	6	12
	F	132	32	14	9	2	3	60	9	7	8	7	4
44	Ireland M	22											3
	F	4								2			1
45	Germany M	15	1					1				1	
	F	9		1				1	1	2			1
46	England and Wales M	17	3	2	1			6		1	1	1	1
	F	10	1					1		1			1
47	Canada M	12		1			2	3	1			1	1
	F	3			1			1				1	
48	Scandinavia M	3									1		
	F	2		1				1					
49	Scotland M	6	1		1			2				2	
	F	2	1					1					
50	Italy M	9	2	2				4			1		1
	F	3		1	1		1	2					
51	France M	2											
	F												
52	Russia and Poland M	2											1
	F												
53	Other foreign countries M	186	30	15	7	4	3	59	12	3	5	15	15
	F	116	21	14	10	4	3	52	5	2	6	3	1
54	Unknown M	147	6	2	1	1		10	2		4	8	24
	F	50	9	1	1	1	1	13	3	2		6	5

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,128	1,011	889	982	899	702	898	926	862	719	569	287	153	136	265	1
534	456	428	503	447	342	465	461	441	382	289	111	76	52	151	2
594	555	461	479	452	360	433	465	421	337	280	146	77	84	114	3
520	484	505	517	475	401	478	557	526	443	330	177	53	32	90	4
236	214	256	259	234	198	243	254	255	232	166	85	26	10	42	5
284	270	249	258	241	203	235	303	271	211	164	92	27	22	48	6
498	456	471	480	438	361	421	493	472	399	293	161	47	26	62	7
160	137	175	164	158	139	169	179	189	170	120	63	20	2	14	8
216	202	192	187	179	141	164	228	186	154	118	59	19	12	23	8
7	3	7	5	3	3	2	5	3	3	2	1		1	1	9
4	4	3	4	3	3	3	2	5	7	4	4	1			9
11	17	18	23	24	30	38	47	36	26	19	6	5	2	2	10
8	11	14	19	17	20	24	25	24	17	9	4	2	2	2	11
3	6	4	4	7	10	14	22	12	9	10	2	3			12
608	527	384	465	424	301	420	369	336	276	239	110	100	104	175	13
298	242	172	244	213	144	222	207	186	150	123	56	50	42	109	14
310	285	212	221	211	157	198	162	150	126	116	54	50	62	66	15
163	139	179	167	163	140	169	182	193	172	120	61	29	2	14	16
218	202	194	192	181	143	169	230	192	157	120	61	29	12	23	16
2	2	2	1	4	2	4	4	2	7	2	2		1	1	17
2	3	2	1	3	2		6	4	1	3	1				17
2	3	8	4	5	5	10	5	6	7	3	2	1		1	18
2	2	3	2	4	3	3	6	4	4	1	1				18
5	3	2	4	3	3	3	6		1	1			1		19
	1		2		1	1	1		2	1					19
	1					1	1		1						20
								1		1					20
		1		2	2										21
					1			1							21
		1	2		3	2	2	2		1					22
	2		1			1			1		1				22
					1										23
															23
			1		2		1	1	1						24
				1	1					1					24
															25
	1			4			1	1					1		26
1	1					2			1	1					26
46	42	41	60	40	28	39	39	34	39	34	14	4	5	25	27
48	44	46	48	44	44	45	44	64	34	30	20	4	10	23	27
58	70	61	71	55	33	45	15	27	12	13	4	4	2	34	28
40	48	44	45	35	22	34	8	16	6	7	3	3		26	29
18	22	17	26	20	11	11	7	11	6	6	1	1	2	8	30
47	63	50	61	42	26	37	10	23	9	9	4	2	2	30	31
34	48	38	41	29	18	30	6	14	5	4	3	2		23	32
13	15	12	20	13	8	7	4	9	4	5	1		2	7	33
32	27	28	35	16	12	18	8	14	5	6	2		1	10	34
7	10	7	8	4	4	7	1	6	3	2				4	35
4	5	3	4	1	3	3	1	3	1	3			1	1	35
6	4	4	3		2	1	1	1		1	1				36
2		1	4											2	36
14	30	17	24	20	13	17	7	8	4	3	2	2	1	4	37
10	23	13	13	12	8	14	4	3	2	1	2	2		8	38
4	7	4	11	3	5	3	3	5	2	2			1	1	39
11	7	11	10	13	7	8	5	4	3	4		2		4	40
6		6	4	6	4	4	2	2	1	3		1		8	41
5	7	5	6	7	3	4	3	2	2	1		1		1	42
7	10	7	8	4	5	7	1	6	3	2				4	43
5	5	5	4	1	3	3	1	4	1	3			1	1	43
5	3	4	2	2		1	2								44
														1	44
1	1	1	1	2	1	2	2	1						1	45
1			1	1										1	45
1	2		1		3										46
		3		1	1	1				1					46
	1	2	1	1			1								47
			1												47
2															48
	1														48
						1		1							49
			1												49
	2		1												50
									1	1					51
															51
	1														52
7	17	9	10	7	5	11		2	1	1	3	2		2	53
4	6	1	11	6	4	2	3	5	2	1			1	1	53
11	11	15	17	13	4	8		4						16	54
3	3	3	2	4		1			1		1			3	54

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	ARKANSAS.												
1	Total	22,518	4,076	1,911	988	603	486	8,064	1,382	933	1,451	1,583	1,289
2	Males	11,813	2,165	1,014	510	279	242	4,210	723	468	715	795	622
3	Females	10,705	1,911	897	478	324	244	3,854	659	465	736	788	667
4	White	16,372	3,027	1,438	733	427	365	5,990	1,002	671	952	1,000	903
5	Males	8,689	1,605	757	371	200	181	3,114	530	345	494	501	442
6	Females	7,683	1,422	681	362	227	184	2,876	472	326	458	499	461
7	Native	15,804	3,015	1,430	727	426	363	5,961	995	671	936	974	885
8	Both parents native M	7,364	1,540	726	358	193	173	2,990	506	332	452	444	362
	Both parents native F	6,860	1,369	655	352	219	179	2,774	450	307	435	434	407
9	One or both parents foreign M	210	28	15	4	5	2	54	9	4	12	12	10
	One or both parents foreign F	156	22	11	4	2	2	41	11	10	5	9	10
10	Foreign	280	2	1				3	2		7	8	10
11	Males	204	1					1	1		4	5	6
12	Females	76	1	1				2	1		3	3	4
13	Colored	6,146	1,049	473	255	176	121	2,074	380	262	499	583	386
14	Males	3,124	560	257	139	79	61	1,096	193	123	221	294	180
15	Females	3,022	489	216	116	97	60	978	187	139	278	289	206
	Birthplaces of mothers (white).												
16	United States M	7,495	1,556	730	360	196	175	3,017	509	333	465	454	374
	United States F	6,990	1,382	664	355	222	181	2,804	456	311	441	447	416
17	Ireland M	82	1					1	1				3
	Ireland F	33	1	1				2				1	1
18	Germany M	129	9	8	1	1		19	4	3	4	5	7
	Germany F	77	6	3		1		10	6	5	1	4	7
19	England and Wales M	42	2					2	1			2	
	England and Wales F	23	1				1	2	1			1	1
20	Canada M	6											
	Canada F	3								1			
21	Scandinavia M	10	1					1			1	2	
	Scandinavia F	2											
22	Scotland M	14								1			
	Scotland F	7											
23	Italy M	4											
	Italy F	2	1					1					
24	France M	9										1	
	France F	1											
25	Russia and Poland M	12	2	3			1	6			1		
	Russia and Poland F	6	3	1				4		1	1		
26	Other foreign countries M	28	5	1	1	1		8	3		2		2
	Other foreign countries F	13	1		1	1		3	1		2		1
27	Unknown M	858	29	15	9	2	5	60	12	8	21	37	56
	Unknown F	526	27	12	6	3	2	50	8	8	13	46	35
	CALIFORNIA.												
28	Total	22,506	2,514	555	297	239	183	3,788	628	402	655	1,118	1,264
29	Males	13,998	1,431	306	160	131	94	2,122	328	203	335	617	733
30	Females	8,508	1,083	249	137	108	89	1,666	300	199	320	501	531
31	White	21,081	2,404	525	272	223	169	3,593	587	364	604	1,060	1,195
32	Males	12,912	1,369	289	148	123	85	2,014	309	183	308	575	682
33	Females	8,169	1,035	236	124	100	84	1,579	278	181	296	485	513
34	Native	13,687	2,380	513	269	216	164	3,542	563	341	544	899	896
35	Both parents native M	1,730	243	65	36	30	16	390	78	37	71	90	73
	Both parents native F	1,238	200	59	45	15	13	332	56	39	56	89	58
36	One or both parents foreign M	797	164	37	21	17	13	252	48	41	60	48	64
	One or both parents foreign F	634	142	37	11	8	13	211	51	37	51	67	47
37	Foreign	6,874	7	7		3	2	19	17	20	53	146	272
38	Males	4,480	3	2		2	2	9	9	11	28	95	157
39	Females	2,394	4	5		1		10	8	9	25	51	115
40	Colored	1,425	110	30	25	16	14	195	41	38	51	58	69
41	Males	1,086	62	17	12	8	9	108	19	20	27	42	51
42	Females	339	48	13	13	8	5	87	22	18	24	16	18
	Birthplaces of mothers (white).												
43	United States M	1,963	294	76	44	35	26	475	95	49	88	100	89
	United States F	1,443	241	75	48	19	14	397	76	51	78	108	71
44	Ireland M	524	7	1	2	1		11	4	6	9	9	28
	Ireland F	331	9					9	1	3	7	13	19
45	Germany M	485	11	3	3	2		19	5	7	6	10	23
	Germany F	231	18	1	3	1	2	25	10	4	8	6	10
46	England and Wales M	369	8	5	2			15	4	4	10	12	14
	England and Wales F	183	9	4		2		15	4	3	2	7	11
47	Canada M	175	9	3	2	2		16	3	4	3	12	8
	Canada F	94	6	1				7	4	1	5	8	9
48	Scandinavia M	151	13	3	1	2	1	20	4	2	4	6	7
	Scandinavia F	86	10	5			2	17	5	2	5	6	5
49	Scotland M	115	3					3	1	2	2	2	5
	Scotland F	57	1	1				2	1		1	2	4
50	Italy M	150	17			2	1	20	5		5	3	5
	Italy F	33	3	1			2	6		2	2	1	2
51	France M	113	5		1	1		7	1	1	2	1	1
	France F	35	1	2			1	4				2	3
52	Russia and Poland M	18	2	2				4				2	3
	Russia and Poland F	11	2	2				4		1	1		1
53	Other foreign countries M	458	41	11	2	4	2	60	11	8	11	20	20
	Other foreign countries F	246	42	6	5	1	5	59	8	12	11	21	16
54	Unknown M	2,098	193	38	24	17	11	283	43	22	41	115	117
	Unknown F	1,054	142	36	17	13	12	220	36	28	45	63	64

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Unknown.	
969	888	881	886	811	619	660	558	495	360	263	110	43	42	231	1
471	431	453	494	471	371	393	319	293	217	143	57	19	17	131	2
498	457	428	392	340	248	267	239	202	143	120	53	24	25	100	3
696	688	684	657	606	504	496	440	368	286	198	76	21	9	125	4
339	340	359	383	356	297	300	250	231	168	112	39	9	2	78	5
357	348	325	274	250	207	196	190	137	118	86	37	12	7	47	6
675	641	643	606	560	460	453	407	338	257	179	70	19	9	65	7
267	250	267	282	253	209	198	164	150	116	76	24	4	1	17	8
294	279	266	228	216	171	144	151	103	82	59	29	6	5	20	
15	4	12	10	7	10	9	9	9	8	7	5	2		2	9
9	10	8	4	6	4	6	6	2	4	6	3	2			
6	26	17	27	25	29	30	25	16	21	16	4	2		6	10
5	18	12	19	22	22	21	22	13	14	9	3	1		6	11
1	8	5	8	8	7	9	3	3	7	7	1	1			12
273	200	197	229	205	115	164	118	127	74	65	34	22	33	106	13
132	91	94	111	115	74	93	69	62	49	31	18	10	15	53	14
141	109	103	118	90	41	71	49	65	25	34	16	12	18	53	15
276	254	275	289	258	216	204	169	155	119	78	25	5	1	19	16
304	291	275	232	219	176	148	156	107	84	59	32	6	5	21	
3	3	9	5	7	9	8	10	12	6	3				2	17
	3	4	2	2	2	4	3		2	3	2	2			
4	7	7	9	10	7	11	11	3	10	4	2			2	18
3	7	4	5	4	3	6	3	3	2	3		1			
2	1	4	3	4	5	4	3	3	2	2	3	1			19
2	1	2	3	1	2			1	2	4					
2	1		1					1						1	20
	1	1													
	1			2	3										21
		1				1									
	1		2	1	1	3	2		1		2				22
	1		1			1			1	3					
	1			1	1									1	23
	1														
1	1				2	1			1	2					24
						1									
1	2											1		1	25
	3		4	2					1	3					26
	1				2	1			2						
50	65	64	70	71	53	69	55	57	28	20	7	2	1	52	27
48	42	38	31	24	22	34	28	26	25	14	3	3	2	26	
1,238	1,358	1,231	1,230	1,296	1,205	1,559	1,553	1,497	1,114	665	332	94	44	235	28
767	872	824	831	879	795	1,036	1,065	1,021	730	398	201	52	18	171	29
471	486	407	399	417	410	523	488	476	384	267	131	42	26	64	30
1,142	1,233	1,075	1,083	1,170	1,135	1,489	1,498	1,463	1,098	650	323	89	36	194	31
691	761	689	695	765	732	975	1,021	1,000	722	390	194	49	16	141	32
451	472	386	388	405	403	514	477	463	376	260	129	40	20	53	33
789	786	614	519	520	460	626	710	709	545	339	170	52	17	46	34
70	70	61	47	74	67	106	142	149	108	61	25	8		3	35
61	62	56	46	49	44	55	45	67	52	40	18	7	3	3	
42	47	26	23	23	11	22	20	20	24	11	7	3	1	4	36
37	30	15	17	11	9	8	11	11	8	6	6	1	2		
328	415	430	532	611	650	827	759	725	533	299	149	34	18	37	37
214	275	304	358	407	439	586	491	483	338	178	95	18	10	25	38
114	140	126	174	204	211	291	268	242	195	121	54	16	8	12	39
96	125	156	147	126	70	70	55	34	16	15	9	5	8	41	40
76	111	135	136	114	63	61	44	21	8	8	7	3	2	30	41
20	14	21	11	12	7	9	11	13	8	7	2	2	6	11	42
80	79	70	51	84	69	110	152	158	113	64	26	8		3	43
69	71	60	48	55	48	57	47	75	58	41	19	7	4	3	
22	26	24	27	40	44	61	63	62	42	29	11	3		3	44
14	12	14	13	21	29	42	44	32	22	18	12	2	1	3	
19	38	23	33	31	42	47	55	47	46	18	10			6	45
9	14	14	16	10	7	15	23	20	21	12	5	1		1	
15	11	17	24	22	30	43	44	39	36	14	10	1	1	3	46
12	6	4	12	10	18	11	19	22	11	12	1	2		1	
10	6	11	10	13	13	19	17	14	8	4	4				47
6	7	3	4	6	4	6	3	9	7	1	3	1			
13	11	5	9	11	15	9	11	10	10	2	1			1	48
8	5	4	6	4	7	1	4	2	4	5	1				
1	6	5	8	10	8	10	4	19	12	7	7	2		1	49
4			2	5	1	10	1	10	8	4	1			1	
8	14	11	22	13	15	9	8	7	1	1	2			1	50
5		1	3	1	4	4	1				1				
3	2	9	4	7	8	15	10	11	13	11	3	2		1	51
3	2	1	3	1		5	5	3	1	1				1	
2	1		1		1	3		1							52
1		1	1			1									
23	25	35	27	26	20	37	26	33	33	16	14	3	3	7	53
16	17	11	13	8	9	10	8	7	6	5	3		5	1	
123	121	111	92	117	93	151	185	173	128	71	33	13	4	62	54
55	77	39	40	48	43	57	59	49	41	31	19	8	5	27	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	COLORADO.												
1	Total	7,428	1,208	331	171	135	104	1,949	296	185	268	420	492
2	Males	4,471	651	169	94	69	54	1,037	172	107	145	243	288
3	Females	2,957	557	162	77	66	50	912	124	78	123	177	204
4	White	7,210	1,182	326	168	128	102	1,906	286	173	263	404	470
5	Males	4,351	642	168	91	67	54	1,022	167	99	142	236	273
6	Females	2,859	540	158	77	61	48	884	119	74	121	168	197
7	Native	4,856	1,074	294	153	120	86	1,727	254	149	207	297	283
8	Both parents native M	1,185	244	84	44	30	21	423	78	46	56	69	51
	F	913	208	63	28	32	19	350	57	39	55	57	60
9	One or both parents foreign M	405	134	28	19	12	10	203	39	16	17	27	16
	F	306	110	31	14	10	3	168	22	12	11	14	21
10	Foreign	1,233	3	2	------	2	3	10	2	6	25	45	98
11	Males	842	1	1	------	1	------	3	1	5	17	29	63
12	Females	391	2	1	------	1	3	7	1	1	8	16	35
13	Colored	218	26	5	3	7	2	43	10	12	5	16	22
14	Males	120	9	1	3	2	------	15	5	8	3	7	15
15	Females	98	17	4	------	5	2	28	5	4	2	9	7
	Birthplaces of mothers (white).												
16	United States M	1,296	284	91	48	31	23	477	89	52	64	74	54
	F	1,001	234	74	31	35	19	393	64	43	60	62	65
17	Ireland M	143	4	1	1	1	------	7	4	1	4	3	7
	F	50	2	2	1	------	------	5	------	1	------	1	3
18	Germany M	119	9	2	1	3	1	16	5	2	3	5	9
	F	89	8	1	------	2	------	11	3	1	1	4	8
19	England and Wales M	181	17	3	2	4	------	26	5	1	6	13	8
	F	99	18	2	3	1	------	24	5	3	2	6	4
20	Canada M	49	11	2	------	------	1	14	5	------	1	1	------
	F	29	5	------	------	1	1	7	------	2	2	------	6
21	Scandinavia M	98	18	5	3	1	3	30	3	4	2	5	10
	F	43	3	3	1	2	------	9	3	1	2	1	4
22	Scotland M	59	2	------	4	------	------	6	1	5	------	2	7
	F	30	6	1	2	------	------	9	------	------	1	1	2
23	Italy M	78	15	1	3	1	3	23	5	------	5	5	3
	F	36	11	6	1	1	3	22	1	1	2	3	1
24	France M	13	------	------	------	------	------	------	------	------	------	1	------
	F	11	1	------	------	1	1	3	------	------	1	------	1
25	Russia and Poland M	15	4	1	------	------	------	5	------	------	------	------	1
	F	12	7	------	------	------	------	7	1	------	------	------	------
26	Other foreign countries M	99	22	7	2	2	1	34	2	------	------	3	11
	F	53	25	6	2	------	------	33	2	1	------	1	6
27	Unknown M	587	37	4	3	2	5	51	5	8	17	36	26
	F	278	26	5	5	3	6	45	3	3	7	14	26
	CONNECTICUT.												
28	Total	15,422	3,101	569	280	175	137	4,262	369	218	348	539	604
29	Males	7,902	1,725	294	145	91	62	2,317	174	115	173	258	326
30	Females	7,520	1,376	275	135	84	75	1,945	195	103	175	281	278
31	White	15,048	3,004	552	272	171	131	4,130	359	204	330	524	577
32	Males	7,717	1,675	283	143	87	61	2,249	172	109	168	253	310
33	Females	7,331	1,329	269	129	84	70	1,881	187	95	162	271	267
34	Native	10,800	2,978	535	261	164	125	4,063	330	177	261	387	380
35	Both parents native M	2,482	537	86	46	34	21	724	59	42	56	62	59
	F	2,538	441	80	42	27	18	608	68	38	44	84	61
36	One or both parents foreign M	2,190	1,046	180	82	41	35	1,384	83	44	70	101	123
	F	1,867	788	170	75	46	41	1,120	97	37	67	95	97
37	Foreign	3,941	16	13	10	7	5	51	25	23	66	130	184
38	Males	1,955	8	7	4	2	2	23	15	14	28	58	98
39	Females	1,986	8	6	6	5	3	28	10	9	38	72	86
40	Colored	374	97	17	8	4	6	132	10	14	18	15	27
41	Males	185	50	11	2	4	1	68	2	6	5	5	16
42	Females	189	47	6	6	------	5	64	8	8	13	10	11
	Birthplaces of mothers (white).												
43	United States M	2,789	671	99	55	39	23	887	71	48	66	75	67
	F	2,917	579	109	51	33	27	799	83	41	57	97	73
44	Ireland M	1,720	241	45	19	12	10	327	26	16	41	83	127
	F	1,732	166	23	23	15	7	234	32	16	35	74	104
45	Germany M	491	100	17	11	4	5	137	11	8	10	10	15
	F	420	66	15	7	4	4	96	13	6	14	26	17
46	England and Wales M	333	46	4	11	2	3	66	7	5	6	11	17
	F	329	49	14	2	1	3	69	10	5	4	13	8
47	Canada M	308	116	15	2	3	3	139	4	12	10	12	8
	F	272	83	13	7	3	2	108	10	6	16	13	18
48	Scandinavia M	206	60	20	8	10	5	103	8	2	5	9	12
	F	156	44	11	6	6	9	76	9	2	5	8	5
49	Scotland M	93	14	5	2	------	------	21	7	------	4	1	2
	F	70	7	------	------	------	------	7	2	------	1	2	3
50	Italy M	229	95	25	6	------	3	129	9	4	6	9	13
	F	167	70	23	11	7	5	116	2	2	7	4	7
51	France M	33	6	------	------	------	------	6	------	------	------	------	1
	F	27	6	1	1	------	------	8	1	1	------	1	------
52	Russia and Poland M	202	105	17	7	2	4	135	10	2	4	8	9
	F	174	98	19	7	2	3	129	4	3	4	8	7
53	Other foreign countries M	265	133	27	11	6	2	179	5	3	3	1	11
	F	199	86	29	7	4	3	129	9	2	4	9	7
54	Unknown M	1,048	88	9	11	9	3	120	14	9	13	34	28
	F	868	75	12	7	9	7	110	12	11	15	18	18

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
473	479	435	391	378	317	279	312	227	194	113	44	12	5	159	1
293	301	307	257	272	206	186	192	145	120	53	18	7	3	119	2
180	178	128	134	106	111	93	120	82	74	60	26	5	2	40	3
453	462	418	377	372	310	275	304	225	190	109	43	12	5	153	4
279	292	293	249	267	201	184	188	145	118	52	18	7	3	116	5
174	170	125	128	105	109	91	116	80	72	57	25	5	2	37	6
258	241	216	192	169	161	157	179	136	114	60	27	5	3	21	7
48	53	57	36	44	42	52	37	40	36	9	2	1	2	3	8
36	37	33	34	19	24	16	29	24	19	14	5	1		4	8
11	16	14	10	8	3	7	4	3	6	3				2	9
18	3	7	8	4	8	4			3				1	2	9
111	138	123	102	125	107	69	83	57	56	35	12	5	2	22	10
76	98	92	73	93	75	42	53	38	33	22	7	2	1	19	11
35	40	31	29	32	32	27	30	19	23	13	5	3	1	3	12
20	17	17	14	6	7	4	8	2	4	4	1			6	13
14	9	14	8	5	5	2	4		2	1				3	14
6	8	3	6	1	2	2	4	2	2	3	1			3	15
51	57	57	38	45	45	56	38	42	39	9	3	1	2	3	16
41	41	34	37	20	26	16	29	24	20	14	5	1	1	5	16
7	9	19	18	22	6	5	10	5	6	2	1			7	17
5	7	1	2	1	7	3	5	1	6	1				1	17
7	10	7	6	7	14	6	10	5	5	2					18
12	6	9	5	8	4	5	4	1	3	2	1			1	18
16	20	12	9	17	14	5	8	9	5	5				2	19
6	3	6	9	5	10	2	4	3	4	2	1				19
	6	5	3	4	1		3	1	1	1				3	20
2	3			1	1	2		1	1		1				20
5	11	11	7	3	2	1	1				1	1		1	21
4	1	3		5	2	2	3	1		1				1	21
3	4	4	4	5	4	1	4	2	1	2	2			2	22
1		8	3			2	1	1	4	1				1	22
8	8	6	7	3	1			2						2	23
1	1		1					2						1	23
2		2		1	2	2	1	1	1						24
1		1		2	2										24
1		2			3		1							2	25
	2			1	1										25
7	7	7	8	6	2	3	3	1	1	2	1			1	26
2	2	1				1	1		1	1		1			26
45	45	52	51	38	27	30	31	22	15	6	4	1		77	27
29	24	17	13	11	3	14	16	12	6	13	3			19	27
606	638	554	600	704	754	844	938	995	915	767	428	172	47	120	28
312	363	296	319	375	377	400	480	483	461	352	186	62	10	63	29
294	275	258	281	329	377	444	458	512	454	415	242	110	37	57	30
598	628	543	584	688	739	831	922	979	904	758	420	169	46	115	31
309	357	290	311	369	365	394	472	474	455	346	183	60	10	61	32
289	271	253	273	319	374	437	450	505	449	412	237	109	36	54	33
371	352	314	331	298	326	379	490	596	639	564	327	143	33	39	34
63	60	62	86	91	97	127	180	191	227	163	95	31	2	5	35
74	65	64	87	92	113	135	158	204	206	217	124	66	17	13	35
100	104	63	45	18	17	9	9	6	6		2	2		4	36
90	64	56	36	18	15	15	4	13	15	9	6	5	1	7	36
211	259	214	237	372	397	436	419	368	242	160	77	20	11	39	37
110	149	113	130	206	192	195	198	161	116	79	39	9	3	19	38
101	110	101	107	166	205	241	221	207	126	81	38	11	8	20	39
8	10	11	16	16	15	13	16	16	11	9	8	3	1	5	40
3	6	6	8	6	12	6	8	9	6	6	3	2		2	41
5	4	5	8	10	3	7	8	7	5	3	5	1	1	3	42
71	71	66	96	95	100	134	190	200	240	172	99	33	2	6	43
83	72	74	94	98	120	146	170	220	225	230	130	72	17	16	43
123	128	88	85	120	111	125	103	93	57	31	16	6	3	11	44
100	86	88	91	113	143	177	155	123	64	43	27	6	7	14	44
19	29	20	27	21	25	31	48	29	23	18	7	1		2	45
20	26	18	14	20	30	31	27	24	20	12	3	1		2	45
9	24	16	22	19	28	15	28	21	15	14	7	2		1	46
19	13	8	16	15	20	23	17	30	29	15	8	2		5	46
12	16	11	6	13	18	8	11	10	6	8	3			1	47
13	13	16	7	11	5	7	7	10	5	4		2		1	47
11	11	9	10	8	3	7	2	2		1	1			3	48
11	7	5	3	4	8	3	5	3	4	1			1	1	48
3	3	7	3	4	3	5	7	6	8	5	4				49
4	4	3	2	3	5	9	5	11	5	5	2				49
11	10	5	5	11	8	2	3	1	2	1					50
9	2	3	1	5	1	2	1	3	2						50
2	4	1	1	7	3	3			2	1				2	51
1		2			3	1		5	3			1			51
3	7	6	5	8	2		2	1							52
	7	3	1	3	3	2	1							1	52
8	10	10	4	8	6	6	1	2	4		1			3	53
7	5	5	3	2	4	1	4	3		3	1			1	53
37	44	51	47	55	58	58	77	109	98	95	45	18	5	33	54
22	36	28	41	45	37	38	58	73	92	99	66	25	11	13	54

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	DELAWARE.												
1	Total	3,075	597	139	88	39	32	895	133	79	94	139	100
2	Males	1,644	346	76	51	21	15	509	65	35	37	57	60
3	Females	1,431	251	63	37	18	17	386	68	44	57	82	40
4	White	2,490	456	104	66	32	26	684	115	53	70	106	84
5	Males	1,348	266	61	41	18	10	396	54	27	32	47	50
6	Females	1,142	190	43	25	14	16	288	61	26	38	59	34
7	Native	2,134	451	102	66	31	26	676	109	53	64	94	75
8	Both parents native M	192	36	10	6	3	3	58	5	3	6	5	4
	Both parents native F	160	27	8	8	3	2	48	8	7	4	7	5
9	One or both parents foreign M	12	5					5					
	One or both parents foreign F	17	3	1				4		1	1	2	1
10	Foreign	236		1				1			3	5	5
11	Males	125									2	2	3
12	Females	111		1				1			1	3	2
13	Colored	585	141	35	22	7	6	211	18	26	24	33	16
14	Males	296	80	15	10	3	5	113	11	8	5	10	10
15	Females	289	61	20	12	4	1	98	7	18	19	23	6
	Birthplaces of mothers (white).												
16	United States M	196	38	10	6	3	3	60	5	3	6	5	4
	United States F	162	27	8	8	3	2	48	8	8	4	7	5
17	Ireland M	21											1
	Ireland F	20		1				1				2	1
18	Germany M	4											
	Germany F	6	1					1			1		
19	England and Wales M	7											
	England and Wales F	5											
20	Canada M												
	Canada F	2											1
21	Scandinavia M												
	Scandinavia F												
22	Scotland M	2											
	Scotland F	2	1					1					
23	Italy M	5	2					2					
	Italy F	1	1					1					
24	France M	1											
	France F												
25	Russia and Poland M	2											
	Russia and Poland F	1		1				1					
26	Other foreign countries M	1	1					1					
	Other foreign countries F	2											
27	Unknown M	399	63	14	9	5	1	92	17	8	7	16	16
	Unknown F	310	45	11	3	3	2	64	14	6	14	16	5
	DISTRICT OF COLUMBIA.												
28	Total	6,364	1,306	268	129	105	67	1,875	184	140	189	358	344
29	Males	3,274	687	135	66	45	34	967	98	63	78	183	185
30	Females	3,090	619	133	63	60	33	908	86	77	111	175	159
31	White	3,660	573	112	51	53	37	826	114	59	73	163	191
32	Males	1,967	312	61	24	27	22	446	60	29	35	88	102
33	Females	1,693	261	51	27	26	15	380	54	30	38	75	89
34	Native	2,989	571	112	51	53	37	824	111	57	71	153	172
35	Both parents native M	1,145	250	47	18	18	19	352	49	24	29	64	62
	Both parents native F	1,053	197	41	18	22	12	290	45	24	28	54	46
36	One or both parents foreign M	270	47	13	6	7	3	76	7	8	4	14	17
	One or both parents foreign F	252	49	9	6	4	3	71	7	4	5	14	25
37	Foreign	616							1	2	2	8	17
38	Males	359							1	1		4	10
39	Females	257								1	2	4	7
40	Colored	2,704	733	156	78	52	30	1,049	70	81	116	195	153
41	Males	1,307	375	74	42	18	12	521	38	34	43	95	83
42	Females	1,397	358	82	36	34	18	528	32	47	73	100	70
	Birthplaces of mothers (white).												
43	United States M	1,223	268	50	21	22	20	381	51	26	31	67	65
	United States F	1,147	216	44	22	23	12	317	45	24	31	59	55
44	Ireland M	225	8	2	1	1	1	13	1			9	15
	Ireland F	203	10	1	2	1		14	1	1	1	9	14
45	Germany M	173	7	3	1	1	1	13	2	1	1	1	7
	Germany F	114	13	2	1	1	1	18	1	2	1	2	7
46	England and Wales M	65	3	1				4	1		1		1
	England and Wales F	40	1	1				2	1	1			2
47	Canada M	10		1				1		1			1
	Canada F	10									1	1	2
48	Scandinavia M	5											
	Scandinavia F	1							1				
49	Scotland M	17			1			1					
	Scotland F	19				1		1					
50	Italy M	13	6	1				7					
	Italy F	15	5	2			2	9	1		1	1	
51	France M	10	1					1				2	
	France F	8											
52	Russia and Poland M	13	4	1		1		6	1			1	
	Russia and Poland F	7	3	1				4	1				
53	Other foreign countries M	23	2	1				3				1	1
	Other foreign countries F	11							1	1		1	
54	Unknown M	190	13	1		2		16	4	1	2	6	12
	Unknown F	118	13		2			15	2	1	3	3	9

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
112	123	123	123	116	131	157	179	176	166	117	56	22	5	29	1
59	62	68	81	64	88	79	100	86	89	55	22	9		19	2
53	61	55	42	52	43	78	79	90	77	62	34	13	5	10	3
91	105	99	100	95	103	129	152	156	150	106	51	17	4	20	4
50	52	57	64	50	69	67	86	77	80	48	20	8		14	5
41	53	42	36	45	34	62	66	79	70	58	31	9	4	6	6
76	84	74	80	74	82	88	114	122	118	80	39	15	3	14	7
3	5	[illegible]	11	7	7	14	15	7	18	14	3	1			8
5	3	4		6	5	7	7	21	8	10	4		1		
1	1		1	1				1	2						
3	1	2								1	1				9
12	14	19	15	18	14	32	26	28	19	14	9	1	1		10
[illegible]	6	10	10	9	12	15	17	15	7	6	2				11
3	8	9	5	9	2	17	9	13	12	8	7	1	1		12
21	18	24	23	21	28	28	27	20	16	11	5	5	1	9	13
[illegible]	10	11	17	14	19	12	14	[illegible]	9	7	2	1		5	14
12	8	13	[illegible]	7	[illegible]	16	13	11	7	4	[illegible]	4	1	4	15
3	[illegible]	6	11	7	7	14	15	7	19	14	3	1			16
5	3	5		6	5	7	7	21	8	10	4		1		
	2	2	2	1	1	4	3	2	1	1	1				
3	2	1		3			1		3	2	1				17
				1		1			2						
	1	1									2				18
		1				2	2	1	1						
				1			1	1	2						19
		1													20
															21
1								1							
						1									22
1		1			1										
															23
								1							
															24
	2														
															25
									1	1					26
11	15	7	15	15	22	19	30	31	29	19	11	5		14	27
11	21	11	10	10	17	11	19	21	26	15	10	5	1	3	
267	244	275	254	310	356	349	348	313	238	185	83	21	21	7	28
149	125	130	129	174	203	178	197	156	117	82	40	7	6	7	29
118	119	145	125	136	153	171	151	157	121	103	43	17	15		30
167	141	140	142	207	252	256	265	229	197	153	58	15	6	6	31
93	73	72	79	124	152	137	153	120	96	70	27	4	1	6	32
74	68	68	63	83	100	119	112	109	101	83	31	11	5		33
141	115	115	118	156	180	163	173	150	129	104	43	11	3		34
45	31	38	42	59	71	54	73	57	41	39	12	2	1		35
39	34	38	38	43	62	64	60	60	55	45	22	4	2		
19	21	10	13	20	15	12	15	9	7	7	1				36
21	17	17	8	9	7	8	7	13	8	6	2	3			
25	20	20	21	46	70	86	88	76	65	49	14	3	3		37
20	12	14	10	27	43	51	50	47	37	22	9	1			38
5	8	6	11	19	27	35	38	29	28	27	5	[illegible]	3		39
100	103	135	112	103	104	93	83	84	41	32	25	9	15	1	40
56	52	58	50	50	51	41	44	36	21	12	13	3	5	1	41
44	51	77	62	53	53	52	39	48	20	20	12	6	10		42
47	35	39	44	65	74	57	80	61	44	41	12	2	1		43
43	36	42	41	48	67	65	62	68	63	48	25	6	2		
15	12	12	10	16	24	23	25	22	18	8	2				44
8	10	10	8	11	17	24	25	18	11	16	3		2		
11	10	3	6	15	17	19	20	21	12	10	3	1			45
8	6	[illegible]	4	[illegible]	9	6	[illegible]	5	13	6	1	1	1		
3	4	3	3	5	4	13	6	5	5	5	2				46
[illegible]	3		[illegible]	4	1	4	5	4	4	3		1			
	1	2		1	1	1	1								47
	1			1		[illegible]	1								
1		2		1		1									48
		1	1	2	2	1	4	2	1	2					49
			1		1	2	3	3	3	4		1			
				2	1				1	1					50
	1	1						2							
					2	1		1	3						51
1	1			2		2	1			1					
1					1				1	1	1				52
			1		1										
6	2		1		3	1	2	2			1				53
3			1			1		2		1					
9	9	10	14	17	23	20	15	[illegible]	11	2	6	1		6	54
[illegible]	10	6	5	11	4	12	7	7	7	4	2	2			

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	FLORIDA.												
1	Total	6,482	1,360	475	220	122	99	2,276	298	199	278	379	333
2	Males	3,520	734	259	120	60	43	1,216	153	118	143	208	162
3	Females	2,962	626	216	100	62	56	1,060	145	81	135	171	171
4	White	3,408	670	233	109	72	54	1,138	170	113	133	163	138
5	Males	1,933	371	131	64	36	26	628	91	76	65	96	64
6	Females	1,475	299	102	45	36	28	510	79	37	68	67	74
7	Native	2,943	658	231	108	70	53	1,120	166	107	120	142	118
8	Both parents native M	1,156	229	104	49	30	19	431	67	62	49	59	35
	Both parents native F	964	191	69	33	26	19	338	62	32	52	46	48
9	One or both parents foreign M	95	29	9	3	2	2	45	4	4	3	2	3
	One or both parents foreign F	83	36	8	3	6	3	56	4	1	1	3	8
10	Foreign	381	0					6	3	4	11	15	18
11	Males	245	3					3	2	3	6	8	8
12	Females	136	3					3	1	1	5	7	10
13	Colored	3,074	690	242	111	50	45	1,138	128	86	145	216	195
14	Males	1,587	363	128	56	24	17	588	62	42	78	112	98
15	Females	1,487	327	114	55	26	28	550	66	44	67	104	97
	Birthplaces of mothers (white).												
16	United States M	1,190	236	107	50	30	19	442	68	63	51	61	35
	United States F	1,005	209	73	36	27	20	365	64	33	52	47	49
17	Ireland M	16								1			
	Ireland F	6											
18	Germany M	29	1					1			1	1	1
	Germany F	18			1			1	2			1	
19	England and Wales M	30	1	1				2	1				1
	England and Wales F	13	1					1			1	1	
20	Canada M	6							1	1			
	Canada F	6	1	1				2			2		
21	Scandinavia M	11											1
	Scandinavia F	3											1
22	Scotland M	14											
	Scotland F	1											
23	Italy M	13	3	3				6	2		1		
	Italy F	11	6			2		8					
24	France M	9					1	1					1
	France F	6											1
25	Russia and Poland M	5		1				1			1		2
	Russia and Poland F	1											1
26	Other foreign countries M	79	21	1	2	2	1	27	2	3	4	3	2
	Other foreign countries F	56	12	3		3	2	20	1		1	3	2
27	Unknown M	141	17	4	3	1		25	3	3	2	8	5
	Unknown F	99	12	3	3	1	1	20	2		2	6	3
	GEORGIA.												
28	Total	26,941	5,786	2,285	1,032	552	351	10,006	998	757	1,282	1,771	1,451
29	Males	13,321	3,035	1,175	533	305	168	5,216	482	355	567	826	646
30	Females	13,620	2,751	1,110	499	247	183	4,790	516	402	715	945	805
31	White	13,094	2,720	1,075	458	259	166	4,678	465	318	510	744	647
32	Males	6,547	1,446	555	242	138	78	2,459	232	168	236	371	284
33	Females	6,547	1,274	520	216	121	88	2,219	233	150	274	373	363
34	Native	12,637	2,711	1,066	450	254	165	4,646	458	313	501	723	626
35	Both parents native M	4,899	1,161	469	201	116	65	2,012	194	141	193	274	209
	Both parents native F	5,176	1,036	431	178	108	79	1,832	205	140	238	302	275
36	One or both parents foreign M	63	8	3				11		1	3	5	1
	One or both parents foreign F	45	6	1	1			8	2	1		1	7
37	Foreign	257							1	1	2	11	8
38	Males	160							1	1	2	6	3
39	Females	97										5	5
40	Colored	13,847	3,066	1,210	574	293	185	5,328	533	439	772	1,027	804
41	Males	6,774	1,589	620	291	167	90	2,757	250	187	331	455	362
42	Females	7,073	1,477	590	283	126	95	2,571	283	252	441	572	442
	Birthplaces of mothers (white).												
43	United States M	4,936	1,167	472	201	116	65	2,021	194	142	196	277	210
	United States F	5,203	1,039	431	178	108	79	1,835	207	141	238	302	278
44	Ireland M	42										1	2
	Ireland F	27	1		1			2				1	2
45	Germany M	29	2					2				1	
	Germany F	11											2
46	England and Wales M	13											
	England and Wales F	11										1	1
47	Canada M	2	1					1					
	Canada F	1	1					1			1		
48	Scandinavia M	2											
	Scandinavia F	2		1				1			1	1	
49	Scotland M	7											1
	Scotland F	3											
50	Italy M	1											
	Italy F												
51	France M	2											
	France F	4											
52	Russia and Poland M	1											
	Russia and Poland F	2							1				
53	Other foreign countries M	5		1								2	
	Other foreign countries F	3	1					1				2	
54	Unknown M	472	77	21	9	9	1	117	11	5	6	31	20
	Unknown F	420	50	23	12	4	2	91	7	5	8	20	23

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
306	305	261	245	248	232	224	226	227	155	115	58	21	28	68	1
155	159	147	152	139	119	134	140	129	99	62	28	11	8	38	2
151	146	114	93	109	113	90	86	98	56	53	30	10	20	30	3
159	152	142	141	139	143	142	150	142	108	61	31	10	4	29	4
84	79	81	97	86	74	88	96	82	71	36	13	7	2	17	5
75	73	61	44	53	69	54	54	60	37	25	18	3	2	12	6
127	112	110	108	100	112	99	120	106	84	50	19	7	1	15	7
44	33	41	48	38	43	45	51	43	37	18	5	3		4	8
55	39	35	25	30	45	28	37	41	21	17	5	2	1	5	
2	2	4	4	6	4	2	2	1	5	1		1			9
1	3	2		[illegible]	1		2		1		2			1	
27	32	28	26	35	28	39	26	32	22	11	11	[illegible]	[illegible]	1	10
17	17	19	21	26	18	26	18	19	17	7	4	3	2	1	11
10	15	[illegible]	5	9	10	13	8	13	5	4	7		1		12
147	153	119	104	109	89	82	76	85	47	54	27	11	24	39	13
71	80	66	55	53	45	46	44	47	28	26	15	4	6	21	14
76	73	53	49	56	44	36	32	38	19	28	12	7	18	18	15
46	33	43	49	42	44	45	54	43	38	19	6	[illegible]		5	16
56	41	35	25	32	46	29	38	41	22	17	5	2	1	[illegible]	
2	3			1	1	2	1		2			1	2		17
				1		1	2	1	1						
1	1	2	3	5	5		1	3	2			1		1	18
3	3	2	1	1				1			[illegible]			1	
1	1	1	2	4	2	4	2	3	1	[illegible]	1	1			19
	1	2			1	2		1	1		2				
				1		1	1		1						20
	1					1									
	1		3	1		1	1	2						1	21
		1	1												
1		2	1	1	1	2	1	1	2	1		1			22
	1														
			2			1			1						23
1							1								
1		2			1			1	1	1					24
				1				1			1				
			2		1										25
	1														
7	2	7	2	4	3	3	3	2	4	1					26
6	4	4	1	3	3	2	2		1		2		1		
8	[illegible]	3	11	11	8	4	11	8	7	5	1			9	27
2	6	[illegible]	[illegible]	9	2	[illegible]	4	5	[illegible]	[illegible]	2	1		[illegible]	
1,064	1,126	991	955	1,020	717	966	885	910	711	545	284	140	120	242	28
490	492	451	472	512	372	497	455	475	358	281	140	62	47	125	29
574	634	510	483	508	345	469	430	435	353	264	144	78	73	117	30
483	501	511	490	512	430	521	585	573	459	334	147	62	27	97	31
216	220	237	255	265	223	266	292	275	221	170	74	29	9	45	32
267	281	274	235	247	207	255	293	298	238	164	73	33	18	52	33
461	485	491	459	481	394	488	543	530	432	307	136	58	26	79	34
147	150	160	153	165	134	179	202	189	163	128	56	24	9	17	35
202	210	218	179	194	143	185	217	216	160	124	56	28	14	38	
5	1		3	3	4		6	1	13	6					36
2		[illegible]	1		1	1	2	5	6	3	1	1	1		
10	8	8	18	13	30	28	32	36	18	20	[illegible]	3	1	1	37
7	6	5	14	9	22	17	14	21	8	14	7	2		1	38
3	2	3	4	4	8	11	18	15	10	[illegible]	1	1	1		39
581	625	480	465	508	287	445	300	337	252	211	137	78	93	145	40
274	272	214	217	247	149	231	163	200	137	111	66	33	38	80	41
307	353	266	248	261	138	214	137	137	115	100	71	45	55	65	42
148	150	161	156	167	136	179	203	189	170	131	56	24	9	17	43
204	212	218	179	195	145	185	218	220	164	125	57	28	14	38	
3	1		[illegible]	1	7	2	4	6	2	5	4	1		1	44
2		1	1	1	6	1	2	3	2	3					
[illegible]		1	2	2	3	[illegible]		5	4	2	1	1			45
	1			1	1	2	1	1	1				1		
	1	1			2	1	3		3	2					46
2		2	1				3			1					
				1											47
															48
		1			1			1	2	2					49
						1		1	1						
	1														50
			1				1								51
			1				1		1			1			
															52
							1			1					53
			1							1					
21	16	26	34	30	18	27	27	28	15	13	6			21	54
18	30	22	21	22	21	24	21	30	21	17	6	2	1	10	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	IDAHO.												
1	Total	1,242	214	72	26	28	21	361	73	60	57	47	48
2	Males	762	121	32	17	10	16	196	38	26	31	22	27
3	Females	480	93	40	9	18	5	165	35	34	26	25	21
4	White	1,075	194	54	25	21	15	309	58	50	48	42	41
5	Males	674	109	25	16	7	11	168	30	23	28	19	23
6	Females	401	85	29	9	14	4	141	28	27	20	23	18
7	Native	850	194	53	25	21	15	308	56	49	43	38	31
8	Both parents native M	303	69	16	10	5	9	109	22	12	16	10	9
	F	230	66	22	4	12	3	107	20	14	11	12	7
9	One or both parents foreign M	125	38	9	5	2	2	56	7	9	8	5	7
	F	94	18	6	4	2	1	31	7	12	8	9	3
10	Foreign	189								1	3	3	9
11	Males	138								1	3	1	5
12	Females	51										2	4
13	Colored	167	20	18	1	7	6	52	15	10	9	5	7
14	Males	88	12	7	1	3	5	28	8	3	3	3	4
15	Females	79	8	11		4	1	24	7	7	6	2	3
	Birthplaces of mothers (white).												
16	United States M	342	81	20	13	7	9	130	23	16	18	11	9
	F	265	72	23	8	14	3	120	24	19	13	15	9
17	Ireland M	37											
	F	9										1	
18	Germany M	32								1	1	1	2
	F	10		1				1		1			1
19	England and Wales M	57	4	2				6	3	1	4	3	8
	F	40	4	2			1	7	2	1	3	3	
20	Canada M	17	5					5			1		2
	F	7	2					2				1	1
21	Scandinavia M	38	11		1			12	3	2	2	1	2
	F	28	3	2				5		4	3	2	3
22	Scotland M	13									1		2
	F	7	1					1	1	1			
23	Italy M	1											
	F	1											
24	France M	7					1	1					
	F												
25	Russia and Poland M												
	F												
26	Other foreign countries M	25	7	3	2		1	13		2			1
	F	9	2		1			3		1		1	
27	Unknown M	105	1					1	1	1	1	3	2
	F	25	1	1				2	1		1		1
	ILLINOIS.												
28	Total	61,229	11,169	3,386	1,596	1,038	834	18,023	2,385	1,413	2,014	2,705	2,824
29	Males	33,641	6,284	1,760	800	506	401	9,751	1,247	730	980	1,367	1,430
30	Females	27,588	4,885	1,626	796	532	433	8,272	1,138	683	1,034	1,338	1,394
31	White	59,618	10,944	3,320	1,553	1,019	813	17,649	2,343	1,361	1,930	2,561	2,704
32	Males	32,752	6,167	1,727	772	494	390	9,550	1,224	710	938	1,295	1,360
33	Females	26,866	4,777	1,593	781	525	423	8,099	1,119	651	992	1,266	1,344
34	Native	42,545	10,905	3,281	1,533	1,003	801	17,523	2,290	1,261	1,665	2,049	2,030
35	Both parents native M	8,819	1,983	596	244	161	110	3,094	395	281	362	385	323
	F	7,925	1,539	539	241	175	100	2,594	359	262	405	435	392
36	One or both parents foreign M	2,434	564	145	73	51	41	874	112	88	113	179	147
	F	1,975	408	120	65	38	45	676	96	66	132	145	160
37	Foreign	16,052	30	27	15	10	8	90	41	84	225	464	618
38	Males	9,297	18	15	5	6	4	48	21	43	110	247	337
39	Females	6,755	12	12	10	4	4	42	20	41	115	217	281
40	Colored	1,611	225	66	43	19	21	374	42	52	84	144	120
41	Males	889	117	33	28	12	11	201	23	20	42	72	70
42	Females	722	108	33	15	7	10	173	19	32	42	72	50
	Birthplaces of mothers (white).												
43	United States M	9,435	2,152	628	263	178	126	3,347	428	307	400	439	349
	F	8,490	1,671	569	262	187	113	2,802	391	286	444	486	430
44	Ireland M	1,037	21	6	2	2	1	32	7	9	15	39	41
	F	727	16	5	5	2	2	30	5	8	15	22	36
45	Germany M	2,395	167	55	27	19	13	281	43	26	59	72	88
	F	1,779	120	44	19	9	17	209	25	27	53	79	85
46	England and Wales M	616	26	7	4	4	3	44	5	8	9	15	17
	F	418	16	6	3	3	3	31	7	3	9	13	20
47	Canada M	161	16	1	2			19	2	4	2	10	11
	F	140	13	1	1	2	2	19	8	2	7	10	5
48	Scandinavia M	548	74	23	10	5	5	117	14	11	14	27	29
	F	400	45	20	9	8	5	87	17	8	20	25	28
49	Scotland M	163	8	3		2		13	4	4	4	5	
	F	124	9	3	1		2	15	1	1	2	4	1
50	Italy M	49	14	3	2	1	1	21				2	3
	F	28	13	3	1			17		2	1	2	2
51	France M	85	2		1		1	4			2	1	3
	F	64	1	1	1			3	1	1	3	1	2
52	Russia and Poland M	104	33	10	5		2	50	2	5	3	6	4
	F	71	30	4	2			36	3	2	4	3	
53	Other foreign countries M	256	48	11	6	2	1	68	8	4	5	10	7
	F	177	25	6	4	4	2	41	8	5	3	3	10
54	Unknown M	2,248	285	63	22	20	12	407	48	35	49	91	133
	F	1,633	220	52	35	16	14	337	37	30	60	86	116

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
53	54	55	48	48	64	59	63	52	41	17	7	3	6	26	1
31	31	33	37	35	48	45	48	41	33	8	4	1	5	22	2
22	23	22	11	13	16	14	15	11	8	9	3	2	1	4	3
52	52	47	43	42	55	55	56	47	40	15	5		1	17	4
31	30	27	33	32	43	42	44	39	33	8	4		1	16	5
21	22	20	10	10	12	13	12	8	7	7	1			1	6
42	38	31	24	29	32	27	35	29	19	12	3			4	7
14	8	11	10	12	14	9	13	18	9	3	2			2	8
5	12	10	5	6	3	4	2	4	4	4					
7	4	4	2	3	1	4	1	1	2	3	1				9
12	5	2		1	1	3									
10	13	16	15	11	20	25	18	17	19	3	1		1	4	10
7	10	8	10	10	13	20	13	15	16	1			1	4	11
3	3	8	5	1	7	5	5	2	3	2	1				12
1	2	8	5	6	9	4	7	5	1	2	2	3	5	9	13
	1	6	4	3	5	3	4	2				1	4	6	14
1	1	2	1	3	4	1	3	3	1	2	2	2	1	3	15
15	9	12	10	12	16	11	15	18	9	4	2			2	16
9	13	10	5	6	3	4	2	5	4	4					
3	4	1	3	6	3	6		6	3					2	17
3					2	2				1					
4	2	5	1	1	2	5	3	2	1						18
	1		2		2		1		1						
2	3	2	4	2	4	4	3	5	5				1	2	19
3	5	6	1	1	2	1	2		1	1	1				
1	2	1	1	1	1	1	1								
						1		1	1						20
2	2	2	1			2	1	1	5						21
4		3	1		1	1	1								
				1	2	1	1	1	1	2	1				22
				1		2	1								
			1												23
	1														
			1	1	1	2		1							24
															25
1			1	1			3		3						26
1			1		1	1									
3	8	4	10	7	14	9	17	5	6	2	1			10	27
1	2	1		2	1	1	5	2		1				1	
2,806	2,942	2,719	2,519	2,655	2,699	2,926	3,258	3,122	2,623	1,875	885	295	116	425	28
1,513	1,639	1,643	1,545	1,620	1,617	1,680	1,817	1,780	1,403	1,003	423	137	51	265	29
1,293	1,303	1,076	974	1,035	1,082	1,246	1,441	1,342	1,220	872	462	158	65	160	30
2,694	2,823	2,633	2,437	2,573	2,648	2,866	3,207	3,081	2,601	1,855	875	288	107	382	31
1,444	1,570	1,593	1,498	1,570	1,587	1,648	1,785	1,757	1,393	992	416	133	50	239	32
1,250	1,253	1,040	939	1,003	1,061	1,218	1,422	1,324	1,208	863	459	155	57	143	33
1,780	1,681	1,512	1,253	1,197	1,205	1,241	1,434	1,406	1,216	942	488	154	46	172	34
258	261	289	280	302	332	375	452	496	389	311	146	47	14	27	35
308	285	266	227	283	275	288	386	364	312	247	146	50	12	29	
165	125	141	101	48	53	48	57	46	54	41	21	9	2	10	36
114	130	95	61	47	36	37	34	35	49	27	23	6	3	3	
845	1,054	1,057	1,124	1,308	1,380	1,564	1,713	1,623	1,347	885	376	128	56	70	37
481	613	688	732	846	866	897	952	909	733	465	177	59	27	46	38
364	441	369	392	462	514	667	761	714	614	420	199	69	29	24	39
112	119	86	82	82	51	60	51	41	22	20	10	7	9	43	40
69	69	50	47	50	30	32	32	23	10	11	7	4	1	26	41
43	50	36	35	32	21	28	19	18	12	9	3	3	8	17	42
287	276	306	298	313	340	393	466	509	411	322	152	49	14	29	43
335	301	280	235	303	283	303	400	380	327	253	157	52	13	29	
52	63	72	48	57	64	80	113	103	94	70	32	16	6	24	44
29	53	36	24	39	46	58	78	70	75	51	26	10	7	9	
119	102	117	113	142	154	191	221	268	193	143	47	10	2	9	45
76	106	78	75	74	104	131	170	169	147	98	49	17	5	4	
19	24	28	29	35	39	46	71	80	72	46	17	8		4	46
14	16	17	16	16	25	40	29	49	47	40	20	2	3	1	
6	10	13	12	7	13	11	11	8	12	5	3	1		1	47
4	14	5	7	3	4	12	10	9	10	8	2	1	2	1	
28	38	28	31	26	31	41	30	24	23	19	7		3	7	48
22	21	22	11	12	6	18	16	31	21	22	7	1	1	4	
5	7	7	8	13	16	11	9	13	21	13	4	4		2	49
9	7	4	8	6	4	3	16	6	16	10	8	2		1	
	5	2	2	2	2	4	1	1			1		2	1	50
	1		1		1	1									
3	5	7	5	2	9	9	4	10	12	3	4	1		1	51
2	1	4	4	3	5	7	5	5	7	7	1	2			
4	3	1	5	5	3	6	2	3	1					1	52
4	3	3		1	1	1	2		3	1	1			3	
5	12	10	15	15	15	11	14	19	17	10	6	3		2	53
9	11	15	10	10	8	10	4	6	8	8	3	3	1	1	
123	116	109	106	125	125	135	139	139	97	83	35	12	3	138	54
80	77	70	56	52	78	79	86	82	104	74	40	12	11	66	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	INDIANA.												
1	Total	33,586	5,850	1,562	782	439	337	8,970	1,054	837	1,430	1,669	1,537
2	Males	17,454	3,294	826	378	221	179	4,898	520	407	652	797	681
3	Females	16,132	2,556	736	404	218	158	4,072	534	430	778	872	856
4	White	32,312	5,635	1,505	753	428	328	8,649	1,012	785	1,327	1,579	1,463
5	Males	16,789	3,170	797	363	215	174	4,719	495	387	597	755	648
6	Females	15,523	2,465	708	390	213	154	3,930	517	398	730	824	815
7	Native	28,307	5,606	1,489	743	424	323	8,585	997	770	1,292	1,495	1,375
8	Both parents native M	11,089	2,654	711	314	181	136	3,996	396	322	481	534	421
	Both parents native F	10,747	2,059	603	336	176	129	3,303	428	324	597	617	566
9	One or both parents foreign M	1,624	300	48	24	21	26	419	60	36	67	116	110
	One or both parents foreign F	1,581	257	61	34	27	17	396	57	46	72	113	124
10	Foreign	3,247	4	3	5	3	1	16	2	9	23	46	56
11	Males	1,876	2	3	1	3	1	10	1	6	12	27	32
12	Females	1,371	2		4			6	1	3	11	19	24
13	Colored	1,274	215	57	29	11	9	321	42	52	103	90	74
14	Males	665	124	29	15	6	5	179	25	20	55	42	33
15	Females	609	91	28	14	5	4	142	17	32	48	48	41
	Birthplaces of mothers (white).												
16	United States M	11,704	2,776	735	320	188	147	4,166	419	335	515	574	469
	United States F	11,394	2,165	637	353	190	137	3,482	450	340	627	672	597
17	Ireland M	501	10		2		1	13	3	3	7	19	19
	Ireland F	450	14	3	4	1		22	4	2	12	13	24
18	Germany M	1,671	111	13	11	9	9	153	26	16	24	57	60
	Germany F	1,340	87	11	6	7	7	118	21	23	39	53	70
19	England and Wales M	261	22	4		1	1	28	4	3	3	9	4
	England and Wales F	187	19	3	4			26	2	5	1	3	11
20	Canada M	49	4	1		2		7	2	1	2	4	2
	Canada F	61	8	2	2			12	2	1	1	3	3
21	Scandinavia M	65	4	1	1	1	2	9	3	2	4		4
	Scandinavia F	48	6	5	1			12	3		2	2	2
22	Scotland M	76	5				1	6	1		1	1	1
	Scotland F	51	2	1				3			1	1	2
23	Italy M	10	4	1			1	6					1
	Italy F	9	3			1		4					
24	France M	59		1				1				3	1
	France F	47								1		1	5
25	Russia and Poland M	76	23	5	4	3	2	37	1	3	1	5	3
	Russia and Poland F	68	20	6	2	4	3	35	5		3	2	2
26	Other foreign countries M	174	30	5	3	3	1	42	1	2	7	8	8
	Other foreign countries F	123	21	6	2	4	1	34	2	3	6	2	6
27	Unknown M	1,905	143	19	18	5	6	191	27	14	26	60	65
	Unknown F	1,522	94	27	14	3	5	143	20	20	33	61	87
	INDIAN TERRITORY.												
28	Total	5,286	1,220	699	269	168	111	2,467	364	216	305	273	248
29	Males	2,795	668	345	146	79	60	1,298	190	112	155	136	116
30	Females	2,491	552	354	123	89	51	1,169	174	104	150	137	132
31	White	3,936	957	535	199	127	84	1,902	263	161	213	184	174
32	Males	2,119	519	278	111	63	45	1,016	147	79	116	86	74
33	Females	1,817	438	257	88	64	39	886	116	82	97	98	100
34	Native	3,863	956	535	198	126	83	1,898	263	161	213	178	170
35	Both parents native M	1,903	498	266	109	61	42	976	141	75	107	77	67
	Both parents native F	1,645	425	250	85	63	37	860	112	79	89	74	84
36	One or both parents foreign M	49	14	7	1	1	1	24	4	2	2	2	1
	One or both parents foreign F	35	7	5	2	1		15	4	1	1		3
37	Foreign	37										2	1
38	Males	23										1	1
39	Females	14										1	
40	Colored	1,350	263	164	70	41	27	565	101	55	92	89	74
41	Males	676	149	67	35	16	15	282	43	33	39	50	42
42	Females	674	114	97	35	25	12	283	58	22	53	39	32
	Birthplaces of mothers (white).												
43	United States M	1,936	508	270	110	62	43	993	143	77	109	78	67
	United States F	1,677	428	252	87	64	37	868	115	80	92	78	88
44	Ireland M	11							1				1
	Ireland F	4							1				
45	Germany M	10	2					2		1			
	Germany F	4											
46	England and Wales M	10	1	1	1			3				1	
	England and Wales F	3											
47	Canada M	1											
	Canada F	3											
48	Scandinavia M	1											
	Scandinavia F	1											
49	Scotland M	8		2				2	1			1	
	Scotland F	2											
50	Italy M	2	1					1					
	Italy F	6	1	4				5				1	
51	France M	3	1					1					
	France F	1											
52	Russia and Poland M	2	1					1					1
	Russia and Poland F	2	1					1					
53	Other foreign countries M	4	2	1				3					
	Other foreign countries F	4	2					2					
54	Unknown M	131	3	4		1	2	10	2	1	7	6	5
	Unknown F	110	6	1	1		2	10		2	5	19	12

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,398	1,335	1,244	1,282	1,260	1,532	1,619	1,899	2,151	1,849	1,313	661	216	69	231	1
663	615	608	658	695	829	883	1,055	1,211	1,015	674	342	104	31	116	2
735	720	636	624	565	703	736	844	940	834	669	319	112	38	115	3
1,342	1,266	1,206	1,222	1,187	1,468	1,577	1,856	2,099	1,829	1,316	613	208	60	218	4
636	577	591	628	657	793	857	1,032	1,184	1,003	659	335	101	26	109	5
706	689	615	594	530	675	720	824	915	826	657	308	107	34	109	6
1,216	1,127	1,040	1,033	971	1,175	1,176	1,356	1,556	1,353	994	477	150	40	129	7
403	303	330	352	369	420	456	557	637	499	369	158	43	11	32	8
488	436	384	369	338	433	422	443	527	474	333	149	48	12	56	
99	118	95	79	52	63	50	50	58	69	42	27	7	3	4	9
98	108	99	81	41	57	53	42	58	43	48	24	9	6	6	
82	87	125	150	176	234	345	453	495	427	288	150	48	19	16	10
42	45	75	94	114	144	212	250	293	249	149	81	24	6	10	11
40	42	50	56	62	90	133	203	202	178	139	69	24	13	6	12
56	69	38	60	73	64	42	43	52	20	27	18	8	9	13	13
27	38	17	30	38	36	26	23	27	12	15	7	3	5	7	14
29	31	21	30	35	28	16	20	25	8	12	11	5	4	6	15
436	336	346	375	394	439	475	579	668	527	383	170	47	14	37	16
522	473	409	393	356	447	446	465	565	504	357	160	57	12	60	
20	28	21	21	22	38	52	59	58	50	33	19	9	3	4	17
23	21	23	17	11	28	39	54	49	35	42	20	9	2		
64	78	97	89	83	117	129	147	194	171	98	48	13	3	4	18
66	63	77	78	57	80	80	118	124	115	82	46	13	13	4	
5	7	12	14	17	14	25	29	31	25	15	10	4		2	19
6	10	9	7	8	7	16	20	22	16	9	5	1	2	1	
	3	2	3	1	2	5	5	2	2	4				2	20
2	2	5	3	1	4	4	3	4	4	5	2			1	
3	5	4	6	6	4	1	3	6	3	1	1				21
1	4	1	1	3	1	1	2	2	4	3	1	2		1	
1	2	4	7	2	7	5	8	6	11	7	3	3			22
2	3	1	1	2	3	5	3	10	5	7	2				
1						1		1							23
1	1	1	1	1											
1	4	6		2	4	8	5	5	9	5	4		1		24
2	3	6		3	2	5	6	3	4	4	1	1			
3	5	4	2	4		1	1	1	2	2					25
2	2	2	1	2	1	2	2	1	2		2			2	
11	6	7	6	7	4	9	16	20	11	6	3				26
4	9	3	5	6	5	7	8	6	8	6		2		1	
82	90	85	94	106	148	134	167	174	179	101	75	25	5	57	27
65	93	70	78	70	84	90	122	116	116	129	63	21	5	36	
206	162	165	176	147	114	128	80	71	58	30	16	3	8	49	28
106	82	76	100	91	69	85	46	40	28	20	9	2	5	29	29
100	80	89	76	56	45	43	34	31	30	10	7	1	3	20	30
153	122	113	143	118	81	96	59	52	43	21	11	1	1	25	31
85	59	54	81	78	51	67	35	34	21	15	6	1	1	13	32
68	63	59	62	40	30	29	24	18	22	6	5			12	33
146	120	112	138	112	78	88	52	45	41	17	10	1	1	19	34
77	46	43	65	67	36	41	24	23	15	3	5		1	9	35
56	52	51	56	30	27	17	15	11	20	2	2			8	
3	1		2		1	3		1	2	1					36
1		3		1		3	1	1			1				
2	2		3	3	3	6	6	6	2	1					37
1	1		3	1	2	4	3	3	2	1					38
1	1			2	1	2	3	3							39
53	40	52	33	29	33	32	21	19	15	9	5	2	7	24	40
21	23	22	19	13	18	18	11	6	7	5	3	1	4	16	41
32	17	30	14	16	15	14	10	13	8	4	2	1	3	8	42
78	48	43	66	67	37	42	25	24	16	8	5		1	9	43
57	53	53	56	32	27	18	17	11	20	2	2			8	
1				1	1	2		1	3						44
				1		1	1								
1			2		1	2		1							45
						1	2	1							
2			3				1								46
				1		1		1							
						1									47
		2				1									
							1								48
								1							
	1					1	1			1					49
	1						1								
								1							50
					1	1									51
								1							
1															52
										1					
															53
					1						1				
3	10	11	10	10	11	18	7	7	2	5	1	1		4	54
10	9	4	6	6	2	7	3	3	2	4	2			4	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	IOWA.												
1	Total	19,573	3,256	753	382	246	174	4,811	597	471	754	876	851
2	Males	10,612	1,884	425	212	133	84	2,738	305	247	333	411	375
3	Females	8,961	1,372	328	170	113	90	2,073	292	224	421	465	476
4	White	19,362	3,225	741	378	242	174	4,763	592	468	741	858	834
5	Males	10,490	1,866	418	210	130	84	2,708	302	246	329	402	366
6	Females	8,872	1,359	326	168	112	90	2,055	290	222	412	456	468
7	Native	14,089	3,138	702	364	231	167	4,602	562	444	666	743	681
8	Both parents native M	4,254	1,045	241	114	74	44	1,518	163	131	146	162	116
	Both parents native F	3,802	790	185	97	59	52	1,183	155	120	210	209	167
9	One or both parents foreign M	1,608	417	89	56	32	26	620	85	68	103	112	106
	One or both parents foreign F	1,417	286	80	41	27	23	457	77	63	109	114	135
10	Foreign	4,240	4	2	1	2		9	4	11	31	58	94
11	Males	2,401	3	1		1		5	1	10	14	23	42
12	Females	1,839	1	1	1	1		4	3	1	17	35	52
13	Colored	211	31	9	4	4		48	5	3	13	18	17
14	Males	122	18	7	2	3		30	3	1	4	9	9
15	Females	89	13	2	2	1		18	2	2	9	9	8
	Birthplaces of mothers (white).												
16	United States M	4,740	1,198	268	136	88	57	1,747	194	151	175	193	132
	United States F	4,225	894	210	105	67	60	1,336	191	142	239	235	189
17	Ireland M	592	14		1			15	1	4	9	13	22
	Ireland F	490	3	1	2	1		7	2	4	12	13	39
18	Germany M	1,265	121	22	11	10	8	172	24	18	45	37	35
	Germany F	940	81	31	9	9	7	137	21	17	36	42	48
19	England and Wales M	337	13	3	3	1	1	21	2	3	5	7	13
	England and Wales F	283	12	5	3	1		21	6	4	5	19	9
20	Canada M	104	5	2	2			9	5	3	5	9	10
	Canada F	94	8	3	1		1	13		6	3	1	10
21	Scandinavia M	539	82	25	11	5	4	127	17	20	14	24	30
	Scandinavia F	483	49	13	16	6	5	89	12	5	31	29	35
22	Scotland M	112	3	1	1			5		2	1	2	2
	Scotland F	81	4	1			1	6	2	1		4	5
23	Italy M	7	3		1			4				1	1
	Italy F	1	1					1					
24	France M	31	1	1				2		1			1
	France F	24	2		1			3				2	2
25	Russia and Poland M	8	4	1	1			6				1	
	Russia and Poland F	12	1	1	1	1	1	5		1			3
26	Other foreign countries M	245	34	8	4	1	1	48	6	7	9	9	12
	Other foreign countries F	200	26	2	3	2	1	34	2	6	10	13	12
27	Unknown M	1,290	179	51	18	12	4	264	26	14	30	56	42
	Unknown F	1,063	130	32	12	8	9	191	22	23	39	43	64
	KANSAS.												
28	Total	16,261	2,939	1,009	420	255	186	4,809	631	476	627	796	659
29	Males	8,978	1,653	517	208	133	97	2,608	335	239	315	383	325
30	Females	7,283	1,286	492	212	122	89	2,201	296	237	312	413	334
31	White	15,209	2,785	952	395	249	178	4,550	602	433	553	714	586
32	Males	8,444	1,592	490	193	124	93	2,492	319	222	279	338	290
33	Females	6,765	1,193	462	202	116	85	2,058	283	211	274	376	296
34	Native	11,337	2,574	850	345	206	160	4,135	527	365	469	551	449
35	Both parents native M	3,776	926	306	116	66	53	1,467	172	127	149	169	148
	Both parents native F	3,330	708	288	110	68	53	1,227	174	119	144	180	151
36	One or both parents foreign M	918	260	73	34	20	16	403	59	38	46	53	36
	One or both parents foreign F	759	186	72	31	23	17	332	50	34	56	51	31
37	Foreign	1,720	6	8	1	2		17	13	11	21	32	41
38	Males	1,064	5	4	1	1		11	9	8	15	15	20
39	Females	656	1	4		1		6	4	3	6	17	21
40	Colored	1,052	154	57	25	15	8	259	29	43	74	82	73
41	Males	534	61	27	15	9	4	116	16	17	36	45	35
42	Females	518	93	30	10	6	4	143	13	26	38	37	38
	Birthplaces of mothers (white).												
43	United States M	4,049	1,012	321	125	75	59	1,592	193	139	161	180	160
	United States F	3,598	781	318	119	74	57	1,349	191	128	157	191	162
44	Ireland M	253	7	1		2	2	12	6	1	4	9	8
	Ireland F	178	5	3	2		1	11		1	5	6	9
45	Germany M	552	53	15	5		2	75	21	15	10	21	21
	Germany F	331	32	11	4	7	3	57	8	6	18	16	15
46	England and Wales M	259	17	3	3			23	1	6	7	8	4
	England and Wales F	135	6	3	5	1	1	16	2	5	4	2	4
47	Canada M	76	10	1	3			14			9	5	2
	Canada F	39	5	3	1	2		11	2	1	2	4	1
48	Scandinavia M	175	32	11	3		2	48	7	1	7	4	3
	Scandinavia F	137	18	4	2	2	3	29	2	5	8	12	3
49	Scotland M	68	3	2				5	1	2	1	2	1
	Scotland F	52	3		2			5	2		2	5	3
50	Italy M	16	4	3				7	1	1		1	
	Italy F	10	5	2		1		8		1			
51	France M	30	3	1	1			5	1		2	2	
	France F	18	2	1				3	1	1		2	
52	Russia and Poland M	121	43	20	9	5	5	82	7	2	5		2
	Russia and Poland F	114	35	13	7	1	1	59	13	2	8	3	2
53	Other foreign countries M	126	16	5	2	5	2	30	3	3	4	4	3
	Other foreign countries F	102	10	5	2	2	4	23	6	6	1	6	5
54	Unknown M	2,195	301	75	57	35	20	468	65	41	58	71	70
	Unknown F	1,584	223	74	46	18	10	371	44	45	53	105	72

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
741	756	692	650	765	859	973	1,382	1,367	1,321	918	449	145	40	155	1
335	387	359	361	394	461	520	813	800	789	546	253	65	22	98	2
406	369	333	289	371	398	453	569	567	532	372	196	80	18	57	3
730	745	682	641	756	849	967	1,372	1,364	1,311	915	418	144	38	144	4
328	381	353	356	389	457	516	806	798	781	545	253	64	21	89	5
402	364	329	285	367	392	451	566	566	530	370	195	80	17	55	6
556	519	467	407	443	476	518	712	692	703	504	251	82	15	46	7
95	118	109	123	131	153	170	288	249	267	184	92	20	8	11	8
157	138	106	102	123	143	171	200	207	183	126	66	29	4	3	
70	56	60	43	33	41	22	37	40	52	35	20	3		2	9
85	74	66	33	36	20	27	19	27	27	26	13	7	2		
124	174	169	187	257	324	400	596	602	544	370	176	53	22	35	10
56	90	90	102	142	185	228	337	374	321	222	94	26	13	23	11
68	84	79	85	115	139	172	259	228	220	148	82	27	9	12	12
11	11	10	9	9	10	6	10	3	10	3	1	1	2	11	13
7	6	6	5	5	4	4	7	2	8	1		1	1	9	14
4	5	4	4	4	6	2	3	1	2	2	1		1	2	15
106	129	116	132	134	162	176	301	271	287	194	99	21	8	12	16
176	151	117	105	136	150	184	210	221	198	133	72	31	6	3	
25	22	25	22	26	39	48	75	74	74	56	24	5	5	8	17
30	28	25	21	20	25	37	56	57	46	31	22	9	3	3	
33	45	58	58	65	76	85	123	145	122	77	32	6	3	6	18
42	51	37	28	54	57	60	84	72	74	55	15	6		4	
12	9	17	15	21	15	34	35	36	45	31	13	1		2	19
7	8	16	13	14	19	25	34	25	25	12	16	5			
5	6	3	6	4	10	2	6	8	9	3	1				20
8	6	6	9	3	3	6	4	8	5	7	1				
28	26	15	9	20	30	23	28	42	30	30	18	5		3	21
30	31	25	19	23	13	22	27	21	22	20	16	6	3	1	
1	4	4	4	8	8	5	19	11	17	13	2	2	2		22
1	2	5	3	4	6	3	11	8	6	8	3	2	1		
1															23
	2	1	2	1	1	2	3	3	5	2	4		1		24
2	1		3			3		2	1	3		1	1		
						1									25
		1					1			1					
2	11	7	7	11	12	15	20	26	21	10	6	3	1	2	26
6	10	11	7	9	9	10	13	16	17	11	4				
56	71	47	54	52	57	68	100	94	94	71	33	14	1	46	27
53	41	50	38	56	57	54	69	75	65	53	25	11	2	32	
593	590	588	598	615	789	789	913	904	777	520	254	68	33	232	28
257	309	315	318	346	500	484	589	537	472	307	138	38	16	147	29
336	281	273	280	269	289	305	324	367	305	213	116	30	17	85	30
551	543	547	549	581	744	746	867	866	754	499	235	62	22	205	31
233	283	299	292	328	472	456	562	516	460	295	130	35	14	129	32
318	260	248	257	253	272	290	305	350	294	204	105	27	8	76	33
392	375	366	376	362	455	462	542	503	455	300	151	33	10	59	34
112	103	108	113	112	165	161	188	183	151	87	40	12	2	7	35
133	105	108	138	120	127	112	135	116	102	80	43	8	3	5	
18	29	32	22	22	18	16	37	20	30	24	12	3			36
37	26	27	15	10	9	16	14	18	16	8	7	2			
58	63	66	83	118	177	183	221	232	190	121	45	14	3	11	37
28	34	39	58	73	120	117	147	132	121	74	24	9	3	7	38
30	29	27	25	45	57	66	74	100	69	47	21	5		4	39
42	47	41	49	34	45	43	46	38	23	21	19	6	11	27	40
24	26	16	26	18	28	28	27	21	12	12	8	3	2	18	41
18	21	25	23	16	17	15	19	17	11	9	11	3	9	9	42
117	112	115	118	119	170	167	197	188	165	91	43	12	2	8	43
145	111	116	143	130	131	124	141	125	107	85	45	9	3	5	
5	12	13	11	13	23	25	31	30	25	10	7	5	1	2	44
11	8	9	8	12	15	21	14	21	11	9	6			1	
13	15	19	24	30	46	42	58	48	53	32	8	1			45
18	11	14	8	19	17	16	26	39	24	11	7			1	
5	6	14	10	18	20	22	32	26	22	23	9	2		1	46
7	10	2	5	3	10	14	8	19	10	10	3			1	
5	3	3	4	4	7	4	6	3	3	1	2		1		47
2	1	1	4		2	3	1		1	2	1				
5	7	7	5	5	9	13	17	9	15	8	2				48
7	7	10	3	5	4	4	5	10	13	3	5	1		1	
	2		6	2	6	9	7	7	8	6	2			1	49
2	2	3	1	1	3	4	2	3	2	8	3	1			
	2		1		2				1						50
												1			
1	1		1	2	2		4	2	1	3		3			51
1	1	2	1		1	1		1	2			1			
1	1		2	1	3		6	3	3	1			1	1	52
2	3	3	1	1	2	3	5	2	2	3					
6	7	5	8	7	7	8	9	9	5	4	3			1	53
6	6	2	5	6	7	4	6	3	6	4					
58	90	102	77	99	136	138	166	156	130	101	46	9	8	106	54
89	78	64	50	64	60	74	74	95	90	53	25	9	5	64	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	KENTUCKY.												
1	Total	27,091	5,059	1,727	829	486	307	8,408	937	759	1,317	1,721	1,460
2	Males	13,843	2,809	892	428	251	158	4,538	448	391	564	768	683
3	Females	13,248	2,250	835	401	235	149	3,870	489	368	753	953	777
4	White	22,035	4,256	1,436	656	403	255	7,006	754	537	971	1,291	1,137
5	Males	11,337	2,365	740	343	212	139	3,799	376	288	428	564	530
6	Females	10,698	1,891	696	313	191	116	3,207	378	249	543	727	607
7	Native	19,947	4,140	1,399	640	392	247	6,818	737	523	944	1,237	1,080
8	Both parents native M	8,200	1,899	625	284	176	114	3,098	309	240	346	423	373
	Both parents native F	8,095	1,567	591	264	158	90	2,670	315	219	436	595	453
9	One or both parents foreign M	306	54	13	11	7	1	86	5	8	9	23	31
	One or both parents foreign F	264	29	13	6	4	5	57	9	6	28	22	25
10	Foreign	1,221	1	2				3	1	2	4	11	15
11	Males	699	1	2				3		1	2	8	10
12	Females	522							1	1	2	3	5
13	Colored	5,056	803	291	173	83	52	1,402	183	222	346	430	323
14	Males	2,506	444	152	85	39	19	739	72	103	136	204	153
15	Females	2,550	359	139	88	44	33	663	111	119	210	226	170
	Birthplaces of mothers (white).												
16	United States M	8,315	1,929	629	291	179	114	3,142	313	243	350	433	380
	United States F	8,197	1,582	595	268	160	94	2,699	320	221	447	606	459
17	Ireland M	192	4	1	1			6		1	2	4	13
	Ireland F	127	3	2				5	1	1	6	6	5
18	Germany M	299	16	7	2	2	1	28	3	2	3	9	12
	Germany F	234	12	8		2	2	24	3	3	8	9	16
19	England and Wales M	52	4	2	1			7		2			2
	England and Wales F	28	2		1			3	2	1	2	1	1
20	Canada M	8	2			1		3				2	1
	Canada F	1											
21	Scandinavia M	1											
	Scandinavia F												
22	Scotland M	18								1			
	Scotland F	13			1			1					
23	Italy M	2		1				1					
	Italy F	2											
24	France M	11									1		1
	France F	7									2		
25	Russia and Poland M	2											
	Russia and Poland F	1									1		
26	Other foreign countries M	14	4		1	1		6					
	Other foreign countries F	10	1		1			2				1	1
27	Unknown M	543	51	4	5	3	4	67	8	5	1		
	Unknown F	429	38	13	5	3	1	60	6	4	7	20	30
	LOUISIANA.										11	24	24
28	Total	20,955	3,785	1,389	668	400	288	6,530	873	634	1,067	1,468	1,305
29	Males	10,971	2,043	697	341	190	146	3,417	446	338	509	732	704
30	Females	9,984	1,742	692	327	210	142	3,113	427	296	558	736	601
31	White	10,250	1,920	678	311	196	115	3,220	387	261	349	539	536
32	Males	5,590	1,078	332	167	96	65	1,738	209	150	174	286	294
33	Females	4,660	842	346	144	100	50	1,482	178	111	175	253	242
34	Native	8,465	1,914	676	308	194	111	3,203	382	249	331	512	478
35	Both parents native M	3,173	913	291	145	81	54	1,484	176	112	126	178	143
	Both parents native F	2,866	727	290	126	87	41	1,271	146	96	135	156	134
36	One or both parents foreign M	607	84	18	11	5	4	122	17	12	20	42	55
	One or both parents foreign F	491	54	34	9	6	4	107	16	7	19	44	45
37	Foreign	1,670	2	2	2	2	4	12	2	8	12	23	53
38	Males	955	2	2	2	2	2	10	2	4	5	13	37
39	Females	715					2	2		4	7	10	16
40	Colored	10,705	1,865	711	357	204	173	3,310	486	373	718	929	769
41	Males	5,381	965	365	174	94	81	1,679	237	188	335	446	410
42	Females	5,324	900	346	183	110	92	1,631	249	185	383	483	359
	Birthplaces of mothers (white).												
43	United States M	3,316	938	297	149	83	56	1,523	179	118	133	188	156
	United States F	3,006	744	304	128	91	43	1,310	150	101	145	173	143
44	Ireland M	323	3		1			4	1		2	11	18
	Ireland F	358	1					1	1	1	2	9	22
45	Germany M	423	5	2			1	8	2	1	4	12	17
	Germany F	335	2		1		1	4			4	14	17
46	England and Wales M	53	2	1				3	1		1	3	5
	England and Wales F	50	1	1				2				1	
47	Canada M	19	2					2			1	2	2
	Canada F	14	1					1	3	2			3
48	Scandinavia M	28										2	2
	Scandinavia F	5							1		1	1	1
49	Scotland M	18	2					2					
	Scotland F	9										1	1
50	Italy M	204	33	10	7	5	2	57	10	6	9	3	13
	Italy F	123	27	17	5	1	3	53	6	3	7	7	5
51	France M	214	8		1			9	2	1	1	5	14
	France F	131		2			1	3			1	3	2
52	Russia and Poland M	14	2					2		1		1	2
	Russia and Poland F	3	2					2					1
53	Other foreign countries M	114	4	1			1	6		2	1	5	7
	Other foreign countries F	47	5	1	1	1		8	2		1	2	1
54	Unknown M	707	60	14	9	4	4	91	9	18	19	44	50
	Unknown F	492	44	16	8	7	2	77	11	2	13	32	39

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,110	1,185	1,044	989	1,023	990	1,097	1,187	1,198	1,041	719	377	110	77	342	1
525	558	521	516	549	545	577	614	633	565	389	206	57	27	169	2
585	627	523	473	474	445	520	573	565	476	330	171	53	50	173	3
893	928	823	802	818	833	915	1,042	1,064	920	622	342	88	35	214	4
418	427	414	422	434	461	477	531	555	505	346	194	47	12	109	5
475	501	409	380	384	372	438	511	509	415	276	148	41	23	105	6
848	852	751	707	693	690	718	795	825	717	486	290	72	27	137	7
280	267	265	281	274	282	299	326	373	342	228	125	33	7	29	8
379	373	306	273	254	245	284	327	323	265	182	111	28	16	41	
26	18	23	13	13	14	[illegible]	3	5	9	8	[illegible]				9
18	12	14	18	12	8	3	6	10	8	5	3	2	1	2	
16	30	28	59	100	101	151	186	184	155	106	39	10	7	13	10
12	16	18	37	58	64	87	104	93	84	56	27	6	4	9	11
4	14	10	22	42	37	64	82	91	71	50	12	4	8	4	12
217	257	221	187	205	157	182	145	134	121	97	35	22	42	128	13
107	131	107	94	115	84	100	83	78	60	43	12	10	15	60	14
110	126	114	93	90	73	82	62	56	61	54	23	12	27	68	15
285	271	265	282	280	285	302	330	377	345	232	130	33	7	30	16
384	376	310	277	257	248	286	330	326	266	186	113	28	16	42	
11	7	11	9	8	12	21	17	21	19	13	9	8	1	4	17
4	4	6	7	11	6	9	20	12	7	7	3	2	2	3	
10	14	18	13	26	20	32	31	23	27	15	7	2	2	2	18
7	7	9	16	8	8	16	19	33	24	21		1	1	1	
		4	5	5	2	2	5	3	5	9	1				19
1	2		1	1		2	4	3	2	2					
			1		1										20
										1					
	1														21
	2		2	1	3	1		1	4	2	1				22
1		1			1	2	2	1	2	1	1				
							1								23
	1			2	1		2	1		1		1			24
2					1			3	1						
			1												25
					1										
				1			3	1		1					26
	1		1	1		2		2							
27	33	28	34	31	31	36	41	33	33	19	18	3	1	38	27
15	25	29	14	19	27	28	36	30	30	11	7	2	1	26	
1,028	977	904	865	861	713	838	752	640	510	405	200	106	111	168	28
577	531	485	471	496	391	423	401	342	241	214	91	47	43	72	29
451	446	419	394	365	322	415	351	298	269	191	109	59	68	96	30
529	522	488	485	476	412	455	469	391	301	209	107	29	20	65	31
311	306	271	284	293	234	242	255	215	134	106	41	11	[illegible]	28	32
218	216	217	201	183	178	213	214	176	167	103	66	18	12	37	33
476	449	411	372	337	248	212	232	184	155	106	62	15	7	44	34
125	97	97	90	117	78	73	82	75	48	38	20	2	1	11	35
111	103	109	94	89	79	68	81	50	64	29	26	6	8	16	
78	59	64	41	32	24	11	10	7	4	6	1	2			36
39	47	35	34	23	14	12	17	7	6	8	6	3	1	1	
43	62	71	106	131	159	238	233	201	143	98	45	14	11	5	37
28	47	49	72	86	99	128	134	101	64	45	16	7	4	4	38
15	15	22	34	45	60	110	99	100	79	53	29	7	7	1	39
499	455	416	380	385	301	383	283	249	209	196	93	77	91	103	40
266	225	214	187	203	157	181	146	127	107	108	50	36	35	44	41
233	230	202	193	182	144	202	137	122	102	88	43	41	56	59	42
136	106	107	99	120	83	77	87	79	49	40	20	4	1	11	43
122	113	112	98	91	81	71	91	52	67	33	27	6	4	16	
37	32	25	21	30	23	34	37	17	16	11	2	1	1		44
10	15	16	22	27	31	60	36	37	25	18	15	5	5		
30	27	30	35	38	35	40	49	47	26	16	5	1			45
23	20	15	17	21	19	36	36	37	39	21	9	2	1		
8	4	4	5	2	4	3	4	2	5	3		1			46
3	1	5	3	6	3	3	8	6	3	2	4				
1	2		8	2	2			1			1				47
							1	1	1	1				1	
1	4	2	2	5	1	3		2	1	1			1	1	48
											1				
	2	1			1	3	2	3		3	1				49
		3				2		2							
12	8	11	15	12	14	9	[illegible]	3	2	6	2	1		2	50
5	6	4	7	1	2	1	5	7	1	2			1		
3	10	17	[illegible]	14	24	28	26	21	15	5	6	2	2		51
2	9	9	13	10	12	13	15	14	9	9	4	3			
2			1	2		2		1							52
6	5	12	9	9	14	14	11	6	2	4				1	53
1	2	8	2	1	5	4	5	1	4	3	2				
63	78	56	73	48	28	25	26	28	16	16	4		3	12	54
46	46	47	35	23	21	21	14	16	13	11	8	2	1	19	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	MAINE.													
1	Total		12,148	1,946	408	187	125	88	2,754	265	162	364	445	439
2	Males		6,292	1,085	215	93	70	41	1,504	138	80	186	209	200
3	Females		5,856	861	193	94	55	47	1,250	127	82	178	236	239
4	White		12,112	1,940	404	187	125	88	2,744	264	160	362	444	439
5	Males		6,268	1,082	212	93	70	41	1,498	138	78	186	209	200
6	Females		5,844	858	192	94	55	47	1,246	126	82	176	235	239
7	Native		10,497	1,904	384	174	116	85	2,663	239	150	313	355	364
8	Both parents native	M	4,073	564	102	44	31	22	763	75	48	128	130	114
		F	3,881	462	94	54	31	21	662	68	57	114	140	156
9	One or both parents foreign	M	1,091	492	95	39	36	19	681	51	25	27	34	42
		F	918	372	89	35	18	23	537	43	17	37	40	36
10	Foreign		1,487	32	18	12	9	3	74	22	10	46	85	70
11	Males		762	16	11	8	3		38	11	3	26	38	34
12	Females		725	16	7	4	6	3	36	11	7	20	47	36
13	Colored		36	6	4				10	1	2	2	1	
14	Males		24	3	3				6		2			
15	Females		12	3	1				4	1		2	1	
	Birthplaces of mothers (white).													
16	United States	M	4,365	658	130	49	35	23	895	84	54	140	140	121
		F	4,160	540	108	63	33	23	767	81	63	126	152	165
17	Ireland	M	346	19	3	1	2		25	5	2	3	16	23
		F	306	24	7	1	2	3	37			5	15	18
18	Germany	M	23	4			1		5					
		F	13	4	2				6					2
19	England and Wales	M	100	9	3	2	2	1	17	3		1	4	1
		F	75	11	1			1	13			1	1	3
20	Canada	M	983	352	71	38	30	17	508	41	18	32	36	42
		F	915	260	64	29	19	19	391	39	17	36	57	37
21	Scandinavia	M	30	8	1	1			10	1			3	1
		F	22	1	4		1		6		1		2	3
22	Scotland	M	41	3	2				5	1		1	2	
		F	40	2	1			1	4	1		1		2
23	Italy	M	4	3					3					
		F	6	3	1				4					
24	France	M	2											
		F	2											
25	Russia and Poland	M	19	9	1				10	1	2		2	2
		F	8	4	1				5	1				
26	Other foreign countries	M	19	7		1			8	1				
		F	12	5	1				6	1		2		1
27	Unknown	M	336	10	1	1			12	1	2	3	6	10
		F	285	4	2	1			7	3	1	5	8	8
	MARYLAND.													
28	Total		20,422	4,227	979	464	331	248	6,249	674	433	692	874	867
29	Males		10,526	2,315	508	251	159	127	3,360	308	204	319	434	428
30	Females		9,896	1,912	471	213	172	121	2,889	366	229	373	440	439
31	White		15,341	3,097	675	294	247	187	4,500	469	262	412	571	597
32	Males		8,054	1,696	360	154	121	97	2,428	220	128	211	293	310
33	Females		7,287	1,401	315	140	126	90	2,072	249	134	201	278	287
34	Native		12,177	3,019	653	287	233	179	4,371	453	249	373	504	518
35	Both parents native	M	2,160	435	104	45	27	28	639	76	48	66	92	83
		F	1,896	374	95	41	41	28	579	85	49	64	86	70
36	One or both parents foreign	M	196	49	7	2	5	7	70	6	4	6	8	10
		F	157	26	9	9	5	3	52	5	2	13	8	10
37	Foreign		2,391	4	2		2	1	9	3	8	22	36	59
38	Males		1,258	3	1			1	5	2	4	8	17	33
39	Females		1,133	1	1		2		4	1	4	14	19	26
40	Colored		5,081	1,130	304	170	84	61	1,749	205	171	280	303	270
41	Males		2,472	619	148	97	38	30	932	88	76	108	141	118
42	Females		2,609	511	156	73	46	31	817	117	95	172	162	152
	Birthplaces of mothers (white).													
43	United States	M	2,215	451	106	45	29	28	659	77	50	69	93	86
		F	1,951	384	95	43	44	28	594	87	53	73	89	74
44	Ireland	M	116	3	1		1	2	7			1	2	3
		F	110		1		1		2	1		4	2	3
45	Germany	M	252	22	2	1	2	3	30	1	2	1	4	4
		F	169	9	6	2	2		19	1		2	3	4
46	England and Wales	M	51	1				1	2				1	1
		F	30	3	1				4			2	1	1
47	Canada	M	5										2	
		F	2										1	
48	Scandinavia	M	2	1					1					
		F	1					1	1					
49	Scotland	M	28	2	1				3	3			3	
		F	23	1		2		1	4	1			1	2
50	Italy	M	4			1		1	2					2
		F												
51	France	M	3											
		F	1											
52	Russia and Poland	M	12	2	1				3		1			
		F	6	2		2			4					1
53	Other foreign countries	M	15	2					2	1				
		F	11	2	1	1		1	5			1	1	1
54	Unknown	M	1,121	190	52	16	18	11	287	25	12	31	44	28
		F	1,020	159	31	14	11	9	224	23	18	24	40	47

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
393	374	403	412	443	610	736	890	924	929	824	487	192	57	45	1
172	183	192	183	219	318	393	493	500	504	438	264	75	19	22	2
221	191	211	229	224	292	343	397	424	425	386	223	117	38	23	3
391	372	402	410	442	608	735	888	923	928	821	486	192	57	44	4
170	182	191	182	218	316	393	491	499	503	436	263	75	19	21	5
221	190	211	228	224	292	342	397	424	425	385	223	117	38	23	6
324	300	332	326	348	498	591	740	772	793	717	427	176	46	23	7
106	108	125	120	149	223	271	351	364	389	331	199	59	14	6	8
135	120	153	159	141	214	265	289	309	324	291	166	88	26	4	
34	22	27	11	17	17	13	26	21	11	18	7	4	1	2	9
31	34	15	10	12	16	9	21	13	11	11	4	10	1	10	
61	58	65	78	89	105	136	141	144	122	89	53	11	11	7	10
19	39	31	37	31	58	89	79	78	66	42	33	4	3	3	11
42	29	34	41	58	47	47	62	66	56	47	20	7	8	4	12
2	2	1	2	1	2	1	2	1	1	3	1			1	13
2	1	1	1	1	2		2	1	1	2	1			1	14
	1		1			1				1					15
113	112	129	128	157	229	278	368	377	401	349	205	64	15	6	16
144	127	159	169	142	217	271	303	326	334	302	179	96	29	8	
18	19	17	14	17	25	37	29	36	23	19	11		1		17
13	18	15	8	20	20	23	24	32	21	23	5	2	3	4	
1	3			1	2	1	4	2	2	1	1				18
	1	1			2			1							
2	1	2	4		6	13	8	8	12	6	9	1		2	19
3	5	2	4	5	7	4	8	5	7	2	1	3	1		
23	21	26	21	21	30	39	41	31	25	12	10	2	1	3	20
48	29	26	29	35	28	23	36	18	23	19	10	6	1	7	
3	2	1		2	1	3		2	2						
			1	1			1	3	1	2	1				21
	2	3	1		3	2	6	5	1	6	3				22
	2	1	1	2	4	3	4	4	4	2	2	1	2		
	1														23
1		1													
		1						1							24
								1		1					
	2														25
				2											
	3	1	1		1	1	2		1						26
1								1							
11	16	11	13	20	19	19	33	37	36	43	24	8	2	10	27
11	8	6	16	17	14	18	21	33	35	34	25	9	2	4	
780	830	805	778	887	866	1,066	1,105	1,144	915	652	348	111	63	283	28
387	423	443	420	483	465	552	600	599	438	309	151	28	21	154	29
393	407	362	358	404	401	514	505	545	477	343	197	83	42	129	30
571	637	613	586	667	687	880	955	999	793	548	293	82	31	188	31
297	339	352	326	371	373	448	517	511	396	260	133	20	14	107	32
274	298	261	260	296	314	432	438	488	397	288	160	62	17	81	33
468	514	497	444	472	444	537	556	603	499	356	193	53	19	54	34
59	66	72	57	88	79	122	136	171	144	81	52	7	6	16	35
67	62	66	57	74	78	90	92	116	111	79	42	15	2	12	
14	9	17	11	9	2	4	5	7	5	5	2	1	1		36
7	11	9	7	6	5	4		5	3	4	5	1			
80	103	97	121	169	207	298	337	338	248	149	69	21	9	8	37
48	66	61	69	112	112	128	187	162	126	75	34	2	2	5	38
32	37	36	52	57	95	170	150	176	122	74	35	19	7	3	39
209	193	192	192	220	179	186	150	145	122	104	55	29	32	95	40
90	84	91	94	112	92	104	83	88	42	49	18	3	7	47	41
119	109	101	98	108	87	82	67	57	80	55	37	21	25	48	42
62	67	76	61	91	80	124	137	174	145	81	53	3	6	16	43
69	63	69	58	75	79	91	92	118	113	79	45	16	2	12	
5	3	3	4	10	6	12	20	16	8	8	4		2	2	44
4	5	3	5	3	9	10	13	18	11	7	5	2		2	
11	7	16	11	15	14	21	31	24	37	17	5			1	45
7	14	6	7	8	8	21	13	19	15	13	7		1	1	
4	4		2	4	3	1	7	5	5	5	1	1			46
1	1	4	2	2	2	3	4	2		2	1				
	1	1				1								1	47
					1		1								
	1														48
1	2		1	2	2		2	3	1	2	2			1	49
1		1	1		1	3	1	1	5		1				
															50
	2	1													51
											1				
	2		1	1	2		1				1				52
								1							
1		2		1		1	1	2	3		1				53
				1			1				1				
38	37	43	48	32	63	63	71	72	58	45	29	9	1	85	54
32	47	30	28	40	35	57	65	86	62	45	36	9	7	65	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	MASSACHUSETTS.												
1	Total	49,756	10,754	2,331	1,058	714	499	15,356	1,184	674	1,100	1,779	2,068
2	Males	25,352	6,028	1,246	542	385	240	8,441	614	307	533	930	1,045
3	Females	24,404	4,726	1,085	516	329	259	6,915	570	367	567	849	1,023
4	White	49,061	10,623	2,290	1,032	700	489	15,134	1,161	660	1,078	1,736	2,020
5	Males	24,985	5,960	1,222	529	377	236	8,324	601	302	521	912	1,021
6	Females	24,076	4,663	1,068	503	323	253	6,810	560	358	557	824	999
7	Native	34,952	10,496	2,229	991	673	467	14,856	1,064	570	805	1,132	1,255
8	Both parents native M	7,748	1,587	311	115	100	81	2,194	185	107	152	209	219
	Both parents native F	7,609	1,285	283	130	85	71	1,854	156	124	155	188	211
9	One or both parents foreign M	8,788	4,113	858	388	260	141	5,760	348	149	230	378	421
	One or both parents foreign F	7,406	3,166	741	345	223	168	4,643	366	178	243	312	342
10	Foreign	13,645	99	57	35	25	21	237	91	85	267	588	743
11	Males	6,517	61	30	15	15	12	133	57	36	123	291	333
12	Females	7,128	38	27	20	10	9	104	34	49	144	297	410
13	Colored	695	131	41	26	14	10	222	23	14	22	43	48
14	Males	367	68	24	13	8	4	117	13	5	12	18	24
15	Females	328	63	17	13	6	6	105	10	9	10	25	24
	Birthplaces of mothers (white).												
16	United States M	9,149	2,214	403	168	125	102	3,012	237	132	188	256	267
	United States F	8,965	1,798	379	184	107	92	2,560	208	153	194	231	252
17	Ireland M	6,396	943	231	106	81	46	1,407	117	46	122	308	414
	Ireland F	6,528	708	205	96	75	45	1,129	123	78	157	284	398
18	Germany M	498	81	14	8	5	4	112	11	6	7	20	24
	Germany F	413	74	17	5	10	8	114	16	5	5	10	26
19	England and Wales M	1,160	248	51	18	15	5	337	38	19	19	28	41
	England and Wales F	1,094	207	44	24	12	8	295	20	19	25	34	33
20	Canada M	3,662	1,499	278	121	83	46	2,027	119	68	110	173	132
	Canada F	3,376	1,135	218	96	72	63	1,584	115	69	111	170	161
21	Scandinavia M	372	108	29	18	9	5	169	15	5	14	15	13
	Scandinavia F	325	77	32	15	8	9	141	16	6	8	14	19
22	Scotland M	395	60	10	7	10	3	90	3	3	6	15	15
	Scotland F	413	35	6	9	5	2	57	11	3	10	9	14
23	Italy M	454	173	56	32	15	9	285	15	3	8	16	22
	Italy F	305	127	52	18	9	5	211	11	2	2	8	13
24	France M	47	12	2			1	15		1			
	France F	37	4	1				5		1			1
25	Russia and Poland M	436	183	52	22	20	6	283	12	5	12	14	18
	Russia and Poland F	349	142	35	24	7	6	214	13	5	11	9	20
26	Other foreign countries M	765	339	81	19	10	8	457	25	7	20	34	30
	Other foreign countries F	630	275	65	23	13	11	387	22	12	23	29	31
27	Unknown M	1,651	100	15	9	4	2	130	4	7	15	33	45
	Unknown F	1,641	81	14	9	5	4	113	5	5	11	26	31
	MICHIGAN.												
28	Total	33,572	6,570	1,434	668	431	275	9,378	934	683	1,083	1,347	1,444
29	Males	18,084	3,743	763	359	212	153	5,230	485	344	543	627	632
30	Females	15,488	2,827	671	309	219	122	4,148	449	339	540	720	812
31	White	33,205	6,510	1,415	663	423	274	9,285	924	669	1,061	1,323	1,430
32	Males	17,893	3,712	759	357	208	153	5,189	479	339	534	616	624
33	Females	15,312	2,798	656	306	215	121	4,096	445	330	527	707	806
34	Native	24,068	6,467	1,393	649	418	269	9,196	876	630	903	1,001	1,044
35	Both parents native M	6,789	1,581	315	143	89	46	2,174	210	155	200	205	192
	Both parents native F	6,249	1,217	259	125	84	50	1,735	186	143	230	283	298
36	One or both parents foreign M	4,904	1,921	425	198	109	105	2,758	236	158	234	227	216
	One or both parents foreign F	4,221	1,366	374	171	124	68	2,103	229	164	210	235	282
37	Foreign	8,752	30	20	13	3	5	71	44	38	152	302	369
38	Males	4,858	17	6	8	2	2	35	22	19	76	152	177
39	Females	3,894	13	14	5	1	3	36	22	19	76	150	192
40	Colored	367	60	19	5	8	1	93	10	14	22	24	14
41	Males	191	31	4	2	4		41	6	5	9	11	8
42	Females	176	29	15	3	4	1	52	4	9	13	13	6
	Birthplaces of mothers (white).												
43	United States M	8,021	2,017	401	176	109	70	2,773	271	198	252	257	230
	United States F	7,348	1,542	330	165	109	66	2,212	242	185	281	327	356
44	Ireland M	1,060	32	4	3	5	2	46	9	6	14	39	54
	Ireland F	941	24	9	3		3	39	3	6	12	30	53
45	Germany M	2,444	449	81	49	30	24	633	63	34	72	93	77
	Germany F	2,088	320	76	37	24	19	476	62	40	55	102	125
46	England and Wales M	955	56	18	7	3	4	88	17	7	17	21	31
	England and Wales F	703	37	13	5	3	2	60	8	13	14	23	25
47	Canada M	1,711	392	93	51	26	25	587	49	49	102	97	83
	Canada F	1,530	294	80	36	29	15	454	52	46	98	121	125
48	Scandinavia M	505	135	30	13	10	6	194	16	9	15	11	25
	Scandinavia F	378	88	33	5	10	3	139	22	16	16	19	24
49	Scotland M	329	5	2				7	2	3		9	14
	Scotland F	245	5	1		2		8	1	1	11	5	14
50	Italy M	85	37	9	5		1	52	2	2	1	3	4
	Italy F	40	14	5	3	1		23	3			5	2
51	France M	85	7	4	1	1		13	1	2	2	2	3
	France F	61	4	1	1			6	1		1	1	8
52	Russia and Poland M	337	130	23	13	6	7	179	9	8	7	11	10
	Russia and Poland F	232	91	25	14	6	5	141	13	6	6	5	5
53	Other foreign countries M	1,002	254	76	31	10	13	384	26	14	27	42	53
	Other foreign countries F	770	187	60	29	22	6	304	29	13	21	34	27
54	Unknown M	1,359	198	18	8	8	1	233	14	7	25	31	40
	Unknown F	976	192	23	8	9	2	234	9	4	12	35	42

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,061	1,999	1,861	1,926	2,232	2,412	2,639	2,892	2,926	2,761	2,074	1,140	427	126	119	1
1,077	1,056	931	1,019	1,129	1,213	1,313	1,405	1,395	1,304	932	459	142	37	70	2
984	943	930	907	1,103	1,199	1,326	1,487	1,531	1,457	1,142	681	285	89	49	3
2,014	1,960	1,826	1,884	2,196	2,383	2,620	2,872	2,908	2,750	2,062	1,135	423	124	115	4
1,047	1,032	914	1,001	1,107	1,196	1,298	1,396	1,385	1,299	928	457	142	36	66	5
967	928	912	883	1,089	1,187	1,322	1,476	1,523	1,451	1,134	678	281	88	49	6
1,084	1,002	1,011	1,052	1,055	1,094	1,258	1,494	1,656	1,794	1,452	851	317	69	81	7
202	190	202	307	347	384	470	575	591	600	489	225	71	11	18	8
183	171	221	276	339	389	424	519	613	670	549	360	160	33	14	
339	316	260	185	105	72	57	56	28	38	17	6	4	----------	19	9
284	234	233	151	99	60	64	50	34	33	30	19	8	----------	23	
908	933	778	798	1,120	1,274	1,331	1,344	1,220	923	578	269	96	54	13	10
451	462	386	422	557	643	634	601	543	413	244	121	36	22	9	11
452	471	392	376	563	631	697	743	677	510	334	148	60	32	4	12
47	39	35	42	36	29	19	20	18	11	12	5	4	2	4	13
30	24	17	18	22	17	15	9	10	5	4	2	----------	1	4	14
17	15	18	24	14	12	4	11	8	6	8	3	4	1	----------	15
239	214	230	337	369	404	505	613	629	658	518	237	75	11	23	16
216	191	255	305	376	423	447	561	657	721	600	386	176	37	16	
438	444	397	339	376	408	393	366	308	240	150	72	22	17	12	17
398	373	329	305	399	447	491	502	447	289	208	96	40	22	13	
33	23	23	26	24	40	37	25	42	27	12	6	----------	----------	----------	18
17	17	23	14	15	19	18	31	33	29	10	7	4	----------	----------	
49	55	39	47	72	75	76	85	73	58	29	14	4	1	1	19
48	46	55	41	56	64	68	80	69	69	41	16	3	1	6	
127	122	92	94	98	103	95	102	83	60	26	19	4	2	1	20
161	152	117	93	108	86	111	95	83	79	47	20	5	4	5	
24	20	19	15	17	12	9	3	4	5	10	1	1	----------	1	21
23	26	17	11	4	5	2	13	7	7	4	2	----------	----------	----------	
25	18	10	19	23	33	24	22	30	25	16	5	5	2	1	22
17	21	28	15	33	28	31	28	39	33	21	12	2	1	----------	
17	19	12	16	7	10	8	8	1	3	2	1	----------	----------	1	23
7	12	5	5	11	7	4	1	2	2	1	1	----------	----------	----------	
5	1	5	----------	2	4	3	5	1	8	1	1	----------	----------	----------	24
1	----------	1	4	----------	2	6	4	3	3	3	1	2	----------	----------	
15	17	12	8	6	7	9	6	5	6	----------	1	----------	----------	----------	25
12	13	10	4	4	8	5	7	3	3	3	1	2	----------	1	
25	36	17	24	26	10	16	13	9	7	4	1	2	----------	2	26
19	18	8	9	10	13	13	10	8	9	6	2	----------	1	----------	
50	63	58	76	87	90	123	148	200	212	160	99	29	3	19	27
48	59	64	77	73	85	125	144	172	207	190	134	42	22	8	
1,183	1,268	1,239	1,281	1,294	1,540	1,780	2,001	2,187	2,104	1,560	807	279	85	95	28
539	640	639	710	722	906	995	1,097	1,266	1,212	811	450	128	37	71	29
644	628	600	571	572	634	785	904	921	892	749	357	151	48	24	30
1,174	1,246	1,215	1,259	1,277	1,518	1,768	1,987	2,177	2,090	1,547	804	278	81	92	31
532	628	625	700	713	895	987	1,087	1,259	1,204	801	448	127	37	69	32
642	618	590	559	564	623	781	900	918	886	746	356	151	44	23	33
772	747	764	730	706	836	962	1,031	1,158	1,162	845	463	176	40	26	34
161	181	204	236	234	313	372	433	491	486	312	163	53	8	6	35
245	200	224	237	222	268	328	345	370	379	308	151	78	14	5	
146	145	137	99	84	92	78	55	82	61	47	38	7	2	2	36
160	158	133	83	77	75	63	60	45	56	46	22	11	5	4	
381	481	425	506	549	658	773	933	988	908	684	329	99	39	23	37
174	257	230	306	324	410	443	500	565	534	358	182	56	22	16	38
207	224	195	200	225	248	330	433	423	374	326	147	43	17	7	39
9	22	24	22	17	22	12	14	10	14	13	3	1	4	3	40
7	12	14	10	9	11	8	10	7	8	10	2	1	----------	2	41
2	10	10	12	8	11	4	4	3	6	3	1	----------	4	1	42
198	208	225	262	253	357	402	469	539	530	341	184	56	9	7	43
290	231	251	265	250	296	357	384	402	417	333	165	81	17	6	
45	63	68	49	65	82	100	89	101	89	68	45	19	6	3	44
46	46	57	45	59	55	81	111	95	73	72	37	17	3	1	
75	81	101	118	107	124	154	157	181	178	122	53	14	3	4	45
91	101	99	67	71	94	109	144	158	134	107	35	10	6	2	
29	32	38	46	54	73	69	87	118	105	74	37	11	1	----------	46
28	40	31	45	39	33	60	57	64	60	56	36	6	4	1	
47	87	59	66	69	74	70	77	76	57	31	16	6	6	3	47
88	80	55	51	52	53	47	61	48	47	24	17	8	2	1	
27	33	23	28	16	25	12	21	15	21	6	7	----------	----------	1	48
20	22	11	12	9	10	6	11	7	14	14	5	1	----------	----------	
12	22	9	18	33	27	28	33	35	38	23	10	4	2	----------	49
13	11	11	10	14	15	22	29	23	19	23	9	2	4	----------	
1	5	2	5	4	1	1	----------	----------	1	----------	1	----------	----------	----------	50
2	1	1	1	----------	1	----------	1	----------	----------	----------	----------	----------	----------	----------	
----------	3	----------	4	4	5	7	7	11	9	3	6	3	----------	----------	51
----------	4	3	----------	6	3	7	6	5	3	5	1	1	----------	----------	
9	14	13	11	8	9	7	10	12	7	7	2	----------	----------	4	52
5	6	7	3	4	3	3	4	4	4	8	2	1	----------	2	
38	35	36	31	30	39	44	36	53	47	34	22	3	4	4	53
30	36	28	25	16	24	31	33	29	35	38	13	3	----------	1	
51	45	51	62	70	79	93	101	118	122	92	65	11	6	43	54
29	40	36	35	44	36	58	59	33	80	66	36	21	8	9	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	MINNESOTA.												
1	Total	17,005	3,569	692	367	239	192	5,059	624	471	634	813	770
2	Males	9,354	1,998	367	187	134	101	2,787	346	213	311	391	381
3	Females	7,651	1,571	325	180	105	91	2,272	278	258	323	422	389
4	White	16,816	3,551	682	361	232	186	5,012	613	462	619	807	757
5	Males	9,250	1,987	362	183	128	98	2,758	340	211	306	388	373
6	Females	7,566	1,564	320	178	104	88	2,254	273	251	313	419	384
7	Native	10,318	3,537	680	356	231	184	4,988	597	417	493	555	480
8	Both parents native M	2,229	739	128	57	46	34	1,004	99	52	76	73	73
	Both parents native F	1,992	570	125	66	34	26	821	80	72	66	96	74
9	One or both parents foreign M	2,896	1,161	225	124	77	59	1,646	224	135	162	178	127
	One or both parents foreign F	2,617	942	190	100	70	60	1,362	182	151	179	182	177
10	Foreign	6,285	9	2	3	1	1	16	15	41	122	232	260
11	Males	3,634	7	2		1		10	9	18	61	107	145
12	Females	2,651	2		3		1	6	6	23	61	125	115
13	Colored	189	18	10	6	7	6	47	11	9	15	6	13
14	Males	104	11	5	4	6	3	29	6	2	5	3	8
15	Females	85	7	5	2	1	3	18	5	7	10	3	5
	Birthplaces of mothers (white).												
16	United States M	2,733	981	166	77	59	40	1,323	141	68	98	94	90
	United States F	2,409	757	168	79	46	35	1,085	112	96	81	121	80
17	Ireland M	592	15	7	1	1	2	26	5	5	9	16	26
	Ireland F	470	13	6	1	2	1	23	5	7	10	22	34
18	Germany M	1,620	249	50	37	19	9	364	56	36	33	57	42
	Germany F	1,326	215	38	25	19	11	308	46	39	48	58	68
19	England and Wales M	202	14	1	1			16	1	4	5	6	5
	England and Wales F	172	10	3	2	1	1	17	3	2	5	5	9
20	Canada M	409	71	12	7	6	8	104	15	13	12	20	26
	Canada F	296	63	9	6	3	4	85	17	14	13	19	23
21	Scandinavia M	2,433	421	91	45	30	24	611	87	62	119	140	125
	Scandinavia F	2,014	321	65	44	23	31	484	69	70	126	150	118
22	Scotland M	104	11	1				12		1		3	4
	Scotland F	65	4	1		1		6		2	1	1	4
23	Italy M	25	3	1				4	3		3	3	3
	Italy F	13	6	1	2			9			1	1	
24	France M	36	2	1			1	4		2		1	
	France F	27	6	1				7		1	1	3	1
25	Russia and Poland M	182	62	8	4	4	5	83	12	7	6	3	5
	Russia and Poland F	140	49	10	3	6	2	70	5	8	7	7	4
26	Other foreign countries M	422	78	17	9	5	4	113	11	8	14	15	18
	Other foreign countries F	336	75	14	7	3	2	101	11	12	13	17	17
27	Unknown M	492	80	7	2	4	5	98	9	5	7	30	29
	Unknown F	298	45	4	9		1	59	5	5	7	15	17
	MISSISSIPPI.												
28	Total	20,251	3,542	1,450	731	444	316	6,483	1,029	827	1,363	1,539	1,236
29	Males	10,299	1,906	783	389	208	160	3,446	517	422	638	774	574
30	Females	9,952	1,636	667	342	236	156	3,037	512	405	725	765	662
31	White	7,444	1,262	515	251	142	110	2,280	367	278	380	448	392
32	Males	3,880	680	289	142	77	59	1,247	178	146	204	235	187
33	Females	3,564	582	226	109	65	51	1,033	189	132	176	213	205
34	Native	7,120	1,237	510	247	142	109	2,245	356	275	369	432	379
35	Both parents native M	3,433	655	279	138	75	59	1,206	168	140	182	209	165
	Both parents native F	3,244	560	217	106	65	50	998	183	125	167	196	189
36	One or both parents foreign M	87	8	5	2	2		17	4	3	5	8	7
	One or both parents foreign F	73	9	8	1			18		3	4	6	5
37	Foreign	150							4		1	2	4
38	Males	95							1		1		1
39	Females	55							3			2	3
40	Colored	12,807	2,280	935	480	302	206	4,203	662	549	983	1,091	844
41	Males	6,419	1,226	494	247	131	101	2,199	339	276	434	539	387
42	Females	6,388	1,054	441	233	171	105	2,004	323	273	549	552	457
	Birthplaces of mothers (white).												
43	United States M	3,488	660	284	140	75	59	1,218	170	142	186	215	167
	United States F	3,289	568	222	107	65	50	1,012	184	126	171	203	191
44	Ireland M	41										1	4
	Ireland F	32								1		1	3
45	Germany M	29											1
	Germany F	19	1					1				1	1
46	England and Wales M	21							1	1	1		
	England and Wales F	13											
47	Canada M	3											
	Canada F	4		1				1					
48	Scandinavia M	3				1		1	1				
	Scandinavia F	2									1		1
49	Scotland M	5											
	Scotland F	4											
50	Italy M	8	2					2					
	Italy F	6							2	1			2
51	France M	7							1				
	France F	7											
52	Russia and Poland M	3	1			1		2					
	Russia and Poland F	3		2				2	1			1	
53	Other foreign countries M	14									1	1	1
	Other foreign countries F	2											
54	Unknown M	179	3		1			4		3	10	10	10
	Unknown F	120	2	1				3		1	3	2	4

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
769	732	712	594	660	633	724	870	960	843	629	288	97	42	51	1
415	393	399	350	390	386	415	512	573	457	368	150	43	22	52	2
354	339	313	244	270	247	309	358	387	386	261	138	54	20	29	3
756	722	704	585	648	631	720	866	957	836	625	285	94	40	77	4
408	387	394	344	384	384	412	511	570	454	364	148	42	21	51	5
348	335	310	241	264	247	308	355	387	382	261	137	52	19	26	6
357	320	271	208	217	175	203	246	240	228	170	83	33	7	30	7
60	58	52	54	71	71	79	113	104	97	57	23	8	1	4	8
57	59	66	61	64	52	71	75	79	75	65	31	17	5	6	
103	81	62	38	33	20	13	14	19	17	9	7	1		7	9
102	91	55	28	19	13	14	15	13	11	10	6	2		5	
381	383	414	364	420	443	508	612	709	600	450	198	60	33	24	10
216	213	243	230	254	270	300	365	424	320	276	104	30	20	19	11
165	170	171	134	166	173	208	247	285	280	174	94	30	13	5	12
13	10	8	9	12	2	4	4	3	7	4	3	3	2	4	13
7	6	5	6	6	2	3	1	3	3	4	2	1	1	1	14
6	4	3	3	6		1	2		4		1	2	1	3	15
68	67	59	63	79	77	82	116	108	105	58	24	8	1	4	16
65	59	71	64	65	53	72	83	81	79	70	35	17	5	6	
37	34	34	32	34	37	36	39	61	61	58	21	9	8	4	17
26	33	19	22	17	23	35	55	50	50	21	11	5	1	1	
65	61	69	66	63	92	100	146	150	98	79	28	3	6	6	18
71	62	63	46	57	40	63	78	86	92	64	23	8	2	4	
9	5	14	12	16	12	12	20	19	20	15	10	1			19
10	6	4	4	13	13	13	12	18	18	10	7	2	1		
28	19	26	17	17	17	20	25	18	11	12	7		1	1	20
20	16	15	14	11	8	6	3	11	8	5	4	1	2	1	
133	125	118	99	116	98	104	107	138	109	89	30	14	3	6	21
103	117	99	53	62	74	84	86	105	94	61	41	11	4	3	
9	8	9	4	5	5	11	7	12	8	5	1			2	22
	4	2	4	5	3	4	5	6	7	4	8	3	1		
1	3		1	1	1			1		1					23
		1			1										
4	2	4	2	3		3	3	1		4	3				24
	1	2	1	1		1	2	1	2	3					
2	10	4	8	8	6	4	5	5	5	4		2	1	2	25
7	4	8	3	3	8	1	3	2	2	1	1		1		
23	21	20	18	16	17	20	24	34	17	16	9	2	1	5	26
22	17	8	11	15	15	14	11	16	15	11	6	2	1	1	
29	34	37	22	26	22	20	19	23	20	23	15	3		21	27
24	16	18	19	15	9	15	17	11	15	11	6	3	1	10	
932	774	750	650	693	550	703	585	640	487	391	190	118	118	193	28
426	373	352	309	358	283	365	326	349	265	216	101	61	48	96	29
506	401	398	341	335	267	338	259	291	222	175	89	57	70	97	30
329	270	319	284	297	277	327	272	308	254	179	89	23	13	58	31
153	121	156	145	154	140	168	152	168	139	95	50	10	4	28	32
176	149	163	139	143	137	159	120	140	115	84	39	13	9	30	33
319	259	307	261	272	254	299	247	282	238	163	83	21	13	46	34
131	96	129	119	123	106	138	124	139	122	76	42	8	4	5	35
159	136	152	122	123	127	141	97	113	93	68	28	10	7	10	
3	4	5	4	1	5	3	2	6	2	4	1	2		1	36
2	3	2	4	2		2	2	5	4	3	6	1		1	
2	6	5	12	14	14	22	19	18	8	11	4	1		3	37
1	3	5	10	10	11	13	14	11	5	5	1			3	38
1	3		2	4	3	9	5	7	3	6	3	1			39
603	504	431	366	396	273	376	313	332	233	212	101	95	105	135	40
273	252	196	164	204	143	197	174	181	126	121	51	51	44	68	41
330	252	235	202	192	130	179	139	151	107	91	50	44	61	67	42
134	98	134	121	124	109	141	125	140	123	79	42	8	4	8	43
150	138	153	124	123	127	142	98	116	96	68	30	10	7	11	
2	1	2	4	4	3	2	5	7	2	2	1			1	44
	2	1	1	5		6	4	2	1	3	1	1			
	1	1	4	2	4	5	6	3	2						45
	2			1	1	2	2	5		1	2				
		3	1		3	1	3	3		2	1			1	46
1	2		3					2	1	3		1			
				1	1					1					47
1									1	1					
	1					1	1							1	48
			1	2				2							49
							1			1	2				
	1	1	2			1		1							50
			1												
	1			1	2					1		1			51
1					2	1		1	1		1				
															52
2		1		1	1	4			1			1			
						1		1							53
12	17	12	9	14	12	10	12	8	8	6	6			16	54
12	4	7	5	9	6	5	9	11	10	6	2		2	19	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	MISSOURI.												
1	Total	38,084	6,806	2,398	1,063	712	493	11,472	1,494	1,058	1,650	2,133	1,906
2	Males	20,480	3,742	1,232	561	352	241	6,128	763	527	775	1,032	968
3	Females	17,604	3,064	1,166	502	360	252	5,344	731	531	875	1,101	938
4	White	34,959	6,294	2,226	969	664	469	10,622	1,389	957	1,450	1,867	1,678
5	Males	18,833	3,472	1,142	514	329	231	5,688	711	490	680	884	849
6	Females	16,126	2,822	1,084	455	335	238	4,934	678	467	770	983	829
7	Native	29,383	6,273	2,216	965	661	462	10,577	1,374	938	1,407	1,756	1,532
8	Both parents native M	9,962	2,176	837	368	225	149	3,755	480	346	487	523	413
	Both parents native F	9,274	1,809	818	338	217	149	3,331	473	352	538	622	448
9	One or both parents foreign M	994	156	55	24	17	13	265	39	40	52	54	60
	One or both parents foreign F	830	120	43	18	16	16	213	46	19	55	56	68
10	Foreign	4,771		2		1	2	5	5	10	21	68	95
11	Males	2,824					1	1	4	5	15	40	48
12	Females	1,947		2		1	1	4	1	5	6	28	47
13	Colored	3,125	512	172	94	48	24	850	105	101	200	266	228
14	Males	1,647	270	90	47	23	10	440	52	37	95	148	119
15	Females	1,478	242	82	47	25	14	410	53	64	105	118	109
	Birthplaces of mothers (white).												
16	United States M	10,350	2,250	859	379	229	154	3,871	500	366	506	550	428
	United States F	9,650	1,868	846	344	226	157	3,441	497	366	568	648	482
17	Ireland M	338	10	1	1	1	2	15			5	11	16
	Ireland F	234	10	2	2	1	2	17	2	1	6	7	20
18	Germany M	873	36	14	9	9	5	73	13	12	19	27	28
	Germany F	603	31	8	4	1	2	46	13	4	16	20	23
19	England and Wales M	194	8	4	1	2	1	16	1	3	3	5	5
	England and Wales F	113	4	1	2	3	1	11	3		3	3	5
20	Canada M	35	3	1				4	2	2	4		2
	Canada F	39	7	1	1	2	1	12	1	1	2	2	4
21	Scandinavia M	65	5	8	2	1	2	18	1	4	3	3	6
	Scandinavia F	53	2	4	1	1	1	9	2	1		4	4
22	Scotland M	42	3					3			1		1
	Scotland F	32	1	1				2			1		3
23	Italy M	23	6	3				9			1	3	
	Italy F	16	6	2	1	1	1	11					
24	France M	36											
	France F	21											
25	Russia and Poland M	34	12	3				15	1	1	1	2	
	Russia and Poland F	15	3	2			1	6		1	1		3
26	Other foreign countries M	88	10	1	2	1		14	4	2	2	2	2
	Other foreign countries F	55	4	3	1	1		9	3	1	1	4	6
27	Unknown M	1,173	96	24	6	1	7	134	14	12	18	45	55
	Unknown F	878	81	15	2	6	6	110	11	9	29	53	56
	MONTANA.												
28	Total	2,188	306	95	45	44	22	512	84	38	76	119	120
29	Males	1,387	178	48	21	21	11	279	34	25	36	66	69
30	Females	801	128	47	24	23	11	233	50	13	40	53	51
31	White	1,930	277	71	38	35	15	436	68	33	57	110	112
32	Males	1,256	156	35	19	20	8	238	29	23	31	62	64
33	Females	674	121	36	19	15	7	198	39	10	26	48	48
34	Native	1,069	271	68	37	32	13	421	59	30	44	61	46
35	Both parents native M	289	79	11	8	8	4	110	12	9	13	12	7
	Both parents native F	205	49	15	8	5	4	81	13	6	11	13	8
36	One or both parents foreign M	193	62	16	7	10	3	98	13	7	5	11	13
	One or both parents foreign F	149	48	15	9	8	2	82	12	3	3	10	6
37	Foreign	534		2		2	1	5	4	1	6	29	40
38	Males	394		2		1	1	4	1	1	2	21	24
39	Females	140				1		1	3		4	8	16
40	Colored	258	29	24	7	9	7	76	16	5	19	9	8
41	Males	131	22	13	2	1	3	41	5	2	5	4	5
42	Females	127	7	11	5	8	4	35	11	3	14	5	3
	Birthplaces of mothers (white).												
43	United States M	330	92	15	10	11	5	133	15	10	14	15	8
	United States F	232	57	18	9	7	4	95	17	7	11	16	8
44	Ireland M	129	14			1	1	16		2		5	15
	Ireland F	58	6	1		3		10	1		1	8	8
45	Germany M	54	1			2		3	3		2		3
	Germany F	23	3	2	1			6	1		1	3	2
46	England and Wales M	131	7	1		2		10	1	1		8	8
	England and Wales F	67	11	3	1	2		17	3		1	4	6
47	Canada M	77	9	4	2	2	2	19	5	2	1	6	4
	Canada F	33	3	1	4			8	4		2	1	2
48	Scandinavia M	51	3	2	2	1		8	2		2	6	1
	Scandinavia F	22	6	3		1	1	11	1	1			
49	Scotland M	21		1				1					
	Scotland F	14	3		1		1	5	1	1			
50	Italy M	12	1	2				3				1	1
	Italy F	5	1	1	1			3	1				
51	France M	5											
	France F	6	1					1					1
52	Russia and Poland M	4	1					1					
	Russia and Poland F												
53	Other foreign countries M	38	11	4	1			16		2		2	2
	Other foreign countries F	18	7	1		1		9			1	1	1
54	Unknown M	322	13	1	2	1		17	2	4	10	15	18
	Unknown F	129	18	4	1			23	7	1	5	12	12

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,768	1,719	1,545	1,523	1,557	1,700	1,726	1,899	1,708	1,370	974	448	128	65	241	1
883	922	833	897	914	972	1,003	1,072	985	773	572	241	45	32	143	2
885	797	712	626	643	728	723	827	723	597	402	207	83	33	98	3
1,583	1,535	1,398	1,390	1,426	1,585	1,632	1,804	1,624	1,314	933	422	108	44	198	4
781	813	758	827	846	904	952	1,015	943	743	547	226	35	21	120	5
802	722	640	563	580	681	680	789	681	571	386	196	73	23	78	6
1,376	1,264	1,143	1,024	959	1,018	1,025	1,082	1,011	818	612	280	73	31	83	7
301	329	315	341	355	350	420	409	390	331	261	111	19	8	18	8
444	342	331	274	283	316	298	367	297	253	157	92	27	5	24	
61	61	55	46	34	49	37	34	37	35	23	7	2	3	----	9
67	52	52	31	25	28	29	17	23	20	8	10	3	6	2	
150	216	214	311	413	519	562	672	567	455	298	126	32	10	22	10
99	129	139	196	270	321	325	387	345	245	158	71	8	4	14	11
51	87	75	115	143	198	237	285	222	210	140	55	24	6	8	12
185	184	147	133	131	115	94	95	84	56	41	26	20	21	43	13
102	109	75	70	68	68	51	57	42	30	25	15	10	11	23	14
83	75	72	63	63	47	43	38	42	26	16	11	10	10	20	15
325	348	332	350	366	361	438	420	406	345	273	117	21	9	18	16
466	361	345	286	296	325	307	372	307	265	162	95	27	8	26	
15	22	17	10	22	38	27	43	37	29	17	4	----	3	7	17
14	13	10	8	11	14	18	28	22	15	15	7	4	----	2	
27	36	46	62	60	66	63	94	94	68	59	19	1	3	3	18
35	40	39	30	30	38	46	64	56	42	33	14	9	1	4	
12	6	10	6	13	24	13	19	27	14	12	4	----	----	1	19
8	4	6	8	10	14	9	10	4	8	4	5	2	----	1	
2	3	----	2	----	4	3	5	1	1	----	----	----	----	----	20
2	2	----	4	1	2	----	3	1	2	----	----	----	----	----	
3	5	5	1	2	3	4	----	2	2	3	----	----	----	----	21
7	2	8	2	1	1	2	4	3	1	1	1	----	----	----	
----	----	3	1	4	2	3	5	5	7	1	6	----	----	----	22
----	2	1	1	1	3	5	1	4	3	4	----	----	1	----	
3	2	----	1	----	1	----	2	1	----	----	----	----	----	----	23
----	----	3	----	1	----	----	----	1	----	----	----	----	----	----	
2	3	1	4	----	6	7	1	3	6	2	1	----	----	----	24
2	2	2	3	1	4	2	1	1	1	1	1	----	----	----	
----	3	----	3	1	1	2	----	----	2	1	1	----	----	----	25
1	1	----	2	----	----	----	----	----	----	----	----	----	----	----	
4	2	1	3	3	4	8	9	9	11	6	1	----	----	1	26
2	2	4	2	----	3	1	1	5	4	4	2	----	1	----	
71	49	62	62	69	77	80	85	104	84	68	23	3	4	54	27
57	52	44	46	41	59	49	49	69	43	38	16	12	4	31	
154	180	133	138	112	102	78	77	67	41	17	8	5	----	127	28
92	131	96	98	83	76	59	56	44	24	6	3	2	----	108	29
62	49	37	40	29	26	19	21	23	17	11	5	3	----	19	30
140	170	118	126	94	93	73	69	53	34	10	7	3	----	124	31
86	123	90	90	70	70	55	52	37	22	5	3	1	----	105	32
54	47	28	36	24	23	18	17	16	12	5	4	2	----	19	33
62	62	45	44	28	39	27	38	25	15	5	2	3	----	13	34
13	18	14	6	11	19	10	18	7	4	2	2	----	----	2	35
15	9	9	7	4	7	7	6	3	4	----	----	1	----	1	
8	7	9	6	3	3	2	3	2	2	----	----	----	----	1	36
7	4	1	5	4	3	1	2	1	3	----	----	1	----	1	
53	78	50	56	54	44	32	24	18	16	5	4	----	----	15	37
40	58	39	45	40	34	28	18	12	13	1	----	----	----	13	38
13	20	11	11	14	10	4	6	6	3	4	4	----	----	2	39
11	10	15	12	18	9	5	8	14	7	7	1	2	----	3	40
6	8	6	8	13	6	4	4	7	2	1	----	1	----	3	41
8	2	9	4	5	3	1	4	7	5	6	1	1	----	----	42
13	22	15	7	12	20	10	18	7	5	2	2	----	----	2	43
16	10	9	7	4	8	7	6	4	4	----	----	1	----	2	
10	17	13	10	5	10	10	7	5	1	----	----	----	----	3	44
2	3	1	3	8	4	2	3	2	5	1	1	----	----	----	
2	8	4	3	2	5	6	3	3	4	----	----	----	----	2	45
2	2	1	1	1	1	1	1	----	----	----	----	----	----	----	
11	12	16	15	14	8	7	8	5	5	----	----	----	----	2	46
4	7	3	5	6	1	1	2	2	1	1	1	1	----	1	
5	10	8	4	4	----	1	1	----	1	----	----	----	----	6	47
3	2	4	1	----	4	----	1	----	----	----	1	----	----	----	
11	4	3	3	7	2	1	----	----	----	----	----	----	----	1	48
4	3	----	1	----	----	----	----	----	----	----	1	----	----	----	
2	3	1	6	2	3	2	1	----	----	----	----	----	----	----	49
1	2	1	1	2	----	----	----	----	----	----	----	----	----	----	
1	----	----	3	2	1	----	----	----	----	----	----	----	----	----	50
----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	1	----	----	----	2	----	----	1	1	----	----	----	----	----	51
----	1	----	2	----	----	1	----	----	----	----	----	----	----	----	
1	----	1	1	----	----	----	----	----	----	----	----	----	----	----	52
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
1	5	----	2	3	2	1	1	----	1	----	----	----	----	----	53
2	2	2	----	----	----	----	----	----	----	----	----	----	----	----	
19	36	24	26	13	13	14	9	11	----	2	1	1	----	87	54
17	8	4	9	2	----	5	2	5	1	1	----	----	----	14	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	NEBRASKA.												
1	Total	8,264	1,642	479	252	135	91	2,599	322	237	318	363	337
2	Males	4,480	929	242	122	69	44	1,406	173	124	170	165	170
3	Females	3,784	713	237	130	66	47	1,193	149	113	148	198	167
4	White	8,015	1,600	465	245	131	85	2,526	309	234	304	350	319
5	Males	4,355	908	236	120	68	42	1,374	168	122	161	157	164
6	Females	3,660	692	229	125	63	43	1,152	141	112	143	193	155
7	Native	6,042	1,584	455	238	125	85	2,487	297	218	273	282	247
8	Both parents native M	1,561	408	109	66	24	21	628	78	62	79	56	45
	Both parents native F	1,415	311	120	68	27	26	552	52	45	69	66	49
9	One or both parents foreign M	770	271	75	35	24	16	421	59	39	40	34	34
	One or both parents foreign F	672	196	60	31	18	10	315	56	40	35	49	33
10	Foreign	1,737	2	5	8	4		14	5	15	24	55	57
11	Males	987	1	3	1	1		6	2	6	13	22	24
12	Females	750	1	2	2	3		8	3	9	11	33	33
13	Colored	249	42	14	7	4	6	73	13	3	14	13	18
14	Males	125	21	6	2	1	2	32	5	2	9	8	6
15	Females	124	21	8	5	3	4	41	8	1	5	5	12
	Birthplaces of mothers (white).												
16	United States M	1,782	489	131	75	33	26	754	100	68	90	68	56
	United States F	1,595	367	140	74	31	31	643	63	51	75	77	59
17	Ireland M	138	7	2			1	10	3	3	3	1	5
	Ireland F	104	4	1	2			7	1	3	4	3	6
18	Germany M	529	91	29	13	7	3	143	18	12	16	18	17
	Germany F	429	58	24	8	5	1	96	22	17	14	20	18
19	England and Wales M	123	6	4		3		13	1	3	2	2	3
	England and Wales F	73	2	2	1	1		6	3	2	2	5	3
20	Canada M	44	6	2	1	1		10	1	2	2	2	2
	Canada F	36	1	1	1	1	1	5		1	2	6	1
21	Scandinavia M	206	28	9	9	3	3	52	8	10	8	11	4
	Scandinavia F	217	32	6	3	4	1	46	10	11	10	19	9
22	Scotland M	30	2		1			3		1			
	Scotland F	31	4					4		1		1	1
23	Italy M	2											
	Italy F												
24	France M	18	1					1					
	France F	7	1			1		2					
25	Russia and Poland M	64	20	3	1		3	27	6	4	3	1	1
	Russia and Poland F	52	18	5	4	1	1	29	3	2	1	2	3
26	Other foreign countries M	146	32	7	2	2	1	44	2	4	3	1	8
	Other foreign countries F	147	23	2	8	2	1	36	9	6	6	4	10
27	Unknown M	273	28	5	5	2		40	5	2	8	10	14
	Unknown F	204	22	3	2	2	1	30	6	2	4	11	8
	NEVADA.												
28	Total	438	46	20	3	8	2	79	10	12	7	27	20
29	Males	290	23	11	2	4	2	42	3	6	5	11	9
30	Females	148	23	9	1	4		37	7	6	2	16	11
31	White	349	34	10		8	1	48	7	9	5	23	18
32	Males	240	20	5		1	1	27	2	4	5	9	8
33	Females	109	14	5		2		21	5	5		14	10
34	Native	201	34	10		3	1	48	6	8	5	18	11
35	Both parents native M	51	11	3		1		15	1	1	1	2	2
	Both parents native F	38	10	2		2		14	1	2		6	2
36	One or both parents foreign M	42	8	2			1	11		2	4	4	3
	One or both parents foreign F	29	4	3				7	3	3		6	2
37	Foreign	137							1	1		4	5
38	Males	107								1		3	3
39	Females	30							1			1	2
40	Colored	89	12	10	3	5	1	31	3	3	2	4	2
41	Males	50	3	6	2	3	1	15	1	2		2	1
42	Females	39	9	4	1	2		16	2	1	2	2	1
	Birthplaces of mothers (white).												
43	United States M	66	15	5		1		21	1	2	4	2	2
	United States F	48	11	4		2		17	2	2		9	2
44	Ireland M	47	1					1		1		3	2
	Ireland F	20	1					1		1		3	
45	Germany M	21	1					1		1	1	2	
	Germany F	8		1				1	1				
46	England and Wales M	30	1				1	2				1	3
	England and Wales F	6								1		1	2
47	Canada M	5											
	Canada F	2											
48	Scandinavia M	5	1					1					
	Scandinavia F	5	1					1		1			
49	Scotland M	9											
	Scotland F	2											
50	Italy M	6											
	Italy F	2	1					1	1				1
51	France M	4											
	France F	3											
52	Russia and Poland M	2											2
	Russia and Poland F												
53	Other foreign countries M	4											
	Other foreign countries F	2										1	
54	Unknown M	41	1					1	1				
	Unknown F	11							1			1	4

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
358	350	349	294	359	341	421	416	411	345	235	120	35	14	40	1
161	163	180	163	212	188	259	264	237	199	134	71	16	4	21	2
197	187	169	131	147	153	162	152	174	146	101	49	19	10	19	3
347	338	335	284	348	330	409	404	406	340	231	116	35	10	40	4
154	158	174	158	207	180	250	260	233	196	131	68	16	3	21	5
193	180	161	126	141	150	159	144	173	144	100	48	19	7	19	6
233	208	190	157	203	171	214	235	226	183	123	58	15	5	17	7
38	36	35	36	61	44	70	84	80	70	34	19	3	1	2	8
68	51	44	48	62	48	54	45	58	46	34	17	3	2	2	
18	18	17	15	7	16	13	15	7	6	6	5				9
34	25	14	6	7	14	5	11	6	12	7	1	2			
96	108	124	112	122	152	186	161	175	148	99	54	19	5	6	10
48	46	64	65	86	90	122	99	100	87	59	31	11	2	4	11
48	62	60	47	36	62	64	62	75	61	40	23	8	3	2	12
11	12	14	10	11	11	12	12	5	5	4	4		4		13
7	5	6	5	5	8	9	4	4	3	3	3		1		14
4	7	8	5	6	3	3	8	1	2	1	1		3		15
40	40	36	39	64	47	76	89	83	71	36	19	3	1	2	16
74	58	47	50	66	54	57	50	61	50	35	18	3	2	2	
7	6	7	7	7	9	15	19	9	8	7	5	4	1	3	17
5	6	5	1	6	9	11	4	12	8	6	3	3	1		
16	16	25	27	29	27	48	33	31	27	16	6	4			18
21	33	29	18	13	16	22	22	29	13	16	9	1			
2	5	5	4	12	8	12	14	13	11	8	3	2			19
5	4	7	8	3	4	5	3	6	6	4	1	1			
	2	1	4	1	2	2	8	2	2			1			20
4	1	2	1	2	2		5	3	1						
8	7	7	10	11	15	12	10	11	13	6	1	1	1		21
18	7	13	11	6	11	9	12	4	12	5	2	1		1	
				1	4	5	2	4	2	3	5				22
1	1	2	1		8	2	3	1	3	5		2			
				1	1										23
		1			2	2	3	2	3	3	1				24
				1			1		2		1				
1	1	3	1	2	4	3	1	1	2	2	1				25
2	2	3	1	1		1					1	1			
7	4	9	6	6	10	9	8	12	3	10	5				26
9	11	2	5		8	9	7	8	10	2	4	1			
11	15	18	10	16	10	16	24	17	18	21	5	1		12	27
14	6	14	6	12	9	18	10	14	11	9	4	1	2	13	
16	10	26	17	32	30	39	36	25	17	13	10	4		8	28
10	7	20	13	22	23	26	28	18	15	10	7	2		7	29
6	3	6	4	4	7	13	8	7	2	3	3	2		1	30
14	8	19	14	24	28	34	34	20	15	11	8	2		8	31
10	6	15	10	20	21	25	26	16	13	9	6	1		7	32
4	2	4	4	4	7	9	8	4	2	2	2	1		1	33
9	5	10	8	8	12	10	13	11	8	5	5	1		2	34
2	2	4	2	1	3	2	4	2	4		1	1		1	35
1	2	1	1	1	1	2	1	2		1					
4		1	3	1	1	1	4	1	1		1				36
2		1	1		2		2								
5	3	7	5	15	16	24	21	8	7	8	3	1		3	37
4	3	7	4	12	12	19	16	6	5	7	2			3	38
1			1	3	4	5	5	2	2	1	1	1			39
2	2	7	3	8	2	5	2	5	2	2	2	2			40
	1	5	3	8	2	1	2	2	2	1	1	1			41
2	1	2				4		3		1	1	1			42
3	2	5	2	1	4	3	5	2	4		1	1		1	43
2	2	1	1	1	3	2	1	2		1					
2		3	4	5	6	5	3	2	5	3	1			1	44
2			1	1	3	2	4	1				1			
	1	1	1	3	1	4	5								45
			2			2		1		1					
2		2	1		4	3	5	3		3				1	46
				1					1						
				1	1	1		1						1	47
				1	1										
						1	1		1	1					48
		1				1					1				
1			1	1		2	2				2				49
							1		1						
1	1	1		1			1								50
1				1		1	1								51
							1								
	1						1								52
		1				2									53
							1								
	1	2	1	7	5	3	2	8	8	2	2			3	54
		2				2					1			1	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	NEW HAMPSHIRE.												
1	Total	7,400	1,384	306	137	101	53	1,981	156	108	156	238	218
2	Males	3,663	759	161	65	43	30	1,058	77	51	63	111	101
3	Females	3,737	625	145	72	58	23	923	79	57	93	127	117
4	White	7,388	1,382	306	136	101	53	1,978	156	107	156	238	216
5	Males	3,660	759	161	65	43	30	1,058	77	51	63	111	101
6	Females	3,728	623	145	71	58	23	920	79	56	93	127	115
7	Native	5,848	1,336	272	127	93	47	1,875	138	79	107	158	133
8	Both parents native M	1,502	247	48	18	11	12	336	34	19	21	52	28
	Both parents native F	1,549	189	40	19	22	7	277	36	18	41	45	38
9	One or both parents foreign M	855	476	92	39	24	15	646	28	19	12	18	27
	One or both parents foreign F	796	382	89	44	33	12	560	37	17	22	26	19
10	Foreign	1,077	19	26	5	7	4	61	13	22	41	70	67
11	Males	529	6	13	3	6	2	30	9	9	22	30	29
12	Females	548	13	13	2	1	2	31	4	13	19	40	38
13	Colored	12	2		1			3		1			2
14	Males	3											
15	Females	9	2		1			3		1			2
	Birthplaces of mothers (white).												
16	United States M	1,724	299	65	21	13	16	414	42	26	22	56	35
	United States F	1,779	241	49	24	27	9	350	42	22	45	52	41
17	Ireland M	302	46	8	8	3	3	68	4	4	8	17	25
	Ireland F	334	42	15	5	5		67	6	1	3	20	21
18	Germany M	24	6	1				7	1		1	2	1
	Germany F	26	8	2	1			11			2	1	2
19	England and Wales M	85	16	1				17	1			3	1
	England and Wales F	69	11	3	2			16	2		2	2	
20	Canada M	786	342	74	33	24	11	484	24	17	24	23	24
	Canada F	770	276	70	33	24	11	414	24	28	34	35	33
21	Scandinavia M	21	7	4				11				1	2
	Scandinavia F	13	5	1		1		7			1	1	
22	Scotland M	27	4					4					1
	Scotland F	25	3				1	4	2		1	1	
23	Italy M	9	2					2	1	1			1
	Italy F	2	2					2					
24	France M	4	1					1					
	France F	3	1					1					
25	Russia and Poland M	7	3	3				6					
	Russia and Poland F	6	3	1	1		1	6					
26	Other foreign countries M	19	9	1	1	1		12			1	1	1
	Other foreign countries F	16	5	3	1			10	1			2	
27	Unknown M	652	24	4	2	2		32	4	3	7	8	10
	Unknown F	685	25	1	4	1	1	32	2	5	5	13	18
	NEW JERSEY.												
28	Total	32,735	7,292	1,873	830	505	370	10,870	1,032	520	745	1,150	1,419
29	Males	17,462	4,202	968	450	245	179	6,044	542	275	393	588	743
30	Females	15,273	3,090	905	380	260	191	4,826	490	245	352	562	676
31	White	31,069	6,786	1,756	775	486	354	10,157	981	479	690	1,069	1,318
32	Males	16,617	3,911	900	424	236	174	5,645	521	260	372	549	697
33	Females	14,452	2,875	856	351	250	180	4,512	460	219	318	520	621
34	Native	22,829	6,758	1,739	769	474	345	10,085	944	435	613	828	950
35	Both parents native M	6,370	1,795	377	189	93	72	2,526	247	133	165	181	185
	Both parents native F	5,939	1,380	341	160	102	77	2,060	218	104	178	186	196
36	One or both parents foreign M	4,565	1,953	494	216	128	91	2,882	238	90	138	191	234
	One or both parents foreign F	3,769	1,366	485	180	137	91	2,259	203	86	96	183	216
37	Foreign	7,915	14	16	6	9	8	53	36	39	69	229	357
38	Males	4,202	6	8	3	6	1	24	17	22	40	122	189
39	Females	3,713	8	8	3	3	7	29	19	17	29	107	168
40	Colored	1,666	506	117	55	19	16	713	51	41	55	81	101
41	Males	845	291	68	26	9	5	399	21	15	21	39	46
42	Females	821	215	49	29	10	11	314	30	26	34	42	55
	Birthplaces of mothers (white).												
43	United States M	7,081	2,115	423	220	106	80	2,944	275	153	199	215	222
	United States F	6,513	1,578	410	185	126	84	2,383	248	119	201	217	223
44	Ireland M	2,563	353	92	37	32	21	535	52	23	50	109	190
	Ireland F	2,550	265	90	36	26	20	437	43	24	40	109	167
45	Germany M	2,352	383	102	36	38	24	583	78	33	44	54	80
	Germany F	1,866	263	90	37	36	22	448	58	22	26	58	85
46	England and Wales M	774	112	24	17	9	6	168	15	7	13	21	28
	England and Wales F	640	74	20	10	8	6	118	18	7	7	24	27
47	Canada M	59	11		1			12	5		1	2	2
	Canada F	65	10	3	2	1	2	18	3	3		2	3
48	Scandinavia M	174	48	11	4	3	1	67	5	4	1	4	8
	Scandinavia F	127	25	16		2	2	45	8	6		3	7
49	Scotland M	218	32	7	4	3	3	51	6		4	4	6
	Scotland F	200	35	5	2	4	2	48	4	2	2	4	10
50	Italy M	697	257	100	52	14	12	435	25	8	15	25	26
	Italy F	514	180	95	23	20	21	339	24	5	8	15	20
51	France M	84	12	1			1	14	1	1		5	3
	France F	56	9	2	1			12				1	3
52	Russia and Poland M	394	165	49	20	11	3	248	15	4	8	24	15
	Russia and Poland F	278	108	45	22	10	10	195	7	5	5	12	6
53	Other foreign countries M	768	286	67	16	12	12	393	24	11	11	31	30
	Other foreign countries F	623	218	60	24	10	6	318	27	16	14	27	22
54	Unknown M	1,453	137	22	17	8	11	195	20	16	26	55	87
	Unknown F	1,020	110	20	9	7	5	151	20	10	15	48	48

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
207	222	231	250	274	339	364	509	575	559	502	263	122	33	93	1
100	100	112	114	136	158	190	259	295	284	256	104	46	2	46	2
107	122	119	136	138	181	174	250	280	275	246	159	76	31	47	3
207	222	231	250	273	338	362	509	573	559	502	263	122	33	93	4
100	100	112	114	136	158	188	259	294	284	256	104	46	2	46	5
107	122	119	136	137	180	174	250	279	275	246	159	76	31	47	6
128	145	170	175	184	229	257	377	444	449	407	212	109	21	51	7
39	33	45	47	65	63	85	138	139	155	121	46	29	----	7	8
36	43	60	67	51	86	82	123	148	137	134	71	37	9	10	8
15	20	15	16	6	8	4	4	3	2	1	2	----	----	9	9
18	17	14	7	8	8	6	4	5	5	4	3	2	----	14	9
68	52	46	53	66	92	75	105	71	61	54	28	8	6	8	10
33	27	26	22	32	49	37	50	37	30	37	11	4	1	4	11
35	35	20	31	34	43	38	55	34	31	17	17	4	5	4	12
----	----	----	----	1	1	2	----	2	----	----	----	----	----	----	13
----	----	----	----	----	----	2	----	1	----	----	----	----	----	----	14
----	----	----	----	1	1	----	----	1	----	----	----	----	----	----	15
42	37	46	55	72	68	94	151	163	170	143	49	30	----	9	16
38	49	69	73	54	99	91	141	169	150	144	83	42	10	15	16
17	18	18	15	13	19	13	23	9	10	9	4	3	1	4	17
20	22	11	18	14	21	19	29	21	15	7	11	3	3	2	17
1	2	----	----	1	1	1	3	----	----	3	----	----	----	----	18
----	----	1	1	1	1	2	2	1	----	----	1	----	----	----	18
5	2	----	2	5	7	5	8	8	8	11	2	----	----	----	19
4	4	2	2	5	2	6	4	7	5	1	2	1	----	2	19
21	20	18	16	16	19	14	14	17	8	10	6	1	----	10	20
29	21	14	16	22	18	17	15	11	14	7	3	1	2	12	20
1	----	1	----	----	2	1	----	1	1	----	----	----	----	----	21
----	1	1	----	----	----	----	2	----	----	----	----	----	----	----	21
----	1	3	3	2	5	3	3	1	----	2	----	----	----	----	22
----	1	3	1	----	3	----	4	----	2	1	1	----	----	1	22
1	----	----	----	----	1	----	1	----	----	1	----	----	----	----	23
----	----	----	----	----	----	1	----	----	1	1	----	----	----	----	24
----	----	----	----	----	----	1	----	----	----	----	1	----	----	----	24
----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	25
1	1	1	----	----	1	----	----	----	----	----	----	----	----	----	26
----	----	----	----	----	2	----	1	----	----	----	----	----	----	----	26
11	19	25	23	27	35	56	57	95	86	75	43	12	1	23	27
16	24	18	25	41	34	38	52	70	89	86	57	29	16	15	27
1,365	1,511	1,347	1,280	1,397	1,544	1,678	1,793	1,709	1,502	1,045	515	187	53	73	28
699	821	759	722	769	799	929	923	863	738	487	225	72	25	46	29
666	690	588	558	628	745	749	870	846	764	558	290	115	28	27	30
1,300	1,442	1,269	1,215	1,349	1,487	1,626	1,749	1,665	1,470	1,013	499	182	41	68	31
667	785	726	686	748	764	906	901	843	724	470	218	71	19	45	32
633	657	543	529	601	723	720	848	822	746	543	281	111	22	23	33
841	824	703	618	622	680	794	875	882	899	691	353	136	29	27	34
148	173	167	177	225	243	333	332	352	356	249	113	44	11	10	35
186	187	174	162	191	225	284	327	342	359	307	169	66	12	8	35
203	160	117	96	41	34	45	36	23	14	9	7	3	1	3	36
160	155	109	59	46	51	28	25	22	31	19	15	2	1	3	36
437	576	533	574	708	785	809	861	764	554	317	138	45	11	20	37
220	326	333	327	395	404	449	434	373	272	150	74	15	5	11	38
217	250	200	247	313	381	360	427	391	282	167	64	30	6	9	39
65	69	78	65	48	57	52	44	44	32	32	16	5	12	5	40
32	36	33	36	21	35	23	22	20	14	17	7	1	6	1	41
33	33	45	29	27	22	29	22	24	18	15	9	4	6	4	42
170	187	174	188	235	251	347	346	365	367	256	119	44	12	12	43
207	200	184	167	199	239	289	333	350	375	316	176	67	14	6	43
180	189	136	144	155	166	211	163	117	85	31	16	5	3	3	44
162	175	112	142	177	216	188	209	145	100	59	22	12	2	9	44
114	122	147	138	136	138	151	167	150	113	67	22	9	1	5	45
94	106	82	72	96	108	113	136	150	118	60	21	11	1	1	45
24	29	35	49	48	51	54	64	62	43	35	25	1	1	1	46
31	28	37	28	28	45	39	47	56	39	32	21	5	2	1	46
3	5	3	2	3	3	5	7	3	2	1	----	----	----	----	47
2	6	4	4	1	2	0	5	2	8	1	----	----	----	----	47
10	14	8	15	11	8	4	7	4	1	2	1	----	----	----	48
12	14	6	8	5	3	----	8	3	1	2	1	----	----	----	48
11	12	21	13	16	10	15	13	16	8	9	2	1	----	----	49
12	9	11	10	9	18	8	10	16	12	10	2	3	----	----	49
22	31	32	20	12	12	13	8	4	5	1	1	----	----	2	50
13	19	16	12	7	10	6	5	6	5	3	1	----	----	----	50
4	3	4	4	9	8	7	5	6	7	----	2	1	----	----	51
3	5	1	7	1	1	5	6	5	4	2	----	----	----	----	51
11	22	13	11	7	6	1	4	2	1	1	1	----	----	----	52
10	11	4	2	5	2	5	3	3	2	1	----	----	----	----	52
24	48	42	17	30	23	20	18	20	13	8	6	----	----	1	53
20	18	27	19	20	16	14	18	14	17	9	5	----	1	1	53
94	123	111	85	86	88	78	99	94	79	61	23	10	2	21	54
67	66	59	63	53	63	47	68	72	70	48	32	13	2	5	54

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	NEW MEXICO.												
1	Total	2,674	562	250	118	106	76	1,112	202	95	108	112	112
2	Males	1,455	326	120	60	53	42	601	96	43	37	46	61
3	Females	1,219	236	130	58	53	34	511	106	52	71	66	51
4	White	2,398	519	233	110	101	73	1,036	185	80	94	94	98
5	Males	1,290	297	112	54	49	39	551	87	36	34	40	53
6	Females	1,108	222	121	56	52	34	485	98	44	60	54	45
7	Native	2,228	517	229	108	100	73	1,027	183	79	91	89	82
8	Both parents native M	1,031	259	99	46	39	38	481	81	32	26	32	29
	Both parents native F	954	200	103	49	44	32	428	89	39	54	38	36
9	One or both parents foreign M	110	34	12	7	9	1	63	4	4	3	4	8
	One or both parents foreign F	94	21	15	6	8	1	51	9	3	5	11	6
10	Foreign	116		3	2	1		6	2		2	4	13
11	Males	78			1	1		2	2		2	2	11
12	Females	38		3	1			4				2	2
13	Colored	276	43	17	8	5	3	76	17	15	14	18	14
14	Males	165	29	8	6	4	3	50	9	7	3	6	8
15	Females	111	14	9	2	1		26	8	8	11	12	6
	Birthplaces of mothers (white).												
16	United States M	1,068	272	105	48	40	39	504	82	33	26	35	30
	United States F	1,000	207	111	53	51	32	454	94	41	55	43	40
17	Ireland M	16							1			2	5
	Ireland F	3											
18	Germany M	13	1			1		2		1			
	Germany F	7	1					1					1
19	England and Wales M	15	3		2			5					3
	England and Wales F	11	2	1				3	1			3	1
20	Canada M	3									1		
	Canada F	4									1	1	
21	Scandinavia M	3											
	Scandinavia F	2											
22	Scotland M	5	2		1	1		4		1			
	Scotland F	7	2	1				3	1			1	
23	Italy M	7	1	1		1		3					1
	Italy F	2	1		1			2					
24	France M	2	1					1					
	France F	2											
25	Russia and Poland M	4	1			1		2			1		
	Russia and Poland F												
26	Other foreign countries M	85	12	5	3	5		25	4	1	3	1	9
	Other foreign countries F	51	8	8	2	1	1	20	2	2	3	4	2
27	Unknown M	69	4	1				5			3	2	5
	Unknown F	19	1				1	2		1	1	2	1
	NEW YORK.												
28	Total	130,268	25,492	7,248	3,240	2,065	1,336	39,381	3,474	1,860	2,786	4,735	5,813
29	Males	68,648	14,169	3,889	1,690	1,056	674	21,478	1,765	929	1,386	2,336	3,037
30	Females	61,620	11,323	3,359	1,550	1,009	662	17,903	1,709	931	1,400	2,399	2,776
31	White	127,332	24,798	7,049	3,151	2,028	1,305	38,331	3,402	1,796	2,696	4,565	5,644
32	Males	67,135	13,799	3,787	1,650	1,040	663	20,939	1,738	902	1,351	2,250	2,955
33	Females	60,197	10,999	3,262	1,501	988	642	17,392	1,664	894	1,345	2,315	2,689
34	Native	88,479	24,627	6,897	3,055	1,950	1,247	37,776	3,206	1,626	2,178	3,441	3,876
35	Both parents native M	21,581	5,547	1,221	607	381	272	8,028	712	413	528	694	637
	Both parents native F	20,425	4,573	1,065	545	360	250	6,793	748	403	546	703	678
36	One or both parents foreign M	20,694	7,453	2,356	938	573	334	11,654	855	358	488	878	1,210
	One or both parents foreign F	17,377	5,748	1,997	845	563	348	9,501	772	371	488	910	1,013
37	Foreign	37,505	112	132	84	74	53	455	185	165	502	1,080	1,701
38	Males	19,428	63	76	37	39	29	244	96	79	259	510	871
39	Females	18,077	49	56	47	35	24	211	89	86	243	570	830
40	Colored	2,936	694	199	89	37	31	1,050	72	64	90	170	169
41	Males	1,513	370	102	40	16	11	539	27	27	35	86	82
42	Females	1,423	324	97	49	21	20	511	45	37	55	84	87
	Birthplaces of mothers (white).												
43	United States M	24,711	6,704	1,514	727	459	327	9,731	867	488	632	843	775
	United States F	23,211	5,456	1,308	660	455	297	8,176	887	480	663	857	793
44	Ireland M	12,994	1,325	446	188	130	76	2,165	194	103	199	517	965
	Ireland F	13,242	1,037	368	182	112	85	1,784	188	97	216	572	857
45	Germany M	9,975	1,356	364	185	111	75	2,091	211	102	167	290	436
	Germany F	8,185	1,093	330	131	117	75	1,746	187	112	148	307	391
46	England and Wales M	2,632	265	71	42	17	13	408	52	24	45	72	100
	England and Wales F	2,211	228	62	35	24	17	366	33	23	32	60	86
47	Canada M	1,227	251	35	19	16	14	335	42	27	27	64	58
	Canada F	1,071	181	35	16	18	10	260	28	19	29	59	86
48	Scandinavia M	971	257	73	32	21	13	396	34	6	15	31	59
	Scandinavia F	724	182	61	23	18	16	300	29	15	17	41	47
49	Scotland M	769	65	16	10	7	2	100	13	2	12	14	23
	Scotland F	688	45	25	7	5	5	87	12	6	10	19	25
50	Italy M	3,256	1,239	554	176	119	50	2,138	101	40	71	98	91
	Italy F	2,600	993	483	189	95	52	1,812	105	50	68	92	67
51	France M	352	37	14	3	3	3	60	5	1	5	13	13
	France F	264	32	9	1	1	1	44	3	8		7	13
52	Russia and Poland M	2,457	912	326	119	64	35	1,456	85	31	52	65	82
	Russia and Poland F	1,922	649	263	120	56	29	1,117	69	26	44	77	70
53	Other foreign countries M	2,499	726	241	83	49	28	1,127	60	26	52	76	114
	Other foreign countries F	1,912	530	183	75	58	34	880	71	29	55	88	88
54	Unknown M	5,292	662	133	66	44	27	932	74	52	74	167	239
	Unknown F	4,167	573	135	62	29	21	820	52	34	63	136	166

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
99	106	84	72	73	84	90	65	65	48	32	21	14	8	72	1
54	56	46	44	46	54	57	44	42	31	19	16	8	4	49	2
45	50	38	28	27	30	33	21	23	17	13	5	5	4	23	3
90	89	69	57	63	73	77	57	59	43	29	18	13	5	69	4
49	42	36	36	37	47	48	40	39	27	16	14	9	2	47	5
41	47	33	21	26	26	29	17	20	16	13	4	4	3	22	6
78	75	61	48	48	62	67	51	47	40	25	14	13	5	43	7
33	27	28	27	22	37	38	36	26	21	12	9	9	2	23	8
37	40	27	17	18	24	24	14	16	15	11	4	4	3	16	
3	2	3	2	3	1	4		3	1	1	1				9
1	2	2	1	1		1			1						
8	6	4	7	12	10	9	6	11	3	3	4			6	10
6	5	3	4	5	8	5	3	7	3	1	4			4	11
2	1	1	3	6	2	4	3	4		2				2	12
9	17	15	15	10	11	13	8	6	5	3	3	1	3	3	13
5	14	10	8	9	7	9	4	3	4	3	2		2	2	14
4	8	5	7	1	4	4	4	8	1		1	1	1	1	15
34	27	30	27	24	37	39	36	27	22	12	9	9	2	23	16
38	40	27	18	18	24	25	14	16	15	11	4	4	3	16	
1	1		1	1	1				1					2	17
1	1									1					
	2		1		1	2		2			1			1	18
		1	1	2	1										
			1	3		1		1		1					19
				1			1	1							
1					1										20
		1	1												
		1				1								1	21
1							1								
															22
1						1									
1	1	1													23
										1					24
	1					1									
								1							25
5	3	2	3	4	6	4	3	6	2		4				26
	1	1	1	4	1	2	1	3	1	1				2	
7	8	2	3	5	1	1	1	2	2	2				20	27
	4	3		1										4	
6,081	6,372	5,706	5,602	6,004	6,280	6,856	7,200	7,250	6,492	4,623	2,449	830	231	243	28
3,323	3,551	3,229	3,124	3,309	3,298	3,456	3,618	3,559	3,284	2,250	1,144	356	77	139	29
2,758	2,821	2,477	2,478	2,695	2,982	3,400	3,582	3,691	3,208	2,373	1,305	474	154	104	30
5,917	6,210	5,555	5,450	5,882	6,152	6,748	7,119	7,163	6,428	4,570	2,423	821	224	236	31
3,222	3,469	3,150	3,034	3,233	3,236	3,404	3,575	3,508	3,249	2,223	1,136	351	76	134	32
2,695	2,741	2,405	2,416	2,649	2,916	3,344	3,544	3,655	3,179	2,347	1,287	470	148	102	33
3,729	3,554	3,048	2,773	2,493	2,621	2,867	3,214	3,408	3,579	2,806	1,557	541	106	80	34
602	609	619	669	731	888	955	1,188	1,281	1,313	995	520	166	18	15	35
625	615	541	636	754	791	974	1,127	1,260	1,300	1,030	618	219	45	19	
1,208	1,094	849	611	348	286	246	161	115	152	107	48	14	3	9	36
928	801	678	480	306	266	207	169	151	112	106	73	24	10	11	
2,108	2,529	2,380	2,590	3,308	3,441	3,811	3,824	3,679	2,773	1,706	829	268	115	56	37
1,145	1,402	1,384	1,464	1,894	1,778	1,888	1,870	1,755	1,382	814	406	116	46	25	38
963	1,127	996	1,126	1,414	1,663	1,923	1,954	1,924	1,391	892	423	152	69	31	39
164	162	151	152	122	128	108	81	87	64	53	26	9	7	7	40
101	82	79	90	76	62	52	43	51	35	27	8	5	1	5	41
63	80	72	62	46	66	56	38	36	29	26	18	4	6	2	42
730	703	702	720	794	940	1,013	1,257	1,329	1,386	1,048	546	172	18	17	43
723	697	612	706	801	871	1,029	1,179	1,335	1,362	1,080	659	231	50	20	
1,098	1,078	888	789	901	850	868	738	636	498	278	148	47	21	13	44
828	924	736	766	892	964	1,170	1,027	930	561	405	183	75	42	25	
538	623	658	604	638	590	670	690	673	546	285	123	29	11	5	45
474	416	417	377	397	485	514	603	638	512	283	134	29	10	5	
105	153	119	161	147	188	181	202	218	212	138	73	24	6	4	46
96	117	149	123	112	133	138	167	190	174	111	68	26	5	2	
54	76	54	62	60	55	56	69	65	49	35	24	4	6	5	47
64	67	51	47	58	39	55	50	52	41	36	18	6	4	2	
61	65	48	66	50	35	32	20	19	15	17		1		1	48
58	40	38	27	24	16	13	19	20	16	5	3			1	
32	52	53	48	56	37	51	64	67	53	49	33	8	2		49
25	35	34	50	43	43	43	55	59	50	52	22	13	3	2	
105	117	94	93	95	63	46	38	34	16	8	4	1	1	2	50
81	62	55	36	36	41	18	25	20	16	8	2	1	4	1	
18	18	25	21	23	34	26	27	23	19	14	4	2		1	51
14	20	17	16	16	14	15	19	24	19	6	10	3	1		
97	90	79	67	79	65	71	55	29	22	18	8	3	1	2	52
74	76	45	35	54	56	47	49	27	20	15	10	5	5	1	
122	128	128	112	133	102	81	69	66	47	34	15	5	1	1	53
79	89	62	69	52	67	72	60	58	43	31	10	6	1	2	
267	366	302	291	257	277	309	346	349	386	299	158	55	9	83	54
179	198	194	164	164	187	230	291	302	365	315	168	75	23	41	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	NORTH CAROLINA.												
1	Total	21,068	4,200	1,647	723	400	249	7,219	754	642	1,039	1,335	945
2	Males	10,427	2,310	854	375	217	113	3,869	344	297	465	622	414
3	Females	10,641	1,890	793	348	183	136	3,350	410	345	574	713	531
4	White	13,217	2,586	978	413	225	135	4,337	421	379	553	724	584
5	Males	6,484	1,392	509	211	119	62	2,293	193	180	260	347	277
6	Females	6,733	1,194	469	202	106	73	2,044	228	199	293	377	307
7	Native	12,805	2,536	954	403	216	133	4,242	412	372	539	705	570
8	Both parents native M	5,945	1,309	475	197	109	55	2,145	177	169	250	330	254
	Both parents native F	6,221	1,119	439	191	98	69	1,916	221	189	278	347	278
9	One or both parents foreign M	28		2	1	2	1	6	2	1		1	1
	One or both parents foreign F	25	1		1			2			1	1	
10	Foreign	63							1				2
11	Males	38											1
12	Females	25							1				1
13	Colored	7,851	1,614	669	310	175	114	2,882	333	263	486	611	361
14	Males	3,943	918	345	164	98	51	1,576	151	117	205	275	137
15	Females	3,908	696	324	146	77	63	1,306	182	146	281	336	224
	Birthplaces of mothers (white).												
16	United States M	5,959	1,310	476	197	110	56	2,149	177	171	250	330	254
	United States F	6,239	1,119	439	192	99	69	1,918	221	189	279	347	278
17	Ireland M	10							1				1
	Ireland F	4											
18	Germany M	14				1		1	2			1	
	Germany F	9	1					1				1	
19	England and Wales M	10		1	1			2					
	England and Wales F	5											1
20	Canada M	1											
	Canada F	2											
21	Scandinavia M	1											
	Scandinavia F	1											
22	Scotland M	7											
	Scotland F	7											
23	Italy M												
	Italy F	2											
24	France M	1											
	France F												
25	Russia and Poland M	2											
	Russia and Poland F												
26	Other foreign countries M	1											
	Other foreign countries F	1											
27	Unknown M	279	49	16	9	6	4	84	6	7	5	10	13
	Unknown F	275	39	15	5	4	2	65	4	6	13	22	16
	NORTH DAKOTA.												
28	Total	2,287	506	144	78	46	49	823	152	99	106	124	98
29	Males	1,159	272	70	39	20	25	426	62	43	52	63	47
30	Females	1,128	234	74	39	26	24	397	90	56	54	61	51
31	White	2,046	473	122	67	40	42	744	132	85	92	114	91
32	Males	1,050	254	61	31	18	22	386	56	37	45	59	43
33	Females	996	219	61	36	22	20	358	76	48	47	55	48
34	Native	1,291	464	118	63	38	38	721	120	77	63	65	44
35	Both parents native M	171	47	15	7	7	2	79	7	10	5	8	4
	Both parents native F	174	44	15	7	6	7	79	6	11	12	7	12
36	One or both parents foreign M	432	197	42	23	10	17	289	40	24	23	16	9
	One or both parents foreign F	462	164	46	26	15	11	262	66	30	22	25	14
37	Foreign	715	9	4	4	2	4	23	11	8	29	46	44
38	Males	391	4	4	1	1	2	12	8	2	16	27	25
39	Females	324	5		3	1	2	11	3	6	13	19	19
40	Colored	241	33	22	11	6	7	79	20	14	14	10	7
41	Males	109	18	9	8	2	3	40	6	6	7	4	4
42	Females	132	15	13	3	4	4	39	14	8	7	6	3
	Birthplaces of mothers (white).												
43	United States M	237	81	19	11	8	5	124	13	13	9	9	4
	United States F	237	71	21	7	9	7	115	10	15	14	11	16
44	Ireland M	41			1	1	1	3	1			2	2
	Ireland F	39	3					3	1	1		3	1
45	Germany M	111	22	4	2	1		29	7	3	5	5	8
	Germany F	77	7	4	5	2		18	11	3	4	5	1
46	England and Wales M	28	4					4			2	1	2
	England and Wales F	25	2	1			1	4	2		2	2	1
47	Canada M	112	32	8	2	2	4	48	11	4	7	8	
	Canada F	134	33	8	5	3	1	50	9	8	6	10	9
48	Scandinavia M	274	53	8	5	3	6	75	10	9	16	23	20
	Scandinavia F	294	52	13	5	3	4	77	21	14	19	18	17
49	Scotland M	34	1					1	1				1
	Scotland F	11								1			
50	Italy M	2											
	Italy F												
51	France M	2											
	France F	1	1										
52	Russia and Poland M	116	48	16	9	3	6	82	9	6	5	2	1
	Russia and Poland F	104	31	10	12	5	5	63	19	4		1	2
53	Other foreign countries M	38	8	6	1			15	3	1		1	
	Other foreign countries F	40	12	4	2		1	19	2	1	2	1	
54	Unknown M	55	5					5	1	1	1	8	5
	Unknown F	34	7				1	8	1	1		4	1

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
802	789	746	692	777	643	765	811	895	787	620	320	136	96	255	1
345	332	330	351	396	332	383	431	437	403	308	158	60	32	118	2
457	457	416	341	381	311	382	380	458	384	312	162	76	64	137	3
497	499	511	458	505	440	530	603	659	605	439	228	86	37	122	4
218	225	227	240	250	211	244	313	297	297	211	100	38	12	51	5
279	274	284	218	255	229	286	290	362	308	228	128	48	25	71	6
481	478	491	442	492	423	511	583	638	586	427	223	83	35	72	7
194	200	201	210	229	183	225	281	271	265	195	95	33	12	26	8
250	244	259	197	236	210	267	268	339	289	206	119	44	22	42	
		2		2		1	3		5	3		1			
2			1			1	1	3	4	6	3				9
1	5	4	6	5	5	6	4	9	6	5	2		1	1	10
	4	2	3	2	3	3	3	7	4	4	1			1	11
1	1	2	3	3	2	5	1	2	2	1	1		1		12
305	290	235	234	272	203	235	208	236	182	181	92	50	59	133	13
127	107	103	111	146	121	139	118	140	106	97	58	22	20	67	14
178	183	132	123	126	82	96	90	96	76	84	34	28	39	66	15
194	200	202	210	229	183	226	281	272	267	198	95	33	12	26	16
250	244	259	198	236	210	268	269	341	293	210	121	44	22	42	
				2		1	1	1	2	1		1			
					1				2						17
	1		1		2		1	2	2	1					
			1	2		1				3					18
	1	1	1	1			1	1		1	1				
1						1		1			1				19
						1									
	1				1										20
			1												
				1											21
							2	1	3	1					
1		1						1	1	1	1		1		22
			2												23
					1										
															24
	1						1								
															25
				1											
1															26
11	13	14	15	10	17	7	14	8	13	6	2	3		20	
17	22	16	8	10	7	10	11	9	5	4	5	3	2	21	27
106	113	96	83	70	56	67	82	60	57	44	16	4	1	30	28
42	55	52	47	37	31	34	50	35	30	25	7	2		19	29
64	58	44	36	33	25	33	32	25	27	19	9	2	1	11	30
92	104	89	74	62	52	59	71	52	51	37	16	4		25	31
36	51	49	42	33	29	32	45	31	29	22	7	2		16	32
56	53	40	32	29	23	27	26	21	22	15	9	2		9	33
34	30	21	14	13	11	21	19	13	7	9	2	2		5	34
9	6	3	3	3	3	6	11	7	3	3				1	35
7	2	4	4	3	6	7	4	3	1	3	1	2			
6	6	8	2	3		2	1		1	1				1	36
10	12	4	4	4	1	3	1	2		1	1				
55	69	63	50	46	40	37	51	39	44	26	14	2		8	37
20	33	35	36	25	25	21	31	23	23	16	7	2		4	38
35	36	28	24	21	15	16	20	16	21	10	7			4	39
14	9	7	9	8	4	8	11	8	6	7			1	5	40
6	4	3	5	4	2	2	5	4	1	3				3	41
8	5	4	4	4	2	6	6	4	5	4			1	2	42
9	6	3	3	3	4	8	11	7	4	5				2	43
7	4	5	6	4	6	8	5	4	1	3	1	2			
	3	6	6	2	4	2	5	2		3					44
3	7	3	2	1	1	2	1	2	3	2	3				
4	4	5	7	5	3	3	6	4	7	3	1			2	45
5	5	1	5	4	2	2		4	5	1	1				
	1	1		3	1	2	2	3	1	4	1				46
1	1	1	3	2		1		1	3					1	
4	9	4	6		3	4	2	1						1	47
9	8	5	4	4	3	5	3							1	
13	16	16	14	13	7	3	10	7	10	5	5	1		1	48
19	24	17	8	8	7	5	13	7	8	6	4			2	
1	1	3	3	5	1	5	4	4	3			1			49
1			1		1	1	1	2	2	1					
					2										50
		1				1									51
1	4	3	1			1		1							52
4	2	3	1	3		1	1								
3	1	4	1		3		3	1	2						53
3		1	2	2	2	2	1	1		1					
1	6	3	1	2	1	3	2	1	2	2				10	54
4	2	4		1	1		1			1				5	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	OHIO.												
1	Total	53,362	8,819	2,190	1,123	711	515	13,358	1,583	1,034	1,733	2,419	2,388
2	Males	28,648	4,913	1,137	596	368	281	7,295	834	507	806	1,211	1,137
3	Females	24,714	3,906	1,053	527	343	234	6,063	749	527	927	1,208	1,251
4	White	51,481	8,531	2,102	1,074	690	504	12,901	1,522	978	1,629	2,303	2,255
5	Males	27,612	4,748	1,092	574	362	274	7,050	801	484	761	1,140	1,064
6	Females	23,869	3,783	1,010	500	328	230	5,851	721	494	868	1,163	1,191
7	Native	40,219	8,341	2,049	1,043	669	490	12,592	1,470	934	1,513	2,057	1,905
8	Both parents native M	13,383	2,922	712	374	219	179	4,406	516	314	475	598	468
	Both parents native F	12,502	2,362	674	338	211	156	3,741	462	326	560	675	596
9	One or both parents foreign M	4,668	1,194	278	155	102	68	1,797	185	110	161	277	258
	One or both parents foreign F	4,027	905	263	126	87	60	1,441	179	107	184	256	295
10	Foreign	9,356	13	9	6	5	5	38	22	24	61	170	263
11	Males	5,294	5	6	4	4	2	21	5	15	29	98	139
12	Females	4,062	8	3	2	1	3	17	17	9	32	72	124
13	Colored	1,881	288	88	49	21	11	457	61	56	104	116	133
14	Males	1,036	165	45	22	6	7	245	33	23	45	71	73
15	Females	845	123	43	27	15	4	212	28	33	59	45	60
	Birthplaces of mothers (white).												
16	United States M	14,343	3,162	771	401	240	197	4,771	562	345	523	658	506
	United States F	13,437	2,558	727	369	233	170	4,057	494	355	616	743	651
17	Ireland M	1,750	71	20	15	6	6	118	19	12	28	86	78
	Ireland F	1,371	61	16	5	4	3	89	19	15	27	59	84
18	Germany M	4,152	390	86	42	34	30	582	62	46	61	120	150
	Germany F	3,463	264	91	45	26	21	447	70	40	75	126	168
19	England and Wales M	1,021	66	20	14	10	4	114	15	12	22	38	33
	England and Wales F	767	54	13	9	7	5	88	14	7	18	23	51
20	Canada M	168	27	5	2	1		35	7	6	5	9	11
	Canada F	147	23	5	3	2	2	35	9	1	8	14	9
21	Scandinavia M	55	5	5	3			13	2	1	4	2	3
	Scandinavia F	39	11	3		2		16	2	2	2		
22	Scotland M	215	13	4		1		18	3		1	10	9
	Scotland F	132	6	2	2			10	1	4	3	3	3
23	Italy M	104	24	9	6	3		42	1	4	1	2	5
	Italy F	88	35	12	4	2	2	55	2	1	1	2	1
24	France M	121	1			1		2	1	1	1	1	3
	France F	99	3	2		2		7			2	2	4
25	Russia and Poland M	285	135	22	17	12	5	191	12	6	2	10	4
	Russia and Poland F	217	91	19	14	11	6	141	17	3	4	5	5
26	Other foreign countries M	926	251	56	33	20	7	367	24	7	13	36	54
	Other foreign countries F	685	191	54	15	10	10	280	30	14	17	28	39
27	Unknown M	2,928	325	45	25	21	12	428	44	23	52	98	135
	Unknown F	2,035	296	28	9	20	7	360	26	29	42	80	89
	OKLAHOMA.												
28	Total	3,181	744	333	107	82	53	1,319	182	120	157	170	132
29	Males	1,741	421	173	53	39	28	714	95	67	82	89	58
30	Females	1,440	323	160	54	43	25	605	87	53	75	81	74
31	White	2,704	668	268	87	68	47	1,138	148	98	122	138	116
32	Males	1,508	383	144	44	30	25	626	82	55	68	69	49
33	Females	1,196	285	124	43	38	22	512	66	43	54	69	67
34	Native	2,563	666	266	86	68	47	1,133	147	98	118	134	110
35	Both parents native M	1,169	338	138	43	28	22	569	73	47	52	61	37
	Both parents native F	957	251	110	40	38	21	460	57	42	39	57	46
36	One or both parents foreign M	124	37	5	1	2	3	48	8	8	6	8	2
	One or both parents foreign F	99	31	11	1		1	44	9	1	8	7	9
37	Foreign	113	1					1	1		2	3	4
38	Males	62	1					1	1		1	2	
39	Females	51									1	1	4
40	Colored	477	76	65	20	14	6	181	34	22	35	32	16
41	Males	233	38	29	9	9	3	88	13	12	14	20	9
42	Females	244	38	36	11	5	3	93	21	10	21	12	7
	Birthplaces of mothers (white).												
43	United States M	1,224	354	140	44	29	23	590	77	49	54	63	41
	United States F	994	264	111	40	38	21	474	59	42	42	59	48
44	Ireland M	18									1		
	Ireland F	8		1				1					2
45	Germany M	45	6	1			1	8	1	3	1	3	
	Germany F	43	9	3				12	2			3	6
46	England and Wales M	16	2			1		3					
	England and Wales F	10	1					1				1	1
47	Canada M	11	4					4			1		
	Canada F	11	1	2				3			4		
48	Scandinavia M	9	1					1	1				
	Scandinavia F	7	2	2				4					
49	Scotland M	10									1		1
	Scotland F	3											
50	Italy M												
	Italy F												
51	France M	4											
	France F	3											1
52	Russia and Poland M	17	7	1			1	9	3	3			
	Russia and Poland F	15	3	2				5	1	1		1	1
53	Other foreign countries M	12	4	1				5			1	1	
	Other foreign countries F	22	4	1	1		1	7	4		2	1	1
54	Unknown M	142	5	1				6			9	2	7
	Unknown F	80	1	2	2			5			6	4	7

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,189	2,227	2,133	2,124	2,259	2,529	2,796	3,349	3,571	3,251	2,391	1,228	388	114	298	1
1,068	1,182	1,180	1,188	1,237	1,418	1,629	1,914	1,979	1,763	1,268	640	171	47	174	2
1,121	1,045	953	936	1,022	1,111	1,167	1,435	1,592	1,488	1,123	588	217	67	124	3
2,088	2,121	2,039	2,034	2,164	2,451	2,707	3,294	3,489	3,194	2,348	1,205	375	107	277	4
1,019	1,126	1,124	1,137	1,175	1,362	1,581	1,878	1,936	1,730	1,247	630	163	43	161	5
1,069	995	915	897	989	1,089	1,126	1,416	1,553	1,464	1,101	575	212	64	116	6
1,712	1,582	1,534	1,411	1,437	1,555	1,711	2,024	2,079	1,949	1,522	795	270	49	118	7
371	385	393	389	437	534	677	836	807	743	615	294	81	15	29	8
510	446	401	398	475	465	505	650	712	678	493	260	106	17	26	
288	274	256	191	134	131	103	130	99	88	84	63	21	5	13	9
241	205	207	175	137	101	90	81	77	90	84	43	20	4	10	
288	410	418	533	625	782	887	1,144	1,274	1,122	742	357	99	55	42	10
164	231	271	343	386	429	537	641	712	626	383	182	42	19	21	11
124	179	147	190	239	353	350	503	562	496	359	175	57	36	21	12
101	106	94	90	95	78	89	55	82	57	43	23	13	7	21	13
49	56	56	51	62	56	48	36	43	33	21	10	8	4	13	14
52	50	38	39	33	22	41	19	39	24	22	13	5	3	8	15
412	423	415	413	464	558	702	879	846	773	647	316	85	15	30	16
552	479	434	428	501	495	537	677	738	716	525	276	116	21	26	
96	103	108	91	112	112	141	194	148	130	92	43	19	10	10	17
67	88	73	68	74	99	92	135	125	93	81	48	14	12	9	
202	225	245	248	227	254	295	328	409	361	201	96	25	7	8	18
168	182	168	182	180	209	201	260	334	319	201	90	28	9	6	
43	45	44	64	55	77	63	103	85	90	72	35	8	1	2	19
32	27	37	33	44	52	46	69	64	60	58	24	10	6	4	
6	11	12	12	7	6	15	5	8	2	6	3	1		1	20
6	7	6	7	5	8	8	11	8	4	4	2				
5	4	3		4	4	3	1	2	2	1	1				21
4	3	1	3	1	1			2		1	1				
2	10	12	14	20	13	14	20	23	23	9	10	2	2		22
4	3	7	11	14	6	7	14	5	12	8	10	4	2	1	
8	6	7	7	5	3	5	2	4						2	23
3	5	1	1	1	5	4	2	2		2					
3	5	7	6	8	7	5	14	15	18	11	9	1	2	1	24
4	4	1	5	6	12	5	7	9	13	12	5	1			
3	5	10	9	9	5	6	2	3	3	1	2		1	1	25
5	8	5	4	4	4	3	1	1	1	3	1		1	1	
43	47	49	42	31	34	43	38	32	25	18	14		1	8	26
31	21	20	13	16	22	24	28	25	21	23	12	6	5	10	
134	166	145	150	151	219	206	196	263	211	132	73	19	3	80	27
116	100	103	86	98	104	125	125	145	142	118	60	25	5	57	
101	121	112	101	99	124	91	104	82	62	45	21	4	4	30	28
47	60	54	55	59	79	52	68	58	40	28	14	1	3	18	29
54	61	58	46	40	45	39	36	24	22	17	7	3	1	12	30
87	100	101	87	82	104	78	91	75	59	40	18	2	1	19	31
43	50	50	50	48	69	45	61	54	37	27	13		1	11	32
44	50	51	37	34	35	33	30	21	22	13	5	2		8	33
79	92	93	75	71	91	68	78	63	50	36	15	2		10	34
30	35	30	32	29	41	30	30	31	20	12	6			4	35
34	33	35	22	23	28	24	18	14	11	7	3	1		3	
5	4	2	5	2	5	5	6	3	4	6	2				36
2	2	1	1	2	2	3	3	2	1	2					
8	8	7	10	9	13	9	13	10	7	4	2		1	1	37
4	8	2	1	4	11	5	12	8	1	3	2		1		38
4	5	5	9	5	2	4	1	2	6	1				1	39
14	21	11	14	17	20	13	13	7	8	5	3	2	8	11	40
4	10	4	5	11	10	7	7	4	3	1	1	1	2	7	41
10	11	7	9	6	10	6	6	3		4	2	1	1	4	42
31	38	31	34	29	44	30	32	32	23	15	7			4	43
34	35	38	25	25	29	25	19	15	11	7	3	1		8	
	1	1	2	1	3	2	3	2		1			1		44
1		1					1	1	1						
4	2	2	3	3	5	1	4	1	2	1	1				45
2	1	2	3	2	2	2			4	1				1	
	1			2	3	1	8	1	1		1				46
1	2		1	1	1	1									
	1				1	1	2	1							47
		1	1				1		1						
3							2	1			1				48
		1	1	1											
					1	2	1	2		1	1				49
				1				1		1					
															50
		1				2	1								51
						2									
					1					1					52
2	1	1	2												
1					1		1	2							53
	2		1			1		1	1	1					
4	7	15	11	13	10	6	12	12	11	8	2			7	54
4	9	7	3	4	3	2	9	3	4	3	2	1		4	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	OREGON.												
1	Total	3,396	372	100	73	40	38	623	137	119	161	180	160
2	Males	2,019	215	50	44	22	22	353	71	64	77	88	87
3	Females	1,377	157	50	29	18	16	270	60	55	84	92	73
4	White	3,176	355	93	66	35	33	582	119	102	149	170	153
5	Males	1,880	205	48	40	20	19	332	64	54	71	81	82
6	Females	1,296	150	45	26	15	14	250	55	48	78	89	71
7	Native	2,412	349	90	65	35	32	571	115	96	134	148	129
8	Both parents native M	686	118	27	22	10	8	185	30	25	35	25	31
	Both parents native F	532	74	28	15	10	10	137	26	21	37	47	37
9	One or both parents foreign M	192	35	8	8	1	5	57	13	11	10	20	7
	One or both parents foreign F	139	17	3	4	1	1	26	14	12	11	12	8
10	Foreign	632	5	3	1		1	10	4	5	10	18	15
11	Males	409	4	3	1		1	9	2	3	5	13	10
12	Females	223	1					1	2	2	5	5	5
13	Colored	220	17	7	7	5	5	41	18	17	12	10	7
14	Males	139	10	2	4	2	3	21	7	10	6	7	5
15	Females	81	7	5	3	3	2	20	11	7	6	3	2
	Birthplaces of mothers (white).												
16	United States M	759	133	30	24	10	10	207	35	29	43	33	37
	United States F	577	81	29	16	11	10	147	31	26	42	48	41
17	Ireland M	55	1					1	2	1	2	2	
	Ireland F	33	1		1			2			1	1	
18	Germany M	96	2		2		1	5	3	1		5	
	Germany F	66	3					3	2	4	2	4	1
19	England and Wales M	49	2					2				1	4
	England and Wales F	36					1	1	2	2	2	1	1
20	Canada M	27	2	1	1		1	5		2	1	1	1
	Canada F	18	1					1	2	1		1	1
21	Scandinavia M	53	5	2		1	1	9	3	2	2	5	3
	Scandinavia F	22	2	1	2			5		1	1	3	1
22	Scotland M	26	1					1		2		2	
	Scotland F	22	1					1	1		2	2	
23	Italy M	1											
	Italy F												
24	France M	7	1					1					
	France F	4									2		
25	Russia and Poland M	8	1	2	2			5				1	
	Russia and Poland F	5										1	2
26	Other foreign countries M	56	11	1	1			13	1	1	1	2	2
	Other foreign countries F	29	3	2				5	3	1	1	3	1
27	Unknown M	290	1	2		1		4	1	1	8	7	13
	Unknown F	134	1	3				4	2	5	7	4	8
	PENNSYLVANIA.												
28	Total	90,199	18,409	5,130	2,548	1,704	1,258	29,049	3,290	1,861	2,641	3,737	3,808
29	Males	49,150	10,427	2,804	1,351	868	630	16,080	1,700	993	1,414	2,059	2,100
30	Females	41,049	7,982	2,326	1,197	836	628	12,969	1,590	868	1,227	1,678	1,708
31	White	86,653	17,567	4,876	2,444	1,643	1,226	27,756	3,187	1,766	2,494	3,495	3,562
32	Males	47,300	9,984	2,660	1,300	839	612	15,395	1,644	950	1,364	1,922	1,978
33	Females	39,353	7,583	2,216	1,144	804	614	12,361	1,543	816	1,130	1,573	1,584
34	Native	67,229	17,117	4,757	2,357	1,590	1,178	26,999	3,043	1,633	2,185	2,850	2,677
35	Both parents native M	15,531	3,491	888	457	292	202	5,330	635	401	539	694	546
	Both parents native F	13,292	2,597	735	414	268	220	4,234	574	354	504	578	508
36	One or both parents foreign M	5,121	1,765	551	241	126	103	2,786	241	143	192	216	216
	One or both parents foreign F	4,136	1,320	495	200	133	83	2,231	219	128	127	160	157
37	Foreign	16,354	38	32	23	10	15	118	68	87	241	531	735
38	Males	9,313	22	14	10	3	7	56	36	50	145	314	462
39	Females	7,041	16	18	13	7	8	62	32	37	96	217	273
40	Colored	3,546	842	254	104	61	32	1,293	103	95	147	242	246
41	Males	1,850	443	144	51	29	18	685	56	43	50	137	122
42	Females	1,696	399	110	53	32	14	608	47	52	97	105	124
	Birthplaces of mothers (white).												
43	United States M	16,540	3,776	978	500	320	220	5,794	685	430	592	742	589
	United States F	14,116	2,796	810	450	298	235	4,589	617	383	538	608	544
44	Ireland M	2,539	179	65	22	7	15	288	41	37	60	99	137
	Ireland F	1,958	137	67	27	18	12	261	35	32	42	77	80
45	Germany M	2,304	257	82	36	20	20	415	42	36	60	71	68
	Germany F	1,660	200	79	29	22	15	345	45	30	47	54	52
46	England and Wales M	1,377	198	60	35	21	12	326	37	27	50	47	46
	England and Wales F	992	138	62	15	11	9	235	41	25	17	48	34
47	Canada M	72	7	4		2	1	14	1	1	5	6	3
	Canada F	56	12	3	2	2	2	21		2	2	2	2
48	Scandinavia M	154	35	7	6		2	50	8	11	5	3	9
	Scandinavia F	119	30	12	10	1	1	54	6	3	4	6	5
49	Scotland M	250	48	12		3	3	66	5	7	4	9	11
	Scotland F	205	29	13	1	4	2	49	8	5	4	6	9
50	Italy M	345	107	24	12	7	3	153	5	7	14	16	31
	Italy F	194	71	20	11	8	10	120	9	4	5	11	6
51	France M	81	10	2	1	1		14	4	3	1	2	2
	France F	68	7	3			1	11	2		4	1	2
52	Russia and Poland M	932	324	112	49	20	19	524	28	13	18	46	70
	Russia and Poland F	576	239	98	43	17	11	408	23	10	10	15	23
53	Other foreign countries M	1,094	344	104	45	21	13	527	36	7	29	66	79
	Other foreign countries F	628	271	75	35	24	8	413	22	11	16	26	18
54	Unknown M	1,705	309	76	27	13	10	435	44	21	30	63	84
	Unknown F	1,279	226	70	29	16	16	357	28	23	29	53	62

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
153	180	163	149	176	154	191	223	227	173	90	64	20	8	45	1
82	106	101	90	108	96	124	158	146	116	60	36	8	5	37	2
71	74	62	53	68	58	67	65	81	57	30	28	12	3	8	3
143	164	148	136	165	146	186	218	221	164	86	63	18	7	36	4
74	92	91	84	99	90	120	156	141	111	59	35	8	5	31	5
69	72	57	52	66	56	66	62	80	53	27	28	10	2	5	6
111	111	91	86	98	85	108	141	153	106	62	45	10	3	9	7
19	22	22	18	27	31	37	52	50	31	26	15	1	2	2	8
26	23	12	19	18	15	20	24	28	19	9	10	3	1		
9	5	6	9	11	1	2	6	10	8	5	1	1			9
6	8	8	3	3	2	6	4	7	5	4					
29	42	53	41	58	54	65	67	55	49	23	17	7	4	6	10
17	27	35	25	31	31	45	46	35	36	16	13	3	3	4	11
12	15	18	16	27	23	20	21	20	13	7	4	4	1	2	12
10	16	15	13	11	8	5	5	6	9	4	1	2	1	9	13
8	14	10	12	9	6	4	2	5	5	1	1			6	14
2	2	5	1	2	2	1	3	1	4	3		2	1	3	15
23	24	23	22	30	31	38	53	53	32	26	15	1	2	2	16
29	23	14	20	21	16	21	25	30	20	9	10	3	1		
1	1	7	2	4	4	7	6	7	1	4	2		1		17
1	3	1	1	5	1	3	5	5	2			1		1	
7	3	2	5	6	6	8	12	10	13	7	2	1			18
3	2	7	4	4	5	3	4	3	6	6	1	1		1	
2	4	1	1	6	1	9	4	2	5	6				1	19
1	2	2	1	2	3	4		7	3	2					
	2	2		2	1	2	5	1	2						20
1	3	1	1	2				3		1					
1	2	7	1	1	2	1	5	2	3	1	2	1			21
2	2	1		1	2	1			1				1		
2		2	3	1	1	1	4	4	2		1				22
1	1	1	1	2	1	3	2	1	1		2				
				1											23
	2		1	1	1				1						24
		1			1										
		1	1												25
		1					1								
4	2	3	2	5	4	2	4	1	3	1	3			2	26
	5	1	2	2		2		2		1					
9	22	14	19	24	14	28	30	30	28	8	6	3		21	27
9	14	5	7	5	8	10	6	12	10	5	8	2		2	
3,632	3,639	3,521	3,518	3,762	3,933	4,363	4,845	4,960	4,078	3,031	1,504	441	144	442	28
1,963	2,014	1,969	2,066	2,170	2,258	2,360	2,576	2,600	2,115	1,545	674	170	50	274	29
1,669	1,625	1,552	1,452	1,592	1,675	2,003	2,269	2,360	1,963	1,486	830	271	94	168	30
3,465	3,457	3,356	3,370	3,621	3,828	4,257	4,746	4,872	4,004	2,976	1,474	422	122	423	31
1,865	1,925	1,879	1,989	2,088	2,191	2,305	2,530	2,553	2,083	1,518	660	161	42	258	32
1,600	1,532	1,477	1,381	1,533	1,637	1,952	2,216	2,319	1,921	1,458	814	261	80	165	33
2,415	2,302	2,276	2,125	2,158	2,245	2,408	2,783	3,015	2,559	2,022	1,007	275	77	175	34
468	415	428	462	537	632	716	902	968	867	615	258	69	15	34	35
498	425	447	407	473	519	590	707	800	698	541	295	84	19	37	
182	161	178	132	106	92	94	75	88	76	85	40	11	3	4	36
143	141	127	102	86	80	76	63	89	77	60	49	11	5	5	
896	1,001	917	1,079	1,289	1,416	1,671	1,757	1,701	1,324	840	417	134	43	89	37
544	625	567	701	799	829	908	909	882	712	428	221	56	13	56	38
352	376	350	378	490	587	763	848	819	612	412	196	78	30	33	39
167	182	165	148	141	105	106	99	83	74	55	30	19	22	19	40
98	89	90	77	82	67	55	46	47	32	27	14	9	8	16	41
69	93	75	71	59	38	51	53	41	42	28	16	10	14	3	42
504	437	461	480	560	655	747	932	1,005	895	643	266	72	15	36	43
531	449	464	435	498	548	605	724	831	732	567	309	87	20	37	
120	146	128	144	183	200	214	202	192	150	102	67	13	6	10	44
89	116	96	86	98	130	173	166	175	103	101	51	23	10	14	
90	94	104	130	136	134	165	171	189	183	124	64	13		15	45
69	68	71	72	83	87	89	132	163	130	66	43	11		3	
55	50	67	79	79	99	102	84	86	76	38	19	6		4	46
48	24	47	46	50	57	73	84	44	57	39	15	2	4	2	
4	7	8	5	4		3	1	5	3	1			1		47
2	1	2	2	3	3	2	5	1	4	2					
12	11	8	6	4	4	5	5	6	4	2				1	48
9	9	5	1	3	1	3		3	2	1	3			1	
6	13	12	16	15	17	10	21	11	9	11	4	1	2		49
5	8	10	6	9	13	12	9	12	17	15	1	3	1	3	
24	24	24	18	14	4	4	1	2		2	1			1	50
6	5	7	4	5	2	4	2		3	1					
1	4	3	4	3	4	4	5	8	4	8	1	3	1	1	51
2	5	1	5	5	2	6	5	5	2	6	1	1	1	1	
51	53	37	32	25	10	5	1	3	4	7	1		1	3	52
17	14	7	6	6	10	7	8	6	3	1		1		1	
75	64	64	34	36	17	16	12	11	8	7	1			5	53
23	27	16	7	9	5	9	7	9	4	3	2			1	
61	72	72	88	76	78	76	103	110	87	86	32	6	1	78	54
43	56	60	44	62	46	47	59	83	66	58	40	10	3	45	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	RHODE ISLAND.												
1	Total	8,176	1,854	495	195	133	75	2,752	192	117	197	288	319
2	Males	4,132	1,036	260	102	63	41	1,502	99	63	94	138	159
3	Females	4,044	818	235	93	70	34	1,250	93	54	103	150	160
4	White	7,939	1,813	470	193	129	73	2,678	189	113	186	275	308
5	Males	4,021	1,016	246	101	61	41	1,465	97	61	91	131	154
6	Females	3,918	797	224	92	68	32	1,213	92	52	95	144	154
7	Native	5,571	1,780	452	183	116	70	2,601	161	93	133	184	194
8	Both parents native M	1,342	283	68	22	15	14	402	28	14	29	33	35
	Both parents native F	1,384	237	69	26	20	13	365	23	21	26	36	40
9	One or both parents foreign M	1,488	703	161	75	38	24	1,001	51	36	40	55	63
	One or both parents foreign F	1,206	529	145	60	42	18	794	57	18	34	56	54
10	Foreign	2,295	29	17	8	12	3	69	26	20	52	90	108
11	Males	1,054	12	11	2	7	3	35	15	9	20	41	50
12	Females	1,241	17	6	6	5		34	11	11	32	49	58
13	Colored	237	41	25	2	4	2	74	3	4	11	13	11
14	Males	111	20	14	1	2		37	2	2	3	7	5
15	Females	126	21	11	1	2	2	37	1	2	8	6	6
	Birthplaces of mothers (white).												
16	United States M	1,517	359	85	28	22	20	514	33	17	35	46	38
	United States F	1,523	303	79	28	23	14	447	32	23	31	43	46
17	Ireland M	948	126	26	20	11	7	190	19	13	19	38	68
	Ireland F	1,022	94	31	19	12	3	159	15	7	17	38	55
18	Germany M	68	17	3				20	1	2	2	2	3
	Germany F	48	7	2	1	1	1	12	2		1	5	1
19	England and Wales M	329	77	20	7	7	1	112	8	5	6	15	6
	England and Wales F	305	58	18	4	4	2	86	12	7	7	12	15
20	Canada M	511	235	46	23	10	7	321	17	11	15	10	12
	Canada F	500	170	39	19	22	7	257	14	9	15	26	19
21	Scandinavia M	79	25	8	3			36	1	1	1	5	5
	Scandinavia F	84	17	11	3	2	2	35	4	1	3	6	3
22	Scotland M	88	16	3	1		1	21	4	3	1	4	3
	Scotland F	93	12	2	1		1	16	2	1	6	2	5
23	Italy M	162	60	31	10	6	2	109	4	3	4	4	7
	Italy F	116	56	18	7	4		85	5		4	2	3
24	France M	72	35	8	2	1	1	47	4	2	2	1	1
	France F	50	27	7	3		1	38	2		2	3	1
25	Russia and Poland M	34	11	4	3	2		20	3	1	2	2	1
	Russia and Poland F	31	15	4	1			20			2		2
26	Other foreign countries M	99	42	9	4	2	2	59	1	1	2	2	5
	Other foreign countries F	71	26	10	6			42	3	3	4	4	2
27	Unknown M	114	13	3				16	2	2	2	2	5
	Unknown F	75	12	3			1	16	1	1	3	3	2
	SOUTH CAROLINA.												
28	Total	17,166	3,477	1,436	666	378	241	6,198	722	554	943	1,177	920
29	Males	8,461	1,824	754	368	191	119	3,256	364	259	417	505	420
30	Females	8,705	1,653	682	298	187	122	2,942	358	295	526	672	500
31	White	5,808	1,108	499	184	112	61	1,964	195	138	244	265	278
32	Males	2,919	594	252	105	50	26	1,027	101	70	121	125	143
33	Females	2,889	514	247	79	62	35	937	94	68	123	140	135
34	Native	5,605	1,103	496	184	112	60	1,955	192	136	242	261	270
35	Both parents native M	2,626	579	243	102	50	26	1,000	98	65	114	116	120
	Both parents native F	2,659	497	243	79	60	34	913	89	65	118	134	122
36	One or both parents foreign M	62	6	5	1			12	1	3		2	7
	One or both parents foreign F	80	11	3		1		15	4	2	3	3	4
37	Foreign	144									2		4
38	Males	85											
39	Females	59									2		3
40	Colored	11,358	2,369	937	482	266	180	4,234	527	416	699	912	642
41	Males	5,542	1,230	502	263	141	93	2,229	263	189	296	380	277
42	Females	5,816	1,139	435	219	125	87	2,005	264	227	403	532	365
	Birthplaces of mothers (white).												
43	United States M	2,644	580	247	102	50	26	1,005	98	66	114	116	121
	United States F	2,691	502	244	79	61	34	920	92	66	120	135	123
44	Ireland M	40											2
	Ireland F	53	1					1			1		1
45	Germany M	50	2	1				3	1	2	1	1	4
	Germany F	33	3					3		1		2	
46	England and Wales M	15	2					2			1	1	2
	England and Wales F	7		1				1	1				
47	Canada M												
	Canada F												
48	Scandinavia M	2											1
	Scandinavia F												
49	Scotland M	6											
	Scotland F	3											
50	Italy M	3		1				1					
	Italy F	2											1
51	France M	4											
	France F	3											2
52	Russia and Poland M	3	1					1					
	Russia and Poland F	3	2					2					
53	Other foreign countries M	5			1			1					
	Other foreign countries F	3	1	1				2					
54	Unknown M	147	9	3	2			14	2	2	5	7	13
	Unknown F	91	5	1		1	1	8	1	1	2	3	8

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
303	317	309	330	379	404	426	432	449	428	275	163	53	16	27	1
157	161	168	162	189	213	199	209	208	198	117	61	16	5	14	2
146	156	141	168	190	191	227	223	211	230	158	102	37	11	13	3
293	306	295	321	362	393	414	426	437	422	271	159	49	15	27	4
153	155	162	159	179	206	192	208	204	194	116	59	16	5	14	5
140	151	133	162	183	187	222	218	233	228	155	100	33	10	13	6
174	141	164	153	155	153	179	198	240	275	192	126	36	11	8	7
32	31	38	44	52	68	82	88	115	117	79	45	8	2	----	8
32	34	40	44	61	47	70	90	111	134	103	73	24	8	2	
64	80	48	25	15	18	13	5	5	6	2	1	1	----	3	9
40	34	30	32	18	8	8	6	4	5	1	3	3	----	1	
115	157	126	163	206	234	230	224	191	145	75	32	13	4	15	10
51	80	67	81	107	108	89	105	78	61	30	11	7	2	7	11
64	77	59	82	99	126	141	119	113	84	45	21	6	2	8	12
10	11	14	9	17	11	12	6	12	0	4	4	4	1	----	13
4	6	6	8	10	7	7	1	4	4	1	2	----	----	----	14
6	5	8	6	7	4	5	5	8	2	3	2	4	1	----	15
34	31	42	48	54	71	86	91	116	121	80	46	8	2	1	16
36	36	42	48	64	48	73	91	113	137	105	74	24	8	2	
68	60	60	54	69	69	60	58	48	24	15	6	3	1	6	17
50	55	53	55	72	75	106	76	82	52	29	14	5	2	5	
1	2	2	5	4	3	5	5	4	5	2	----	----	----	----	18
4	5	1	1	2	2	2	3	3	3	1	----	----	----	----	
16	12	19	7	13	19	26	18	19	17	6	1	1	1	2	19
17	12	7	15	17	22	18	16	15	16	6	4	1	----	----	
12	15	9	20	14	7	7	13	7	11	4	2	4	----	----	20
16	23	18	22	9	18	8	17	9	8	5	2	2	----	3	
1	6	5	4	1	8	----	3	2	----	----	----	----	----	----	21
4	6	1	3	4	2	4	2	2	1	2	1	----	----	----	
5	4	6	6	10	5	3	4	3	3	2	1	----	----	----	22
5	2	5	10	5	7	5	7	5	6	2	2	----	----	----	
1	8	3	3	4	8	----	2	----	1	1	----	----	----	----	23
1	2	2	2	1	2	3	2	----	----	1	----	----	----	1	
1	----	2	1	1	2	----	6	----	1	----	1	----	----	----	24
----	2	1	----	1	----	----	----	----	----	----	----	----	----	----	
----	----	2	1	----	1	----	----	----	----	1	----	----	----	----	25
2	1	----	1	1	1	----	1	----	----	----	----	----	----	----	
9	5	4	1	3	3	1	----	----	2	----	----	----	----	1	26
1	1	1	2	2	3	----	1	----	1	----	----	1	----	----	
5	0	8	9	6	10	4	8	5	9	5	2	----	1	4	27
4	6	2	3	5	7	3	2	4	4	4	3	----	----	2	
676	718	661	571	636	490	599	536	576	440	319	166	74	70	120	28
272	302	315	291	344	261	292	270	303	241	157	77	23	28	64	29
404	416	346	280	292	229	307	266	273	199	162	89	51	42	56	30
187	235	239	221	230	190	268	283	278	247	170	85	25	15	51	31
82	109	118	115	129	95	129	130	134	126	74	43	10	5	33	32
105	126	121	106	101	95	139	153	144	121	96	42	15	10	18	33
182	230	229	215	212	181	243	265	252	225	156	79	24	15	41	34
67	89	99	97	106	82	109	116	105	111	63	38	9	4	18	35
95	118	109	96	89	84	120	128	129	102	81	32	13	8	14	
7	8	3	1	1	2	2	----	6	2	2	2	----	----	1	36
4	4	5	----	4	2	5	6	2	5	5	4	1	2	----	
2	5	5	5	12	8	25	16	23	19	11	6	1	----	----	37
1	4	3	5	10	5	14	7	15	9	4	2	1	----	----	38
1	1	2	----	2	3	11	9	8	10	7	4	----	----	----	39
489	483	422	350	406	300	331	253	298	193	149	81	49	55	69	40
190	193	197	176	215	166	163	140	169	115	83	34	13	23	31	41
299	290	225	174	191	134	168	113	129	78	66	47	36	32	38	42
69	90	99	97	107	83	110	116	108	112	64	38	9	4	18	43
95	118	111	96	90	84	122	133	130	105	83	33	13	8	14	
----	2	3	1	7	8	7	3	7	2	1	1	1	----	----	44
3	3	3	----	3	2	7	5	4	8	5	5	1	1	----	
4	8	1	2	2	2	4	2	7	3	1	2	----	----	----	45
1	1	----	----	1	2	6	5	3	4	2	1	----	1	----	
2	----	----	1	----	1	2	----	----	1	2	----	----	----	----	46
1	----	1	----	----	----	----	1	----	----	1	1	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	47
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	48
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	2	----	2	1	1	----	----	----	----	49
----	----	1	----	----	----	----	----	1	----	1	----	----	----	----	
----	----	----	----	1	----	----	----	----	1	----	----	----	----	----	50
----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	1	----	----	----	1	1	1	----	----	----	----	----	51
----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	
----	----	----	1	----	----	----	----	----	1	----	----	----	----	----	52
----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	
----	----	2	----	----	----	----	1	----	----	----	----	----	----	1	53
----	----	----	----	1	----	----	----	----	----	----	----	----	----	----	
7	8	13	12	12	6	4	7	9	4	5	2	----	1	14	54
5	3	5	10	6	6	4	0	6	4	3	2	1	----	4	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	SOUTH DAKOTA.												
1	Total	3,088	616	187	98	78	45	1,024	197	126	158	161	120
2	Males	1,654	360	99	51	41	23	574	93	53	77	77	59
3	Females	1,434	256	88	47	37	22	450	104	73	81	84	61
4	White	2,448	500	121	53	45	30	749	132	84	108	118	100
5	Males	1,349	292	64	31	25	17	429	68	39	55	53	49
6	Females	1,099	208	57	22	20	13	320	64	45	53	65	51
7	Native	1,672	498	120	53	44	30	745	127	75	91	92	64
8	Both parents native M	400	112	33	11	5	5	166	17	13	19	16	12
	Both parents native F	328	77	16	5	9	5	112	20	17	13	23	15
9	One or both parents foreign M	454	174	31	18	19	11	253	50	20	24	24	17
	One or both parents foreign F	412	128	40	17	11	8	204	40	25	31	29	18
10	Foreign	751	1	1		1		3	5	9	17	26	35
11	Males	432	1			1		2	1	6	10	13	19
12	Females	319		1				1	4	3	7	13	16
13	Colored	640	116	66	45	33	15	275	65	42	50	43	20
14	Males	305	68	35	20	16	6	145	25	14	22	24	10
15	Females	335	48	31	25	17	9	130	40	28	28	19	10
	Birthplaces of mothers (white).												
16	United States M	497	163	38	12	8	7	228	24	15	30	18	15
	United States F	418	103	27	7	11	5	153	27	23	21	28	17
17	Ireland M	75	3					3		1		3	1
	Ireland F	44	2					2			3	1	3
18	Germany M	175	25	7	3	3		38	13	7	4	9	6
	Germany F	122	17	3	2	2		24	8	5	3	9	8
19	England and Wales M	47	2	2				4	2			4	1
	England and Wales F	39	5	1				6	1	1	1	2	1
20	Canada M	44	8	1	1	1		11	3	4	3	5	3
	Canada F	31	7	1				8		1	3	3	1
21	Scandinavia M	227	30	10	5	1	3	49	5	3	10	7	14
	Scandinavia F	232	32	13	6	2		53	13	9	12	16	13
22	Scotland M	17											
	Scotland F	9	1					1			1		1
23	Italy M	5	2					2					
	Italy F	1	1					1					
24	France M	4					1	1					1
	France F	4	1					1			1		
25	Russia and Poland M	145	48	6	8	12	5	79	20	7	5	3	4
	Russia and Poland F	120	32	12	7	4	8	63	11	5	6	4	2
26	Other foreign countries M	49	8				1	9	1	2	1	3	3
	Other foreign countries F	46	5			1		6	4	1	2	1	2
27	Unknown M	64	3		2			5			2	1	1
	Unknown F	33	2					2				1	3
	TENNESSEE.												
28	Total	30,572	5,546	2,134	1,023	603	423	9,729	1,285	1,018	1,734	2,061	1,743
29	Males	15,354	2,977	1,136	509	313	221	5,156	607	452	794	981	787
30	Females	15,218	2,569	998	514	290	202	4,573	678	566	940	1,080	956
31	White	21,029	3,935	1,479	705	384	280	6,783	809	574	960	1,219	1,150
32	Males	10,568	2,103	789	351	191	155	3,589	398	273	443	571	505
33	Females	10,461	1,832	690	354	193	125	3,194	411	301	517	648	645
34	Native	20,257	3,919	1,474	704	381	280	6,758	799	568	952	1,203	1,113
35	Both parents native M	8,755	1,905	718	332	167	141	3,263	345	249	395	490	399
	Both parents native F	8,974	1,638	624	315	175	117	2,869	359	264	478	568	545
36	One or both parents foreign M	122	15	3	1	3	3	25	6	3	4	5	10
	One or both parents foreign F	130	17	5	7	8	2	35	5	2	7	4	8
37	Foreign	511		1				1	2	2	2	5	20
38	Males	330		1				1	1	1	1	4	11
39	Females	181							1	1	1	1	9
40	Colored	9,543	1,611	655	318	219	143	2,946	476	444	774	842	593
41	Males	4,786	874	347	158	122	66	1,567	209	179	351	410	282
42	Females	4,757	737	308	160	97	77	1,379	267	265	423	432	311
	Birthplaces of mothers (white).												
43	United States M	8,808	1,913	719	332	169	142	3,275	349	251	305	493	402
	United States F	9,050	1,645	628	319	175	117	2,884	359	267	483	569	550
44	Ireland M	113	2					2	1	1		2	6
	Ireland F	76	1	1		1	1	4	2			2	3
45	Germany M	64	1					1	1				3
	Germany F	55	1		2	1		4	2	1	1	1	3
46	England and Wales M	30	1	1				2			1		1
	England and Wales F	19	3	1		1		5	1		1		4
47	Canada M	8										1	1
	Canada F	6		1				1			1		1
48	Scandinavia M	4	1					1					
	Scandinavia F	3			1			1					
49	Scotland M	19									1		
	Scotland F	10	1					1					
50	Italy M	6	1					1					
	Italy F	2	1	1				2					
51	France M	3											1
	France F	4										1	
52	Russia and Poland M	13	2					2	1				2
	Russia and Poland F	7	2	1			1	4	1				
53	Other foreign countries M	28	1	1	1	1	2	6			1		
	Other foreign countries F	9	1					1					1
54	Unknown M	801	99	39	11	9	4	162	25	9	27	44	37
	Unknown F	746	104	27	17	9	3	160	21	23	19	44	41

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
105	103	134	111	86	126	120	139	122	110	80	24	10	3	29	1
46	46	63	61	50	77	71	87	70	62	49	15	4	1	19	2
59	57	71	50	36	49	49	52	52	48	31	9	6	2	10	3
87	88	121	101	80	115	110	125	108	96	66	20	9	2	29	4
34	38	56	57	47	71	66	79	65	58	46	15	4	1	19	5
53	50	65	44	33	44	44	46	43	38	20	5	5	1	10	6
50	43	50	50	25	41	45	52	43	37	18	10	2	1	10	7
9	11	9	13	4	22	19	25	18	15	5	4	2		1	8
8	9	11	16	7	9	15	17	16	11	4	3	1	1		
15	7	10	9	5	2	1	3	3	4	4	2			1	9
14	12	16	7	5	1	1	2	3	1	2				1	
37	44	71	51	55	73	61	70	64	59	47	10	6	1	4	10
7	18	36	32	36	41	41	45	42	37	33	8	2	1	2	11
30	26	35	19	19	32	23	25	22	22	14	2	4		2	12
18	15	13	10	6	11	10	14	14	14	14	4	1	1		13
12	8	7	4	3	6	5	8	5	4	3					14
6	7	6	6	3	5	5	6	9	10	11	4	1	1		15
10	11	9	15	5	22	21	25	20	15	7	4	2		1	16
12	10	15	20	9	10	16	18	18	11	4	3	2	1		
8	2	6	5	6	2	9	8	9	4	8	3	1		1	17
	4	5	4	2	2	3	5	1	6	3					
5	5	7	10	7	10	11	9	6	12	12	1	1		2	18
10	7	5	6	3	8	6	7	5	4	1	1	1		1	
2	2	5	1	3	6	2	4	1	5	2	3				19
3	3	3	2	5	2	2	1	2	1	2	1				
	1	2	2	1	2	2	2			2	1				20
2	4	2					2	2		2				1	
9	9	11	12	14	17	12	18	17	10	7	2		1		21
16	8	23	8	4	16	10	8	7	10	5		1			
		2	3	1	2		2	4	2	1					22
		3			2					1					
		2		1											23
				1				1							24
				1						1					
1	2	8	2	4	3		2	1	3	1					25
5	6	4	3	3	3	1	1	1	1					1	
	3	3	4	3	1	4	3	4	3	2					26
5	5	3		5		2	2	5	1	1		1			
4	3	1	3	1	6	5	6	2	4	4	1			15	27
	3	2	1	1	1	4	2	2	4					7	
1,236	1,233	1,121	1,106	1,232	1,050	1,131	1,179	1,182	926	701	357	133	99	316	28
577	568	546	577	648	566	575	619	624	481	358	201	54	31	152	29
659	665	575	529	584	484	556	560	558	445	343	156	79	68	164	30
836	836	776	792	855	806	842	964	936	758	554	275	91	40	173	31
387	381	372	422	442	423	428	497	482	387	290	153	39	11	75	32
449	455	404	370	413	383	414	467	454	371	264	122	52	29	98	33
793	795	735	754	794	748	760	866	867	708	518	272	86	37	131	34
270	278	267	320	337	304	321	366	387	310	243	129	33	9	40	35
390	378	335	303	331	318	347	369	381	308	213	108	39	18	53	
4	3	6	7	6	6	1	6	6	8	6	8		2		36
5	9	8	4	4	3	7	8	5	7	6	1	3	1		
22	27	27	25	45	51	68	78	60	41	23	2	3		7	37
16	15	20	19	26	36	49	49	39	28	10	1			3	38
6	12	7	6	19	15	19	29	21	13	13	1	3		4	39
400	397	345	314	377	244	289	215	246	168	147	82	42	59	143	40
190	187	174	155	206	143	147	122	142	94	68	48	15	20	77	41
210	210	171	159	171	101	142	93	104	74	79	34	27	39	66	42
272	279	268	324	341	306	323	368	392	312	244	130	34	9	41	43
392	382	337	304	333	321	353	379	387	311	219	108	41	18	53	
5		4	3	5	10	9	24	15	14	7	3		1	1	44
3	5	3		6	4	6	12	8	6	7	1	2	1	1	
2	6	2	4	3	8	5	4	12	5	3	3				45
1	5	4	4	4	3	6	4	9	2	2		1			
2		2		1	3	4	5	2	3	2	1			1	46
2		1	1	1			3								
	1	2			1	1			1						47
				1						2					
		2		1											48
	1									1					
		1	1	1	4	2	5	1	1	1	1				49
			1	1			2	3	2						
	2	1	1							1					50
					1					1					
			1	1					1						51
1				1		3	1	2							52
	1					1									
2		1	2	2	3	7	1	2	2						53
1	2						2	1				1			
49	31	45	37	41	47	40	57	38	36	26	15	4	1	30	54
31	56	37	33	34	30	35	43	30	36	25	11	7	10	40	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	TEXAS.												
1	Total	34,160	7,604	3,204	1,525	877	678	13,888	1,794	1,192	1,615	2,011	1,742
2	Males	18,045	4,086	1,729	782	435	364	7,396	887	586	802	991	783
3	Females	16,115	3,518	1,475	743	442	314	6,492	907	606	813	1,020	959
4	White	26,216	5,912	2,509	1,162	679	531	10,793	1,361	867	1,103	1,386	1,284
5	Males	14,041	3,196	1,345	599	340	283	5,763	672	441	558	693	581
6	Females	12,175	2,716	1,164	563	339	248	5,030	689	426	545	693	703
7	Native	23,526	5,839	2,461	1,145	667	523	10,635	1,322	835	1,031	1,243	1,143
8	Both parents native M	9,543	2,532	1,098	472	269	222	4,593	519	345	441	457	355
	Both parents native F	8,780	2,103	943	463	263	199	3,971	546	329	411	493	477
9	One or both parents foreign M	1,178	358	123	65	39	34	619	77	52	54	72	52
	One or both parents foreign F	1,050	347	111	51	41	33	583	74	48	51	68	59
10	Foreign	2,136	16	17	7	5	4	49	24	24	63	111	113
11	Males	1,292	10	8	2	2	3	25	16	13	30	57	63
12	Females	844	6	9	5	3	1	24	8	11	33	54	50
13	Colored	7,944	1,692	695	363	198	147	3,095	433	325	512	625	458
14	Males	4,004	890	384	183	95	81	1,633	215	145	244	298	202
15	Females	3,940	802	311	180	103	66	1,462	218	180	268	327	256
	Birthplaces of mothers (white).												
16	United States M	9,933	2,637	1,145	491	282	233	4,788	545	368	456	478	372
	United States F	9,110	2,211	977	485	277	209	4,159	566	339	426	508	494
17	Ireland M	144	3	2	2		1	8			2	4	6
	Ireland F	63	3		2	2		7	3	1	1	2	9
18	Germany M	571	79	22	9	8	6	121	13	13	19	26	20
	Germany F	460	59	22	12	10	4	107	19	9	15	27	20
19	England and Wales M	103	8	2	1	1		12	2	2		5	1
	England and Wales F	59	3	2	2		1	8	2	1		4	2
20	Canada M	20	3					3				1	
	Canada F	12	2			1		3				1	1
21	Scandinavia M	64	10	5	1	1	2	19		1	1	2	5
	Scandinavia F	41	11	5	1	2	1	20	3	4	1		2
22	Scotland M	31	1					1				2	
	Scotland F	20	1	1				2					1
23	Italy M	27	7		2		2	11	4	2			1
	Italy F	20	1	3	2	2		8	1	1	1	1	
24	France M	34									3	1	
	France F	25	2					2	1	2	1	1	3
25	Russia and Poland M	39	4	6	4		1	15	1	1	3	2	2
	Russia and Poland F	34	12	2	1	1	3	19	4		2	2	
26	Other foreign countries M	898	155	53	36	19	19	282	45	25	39	61	54
	Other foreign countries F	762	162	53	16	12	17	260	35	31	48	62	46
27	Unknown M	1,549	179	71	45	19	14	328	44	19	25	85	85
	Unknown F	1,110	164	60	29	24	9	286	34	26	38	53	85
	UTAH.												
28	Total	3,079	580	183	77	53	41	934	145	92	142	158	171
29	Males	1,821	324	104	39	27	14	508	64	52	88	86	108
30	Females	1,258	256	79	38	26	27	426	81	40	54	72	63
31	White	2,972	571	173	72	52	38	906	132	86	133	153	169
32	Males	1,764	319	101	36	26	13	495	59	50	86	81	108
33	Females	1,208	252	72	36	26	25	411	73	36	47	72	61
34	Native	1,934	570	169	71	52	38	900	127	81	105	112	109
35	Both parents native M	509	184	49	21	13	7	274	27	21	19	11	18
	Both parents native F	452	144	42	24	12	16	238	40	14	11	33	12
36	One or both parents foreign M	424	118	44	14	12	4	192	29	24	43	31	29
	One or both parents foreign F	358	99	27	11	14	7	158	29	20	25	26	34
37	Foreign	983		4	1			5	4	5	28	38	58
38	Males	645		3				3	1	4	19	28	47
39	Females	338		1	1			2	3	1	9	10	11
40	Colored	107	9	10	5	1	3	28	13	6	9	5	2
41	Males	57	5	3	3	1	1	13	5	2	2	5	
42	Females	50	4	7	2		2	15	8	4	7		2
	Birthplaces of mothers (white).												
43	United States M	637	227	63	27	18	9	344	38	26	27	18	25
	United States F	556	178	49	26	18	21	292	51	25	16	38	21
44	Ireland M	50		1				1	1			1	4
	Ireland F	19	1					1	1			1	2
45	Germany M	42	5	4				9	2		1		3
	Germany F	17	1	3				4			2	1	1
46	England and Wales M	419	33	12	4	3	1	53	7	7	26	25	26
	England and Wales F	299	30	9	7	4	1	51	10	5	19	13	16
47	Canada M	9				1		1					
	Canada F	15	3	1				4	1				1
48	Scandinavia M	194	26	13	4	1	2	46	7	10	9	15	6
	Scandinavia F	170	22	5	3	3	3	36	8	3	5	12	10
49	Scotland M	92	3	1		1		5	1	6	12	4	7
	Scotland F	39	3	1				4			1	3	3
50	Italy M	17	3	1				4					5
	Italy F	1										1	
51	France M	8										2	
	France F	3											
52	Russia and Poland M	3											
	Russia and Poland F	1											
53	Other foreign countries M	109	5	1		1		7	1		6	5	19
	Other foreign countries F	31	5	2		1		8	1	2	2		3
54	Unknown M	184	17	5	1	1	1	25	2	1	5	11	13
	Unknown F	57	9	2				11	1	1	2	3	4

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,410	1,269	1,207	1,152	1,142	877	978	951	893	694	511	266	102	89	377	1
651	634	623	687	682	515	588	562	534	410	263	131	57	38	222	2
759	635	584	465	460	362	390	389	359	284	248	132	45	51	155	3
1,075	989	991	918	916	727	783	788	735	568	399	212	65	28	228	4
500	502	517	558	560	446	481	472	449	336	210	109	40	9	144	5
575	487	474	360	356	281	302	316	286	232	189	103	25	19	84	6
897	824	805	749	730	554	567	590	559	434	300	153	45	8	102	7
302	270	277	325	314	232	232	254	239	181	117	51	20	1	18	8
387	322	315	239	237	186	186	186	176	130	106	46	6	6	25	8
23	39	29	21	25	26	14	14	20	18	10	5	1		7	9
30	15	26	21	14	10	7	11	8	8	5	5	2		4	9
139	139	155	145	169	156	187	172	157	122	86	52	19	19	35	10
73	69	92	95	113	107	125	123	103	72	43	25	12	8	28	11
66	70	63	50	56	49	62	49	54	50	43	27	7	11	7	12
335	280	216	234	226	150	195	163	158	126	112	54	37	61	149	13
151	132	106	129	122	69	107	90	85	74	53	25	17	29	78	14
184	148	110	105	104	81	88	73	73	52.	59	29	20	32	71	15
307	281	284	334	323	242	243	259	251	188	121	53	21	1	18	16
401	328	324	245	240	191	190	192	178	133	109	47	6	6	28	16
2	6	5	12	18	20	18	13	10	9	4	4			8	17
1	2	8	8	6	3	5	3		1	3					17
25	29	32	27	33	31	34	48	38	28	14	5	7	1	7	18
23	27	21	20	19	19	22	21	26	21	19	15	6	3	1	18
1	4	2	4	11	9	14	11	7	6	5	4	1		2	19
5	3	4	3	3	3	3	3	4	2	5	4				19
	5	2	3		1		1		1	2	1				20
2	1		2	1	1										20
3	5	5	7	2	1	5	3	3		1					21
1	2	2	1				2		1	1	1				21
	1		3	5	1	3	6	8	1						22
1			1	3	1	3	3	3	2						22
1			1		1	1	1	3						1	23
	2	1	3				1		1						23
2	1	4		7	3	2	4	1	5	1					24
1		3	2	1	1	1	2	1	2		1				24
3	1	2			2	1	4	1	1						25
1	1	3	1	1											25
40	35	44	41	36	38	29	26	22	19	18	12	5	6	21	26
43	41	36	20	25	19	18	16	17	13	12	6	2	4	8	26
71	92	88	99	91	72	88	71	76	58	39	26	6		86	27
64	61	54	42	35	32	44	65	45	41	29	22	9	2	43	27
131	157	136	103	92	107	115	131	146	119	88	39	17	1	55	28
89	105	94	64	64	74	78	85	83	64	45	16	5		49	29
42	52	42	39	28	33	37	46	63	55	43	23	12	1	6	30
129	153	130	96	86	105	109	121	146	118	88	39	17	1	55	31
88	102	90	61	62	72	73	76	83	63	45	16	5		49	32
41	51	40	35	24	33	36	45	63	55	43	23	12	1	6	33
72	90	52	43	31	30	33	31	35	26	27	10	6		14	34
13	21	3	11	7	18	16	11	12	8	11	8	2		8	35
13	13	8	16	4	1	3	7	13	8	10	3	2		3	35
18	18	13	3	5	1	4	4	3	2					5	36
17	21	11	5	3	2	2	2		1					2	36
52	55	74	47	52	71	74	89	109	91	60	29	11	1	30	37
43	42	55	35	37	43	46	55	61	51	32	11	3		29	38
9	13	19	12	15	28	28	34	48	40	28	18	8	1	1	39
2	4	6	7	6	2	6	10		1						40
1	3	4	3	2	2	5	9		1						41
1	1	2	4	4		1	1								42
16	26	6	14	8	18	17	11	14	9	11	3	2		4	43
16	15	8	16	5	1	3	8	13	10	10	3	2		8	43
3	4	9	2	6	6	4	2	3	3		1				44
1	1			1	3		2		5		1				44
2	4	1	1	1	3	5	4	3	1					2	45
1	1	1		1	2	2				1					45
17	26	30	14	17	17	16	27	36	34	20	7	3		11	46
11	13	13	12	11	14	19	21	23	21	13	11	3			46
		2	1	1	1	2	1								47
3	1				2		1		1					1	47
9	5	6	6	12	9	8	13	10	10	9	2			2	48
4	9	10	4	1	8	6	9	17	12	6	6	3		1	48
7	3	9	5	2	6	5	7	5	1	3				4	49
2	4	3		2	1	2	1	4		6		2		1	49
3	3		1				1								50
3			1			1								1	51
	1								1	1					51
1						2									52
				1											52
14	10	7	4	2	2	6	3	6	3		1			13	53
1	2	2	1			1	1	4	1	1			1		53
13	21	20	12	13	10	7	7	6	2	2	2			12	54
2	4	3	2	2	2	3	2	2	4	5	2	2			54

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	VERMONT.												
1	Total	5,829	825	169	73	31	33	1,131	119	94	150	211	225
2	Males	2,936	490	90	35	17	14	646	55	47	85	104	91
3	Females	2,893	335	79	38	14	19	485	64	47	65	107	134
4	White	5,804	821	167	73	31	32	1,124	119	94	149	210	224
5	Males	2,920	487	89	35	17	14	642	55	47	84	104	91
6	Females	2,884	334	78	38	14	18	482	64	47	65	106	133
7	Native	4,885	818	164	71	29	32	1,114	107	83	135	181	196
8	Both parents native M												
	F												
9	One or both parents foreign M												
	F												
10	Foreign	844	2	2	2	2		8	9	11	14	25	26
11	Males	424		2	1	2		5	5	6	5	13	11
12	Females	420	2		1			3	4	5	9	12	15
13	Colored	25	4	2			1	7			1	1	1
14	Males	16	3	1				4			1		
15	Females	9	1	1			1	3				1	1
	Birthplaces of mothers (white).												
16	United States M												
	F												
17	Ireland M												
	F												
18	Germany M												
	F												
19	England and Wales M												
	F												
20	Canada M												
	F												
21	Scandinavia M												
	F												
22	Scotland M												
	F												
23	Italy M												
	F												
24	France M												
	F												
25	Russia and Poland M												
	F												
26	Other foreign countries M												
	F												
27	Unknown M												
	F												
	VIRGINIA.												
28	Total	25,252	4,921	1,462	677	392	296	7,748	943	639	1,189	1,565	1,147
29	Males	13,112	2,717	746	366	207	148	4,184	472	294	573	811	529
30	Females	12,140	2,204	716	311	185	148	3,564	471	345	616	754	618
31	White	14,070	2,607	769	329	201	157	4,063	481	300	504	690	599
32	Males	7,302	1,433	396	177	98	76	2,180	255	147	235	343	273
33	Females	6,768	1,174	373	152	103	81	1,883	226	153	269	347	326
34	Native	13,472	2,599	767	327	200	157	4,050	478	300	499	678	583
35	Both parents native M	5,384	1,139	314	157	83	64	1,757	216	133	196	278	192
	F	5,305	948	299	125	96	71	1,539	193	130	228	274	252
36	One or both parents foreign M	102	24	4	1	1	1	31	8	1	2	4	6
	F	63	14	5	2	1		22	1	1	3	5	4
37	Foreign	439			2			2	1			4	12
38	Males	319							1			3	8
39	Females	120			2			2				1	4
40	Colored	11,182	2,314	693	348	191	139	3,685	462	339	685	875	548
41	Males	5,810	1,284	350	189	109	72	2,004	217	147	338	468	256
42	Females	5,372	1,030	343	159	82	67	1,681	245	192	347	407	292
	Birthplaces of mothers (white).												
43	United States M	5,440	1,151	315	158	83	65	1,772	219	134	198	279	194
	F	5,340	957	302	126	96	71	1,552	194	131	229	276	254
44	Ireland M	96	3					3	2		1	1	2
	F	34	1					1	1			1	1
45	Germany M	74	4	1				5	1			2	1
	F	20	3			1		4				2	1
46	England and Wales M	52	6			1		7	1				2
	F	20	3					3			1	1	
47	Canada M	8	2					2					1
	F	3											1
48	Scandinavia M	3	1					1				1	
	F	2									1		
49	Scotland M	13							1				
	F	6		1	1			2					
50	Italy M												
	F												
51	France M	3		1				1					
	F												
52	Russia and Poland M	3	1	2				3					
	F	1	1					1					
53	Other foreign countries M	15							1				
	F	3		1	1			2					1
54	Unknown M	377	39	15	4	2	2	62	3	1	8	11	13
	F	241	26	13	5		2	46	8	3	6	10	16

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
164	197	217	177	225	292	361	382	475	539	450	231	121	34	34	1
73	81	114	86	94	147	174	192	271	273	242	90	43	13	15	2
91	116	103	91	131	145	187	190	204	266	208	141	78	21	19	3
164	196	215	176	225	290	356	381	474	539	450	231	121	34	32	4
73	81	112	85	94	146	170	191	270	273	242	90	43	13	14	5
91	115	103	91	131	144	186	190	204	266	208	141	78	21	18	6
130	159	169	145	158	231	279	303	380	435	361	181	98	22	18	7
															8
															9
33	33	42	30	61	55	72	76	90	95	81	46	21	12	4	10
18	14	24	14	28	28	38	36	52	41	50	21	8	5	2	11
15	19	18	16	33	27	34	40	38	54	31	25	13	7	2	12
	1	2	1		2	5	1	1						2	13
		2	1		1	4	1	1						1	14
	1				1	1								1	15
															16
															17
															18
															19
															20
															21
															22
															23
															24
															25
															26
															27
1,004	943	953	879	1,009	920	1,163	1,165	1,239	951	778	417	173	121	306	28
473	444	457	463	544	489	608	635	680	516	420	215	76	47	182	29
531	499	496	416	465	431	555	530	559	435	358	202	97	74	124	30
527	524	516	509	579	606	747	805	870	701	538	305	97	30	79	31
258	240	249	279	315	322	393	439	461	369	281	156	45	16	46	32
269	284	267	230	264	284	354	366	409	332	257	149	52	14	33	33
507	499	488	489	537	550	691	721	789	641	500	293	93	28	58	34
173	149	163	178	211	186	243	284	316	277	218	134	42	13	25	35
205	211	206	173	189	195	272	260	326	256	195	124	43	12	22	
2	2	5	6	1	3	4	8	5	4	5	5				36
4	8		2	2	2	2	8	2	2	5					
10	18	21	13	34	41	49	67	65	52	31	12	2	2	3	37
9	15	15	9	25	27	40	47	49	38	21	6	1	2	3	38
1	3	6	4	9	14	9	20	16	14	10	6	1			39
477	419	437	370	430	314	416	360	369	250	240	112	76	91	227	40
215	204	208	184	229	167	215	196	219	147	139	59	31	31	136	41
262	215	229	186	201	147	201	164	150	103	101	53	45	60	91	42
174	150	168	181	212	188	245	289	321	279	220	137	42	13	25	43
207	211	207	173	191	197	273	262	327	257	198	124	43	12	22	
4	1	2	2	7	10	13	12	12	12	9	3				44
		2	2	2	3	2	5	4	5	3	1				
	5	3	1	3	5	7	13	15	6	4	3				45
2	1		1	2			2		1	3	1				
2	1	3	1	4	2	4	8	8	5	3	1				46
1	3	1	1		1	1	3	1		3					
2		1	1			1									47
								2							
	1	1			1			3							48
			1												
					1	1	5			4			1		49
		1		1	1					1					
															50
							1	1							51
															52
1	1		2	2	2			1	1					3	53
							1								
8	12	11	21	19	44	43	47	34	14	16	3	1	1	5	54
10	18	11	10	13	18	10	16	18	10	11	3	1	1	7	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	WASHINGTON.												
1	Total	4,910	629	178	89	81	73	1,050	177	154	214	293	251
2	Males	3,148	379	105	48	39	38	609	113	72	104	166	145
3	Females	1,762	250	73	41	42	35	441	64	82	110	127	106
4	White	4,594	595	160	78	72	64	969	167	132	203	268	228
5	Males	2,955	363	95	41	33	33	565	107	64	100	153	130
6	Females	1,639	232	65	37	39	31	404	60	68	103	115	98
7	Native	3,065	588	155	76	70	62	951	159	113	175	202	147
8	Both parents native M	975	180	51	23	17	21	292	45	29	48	71	27
	Both parents native F	701	131	34	22	23	14	224	22	23	56	50	45
9	One or both parents foreign M	500	145	39	15	13	7	219	50	25	32	19	20
	One or both parents foreign F	377	88	24	13	12	15	152	34	28	29	33	21
10	Foreign	1,211	6	2	2	2	2	14	4	13	24	47	63
11	Males	895	5	1	2		1	9	2	5	15	35	46
12	Females	316	1	1		2	1	5	2	8	9	12	17
13	Colored	316	34	18	11	9	9	81	10	22	11	25	23
14	Males	193	16	10	7	6	5	44	6	8	4	13	15
15	Females	123	18	8	4	3	4	37	4	14	7	12	8
	Birthplaces of mothers (white).												
16	United States M	1,115	234	64	24	24	21	367	54	36	56	77	30
	United States F	834	160	43	28	26	21	278	29	31	68	57	54
17	Ireland M	191	5			2		7	1	2	6	6	8
	Ireland F	62	2	2	1	1		6		2	2	4	3
18	Germany M	226	20	7	4	2	1	34	10	4	7	10	9
	Germany F	102	10	2	1	2	1	16	5	5	4	3	8
19	England and Wales M	160	10	3				13	4	2	4	6	11
	England and Wales F	90	8	3	2	2		15	1	3	3	6	3
20	Canada M	147	15	4	4		1	24	6	7	8	11	5
	Canada F	77	12	4	1	4	2	23	6	4	6	7	4
21	Scandinavia M	252	25	8	2	3	2	40	15	5	8	3	10
	Scandinavia F	122	16	2		1	4	23	7	9	5	11	7
22	Scotland M	69	2	1				3				3	1
	Scotland F	36							2	2		3	2
23	Italy M	34	3				1	4				1	5
	Italy F	9	1	2	1			4	2		1		
24	France M	20					1	1					
	France F	10	1					1			1	1	
25	Russia and Poland M	30	5	1	1		1	8	3	3	1		5
	Russia and Poland F	14	2	1		1	1	5	4	1	1		
26	Other foreign countries M	104	12	3	4		1	20	4		5	8	8
	Other foreign countries F	38	9	2	1		1	13	2	2	1	2	2
27	Unknown M	607	32	4	2	2	4	44	10	5	5	28	38
	Unknown F	245	11	4	2	2	1	20	2	9	11	21	15
	WEST VIRGINIA.												
28	Total	9,588	1,956	610	311	180	130	3,187	373	267	509	601	480
29	Males	5,046	1,098	319	167	95	59	1,738	183	128	261	279	243
30	Females	4,542	858	291	144	85	71	1,449	190	139	248	322	237
31	White	9,074	1,853	573	298	167	125	3,016	348	246	475	552	447
32	Males	4,756	1,043	299	160	87	58	1,647	171	115	239	253	223
33	Females	4,318	810	274	138	80	67	1,369	177	131	236	299	224
34	Native	8,651	1,852	570	296	166	124	3,008	348	242	471	538	435
35	Both parents native M	4,060	988	283	149	84	56	1,560	165	104	217	218	200
	Both parents native F	3,798	773	264	131	78	64	1,310	165	118	214	282	197
36	One or both parents foreign M	186	21	7	3	3		34	5	6	13	15	10
	One or both parents foreign F	151	15	6	2	1	1	25	7	4	7	4	12
37	Foreign	338		2				2		3	1	11	7
38	Males	201		1				1		1	1	9	4
39	Females	137		1				1		2		2	3
40	Colored	514	103	37	13	13	5	171	25	21	34	49	33
41	Males	290	55	20	7	8	1	91	12	13	22	26	20
42	Females	224	48	17	6	5	4	80	13	8	12	23	13
	Birthplaces of mothers (white).												
43	United States M	4,113	991	286	149	85	56	1,567	165	107	222	224	203
	United States F	3,858	782	264	132	79	65	1,322	166	121	216	282	201
44	Ireland M	99	1		1			2	2		1	9	4
	Ireland F	67		1				1	1	1			2
45	Germany M	116	4	2	1	1		8	2	3	7	4	3
	Germany F	109	4	1	1			6	1	2	2	3	6
46	England and Wales M	53	9	2	1			12	1	1		1	2
	England and Wales F	35	2	2				4	2		1	2	2
47	Canada M	3										1	
	Canada F	1								1			
48	Scandinavia M	3				1		1					
	Scandinavia F												
49	Scotland M	10		1				1					
	Scotland F	9		1				1			1	1	
50	Italy M	1											1
	Italy F												1
51	France M	2										1	
	France F	2											1
52	Russia and Poland M	4	2					2		1			
	Russia and Poland F	4		2				2	1		1		
53	Other foreign countries M	17	3					3			1	2	1
	Other foreign countries F	10							1		1	1	1
54	Unknown M	305	31	8	8		2	51	1	3	7	10	9
	Unknown F	223	22	3	5	1	2	33	5	6	15	11	10

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
261	349	312	284	270	239	245	228	235	122	101	28	19	6	72	1
166	239	218	215	194	174	185	157	151	75	74	15	15	4	57	2
95	110	94	69	76	65	60	71	84	47	27	13	4	2	15	3
240	332	292	274	257	224	233	220	226	116	93	27	17	5	71	4
152	227	204	207	188	161	176	150	145	71	68	14	13	4	56	5
88	105	88	67	69	63	57	70	81	45	25	13	4	1	15	6
122	153	154	122	115	105	121	128	139	65	47	16	12	3	16	7
33	43	47	47	46	33	55	51	50	29	17	3	4	1	4	8
27	28	28	22	22	22	30	25	42	13	12	4	3	1	2	
16	19	22	19	12	13	9	9	6	3	8		2		2	9
16	16	15	6	4	5		7	6	1	1	2			1	
96	143	119	119	126	96	89	80	67	47	40	11	4	2	7	10
68	108	90	94	96	71	71	58	54	24	31	6	3	2	7	11
28	35	29	25	30	25	18	22	13	23	9	5	1			12
21	17	20	10	13	15	12	8	9	6	8	1	2	1	1	13
14	12	14	8	6	13	9	7	6	4	6	1	2		1	14
7	5	6	2	7	2	3	1	3	2	2			1		15
34	48	54	48	49	34	58	57	53	31	17	3	4	1	4	16
37	33	33	23	23	23	31	29	45	15	12	5	3	1	4	
11	26	21	16	16	10	15	8	18	4	7	3	3	1	2	17
4	7	6	2	4	4	5	1	2	8	2					
4	14	21	19	15	11	22	15	14	7	6	2			2	18
7	5	9	7	5	5	8	5	3	3	3	3				
13	16	6	12	12	17	12	11	7	4	7		1		2	19
8	12	7	6	5	4	3	7	5	2						
12	16	14	8	12	4	3	4	2	3	6			1	1	20
4	2	1	4	8	3	1	1		1	1		1			
19	27	26	33	22	16	8	7	9	3	1					21
5	12	10	7	6	5	2	2	2	5	3	1				
2	2	2	10	9	12	10	3	4	2	5		1			22
1	5	1		3	3	3	3	3	3	1	1				
8	7	1	3	3	2		5								23
	1				1										
1	2	2	3	5		3	2	1							24
2	2	1			1		1								
1	3	1		3	1	1									25
1	1	1													
13	5	10	6	5	3	3	4	4	3	1	1			1	26
3	1	5	3	1	1		1				1				
39	61	46	49	37	51	41	34	33	14	18	5	4	1	41	27
16	24	14	15	14	13	9	17	21	8	3	2			11	
368	324	353	302	300	349	309	403	444	392	292	139	47	31	118	28
189	165	171	164	154	183	168	230	232	228	159	65	22	15	69	29
179	159	182	138	146	166	141	173	212	164	133	74	25	16	49	30
347	302	332	288	292	333	296	391	434	382	286	135	46	29	97	31
178	153	160	157	148	176	158	221	227	221	157	63	22	14	53	32
169	149	172	131	144	157	138	170	207	161	129	72	24	15	44	33
334	285	320	265	271	302	267	345	393	320	260	115	38	24	70	34
143	123	128	116	117	134	122	169	184	151	120	43	13	8	25	35
145	132	146	111	122	122	108	135	165	120	98	50	20	12	26	
11	5	9	10	4	9	7	8	12	8	8	6	3	1		36
11	4	12	8	4	12	5	5	9	9	7	6				
10	9	8	18	20	26	27	42	38	58	23	18	6	2	9	37
7	7	6	12	14	16	14	25	21	36	11	6	2	2	6	38
3	2	2	6	6	10	13	17	17	22	12	12	4		3	39
21	22	21	14	8	16	13	12	10	10	6	4	1	2	21	40
11	12	11	7	6	7	10	9	5	7	2	2		1	16	41
10	10	10	7	2	9	3	3	5	3	4	2	1	1	5	42
147	125	130	120	117	138	123	172	187	154	121	45	13	8	25	43
148	134	148	114	123	131	160	139	168	126	100	52	20	12	26	
3	5	4	4	5	5	5	7	12	17	4	7	2	1		44
5		4	8	2	6	6	8	6	4	7	7	1		3	
7	4	7	9	9	6	10	17	13	19	9	3	3	1	2	45
4	5	5	6	5	7	7	9	11	13	9	7	1			
3	2	2	4	2	6	2	3	4	4	2			1	1	46
1		3	2		1	2	2	3	5	1	2	2			
		1	1												47
					1		1								48
								1	2	3				1	49
			1	1		2		2	1						
															50
						1									51
									1						
				1											52
2	1			1	1	1	1		1					2	53
1		1		1	1				2						
16	16	16	19	13	19	16	20	10	24	18	8	4	3	22	54
10	10	11	5	12	11	12	12	17	9	12	4		3	15	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

	AREAS.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	WISCONSIN.												
1	Total	24,928	5,213	970	485	333	240	7,241	824	546	732	1,060	958
2	Males	13,815	2,950	513	240	178	128	4,009	433	274	341	503	481
3	Females	11,113	2,263	457	245	155	112	3,232	391	272	391	557	477
4	White	24,747	5,187	961	480	330	238	7,196	810	538	719	1,052	954
5	Males	13,724	2,938	508	239	177	126	3,988	426	273	339	499	478
6	Females	11,023	2,249	453	241	153	112	3,208	384	265	380	553	476
7	Native	15,298	5,156	950	471	326	230	7,133	785	508	621	826	713
8	Both parents native M	3,392	1,258	203	93	66	51	1,671	155	93	96	103	77
	Both parents native F	2,948	904	178	102	72	44	1,300	137	87	110	135	110
9	One or both parents foreign M	4,137	1,539	283	134	105	68	2,129	249	154	185	256	252
	One or both parents foreign F	3,665	1,233	268	132	75	62	1,770	221	153	200	290	236
10	Foreign	8,974	20	6	2	3	6	37	20	30	88	202	214
11	Males	5,173	8	4	2	2	4	20	11	15	39	101	112
12	Females	3,801	12	2		1	2	17	9	15	49	101	102
13	Colored	181	26	9	5	3	2	45	14	8	13	8	4
14	Males	91	12	5	1	1	2	21	7	1	2	4	3
15	Females	90	14	4	4	2		24	7	7	11	4	1
	Birthplaces of mothers (white).												
16	United States M	4,395	1,666	277	125	97	65	2,230	213	136	142	171	116
	United States F	3,818	1,270	242	138	88	64	1,802	189	119	158	191	142
17	Ireland M	910	11	7	2	4	1	25	3	4	6	19	36
	Ireland F	687	10	1		1		12	2	2	6	24	37
18	Germany M	4,106	619	111	56	39	29	854	115	65	95	123	152
	Germany F	3,292	488	97	59	32	29	705	86	75	106	173	144
19	England and Wales M	520	16	3	3		2	24	2	3	7	6	17
	England and Wales F	363	18	1		2	1	22	4	2	7	10	19
20	Canada M	365	53	15	8	6	2	84	16	9	8	17	24
	Canada F	296	50	8	8	1	2	67	11	5	7	25	18
21	Scandinavia M	1,157	148	40	15	9	7	219	28	30	28	70	59
	Scandinavia F	941	124	45	14	10	5	198	44	31	45	59	50
22	Scotland M	131	2		1		2	5		1	1	4	1
	Scotland F	106	3	3	1	2		9		1	2	3	1
23	Italy M	32	10	3	1	1		15			1	2	2
	Italy F	6		2				2	1				1
24	France M	36	2	1				3		1	1	3	
	France F	34									1	2	
25	Russia and Poland M	454	196	22	14	10	9	251	21	11	9	12	6
	Russia and Poland F	361	128	34	10	9	4	185	16	5	14	15	10
26	Other foreign countries M	622	103	14	5	8	6	136	16	3	22	35	26
	Other foreign countries F	540	79	18	4	4	2	107	18	14	13	24	27
27	Unknown M	996	112	15	9	3	3	142	12	10	19	37	39
	Unknown F	579	79	4	7	4	5	99	13	11	21	27	27
	WYOMING.												
28	Total	767	142	37	31	12	10	232	53	37	34	37	53
29	Males	452	76	22	13	9	4	124	27	21	25	19	34
30	Females	315	66	15	18	3	6	108	26	16	9	18	19
31	White	651	122	32	25	7	6	192	38	29	28	33	45
32	Males	395	67	18	12	6	3	106	20	18	23	18	30
33	Females	256	55	14	13	1	3	86	18	11	5	15	15
34	Native	474	122	31	25	7	6	191	37	28	23	23	30
35	Both parents native M	148	30	8	8	5	3	54	12	7	10	4	8
	Both parents native F	99	28	5	9	1	1	44	12	3	1	5	6
36	One or both parents foreign M	96	31	8	4	1		44	6	11	8	3	4
	One or both parents foreign F	73	23	8	3		2	36	5	5	3	7	5
37	Foreign	137		1				1	1	1	3	5	11
38	Males	82		1				1	1		2	2	10
39	Females	55								1	1	3	1
40	Colored	116	20	5	6	5	4	40	15	8	6	4	8
41	Males	57	9	4	1	3	1	18	7	3	2	1	4
42	Females	59	11	1	5	2	3	22	8	5	4	3	4
	Birthplaces of mothers (white).												
43	United States M	164	36	9	9	5	3	62	15	8	11	5	10
	United States F	121	35	10	9	1	2	57	13	6	1	5	7
44	Ireland M	26	3					3		1		2	2
	Ireland F	16	1					1				2	1
45	Germany M	27	2	1	2			5		3			2
	Germany F	13	3					3			1	2	
46	England and Wales M	28	4	2				6	1	2	2		1
	England and Wales F	24	4	1				5		1	1	2	1
47	Canada M	11	3		1			4	1	1	1		1
	Canada F	8		1			1	2	1		1	1	
48	Scandinavia M	23	3					3	1	1	3	2	3
	Scandinavia F	17	1		1			2	3		1	1	1
49	Scotland M	14	3					3		1	2		
	Scotland F	12	3		2			5				1	1
50	Italy M	4	1	1				2		1			
	Italy F	3	1	1				2					
51	France M	3											
	France F	2								1			
52	Russia and Poland M	1											
	Russia and Poland F	2								1			
53	Other foreign countries M	24	6	4		1		11	1				3
	Other foreign countries F	9	3					3				1	1
54	Unknown M	70	6	1				7	1		4	9	8
	Unknown F	29	4	1	1			6	1	2			3

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
848	937	936	802	894	999	1,122	1,394	1,677	1,688	1,212	632	211	79	136	1
455	489	534	476	534	604	624	813	990	957	711	350	104	37	96	2
393	448	402	326	360	395	498	581	687	731	501	282	107	42	40	3
845	931	927	795	892	989	1,114	1,386	1,670	1,682	1,200	631	206	78	132	4
458	487	528	471	533	598	618	807	986	953	701	349	102	37	95	5
392	444	399	324	359	391	496	579	684	729	496	282	104	41	37	6
527	519	466	338	305	324	319	372	458	491	300	174	68	21	30	7
64	45	73	58	75	92	96	147	168	162	127	52	26	5	7	8
59	74	66	55	68	89	110	108	112	159	86	51	19	8	5	
184	200	151	99	59	37	27	34	30	41	15	18	6	1	10	9
175	160	137	88	54	34	33	14	31	29	15	15	2	4	4	
286	382	428	434	569	642	774	985	1,184	1,157	869	443	136	56	38	10
152	197	254	276	355	400	450	554	692	672	507	249	66	29	22	11
134	185	174	158	214	242	324	431	492	485	362	194	70	27	16	12
3	6	9	7	2	10	8	8	7	6	12	1	5	1	4	13
2	2	6	5	1	6	6	5	4	4	7	1	2		1	14
1	4	3	2	1	4	2	2	3	2	5		2	1	3	15
91	65	92	74	89	102	114	158	180	182	136	59	30	5	10	16
81	90	81	63	74	101	116	114	121	182	98	59	22	10	5	
42	64	45	45	46	61	67	73	94	108	84	52	20	10	6	17
29	37	44	32	37	27	52	70	91	69	56	33	15	7	5	
139	177	183	175	187	211	231	303	371	349	221	104	33	9	9	18
138	156	136	102	122	141	185	201	253	248	176	92	34	10	9	
18	22	22	24	25	22	24	42	67	87	66	35	4	1	2	19
13	15	19	17	25	18	22	26	35	47	37	19	4	1	1	
23	10	19	13	21	18	17	22	24	15	12	8		2	3	20
20	19	19	22	4	5	15	13	26	7	7	4		1		
59	59	62	55	74	58	59	67	73	63	61	21	4	2	6	21
43	48	46	33	44	34	37	54	46	54	35	28	5	1	3	
	4	6	3	5	11	10	16	20	17	18	6	2	1		22
4	6	5	7	4	5	5	12	13	9	10	7	2	1		
2	4	1			1	1		2		1					23
				1		1									
1		1	3	5	1	2	1	6	4	1	1	2			24
2	2	3	4	3	2		3		7	4		1			
10	10	20	21	11	10	13	9	12	7	9	10		1	1	25
18	13	13	7	3	10	4	15	7	9	9	4	2	1	1	
17	26	26	20	26	35	37	43	39	43	39	23	4	4	2	26
18	27	12	12	20	23	32	46	44	44	31	15	5	7	1	
51	46	51	38	44	68	43	73	98	78	56	30	3	2	56	27
26	31	21	25	22	24	27	25	48	53	33	21	11	2	12	
46	61	26	36	30	20	26	24	15	5	8	3	2		19	28
39	33	20	25	19	13	14	10	6	2	5	1	1		14	29
7	28	6	11	11	7	12	14	9	3	3	2	1		5	30
41	58	23	30	25	19	24	20	14	4	7	2			19	31
36	31	18	20	15	12	14	8	5	1	5	1			14	32
5	27	5	10	10	7	10	12	9	3	2	1			5	33
23	34	16	12	14	9	9	11	7	1	3				3	34
11	8	9	6	5	4	4	2	2	1	1					35
1	9	1	2	3	2	3	2	3		1				1	
6	6	2	1	1	1	1	2								36
	5	1	2		1		3								
15	21	7	16	11	8	14	6	5	2	4	2			3	37
12	13	5	10	5	4	8	1	2		3	1			2	38
3	8	2	6	6	4	6	5	3	3	1	1			1	39
5	3	3	6	5	1	2	4	1	1	1	1	2			40
3	2	2	5	4	1		2	1	1			1			41
2	1	1	1	1		2	2			1	1	1			42
11	8	9	6	5	4	4	2	2	1	1					43
1	9	2	3	3	2	3	4	3		1				1	
4	3	1	4	1	1	3								1	44
	3		2	1	1	2	2		1						
6	6		2	1			1				1				45
1	3			2										1	
1	3	3	2	2	1	1	1	1		1					46
1	2	1	2			3	3	1		1					
1	1									1					47
			1	1	1										
1	2	1		1	2	3									48
	5	1	1	1		1									
2	1	1		1		1	1			1					49
					1			2	1		1				
	1														50
1															
1			1		1										51
					1										
			1												52
					1										
2	2	1	1			1		1						1	53
			1	1			1		1						
7	4	2	3	4	3	1	3	1		1				12	54
1	5	1		1		1	2	3						3	

TABLE 7.

DEATHS IN THE UNITED STATES, EACH STATE, STATE GROUP AND REGISTRATION CITY, DURING THE CENSUS YEAR ENDING MAY 31, 1900, FROM EACH REPORTED CAUSE.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	The United States.	ALABAMA.					Arizona.	ARKANSAS.		
			Total.	Group 1, rural.	Mobile.	Group 2.	Group 3.		Total.	Group 1.	Group 2.
1	All causes	1,039,094	25,699	507	995	10,241	13,956	1,223	22,518	3,831	18,687
2	Abortion	578	21			3	18	2	20	7	13
3	Abscess	1,053	19	1		7	11	1	27	4	23
4	Abscess, lumbar and psoas	98	1			1			2		2
5	Absorbent system, disease of	135	5			4	1		2		2
6	Accidents and injuries (not specified)	8,126	138	6	1	60	71	22	118	22	96
7	Addison's disease	173	1				1		1		1
8	Adenitis	109	1				1		3		3
9	Alcoholism	2,811	20		3	9	8	6	16	7	9
10	Anemia	2,235	20			12	8		13	2	11
11	Aneurism	754	11			4	7		5		5
12	Angina	1,412	57	3		17	37	1	69	9	60
13	Angina pectoris	2,785	20	1		7	12		15	2	13
14	Aphthae	908	52			15	37		42	9	33
15	Apoplexy	26,901	176	7	18	55	96	10	93	5	88
16	Appendicitis	5,111	50	4	1	19	26	5	46	4	42
17	Arteries, disease of	1,268							1		1
18	Ascites	1,305	83	1		28	54	2	51	6	45
19	Asthma	3,006	58		1	17	40	3	29	8	21
20	Atrophy	320									
21	Bile passages, disease of	141							3		3
22	Birth, causes incident to	1,546	13	1		7	5		10	1	9
23	Bites	95	7			3	4		4		4
24	Bladder, disease of	2,463	29	4		11	14	3	20	4	16
25	Bones, disease of	625	9			5	4		5	1	4
26	Bowels, disease of	3,302	130		2	55	73	1	124	24	100
27	Bowels, obstruction of	3,745	42	2	3	18	19	2	27	4	23
28	Brain, disease of	11,141	285	4	22	99	160	4	466	58	408
29	Breast, disease of (puerperal)	6									
30	Bright's disease	32,170	371	17	56	103	195	25	201	26	175
31	Bronchitis	20,223	275	9	17	131	118	8	263	24	239
32	Burns and scalds	6,772	328	7	10	85	226	5	159	27	132
33	Calculus biliary	804	13		1	6	6		4		4
34	Calculus urinary	431	27			10	17		11	3	8
35	Cancer (not specified)	7,539	81	1	1	24	55	6	59	4	55
36	of abdomen	1,584	8			3	5	1	4		4
37	bladder	241	2		1	1					
38	brain	41	1				1				
39	breast	2,278	36	1	1	11	23		15	3	12
40	eye	56									
41	genitals	122	2			1	1				
42	head, face, and neck	1,733	25	1	2	11	11		16	2	14
43	kidneys	144	1			1			2		2
44	larynx	76									
45	liver	2,583	21	1	7	8	5		3		3
46	lower extremities	79	1				1				
47	lungs	111							1		1
48	mouth, tongue, and throat	984	11			1	10		8	1	7
49	ovaries	100									
50	penis	37	2			1	1				
51	rectum	746	7			3	4				
52	stomach	7,423	48	1	7	11	29	5	31	2	29
53	testicle	13									
54	upper extremities	59	2				2				
55	uterus	3,526	92	1	8	28	55		32	5	27
56	Carbuncle	268	8			2	6		6		6
57	Catalepsy	8									
58	Cerebro-spinal fever	4,174	50	3	6	26	15	4	180	20	160
59	Chicken pox	97	2			1	1		8	3	5
60	Childbirth	4,527	181	4	3	52	122	10	142	29	113
61	Cholera infantum	25,576	428	12	11	213	192	21	319	30	289
62	Cholera morbus	6,409	137	4	1	66	66	14	132	29	103
63	Chorea	179	2			2		1	3		3
64	Circulatory system, disease of	165	2				2				
65	Colic	1,776	60		2	20	38	2	32	10	22
66	Colitis	1,421	56		7	26	23	2	15	3	12
67	Constipation	408	18	1		11	6		10	3	7
68	Consumption	109,750	2,666	46	159	1,136	1,325	152	1,889	335	1,554
69	Convulsions	15,505	221	7	31	82	101	9	99	25	74
70	Croup	12,484	579	3	1	296	279	10	561	67	494
71	Cyanosis	1,059	9		1	5	3	3	5		5
72	Debility	16,962	199	13	44	85	57	7	83	12	71
73	Dentition	2,643	205		6	58	141	4	69	21	48
74	Diabetes	4,672	30	2	3	8	17	2	21	1	20
75	Diarrhea	7,710	286	4	8	148	126	11	167	31	136
76	Digestive system, disease of	3,200	110	1	2	57	50	4	76	10	66

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900.

CALIFORNIA.											COLORADO.						
Total.	Group 1, rural.	Fresno.	Sacramento.	Group 2, rural.	Alameda.	Los Angeles.	Oakland.	San Diego.	San Francisco.	San Jose.	Total.	Group 1, rural.	Denver.	Pueblo.	Group 2, rural.	Leadville.	
22,506	5,049	187	724	5,571	224	1,857	1,121	399	7,040	334	7,428	1,956	2,484	648	1,989	351	1
27	4		1	2	1	1	1	1	15	1	11	5	4	1	1		2
18	9			2			2		4	1	11	1	9		1		3
																	4
5	1			2		2											5
271	105	1	2	92	2	27	12	1	23	6	132	20	42	13	37	20	6
9				3	1	1	2		2								7
1	1																8
207	51	2	5	27		17	3	1	98	8	61	12	29	2	18		9
53	16		1	14		3	4		15		7		3	1	3		10
54	8		1	14	1	6	2	1	21		2		2				11
27	3	1		12		3			8		10	2	1		6	1	12
87	12		3	22		9	4		32	5	25	8	9		5	3	13
8	5			1					1	1	2	1			1		14
766	145	5	28	159	9	70	40	14	286	10	118	24	64	9	16	5	15
153	36	1	10	34	3	9	9	2	46	3	70	22	20	1	25	2	16
75	4		3	14		1	5		48		3		3				17
11	6			5							4	3			1		18
75	28	1		21		3	4	2	14	2	31	7	15	4	5		19
3		2				1											20
5	1				2				2								21
13	3		1	3		4	1		1		6	1	1		4		22
1				1							3	2	1				23
67	18		1	21	1	1	6	2	17		12	3	3	1	5		24
10	1		1	2		1			4	1	3	1	1		1		25
46	15		2	14		5		1	9		19	4	10	1	4		26
92	19	1	5	22	1	3	3	1	34	3	42	6	26	1	9		27
304	72	1	9	83	2	12	28	8	85	4	75	16	30	8	20	1	28
											1		1				29
849	130	2	25	183	17	91	33	19	336	13	207	44	85	7	60	11	30
397	49	2	14	63	2	22	25	8	202	10	70	7	34	3	22	4	31
83	22	1	4	26	1	11	2	2	13	1	20	6	4	5	5		32
19	7		2	4			1		5		12	2	5		4	1	33
10	8		1	2			1		3		2	1			1		34
199	50	3	6	73	2	23	4	5	28	5	52	14	22	3	12	1	35
72	10		3	11	2	4	4	2	35	1	6		4	1	1		36
13	2		1	3		1	1		5		1		1				37
1						1											38
56	6	1		13	1	3	9		21	2	9	3	2		3	1	39
2	1								1								40
7	1			1			1	1	3								41
60	12			16	1	4	1	7	19		10	4	3		3		42
9	1				1		2		5		1		1				43
5	1		1			1			2								44
88	10	1	2	20	2	7	4	1	39	2	22	1	15	1	5		45
2	2																46
6				1					5		1		1				47
46	12			6		3			25		1			1			48
2				1					1								49
																	50
54	4		2	8	1		2		36	1	4		4				51
295	67	2	9	85	5	24	16	1	83	2	56	9	19		25	1	52
1									1								53
3				1					2								54
105	18	1	3	13	3	2	13	1	48	3	21	3	15		3		55
4	1			1			1		1								56
																	57
101	19	2	5	25		10	10	2	27	1	27	11	4	1	11		58
2	1			1													59
43	10	1		20		4	3	2	3		29	14	3	1	11		60
201	59	6	8	80		15	3	2	25	3	153	45	51	22	28	7	61
121	51		1	48		3	3	3	11	1	67	32	5	4	24	2	62
1						1					1		1				63
2				1		1					2	2					64
7	1			5					1		9	7	1	1			65
15	1		1	4		2		2	4	1	9	2	4		3		66
9	4			5							1	1					67
3,480	705	26	108	906	28	380	141	63	1,059	64	874	210	436	91	133	4	68
172	26	2	10	48	2	16	21	2	44	1	82	13	41	15	12	1	69
95	31	1		29		17	1	1	14	1	58	16	10	7	22	3	70
13	1			4	1	2			5		12	3	4	2	3		71
223	74	4	10	52	2	18	4		57	2	91	12	50	17	12		72
20	2			11		2	1		4		8	4	1	1	2		73
143	25		6	43	1	11	12	5	38	2	38	8	15	3	12		74
82	16	2	1	34		5	5	1	18		25	13	3		8	1	75
44	8		5	16	1	2		1	10	1	14	2	6		6		76

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	The United States.	ALABAMA.					Arizona.	ARKANSAS.		
			Total.	Group 1, rural.	Mobile.	Group 2.	Group 3.		Total.	Group 1.	Group 2.
77	Diphtheria	16,475	87	2	1	54	30	15	108	16	92
78	Dislocations	162	5			3	2		4		4
79	Dropsy	11,264	549	5	4	183	357	8	403	94	309
80	Drowning	5,387	95	24	9	21	41	1	44	5	39
81	Dysentery	11,710	864	14	20	482	348	22	541	69	472
82	Ear, disease of	297	7			3	4		9	3	6
83	Electricity	178	5	1	1	1	2		3		3
84	Elephantiasis	18	1				1				
85	Embolism	445	2			1	1		1		1
86	Enteritis	19,657	352	9	22	139	182	22	354	61	293
87	Epilepsy	3,326	98	1	1	33	63	5	61	9	52
88	Erysipelas	2,861	56			28	28	5	71	18	53
89	Esophagus, obstruction and stricture of	154	3			1	2				
90	Execution	155	3		1	2			1	1	
91	Explosion	469	7			3	4		3	1	2
92	Exposure and neglect	922	44	1		10	33		23	1	22
93	Extra-uterine pregnancy	188	2			2					
94	Eye, disease of	31									
95	Falling bodies	642	29	1	1	13	14	6	21		21
96	Falls	3,075	65	2	4	13	46	1	35	5	30
97	Female organs of generation, disease of	645	41			10	31	1	36	4	32
98	Fever	2,817	195	1		73	121	29	81	20	61
99	Foreign bodies in esophagus	244	9			5	4		3	1	2
100	Fractures	3,343	24	1	4	7	12	1	19	4	15
101	Frozen	171	4			2	2		2		2
102	Gangrene	2,009	19		5	5	9		10	3	7
103	Gastritis	8,342	146	2	1	60	83	6	118	17	101
104	General disease (not specified)	36	3			1	2		1		1
105	Goiter	94									
106	Goiter, exophthalmic	176									
107	Gout	27	2			2					
108	Gunshot wounds	4,060	252	10	8	82	152	21	113	33	80
109	Heart disease	68,439	1,111	37	83	332	659	39	601	83	518
110	Hemophilia	79	1				1		1		1
111	Hemorrhage	2,555	57	2	3	24	28	1	39	12	27
112	Hernia	1,979	31	1		8	22	1	15	3	12
113	Hip joint, disease of	231	3			2	1		3		3
114	Homicide	1,829	96	4	1	41	50	14	46	16	30
115	Hydrocephalus	4,302	34	1	2	16	15	3	33	2	31
116	Hydrophobia	123	12			1	11		1	1	
117	Inanition	11,382	111	3	2	54	52	11	68	10	58
118	Infanticide	47							1		1
119	Inflammation and abscess of liver	2,913	72		2	30	40	7	77	14	63
120	Inflammation of brain	6,241	167	2	2	99	64	12	243	45	198
121	Influenza	16,645	778	2	6	270	500	8	319	61	258
122	Injuries by machinery	333	10		1	3	6		14	2	12
123	Jaundice	2,485	57	1		34	22	2	37	4	33
124	Joints, disease of	296	7		1	1	5		6	1	5
125	Kidneys, disease of	4,554	98	2	2	45	49	4	87	7	80
126	Laryngitis	860	26			20	6		12	1	11
127	Larynx, disease of	208	1			1			1		1
128	Lead poison	113	4			2	2				
129	Leprosy	17									
130	Leucocythemia	303	1			1					
131	Lightning	480	25	1		7	17	2	5	2	3
132	Liver, disease of	6,851	95	1	4	34	56	8	69	13	56
133	Locomotor ataxia	712	4		1	1	2		3		3
134	Lost at sea	25									
135	Lungs, disease of	8,354	91	1	7	40	43	6	142	18	124
136	Lymphangitis	29									
137	Malarial fever	14,874	1,005	15	23	348	619	17	1,730	341	1,389
138	Male organs of generation, disease of	18									
139	Malformation	2,705	23			12	11	2	33	9	24
140	Malignant pustule	42									
141	Measles	12,866	428	5	1	244	178	69	1,274	246	1,028
142	Meningitis	19,423	342	6	8	219	109	19	571	55	516
143	Mental disease	3,617	43		1	5	37	4	13	2	11
144	Mining accidents	1,303	54			48	6	14	8		8
145	Mumps	144	7			2	5	1	3	1	2
146	Nervous system, disease of	2,321	42		1	21	20	3	44	3	41
147	Noma	120	2				2	1	6		6
148	Nose, disease of	23									

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

CALIFORNIA.											COLORADO.						
Total.	Group 1, rural.	Fresno.	Sacramento.	Group 2, rural.	Alameda.	Los Angeles.	Oakland.	San Diego.	San Francisco.	San Jose.	Total.	Group 1, rural.	Denver.	Pueblo.	Group 2, rural.	Leadville.	
227	40	9	9	43	2	28	8	1	77	10	148	83	35	9	21		77
3	1		1			1					6		3		2	1	78
131	48	2	4	58		4	1	2	12		69	19	18	1	19	12	79
186	37		14	52	7	7	11	6	51	1	40	10	12	1	17		80
135	32	2	1	28		5	5	2	58	2	28	8	8	6	6		81
2	1			1							1	1					82
7	3			1		2			1		1		1				83
1	1																84
15	4			1		1	2		7		8	1	6			1	85
371	50	2	7	47	5	44	19	4	189	4	67	12	33	5	14	3	86
74	23		2	21	1	2	3		20	2	21	7	7	4	3		87
46	15	1		4		7	1	1	17		28	9	11	1	7		88
5	3			2							2	1	1				89
6	3			3							1			1			90
19	7			8		1	1		2		7	3	1		2	1	91
16	7			1		1	4		2	1	14	4	3	1	6		92
6			1	1			1		3		2		1		1		93
1				1													94
27	4		1	14		3			5		15		1		14		95
117	18		4	19			7		69		19	5	2		7	4	96
8	6								2								97
32	9			11					12		33	24	1		7	1	98
4	1			2					1		1				1		99
63	16		2	20	1	7	5	8	8	1	34	9	19		6		100
1				1							10	3	2		4	1	101
54	14		2	7	3	3		1	24		5		3	2			102
178	37	2	3	46		17	11	3	55	3	56	14	20	8	12	2	103
5	5			2													104
2				1			1										105
5				2					2	1							106
1	1																107
108	44		5	36	1	11	6	2	2	1	62	21	19	5	12	5	108
2,078	396	3	53	495	23	122	160	40	755	31	433	114	144	28	126	21	109
4			2	1					1								110
58	14	1	1	21		6	1	2	12		44	11	11	11	9	2	111
43	12	1	1	15		2	2		9	1	15	1	3	3	8		112
9	3			1		1	1		3		1		1				113
82	15	1	1	14		8	1	2	40		19	2	1	2	11	3	114
172	10	3	8	25	1	17	14	3	89	2	27	4	14		9		115
1	1																116
369	36	2	6	60	3	34	31	7	185	5	76	14	20	24	16	2	117
1						1											118
90	13		5	26		5	6		32	3	22	4	12		6		119
107	39	1	3	46	2	4	2		9	1	39	12	5	5	17		120
217	76	1	6	72	1	17	9	4	27	4	40	10	15		15		121
5				3					2		8	5		2	1		122
21	4		1	5	2	2			6	1	21	5	8	2	6		123
10	4		1	1		1	2		1		2		1		1		124
86	18		3	26		4	2	1	32		26	5	9		9	3	125
16	1			2		1	1	1	10		6	3	2	1			126
6	1			1		2			2		2	1			1		127
2									1	1	1				1		128
2									2								129
7	1							1	5		2	1			1		130
1	1										11	5	1		5		131
270	32		8	33		21	10	7	156	3	39	7	16	2	13	1	132
22	3			4		1	2		11	1	4		2	1		1	133
1				1													134
226	29	4	8	47	1	17	17	4	94	5	69	19	29	2	19		135
																	136
119	69	3	6	14	3	3	4		15	2	21	3	4		14		137
																	138
49	9			5	1	3	2	1	28		12	2	4		3	3	139
																	140
56	21	1	1	16		1	3	3	9	1	59	25	15	4	13	2	141
396	78	5	14	98	6	47	25	3	113	7	183	47	75	18	38	5	142
96	46		1	31	1	4	1	4	5	3	39	9	10	13	7		143
35	28		3	2					2		88	26	4		50	8	144
2	1									1	1	1					145
48	7		1	18	1	4	2	2	13		14	6	1		7		146
											2	2					147
1									1								148

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	The United States.	ALABAMA.					Arizona.	ARKANSAS.		
			Total.	Group 1, rural.	Mobile.	Group 2.	Group 3.		Total.	Group 1.	Group 2.
49	Obesity	9									
50	Old age	29,222	505	28	32	139	306	9	193	48	145
51	Ovarian tumor	478	6			3	3		1		1
52	Ovaries, disease of	145	1			1					
53	Pancreas, disease of	45									
54	Paralysis	22,562	466	9	16	162	279	12	242	33	209
55	Paralysis general (of insane)	1,303	15		1		14	5	4		4
56	Parasites	17	1				1		1		1
57	Pelvic abscess (female)	362	5			2	3		1	1	
58	Pericarditis	876	11	1		5	4	1	7	1	6
59	Peritonitis	7,501	78	2	5	43	28	2	60	6	54
60	Pharyngeal abscess	61							1		1
61	Pharynx, disease of (not specified)	1									
62	Phlebitis	154						1	2	2	
63	Phlegmasia dolens	46	1				1				
64	Pleurisy	2,806	69		1	21	47	4	45	9	36
65	Pneumonia	105,971	2,459	35	68	1,030	1,326	105	2,688	514	2,174
66	Poisons (not specified)	3,390	74		5	32	37	4	81	13	68
67	Pregnancy, affections connected with	237	3	1			2		5		5
68	Premature birth	14,720	248	2	16	122	108	6	187	22	165
69	Prostate, disease of	710	12	2	1	3	6		6	1	5
70	Puerperal convulsions	825	24	2		14	8		8	2	6
71	Puerperal mania	55	2	1			1				
72	Puerperal septicemia	3,207	100	2	1	39	58		82	9	73
73	Purpura	269	4			2	2		1		1
74	Railroad accidents	6,930	106	5	9	58	34	9	50	7	43
75	Respiratory system, disease of	100	4			2	2		1		1
76	Rheumatism	5,067	125	2	4	48	71	6	115	16	99
77	Rickets	351	4			2	2		2		2
78	Roseola	77	1				1		7	1	6
79	Rupture of bladder	77	2			1	1				
80	Sarcoma	1,058	4			1	3		1		1
81	Scarlet fever	6,333	34			21	13	18	59	4	55
82	Scrofula	1,410	81	1		41	39		49	6	43
83	Septicemia	6,776	155	2	12	53	88	6	132	21	111
84	Skin, disease of	819	21			11	10		38	2	36
85	Smallpox	3,484	224	1	1	79	143	5	195	75	120
86	Spinal cord, disease of	1,577	22		5	10	7		29		29
87	Spine, disease of	1,771	43		1	28	14	1	51	4	47
88	Spleen, disease of	174	5			1	4		5		5
89	Stomach, disease of	5,142	104		1	53	50	5	338	43	295
90	Suffocation	2,448	83		3	27	53		36	7	29
91	Suicide by cutting throat	206	1			1					
92	drowning	241	1			1			1		1
93	hanging	879	3	1		2			2		2
94	poison	1,225	9		3	4	2		5	1	4
95	shooting	1,293	10		3	5	2	4	4		4
96	(not specified)	1,654	6			3	3	4	14	1	13
97	Sunstroke	731	9		1	2	6	1	12	3	9
98	Surgical operations	704	9		1	3	5	4	2	1	1
99	Tabes mesenterica	2,079	80	2	2	54	22	2	44	9	35
00	Tetanus	1,664	61	5	21	10	24	3	10	2	8
01	Trismus nascentium	595	23	3	17	2	1		1		1
02	Tuberculosis (unclassified)	1,309	16		3	8	5		9	1	8
03	Tubes, disease of	352	3			2	1				
04	Tumor	2,369	56		3	17	36	3	39	4	35
05	Tumor of uterus	657	8			3	5	1	8		8
06	Typhoid fever	35,379	1,713	12	31	662	1,008	41	1,172	127	1,045
07	Typhus fever	110	5		1	2	2		1		1
08	Unknown	40,539	2,173	43	9	725	1,396	171	2,604	511	2,093
09	Uremia	4,185	62		15	23	24	1	17		17
10	Urethra, stricture of	68	3				3		2		2
11	Urinary organs, disease of	342	7		1	3	3		38	22	16
12	Uterine hemorrhage	208	7	1		1	5		3	2	1
13	Uterus, disease of	406	25		1	3	21		7	4	3
14	Venereal disease	1,591	99	3	8	21	67	2	29	7	22
15	Vomiting in pregnancy	76	2	1			1				
16	Whooping cough	9,958	494	7	13	219	255	22	316	54	262
17	Worms	534	42	1		11	30	1	36	15	21
18	Wounds	752	9			6	3	2	8		8
19	Yellow fever	181	3				3		2		2

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

CALIFORNIA.											COLORADO.						
Total.	Group 1, rural.	Fresno.	Sacramento.	Group 2, rural.	Alameda.	Los Angeles.	Oakland.	San Diego.	San Francisco.	San Jose.	Total.	Group 1, rural.	Denver.	Pueblo.	Group 2, rural.	Leadville.	
																	149
699	209	2	33	203	10	45	23	11	155	8	129	26	56	11	30	6	150
10				2			1	2	5		4	1	1		2		151
4						2			2		1				1		152
3	1			1					1								153
464	146	2	19	178	3	27	24	25	33	7	135	29	28	20	54	4	154
65	20			31		2	1		4	1	11	4	2	5			155
1							1										156
19	1		2	2		3			11		8	1	3	1	2	1	157
37	4	1		3		1	1	4	23		4	1	3				158
193	33	1	14	37	3	26	8	4	62	5	89	16	34	12	23	4	159
2	1							1									160
																	161
2	1								1		1		1				162
1									1								163
49	7			6	1	7		1	27		17	1	9	1	4	2	164
1,723	379	13	51	367	17	128	87	28	633	20	1,016	313	257	75	296	75	165
139	36	1	12	15	1	5	5	1	61	2	41	5	23	4	6	3	166
2	1					1					2		1		1		167
180	33	3	9	34		36	16	1	37	11	122	26	52	14	23	7	168
15	2		2	7		1		1	2		1		1				169
13			1	3		1	1	1	6		4	2			2		170
1	1										1	1					171
26	3	1		3		2	2		15		13	4	3	2	4		172
11	1			2	1	2	1		4		2				1	1	173
165	49	1	9	34	2	21	21	1	26	1	77	14	27	15	19	2	174
																	175
93	24	1	8	28	1	5	6	1	18	1	45	10	19	2	14		176
10			1		1	1			7		1	1					177
																	178
																	179
41	3			7		3	4	1	22	1	6		5	1			180
74	34		2	7	2	5	3		21		79	20	17	4	36	2	181
3				1		1			1		3		1	1	1		182
151	43		4	38	4	12	5	4	38	3	105	30	24	13	32	6	183
11	3			1		3	1		3		7	2	2	1	2		184
14	1			2		1	2		8		54	19	4	1	26	4	185
42	7		2	9		8	4	1	8	3	7	3	3		1		186
23	9			9		3	1		1		5	1	1		3		187
3	2								1		1	1					188
109	31		5	33	2	5	8	2	21	2	33	12	8		12	1	189
36	13			6		1		1	15		23	8	9	1	5		190
7	2		1				3		1								191
9			1				2		6		1				1		192
53	11		4	13		1	1		23		2		1		1		193
90	8	1	2	6		12	1		58	2	15	5	1		6	3	194
92	16		8	8		9	4	1	45	1	16	5	1	2	7	1	195
110	30	5	1	26		10	1	1	36		24	5	5	3	10	1	196
4	1			2					1		2	1	1				197
42	9		1	4	1	4	5		18		7	1		2	3	1	198
37	7			9		3		2	11		7	1	4		2		199
29	1		2	10		3	5	1	4	3	8	3		3	2		200
7	1			3	1			1	1								201
64	13		1	5		4	4	3	33	1	2	1			1		202
12						1			11		2		2				203
46	11		1	23		4		1	6		9		4		5		204
20	3		1	2		3	3		8		6	1	3		2		205
542	149	5	15	159	5	47	22	2	135	3	222	68	57	31	60	6	206
3				2					1								207
466	189	23	16	186	5	18	5	10	13	1	250	67	21	13	90	59	208
95	15	1	2	23	1	21	2	4	24	2	32	2	19	5	5	1	209
2	1								1								210
9	2			6					1		2		1		1		211
2						1			1								212
2	2										5	3			2		213
40	7		1	5		1	1	2	23		17	4	9	3	1		214
											1	1					215
151	62	8	3	48	1	10	2	3	13	1	94	31	18	12	27	6	216
4				3		1					1		1				217
18	2	1		10		3		2			9		4		3	2	218
2	1					1											219

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	CONNECTICUT.										
		Total.	Group 1, rural.	Ansonia town.	Bridgeport.	Danbury town.	Greenwich town.	Meriden town.	Middletown town.	Naugatuck town.	New Haven town.	New London.
1	All causes	15,422	2,487	227	1,226	320	206	409	290	179	1,862	345
2	Abortion	9	1		1						3	
3	Abscess	19			2	1			1		2	
4	Abscess, lumbar and psoas	3	2									
5	Absorbent system, disease of	3	2								1	
6	Accidents and injuries (not specified)	93	15	1	5	1		4	3		14	4
7	Addison's disease	4				1					2	
8	Adenitis											
9	Alcoholism	68	7	1	4	1		3	3		3	1
10	Anemia	35	5			2	1	3		1	5	1
11	Aneurism	12		2	1		1			1	2	
12	Angina	18	5			1			2		5	
13	Angina pectoris	60	12	2	2		1	3			5	1
14	Aphthae	10	4			1						
15	Apoplexy	823	156	9	43	23	11	29	27	11	75	18
16	Appendicitis	66	6		6	1	1			1	9	1
17	Arteries, disease of	27	4		2	1			2	2	8	
18	Ascites	5	1								2	
19	Asthma	38	6	1		2		1			11	1
20	Atrophy	8									1	
21	Bile passages, disease of	2							1			
22	Birth, causes incident to	49	4	1	3			1		1	6	
23	Bites											
24	Bladder, disease of	78	21		7	2	3	3	1	1	4	
25	Bones, disease of	16			2			1			3	
26	Bowels, disease of	9	1					1			3	
27	Bowels, obstruction of	74	14	2	9	3	2			3	10	2
28	Brain, disease of	145	23	2	10	2		5	1	1	14	5
29	Breast, disease of (puerperal)											
30	Bright's disease	767	143	10	74	14	15	12	18	5	106	15
31	Bronchitis	444	64	7	38	9	9	6	9	3	71	8
32	Burns and scalds	80	8	2	7		3	1		2	3	5
33	Calculus biliary	10	2			1		1			2	
34	Calculus urinary	3			1	1						
35	Cancer (not specified)	111	23	1	6	1	2	3	1	1	16	3
36	of abdomen	47	6		2	4		1		1	10	1
37	bladder	6	1					2				1
38	brain											
39	breast	57	8	1	5	1	2	2	2		8	
40	eye											
41	genitals	4				1						
42	head, face, and neck	31	6		3	1			1		5	
43	kidneys	2	1									
44	larynx											
45	liver	70	4		3			7	1		6	
46	lower extremities											
47	lungs	2	1									
48	mouth, tongue, and throat	19	2		1	1					4	3
49	ovaries	3	2					1				
50	penis											
51	rectum	14	4		1						4	
52	stomach	95	20		8	5	1	4	2		15	
53	testicle	1										
54	upper extremities	1										
55	uterus	92	22		6	6	2	3		1	9	1
56	Carbuncle	1										
57	Catalepsy											
58	Cerebro-spinal fever	67	5	1	5	5		2		1	4	4
59	Chicken pox	2						1				
60	Childbirth	21	3		1	1	1	1			3	
61	Cholera infantum	501	73	10	57	5	7	14	3	10	49	9
62	Cholera morbus	39	13	1	6	2		2	1			
63	Chorea	4	3									
64	Circulatory system, disease of											
65	Colic	6		1								
66	Colitis	22	5		1					1		
67	Constipation	7	1		2						3	4
68	Consumption	1,529	196	22	144	39	17	48	32	15	204	38
69	Convulsions	200	18	4	28	4	2	8			39	2
70	Croup	73	10	1	9	1	6	2		1	4	
71	Cyanosis	24	2		2			1			5	
72	Debility	236	30	3	16	5	5	7	6		37	6
73	Dentition	22			2			2		1	5	
74	Diabetes	121	18	3	7	4	1	8	4		20	5
75	Diarrhea	176	29	3	5		2	4	6	4	23	3
76	Digestive system, disease of	58	13	1	4		1	1	1	2	7	2

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

CONNECTICUT—continued.														DELAWARE.			
Norwalk town.	Norwich town.	Stamford town.	Stonington town.	Wallingford town.	Waterbury town.	Group 2, rural.	Bristol town.	Hartford.	Manchester town.	New Britain town.	Torrington town.	Vernon town.	Windham town.	Total.	Rural.	Wilmington.	
299	405	319	144	138	869	2,911	149	1,546	126	483	182	127	173	3,075	1,480	1,595	1
					1	2					1						2
1						5		4		2			1	7	2	5	3
1																	4
																	5
1	1				6	28	2	5		2	1			21	8	13	6
	1																7
																	8
2	3			1	4	16		14		1	2			6	1	5	9
1	2				1	8		2		1	2			6	4	2	10
				1		4								2	1	1	11
	1				2	3		1						6	5	1	12
2	3	3	1	1	2	17		1	1		1		2	10	3	7	13
				1		2		1		1				2	2		14
20	22	30	9	8	30	170	3	79	7	15	10	8	10	94	42	52	15
2		2	1	1	5	12	1	13		2	2			10	3	7	16
1	1					2		2					1				17
						1		1						2	1	1	18
	1	2			5	3		2		2	1			8	3	5	19
	1					1		2	1				2				20
					1												21
			1	2	10	10	1	2		4	2	1		4	1	3	22
														1	1		23
1	4	3	3		1	15	1	5		2			1	3	1	2	24
					2	4	1			2	1						25
			1			1		2						7	3	4	26
	2	1	2	3	1	8	1	9				1	1	12	5	7	27
2	5	4	1	3	4	38	3	10		6	1	5		31	12	19	28
																	29
18	18	19	6	2	37	130	5	80	3	13	9	9	8	100	42	58	30
5	17	3	6	2	46	84	1	33	2	13	4	1	3	48	26	22	31
5	4				4	20	1	8		3	2	1	1	22	11	11	32
			1			2					1						33
								1						4	4		34
5	1	6			2	23		12		4	1			39	14	25	35
	2				2	9	1	4	1	3				3	3		36
	1									1							37
																	38
1	5	2	2		4	10		3			1			4	3	1	39
																	40
					1	2											41
1			2		1	9		2						6	4	2	42
											1			2	2		43
														1		1	44
2	1	5		1	2	20		16		1	1			5	2	3	45
														1		1	46
						1											47
1					2	4					1			4	1	3	48
																	49
																	50
		1				3				1							51
2	5	2	3		2	14		8				4		9	3	6	52
					1												53
																	54
7	3	5	1	2	2	7		11		1	1	1	1	1	1		55
										1				1	1		56
																	57
2		3		3	3	12		10		4	2		1	14	7	7	58
						1											59
	1			1	1	6		2						13	9	4	60
8	14	10	5	5	50	86	11	33	5	18	11	3	5	94	55	39	61
	1		1		3	6	1		1		1			9	6	3	62
												1					63
														1		1	64
					1		1			1	1			1	1		65
	1	2				3	1	1		1				5	1	4	66
				1						2							67
25	41	26	20	25	94	257	7	164	24	42	14	12	23	382	188	194	68
6	6	5	3	1	10	22	1	17	3	11	6	3	1	70	20	50	69
	2				4	15		8	3	3	2	2		33	16	17	70
			1		2	4	1	4		1	1			10	4	6	71
1	1	6	3	2	11	32		50	3	7	1		2	163	101	62	72
					1	4			1	1	1	2	1	5	5		73
3	8	3			3	21	1	9		6			2	8	4	4	74
3	2	2		4	10	43		19	1	5	1	7		5	3	2	75
	2	1	1		2	11	1	4	3	1				3	1	2	76

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	CONNECTICUT.										
		Total.	Group 1, rural.	Ansonia town.	Bridgeport.	Danbury town.	Green wich town.	Meriden town.	Middletown town.	Naugatuck town.	New Haven town.	New London.
77	Diphtheria	253	20	1	9	12	3	2	5		19	10
78	Dislocations	5	2									
79	Dropsy	20	6						1			
80	Drowning	125	33	2	13	4	1		1	2	6	4
81	Dysentery	166	34	5	4	1	2	8	2		14	5
82	Ear, disease of	6			1			1				
83	Electricity	5			1							
84	Elephantiasis	1										
85	Embolism	6	1		2						2	
86	Enteritis	368	45	8	45	5	8	7	10	9	37	14
87	Epilepsy	34	6		1	1			1		4	1
88	Erysipelas	45	9	1	2		1	1	3	1	8	
89	Esophagus, obstruction and stricture of	2										
90	Execution	1										
91	Explosion	1										
92	Exposure and neglect	8	3		1							
93	Extra-uterine pregnancy	3					1				1	
94	Eye, disease of	5	2		1							
95	Falling bodies	2	1									1
96	Falls	62	3	1	5	3		1			11	
97	Female organs of generation, disease of	10	2								2	
98	Fever	3	1									
99	Foreign bodies in esophagus	5	1								1	
100	Fractures	115	13		9	3	1	5	1		9	3
101	Frozen	7	1								2	
102	Gangrene	47	9		2	2		2	1	3	6	1
103	Gastritis	150	21	2	10		1	5	8	3	31	3
104	General disease (not specified)	1										
105	Goiter											
106	Goiter, exophthalmic	1			1							
107	Gout	2	1									
108	Gunshot wounds	22	4	1	1							2
109	Heart disease	1,153	235	9	74	41	7	25	27	9	135	32
110	Hemophilia	2									1	
111	Hemorrhage	36	5	2	2	1	1		2	1	4	
112	Hernia	30	7	1				2			5	1
113	Hip joint, disease of	2	1									
114	Homicide	5	2								2	
115	Hydrocephalus	82	11	2	11	3		4	1		15	1
116	Hydrophobia	1									1	
117	Inanition	87	16	3	7	1	4	2			11	4
118	Infanticide											
119	Inflammation and abscess of liver	45	9	1	7			1	1		2	
120	Inflammation of brain	23	3			1		1		2	2	
121	Influenza	644	145	7	41	14	8	22	9	5	45	
122	Injuries by machinery											
123	Jaundice	14	1				1		3		1	
124	Joints, disease of	10	2								1	
125	Kidneys, disease of	68	5	1	4	2		1	1		9	2
126	Laryngitis	20	4		4			1			3	
127	Larynx, disease of	3									1	
128	Lead poison	3	1								2	
129	Leprosy											
130	Leucocythemia	4										
131	Lightning	1									1	
132	Liver, disease of	128	17	2	16	2	5	2	3	2	13	4
133	Locomotor ataxia	19	2	1	1						7	
134	Lost at sea											
135	Lungs, disease of	114	13	8	10	1	2	4	2	2	12	
136	Lymphangitis	1	1									
137	Malarial fever	110	27		9	1		7	1	2	19	
138	Male organs of generation, disease of											
139	Malformation	58	11	3	4			1	2	4	3	1
140	Malignant pustule	2										1
141	Measles	161	25	6	29		1	1	1		4	2
142	Meningitis	327	51	15	27	9	2	3	3	10	41	7
143	Mental disease	65	13		2		3		1		11	
144	Mining accidents											
145	Mumps	1	1									
146	Nervous system, disease of	33	5		1			3			7	1
147	Noma	1										
148	Nose, disease of	1										

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

CONNECTICUT—continued.														DELAWARE.			
Norwalk town.	Norwich town.	Stamford town.	Stonington town.	Wallingford town.	Waterbury town.	Group 2, rural.	Bristol town.	Hartford.	Manchester town.	New Britain town.	Torrington town.	Vernon town.	Windham town.	Total.	Rural.	Wilmington.	
5	9				10	53	4	68	3	18			2	111	34	77	77
	1					2											78
	1	3				9								47	36	11	79
4	1	2	1	1	4	25	1	15	2	1	2			21	11	10	80
1	6	3	1	2	14	38		11	1	8	2		4	24	13	11	81
						3		1									82
		1						2		1							83
					1												84
						1								4	1	3	85
9	7	5		2	28	40	1	56	2	18	7	1	4	40	12	28	86
1	1				1	13		1		1	1	1		5	5		87
	4	1			4	5		3		1		1		4	3	1	88
						1		1									89
								1									90
								1						2	2		91
	2					1				1				4	3	1	92
						1								1		1	93
						1		1									94
																	95
	3	1	2		4	11		11		2			1	3	1	2	96
					2	1		1	1				1	1		1	97
			1			1								2	2		98
						2		1									99
2	9	7	1		9	20	2	11	1	2		2		5	1	4	100
				1		3											101
	3	1	1	1	2	10				1		1	1	4	3	1	102
8	2	1	2	2	8	28	1	6		5	2	1		33	16	17	103
								1									104
																	105
																	106
	1													1	1		107
	1				2	9		1					1	7	4	3	108
16	42	28	16	3	46	224	10	102	4	25	5	12	26	227	107	120	109
						1											110
1	1	2			4	5		4			1			9	3	6	111
		1				3		4		1	1		4	6	4	2	112
1																	113
						1								1	1		114
	1	1		2	4	17		3		4	2			5	2	3	115
														1	1		116
2	4	4			3	12	3	7		4				56	8	48	117
																	118
1	1	1	1	1	3	6	1	4	2		1		2	3	2	1	119
	2					10					1		1	20	18	2	120
31	8	10	7	6	16	165	10	31	4	31	4	12	14	29	13	16	121
																	122
	1					6		1						5	1	4	123
						4		2			1			2	2		124
	1	5	1	1	3	15	2	10		1	3		1	12	8	4	125
2	1					3		1		1							126
					1	1								3	1	2	127
																	128
																	129
				1	1		1										130
						1											131
4	2	2	2	1	5	21	2	11	1	3	3	2	3	15	7	8	132
	1				1	5	1							3	1	2	133
																	134
2	6	2	3		4	27	1	7	1	4	1	1	1	32	13	19	135
																	136
4	1	1	2		4	15		9	1	7				19	9	10	137
																	138
	3			1	4	9		7	2	2		1		3	1	2	139
1														1		1	140
1		6			25	40		7		1	10	2		9	6	3	141
10	5	5	1	1	19	47	4	40	4	12	5	2	3	73	20	53	142
	2	4			2	10		12	2	1	1	1		3	2	1	143
																	144
														1	1		145
1		1			2	6		3		2				4	4		146
						1											147
						1											148

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	CONNECTICUT.										
		Total.	Group 1, rural.	Ansonia town.	Bridgeport.	Danbury town.	Greenwich town.	Meriden town.	Middletown town.	Naugatuck town.	New Haven town.	New London.
149	Obesity	1										
150	Old age	364	78	4	12	4	3	9	5	2	24	14
151	Ovarian tumor	11	1		1						1	
152	Ovaries, disease of	1			1							
153	Pancreas, disease of											
154	Paralysis	221	46		10	2	5	7	1		23	4
155	Paralysis general (of insane)	11					1		1		1	1
156	Parasites											
157	Pelvic abscess (female)	3								1	1	
158	Pericarditis	11	3				1				4	
159	Peritonitis	114	27	1	10	3	2	2	3	1	11	1
160	Pharyngeal abscess	2						1			1	
161	Pharynx, disease of (not specified)											
162	Phlebitis	5	2		1							
163	Phlegmasia dolens	1		1								
164	Pleurisy	49	5	1	4			1	1		12	
165	Pneumonia	1,469	174	18	152	21	24	44	28	28	212	31
166	Poisons (not specified)	54	8		5		1	2		2	10	1
167	Pregnancy, affections connected with	11	2					1				
168	Premature birth	400	64		37	7	9	6	4	3	48	11
169	Prostate, disease of	25	5		1	1		1	1			
170	Puerperal convulsions	12	1		1						2	1
171	Puerperal mania	1										
172	Puerperal septicemia	55	8	3	5	1	3			1	4	3
173	Purpura	8	1					1			2	
174	Railroad accidents	136	42	2	12	3		2	2		16	2
175	Respiratory system, disease of	1						1				
176	Rheumatism	71	14		4	1	1	2			10	2
177	Rickets	6		1							1	
178	Roseola											
179	Rupture of bladder											
180	Sarcoma	14	1		1						2	
181	Scarlet fever	61	9	4	5	2		2	1		4	2
182	Scrofula	4	2									
183	Septicemia	70	10	2	8	2	1	3	1	2	7	3
184	Skin, disease of	9	1								2	
185	Smallpox											
186	Spinal cord, disease of	16	4					1			5	
187	Spine, disease of	9	2		2					1		
188	Spleen, disease of	2	1									
189	Stomach, disease of	45	11		4				2		4	2
190	Suffocation	42	4	1	5	1			6	1	3	2
191	Suicide by cutting throat	5						1			2	
192	drowning	7	2						1			1
193	hanging	21	4		1			3			2	1
194	poison	37	4	1	7	1					13	1
195	shooting	13	4		1	1					1	
196	(not specified)	12	4		1	1					3	
197	Sunstroke	8							1		1	
198	Surgical operations	5	1		2						1	
199	Tabes mesenterica	22	1		1	1		2			2	
200	Tetanus	16	3		1	1				1	2	
201	Trismus nascentium	9	2						1		4	
202	Tuberculosis (unclassified)	13	5	1	1						2	
203	Tubes, disease of	1									1	
204	Tumor	31	5		1				1		4	3
205	Tumor of uterus	15	2	1					1		3	1
206	Typhoid fever	249	35	2	11	3	3	5	5	5	33	3
207	Typhus fever											
208	Unknown	54	8	1	2	2	1		1	1		4
209	Uremia	39	6	1	1		1				2	1
210	Urethra, stricture of	1									1	
211	Urinary organs, disease of	4			1							
212	Uterine hemorrhage	4	1								1	1
213	Uterus, disease of	5			2							
214	Venereal disease	24			1				1		4	
215	Vomiting in pregnancy	3			1							
216	Whooping cough	119	13	8	11		1	4	3	4	7	
217	Worms	2									1	
218	Wounds	11	2			1			1		1	
219	Yellow fever											

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

CONNECTICUT—continued.														DELAWARE.			
Norwalk town.	Norwich town.	Stamford town.	Stonington town.	Wallingford town.	Waterbury town.	Group 2, rural.	Bristol town.	Hartford.	Manchester town.	New Britain town.	Torrington town.	Vernon town.	Windham town.	Total.	Rural.	Wilmington.	
						1											149
11	9	11	7	2	16	70	2	53	6	13	1	2	6	93	53	40	150
					3	3				1			1	2	1	1	151
																	152
																	153
8	11	8	2	5	9	50	3	18	1	8				121	65	56	154
		1				6											155
																	156
									1					1		1	157
					2	1								1	1		158
4	4	2	1		4	16	3	14	1	3	1			15	5	10	159
														1	1		160
																	161
						1		1									162
																	163
	2	1				10	1	10				1		4	1	3	164
19	36	30	5	6	101	259	15	157	14	53	20	11	11	304	154	150	165
			1		6	7		8	1		2			8	4	4	166
					1	3	1	1		1			1				167
7	9	6	2	10	33	68	4	39	2	21	5	2	3	43	9	34	168
					3	8		4		1							169
					2	2		3						3	2	1	170
						1											171
		1	1	3	5	10		2		2	1	1	1	6	3	3	172
						4											173
2	1	1	2	3	4	22	2	10	1	3	1		3	23	5	18	174
																	175
	1			1	4	16	2	5	3	3	1		1	17	7	10	176
		1				1	1	1									177
																	178
																	179
				1		7	1		1					4	3	1	180
2					7	13	1	1		7		1		4	2	2	181
					1			1						4	2	2	182
	2	3	1		3	13		5		3		1		17	9	8	183
		1			1	2		1				1		3	2	1	184
														1		1	185
				1		3		1					1	4	2	2	186
					1	2							1	2		2	187
						1											188
	4				5	5	3	2		1	2			12	11	1	189
1	2	1			5	5		4			1			10	6	4	190
				1						1				1		1	191
	2			1													192
						8		1					1				193
					2	7						1					194
					3	3											195
	2					1								10		10	196
1						3						2		2	1	1	197
								1									198
						9	1	1		1	2		1	4	3	1	199
1		2		1		2		1				1		2	2		200
					1	1											201
						3											202
																	203
1	2	1	2		1	6		3				1		9	7	2	204
	1				2	1		3						1	1		205
2	1	1	1	3	21	52	11	45	3	1	2		1	90	40	50	206
														1		1	207
				1	1	18	1	3		9		1		58	43	15	208
3	1	2			3	8	1	5		2			2	8	4	4	209
																	210
	1					1		1									211
								1									212
				1		1							1	1	1		213
			1		1	7	1	7					1	8	1	7	214
					1			1									215
		2	2	1	2	24	7	16	2	7	3		2	15	9	6	216
					1												217
1					2			8						3	1	2	218
																	219

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	District of Columbia.	FLORIDA.				GEORGIA.					
			Total.	Rural.	Jacksonville.	Key West.	Total.	Group 1, rural.	Savannah.	Group 2, rural.	Atlanta.	Group 3.
1	All causes	6,364	6,482	5,171	825	486	26,941	2,207	1,862	5,386	2,387	15,099
2	Abortion	7	5	5			19	2	1	2		14
3	Abscess	2	9	9			25	4	1	4	2	14
4	Abscess, lumbar and psoas	4					1				1	
5	Absorbent system, disease of	1					1			1		
6	Accidents and injuries (not specified)	14	49	41	6	2	126	12	9	16	9	80
7	Addison's disease						1					1
8	Adenitis	3					4			2		2
9	Alcoholism	20	7	5	2		28	3	5	1	6	13
10	Anemia	14	11	9	1	1	38		2	2	24	10
11	Aneurism	5	4	3	1		17	2	2	2	4	7
12	Angina	1	11	10	1		60	6	2	10	8	34
13	Angina pectoris	18	11	4	1	6	26		3	4	7	12
14	Aphthae		17	15	1	1	92	11	8	10	3	60
15	Apoplexy	292	86	67	12	7	252	8	33	22	59	130
16	Appendicitis	25	10	8	2		56	5	6	7	8	30
17	Arteries, disease of	7	4	3		1	9	1	6		2	
18	Ascites	2	14	14			82	7	2	28		45
19	Asthma	5	15	11	3	1	84	10	18	15	5	36
20	Atrophy		1		1							
21	Bile passages, disease of	1					1					1
22	Birth, causes incident to	13	7	5		2	26	3		7		16
23	Bites		4	4			7		1	4		2
24	Bladder, disease of	19	9	7	2		45	5	2	15	1	22
25	Bones, disease of	5	1	1			11		1	4	2	4
26	Bowels, disease of	3	30	27	3		134	9	3	46	7	69
27	Bowels, obstruction of	27	18	14	3	1	44	5	2	6	7	24
28	Brain, disease of	101	107	83	17	7	341	19	19	59	57	187
29	Breast, disease of (puerperal)											
30	Bright's disease	275	102	75	22	5	382	17	57	54	75	179
31	Bronchitis	141	50	29	19	2	274	5	37	82	36	114
32	Burns and scalds	35	73	63	5	5	371	39	19	56	10	247
33	Calculus biliary	6					9			1	3	5
34	Calculus urinary	3	6	4		2	26	1	1	4	1	19
35	Cancer (not specified)	21	34	24	4	6	130	9	2	24	14	81
36	of abdomen	11	4	4			11		2	3	1	5
37	bladder	7	1			1						
38	brain	1										
39	breast	26	1	1			48	5	2	14	4	23
40	eye						2					2
41	genitals	1										
42	head, face, and neck	9	1	4			25	1	1	13		10
43	kidneys	3										
44	larynx	1										
45	liver	20	1	1			13	2		2	2	7
46	lower extremities	1					1			1		
47	lungs	1										
48	mouth, tongue, and throat	10	2	2			17	1	4	2	1	9
49	ovaries	1										
50	penis						1					1
51	rectum	7					5		4			1
52	stomach	40	19	16	2	1	30	1	4	6	2	17
53	testicle											
54	upper extremities						2			1		1
55	uterus	40	17	11	4	2	88	7	5	11	11	54
56	Carbuncle	4	1	1			17	1	1	2	1	12
57	Catalepsy											
58	Cerebro-spinal fever	24	13	10	2	1	45	3	1	17	1	23
59	Chicken pox		1	1			4			1		3
60	Childbirth	13	70	68		2	242	37	3	87	10	155
61	Cholera infantum	130	123	97	10	16	580	55	14	105	96	310
62	Cholera morbus	10	54	43	11		174	15	6	51	10	92
63	Chorea	2					2	1		1		
64	Circulatory system, disease of	2	1	1			2	2				
65	Colic	1	30	28	1	1	76	6	4	10	3	53
66	Colitis	8	11	7	3	1	26	1		5	5	15
67	Constipation		2	2			21	2	1	8		10
68	Consumption	851	557	381	119	57	2,651	181	213	543	300	1,414
69	Convulsions	134	66	46	18	2	264	26	31	38	31	138
70	Croup	17	56	52	4		686	29	1	295	31	330
71	Cyanosis	1					5	1		1	1	2
72	Debility	213	101	41	33	27	292	14	98	14	30	136
73	Dentition	25	46	35	11		393	33	5	62	24	269
74	Diabetes	15	8	5	2	1	49	3	1	13	8	24
75	Diarrhea	85	52	43	3	6	232	12	5	61	28	126
76	Digestive system, disease of	29	17	16	1		170	12	17	43	12	86

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

Idaho.	ILLINOIS.														
	Total.	Group 1, rural.	Chicago.	Group 2, rural.	Belleville.	Quincy.	Group 3, rural.	Aurora.	Danville.	Decatur.	Galesburg.	Jacksonville.	Ottawa.	Springfield.	
1,242	61,229	1,818	27,533	7,410	269	556	21,223	362	312	355	270	329	150	642	1
2	57		46	5			6								2
3	74	3	35	6		1	27		1			1			3
	4		1	1			2								4
	11		6	1			4								5
32	458	14	109	62	1	7	238	1	8	4	3	4	2	5	6
	13	1	4	1			5			1	1				7
	4	1	2				1								8
5	245	5	183	13	1	1	33	2		2	2	1	1	1	9
	148	8	59	10	1		61	1	1	1	2	1	2	1	10
3	64	5	41	3			14				1				11
1	86	2	24	19		1	35	2	1					2	12
	190	3	103	16		1	59	3	1	3		1			13
	30		17	6			7								14
11	1,249	42	572	126	12	18	402	17	6	5	16	10	8	15	15
8	478	12	276	40		6	135	2		3		1		6	16
	131	5	96	3			22	2				1		2	17
3	51	3	8	9		2	28		1						18
6	183	4	50	26	1	4	86	5	1			1		5	19
	4		1				2	1							20
	13		3	1	1		7			1					21
5	88	3	50	8			22	3			1	1			22
	1						1								23
7	135	11	40	12	1		63	1		1	2	2		2	24
1	45	3	21	5			14		1					1	25
5	175	4	32	35		2	99	2	1						26
	287	3	149	37	2	4	72		1	4	3	4	3	5	27
8	570	6	164	91	4	8	269	6	4	4	1	4	1	8	28
															29
24	1,916	55	1,114	143	9	18	490	13	12	12	14	13	3	20	30
8	1,619	30	1,151	115	1	16	263	8	3	5	7	5	2	13	31
6	315	5	136	38	1	13	108	2	1	3		2	1	4	32
1	110		52	12			44					2			33
	22		12	1		1	6			1			1		34
5	414	17	83	65	2	9	206	3	5	3	4	4	4	9	35
	128	3	68	9			42	2		2		1		1	36
	22		14	3			3	1						1	37
	4		2				2								38
	137	4	65	8	1		55	1	1	1	1				39
	5		1	1			2			1					40
	11		10					1							41
2	119	1	53	11	1	1	48	1		1		2			42
	18		8				8	1		1					43
															44
4	179	2	98	16	1	2	52	3	2	1	2				45
1	6		1				4				1				46
	8	2	3	1			2								47
2	107	3	64	8	1		27		1	1			1	1	48
	9		8						1						49
	4		2				2								50
1	41	1	22	1		1	15		1						51
9	676	26	320	71	3	6	222	4	2	7	6	2	1	6	52
	1		1												53
1	2	1					1								54
3	211	3	146	15		2	39	2	1	1	2				55
	15		4	2			9								56
															57
12	177	1	14	36		1	115	1	1	2		2		3	58
	6			2			3			1					59
14	209	8	50	44	1		100				2		1	3	60
22	1,707	31	881	174	6	14	527	16	8	12	5	4	3	26	61
22	367	22	47	83		5	198	3		5	1	1	1	1	62
1	14		6				7	1							63
1	16		5				9		1					1	64
2	91	5	36	13			37								65
	57	5	32	4		2	13					1			66
3	6	1		2			2				1				67
86	6,786	417	3,034	700	27	64	2,281	29	36	43	28	38	16	73	68
8	1,162	19	711	109	5	14	263	13	3	3	4	3	4	11	69
15	563	8	88	100	4	9	329	5	2	2	6	3	1	6	70
	28		10	2		1	11		5			1			71
18	378	9	41	77	14	5	178	6	8	9	2	7	2	20	72
1	34	4	4	5			19				2				73
6	291	5	110	29	1	6	127	3	3		1	2		3	74
4	250	10	69	45	1	1	111	1	2	2		3		2	75
2	104	6	9	21	2		58		2	2		2		2	76

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	District of Columbia.	FLORIDA.				GEORGIA.					
			Total.	Rural.	Jacksonville.	Key West.	Total.	Group 1, rural.	Savannah.	Group 2, rural.	Atlanta.	Group 3.
77	Diphtheria	193	27	16	3	8	133	19	10	33	9	62
78	Dislocations		2	2			7	1		2	1	3
79	Dropsy	12	154	131	17	6	758	87	45	145	37	444
80	Drowning	30	60	48	12		84	19	19	6	4	36
81	Dysentery	38	112	88	13	11	781	59	22	187	81	432
82	Ear, disease of	1	1	1			12	2		2		8
83	Electricity	2	1	1			1				1	
84	Elephantiasis											
85	Embolism	7	1	1			5				2	3
86	Enteritis	218	127	91	14	22	366	16	72	32	72	174
87	Epilepsy	18	21	17	3	1	109	3	1	20	4	81
88	Erysipelas	7	11	11			41	6	5	9	1	20
89	Esophagus, obstruction and stricture of											
90	Execution	1					14	2	1	1	1	9
91	Explosion						16			9	1	6
92	Exposure and neglect	1	11	11			45	3	7	3	4	28
93	Extra-uterine pregnancy	3	2	2			4				3	1
94	Eye, disease of						1				1	
95	Falling bodies	1	5	5			24	2			3	19
96	Falls	21	22	20	1	1	65	9		11	7	38
97	Female organs of generation, disease of	3	9	9			40	5	2	10	1	22
98	Fever		55	55			296	49	1	30	4	212
99	Foreign bodies in esophagus		2	1	1		9	1	1	3	1	3
100	Fractures	29	10	6	4		35	4	5	4	9	12
101	Frozen						4					4
102	Gangrene	8	7	3	3	1	9	1		1	1	6
103	Gastritis	55	45	33	11	1	228	5	7	74	23	119
104	General disease (not specified)											
105	Goiter						3			1	1	1
106	Goiter, exophthalmic		1	1			1			1		
107	Gout											
108	Gunshot wounds	12	84	74	7	3	208	29	16	34	12	117
109	Heart disease	557	380	302	56	22	1,350	98	81	245	131	795
110	Hemophilia						1					1
111	Hemorrhage	17	17	17			56	7	3	6	1	39
112	Hernia	10	8	7	1		36	5	4	7	2	18
113	Hip joint, disease of	1					2		1	1		
114	Homicide	14	36	33	2	1	109	11	3	19	5	71
115	Hydrocephalus	39	9	6	2	1	29	3	3	4	3	16
116	Hydrophobia						4	2		2		
117	Inanition	28	142	54	64	24	178	14	16	12	57	79
118	Infanticide	1					3					3
119	Inflammation and abscess of liver	18	27	15	9	3	64	4		16	15	29
120	Inflammation of brain	4	30	26	3	1	138	8	4	46	11	69
121	Influenza	115	265	247	14	4	667	79	37	113	35	403
122	Injuries by machinery		1	1			12	1		3	2	6
123	Jaundice	12	18	18			90	4	5	18	9	54
124	Joints, disease of	4					9	2		2		5
125	Kidneys, disease of	24	30	23	5	2	82	7	5	22	6	42
126	Laryngitis	5	4	4			9			3	1	5
127	Larynx, disease of	3	1	1			1					1
128	Lead poison						2	1				1
129	Leprosy											
130	Leucocythemia	2	1	1			2				2	
131	Lightning		4	4			13	3		3		7
132	Liver, disease of	38	46	41	3	2	90	8	12	22	7	41
133	Locomotor ataxia	5	4	3		1	2	1			1	
134	Lost at sea											
135	Lungs, disease of	92	41	30	9	2	137	8	11	22	19	74
136	Lymphangitis											
137	Malarial fever	63	366	315	39	12	1,011	122	110	89	39	651
138	Male organs of generation, disease of						1					1
139	Malformation	15	7	5	2		33	3	3	6	5	16
140	Malignant pustule											
141	Measles	38	50	49		1	201	11	3	78	9	100
142	Meningitis	88	89	46	16	27	258	8	16	85	27	122
143	Mental disease	37	8	6		2	48	1	7	5	4	31
144	Mining accidents		1	1			3			1	1	1
145	Mumps		1	1			6				2	4
146	Nervous system, disease of	9	10	9		1	88	5	4	22	9	48
147	Noma						4		1			3
148	Nose, disease of	1	1	1			1					1

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

Idaho.	ILLINOIS.														
	Total.	Group 1, rural.	Chicago.	Group 2, rural.	Belleville.	Quincy.	Group 3, rural.	Aurora.	Danville.	Decatur.	Galesburg.	Jacksonville.	Ottawa.	Springfield.	
30	1,504	32	1,013	107	3	5	300	5	6	2	5	1	1	24	77
	6		1				5								78
14	474	21	27	115	1	7	288	1	2		1	1		10	79
18	308	8	148	48	1	5	88	1	2			1	1	5	80
13	357	7	75	66	1	3	195	1		2		5		2	81
	18		6	7			5								82
	8		6			1	1								83
	1		1												84
	44	1	29	1		1	8		1			1	2		85
4	1,751	25	1,451	66	9	7	155	4	6	2	5	9	1	11	86
4	185	7	55	37		1	76			1		5	1	2	87
1	172	6	61	22		2	69	2	1	1		5	1	2	88
	9		5	1			3								89
	8		2	3			2							1	90
1	33		10	3	1	1	17							1	91
3	25	3	7	5		1	9								92
	18		14	1			3								93
	1		1												94
	31		14	1		1	14							1	95
5	313	3	232	24	2	2	46	1	1	1				1	96
2	30	1	9	5			14					1			97
4	34		4	13			16		1						98
	4		1	1			2								99
4	97	4	22	10	2	4	44		2	1	1		1	6	100
2	10	1		3			6								101
1	95	5	24	9		1	49	3	2				1		102
9	478	9	215	52	3	8	170	2	4	1	2	2	2	8	103
	2		1					1							104
	6						6								105
	19		4	3		1	11								106
	3			3											107
14	170	3	32	42		3	77	1	1		1	2		8	108
64	3,905	144	1,635	438	12	38	1,461	28	11	32	23	27	12	44	109
	4		3				1								110
2	107	2	33	15	2	2	46	3		1		2		1	111
4	146	3	62	23	1	2	48		1		2	2		2	112
	9		4	3			2								113
1	152	4	104	12	2		29		1						114
5	226	5	149	14	2	2	48		1	2		2		1	115
	14	1	11				2								116
3	988	14	716	47	10	6	166	3	2	2	4	2	2	14	117
	1						1								118
6	189	6	69	40	3	5	59	2		1	4				119
13	452	13	40	130		3	257	1	2	3	1			2	120
11	454	15	149	65	1	2	195	6		2	2	6		11	121
	30		20	4			4						1	1	122
	158	1	69	27	1		51			1	3	1	1	3	123
	10	1	6				3								124
6	330	7	109	40			167	1	1		1	1		3	125
1	44		25	4		1	9		1			2		2	126
	15		7	2		1	5								127
	2						2								128
															129
	36	8	13	4	1		14			1					130
1	34		3	6			23					2			131
9	464	7	225	53	1	2	158	5	2	1	1	1	2	6	132
	54	1	29	7			16						1		133
															134
9	421	8	174	41		10	173	8	2	3	3		3	1	135
	1		1												136
4	497	6	37	193	5	1	250	1	3		1				137
															138
3	184	2	114	14			50			2	1			1	139
	2		2												140
10	481	4	276	51		1	139		1	2	7				141
7	1,318	22	703	131	11	11	388	12	1	8	5	5	3	18	142
2	366	27	173	27	1	5	116		1	1		11		4	143
5	46			9	4		19		4					10	144
	10	2	3		1		4								145
6	139	2	37	15	1		76	1	1	2		4			146
2	4			1		1	2								147
															148

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	District of Columbia.	FLORIDA.				GEORGIA.					
			Total.	Rural.	Jacksonville.	Key West.	Total.	Group 1, rural.	Savannah.	Group 2, rural.	Atlanta.	Group 3.
149	Obesity											
150	Old age	154	140	110	19	11	459	38	51	52	24	294
151	Ovarian tumor	7					7			4		3
152	Ovaries, disease of	2	1	1			5	1			1	3
153	Pancreas, disease of											
154	Paralysis	61	116	100	12	4	695	58	54	169	56	348
155	Paralysis general (of insane)	11	2	2			16				2	14
156	Parasites						1			1		
157	Pelvic abscess (female)	7					2			1		1
158	Pericarditis	7	1		1		19	1	1	1	10	6
159	Peritonitis	50	26	13	9	4	116	5	10	16	36	49
160	Pharyngeal abscess	2	1	1								
161	Pharynx, disease of (not specified)											
162	Phlebitis						3	1			2	
163	Phlegmasia dolens											
164	Pleurisy	18	23	22	1		97	8	3	23	7	56
165	Pneumonia	518	407	352	42	13	2,598	188	148	536	189	1,537
166	Poisons (not specified)	19	31	27	3	1	102	10	9	19	12	52
167	Pregnancy, affections connected with	3					5			2		3
168	Premature birth	147	56	49	4	3	388	16	78	69	76	149
169	Prostate, disease of	3	1			1	7			4		2
170	Puerperal convulsions	2	11	5	2	1	15	2	3	2		8
171	Puerperal mania											
172	Puerperal septicemia	14	17	15	2		87	8	1	14	6	58
173	Purpura	4	1			1	2		1	1		
174	Railroad accidents	25	32	27	5		89	3	11	13	17	45
175	Respiratory system, disease of											
176	Rheumatism	30	28	24	3	1	125	15	5	30	9	66
177	Rickets	2	4	2		2	10		1	2	2	5
178	Roseola						7			2		5
179	Rupture of bladder	1					1		1			
180	Sarcoma	10					9		1	3	3	2
181	Scarlet fever	25	8	8			44	2	3	17	14	8
182	Scrofula	2	6	5	1		56	2	1	15	3	35
183	Septicemia	16	31	20	6	5	141	18	19	20	8	76
184	Skin, disease of	3	16	15		1	31	3	2	8	1	17
185	Smallpox	5	16	16			46	6	3	5		32
186	Spinal cord, disease of	11	4	4			12	1	1	3	1	6
187	Spine, disease of	3	4	4			38	2	1	15	2	18
188	Spleen, disease of		1	1			2			2		
189	Stomach, disease of	25	17	13	4		73	3	1	21	11	37
190	Suffocation	12	13	10	3		112	2	4	16	15	75
191	Suicide by cutting throat	3					2					2
192	drowning		1		1		1					1
193	hanging	4	1			1	4			1	2	1
194	poison	8	2	1		1	8		1		2	5
195	shooting	5	1	1			12		2	3	1	6
196	(not specified)	7	6	3	3		21	2	1		1	17
197	Sunstroke	9	2	2			18	3	3	2		10
198	Surgical operations	2	1	1			9	2		2		5
199	Tabes mesenterica	12	19	14	3	2	65	3	8	20	5	29
200	Tetanus	3	74	46	10	18	46	7	15	2	6	16
201	Trismus nascentium	9	26	10	1	15	19		12		1	6
202	Tuberculosis (unclassified)	20	2	2			17		2	1	9	5
203	Tubes, disease of	10					2					2
204	Tumor	6	20	18	2		69	8	3	22	4	34
205	Tumor of uterus	8	1	1			13		1	4	3	5
206	Typhoid fever	225	290	264	19	7	1,585	107	21	439	98	920
207	Typhus fever		5	4		1	9	1				8
208	Unknown	26	454	445	5	4	2,209	273	134	383	41	1,378
209	Uremia	19	21	13	8		59		6	5	20	28
210	Urethra, stricture of	1					3			1	1	1
211	Urinary organs, disease of	4	5	5			3	1	1			1
212	Uterine hemorrhage	1	2	2			10			3		7
213	Uterus, disease of	1	8	8			24			2		22
214	Venereal disease	24	19	13	6		85	4	12	8	8	53
215	Vomiting in pregnancy	1	1	1			2					2
216	Whooping cough	88	90	83	5	2	222	22	10	70	16	104
217	Worms	1	15	14	1		51	7	1	12		31
218	Wounds	4	2	2			17	3	4	2	2	6
219	Yellow fever		80	20		60	2	1				1

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

Idaho.	ILLINOIS.														
	Total.	Group 1, rural.	Chicago.	Group 2, rural.	Belleville.	Quincy.	Group 3, rural.	Aurora.	Danville.	Decatur.	Galesburg.	Jacksonville.	Ottawa.	Springfield.	
															149
35	1,586	68	464	248	8	30	672	9	16	14	5	18	16	18	150
	31	1	11	6			11				2				151
	18		11	1			6								152
	1		1												153
26	1,328	37	278	228	2	10	708	7	12	10	8	9	5	19	154
2	170	13	13	22	1		114					7			155
1	2		1	1											156
	31		30									1			157
1	90	1	59	4		3	20	1				1		1	158
8	346	11	140	34	3	9	117	4	6	4	3	2	4	9	159
	9		8				1								160
															161
	11		8				3								162
	4	1	1				2								163
2	155	3	95	16		1	38	1	1						164
176	6,942	169	3,611	810	21	50	2,119	38	17	22	25	18	11	31	165
7	192	4	64	22	1	4	79	1		6	3	8		5	166
	10		9				1								167
13	681	8	311	76	3	12	233	1	9	11	2	2	2	11	168
	35		12	5	2		12	1	1		2				169
1	40		22	7		2	9								170
	6		4	1			1								171
6	240	2	152	22	1	1	57	1	1	2		1			172
	13	1	10				2								173
6	667	18	330	74	2	3	181	7	12	16	9	2	2	11	174
	6						6								175
11	295	8	101	44		2	129	2	2	2				5	176
	42	1	34	2			4			1					177
															178
	2		1				1								179
2	116	4	71	9		1	24	2	2	1	1			1	180
19	643	18	453	33		4	121	2	2	3	1	1		5	181
2	34		9	6			18							1	182
8	387	12	90	71	2	4	193	3	3	6		2	1		183
1	53	1	22	10		1	18				1				184
6	25		4	8		1	12								185
	108	6	49	7		1	43			1	1				186
7	110	1	9	29			69			1		1			187
1	13	1	4	2			6								188
11	419	9	65	86	3	3	235	1	4	3		1	1	8	189
2	148	1	92	16		1	32			2		2		2	190
1	3		2				1								191
	18		14	2			2								192
1	73	1	43	7	5		17								193
	156		135	6	1		12	1				1			194
1	163	1	111	10	1		37					2		1	195
7	172	6	66	24		3	65		2	2				4	196
1	61		37	8			15			1					197
	54	2	20	14			11		1	4				2	198
	157	3	64	16	1	1	62	3	2		2	2	1		199
	90		23	16			40	1			1	2	1	6	200
	36	1	29	2			2				2				201
1	89	2	55	3			17	5	1		2			4	202
	57		55				2								203
3	156	8	37	28			81	1				1			204
1	49	1	34	5		1	7			1					205
37	1,897	40	470	368	14	8	926	10	17	8	4	10	3	19	206
	2			1			1								207
108	1,345	52	85	296	2	7	868	4	9	7	2	4	1	8	208
	223	8	118	24	2		57			1	4	3	3	3	209
	2		2												210
	11		3	5		1	2								211
1	8		1	1			6								212
1	23		10	2			11								213
	176	9	137	6			23							1	214
	1		1												215
38	497	3	153	93	7	1	231		1	1	1	1	5		216
	9	1		2			6								217
	43		30	2		1	7		1					2	218
	3		1				2								219

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	INDIANA.										
		Total.	Group 1, rural.	Michigan City.	Group 2, rural.	Evansville.	Jeffersonville.	Group 3, rural.	Columbus.	Indianapolis.	Lafayette.	Muncie.
1	All causes	33,586	957	210	5,679	1,045	227	20,696	162	2,817	296	286
2	Abortion	26	1		5			18		1		
3	Abscess	27	2		2			20			1	
4	Abscess, lumbar and psoas	6	1		2			3				
5	Absorbent system, disease of	5						4		1		
6	Accidents and injuries (not specified)	296	16	1	43	9		208		7	7	1
7	Addison's disease	7			1			5		1		
8	Adenitis	2						2				
9	Alcoholism	55	1		7	4		37		2		1
10	Anemia	96	7		15	2	1	53		8	1	2
11	Aneurism	13	2		1			7		3		
12	Angina	67			7			54		4		
13	Angina pectoris	132	9	1	19	5		81	1	10	1	1
14	Aphthae	30	1		5	2		17		4	1	
15	Apoplexy	743	15	6	91	22	10	467	5	83	8	8
16	Appendicitis	145	2	1	21	9	2	88		15	2	
17	Arteries, disease of	43	1		3	3		26		6	1	
18	Ascites	33	2		4			22		4		1
19	Asthma	114	7	1	24	13	1	52	1	8	3	1
20	Atrophy	6						6				
21	Bile passages, disease of	7						7				
22	Birth, causes incident to	25			5	1		15		1		2
23	Bites											
24	Bladder, disease of	100	3	2	23	4		54		9	1	
25	Bones, disease of	19	2		1		1	14				
26	Bowels, disease of	109	5		18	3		73	2	4		1
27	Bowels, obstruction of	164	2	2	37	8	1	88	2	18		2
28	Brain, disease of	432	9		62	10	2	277	3	39	2	6
29	Breast, disease of (puerperal)											
30	Bright's disease	928	33	11	136	36	8	566	2	80	4	9
31	Bronchitis	551	35	3	96	30	5	312	4	44	2	5
32	Burns and scalds	173	4	1	33		1	104	1	14		3
33	Calculus biliary	52			8		2	36		3	1	
34	Calculus urinary	4	1		2			1				
35	Cancer (not specified)	399	24	3	53	18	2	225	1	56	5	
36	of abdomen	42	2	2	4	1		26		3	1	1
37	bladder	5						3		1	1	
38	brain	1						1				
39	breast	59	2		11	1	1	34		7		
40	eye	2	1					1				
41	genitals	2						2				
42	head, face, and neck	57	3		14			37			2	
43	kidneys	3						3		2		
44	larynx	3		1				2				
45	liver	101	1		14	2	1	66		11	1	1
46	lower extremities	1			1							
47	lungs	3			1			2				
48	mouth, tongue, and throat	21	1	1	2	1		12				1
49	ovaries	1						1				
50	penis	1						1				
51	rectum	24			1			17		5		
52	stomach	214	12	2	30	4	2	140	2	10	1	
53	testicle											
54	upper extremities	1						1				
55	uterus	90	2	1	15	2		53		11		1
56	Carbuncle	7	1		1			3		2		
57	Catalepsy											
58	Cerebro-spinal fever	192	3		41	8		126	1	6	1	
59	Chicken pox	2			1			1				
60	Childbirth	75	2		18	1		46	1	3		1
61	Cholera infantum	762	18	10	120	21	8	517		34	7	9
62	Cholera morbus	272	11	4	63	8	1	169		9	2	
63	Chorea	7	2		2			3				
64	Circulatory system, disease of	19			1			13			1	
65	Colic	11	1		3			7				
66	Colitis	60		1	10			38	1	7	1	1
67	Constipation	10	1		2			6		1		
68	Consumption	4,232	88	11	795	143	39	2,563	21	342	39	42
69	Convulsions	404	32	20	84	23	3	194		33	3	3
70	Croup	318	6	3	67	6		199	2	18	7	1
71	Cyanosis	50			5	3		31		7		1
72	Debility	477	10	10	70	27	1	260	4	56	6	4
73	Dentition	20	2		6			10		1		
74	Diabetes	197	5	3	29	4	4	128		17		1
75	Diarrhea	214	3	1	46	10	1	127	4	12	3	1
76	Digestive system, disease of	92	1		12			70		4		1

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

INDIANA—continued.				Indian Territory.	IOWA.												
Peru.	Richmond.	Terre Haute.	Vincennes.		Total.	Group 1, rural.	Burlington.	Davenport.	Keokuk.	Muscatine.	Group 2, rural.	Marshalltown.	Oskaloosa.	Ottumwa.	Group 3, rural.	Sioux City.	
136	292	587	196	5,286	19,573	2,573	384	562	279	240	12,698	181	167	317	1,737	435	1
			1	8	7						7						2
		1	1	7	26	3				2	20					1	3
				1	1						1						4
					5	1		1			3						5
1	2	1		21	251	23	6	3	6		167	5	7	14	17	3	6
					7	2	1				4						7
					2	1									1		8
1		1	1	2	25	2	2				19			1	1		9
1	1	3	2		56	3	4				42			1	4	2	10
					16	1				1	10			2		2	11
		2		17	40	5			1		26				5	3	12
	2	2		5	60	9		6	1		38		1		4	1	13
				13	9	1				1	5				2		14
4	10	11	3	12	503	78	15	32	5	6	313	9	5	10	23	7	15
		5		6	160	19	1	5	2	1	101	2		2	19	6	16
1	2				34	5	1	3		3	19			1	1	1	17
				9	29	4					21				4		18
		3		7	66	10					46	2	1		7		19
					1										1		20
					4	1	1									2	21
		1		2	24	2					16		2	1	1	2	22
				1	1						1						23
2	1	1		3	63	15	3	3	2		37	1			1	1	24
			1	4	15		1				13					1	25
1		2		45	91	11	1	1	1		69	1	1		5	1	26
	2	2		4	103	18	3	7	2	1	59			1	2	4	27
2	3	12	5	105	213	31	6	4		2	146	3	1		13	7	28
																	29
4	15	21	3	29	574	82	17	19	4	4	375	4	5	5	44	15	30
4	1	7	3	49	262	44	5	24	5	2	143		1	1	28	9	31
2	1	8	1	35	91	9	1	1	1	1	57	5			13	3	32
1		1		1	38	5	1	2		1	22	1		2	4		33
				3	9	1					6				1	1	34
1	5	4	2	13	212	25	6	5	3	1	138	5	3	5	15	6	35
		2		1	41	9	1	4	1		20	1		1	3	1	36
					6	2					4						37
					1						1						38
1		1	1	1	60	10	2	1		1	41			2	3		39
																	40
					3	1					2						41
	1			2	53	5					42			1	4		42
	1																43
					3			3									44
		4		1	55	9	1	1		1	37			1	5		45
					2			1					1				46
					6	1					5						47
	1	2			17	2		1			12				2		48
					2						2						49
					1						1						50
		1			5	1		1			2					1	51
1	2	8		6	273	39	1	5	3	5	193			2	21	4	52
					1										1		53
					2	1			1								54
1		3	1	4	58	8	1	4	3	1	27	2	1	3	7	1	55
				1	4						3				1		56
					1						1						57
		5	1	60	93	16	3	2	2	1	54		3	2	9	1	58
					1						1						59
	1	2		54	97	9	2	1	1		68	1			13	2	60
2	2	6	8	188	471	50	1	15	8	2	301	3	7	7	63	14	61
2		2	1	48	254	25	1	4		1	192	4	3	1	20	3	62
					4						4						63
		4			11	1					9		1				64
				13	37	10		3			21				3		65
		1		4	24	3		2	1		14	1		2	1		66
				1	6	4			1		1						67
14	37	70	28	345	1,805	209	41	51	23	15	1,205	13	15	34	160	39	68
3	1	4	1	24	242	50	7	16	1	7	137	3	2	1	13	5	69
	3	4	2	161	162	29	3			1	95	1	3		20	10	70
	2		1		14	1	1				11	1					71
2	8	15	4	14	168	33	3	5	3	5	107		1	4	6	3	72
		1		23	11	4					5				2		73
1	1	3	1	7	150	22	2	3	1	2	107	1		1	10	1	74
	1	4	1	47	79	13	3		4	1	50			2	6		75
		3	1	15	66	4		1			52	1			6	2	76

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	INDIANA.										
		Total.	Group 1, rural.	Michigan City.	Group 2, rural.	Evansville.	Jeffersonville.	Group 3, rural.	Columbus.	Indianapolis.	Lafayette.	Muncie.
77	Diphtheria	523	30	10	51	7		342	1	46	9	2
78	Dislocations	2						2				
79	Dropsy	377	14		79	6		254	1	16	2	2
80	Drowning	127	5	1	36	12	1	54	2	10	4	
81	Dysentery	479	6	4	80	13		337	2	25	3	3
82	Ear, disease of	13			3			10				
83	Electricity	6						4	1	1		
84	Elephantiasis	2						1		1		
85	Embolism	10	1			1		7		1		
86	Enteritis	480	11		65	32	6	244	2	89	3	7
87	Epilepsy	131	3		22	2		91	1	9		
88	Erysipelas	101		1	15	2	1	67	2	11		
89	Esophagus, obstruction and stricture of	6				1		1		3	1	
90	Execution	4		1	1			2				
91	Explosion	37	6		1	1		28				
92	Exposure and neglect	19	1		3	1		13				
93	Extra-uterine pregnancy	5						4		1		
94	Eye, disease of	4	2			1		1				
95	Falling bodies	22			6			15		1		
96	Falls	49	1		8	3		36		1		
97	Female organs of generation, disease of	28	2		7			15		2		
98	Fever	13	1		4	1		4		2		
99	Foreign bodies in esophagus	8	1		3			3				
100	Fractures	84	4		11	1		51		11	1	3
101	Frozen	6			1	1		3		1		
102	Gangrene	67	3	1	8	1	1	41		5		4
103	Gastritis	313	9	4	54	8	6	194		20	2	4
104	General disease (not specified)	1						1				
105	Goiter	4						3		1		
106	Goiter, exophthalmic	14			2	1		10		1		
107	Gout	1						1				
108	Gunshot wounds	134	3	2	24	1	1	89		7	2	
109	Heart disease	2,150	48	20	347	48	12	1,378	11	159	28	25
110	Hemophilia	1						1				
111	Hemorrhage	87	2		11	1	1	59		11	2	
112	Hernia	55	2		5	1	3	35		2	1	1
113	Hip joint, disease of	11			1			10				
114	Homicide	43			5	6		23		8		1
115	Hydrocephalus	162			35	5	1	97	1	13	3	2
116	Hydrophobia	4					1	2				
117	Inanition	652	19	1	94	29	8	343	1	110	7	9
118	Infanticide	2						2				
119	Inflammation and abscess of liver	133	2	1	15	5		91	1	12	3	1
120	Inflammation of brain	295	9	2	56	4		202	2	13	1	1
121	Influenza	456	15		75	9		288	5	47	5	1
122	Injuries by machinery	7	1					6				
123	Jaundice	81	2		7	2		61		7		
124	Joints, disease of	7			3			4				
125	Kidneys, disease of	141	5	1	28	2		85	2	7	4	2
126	Laryngitis	39			3	1		29		6		
127	Larynx, disease of	9			1			5		3		
128	Lead poison	1			1							
129	Leprosy	1						1				
130	Leucocythemia	15			1			11		2		
131	Lightning	20			4			16				
132	Liver, disease of	245	9	2	44	8		140		23	5	4
133	Locomotor ataxia	35			4	3	2	22		3		
134	Lost at sea											
135	Lungs, disease of	315	17	1	31	6	3	223	3	18	3	1
136	Lymphangitis	3	1		1			1				
137	Malarial fever	340	9	1	78	22	6	198		14	4	1
138	Male organs of generation, disease of	2						2				
139	Malformation	122	4	1	17			89	1	4	1	1
140	Malignant pustule	1								1		
141	Measles	107			12	10	3	72		5	1	2
142	Meningitis	619	11	4	95	22	3	354	9	81	6	9
143	Mental disease	102	1	1	12	12	1	62		10	1	
144	Mining accidents	12				1		11				
145	Mumps	4			1					2		
146	Nervous system, disease of	100	1		10	1		70		9		1
147	Noma	1						1				
148	Nose, disease of	2			1			1				

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

INDIANA—continued.				Indian Territory.	IOWA.												
Peru.	Richmond.	Terre Haute.	Vincennes.		Total.	Group 1, rural.	Burlington.	Davenport.	Keokuk.	Muscatine.	Group 2, rural.	Marshalltown.	Oskaloosa.	Ottumwa.	Group 3, rural.	Sioux City.	
1	0	12	3	24	255	44	4	1	1		148		10		36	11	77
				1	6						6						78
	1	2		53	240	33	7	6	1	3	159			1	28	2	79
		2		10	119	26	9	8	2	1	57	1	1	2	13	4	80
1	1	2	2	171	150	21		4	7		94	1	2	5	16		81
				2	2						2						82
					5			1			4						83
																	84
				1	11	1		1			8					1	85
6		9	6	81	121	19	6	2	5	6	58	1		5	13	6	86
	1	1	1	8	79	11		2	2		45				19		87
		1	1	13	50	7	1		1	1	31				5	4	88
					3	1					2						89
				3	4	1					2						90
	1				7						7						91
		1		9	11	3		1			7						92
				1	7	1					5				1		93
																	94
				2	7	1					5				1		95
				4	61	10		4	1	1	39				6		96
		1	1	13	8	2					4		1		1		97
			1	53	7					1	6						98
			1	2	4						4						99
		2		2	54	6	2	5			29	1	1	2	2	6	100
				1	2						2						101
1	1			2	32	5	2				20			1	3		102
2	5	2	3	52	186	34	1	8	1	7	121		2	1	6	5	103
																	104
					2	1					1						105
					8	4					3					1	106
																	107
1	2	2		40	61	5		1	2	1	45			3	3	1	108
13	18	34	9	113	1,689	228	29	36	20	21	1,129	11	11	33	138	33	109
																	110
				11	49	7			1		33			1	6	1	111
	1	1	3		46	7	1		2	1	32				2	1	112
					9	1		1			6				1		113
				12	23			1		1	12	3	3		1	2	114
1		4		9	69	8	1	4		1	48	2		2	2	1	115
	1				2	1					1						116
2	11	15	3	26	199	24	5	15	12	2	109	1	4	6	8	13	117
																	118
		3	1	19	64	9	3	2	1	2	34	1		1	6	5	119
	1	2	2	67	189	28	2			2	136			1	18	2	120
2	4	5		36	206	29	1	3		5	135		1	1	29	2	121
				3	3	1					2						122
1	1			10	48	7	1	2			30				7	1	123
				1	5	1	1				3						124
1		4		14	125	18		2	1	1	89	1	1	2	9	1	125
					8	2		1			5						126
				1	6	1	1				4						127
					3	1	1				1						128
					1						1						129
		1			0	1					7				1		130
					15	1					12				2		131
1	4	1	4	14	159	25	4	5	2		101	1		5	13	3	132
			1		14	2					12						133
																	134
2		6	1	24	217	17	2	4	2	3	130	1	1	9	42	6	135
					1	1											136
1		4	2	354	84	8		2	1	4	52	2	2	1	11	1	137
																	138
1	2			5	64	11	1			1	39			3	4	5	139
					2						1		1				140
		2		342	45	5					34		2	2	1	1	141
4	11	8	2	156	286	38	4	13	2	6	170	3	3	6	30	11	142
	1	1		1	78	4	4	2	1	1	58	1	1		5	1	143
				6	26						26						144
		1			2	1					1						145
1	3	2	2	3	82	9	2		1		58		2		7	3	146
				1	3						3						147
																	148

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	INDIANA.										
		Total.	Group 1, rural.	Michigan City.	Group 2, rural.	Evansville.	Jeffersonville.	Group 3, rural.	Columbus.	Indianapolis.	Lafayette.	Muncie.
149	Obesity	1						1				
150	Old age	1,004	34	4	159	12	6	627	2	100	10	5
151	Ovarian tumor	23			4			15	1	2		
152	Ovaries, disease of	11			2	1		4		3		
153	Pancreas, disease of											
154	Paralysis	1,065	31	6	164	19	8	727	3	71	6	6
155	Paralysis general (of insane)	36	1		2	1		30		2		
156	Parasites	1						1				
157	Pelvic abscess (female)	22						14		7		
158	Pericarditis	41	1		4	1		23		5	2	
159	Peritonitis	312	7	1	44	22	1	159	2	46	2	9
160	Pharyngeal abscess	3						3				
161	Pharynx, disease of (not specified)											
162	Phlebitis	3				1		2				
163	Phlegmasia dolens											
164	Pleurisy	59			7	2		38		5	1	1
165	Pneumonia	2,919	81	9	603	89	26	1,696	28	234	22	18
166	Poisons (not specified)	121	6	1	20	3	1	70		16		2
167	Pregnancy, affections connected with	3						3				
168	Premature birth	705	8	5	109	42	3	370	2	117	4	9
169	Prostate, disease of	27			5	1		20		1		
170	Puerperal convulsions	29			2			20		3		
171	Puerperal mania											
172	Puerperal septicemia	124	5		20	8		84		4		4
173	Purpura	10	1					8		1		
174	Railroad accidents	266	11	2	21	5		151	2	40	4	4
175	Respiratory system, disease of	6	1					4				
176	Rheumatism	221	5	1	43	6	1	145		9	3	1
177	Rickets	12			2			7		3		
178	Roseola	5	1		1			3				
179	Rupture of bladder	2						2				
180	Sarcoma	25	1		4	2	1	13		3		
181	Scarlet fever	164	10	3	14	1		105		24		1
182	Scrofula	44			7	1		34		2		
183	Septicemia	279	11		39	8	1	173		34		3
184	Skin, disease of	18			3		1	14				
185	Smallpox	19	2		8			8		1		
186	Spinal cord, disease of	69	2		10			46		6		1
187	Spine, disease of	68			7	1		56	1	2	1	
188	Spleen, disease of	11	1		1			9				
189	Stomach, disease of	252	4		46	4		185	1	7		1
190	Suffocation	138	7	1	24	1		87	1	9	1	
191	Suicide by cutting throat	13			2			10				
192	drowning	6			2	1		2		1		
193	hanging	17	1	3	1			10				
194	poison	49	5	1	1	1		24		12		3
195	shooting	47	1		4	1	1	30		5		1
196	(not specified)	54	3	1	6	3	1	30		6	1	
197	Sunstroke	16	1		3			10		2		
198	Surgical operations	25	1		4	1		16		2		
199	Tabes mesenterica	105		1	20	3	3	64		4	1	3
200	Tetanus	56	5	1	7	4		26		6		
201	Trismus nascentium	11			2	1		2	1	3		
202	Tuberculosis (unclassified)	51	1		12	1	1	31		3		1
203	Tubes, disease of	4			1			3				
204	Tumor	70	2		7	1		49		3	2	1
205	Tumor of uterus	24		1	1	1		11	1	9		
206	Typhoid fever	1,496	21	3	363	45	10	908	3	77	6	10
207	Typhus fever	4			1			2		1		
208	Unknown	621	21		109	3	3	444	2	20	10	1
209	Uremia	161		3	23	8	1	82	3	27	2	
210	Urethra, stricture of	1						1				
211	Urinary organs, disease of	14			2	1		11				
212	Uterine hemorrhage	4		2				2				
213	Uterus, disease of	15			1			12		1		
214	Venereal disease	51	1		9	2		26	1	8		
215	Vomiting in pregnancy	5			2			3				
216	Whooping cough	201	4		38	6	1	133	1	7		2
217	Worms	6			3			3				
218	Wounds	19	2		4			11	1			
219	Yellow fever	3			1			2				

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

INDIANA—continued.				Indian Territory.	IOWA.												
Peru.	Richmond.	Terre Haute.	Vincennes.		Total.	Group 1, rural.	Burlington.	Davenport.	Keokuk.	Muscatine.	Group 2, rural.	Marshalltown.	Oskaloosa.	Ottumwa.	Group 3, rural.	Sioux City.	
																	149
2	23	18	2	30	862	132	30	47	20	30	491	12	8	11	70	11	150
		1		1	7	1					6						151
1				1	6						5	1					152
					1						1						153
	10	12	2	42	723	102	10	16	11	1	505	9	4	4	45	16	154
					57	2		1	1	1	47		1		3	1	155
					1	1											156
1					7		1				2			1	2		157
1	2	2		2	14	2	1	1			7			2	1		158
2	3	11	3	10	171	21	5	10	3	2	93	2	3	2	16	9	159
					2						1			1			160
																	161
				1	4						4						162
					3						3						163
		4	1	5	51	8			1		33		1	3	4	1	164
8	23	56	26	612	1,826	225	33	37	30	34	1,189	12	14	41	182	29	165
1		1		20	72	3	2	1	1		45	1		1	9	4	166
					5		1				2				1	1	167
2	2	24	8	70	230	21	5	11	1	4	136	12	3	3	25	9	168
				1	24	3				1	17			1	1	1	169
1	1	1	1	2	12	3					6				2	1	170
					1	1											171
	1	1	2	19	55	9		1			38		2		2	3	172
				1	7	1					4				1	1	173
4	5	16	1	7	153	19	9	3	2	1	88	3		2	22	4	174
		1		1	2						2						175
	1	5		20	141	14	4	6	3		92		3	2	15	2	176
					1	1											177
					1	1											178
					1						1						179
		1			18	4	1	2			10				1		180
1	1	2	2	26	99	14	1	1			69				11	3	181
				15	14	4		1			9						182
1	2	5	2	30	198	23		2			137	3			25	5	183
				7	11			1	1		8				1		184
				33	17	1					12	1			3		185
		4		2	47	4	1	1			35		1	2	3		186
				16	51	2					43				6		187
				1	4						4						188
1			3	80	147	18	1		3	2	107	4	1		10	1	189
		1	2	5	42	5	2			1	28			1	3	2	190
		1			7	1		1		1	4						191
					8	1		1			5				1		192
	1		1	1	19	3		1		1	12				2		193
	1	1			18	4					9		1		4		194
	1	2	1	2	26	6	1	1		1	13				4		195
		1	2	3	41	3	2	1		1	25			2	7		196
				2	22	2	2	1			14				2	1	197
	1			1	27	3			1		17				4	2	198
1	2	2	1	14	41	4		1			26		1	2	5	1	199
	2	5		8	38	3		2			28				3	2	200
	1	1															201
	1				36	4	1		1		23			1	5	1	202
					2			1							1		203
1	2	2		4	82	9		2			57		1		12	1	204
					10	1					7			1	1		205
10	10	22	8	321	549	60	14	23	15	13	338	18	4	18	33	13	206
																	207
	2	4	2	537	720	85		7	19	2	527	2	2	3	67	6	208
1	5	6		4	66	7	9	3	1	1	43			1	1		209
					1	1											210
				2	9			2			7						211
					2						1					1	212
	1			3	6	1					4			1			213
1	1	1	1	2	10	1				1	5		1	1		1	214
					1			1									215
2	1	5	1	113	103	6	5	1	3	1	59		3	7	18		216
				5	4	1					3						217
			1	1	16	1			1		9				2	3	218
				1	1						1						219

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	KANSAS.							KENTUCKY.			
		Total.	Group 1, rural.	Hutchinson.	Lawrence.	Leavenworth.	Wichita.	Group 2.	Total.	Group 1.	Group 2, rural.	Covington.
1	All causes	16,261	13,268	189	179	419	390	1,816	27,091	4,080	4,083	869
2	Abortion	11	10					1	13	4	2	
3	Abscess	20	19				1		27	4	4	
4	Abscess, lumbar and psoas	1	1						1		1	
5	Absorbent system, disease of	2					1	1	3			
6	Accidents and injuries (not specified)	187	147	3	2	2	4	29	178	23	28	11
7	Addison's disease	2	1					1	4			
8	Adenitis	1	1						4		1	
9	Alcoholism	17	15			1		1	36	7	2	1
10	Anemia	15	10			1	1	3	33	1	9	3
11	Aneurism	10	9					1	18	3	5	
12	Angina	25	20					5	44	10	9	
13	Angina pectoris	34	30		1			3	58	4	9	1
14	Aphthae	16	13					3	34	8	7	
15	Apoplexy	246	196	4	4	7	12	23	312	11	48	25
16	Appendicitis	109	94		2		2	11	92	6	12	2
17	Arteries, disease of	5	4					1	18		2	4
18	Ascites	35	30					5	34	9	2	
19	Asthma	67	54			4	3	6	116	9	17	4
20	Atrophy	1	1						2			1
21	Bile passages, disease of								1			
22	Birth, causes incident to	15	15						14	2	4	2
23	Bites	6	2					4	2	1		
24	Bladder, disease of	35	30	1	2	1	1		41	3	7	2
25	Bones, disease of	9	8				1		23	6	3	
26	Bowels, disease of	59	49	2		1	1	6	153	32	26	2
27	Bowels, obstruction of	70	54	1	2	2	3	8	57	4	10	1
28	Brain, disease of	118	100		2	2	2	12	278	18	53	7
29	Breast, disease of (puerperal)											
30	Bright's disease	376	316	5	4	9	10	32	591	19	101	53
31	Bronchitis	163	130	1	1	15	4	12	420	57	54	17
32	Burns and scalds	73	58		2	4	1	8	212	51	28	7
33	Calculus biliary	28	22	2		1		3	20	2	8	
34	Calculus urinary	7	5				1	1	4	3	1	
35	Cancer (not specified)	180	145	5	3	2	5	20	185	16	23	7
36	of abdomen	19	16		1	1		1	20	2	4	1
37	bladder	4	3		1				2	1		
38	brain	1	1									
39	breast	33	28					5	47	6	9	
40	eye	3	3						3		1	
41	genitals											
42	head, face, and neck	40	33					7	33	1	9	1
43	kidneys	1	1						3		1	
44	larynx								1		1	
45	liver	34	27		1	1	2	3	45	1	8	1
46	lower extremities	2	2						3	1	1	
47	lungs	3	3						4			
48	mouth, tongue, and throat	7	7						10		3	
49	ovaries	2	1					1	1			
50	penis	2	2									
51	rectum	8	7		1				4	1		
52	stomach	143	122	1	2	3	2	13	126	11	26	6
53	testicle											
54	upper extremities	2	2						1			
55	uterus	38	31		1		1	5	60	10	3	1
56	Carbuncle	4	4						7	1	1	
57	Catalepsy								2	1		
58	Cerebro-spinal fever	82	64			6	3	9	121	15	27	
59	Chicken pox	4	4						3	1		
60	Childbirth	81	67	1	1		1	11	120	25	10	1
61	Cholera infantum	603	468	9		9	21	96	424	40	95	17
62	Cholera morbus	220	161	2	2	5	8	42	162	28	30	8
63	Chorea	6	5					1	5	1	1	
64	Circulatory system, disease of	10	8	2					3			
65	Colic	23	16					7	28	4	4	
66	Colitis	24	20	1	1			2	24	3	3	1
67	Constipation	9	8					1	32	3	3	
68	Consumption	1,414	1,160	20	23	41	45	125	3,916	528	565	100
69	Convulsions	149	121	1	1	10	3	13	296	8	42	33
70	Croup	234	200	1	3	1	4	25	768	359	74	5
71	Cyanosis	6	5	1					6			
72	Debility	124	96		1	2	13	12	298	8	33	66
73	Dentition	13	8					5	45	5	4	1
74	Diabetes	84	73		1	1	1	8	65	4	7	4
75	Diarrhea	121	106	1	2	2	1	9	195	45	23	1
76	Digestive system, disease of	56	49	1		1	1	4	62	7	7	

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

KENTUCKY—continued.					LOUISIANA.						MAINE.						
Louisville.	Newport.	Paducah.	Group 3.	Group 4.	Total.	Group 1, rural.	New Orleans.	Group 2.	Group 3, rural.	Shreveport.	Total.	Group 1, rural.	Augusta.	Bath.	Biddeford.	Portland.	
4,092	572	541	675	12,179	20,955	5,481	8,287	1,648	4,811	728	12,148	6,364	308	146	375	1,100	1
			1	6	10	5	2	1	2		5	2					2
3		1	2	13	14	3	2		8	1	15	6	1				3
					3		2			1							4
1	1			1													5
21	1	3	8	80	58	29	22	8	22	7	96	50	1	1		12	6
1				3							4	2		1			7
		1	1	1	4	1	2		1		2		1				8
10	1	1		14	46	8	33	2	1	2	15	9	1			3	9
5		2	1	12	18	1	12	4	1		57	20	2	1	7	5	10
5	1	1		3	21	1	17		3		6	4					11
8	1	2		19	27	18	1		8		8	1		1		1	12
24	2	1	1	16	21	6	12		2	1	80	52	2		3	1	13
				19	27	15	3	2	6	1	2	2					14
88	16	5	2	117	300	55	194	15	26	10	602	343	12	10	12	70	15
21		2	3	46	36	6	20	1	9		45	19	1		1	5	16
5	4			2	36	1	34	1			10	6				1	17
3		1		19	48	20	9	4	14	1	9	5	1				18
36		5		45	56	17	24	6	9		20	9					19
2					2		2				2	2					20
1					2		2										21
1				5	16	6	2	4	2	2	17	10				5	22
				1	2	1		1									23
12	2	2		13	23	4	7	3	7	2	55	31				6	24
	1			13	8	2	5		1		9	5					25
5	1		10	77	75	43	7	5	19	1	17	8	2			1	26
20	4	1		17	55	15	33		7		52	30		1	1	6	27
61	9	6	9	115	285	56	132	20	65	12	172	87	4	1	2	17	28
																	29
134	15	15	6	248	637	65	478	14	58	22	486	293	8	8	12	54	30
112	14	6	8	152	335	64	217	5	40	9	228	143	3	2	11	16	31
23	1	2	8	92	163	44	38	17	62	2	41	17	1			6	32
9				6	1		1				7	3		1			33
			1	3	12	2	3	4	3		5	3					34
51	6	2	2	78	78	31	27	3	10	7	67	38	2			7	35
3				10	12	2	6	1	1	1	58	32	1	1		4	36
	1				1			1			2	2					37
																	38
4	2			26	33	10	19		4		56	31	1	1	1	5	39
				2	1	1					2	1				1	40
					1		1				5	3					41
3	1		1	17	23	5	14	2	2		34	26					42
2					1		1				1	1					43
					1		1				1						44
18	4			13	14	1	13				69	42	1	1	3	8	45
				1	1		1				1						46
	2			2	1		1				3	1					47
4				8	20	5	11		4		23	15	1			1	48
				1	1		1				3					1	49
					1			1									50
1				2	9	2	6	1			14	10				1	51
17	4	2		60	64	8	36	2	15	3	158	82	2	1	3	9	52
					1		1										53
				1	1	1					1	1					54
17		1		28	52	14	27	2	8	1	83	49	1	3		8	55
	1			4	16	8	7		1		2	1				1	56
	1				1				1								57
12	5		9	53	77	12	41	3	12	6	44	21	2				58
2					6	4			2		1	1					59
9			4	71	175	70	9	28	67	1	34	15			1		60
34	14	15	9	200	363	92	200	4	59	8	440	198	14	3	35	9	61
12	5	5	6	62	151	69	27	10	36	9	51	25			1		62
				3							1						63
2				1	4	2	2										64
2			2	16	59	14		14	28	3	8	2					65
7		1	1	8	12	1	8		3		14	7		3			66
			4	22	3		2		1		10	2					67
478	52	53	68	2,072	2,016	430	1,027	143	333	83	1,145	618	23	11	33	116	68
108	13	7	2	83	193	35	82	21	35	20	115	65	2	2	6	5	69
18	6	7	13	286	201	72	10	8	109	2	65	46		1	3	5	70
2	1			3	14	1	12		1		18	5				1	71
105	17	14	8	52	377	59	279	7	18	14	205	92	4		25	28	72
5		1	1	28	130	59	37	5	17	9	2	1					73
15	5	2		28	27	4	13		8	2	99	62			1	9	74
30	1	6	2	87	314	96	137	23	34	24	75	37	3	1	7	4	75
4	2		3	39	24	8	7	2	5	2	27	10			1	3	76

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	KANSAS.							KENTUCKY.			
		Total.	Group 1, rural.	Hutchinson.	Lawrence.	Leavenworth.	Wichita.	Group 2.	Total.	Group 1.	Group 2, rural.	Covington.
77	Diphtheria	243	151	1	1		1	89	222	59	38	9
78	Dislocations	2				1	1		4	1		
79	Dropsy	255	204	9	2	4	8	28	402	99	59	10
80	Drowning	96	89		2	1	2	2	90	5	14	3
81	Dysentery	218	193	2	6	2	3	12	440	119	82	10
82	Ear, disease of	7	6					1	13	2	4	
83	Electricity	2	1	1					9		1	
84	Elephantiasis	1			1							
85	Embolism	3	1					2	6			
86	Enteritis	136	104	1	1	14	3	13	232	6	25	16
87	Epilepsy	77	66			1	2	8	99	24	22	1
88	Erysipelas	57	51	1			1	4	85	24	14	1
89	Esophagus, obstruction and stricture of	5	4					1	2	1		
90	Execution	2	2						4	3		
91	Explosion	13	13						12	4	1	
92	Exposure and neglect	14	12			1		1	30	11	8	
93	Extra-uterine pregnancy	3	3						4			
94	Eye, disease of											
95	Falling bodies	8	8						21	6	1	
96	Falls	32	26	1		1	3	1	47	7	5	
97	Female organs of generation, disease of	11	8	1			2		33	10	1	1
98	Fever	41	23	4				14	136	73	1	
99	Foreign bodies in esophagus	9	9						6	1	1	
100	Fractures	32	28			1	1	2	36		8	8
101	Frozen	2	2						8	2	1	
102	Gangrene	26	19				2	5	26	2	4	
103	Gastritis	127	104		5		2	16	186	21	21	6
104	General disease (not specified)	1					1		1			
105	Goiter	3	3						2		1	
106	Goiter, exophthalmic	2	2						2			
107	Gout	1	1									
108	Gunshot wounds	109	84	2	2	3	4	14	222	74	23	3
109	Heart disease	1,120	910	13	15	27	29	126	1,330	140	243	70
110	Hemophilia	1						1	1			
111	Hemorrhage	49	38	2		1	1	7	62	3	15	10
112	Hernia	34	31					3	35	1	2	2
113	Hip joint, disease of	6	3			1		2	8	1	1	1
114	Homicide	35	31			2	1	1	58	17	7	1
115	Hydrocephalus	33	29	1		1		2	86	1	14	1
116	Hydrophobia	8	8						2	1		
117	Inanition	179	137		8	16	5	13	334	12	34	12
118	Infanticide	1	1						1		1	
119	Inflammation and abscess of liver	66	54	2		2	1	7	84	8	11	1
120	Inflammation of brain	195	163			1	1	30	433	80	75	1
121	Influenza	175	146		1	3	2	23	477	168	41	5
122	Injuries by machinery	2	2						8	2	4	
123	Jaundice	44	37				1	6	80	17	11	
124	Joints, disease of	5	2		1		1	1	1			
125	Kidneys, disease of	94	76	1		3		14	152	20	27	
126	Laryngitis	5	5						14	1	2	4
127	Larynx, disease of	3	2					1	3			
128	Lead poison	3	3									
129	Leprosy											
130	Leucocythemia	4	4						2			
131	Lightning	15	10					5	13	1	2	2
132	Liver, disease of	78	62		1	3	4	8	137	20	21	10
133	Locomotor ataxia	10	9				1		11		1	
134	Lost at sea											
135	Lungs, disease of	108	89	3	1	1	4	10	159	25	10	3
136	Lymphangitis											
137	Malarial fever	261	229	1	3	6		22	344	27	67	2
138	Male organs of generation, disease of	1	1						1	1		
139	Malformation	40	35	1	1	1	1	1	34	8	3	
140	Malignant pustule	1	1						1			
141	Measles	220	158	4	2		2	54	335	70	28	
142	Meningitis	277	234		2	12	5	24	575	58	96	48
143	Mental disease	105	98		2		1	4	97	1	48	
144	Mining accidents	46	44			1	1		11	10	1	
145	Mumps	2	2						1	1		
146	Nervous system, disease of	45	40		1		1	3	69	8	16	
147	Noma	3	3						4	2		
148	Nose, disease of											

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

KENTUCKY—continued.					LOUISIANA.						MAINE.						
Louisville.	Newport.	Paducah.	Group 3.	Group 4.	Total.	Group 1, rural.	New Orleans.	Group 2.	Group 3, rural.	Shreveport.	Total.	Group 1, rural.	Augusta.	Bath.	Biddeford.	Portland.	
29	13	2	2	70	90	39	20	5	24	1	103	59	1		8	18	77
1				2	3		3				1						78
23	5	10	11	185	267	109	17	50	87	4	68	29	3	1	1	2	79
24	2	3	1	32	141	36	69	9	26	1	112	55	1	2	4	9	80
34	3	13	8	171	385	161	82	39	85	18	74	25			1	3	81
	1			6	7	2	1	2	1	1	1				1		82
3				5	3		3				2	1				1	83
																	84
2		1		3	1		1				10	5				1	85
84	18	12	2	69	501	78	316	19	60	28	137	56	6	5	5	35	86
3	1		5	43	70	14	17	18	21		26	10	4			3	87
5	2	4	5	30	31	12	10		7	2	26	12				2	88
2					1		1				2	1					89
		1			5	4	1										90
1				6	2		1		1		4	2			1		91
2		3		11	28	14	8	6			1	1					92
2				2	2		2										93
					1		1										94
1				13	6	4		1	1		10	6					95
17			1	17	37	13	5	5	14		25	11	1		2	4	96
1	1		1	15	17	6	3	4	4		5	2		1		2	97
		2	5	55	182	100	8	31	48		3						98
2				2	7	1		3	3		2			1			99
4	3		1	12	57	8	42	2	3	2	46	17	1	2	2	6	100
				5	1		1				1						101
7		1		12	25	1	16	1	5	2	56	31		1	1	8	102
24	8	4	5	97	78	13	37	5	21	2	89	55	1	1	5	1	103
1																	104
	1										3					1	105
2					1		1				2			1			106
																	107
13	1	8	3	97	194	42	74	32	31	15	19	11			1		108
218	27	27	18	587	1,149	249	584	70	193	53	1,128	636	16	21	16	79	109
1					2	1			1		2	1					110
8		2	2	22	32	9	8	4	8	3	28	11		1	2	8	111
11	1			18	25	6	13	1	3	2	25	15				2	112
5					6	1	3		1	1	6	5					113
21	1		1	10	54	20	5	9	20		8	5				1	114
26	8		2	34	32	9	16	8	4		78	36	3	1		12	115
				1	2		2										116
206	8	5	2	55	214	17	168	7	8	14	78	43	1		2	15	117
					1	1											118
13	3	1	3	44	125	45	52	7	21		36	20		5	3	1	119
26	2	7	13	229	107	57	9	14	27		38	24	1		3	4	120
24	5	7	10	217	191	52	45	26	67	1	245	138	4	2	6	11	121
1				1	5	3	2				4	1					122
11		2	2	37	41	10	11	3	17		24	15		1		3	123
				1	5	1	2		2		1	1					124
18	2	2	1	82	52	14	18	5	14	1	46	30				4	125
5	1			1	6	2	3		1		9	4			2	1	126
2				1	4		4				4	3	1				127
					2	1	1										128
					2		2										129
1				1	1	1					3	3					130
				5	6	3			8		2	2					131
31	8	1		46	120	26	75	3	15	1	77	46	1	1		5	132
6				4	10		10				12	5	1		2	1	133
											2						134
36	1	6	4	74	66	21	28	2	15		112	65	1	2	2	9	135
																	136
16		49	20	163	1,030	267	227	155	325	56	16	9					137
																	138
3		2	1	17	16	2	13		1		22	11				2	139
	1				4	2	2				1				1		140
26	3	5	18	185	526	126	79	17	301	3	50	12			3	2	141
91	23	16	17	226	271	38	135	14	73	11	276	142	4	2	16	47	142
9	3	1		35	50	4	20	19	3	4	131	25	72	1		11	143
																	144
					6	4			2								145
8			1	41	31	5	22	1	2	1	36	21		1		4	146
				2							4	3					147
					1				1								148

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	KANSAS.							KENTUCKY.			
		Total.	Group 1, rural.	Hutchinson.	Lawrence.	Leavenworth.	Wichita.	Group 2.	Total.	Group 1.	Group 2, rural.	Covington.
149	Obesity	1		1								
150	Old age	497	391	12	9	25	17	43	699	37	96	19
151	Ovarian tumor	7	7						9			
152	Ovaries, disease of	4	1	3					1			
153	Pancreas, disease of	1	1									
154	Paralysis	478	399	3	1	13	5	57	588	62	97	15
155	Paralysis general (of insane)	30	29					1	23		15	
156	Parasites											
157	Pelvic abscess (female)	2	2						5			
158	Pericarditis	7	7						10		2	1
159	Peritonitis	106	78	3	1	7	7	10	151	5	20	11
160	Pharyngeal abscess								1	1		
161	Pharynx, disease of (not specified)											
162	Phlebitis	1	1						2			
163	Phlegmasia dolens	3	2					1	2	1		
164	Pleurisy	28	23		1		1	3	54	14	4	3
165	Pneumonia	1,436	1,164	13	19	73	27	140	2,427	209	416	57
166	Poisons (not specified)	63	45	2		2	5	9	72	9	13	3
167	Pregnancy, affections connected with								1	1		
168	Premature birth	139	114			3	7	15	284	36	51	27
169	Prostate, disease of	8	7					1	9		2	4
170	Puerperal convulsions	11	10					1	11	2	1	
171	Puerperal mania	1						1	1			
172	Puerperal septicemia	59	46				2	11	64	15	5	
173	Purpura	6	4		1		1		3			
174	Railroad accidents	119	102	2	1	7	5	2	113	14	12	4
175	Respiratory system, disease of	2	2						6	4	1	
176	Rheumatism	96	80	1	1	2	1	11	160	30	24	2
177	Rickets	1	1						8		1	
178	Roseola	1					1					
179	Rupture of bladder								1			
180	Sarcoma	11	7			1	2	1	19		2	
181	Scarlet fever	68	58				1	9	47	9	7	1
182	Scrofula	16	13				1	2	101	20	13	1
183	Septicemia	166	136	1	2	4	5	18	170	20	31	6
184	Skin, disease of	11	8		1			2	22	7	7	
185	Smallpox	73	68		1		2	2	52	2	18	2
186	Spinal cord, disease of	27	24				1	2	20	6	2	
187	Spine, disease of	31	23	1				7	155	63	7	
188	Spleen, disease of	5	4					1	5	1	2	
189	Stomach, disease of	154	139	1	1	1	2	10	178	27	23	1
190	Suffocation	36	30			1	1	4	61	7	11	5
191	Suicide by cutting throat								2			
192	drowning	6	5			1			5			
193	hanging	17	15				1	1	14		2	
194	poison	11	8			3			22	2	4	2
195	shooting	21	15		1		1	4	25	1	3	2
196	(not specified)	68	58	2		1		7	43	5	8	2
197	Sunstroke	11	10			1			13	1	2	
198	Surgical operations	17	14	1				2	19	1	2	2
199	Tabes mesenterica	34	30			1	3		99	9	21	
200	Tetanus	23	19	1			2	1	33	1	4	
201	Trismus nascentium	3	3						11	1		
202	Tuberculosis (unclassified)	13	11					2	18	1	3	
203	Tubes, disease of	1	1									
204	Tumor	59	47			1		11	61	8	8	4
205	Tumor of uterus	5	4			1			9			
206	Typhoid fever	688	578	11	3	8	17	71	1,669	229	260	17
207	Typhus fever	2	2						8			
208	Unknown	897	740	11	2	5	6	133	1,733	464	198	19
209	Uremia	49	33		1		7	8	85		12	14
210	Urethra, stricture of								2	1		
211	Urinary organs, disease of	5	4					1	7	1	2	
212	Uterine hemorrhage	2	1					1	3	1	1	
213	Uterus, disease of	3	2						10	4	1	
214	Venereal disease	9	8			1			32	2	4	
215	Vomiting in pregnancy											
216	Whooping cough	243	194	4	8	12	2	23	279	44	79	2
217	Worms	4	3					1	13	5		
218	Wounds	2	2						16	5		
219	Yellow fever								3			

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

KENTUCKY—continued.					LOUISIANA.						MAINE.						
Louisville.	Newport.	Paducah.	Group 3.	Group 4.	Total.	Group 1, rural.	New Orleans.	Group 2.	Group 3, rural.	Shreveport.	Total.	Group 1, rural.	Augusta.	Bath.	Biddeford.	Portland.	
																	149
209	30	3	5	300	522	91	301	58	57	15	653	367	6	3	2	41	150
2		1		[illegible]	10	2	4		4		9	5				1	151
				1							2	1			1		152
					1		1				1						153
90	19	7	10	288	189	47	92	12	33	5	358	174	4	5	[illegible]	28	154
5				3	21	1	13	[illegible]	1		23	8	8				155
																	156
[illegible]				2	[illegible]		2		1		3	1			1	1	157
5	1			1	19	2	16			1	15	10					158
44	3	4	3	61	89	10	54	5	9	11	107	53	3		1	15	159
											1						160
																	161
2					4		4										162
				1	2		2										163
11	1			21	65	30	20	7	8		27	19				6	164
388	57	57	136	1,107	1,945	494	693	187	508	63	1,139	603	23	11	54	106	165
12	1	7	1	26	56	18	19	2	14	[illegible]	24	[illegible]	1			3	166
					2	1	1				2	1	1				167
46	11	11	4	98	184	22	95	7	53	7	198	92	4	4	14	22	168
				3	11	1	8	1		1	14	7				1	169
				[illegible]	21	4	11		5	1	6	[illegible]					170
				1	2		1		1		2	1					171
4	1		1	38	74	14	36		18	6	35	14			2	3	172
				3	2		2				3	1		1		1	173
37	1	6	3	36	[illegible]	[illegible]	52	1	4	3	38	16		4	1	[illegible]	174
				1	5	1		1	3								175
11	3	1	4	85	[illegible]	40	14	[illegible]	24	3	34	24				2	176
4				3	7		7				2					1	177
					2				2								178
				1							1	1					179
12	[illegible]	1		2	14	1	10			3	11	4		1	1	2	180
3			1	26	97	45	4		43	5	54	19	4		2		181
		1		66	23	5	8	2	8		17	14					182
33	5	[illegible]	9	[illegible]	95	15	36	11	28	5	85	45	2			14	183
2				[illegible]	15	5	7	[illegible]	1		5	[illegible]		1		1	184
		2	7	21	708	216	387	41	29	35	5					2	185
3	1			8	29	3	20		4	2	25	12			1	4	186
4	1			80	10	4	2		4		14	7	2		1		187
				2	2				2		2	1					188
10	4	2	13	98	59	14	12	8	22	3	39	13				5	189
13	2	1		22	54	11	9	7	25	2	23	13	1			2	190
1				1	4		3		1		8	3	1				191
3				2	6	1	4	1			8	5					192
4				8	3		1	2			18	10		1	1	1	193
7				7	14	1	13				16	7			1		194
5		1	1	12	25	4	17		4		17	11	1	1		2	195
2	4	1	2	19	11	4	4	2		1	8	3		1			196
6				4	39	9	21	3	4	2	4	4					197
10				4	12	4	5	1	1	1	8	4				2	198
[illegible]			[illegible]	60	26	10	15		1		29	13	1	1	1	1	199
12	1		2	13	185	54	96	16	19		9	9					200
5	1			4	106	4	101	1									201
7				7	27		26	1			42	24	1			4	202
					9		6		2	1							203
13				28	27	15	[illegible]	1	5		22	15	1			2	204
3		1		5	13	2	10	1			8	5	1			1	205
150	15	31	53	914	1,077	417	191	44	395	30	200	86	5		13	21	206
				8	4				4		2		2				207
124	29	16	43	840	1,281	478	38	165	589	11	220	100	7		3	8	208
34	3	4	2	16	38	7	24	2	1	4	96	42	4	4		22	209
				1	12		12										210
				4	9	4	1	3	1		2						211
				1	5	2	2		1		1						212
1				4	17	3	3	3	[illegible]		3	2					213
19				7	36	2	16	4	9	5	3	2					214
					2		2				4	1				1	215
44	3	10	16	81	180	62	8	26	83	1	97	46	5		8	11	216
				8	43	18	3	12	10		1						217
2				9	20	4	12		2	2	4	3					218
2				1	36	11	25				2	1				1	219

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	MAINE—continued.			MARYLAND.						MASSACHUSETTS.		
		Rockland.	Group 2, rural.	Bangor.	Total.	Group 1, rural.	Annapolis.	Baltimore.	Group 2, rural.	Frederick.	Total.	Group 1, rural.	Amesbury town.
1	All causes	146	3,355	354	20,422	7,354	170	10,679	2,034	185	49,756	6,813	144
2	Abortion	1	2		15	4		11			13	1	
3	Abscess		7	1	23	6		14	3		48	5	
4	Abscess, lumbar and psoas				2			2			7	1	
5	Absorbent system, disease of				5			4	1		6	2	
6	Accidents and injuries (not specified)	3	25	4	124	69	2	27	25	1	248	34	1
7	Addison's disease	1			1			1			13	2	
8	Adenitis		1		2			1	1		6	1	
9	Alcoholism			2	51	12	2	31	[illegible]		191	17	
10	Anemia		19	3	36	8		24	4		195	33	
11	Aneurism		2		24	3		20	1		33	5	
12	Angina		5		13	6		6	1		35	4	
13	Angina pectoris	[illegible]	18	2	54	17		30	[illegible]	1	181	42	
14	Aphthae				15	11		4			12	1	1
15	Apoplexy	[illegible]	133	14	548	156	4	345	36	7	2,190	382	11
16	Appendicitis	1	16	2	95	20	2	67	6		229	24	
17	Arteries, disease of		2	1	49	1		47		1	155	21	
18	Ascites		2	1	24	15		5	4		21	4	
19	Asthma		10	1	61	20		32	9		59	11	
20	Atrophy				8	1		4	3		71	4	
21	Bile passages, disease of				1			1			12		
22	Birth, causes incident to		2		44	6		35	3		140	6	
23	Bites												
24	Bladder, disease of		14	4	30	7	1	16	6		180	36	1
25	Bones, disease of	1	3		11	3		7		1	41	4	1
26	Bowels, disease of		6		21	14		6	1		58	12	
27	Bowels, obstruction of		14		55	9		40	5	1	213	31	
28	Brain, disease of	3	54	4	146	71	1	57	16	1	450	67	
29	Breast, disease of (puerperal)												
30	Bright's disease	4	100	7	1,008	308	3	626	55	16	1,755	253	9
31	Bronchitis	1	51	1	403	68	4	301	28	2	1,424	150	4
32	Burns and scalds	1	15	1	139	42	1	81	14	1	218	20	
33	Calculus biliary		3		10	2		8			41	2	
34	Calculus urinary		1	1	7	2		5			8		
35	Cancer (not specified)		19	1	100	45	2	38	12	3	590	134	3
36	of abdomen		18	2	25	7		14	3	1	148	23	
37	bladder				2			2			16	5	
38	brain				1	1					1		
39	breast	1	16		49	14		31	4		113	16	
40	eye				1	1					3		
41	genitals		2		4	2		2			16	2	
42	head, face, and neck		8		40	15		19	[illegible]		68	13	
43	kidneys				2	1			1		5	1	
44	larynx		1								3	1	
45	liver		10	4	37	8		28	1		209	36	3
46	lower extremities		1		2	1		1			4		
47	lungs		1	1	1	1					9	2	
48	mouth, tongue, and throat		4	2	19	6		13			71	[illegible]	
49	ovaries		2		6			6			10	2	
50	penis										4	1	
51	rectum		2	1	12	2		10			54	9	
52	stomach	2	50	[illegible]	164	41	2	102	19		347	52	
53	testicle				1			1					
54	upper extremities										2		
55	uterus	1	17	4	82	15		62	4	1	191	27	
56	Carbuncle				3			3			11	2	
57	Catalepsy										1		
58	Cerebro-spinal fever	1	16	4	74	24		46	4		211	23	2
59	Chicken pox										1	1	
60	Childbirth		17	1	83	51		18	13	1	78	7	
61	Cholera infantum	3	172	6	695	250	5	370	65	5	1,964	133	7
62	Cholera morbus	1	24		48	19		20	9		113	11	
63	Chorea			1	3	2		1			8	1	
64	Circulatory system, disease of				7	2		3	2		3		
65	Colic		[illegible]		24	14		6	4		8	1	
66	Colitis		4		17	8		8	1		71	10	
67	Constipation	1	7		3	1		1	1		5	2	
68	Consumption	10	300	34	2,318	975	23	1,121	189	10	5,224	718	16
69	Convulsions	3	26	6	473	105	6	281	73	8	697	91	1
70	Croup		10		162	81		59	17	5	204	21	
71	Cyanosis	1	10	1	17	4	2	9	1	1	48	3	
72	Debility	1	47	8	609	159	10	381	50	9	1,464	189	7
73	Dentition	1			38	19		19			39	5	
74	Diabetes		23	4	74	26		40	6	2	318	64	
75	Diarrhea		19	4	158	61	1	87	9		316	29	
76	Digestive system, disease of		12	1	63	21		30	11	1	136	13	

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—continued.																
Arlington town.	Attleboro town.	Beverly.	Boston.	Brockton.	Brookline town.	Cambridge.	Chelsea.	Danvers town.	Everett.	Fall River.	Framingham town.	Gloucester.	Haverhill.	Hyde Park town.	Lawrence.	
133	160	205	11,277	529	260	1,699	636	152	386	2,345	190	388	561	215	1,262	1
			4	1									1			2
		1	19			3		1				1	1			3
			1													4
			1			1				1						5
			67	5	1	10	5			11	5	2	2	3	4	6
			3							1						7
			3			1										8
			80	3		4	1	1	1	7	1	1	5		3	9
2	1	3	40			8	2	1	1	2	2	3	3		5	10
			12				1			1		1		1	1	11
			2	2						3					1	12
1			33	1	2	3		2	5	3		1	5	1	2	13
			3													14
9	9	5	485	26	16	73	23	6	11	51	6	16	17	9	25	15
1		1	60	3	1	11	3		2	3	3	1	2		4	16
	1		51		2	2	2	3		1		1	3		5	17
1			1		1					3						18
1	1		7		1	1	2			6		1	1		4	19
			39		1	4	5			2	1	1				20
			8	1											1	21
			58	2		6				2					5	22
																23
		1	19	3	1	6			1	7		2	3	1	4	24
			22			1						1			1	25
			12	1	2	2				1					1	26
1	2	2	53	2		12	2		4	6	1	1	1		5	27
4		4	69	2	4	13	5	3	3	15		8	10	1	4	28
																29
6	7	13	348	22	12	46	21	4	14	54	5	10	19	10	35	30
5	2	6	312	7	3	61	18	4	7	122	7	7	8	5	45	31
1			45	1	1	7	5	2	2	13	1	1	3		7	32
		1	15		1	1	1			1		1	3			33
			2			1									1	34
2	4	2	68	8	4	17	8	4	6	16		6	2	6	7	35
1		1	41	1	1	6	2	2	2	3	1	1	1		4	36
			6			1				1						37
																38
		1	35	4	1	4	1			1	2	1	3	1		39
			1													40
			10													41
			18			1				1		1	2		1	42
								1		1						43
			1							1						44
	1	5	41	1	2	6	4	1		8		1	5	1	5	45
			2													46
			3						1							47
1			20			5			1	1			4	1	3	48
			3													49
								1								50
			15		1	2							1			51
1		1	76	3		6	10		5	13	1	4	2	1	8	52
																53
			1													54
1		1	47	1		11	5	1		6		3	4	2	2	55
			2												2	56
																57
1	1	1	72	3		5	5		3	2		1	3		2	58
																59
			20	1	1	2		2		1	1		4	1	1	60
3	14	9	282	14	6	69	17	1	12	231	3	16	19	8	118	61
			22	1		4		1		5					5	62
			2													63
			1						1							64
			1			1				1					1	65
1		1	21			1						2	2		1	66
			3													67
13	14	18	1,374	63	25	193	76	14	42	206	19	44	53	22	125	68
4	1	2	85	10	3	20	12		9	72	2	6	10	4	28	69
	1		33	1	1	5	4		4	6		2	2	1	7	70
			7	1		2	1		1	2		3	1			71
4	7	8	260	7	2	46	33	2	18	153	7	10	11	9	47	72
			13			1	1			3					5	73
1	1	4	67	4	3	5	5	3	1	14		3	4	3	7	74
	1	2	82	1	2	9	5	1	3	22		5	3	2	2	75
	1	2	41		1	6	1		2	4	1	3	3		3	76

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	MAINE—continued.			MARYLAND.						MASSACHUSETTS.		
		Rockland.	Group 2, rural.	Bangor.	Total.	Group 1, rural.	Annapolis.	Baltimore.	Group 2, rural.	Frederick.	Total.	Group 1, rural.	Amesbury town.
77	Diphtheria		17		551	164	2	315	68	2	1,072	53	1
78	Dislocations			1	2	1		1			5		
79	Dropsy	1	31		177	115	3	26	33		56	15	1
80	Drowning	1	31	9	126	69		55	2		285	54	3
81	Dysentery		45		165	80		65	15	5	266	56	1
82	Ear, disease of				12	1		9	2		17		
83	Electricity				2			1	1		10		
84	Elephantiasis												
85	Embolism		4		4			4			42	6	
86	Enteritis	2	26	[illegible]	475	69	3	395	6	2	1,169	100	2
87	Epilepsy	1	8		45	23	1	15	6		133	22	
88	Erysipelas		10	2	53	13		32	8		156	18	
89	Esophagus, obstruction and stricture of		1		2			2			9	4	
90	Execution				9	1		5	3		1		
91	Explosion		1		1	1					4		
92	Exposure and neglect		3		11	8		2	1		23	6	
93	Extra-uterine pregnancy				2			2			19	1	
94	Eye, disease of										3	1	
95	Falling bodies		4		4	3		1			2		
96	Falls		3	1	29	14	1	12	2		149	12	2
97	Female organs of generation, disease of				4	1		3			7		
98	Fever		3		8	1			2		6	1	
99	Foreign bodies in esophagus			1	3	1			2		4		
100	Fractures		15	3	86	8	1	74	3		242	27	
101	Frozen		1		4	3			1				
102	Gangrene		15		38	8	1	21	8		141	30	
103	Gastritis		22	4	171	44	1	104	19	3	291	38	1
104	General disease (not specified)				1			1			2	1	
105	Goiter		2		1			1			6	2	
106	Goiter, exophthalmic		1								15	2	
107	Gout										2		
108	Gunshot wounds		7		50	31		14	5		35	7	
109	Heart disease	31	288	41	1,261	472	8	605	156	20	4,266	774	15
110	Hemophilia		1		3			3			9	1	
111	Hemorrhage		5	1	65	30		22	13		101	17	
112	Hernia		7	1	43	10		30	3		92	10	
113	Hip joint, disease of			1	5	2		3			8		
114	Homicide		2		24	13		10	1		19		
115	Hydrocephalus	1	23	2	79	12		62	5		445	33	
116	Hydrophobia				2	1		1					
117	Inanition	1	16		269	33	6	224	6		902	82	1
118	Infanticide				1			1			7		
119	Inflammation and abscess of liver	1	6		37	7	1	25	3	1	84	13	
120	Inflammation of brain		6		89	49	2	12	26		69	10	
121	Influenza	2	78	4	221	94	6	95	24	2	1,120	205	1
122	Injuries by machinery		3		1			1			6		
123	Jaundice		4	1	41	17		22	2		72	8	
124	Joints, disease of				4	1		2	1		22	6	
125	Kidneys, disease of	1	11		78	37		33	8		151	22	
126	Laryngitis		2		11	6		3	2		53	7	
127	Larynx, disease of				3			2	1		14	2	
128	Lead poison										9		
129	Leprosy				1			1					
130	Leucocythemia				7	1		6			26	10	
131	Lightning				11	9		2			8	4	
132	Liver, disease of	1	21	2	104	25		74	4	1	338	53	
133	Locomotor ataxia		3		11	2		8	1		47	5	
134	Lost at sea	2											
135	Lungs, disease of	1	28	4	162	44	2	97	18	1	445	56	
136	Lymphangitis				1			1			3		
137	Malarial fever		7		131	63	1	58	8	1	70	8	
138	Male organs of generation, disease of												
139	Malformation		7	2	46	9		36		1	191	21	1
140	Malignant pustule										3		
141	Measles		33		102	40	3	32	24	3	311	12	1
142	Meningitis		55	10	312	90		181	37	4	1,206	122	8
143	Mental disease	1	20	1	82	64		9	8	1	240	46	
144	Mining accidents				4				4				
145	Mumps				2	1		1			2		
146	Nervous system, disease of		10		29	7	3	14	5		77	16	
147	Noma		1		1			1			8	1	
148	Nose, disease of												

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—continued.																
Arlington town.	Attleboro town.	Beverly.	Boston.	Brockton.	Brookline town.	Cambridge.	Chelsea.	Danvers town.	Everett.	Fall River.	Framingham town.	Gloucester.	Haverhill.	Hyde Park town.	Lawrence.	
2	7	5	391	19	10	73	21	1	11	20		5	11	3	49	77
			1						1							78
			4	2		2	1			6					2	79
	3	2	63	1	1	11		2		6	3	4	4	1	7	80
	1	1	30	11	1	7	6		2	13			1		9	81
			8		1	1							1			82
			4			1										83
																84
			10				1		1	2					2	85
	2	3	304	6	5	35	11	4	4	141	2	8	17	4	30	86
1	1	1	20	6	1	3	1	1		3			5		1	87
			46	1	1	3	1		1	2		1	2	2	3	88
			2			1							1			89
																90
																91
			1		1					1						92
			7	1												93
																94
			1													95
	1		45			8			1			1	3		9	96
			2							1						97
						1				1						98
			1										1			99
3		1	64	1	7	10	2	1	1	10			2		2	100
																101
	1	1	20	1	1	2	1			8		1	4		2	102
	2	1	68	3	2	8			3	16		2	4		12	103
			1													104
					1	1										105
			5							1						106
																107
			2	1		2	1					1			1	108
12	7	18	900	34	28	149	51	16	32	142	14	37	59	13	95	109
			2			1										110
	1		20	2		1				7	2	1	2		2	111
1	1		28			1	1			5			2		2	112
1			2			1										113
			12													114
	1	2	152	6	3	24	1	1	4	14	2	3	13	3	10	115
																116
3		1	160	13	1	49	5	3	1	72	3	2	5	8	35	117
			4													118
		1	18		3	3				2				2	4	119
			9							4					5	120
	2	6	213	25	7	23	15	3	13	32	8	18	17	9	23	121
			1			4										122
			13			3	1		1	6		1			3	123
			3										1		1	124
1		2	32	1		4	3		1	7	1	1	1	1	5	125
	1		7	2		2			1	10			2		2	126
			2							1					1	127
		1	3			1										128
																129
		1	6							1						130
																131
3	2		78	1	1	8	5	1	2	12	2	2	3	3	12	132
	1		14			1	1		1	1	1	1			1	133
												17				134
1	4	5	75	6	2	26	6	2	5	32	2	2	3		8	135
			1												1	136
			7	2		1				3			1			137
																138
		2	61	4	1	6	3			9	2	4	1		1	139
																140
1	2	1	100	1	1	8	8		1	17				1	21	141
1	5	5	227	10	5	49	12	6	14	62	6	8	9	3	31	142
1			35		2	5	4		3	13		1	1		2	143
																144
										1						145
			14	1		1		1		2	1	1	1	1	1	146
			2							1						147
																148

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	MAINE—continued.			MARYLAND.						MASSACHUSETTS.		
		Rockland.	Group 2, rural.	Bangor.	Total.	Group 1, rural.	Annapolis.	Baltimore.	Group 2, rural.	Frederick.	Total.	Group 1, rural.	Amesbury town.
149	Obesity				1	1					1		
150	Old age	13	202	19	744	232	7	416	78	11	1,703	368	2
151	Ovarian tumor		3		10	3		4	3		21	1	
152	Ovaries, disease of				1			1			5	1	
153	Pancreas, disease of		1		1			1			6	1	
154	Paralysis	8	118	13	624	280	7	213	111	13	842	202	5
155	Paralysis general (of insane)		7		25	20		2	3		47	14	
156	Parasites										1		
157	Pelvic abscess (female)				3			3			17	1	
158	Pericarditis		5		10	1		8	1		56	5	1
159	Peritonitis		31	4	153	40	2	94	15	2	470	50	1
160	Pharyngeal abscess		1		1			1			1		
161	Pharynx, disease of (not specified)												
162	Phlebitis				1			1			11		
163	Phlegmasia dolens				1	1							
164	Pleurisy	1		1	55	16		36	3		128	18	
165	Pneumonia	14	294	34	2,167	730	10	1,221	198	8	5,268	626	8
166	Poisons (not specified)	1	11		46	15		26	5		118	7	
167	Pregnancy, affections connected with				2	1			1		21	3	
168	Premature birth	3	53	6	297	53	5	216	17	6	1,164	72	7
169	Prostate, disease of		6		7	4		2		1	74	11	
170	Puerperal convulsions		2	1	25	8		16	1		44	3	
171	Puerperal mania		1		1			1			1		
172	Puerperal septicemia		16		25	7		12	6		92	6	
173	Purpura				7	3		4			16	2	
174	Railroad accidents	1	6	1	91	29		37	25		265	46	
175	Respiratory system, disease of				2	1		1			1		
176	Rheumatism		8		129	35	2	80	10	2	177	25	2
177	Rickets		1		9	2		6		1	16		
178	Roseola												
179	Rupture of bladder				10	1		9			5		
180	Sarcoma		3		10	1		9			78	22	
181	Scarlet fever		28	1	39	19		17	3		384	26	2
182	Scrofula		3		15	8		5	2		14		
183	Septicemia		21	3	145	45	1	88	11		256	44	1
184	Skin, disease of				12	3		8	1		35	3	
185	Smallpox	1	2		1				1		15		
186	Spinal cord, disease of	1	6	1	17	2		12	1	2	83	20	
187	Spine, disease of		3	1	24	11		5	7	1	36	7	
188	Spleen, disease of		1		2			1	1		5	1	
189	Stomach, disease of		19	2	78	29	1	29	19		133	26	1
190	Suffocation		5	2	50	20	1	24	4	1	114	13	
191	Suicide by cutting throat	1	3		1			1			11	1	
192	drowning	1	2		3			3			29	12	
193	hanging		5		15	8		6	1		65	15	
194	poison		8		20	1		19			34	3	
195	shooting		2		17	2		15			75	9	
196	(not specified)		3	1	35	11		17	7		48	5	
197	Sunstroke				23	4		19			9	2	
198	Surgical operations		2		10	1		8	1		29	4	
199	Tabes mesenterica		11	1	27	12		11	3	1	50	11	
200	Tetanus				48	14	1	28	5		28	3	
201	Trismus nascentium				16	3		12		1	3		
202	Tuberculosis (unclassified)		11	2	85	11	1	20	3		156	28	1
203	Tubes, disease of				7			7			33	1	
204	Tumor		3	1	34	17		12	4	1	89	19	
205	Tumor of uterus		1		9			8	1		40	8	
206	Typhoid fever	1	61	13	510	264	2	177	63	4	625	74	5
207	Typhus fever				2				2				
208	Unknown	1	92	9	806	646	5	36	117	2	350	81	1
209	Uremia		23	1	60	10		44	4	2	218	32	1
210	Urethra, stricture of				1			1			3		
211	Urinary organs, disease of		2		4	1	1	2			12	1	1
212	Uterine hemorrhage		1		3			2	1		8	1	
213	Uterus, disease of		1		2			1	1		8		
214	Venereal disease		1		48	9		37	2		10	13	
215	Vomiting in pregnancy		2		1			1			2		
216	Whooping cough		26	1	102	54	8	35	5		375	25	
217	Worms		1		4	4					1		
218	Wounds		1		21			20	1		31	4	
219	Yellow fever				1			1					

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—continued.																
Arlington town.	Attleboro town.	Beverly.	Boston.	Brockton.	Brookline town.	Cambridge.	Chelsea.	Danvers town.	Everett.	Fall River.	Framingham town.	Gloucester.	Haverhill.	Hyde Park town.	Lawrence.	
																149
6	5	3	258	18	17	47	10	4	8	44	12	14	14	10	36	150
			2		1	1										151
			1							1						152
			3			1										153
4	2	5	86	8	3	21	23	14	6	41	2	2	5	8	15	154
			8			1				1				1	4	155
																156
			6							1					1	157
	1	1	15	2						2		1			1	158
		3	106	5	2	13	6	2	6	18	1	8	4	2	9	159
																160
																161
		1	5							1						162
																163
1		1	38	2	1			1	1	6	2	2	2	1	2	164
15	21	13	1,401	56	21	198	76	22	53	219	30	27	68	50	126	165
	1	1	45	2	1	1			1	5		1	3	2		166
			3	1	1	1										167
3	6	7	249	16	9	34	20	4	12	104	3	12	15	1	36	168
			18	2	1	1	3			2			2		2	169
			13	1	1	2							1			170
																171
			24			3			1	4	1	2	4		4	172
			6			2				1		1				173
		1	52	1		2	8		4		5	1	3	4	5	174
						1										175
			38	1		2	1		3	13		2	2	2	2	176
1			7			1									1	177
																178
			3						1							179
2	1		18			3				1	1		1		2	180
		2	172	1		9	2		6	5		8	2	2	6	181
			2							3						182
1		1	53	1	1	9	4		3	9	1	1	3	2	2	183
			7	1		2				1		1			2	184
			4				7			1				1		185
			15			5	1			2	1	1				186
	1		5	1		1	1		1	2						187
						2										188
	1	1	24	1	1	2	3			7			2	1	9	189
		1	21	3	1	2	5			6	1					190
			5	1												191
			3										3		2	192
			13					1		1		1	2		2	193
			14	1			1		1	1						194
			26			2	3					1	2			195
			20							2						196
		1	1													197
			12			2									1	198
			6			4	2					1		1	1	199
			9			1				3			1		1	200
										1						201
			43	3		10				2	4		2	1	2	202
		2	15										1			203
	2		15		1	6	1			2	2				2	204
1			8								1		1			205
	3	4	153	16	2	19	8	1	6	23	2	4	4	1	8	206
																207
2		1	66	5	7	11	2		2	2		4	4	3	7	208
1			23	7		5	1		2	9	1	1	4		7	209
			1													210
			2							1						211
			2			1	1									212
			3							1	1				1	213
			22						1	1	1	1				214
																215
	2		128	7	1	20	7		1	19		2	1		17	216
										1						217
			13	1			1		1				1		2	218
																219

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	MASSACHUSETTS—continued.											
		Lowell.	Lynn.	Malden.	Marlboro.	Medford.	Melrose.	Natick town.	New Bedford.	Newburyport.	Newton.	Peabody town.	Plymouth town.
1	All causes	1,876	1,124	486	219	262	191	133	1,154	312	479	185	173
2	Abortion			1									
3	Abscess	1	3		1				1				
4	Abscess, lumbar and psoas	1	1								1		
5	Absorbent system, disease of												
6	Accidents and injuries (not specified)	5	1	4		2	1	3	3	2	1		
7	Addison's disease		1						1		1		
8	Adenitis												
9	Alcoholism	2	14	1					4	2			
10	Anemia	13	5	2	4	3		1	4	1	3	1	1
11	Aneurism	4	1							1			
12	Angina					2	1				1	1	
13	Angina pectoris	2	3	1	1		1	1	1	1	5	2	
14	Aphthae				1								
15	Apoplexy	67	49	21	2	16	9	9	46	11	26	12	5
16	Appendicitis	7	12		1		1	1	2	2	2		2
17	Arteries, disease of	[illegible]		3		1			3	1		3	
18	Ascites												1
19	Asthma	2	1						2			1	
20	Atrophy	2									4	2	
21	Bile passages, disease of					1							
22	Birth, causes incident to		7				2		3	2	3		
23	Bites												
24	Bladder, disease of	6	5	3	1	3	2	2	3	2	1	1	1
25	Bones, disease of				1				1				
26	Bowels, disease of		2		1						1		
27	Bowels, obstruction of	8	6	2	1		2	1	5	2	5		
28	Brain, disease of	22	16	5	1	1	1	2	13	1	5		4
29	Breast, disease of (puerperal)												
30	Bright's disease	46	41	23	6	12	11	5	52	13	13	1	5
31	Bronchitis	81	26	14	4	7	5	2	37	4	13	7	3
32	Burns and scalds	10	6					2	2	1	6	1	1
33	Calculus biliary	1	2	1				1					
34	Calculus urinary												
35	Cancer (not specified)	24	20	8	2	2	4	1	11	1	9	2	5
36	of abdomen	1	2			1	1		5	1	2	4	1
37	bladder												
38	brain												
39	breast	1	6	1	3	1			1				
40	eye					1							
41	genitals		1										
42	head, face, and neck	2	3						2	2		1	
43	kidneys												
44	larynx												
45	liver	4	3	2	1	1	2	1	6	4	2	1	
46	lower extremities												
47	lungs												
48	mouth, tongue, and throat			2		1			2				
49	ovaries												
50	penis												
51	rectum	5	1	2	1	1			3		1		
52	stomach	9	11	3		3		1	13	1	2	3	1
53	testicle												
54	upper extremities												
55	uterus	2	11	2	1		2		5	3	1		
56	Carbuncle							1					
57	Catalepsy												
58	Cerebro-spinal fever	4			3				6	1	8	1	1
59	Chicken pox												
60	Childbirth	5	1		1	1			2	1			
61	Cholera infantum	172	50	17	11	6		2	74	6	14	5	3
62	Cholera morbus	6	3	6					1	2			
63	Chorea												
64	Circulatory system, disease of												
65	Colic												
66	Colitis	4							1	1	5		1
67	Constipation												
68	Consumption	181	133	56	21	20	17	12	118	25	38	33	16
69	Convulsions	37	9	15	1	4			28	8	8	4	3
70	Croup	13	6	4	1				5	1			2
71	Cyanosis	6			3	2				1	1		
72	Debility	73	17	17	4	3	7	2	28	8	9	6	5
73	Dentition	1											
74	Diabetes	7	3	3	1	2			3	1	3	1	1
75	Diarrhea	4	7			2			2		1		
76	Digestive system, disease of	2				1			1	1	3		

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—continued.																
Quincy.	Revere town.	Salem.	Somerville.	Taunton.	Wakefield town.	Waltham.	Watertown town.	Weymouth town.	Woburn.	Group 2, rural.	Adams town.	Clinton town.	Chicopee.	Fitchburg.	Gardner town.	
366	162	787	946	615	135	329	143	203	241	4,696	179	224	399	428	205	1
					1					2		1				2
				1						8						3
				1												4
					1											5
1		2	4	4		1				29	1	2		7	1	6
		1												1		7
																8
3		1	2	2			1			12	1	1	1	2	1	9
1		2	2	1		1		1	3	19		1	1	2	1	10
			1							1						11
			2							12						12
2		6	3			1		1	2	23	2	1			1	13
	1									3			1			14
15	9	31	56	28	6	13	10	11	10	251	7	9	15	8	8	15
3	1	5	7	3		3		1	1	22		2		2		16
5			2	5		6				13				2		17
1										5		1				18
									2	5	1	2	1			19
			2	1		1			1							20
			1													21
2	1					1			1	5	1		1	4		22
																23
2	1	1	5	2	1	2	1			26	2	1	2	1		24
		1	1			1	1		1	1				1		25
1		3	2	1	1		1		2	3		1	1			26
	2	5	1	2					1	23		1	1	2		27
4	1	12	10	18	4	2	5	4	1	48	2		5	2	2	28
																29
6	3	26	34	21	8	13	7	7	6	209	4	4	10	11	6	30
17	5	30	34	16	4	4	2	5	5	118	1	5	22	7	10	31
2	1	3	4	2	2	1	1	2	2	22	1		1	2	1	32
	1		1						1	6						33
																34
3	2	18	8	8	2	3	1	2	2	88	2	1	3	5	2	35
		2	3	1		1	3		1	13			1	3	1	36
					1					1						37
																38
	1	2	6							12		1				39
																40
				1	1					1						41
1			2	1			1			6	1					42
										2						43
																44
1		7	2	1		5	3	2		17			1			45
										1						46
												1				47
	1	1	3		1	1			1	4		1		1		48
			1													49
																50
		1														51
	1					1			1	3		1		1		52
3	1	6	10	1	1	3		3	1	42	1		1	4	1	53
										1						54
	2	2	4			2				11		1	2			55
						1				2						56
																57
5	1		3		1	1	1			17			1	2	1	58
																59
			1		1					9	1		1		1	60
1																61
17	4	53	24	23		5	2	3	11	133	10	14	37	19	12	62
1		3	3	1		1	1		1	14	1	2		1	4	
										2				1		63
																64
										2						65
										7	4			1		66
1						1			1							67
43	17	56	110	66	20	38	11	26	28	375	18	18	39	34	14	68
2	1	17	14	16				2	6	58	8	5	9	2	6	69
1	1	7	3	1			1	3	1	22	4		2	6	2	70
		2	1							6					1	71
9	15	65	22	35	5	9	3	5	18	92	4	6	11	6	14	72
				1						6			1			73
2	1	3	6	3	1	3	1	1	2	25		1	1	1	1	74
2		18	6	1	1	1		1	1	28	6	7	7	4		75
		6	3	1			1	1	1	16						76

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	MASSACHUSETTS—continued.											
		Lowell.	Lynn.	Malden.	Marlboro.	Medford.	Melrose.	Natick town.	New Bedford.	Newburyport.	Newton.	Peabody town.	Plymouth town.
77	Diphtheria	22	19	8	3	12	4	1	10	1	13	1	1
78	Dislocations	1											
79	Dropsy	3											
80	Drowning	6	4	2	2	4			7	5	1	1	2
81	Dysentery	2	12	6	7		1		5	2	12	1	
82	Ear, disease of	1											
83	Electricity												
84	Elephantiasis												
85	Embolism	4							1		1		
86	Enteritis	80	21	13	1	10	2	4	37	4	10		1
87	Epilepsy	5					1	1	2	1	1		
88	Erysipelas	1	4	1		11			5	1	1	1	1
89	Esophagus, obstruction and stricture of												
90	Execution												
91	Explosion	1							1				
92	Exposure and neglect		1										
93	Extra-uterine pregnancy		3			1							
94	Eye, disease of												
95	Falling bodies												
96	Falls	7	2	2		2		1		1	1		
97	Female organs of generation, disease of	1	1										
98	Fever												
99	Foreign bodies in esophagus												
100	Fractures	11	8	6		1	1	1	6	1	1	1	
101	Frozen												
102	Gangrene	4	2					3	4	1	1	1	
103	Gastritis	9	4	3	2	2			7		2	2	3
104	General disease (not specified)												
105	Goiter												
106	Goiter, exophthalmic	1	1						1	1			1
107	Gout												
108	Gunshot wounds	1					1	1	2	1	1		
109	Heart disease	169	86	45	16	17	24	16	92	25	41	13	19
110	Hemophilia		2	1									
111	Hemorrhage	4	3	1		1			3		1	1	1
112	Hernia	9	2	1	1		1						
113	Hip joint, disease of								1				
114	Homicide												
115	Hydrocephalus	8	13	1		2	2	1	6	4	7	2	3
116	Hydrophobia												
117	Inanition	43	21	8	4	2	2		65	6	3	3	4
118	Infanticide												
119	Inflammation and abscess of liver	2			1	1	2		4				
120	Inflammation of brain	4	1	1					4				
121	Influenza	33	29	16	1	13	9	1	11	13	14	11	3
122	Injuries by machinery												
123	Jaundice	1		1	1				1				1
124	Joints, disease of									1	2		
125	Kidneys, disease of	8	9	2	2	2			3	1	2		1
126	Laryngitis	2	1		1	1				1	1		2
127	Larynx, disease of	3	1										
128	Lead poison	1											
129	Leprosy												
130	Leucocythemia	1		1					1				2
131	Lightning												
132	Liver, disease of	16	9	6		2		2	4	1	2	1	3
133	Locomotor ataxia	1	1		1	1							
134	Lost at sea												
135	Lungs, disease of	22	13	6		2	1	1	12	1	3	1	
136	Lymphangitis		1										
137	Malarial fever	1	1		1	1	1	1		2			
138	Male organs of generation, disease of												
139	Malformation	5	5		2			2	1	2			
140	Malignant pustule		1										
141	Measles	11	6			1	1		2		1	1	5
142	Meningitis	61	22	17	10	3	3	2	43	10	11	6	7
143	Mental disease	7	1		1		1	1	5	3	4		1
144	Mining accidents												
145	Mumps												
146	Nervous system, disease of	2	1			1			1		1		
147	Noma	1							1				
148	Nose, disease of												

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—continued.																
Quincy.	Revere town.	Salem.	Somerville.	Taunton.	Wakefield town.	Waltham.	Watertown town.	Weymouth town.	Woburn.	Group 2, rural.	Adams town.	Clinton town.	Chicopee.	Fitchburg.	Gardner town.	
13	6	9	23	4	1	12	3	4	1	71	3	4	5	6		77
																78
4	1	5	5	2	1	2		1	4	12	1	1	1	1		79
3		7	5	2		1		1	2	31	1	1	3	2		80
										27		3	1	3		81
			1				1	1		2						82
																83
1			2	1						3						84
18	3	8	16	26	2	6	1	3	4	58	3	2	14	10	2	85
1	1	4	3	2		2				24	1			2		86
4		2	3	2		1			2	11	1		1	1		87
										1						88
																89
																90
1		1				1				1						91
			2							5						92
						1										93
										1						94
1	1		3	1						1						95
		1								19			1	2		96
				1												97
																98
2	1	2	4	2	1	4	4			24				2		99
																100
		3	4	1				1	4	21			1			101
3		2	5	3		3		2	3	29	2	6	1	1	1	102
																103
			1							1						104
																105
										1						106
										1				1		107
				4						6				1		108
32	19	57	90	52	20	23	14	31	15	455	16	9	15	34	9	109
			1								1					110
	1	2	1							14			2	2		111
			2	2		2				10		1		1		112
									1	2						113
										4				1		114
8	3	6	6	1		3		3	4	30			4	5	1	115
																116
1	1	10	16	6	1	4	1		1	62	9	7	10	28	1	117
										2						118
				1			1		2	12	1		2			119
	1	3								12			2		2	120
6	4	21	30	8	4	11	4	6	7	120			8	4	7	121
																122
	1	1	1	1					2	10		3				123
							1	1		1				1		124
3	1	2	1		1					16		1		2		125
			1			1				4						126
			1							1						127
			1	1												128
																129
								1		1						130
1									1	2						131
2	1	7	3	1		3	1	5		34	1	1	1	4	2	132
	1	1								6			3			133
																134
5	2	12	5	10		1	1	1	1	51	1	1	6	4	1	135
																136
			1	2					2	14						137
																138
1		8	4	1		4			1	15		1		1		139
										1						140
1	3	1	2	6		2				27		2	1	2	6	141
9	5	22	20	9	10	6	7	7	7	92	2	12	29	11	22	142
		2	4	20		3			1	41			1	1	1	143
																144
										1						145
		2	2		1	1				16			2			146
1										1						147
																148

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	MASSACHUSETTS—continued.											
		Lowell.	Lynn.	Malden.	Marlboro.	Medford.	Melrose.	Natick town.	New Bedford.	Newburyport.	Newton.	Peabody town.	Plymouth town.
149	Obesity												
150	Old age	42	50	16	13	9	5	4	32	11	20	3	17
151	Ovarian tumor		1										
152	Ovaries, disease of												
153	Pancreas, disease of										1		
154	Paralysis	30	25	8	9	4	8	2	19	7	6	10	5
155	Paralysis general (of insane)	1							2	1			
156	Parasites												
157	Pelvic abscess (female)	2	2						1				
158	Pericarditis	1	2		2	1	1						1
159	Peritonitis	20	9	8	4	3	2	2	7	4	10	1	5
160	Pharyngeal abscess	1											
161	Pharynx, disease of (not specified)												
162	Phlebitis											1	
163	Phlegmasia dolens												
164	Pleurisy	7	5	2	2				1		1		
165	Pneumonia	201	103	35	34	21	17	20	112	44	49	14	15
166	Poisons (not specified)	5	3			1	3		5				
167	Pregnancy, affections connected with		2										
168	Premature birth	29	24	13	2	2	3	3	38	4	11	4	2
169	Prostate, disease of	1	2			1		1		3	1		
170	Puerperal convulsions	1	2						2		1		
171	Puerperal mania												
172	Puerperal septicemia	3	3	1		1	1		1				
173	Purpura										1		
174	Railroad accidents	4	3	1		2	2	1	1	1		2	
175	Respiratory system, disease of												
176	Rheumatism	4	9	1		4	1		4				
177	Rickets				1				1				
178	Roseola												
179	Rupture of bladder												
180	Sarcoma	1	3	1			1		1				
181	Scarlet fever	7	3	2	1		4		15		3	1	
182	Scrofula	1											
183	Septicemia	6	8	3	1	2	1	2	3	2	1	1	
184	Skin, disease of		1				1				2	1	1
185	Smallpox	1											
186	Spinal cord, disease of	2	3	1			1		2	1	1		
187	Spine, disease of	3				1			1				
188	Spleen, disease of	1											
189	Stomach, disease of	5	3	2		1	1			1	1		
190	Suffocation	7	4	1	1	1	2		3	2	2		
191	Suicide by cutting throat									1			
192	drowning												
193	hanging	2	2	1	1	1							
194	poison	5							1				
195	shooting	1	1	2					1				
196	(not specified)	4	2	1							1	1	1
197	Sunstroke					1							
198	Surgical operations						1		1		1		
199	Tabes mesenterica		2						2				
200	Tetanus	1				1			1				
201	Trismus nascentium												
202	Tuberculosis (unclassified)	2	3			3	2	2	1	1	3		
203	Tubes, disease of		3		1		1						
204	Tumor	3	2	1	1			1	1				1
205	Tumor of uterus	3	4	1					2				
206	Typhoid fever	18	13	5	1	7	6	5	16	4	7	1	1
207	Typhus fever												
208	Unknown	10	2	5	3	1			10	21	6		1
209	Uremia	7	5	5	1		1	1	11	1	9	2	
210	Urethra, stricture of												
211	Urinary organs, disease of	2			1								
212	Uterine hemorrhage					1					1		
213	Uterus, disease of												
214	Venereal disease		2						2				
215	Vomiting in pregnancy												
216	Whooping cough	13	11	2	4				6		3	3	
217	Worms												
218	Wounds		2	1									
219	Yellow fever												

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—continued.															
Quincy.	Revere town.	Salem.	Somerville.	Taunton.	Wakefield town.	Waltham.	Watertown town.	Weymouth town.	Woburn.	Group 2, rural.	Adams town.	Clinton town.	Chicopee.	Fitchburg.	Gardner town.	
										1						149
5	3	23	39	35	4	10	5	9	6	257		9	10	23	17	150
			1	1						1						151
												1	1			152
																153
4	2	15	11	17	4	2		5	3	91	1		5	7	2	154
			1					1		7						155
														1		156
										2						157
1							1			7				2		158
5	1	4	8	7		2		3	2	48	1	5	5	5	1	159
																160
																161
		1														162
																163
1	1	3		1				1		6						164
31	10	71	111	64	15	47	23	21	18	467	17	23	36	42	14	165
		1	3	1		1	1			14	1					166
			1							3						167
12	1	16	23	4	1	10	1	1	2	95	11	15	17	23	7	168
1			1	2					2	4				2		169
1				1					1	6		1	1	1		170
				1												171
			3	1		1	1	1		12	1	1		3	1	172
						1								1		173
3	2	5	9	4			1	1	1	46	1	3	2	4	2	174
																175
3		2	2	2		1		1	1	23		1		3		176
						1					1					177
																178
																179
		1				1			2	7				3		180
	3	7	7		1		2		1	41				4	2	181
		2	1							2				1		182
3	2	5	3	1	1	2	1	2	8	27	1	1	2	3		183
			1				1			2				1		184
													1			185
1		1		1		1				8		1	2			186
		1	1			1				3						187
			1													188
		2	2	1		1			2	18		1		1		189
1				1		2			1	11	1	4	2	2		190
										1						191
				1						2	1			1		192
			1							11	1			1		193
1	1	1	1								1					194
				1					1	8						195
		3		1						2				1	1	196
		1	1							1						197
		1	1							2						198
				1		1				5	1					199
1		1		1						2						200
																201
3	2		2	1		3		1	1	10			1		2	202
		1				1										203
				5		1		3	1	5				3	1	204
						1				4			1			205
7	2	7	17	3	1	8	3	1		54	11	2	9	6	2	206
																207
2		3	1	3		3	4		1	34	1	8	6	2	2	208
1	1	5	1	2	1	1		1	4	24	1		2	1		209
				1												210
										1						211
			1													212
										1						213
				1		1	1			1						214
										2						215
1	1	4	11	8	2	2	1	2	3	26		1	2	3	5	216
																217
										2		1				218
																219

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	MASSACHUSETTS—continued.											
		Holyoke.	Leominster town.	Milford town.	North Adams.	Northampton.	Pittsfield.	Southbridge town.	Springfield.	Ware town.	Webster town.	Westfield town.	Worcester
1	All causes	820	176	207	334	281	338	204	1,057	112	146	236	1,838
2	Abortion								1				
3	Abscess			1			1						
4	Abscess, lumbar and psoas	1											
5	Absorbent system, disease of												
6	Accidents and injuries (not specified)	7	1	2	1	2			2		2	2	9
7	Addison's disease					1							1
8	Adenitis										1		
9	Alcoholism	2		1			2		5			1	6
10	Anemia	3		1	1			2	2	1			5
11	Aneurism	1					1						1
12	Angina	3							1				
13	Angina pectoris	3	1		1		1		8			3	5
14	Aphthae									1			
15	Apoplexy	25	9	17	15	17	21	6	43	5	3	12	77
16	Appendicitis	4	2						14				11
17	Arteries, disease of						1	2	5			1	8
18	Ascites		1		1								1
19	Asthma			2		1							3
20	Atrophy								1				
21	Bile passages, disease of												2
22	Birth, causes incident to	1			2	1	3		1			1	9
23	Bites												
24	Bladder, disease of	2			1		2		4	1		2	6
25	Bones, disease of								1		1		
26	Bowels, disease of	4			2				1				
27	Bowels, obstruction of	3			1	1	1		3		3	2	6
28	Brain, disease of	12	3	2	2	4	3	2	6	2	1	2	8
29	Breast, disease of (puerperal)												
30	Bright's disease	21	7	11	10	11	14	13	86	5	7	8	71
31	Bronchitis	37	6	3	7	13	8	5	21	3	5	5	50
32	Burns and scalds	2	1	3	1	1	3	1	8		3	2	8
33	Calculus biliary												1
34	Calculus urinary		1					1		1			1
35	Cancer (not specified)		5	2	1	4	2	3	13	1			22
36	of abdomen						1		4				6
37	bladder												1
38	brain												
39	breast	1				1	1		1	1			4
40	eye											1	
41	genitals												
42	head, face, and neck	2	1		1		1		4				
43	kidneys												
44	larynx												
45	liver	4	2	1	3		1		6			1	5
46	lower extremities								1				
47	lungs		1										1
48	mouth, tongue, and throat			1	1		1		2			1	2
49	ovaries				1		1	1	1				
50	penis	1											
51	rectum					1			1				2
52	stomach	7		1			4	1	7	1	1		17
53	testicle												
54	upper extremities												
55	uterus	5	1		2	1		1	5			3	11
56	Carbuncle	1											
57	Catalepsy	1											
58	Cerebro-spinal fever	6	2	5	2	2	1		6	1			5
59	Chicken pox												
60	Childbirth	3	1				2		2	1	1		1
61	Cholera infantum	53	3	9	16	6	24	16	24	10	19	12	83
62	Cholera morbus		1		2		2				1	1	6
63	Chorea					1			1				
64	Circulatory system, disease of	1											
65	Colic								1				
66	Colitis		1				1		2			1	
67	Constipation												
68	Consumption	83	21	22	36	34	25	13	108	5	17	24	218
69	Convulsions	10	4	6	3	6	3	2	6	2	5	6	21
70	Croup	5				1	2	2	10		2	2	3
71	Cyanosis	1						2	1				
72	Debility	28	4	1	16	5	7	16	18	1	6	8	36
73	Dentition								2				
74	Diabetes	7		2	4	4	3	1	6	1		2	19
75	Diarrhea	13	1		6		5		5	1	1		16
76	Digestive system, disease of	3			4			2	2	1			6

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MICHIGAN.																
Total.	Group 1, rural.	Bay City.	Detroit.	Escanaba.	Iron Mountain.	Ironwood.	Ishpeming.	Marquette.	Menominee.	Muskegon.	Port Huron.	Saginaw.	Sault Ste. Marie.	Traverse City.	West Bay City.	
33,572	11,788	351	4,893	188	122	126	196	167	179	255	238	560	163	148	196	1
19	6		1	1												2
42	9		5	1						1				1		3
6	2										1					4
10	3		1								1					5
322	114	10	24	9	4	8	6		2	4	5	3	3		3	6
13	6															7
6	2		3													8
85	35	3	18	4								1	2		2	9
171	62	1	22				1				1	3		1	1	10
19	7		4					1								11
30	12	1	2									1				12
178	47	2	28	1	2				1							13
24	12		9								1	3				14
1,149	350	11	146	6		1	4	4	2	11	10	17	3	9	4	15
242	85	1	33	5	2		1	1				5	1		2	16
77	24	1	10							1	2				1	17
20	5		3													18
107	38		28									3		1		19
4	4															20
13	4		3													21
72	31		14		2			3		1		1			2	22
2			1													23
141	40		19				2					4		1		24
34	12	2	6		1							2				25
83	29	2	2				1			1	4			1		26
184	71	1	26	2		1		1			8	3			2	27
385	115		39				1		1	4	4	8	1	2	5	28
																29
1,054	307	10	151	5	4	3	4	8	3	11	10	18	2	6	7	30
834	298	18	191	7	1	4	14	8	2	6	5	10	11	3	3	31
161	58	1	25	3		2				5	1	4	2	1		32
45	19	1	4						1							33
23	7		5							1						34
246	68	3	26	1	1					2	2	2		2	3	35
92	29		11							2	1	3				36
16	4		3									2				37
1	1															38
132	30	1	20	1			1		1			2		1		39
3																40
6	2		1													41
85	29	2	6		1					2	2	2				42
4	1		1													43
3	1		2													44
108	43		15					1				1				45
5	1															46
3	2															47
59	22	1	6									1		1		48
4	1											1				49
3	1		1									1				50
44	13	2	6					1		1					1	51
411	164	8	63	2	1		3	4	2	1	4	6	1	1		52
2																53
3	2															54
174	47	5	24					2	1		1	8		1		55
6	1	1	2								1					56
																57
294	122	2	29	2		2	2	3	7	2	1	6		1	5	58
3	2		1													59
109	42	1	21	2		1	1		1			2	1		1	60
1,114	431	8	223	2	12	6	4	13	18	3	7	10	13	4	5	61
238	96	2	27	2			2	3		1	4	2	1		1	62
16	10		1							1				1		63
10	2									1		1				64
66	34	2	13	1		2			2			1				65
79	30		12				1	1		2	1	1		2		66
9	4		2													67
2,438	827	19	357	18	8	6	11	14	14	22	21	41	15	13	20	68
568	218	9	148	4	6	8	4	3	4	5	4	15	8	2		69
161	48	2	21	1	1	2				1	1	4	3		5	70
35	8		8	1				1				2				71
527	155	9	155	5	1	4		6	2	6	3	8	2	3	1	72
21	8		10			1									1	73
246	69		24			1			1	2	2	8	2	1	1	74
325	137	1	45	1	2	2		2	3	2		6	1		3	75
153	58	5	14		1	2				1	3	3	4	2	2	76

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	MASSACHUSETTS—continued.											
		Holyoke.	Leominster town.	Milford town.	North Adams.	Northampton.	Pittsfield.	Southbridge town.	Springfield.	Ware town.	Webster town.	Westfield town.	Worcester.
77	Diphtheria	22	3	1	2	6	1	1	50			1	42
78	Dislocations				1				1				
79	Dropsy				1		2					1	
80	Drowning	4		1		3	1	2	4		1	2	5
81	Dysentery	5	1	1	1		1	1	1			3	9
82	Ear, disease of	2	1		1								1
83	Electricity												
84	Elephantiasis												
85	Embolism		1		1								5
86	Enteritis	31	2	8	10		4	5	25		6	8	33
87	Epilepsy	4	1			2		2	2				4
88	Erysipelas	5	1	1			1		5				7
89	Esophagus, obstruction and stricture of												
90	Execution	1											
91	Explosion					1							
92	Exposure and neglect	1			1			1	1				1
93	Extra-uterine pregnancy	1	1				1						1
94	Eye, disease of												
95	Falling bodies												
96	Falls	5			1	5	1	1	1			1	8
97	Female organs of generation, disease of	1											
98	Fever	1						1					
99	Foreign bodies in esophagus	1											1
100	Fractures	2	2		4	2	2		4		1	3	8
101	Frozen												
102	Gangrene	2				1	2		6				7
103	Gastritis	7	1	1	4	1	2	2	3			1	14
104	General disease (not specified)												
105	Goiter												
106	Goiter, exophthalmic					1							
107	Gout												
108	Gunshot wounds									1			1
109	Heart disease	38	25	13	19	21	35	11	81	8	6	13	146
110	Hemophilia												
111	Hemorrhage	2			1	1			4		1		
112	Hernia			1	1		3		2				2
113	Hip joint, disease of												
114	Homicide	1							1				
115	Hydrocephalus	8	2		2		1	1	15	1		2	18
116	Hydrophobia												
117	Inanition	12	7	5	10	3	4	1	14	2	3	7	76
118	Infanticide				1								
119	Inflammation and abscess of liver	3					1	1	1		1		1
120	Inflammation of brain	1			2		1			1			6
121	Influenza	15		6	4	7	2		32	5	4	2	28
122	Injuries by machinery												1
123	Jaundice	2			1	1	1	3		1			3
124	Joints, disease of						1		1				1
125	Kidneys, disease of	2					2	1	1			3	3
126	Laryngitis				1			1				1	1
127	Larynx, disease of	1							1				
128	Lead poison						1						
129	Leprosy												
130	Leucocythemia								1				
131	Lightning												
132	Liver, disease of	8	2	2		2	2	2	6		1	4	9
133	Locomotor ataxia	1			1				1			1	1
134	Lost at sea												
135	Lungs, disease of	8	2	2	4	3	3	1	10	2		1	10
136	Lymphangitis												
137	Malarial fever	3		3		1	2		3	2	1	1	5
138	Male organs of generation, disease of												
139	Malformation	1	1	1	3	1	1		3	1	2	1	7
140	Malignant pustule								1				
141	Measles	19			1		1	7	14		1	2	15
142	Meningitis	32	1	3	12	3	4	12	27	4	2	10	48
143	Mental disease	3		3		5	1	1	4	1	1		10
144	Mining accidents												
145	Mumps												
146	Nervous system, disease of	1		1	1				1		1		2
147	Noma												
148	Nose, disease of												

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MICHIGAN.																
Total.	Group 1, rural.	Bay City.	Detroit.	Escanaba.	Iron Mountain.	Ironwood.	Ishpeming.	Marquette.	Menominee.	Muskegon.	Port Huron.	Saginaw.	Sault Ste. Marie.	Traverse City.	West Bay City.	
378	120	19	113	1	4	1	6	1		3	2	3	4	1	3	77
6	3							1								78
249	89	5	30	1		2			1	2	1	8			1	79
231	102	7	21		2	2	1	2	1	1	4	11	5		4	80
201	66		19	1				1		6	2	1				81
13	4			1								1				82
8	3		2									2				83
																84
20	8		1					1		1						85
560	242	2	106	4	3		22	3	6	8		4	2	5	6	86
152	64		23									3		5	1	87
123	44	1	27	1				1	2	1		4	1		1	88
9	5		1									1				89
4	1		2					1								90
34	14		6					1								91
22	15							1								92
8	1		1							1		1				93
1																94
62	30		1			2	2	1								95
117	46	1	18			3	1	1	1	2		1				96
19	8		2									2				97
9	5		2													98
11	4	1	1													99
165	56	2	22					2	1	1		5				100
5	4															101
115	40		13				1			1			1	2		102
339	122	4	44	3	1		1			2	3	2	2	4	2	103
1																104
8	5															105
17	4		4													106
1	1															107
97	34		10	1						1	1	1				108
2,740	818	45	306	8	7	6	14	5	6	9	18	63	10	12	9	109
3	2															110
74	32		12	2						1			1			111
74	35		6						1		1	2	1		1	112
10	4													1		113
17	6		2				2				1					114
163	59	2	26		1		2	2	3	3	2	2	1		3	115
1																116
380	139	3	76		2	3	4			2	4	10	1	3	3	117
																118
123	39		10					1	1	1	2		1		1	119
144	56	2	14			2	1		3	5		2			1	120
419	157	3	23		2	4				2	2	3	2	1	1	121
15	5										1	1			1	122
97	36		15	1			1			1				1	2	123
13	7		1													124
150	56		15							1		6				125
38	14	1	3								1					126
14	3		4												1	127
2			1													128
1																129
29	12		5					1								130
21	12															131
344	122	3	43	1			1	2	2	3	3	4	3	2	2	132
37	13	1	4						1	1		2				133
																134
309	110	4	28		1	1	4	1	2	2	2	8		1	2	135
5	2	1	1							1						136
168	57	2	9							2		2			3	137
1	1															138
186	77	1	35		2				3	1		1				139
1		1														140
373	151	3	81				5	1			1	4			1	141
464	158	5	80	1		1	2	6	6	2	4	3	1	1	4	142
125	46		25					1		1	1			3	1	143
57	49				1	1	4					2				144
4	2	1														145
86	25	1	11				1			1					1	146
5	3															147
2	1															148

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	MASSACHUSETTS—continued.											
		Holyoke.	Leominster town.	Milford town.	North Adams.	Northampton.	Pittsfield.	Southbridge town.	Springfield.	Ware town.	Webster town.	Westfield town.	Worcester.
149	Obesity												
150	Old age	5	8	6	1	19	15	6	21	3	4	10	51
151	Ovarian tumor	1			1				1				
152	Ovaries, disease of												
153	Pancreas, disease of												
154	Paralysis	7	4	1	11	7	6	2	14	7	1	5	23
155	Paralysis general (of insane)								1			1	3
156	Parasites												
157	Pelvic abscess (female)				1								
158	Pericarditis				1	1		1	1				3
159	Peritonitis	6	1	3	8	2	5	1	6	1	4	4	21
160	Pharyngeal abscess												
161	Pharynx, disease of (not specified)												
162	Phlebitis						1					1	
163	Phlegmasia dolens												
164	Pleurisy	2		4	1	2	1	2	3	1			3
165	Pneumonia	72	12	31	37	21	32	32	107	15	15	18	191
166	Poisons (not specified)					2	1		2			1	3
167	Pregnancy, affections connected with	2							3	1			
168	Premature birth	27	2		4	10	8	2	35	2	1	3	86
169	Prostate, disease of	1		1					1			5	3
170	Puerperal convulsions		1				2		1				1
171	Puerperal mania												
172	Puerperal septicemia	1	1	1				1	1				3
173	Purpura												1
174	Railroad accidents	4	1	1		3	7	1	5	1	1	1	9
175	Respiratory system, disease of												
176	Rheumatism	2			3	2	1		3		1	2	8
177	Rickets				1							1	
178	Roseola												
179	Rupture of bladder												1
180	Sarcoma	2		2					1				1
181	Scarlet fever	7	4	1		4	3		2				21
182	Scrofula	1											1
183	Septicemia	3	1		2	2	3	1	5	2	1	1	7
184	Skin, disease of												2
185	Smallpox												
186	Spinal cord, disease of				2	1	1		4				4
187	Spine, disease of	1			2		1					1	1
188	Spleen, disease of									1			
189	Stomach, disease of	2			1	1		1	4			1	2
190	Suffocation	2	1		1	1	2		1		1	1	2
191	Suicide by cutting throat								1				1
192	drowning			1	1								2
193	hanging		1			1	1		3				2
194	poison		1		1				1				1
195	shooting	2			1		1	1	3			2	7
196	(not specified)	1											2
197	Sunstroke												1
198	Surgical operations			1		1			1				
199	Tabes mesenterica	4			1				4		2		1
200	Tetanus						1						1
201	Trismus nascentium											1	1
202	Tuberculosis (unclassified)	4			1		1		8				3
203	Tubes, disease of	1							4				1
204	Tumor	1			2		2				1		4
205	Tumor of uterus	1					2		1				1
206	Typhoid fever	13	2	3	6	6	2	1	18		1	2	21
207	Typhus fever												
208	Unknown	9	1	2	1	3			1		2		4
209	Uremia	3		2	5	1	6	1	5	2		2	8
210	Urethra, stricture of	1											
211	Urinary organs, disease of												2
212	Uterine hemorrhage	1											
213	Uterus, disease of									1			
214	Venereal disease	2											
215	Vomiting in pregnancy												
216	Whooping cough	4		1	3	3	1	1	7			2	9
217	Worms												
218	Wounds				1								1
219	Yellow fever												

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MICHIGAN.																
Total.	Group 1, rural.	Bay City.	Detroit.	Escanaba.	Iron Mountain.	Ironwood.	Ishpeming.	Marquette.	Menominee.	Muskegon.	Port Huron.	Saginaw.	Sault Ste. Marie.	Traverse City.	West Bay City.	
																149
1,229	454	6	161		1	1	3	4	4	6	8	17	3	6	2	150
31	8		3									3				151
6	2											1		1		152
9	1		1													153
950	266	7	93	1					2	8	8	17	3	3	4	154
64	8		5											5		155
																156
22	8	1	3	1								2				157
45	20		6									1				158
389	124	5	75	1	1		3	5	2	4		7		3	2	159
2		1					1									160
																161
5	1		2													162
4																163
68	24		14			1					2	3				164
2,647	941	13	465	20	9	15	13	11	22	34	27	50	14	9	14	165
142	47	4	25	2				2	1	1	2	2				166
19	8						1				1	1				167
694	255	11	127	3	10	7	7	4	3	6	7	13	2	2	10	168
68	16	1	8								1	3				169
43	14		8	1											2	170
4	1		1									1				171
200	76		34	1			5	1	2					1	2	172
11	5		2	1												173
270	85	4	43	15	4	2	1	2	2		1	5	2		2	174
																175
193	59		27	1	2					1		3	1			176
7	4		1													177
																178
																179
48	20	1	4						1	1			1		1	180
220	126	10	16	6	5	1	2	1							2	181
22	8		2			1										182
218	70	2	27	1			2	3	1	3	1	3		1	1	183
37	10	1	3											1		184
8	3		1													185
104	36		7					2			1				2	186
42	16		4			1							1			187
7	5		1													188
156	60	1	21									1		2	1	189
86	30		12					1		1	1	1	1			190
7	2	1	1													191
12	7	1	1													192
54	19		10													193
50	13	1	13												1	194
56	15		6	1					2	1						195
32	11		6			1			1						1	196
8	2		3													197
31	5		7									1				198
81	25		4		1		2	1			1	1	1	1		199
26	8		4	1		1										200
7	4											1				201
77	27		6		1				2	1	1	1		2		202
15	4		6													203
78	25	2	6						1		2	3			1	204
41	5	1	9	1							1	1				205
680	239	8	54	9	1	4		8	15	4	7	17	1	3	6	206
2	2															207
632	322		39	11	6	9	10		5	9	1	3	17	4	2	208
128	55		16			1			1	1		3			1	209
2		1	1													210
																211
6	1		3													212
15	4		2			2					1					213
15	4	1	2													214
64	7		38		1				1	1	1	3				215
5	2															216
273	118		23		3		8	4	2	1	1	1	3	1		217
6	5															218
42	20		10	1	1			1	1				1			219

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	MICHIGAN—continued.										MINNESOTA.		
		Group 2, rural.	Ann Arbor.	Battle Creek.	Flint.	Grand Rapids.	Jackson.	Kalamazoo.	Lansing.	Owosso.	Pontiac.	Total.	Group 1, rural.	Minneapolis.
1	All causes	10,879	185	250	185	1,258	338	416	232	121	138	17,005	3,092	2,183
2	Abortion	10					1					10		2
3	Abscess	22				3						16	1	4
4	Abscess, lumbar and psoas	3										2		
5	Absorbent system, disease of	3				2						5		
6	Accidents and injuries (not specified)	106	2	5	3	4	2	3	1	1		187	41	18
7	Addison's disease	5		2								3	1	1
8	Adenitis	1										2		
9	Alcoholism	9		1		7	3					46	5	15
10	Anemia	57	2	4	1	7	3	2	1	2		55	8	14
11	Aneurism	5				2						15	3	6
12	Angina	12			1	1						25	1	3
13	Angina pectoris	82			5	2	2	3		2	1	20	2	4
14	Aphthae	4				1						3	3	
15	Apoplexy	447	3	8	7	47	14	33	7	3	5	386	77	63
16	Appendicitis	81	3	2	3	7	1	6	3			157	32	19
17	Arteries, disease of	27	3		3	3		2				13	1	5
18	Ascites	10		1				1				10	2	1
19	Asthma	28			1	3		5				67	16	
20	Atrophy											2		
21	Bile passages, disease of	5									1	2		1
22	Birth, causes incident to	14	1			1	1	1				21	6	1
23	Bites	1										1		
24	Bladder, disease of	63	1	1	1	4	2			1	2	54	9	16
25	Bones, disease of	6	1			1	1			2		7	1	
26	Bowels, disease of	37		1		2	1	2				41	9	3
27	Bowels, obstruction of	54	3		2	8	2	1	1	2	1	85	20	10
28	Brain, disease of	161	1	1	3	13	5	12	3	2	4	131	20	28
29	Breast, disease of (puerperal)													
30	Bright's disease	386	5	15	6	44	11	16	3	8	6	579	74	89
31	Bronchitis	190	6	1	2	31	2	11	2	5	3	274	56	38
32	Burns and scalds	42		2		6	3	2	3		1	100	17	14
33	Calculus biliary	16				3			1			14	1	5
34	Calculus urinary	3	1				1					2		
35	Cancer (not specified)	109	7	1		10	3	2	2	2		138	32	5
36	of abdomen	32	3	1	2	3	1	2	1		1	26	7	3
37	bladder	4		1		2						2		
38	brain													
39	breast	67				5		2		1		45	6	9
40	eye	3												
41	genitals	3												
42	head, face, and neck	37				2				1	1	39	5	8
43	kidneys	1				1						2		
44	larynx											2		
45	liver	38			2	1	3		1	2	1	64	15	8
46	lower extremities	3				1						1		
47	lungs	1										6	1	1
48	mouth, tongue, and throat	18	2	3		2	1	1			1	18	4	3
49	ovaries	1				1						2		1
50	penis													
51	rectum	16	1			2				1		13	3	2
52	stomach	110	9	8	2	10	8	3	1	2		251	48	36
53	testicle	1	1											
54	upper extremities	1												
55	uterus	61		4	1	9	6	2	2			50	2	9
56	Carbuncle	1										4		1
57	Catalepsy													
58	Cerebro-spinal fever	90		2	1	9	3	1	3	1		83	11	15
59	Chicken pox											3	1	1
60	Childbirth	32	1			2				1		104	20	2
61	Cholera infantum	291	5	4	5	33	2	5	5	1	4	377	57	47
62	Cholera morbus	77	1	2		6	5		5	1		212	42	5
63	Chorea	2						1				1		1
64	Circulatory system, disease of	4				1	1					2		
65	Colic	10				1						201	45	3
66	Colitis	24			1	3				1		8	2	1
67	Constipation	2								1		6		
68	Consumption	781	18	20	20	94	31	33	19	8	8	1,844	296	264
69	Convulsions	94	2	1	1	21	3	7	2	3	1	323	57	58
70	Croup	40		1	1	25	3		1		1	131	28	4
71	Cyanosis	11				2	1		1			14	2	4
72	Debility	111		7	3	22	9	8	3	1	8	187	22	70
73	Dentition	1										24	6	
74	Diabetes	112		3	3	8	5	4				125	34	11
75	Diarrhea	101	1	3	4	4	1	3	2		1	83	19	5
76	Digestive system, disease of	43		1	1	11		1	1			25	4	1

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MINNESOTA—continued.						MISSISSIPPI.					MISSOURI.				
St. Paul.	Winona.	Group 2, rural.	Mankato.	Group 3, rural.	Duluth.	Total.	Group 1.	Group 2.	Group 3, rural.	Natchez.	Total.	Group 1, rural.	St. Louis.	Group 2.	
1,574	276	6,092	159	2,931	698	20,251	412	13,630	5,724	485	38,084	4,970	10,320	10,198	1
		3		4	1	19		13	6		14	3	1	8	2
	1	9		1		15		6	8	1	36	5	12	10	3
1		1									9	1	4	1	4
2		2		1							1				5
8		63	1	38	18	96	5	57	32	2	487	32	264	97	6
					1						4	1	2		7
		2				1		1			8	1	4	2	8
1		11		9	5	6	1	1	4		53	5	24	3	9
9	2	10	1	8	3	7		6	1		78	7	34	12	10
1			1	2	2	4		4			34	2	17	4	11
		11		9	1	28	2	23	3		70	7	11	27	12
4		7	1	2		7		5	2		67	3	15	14	13
						43		26	17		47	6	2	23	14
56	6	118	5	49	12	94	9	62	15	8	548	51	225	70	15
12	2	62	1	20	9	38	2	25	6	5	204	25	68	34	16
3		4									26	1	19	2	17
		7				34		15	17	2	62	10	10	22	18
	1	32		15	3	56	3	28	23	2	144	13	66	32	19
		2									5		3		20
					1	1		1			5			1	21
1		7		6		10		6	4		27	4	1	9	22
		1				3		2	1		1			1	23
3		15	3	6	2	28		15	11	2	68	6	21	18	24
		5		1		7		6	1		20	3	4	6	25
3		16		8	2	107	5	77	25		171	15	14	92	26
6	1	34		12	2	17		9	6	2	130	20	42	20	27
19	1	42	4	14	3	244	8	181	49	6	516	66	153	144	28
						1		1							29
83	7	218	3	69	36	238	9	136	73	20	1,058	79	500	184	30
28	5	95	3	30	19	205	4	158	34	9	713	74	324	120	31
7		35		21	6	242	3	170	64	5	158	12	27	63	32
2	1	4			1	3		1	2		31	1	12	6	33
		1			1	21		17	4		10	1	3	2	34
9		63	1	23	5	94	4	73	15	2	213	26	66	34	35
4		6		5	1	10	1	7	1	1	38	1	17	7	36
		1		1							7	1	3	1	37
											2	2			38
7	1	9	2	10	1	15		11	3	1	61	8	15	11	39
											3				40
											2				41
1	2	15		6	2	27		17	8	2	70	7	13	27	42
1		1									6	1		2	43
		2									3		2	1	44
9	1	18	2	6	5	9		5	1	3	78	4	38	11	45
1						1				1	4		2		46
3		1									5		2	1	47
2		3			1	8	1	6		1	41	5	13	13	48
		1									3		2		49
											3		1	1	50
1		4	1	2		3		1	1	1	29	2	10	5	51
25	7	99	1	20	15	39	2	22	6	9	229	22	72	47	52
															53
											4		1	3	54
12		19	3	3	2	52		41	8	3	107	6	47	22	55
		2		1		7		7			16	1	4	6	56
															57
20	1	23	3	8	2	35		26	7	2	261	47	36	103	58
		1				5		4	1		5		1	3	59
2	1	54		24	1	187	3	116	68		160	42	13	52	60
25	8	142	2	64	32	170	29	116	23	2	855	124	120	285	61
3	2	113		45	2	114	1	83	30		271	52	19	79	62
						3		3			9	2	1	4	63
		2									5	1	1	1	64
	1	105		46	1	61		29	32		33	6	3	6	65
2		3				10	1	5	3	1	48	2	10	10	66
		3		3		7		7			18	1		7	67
206	24	609	12	384	49	2,129	52	1,435	562	80	4,107	399	1,168	993	68
67	12	88	4	20	17	188		108	77	3	410	40	204	62	69
14	1	46		35	3	409	3	331	71	4	630	100	60	277	70
		5			3						61	1	44	5	71
37	1	30	3	18	6	63	5	37	19	2	476	31	332	44	72
		11		7		107	1	73	29	4	78	16	33	16	73
10	2	49		17	2	18	1	14	3		121	14	25	32	74
5	10	33		9	2	214	6	101	94	13	252	56	44	74	75
1		14		4	1	71		36	34	1	104	17	8	43	76

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	MICHIGAN—continued.										MINNESOTA.		
		Group 2, rural.	Ann Arbor.	Battle Creek.	Flint.	Grand Rapids.	Jackson.	Kalamazoo.	Lansing.	Owosso.	Pontiac.	Total.	Group 1, rural.	Minneapolis.
77	Diphtheria	61	1		2	12	1	4	6	7	8	357	73	63
78	Dislocations	2										2	1	
79	Dropsy	98		1	1	5	3		1			159	51	2
80	Drowning	51	1	1	2	4	1	3	3	2		119	20	16
81	Dysentery	87	2	4		6		3	2	1		47	6	5
82	Ear, disease of	6				1						2		
83	Electricity									1				
84	Elephantiasis													
85	Embolism	7				1		1				7		1
86	Enteritis	98		7		26	4	6	4	1	1	200	18	56
87	Epilepsy	42	1	1	1	3		7			1	83	9	5
88	Erysipelas	32		1		3	2		2			70	17	8
89	Esophagus, obstruction and stricture of	1				1						5		
90	Execution													
91	Explosion	12		1								9		
92	Exposure and neglect	4				1		1				22	4	
93	Extra-uterine pregnancy	2	1			1						1	1	
94	Eye, disease of	1												
95	Falling bodies	24								2		14	4	
96	Falls	35			1	3	2	1			1	42	10	3
97	Female organs of generation, disease of	6		1								3		
98	Fever	2										15	2	1
99	Foreign bodies in esophagus	4					1					7	3	
100	Fractures	53		4	2	8	5	4				69	10	17
101	Frozen	1										4		1
102	Gangrene	47	2	1	1	1	1	1	2		1	25	6	5
103	Gastritis	119		3		11	4	5	5	1	1	137	25	14
104	General disease (not specified)	1												
105	Goiter	1		1		1								
106	Goiter, exophthalmic	7				1	1					6	2	
107	Gout													
108	Gunshot wounds	40			1	5	1	1	1			60	8	5
109	Heart disease	1,148	13	20	17	96	31	28	28	6	17	1,182	232	154
110	Hemophilia		1									1		
111	Hemorrhage	19			1	2	1	1	1	1		33	4	7
112	Hernia	20			1	2	1	1	1		1	39	8	3
113	Hip joint, disease of	2				3						3		1
114	Homicide	4				1			1			22	3	2
115	Hydrocephalus	43	1			9	1	2	1			108	18	23
116	Hydrophobia	1										1		
117	Inanition	85	1	1	4	30	1	1		3	4	322	59	41
118	Infanticide											1	1	
119	Inflammation and abscess of liver	48	2	3		8	2	3	1			35	5	6
120	Inflammation of brain	40	1	1	1	11	1	1			1	134	22	2
121	Influenza	183		4	1	14	4	4	2	4	3	152	33	14
122	Injuries by machinery	7										7		
123	Jaundice	37				1	2					31	6	3
124	Joints, disease of	4				1						3		
125	Kidneys, disease of	58	2	1	1	4	1	2	1	1	1	102	22	13
126	Laryngitis	15				2	1			1		15	1	4
127	Larynx, disease of	5				1						7		2
128	Lead poison	1												
129	Leprosy	1										1		
130	Leucocythemia	9				1		1				7	3	1
131	Lightning	9										35	6	
132	Liver, disease of	128		2	5	6	4	5	1	1	1	107	21	12
133	Locomotor ataxia	12				2			1			12	1	2
134	Lost at sea													
135	Lungs, disease of	114	2	9	2	16	2	2	3			161	27	32
136	Lymphangitis													
137	Malarial fever	76		1	8	8	3	2				9	4	2
138	Male organs of generation, disease of													
139	Malformation	51	1	3		4	1	4	1	1		49	13	4
140	Malignant pustule													
141	Measles	99		1	1	20			2			79	21	3
142	Meningitis	134	1	4	2	30	5	7	4	2	1	317	44	65
143	Mental disease	37	1			1		5			3	32	7	2
144	Mining accidents											9		
145	Mumps	1										4	1	
146	Nervous system, disease of	36		1		8		1	3	2		32	6	3
147	Noma	2												
148	Nose, disease of	1										1		

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MINNESOTA—continued.						MISSISSIPPI.					MISSOURI.				
St. Paul.	Winona.	Group 2, rural.	Mankato.	Group 3, rural.	Duluth.	Total.	Group 1.	Group 2.	Group 3, rural.	Natchez.	Total.	Group 1, rural.	St. Louis.	Group 2.	
37	1	77	3	98	5	85	2	57	23	3	494	43	243	41	77
		1				3		2	1		5			3	78
2	3	80		21		427	3	258	158	8	373	61	25	136	79
3	3	23	4	39	11	63		31	31	1	108	12	55	19	80
3		17		15	1	380	3	283	84	10	390	63	30	167	81
		2				6	1	1	4		15	5		3	82
						2			2		7		2	1	83
											1				84
1	1	4				1			1		14	2	6		85
47		31	4	24	20	168	11	121	30	6	650	45	401	58	86
4		49		15	1	71	4	45	20	2	118	25	21	30	87
5		23	1	10	6	29		21	7	1	120	12	32	38	88
3		2									2		2	1	89
						2		2			4	1	1		90
		3		6		3		3			16	3	1	2	91
		8		9	1	47	1	27	11	8	16	1	2	8	92
											3		1	1	93
															94
		3		5	2	18		12	6		21	5		13	95
3	1	19		5	1	73	1	48	23	1	68	10	3	23	96
1	1	1				25		18	7		30	3	4	12	97
1		4		7		144	3	95	46		62	10	2	32	98
		2		2		11		10	1		7	1		1	99
3		15	1	11	12	23	2	16	4	1	60	4	16	11	100
		1		2		3		1	2		7	2		4	101
4		8		1	1	8		3	1	4	56	9	16	7	102
10	3	47	5	26	7	107	1	81	19	6	369	46	96	96	103
						1			1		1				104
						1			1		3		1	2	105
		3	1			1		1			4	1	1		106
															107
1		26	1	18	1	185	3	87	88	7	162	16	32	55	108
117	10	439	9	180	41	876	23	590	218	45	2,061	209	604	429	109
1											3				110
2		13		6	1	42		26	16		88	10	25	16	111
2		20		6		25		14	11		86	6	27	20	112
		1		1		3		3			7	2	2	2	113
2		10		5		86		63	23		111	13	70	13	114
20	1	26	1	13	6	11		7	4		109	6	46	25	115
1						2		2			3			1	116
50	23	72	2	53	21	38	5	14	11	8	640	33	352	59	117
						2		2							118
3	1	10	1	9		61		43	18		140	11	42	38	119
5	1	58		44	2	140	8	98	38	1	449	76	44	188	120
5	2	64		33	1	587	11	457	119		355	54	51	123	121
		3		4		12		8	4		8	2			122
4		14		3	2	31	1	25	5		93	12	22	24	123
1		1		1		14		12	2		3		1		124
8	2	35	1	19	2	74		58	16		215	28	24	85	125
2		3		1	4	4		4			29	3	15	5	126
1		3		1		1		1			9	1	5	1	127
											5	1	1	2	128
				1											129
		1		1	1						8		4	2	130
1	1	16	1	10		10		7	3		14	3		5	131
13	1	37	1	16	6	72	2	46	21	3	233	10	113	39	132
3	1	4			1	3		1	2		21	2	7	3	133
															134
14	2	56	1	23	6	59	2	38	17	2	306	29	106	61	135
															136
	1	1		1		983	14	516	442	11	965	219	124	425	137
											1				138
4		16		12		26		21	1	4	66	8	11	35	139
															140
1		32		19	3	950	18	717	211	4	494	147	21	236	141
41	11	95	6	37	18	211	2	140	66	3	827	149	156	248	142
1		19		3		12		8	2	2	87	7	31	21	143
				9		1		1			7			1	144
		8				6		4	2		8		4	3	145
1	1	16		2		30	3	19	8		80	8	8	29	146
				1							11	4		5	147
						1				1					148

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	MICHIGAN—continued.										MINNESOTA.		
		Group 2, rural.	Ann Arbor.	Battle Creek.	Flint.	Grand Rapids.	Jackson.	Kalamazoo.	Lansing.	Owosso.	Pontiac.	Total.	Group 1, rural.	Minneapolis.
149	Obesity													
150	Old age	459	4	8	5	43	11	8	9	3		832	181	63
151	Ovarian tumor	15		1					1			7	1	1
152	Ovaries, disease of	2										1		1
153	Pancreas, disease of	7										3	2	
154	Paralysis	463	5	9	3	19	12	5	15	3	4	323	89	11
155	Paralysis general (of insane)	15		1	1	1		14			14	16	1	1
156	Parasites													
157	Pelvic abscess (female)	5				1	1					16		5
158	Pericarditis	15				1	1	1				17	2	8
159	Peritonitis	105	7	4	2	20	6	7	4	1	1	208	28	32
160	Pharyngeal abscess											1		
161	Pharynx, disease of (not specified)													
162	Phlebitis	2										7		1
163	Phlegmasia dolens	4												
164	Pleurisy	20				1	1	2				38	6	5
165	Pneumonia	738	13	17	11	110	23	41	17	5	15	1,379	246	195
166	Poisons (not specified)	44	1		1	5	1	2	1		1	60	8	4
167	Pregnancy, affections connected with	6				2						1		1
168	Premature birth	155	2	2	1	38	6	16	1	2	4	187	49	6
169	Prostate, disease of	37	1			1	1		1			14	4	1
170	Puerperal convulsions	15		1		1					1	16	1	1
171	Puerperal mania	1										2	1	
172	Puerperal septicemia	64	3		1	5	1	3	1			66	12	13
173	Purpura	2				1						7		3
174	Railroad accidents	78	4	2	2	9	4	3				115	21	14
175	Respiratory system, disease of											6	2	
176	Rheumatism	84	3		2	5	1	2	2			87	16	3
177	Rickets	2										6		1
178	Roseola													
179	Rupture of bladder											8	2	1
180	Sarcoma	15		1		3						25	4	3
181	Scarlet fever	40		2		7			2			92	27	10
182	Scrofula	8				3						6	2	
183	Septicemia	84	2	1	1	7	1	1	3	2	1	165	24	22
184	Skin, disease of	20				1				1		15	5	2
185	Smallpox	2				2						22	1	7
186	Spinal cord, disease of	43	2	3		4	1	2		1		21	3	4
187	Spine, disease of	17				1		1	1			30	4	4
188	Spleen, disease of	1										4		
189	Stomach, disease of	53	1	2	3	5	2		3	1		90	18	5
190	Suffocation	28			2	7			1		1	49	6	7
191	Suicide by cutting throat	3										5	1	1
192	drowning	3										5	3	
193	hanging	20		1		1	1	2				21	2	4
194	poison	15				7						26	3	6
195	shooting	22				4	2	1		1	1	26	4	5
196	(not specified)	7	1			2				1	1	39	6	4
197	Sunstroke	2					1					3		
198	Surgical operations	7	5	2		2		1			1	14	3	2
199	Tabes mesenterica	29	2	2	1	6	2			2		24	6	4
200	Tetanus	8			1	2	1					36	9	6
201	Trismus nascentium	1				1						2		2
202	Tuberculosis (unclassified)	27	1	1		3	1	2			1	53	4	13
203	Tubes, disease of	2	1					2				7	1	
204	Tumor	28	1	1	2	2	1		2		1	49	13	4
205	Tumor of uterus	16	3			1	1			1	1	12	1	5
206	Typhoid fever	223	3	7	5	34	16	7	4	4	1	386	55	53
207	Typhus fever											4		
208	Unknown	172	1	2	2	5	4	1	5		2	788	148	16
209	Uremia	40	1	1	1	2	3		1		1	76	17	11
210	Urethra, stricture of											1	1	
211	Urinary organs, disease of	1			1							5		1
212	Uterine hemorrhage	5				1						6	2	1
213	Uterus, disease of	6	1			1						3		1
214	Venereal disease	10				1	1					26	1	15
215	Vomiting in pregnancy	2					1							
216	Whooping cough	72		2	2	17	2	10	2	1		164	39	15
217	Worms	1										1		1
218	Wounds	6		1								12	2	1
219	Yellow fever													

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MINNESOTA—continued.						MISSISSIPPI.					MISSOURI.				
St. Paul.	Winona.	Group 2, rural.	Mankato.	Group 3, rural.	Duluth.	Total.	Group 1.	Group 2.	Group 3, rural.	Natchez.	Total.	Group 1, rural.	St. Louis.	Group 2.	
															149
35	30	371	5	135	12	329	15	190	110	14	1,038	97	503	129	150
	1	8		1		2		1	1		17		11	1	151
						3		8			8	1	1		152
1															153
15	6	154	2	38	8	236	9	180	42	5	824	88	132	229	154
1		11		2		5		5			33	2	15	5	155
						1		1			1	1			156
2		6		1	2	2		2			16	1	8		157
1		3		2	1	7	1	2	2	2	38	4	20	1	158
36	4	61	3	27	17	44	4	23	10	7	288	14	106	48	159
1						1		1			3	1		1	160
															161
		3		2	1	2		2			2			1	162
											2	1		1	163
2		13		10	2	48		32	16		83	6	33	20	164
133	23	467	19	214	82	2,168	29	1,456	644	39	4,442	795	1,106	1,142	165
6		25	2	10	5	37	1	23	13		145	13	24	38	166
						2		1	1		2		1		167
7	5	73	1	34	12	97	5	67	21	4	423	34	123	104	168
		8		1		6		4	1	1	22		3	5	169
4	2	4		4		10		10			29	4	10	5	170
		1									2				171
4	1	25		10	1	40	1	28	11		144	23	37	48	172
1		1		2							10		3	1	173
9	8	32	4	20	7	57	1	45	11		188	25	9	44	174
		4				4		3	1		3		1	2	175
5		42		19	2	124		83	39	2	196	23	33	66	176
		5				1		1			13	2	6	2	177
						7		5	2		2		1	1	178
		5				1		1			1			1	179
6	1	4	1	2	4	1		1			25	1	14	3	180
9		15	2	26	3	44	1	25	18		134	9	54	24	181
		2		2		84		64	20		42	7	5	14	182
12	1	74	2	25	5	89		69	16	4	310	41	60	72	183
1		5		1	1	20		12	8		30	2	6	12	184
1		13				782		462	316	4	66	5	2	36	185
3	1	5	1	2	2	4		2	2		89	22	21	27	186
1		15		5	1	21		20	1		138	25	3	68	187
1		3				7		4	3		11	1	2	4	188
7		43		13	4	110		89	20	1	311	57	24	128	189
6		21		5	3	71		59	12		59	8	8	19	190
				1	2						10	2	2		191
	1			1		2		2			6	2	2	2	192
2		8		5		1		1			22	2	4	4	193
2	3	9	2		1	2		1	1		26	1	10	5	194
2		6	1	5	8	8		7	1		42	7	4	8	195
2	1	20	1	5		8		4	4		148	9	88	13	196
2		1				10	1	6	3		29	3	19	1	197
		7		2		5	1	2	2		69	2	29	1	198
2		8		1	8	47	1	37	9		51	6	9	9	199
5	2	11		3		20	1	16	3		43	7	17	6	200
						2		2			57	1	53		201
9		11	1	12	3	1		1			16	3	1	3	202
1	1	4									13		10		203
5		17		8	2	52	3	35	13	1	86	14	9	34	204
2		1	1	1	1	3	1	2			24	1	11	7	205
36	5	102	6	76	23	1,370	23	1,016	314	17	1,790	268	190	728	206
		3		1		8		5	3		6			1	207
9	6	361	2	238	8	1,989	26	1,346	590	27	1,382	334	36	625	208
16	2	20	1	5	4	12		11	1		228	4	150	13	209
						1		1			4		4		210
		2		2		52		32	20		2	1			211
1				2		5		5			5		3	1	212
		1		1		11		5	6		15		3	4	213
3		2	1	3		36	1	19	9	7	47	2	27	8	214
											1				215
18		69		27	6	175	6	117	46	6	380	60	30	182	216
						46		29	17		17	5	1	11	217
		3		4	2	14		6	6	2	17	1	1	3	218
						13	1	12			1		1		219

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	MISSOURI—continued.				MONTANA.				NEBRASKA.		
		Group 3.	Group 4, rural.	Kansas City.	St. Joseph.	Total.	Group 1.	Group 2, rural.	Helena.	Total.	Group 1, rural.	Lincoln.
1	All causes	4,062	4,749	2,852	933	2,188	200	1,834	154	8,264	3,883	476
2	Abortion	1	2	1		2			2	6	4	
3	Abscess	4	2	3		6		6		9	6	
4	Abscess, lumbar and psoas		3									
5	Absorbent system, disease of		1							1		
6	Accidents and injuries (not specified)	26	31	30	7	47	5	39	3	109	51	4
7	Addison's disease		1							3		2
8	Adenitis		1									
9	Alcoholism	4	1	13	3	28		25	3	16	3	
10	Anemia	5	12	6	2	1	1			17	8	1
11	Aneurism	2	3	4	2	2		2		7	4	
12	Angina	13	8	3	1	2	1	1		17	11	1
13	Angina pectoris	10	13	8	4	2		2		18	6	
14	Aphthae	6	8		2					6	3	
15	Apoplexy	54	60	64	21	37		30	7	144	65	15
16	Appendicitis	35	18	13	11	14		14		93	53	6
17	Arteries, disease of		1	2	1	2		2		1		
18	Ascites	2	13	4	1	4	1	2	1	12	9	
19	Asthma	9	12	8	4	9	3	6		30	12	1
20	Atrophy	1		1								
21	Bile passages, disease of	1	1		2					1		1
22	Birth, causes incident to	4	2	5	2	4		4		6	2	
23	Bites									3	1	
24	Bladder, disease of	7	7	6	3	1		1		15	8	1
25	Bones, disease of	4	1	2		1	1			6	3	
26	Bowels, disease of	16	21	5	8	7	3	4		37	16	3
27	Bowels, obstruction of	12	16	12	8	10	2	6	2	36	12	1
28	Brain, disease of	34	68	37	14	25	1	23	1	81	33	10
29	Breast, disease of (puerperal)											
30	Bright's disease	103	100	74	18	47	2	40	5	212	97	15
31	Bronchitis	49	56	60	30	34	2	32		99	38	6
32	Burns and scalds	24	18	10	4	11	1	9	1	54	18	1
33	Calculus biliary	5	6		1	1	1			10	8	
34	Calculus urinary	2		2						4	1	
35	Cancer (not specified)	24	29	29	5	7		6	1	72	40	5
36	of abdomen	1	5	8	1					9	6	1
37	bladder	2				1			1			
38	brain									1		
39	breast	10	12	4	1	3		3		18	8	2
40	eye		3									
41	genitals	2								1		
42	head, face, and neck	9	12	1	1	2		1	1	18	12	
43	kidneys	1	2							3	2	
44	larynx											
45	liver	4	13	6	2	7		5	2	17	9	2
46	lower extremities	1	1									
47	lungs			1	1					2		1
48	mouth, tongue, and throat	6	2	2		2	1	1		12	8	
49	ovaries		1			1		1		2		
50	penis	1										
51	rectum	2	2	6	2	1		1		8	7	1
52	stomach	35	37	15	1	22	2	18	2	82	45	3
53	testicle											
54	upper extremities											
55	uterus	5	9	10	8	9		9		15	7	3
56	Carbuncle	5								1	1	
57	Catalepsy											
58	Cerebro-spinal fever	26	25	18	6	22		22		36	20	1
59	Chicken pox		1							4	2	
60	Childbirth	20	28	5		16		14	2	53	29	1
61	Cholera infantum	119	114	61	32	47	7	40		314	161	24
62	Cholera morbus	42	56	15	8	24	2	20	2	121	55	5
63	Chorea	1	1							2	1	
64	Circulatory system, disease of	1	1							2	1	
65	Colic	5	13			3		3		33	21	2
66	Colitis	5	4	9	8	1		1		10	5	
67	Constipation	5	2	3						3	3	
68	Consumption	521	601	334	91	164	16	134	14	592	255	51
69	Convulsions	23	34	35	12	22		20	2	106	44	1
70	Croup	72	72	32	17	27	1	26		66	37	3
71	Cyanosis	1	5	5		2		1	1	12	3	
72	Debility	13	22	24	10	32		31	1	63	20	6
73	Dentition	4	6	1	2	5	1	2	2	6	3	
74	Diabetes	22	16	7	5	12		6	6	62	37	4
75	Diarrhea	25	33	10	10	20	1	18	1	54	28	3
76	Digestive system, disease of	13	16	6	1	5	2	3		32	18	1

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

NEBRASKA—continued.			Nevada.	NEW HAMPSHIRE.												
Group 2, rural.	Omaha.	Group 3.		Total.	Group 1, rural.	Concord.	Dover.	Laconia.	Manchester.	Nashua.	Portsmouth.	Rochester.	Group 2, rural.	Berlin.	Keene.	
1,524	1,382	999	438	7,400	2,515	357	257	163	1,092	479	180	188	1,895	149	125	1
2				1					1							2
1	2		1	2	1			1								3
				1									1			4
1				1									1			5
29	6	19	13	76	26	6	6	1	7	4		1	22	3		6
	1			1	1											7
																8
2	10	1	2	9	2		1		2	1		1	2			9
2	4	2		50	20	3			6	2		2	13		4	10
	3			1				1								11
3	1	1	1	4	1					1			2			12
5	3	4	1	40	16	2	1	1	3	1			16			13
2		1														14
12	42	10	7	367	153	20	9	3	31	13	11	5	111	4	7	15
6	19	9	3	21	7			3	2	2			5		2	16
	1			7	2					1			3		1	17
3				3	1			1		1						18
6	5	6	1	9	5				1				3			19
				1						1						20
																21
	3	1		2									2			22
		2														23
1	4	1	1	32	15	3		1		2	1		10			24
1	1	1		2	1								1			25
7	3	8		7	4				2				1			26
7	13	3	2	28	8	2			4	1	1	2	9		1	27
6	17	10	4	88	44	7	6		11	4	1	3	8	2	2	28
																29
26	45	29	8	233	91	14	11	6	27	7	5	4	65	2	1	30
20	25	10	4	213	63	17	3	3	59	15		2	46		5	31
15	15	5	2	16	4				3		2	1	4		2	32
1		1		7	2				1				3		1	33
	1	3														34
12	8	7	3	132	43	5	5	1	7	4	4		59	2	2	35
1		1	1	24	6	3	3	1	1				10			36
			1	4	2						1		1			37
	1															38
2	2	4		14	3			1	1	2			7			39
																40
	1			1	1											41
2	2	2		4	1	1	1						1			42
	1															43
																44
2		4	1	21	7	2			3	1		1	5		1	45
																46
	1															47
2	2			10	2				3				5			48
	2			1					1							49
																50
				4	1	1			1				1			51
15	11	8	4	46	16	2	1	1	2	2	2	1	18		1	52
			1													53
																54
1	3	1	3	14	6	2	1			1	2		2			55
			1	3	2				1							56
																57
5	2	8	3	39	8	1	1	3	6	3	1	1	14		1	58
1	1			1					1							59
8	3	12	1	10	4								4	1	1	60
42	36	51	4	293	89	4	11	7	75	36	6	7	39	16	3	61
33	11	17	10	34	15	1	1		3	1	2	1	8	1	1	62
	1															63
																64
1																65
6	1	3														66
1	4			8		3			3				2			67
				1				1								
114	110	62	56	627	194	25	21	22	117	39	16	20	153	7	13	68
18	33	10	8	104	28	4	2	2	39	8	5	3	10	3		69
15	3	8	5	42	9	1	2		6	8	3	2	8	3		70
2	7			6	3	1							2			71
5	26	6	3	239	62	7	5	3	54	37	5	5	51	7	3	72
	1	2	1	15	2				11	1			1			73
4	5	12	5	55	23	2	1	2	4	3		1	17	1	1	74
11	5	7	3	43	21	3	4		7		1	3	4			75
8	4	1		16	3				3	2	1	1	6			76

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	MISSOURI—continued.				MONTANA.				NEBRASKA.		
		Group 3.	Group 4, rural.	Kansas City.	St. Joseph.	Total.	Group 1.	Group 2, rural.	Helena.	Total.	Group 1, rural.	Lincoln.
77	Diphtheria	74	46	23	24	24	8	15	1	162	68	3
78	Dislocations	2								2	1	
79	Dropsy	61	55	19	16	21	3	15	3	110	68	4
80	Drowning	8	5	7	2	14	1	12	1	45	21	2
81	Dysentery	49	60	17	4	4	3	1		72	37	
82	Ear, disease of	3	2	1	1	1		1		5	2	
83	Electricity		1	2	1	5		5		4		
84	Elephantiasis	1								1	1	
85	Embolism	2	2	2		1		1		2	1	
86	Enteritis	23	24	87	12	12	3	9		47	16	5
87	Epilepsy	13	21	6	2	11		11		30	19	
88	Erysipelas	9	22	5	2	4		3	1	25	10	
89	Esophagus, obstruction and stricture of									3		
90	Execution	1	1			1		1		1		
91	Explosion	3	1			2		2		3	1	1
92	Exposure and neglect	1	2	1	1	5	1	3	1	23	4	
93	Extra-uterine pregnancy		1			2		2		4	1	1
94	Eye, disease of									1		
95	Falling bodies	1	1		1	3		3				
96	Falls	11	14	4	3	7		7		29	11	
97	Female organs of generation, disease of	2	4	2	3					3	1	
98	Fever	6	11	1		2		2		13	3	1
99	Foreign bodies in esophagus	1	3		1	1		1		4	1	
100	Fractures	7	6	13	3	17	2	12	3	26	11	1
101	Frozen		1			7		7		2		1
102	Gangrene	8	7	8	1	4		3	1	12	9	1
103	Gastritis	57	42	24	8	15		13	2	61	29	6
104	General disease (not specified)		1			1	1					
105	Goiter					1		1		2	1	
106	Goiter, exophthalmic	1		1						1	1	
107	Gout											
108	Gunshot wounds	11	20	24	4	18	3	12	3	39	15	2
109	Heart disease	244	297	216	62	112	14	90	8	566	293	31
110	Hemophilia	1	2							1		
111	Hemorrhage	6	6	20	5	5		3	2	36	24	2
112	Hernia	8	11	9	5	8	8	3	2	20	10	1
113	Hip joint, disease of		1			1		1				
114	Homicide	5	9		1	17	3	14		9	1	
115	Hydrocephalus	11	8	8	5	3		3		25	8	3
116	Hydrophobia	1			1					1		
117	Inanition	28	33	116	19	17	2	15		76	21	8
118	Infanticide									1		
119	Inflammation and abscess of liver	20	16	10	3	7	1	6		15	12	
120	Inflammation of brain	58	70	5	8	17	1	15	1	96	52	1
121	Influenza	49	58	16	4	17	1	16		122	71	7
122	Injuries by machinery	2	2		2					3	1	
123	Jaundice	13	13	8	1	1		1		18	11	1
124	Joints, disease of		1		1					1		
125	Kidneys, disease of	35	28	12	8	7	1	6		59	35	3
126	Laryngitis	1	3	1	1	1		1				
127	Larynx, disease of		1	1								
128	Lead poison			1		2		2		3	1	1
129	Leprosy											
130	Leucocythemia		1	1						2		
131	Lightning	3	2	1		3		3		18	10	1
132	Liver, disease of	28	25	8	10	5		4	1	63	36	5
133	Locomotor ataxia	2	2	4	1	2		2		11	5	
134	Lost at sea											
135	Lungs, disease of	35	35	25	15	10	2	7	1	74	36	5
136	Lymphangitis									1		
137	Malarial fever	53	114	24	5	5	1	4		32	14	1
138	Male organs of generation, disease of			1								
139	Malformation	3	7	2		2		2		20	6	1
140	Malignant pustule											
141	Measles	29	46	13	2	17	1	16		50	24	1
142	Meningitis	68	96	92	18	43	4	35	4	138	63	11
143	Mental disease	4	13	8	3	20		20		19	12	1
144	Mining accidents	8	3			25		24	1	1		
145	Mumps	1										
146	Nervous system, disease of	21	10	2	4	4		4		24	12	4
147	Noma	1	1							1		1
148	Nose, disease of											

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

NEBRASKA—continued.			Nevada.	NEW HAMPSHIRE.												
Group 2, rural.	Omaha.	Group 3.		Total.	Group 1, rural.	Concord.	Dover.	Laconia.	Manchester.	Nashua.	Portsmouth.	Rochester.	Group 2, rural.	Berlin.	Keene.	
39	30	22		65	20	4	3	2	8	17	2	1	5	2	1	77
		1	1													78
26	3	9	8	29	10	1		1	4	2		2	8		1	79
7	6	9	1	38	11	4	2		3	1	1	1	13		2	80
10	11	14	6	29	8	1			4	4			10	1	1	81
		3		2	1				1							82
	4															83
																84
	1			2		1							1			85
2	21	3		98	25	3	3	3	24	5	4		17	12	2	86
6	3	2	4	19	8	2		1			1		6		1	87
3	6	6	1	11	6		1	1				1	2			88
1	2															89
		1														90
1			1	1					1							91
15	2	2	2	8	3				1		1		3			92
	2		1													93
1				1									1			94
			1													95
5	5	3		12	4		1	1	1				4		1	96
2			1	1					1							97
7		2														98
1	2			2			1						1			99
5	7	2		37	10	1		3	5	2			14	2		100
		1	1	1	1											101
	2			41	17	1	2		1		4		15		1	102
13	7	6	3	59	19	1	1	1	9	2	5	2	18		1	103
																104
1																105
				1									1			106
																107
2	7	6	2	9	2	1						1	4		1	108
89	77	76	25	738	283	33	32	15	76	41	20	15	207	2	14	109
1																110
3	5	2	2	8	7								1			111
4	4	1	4	13	5				3	1	1		2		1	112
				2	1								1			113
3	1	4		1									1			114
2	7	5		34	13	1		3	10	2			4	1		115
1																116
12	31	4	4	92	23	3	6		33	9	2	2	13	2	2	117
1				1									1			118
1		2	1	20	6	1	1		5	4		1	2			119
28	4	11	2	20	5	1		1	4	3	1	1	3	1		120
16	15	13	10	185	74	4	7	3	5	15	2	8	63	2	2	121
	1	1														122
	4	2		6	4				2							123
		1		2	1				1							124
9	4	8	2	20	8	1			4	4		1	1	1		125
				14	4	1			2	3			3	1		126
				3					1			1		1		127
	1															128
																129
	2			4	3	1							1			130
		7		1	1											131
9	8	5	2	39	14	3		1	9	1			9		2	132
	4	2		5					2			1	2			133
																134
18	10	5		62	22	3			17	4		2	11	3		135
1				1		1										136
10	3	4	10	18					4	7			7			137
																138
9	3	1		21	6			1	4	3	1	1	5			139
																140
14	3	8	5	45	16	1		1	5	13		1	3	5		141
17	30	17	3	180	49	9	4	5	34	15	5	8	35	12	4	142
3	2	1	2	39	17	13		1		1			7			143
		1														144
				1									1			145
6	1	1		20	7		1		1	1		1	9			146
				1	1											147
																148

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	MISSOURI—continued.				MONTANA.				NEBRASKA.		
		Group 3.	Group 4, rural.	Kansas City.	St. Joseph.	Total.	Group 1.	Group 2, rural.	Helena.	Total.	Group 1, rural.	Lincoln.
149	Obesity											
150	Old age	103	118	62	26	36	1	33	2	261	112	15
151	Ovarian tumor	1	3	1		1		1		4		
152	Ovaries, disease of		1							2		
153	Pancreas, disease of											
154	Paralysis	148	145	63	19	27	2	22	3	229	117	14
155	Paralysis general (of insane)	1	10			1		1		45	39	4
156	Parasites											
157	Pelvic abscess (female)	1	2	3	1	3		3		4	3	
158	Pericarditis	2	4	6	1	1		1		4	1	2
159	Peritonitis	23	34	48	15	22	4	15	3	79	29	4
160	Pharyngeal abscess				1					1		
161	Pharynx, disease of (not specified)											
162	Phlebitis		1							2	1	
163	Phlegmasia dolens											
164	Pleurisy	11	6	5	2	5	1	4		20	11	1
165	Pneumonia	450	560	316	73	407	28	359	20	823	350	48
166	Poisons (not specified)	10	15	37	8	19	1	16	2	51	19	2
167	Pregnancy, affections connected with		1			1		1		1	1	
168	Premature birth	44	43	68	7	27	8	18	1	95	25	9
169	Prostate, disease of	4	7	3						8	3	
170	Puerperal convulsions	4	2	4		2		2		4	3	
171	Puerperal mania			2								
172	Puerperal septicemia	16	10	8	2	10		10		25	15	2
173	Purpura	2	1	2	1	1	1			2		1
174	Railroad accidents	29	25	46	10	23	2	20	1	55	15	6
175	Respiratory system, disease of									1	1	
176	Rheumatism	27	31	10	6	11	1	10		52	28	
177	Rickets		2	1						1		
178	Roseola					1		1				
179	Rupture of bladder									1	1	
180	Sarcoma		1	6		1			1	7	3	1
181	Scarlet fever	19	23	5		26	6	18	2	83	54	5
182	Scrofula	2	10	2	2	3		3		5	1	
183	Septicemia	43	44	39	11	27	2	22	3	90	45	2
184	Skin, disease of	6	3		1	1		1		3	1	
185	Smallpox	8	6	8	1	4		4		5	3	1
186	Spinal cord, disease of	3	6	6	4					17	7	2
187	Spine, disease of	21	19		2	2	2			22	7	
188	Spleen, disease of	3	1							6	3	
189	Stomach, disease of	51	42	6	3	11	2	8	1	56	32	1
190	Suffocation	9	6	7	2	2	1	1		11	7	
191	Suicide by cutting throat	1	1	3	1					5		
192	drowning									2	1	
193	hanging	4	7	1						9	5	1
194	poison	2	3	4	1	8		7	1	16	6	
195	shooting	8	11	1	3	7	2	5		13	8	
196	(not specified)	14	19	1	4	17	2	15		24	14	3
197	Sunstroke	1	3	1	1	1		1		5	1	
198	Surgical operations	3		33	1	7		6	1	26	3	2
199	Tabes mesenterica	9	7	7	4	2		2		20	8	3
200	Tetanus	3	7	3		1		1		13	4	2
201	Trismus nascentium		3							3	1	
202	Tuberculosis (unclassified)	4	2	1	2	2		2		12	3	
203	Tubes, disease of		1	1	1	1		1		4	1	
204	Tumor	15	12	1	1	5	1	4		38	21	2
205	Tumor of uterus		2		3					7	3	1
206	Typhoid fever	213	287	67	37	42	2	35	4	260	125	14
207	Typhus fever	2	3									
208	Unknown	141	210	29	7	101	12	80	9	458	229	12
209	Uremia	9	13	30	9	6		5	1	22	7	4
210	Urethra, stricture of											
211	Urinary organs, disease of				1					4	4	
212	Uterine hemorrhage	1								3	1	
213	Uterus, disease of	1	1	2	4	1		1				
214	Venereal disease	2	4	4		4		4		9		
215	Vomiting in pregnancy	1										
216	Whooping cough	38	38	23	9	19	3	16		105	47	7
217	Worms											
218	Wounds	2	4	5	1	1		1		7	3	
219	Yellow fever									1	1	

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

NEBRASKA—continued.			Nevada.	NEW HAMPSHIRE.												
Group 2, rural.	Omaha.	Group 3.		Total.	Group 1, rural.	Concord.	Dover.	Laconia.	Manchester.	Nashua.	Portsmouth.	Rochester.	Group 2, rural.	Berlin.	Keene.	
																149
58	47	29	18	349	146	20	16	9	21	5	13	3	112	1	3	150
2	1	1		3	2	1										151
	1	1														152
																153
50	30	18	10	193	77	10	4	7	12	4	9		60		10	154
	1	1	2	4	1	2			1							155
				1					1							156
	1															157
	1			5	2	1							1		1	158
8	34	4	5	67	16	6	4		14	2	3	5	13	2	2	159
		1		1	1											160
																161
1				2					1				1			162
																163
2	4	2	2	19	5	1	2		4			1	6			164
166	162	97	55	873	300	38	43	18	125	63	15	39	197	28	7	165
9	18	3	2	12	3	1			2	1			4		1	166
																167
19	32	10	1	122	21	7	5	6	31	12	6	1	32		1	168
1	1	2		6	2				1				3			169
	1		1	5	4								1			170
																171
2	2	4		16	8			1	1				5		1	172
	1															173
9	24	1	3	30	10	1			6	2		1	9	1		174
				1					1							175
8	6	10	2	19	3		2		2		1	1	10			176
	1		1	5	1				2	2						177
																178
				1									1			179
1	1	1		14	4	1	1	1	2		1		4			180
9	5	10	2	29	10	1		2	5	2			8	1		181
2		1		7	4		1					1		1		182
18	14	11	4	54	16	2		1	10	3	2	2	16	1		183
1	1			5	1	1			1				1		1	184
1																185
6	2		1	16	2	1	1		4	1		2	4		1	186
6		9	1	8	3		1		1				3			187
1	2															188
11	4	8	3	27	8		2	1	4	1	2		9			189
	3	1		17	4	1	2			1		1	7		1	190
1	1	3														191
	1			2				1					1			192
1	1	1	1	13	7				2	1			3			193
2	7	1	1	2					1				1			194
1	5	4		9	4	1			2				2			195
4	1	2	7	15	7	2	1		1	1		1	2			196
2	1	1		1									1			197
3	15	3		1	1											198
3	4	2		18	6	1		1	4	2	2		2			199
4	2	1		3	1				1				1			200
1	1															201
2	7			9	2				1	2		2	1		1	202
1	2			1								1				203
5	2	8	2	11	4	1	1				2	1	2			204
	3			8	3						1		4			205
41	41	39	12	69	25	2	3	2	6	1	1		26	3		206
																207
150	17	50	24	122	39	7	3	3	16	7	1	2	36	8		208
5	3	3	1	24	11	3	2		2				5		1	209
																210
				2		1				1						211
	1	1		2		1				1						212
																213
2	6	1	1	2	1								1			214
																215
23	7	21	7	78	18	5	2	1	10	3	1	5	26	3	4	216
																217
1	2	1		2									2			218
																219

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	NEW JERSEY.										
		Total.	Group 1, rural.	Atlantic City.	Bayonne.	Bridgeton.	Camden.	Elizabeth.	Harrison town.	Hoboken.	Jersey City.	Millville.
1	All causes	32,735	9,358	466	545	200	1,235	911	234	1,253	4,277	176
2	Abortion	5	1		1						1	
3	Abscess	17	5				1			1		
4	Abscess, lumbar and psoas	1										
5	Absorbent system, disease of	4	1									
6	Accidents and injuries (not specified)	146	31	2		1	9	2		11	33	2
7	Addison's disease	4				1					1	
8	Adenitis	3										
9	Alcoholism	101	21	1			5	2		6	17	
10	Anemia	79	31	1	2		2	3		1	5	
11	Aneurism	15	4		2		2					
12	Angina	27	19	2			2					1
13	Angina pectoris	127	38				3	2	1	5	17	
14	Aphthae	7	5							1		
15	Apoplexy	1,470	447	21	26	9	46	43	10	30	178	5
16	Appendicitis	129	41	1			6	1		5	9	
17	Arteries, disease of	59	25	1			1	2		2	9	1
18	Ascites	7	3				1					
19	Asthma	35	11	1			3			1	4	
20	Atrophy	21	5	4	4						2	
21	Bile passages, disease of	7	2			1		1			1	
22	Birth, causes incident to	115	21	3	4			4		1	19	
23	Bites	1										
24	Bladder, disease of	50	31			3		3		6	9	1
25	Bones, disease of	26	5			1	2	1		1	2	
26	Bowels, disease of	49	14			1	1	3	1	2	5	3
27	Bowels, obstruction of	136	34	6	2		2	7		3	18	2
28	Brain, disease of	348	115	9	1	7	19	5	1	10	41	5
29	Breast, disease of (puerperal)											
30	Bright's disease	1,533	400	26	27	14	73	41	6	42	181	7
31	Bronchitis	881	202	19	10	1	8	18	6	59	138	2
32	Burns and scalds	188	47	1	3	2	9	5		5	25	
33	Calculus biliary	11	7		1						1	
34	Calculus urinary	7	1		1							
35	Cancer (not specified)	176	71	2	2	3	5	5		4	12	
36	of abdomen	67	25	1	1	1	6	2		3	2	
37	bladder	11	5					1			2	
38	brain	2	1									1
39	breast	63	22			2	4	1			5	
40	eye	3	2									
41	genitals	8	2							2		
42	head, face, and neck	46	16		1		2			2	2	
43	kidneys	6										
44	larynx	5	1								1	
45	liver	102	29	1	2	1	3	6	1	3	13	
46	lower extremities	2	1									
47	lungs	5	2			1						
48	mouth, tongue, and throat	30	10	1				1		4	3	
49	ovaries	2										
50	penis											
51	rectum	34	4				2			1	5	
52	stomach	260	74	5	4	3	6	3	1	8	25	3
53	testicle											
54	upper extremities	2	1									
55	uterus	125	37	2	2		4	3	2	2	11	
56	Carbuncle	3	2				1				1	
57	Catalepsy											
58	Cerebro-spinal fever	142	36	2	6		4	7		3	18	
59	Chicken pox	1							1			
60	Childbirth	61	33			1	1	2	1		7	1
61	Cholera infantum	842	279	6	9	4	24	33	2	29	87	3
62	Cholera morbus	93	37	2	1	2	1	5		2	10	2
63	Chorea	6	1						1			
64	Circulatory system, disease of	3	1								1	
65	Colic	13	5	1							2	
66	Colitis	70	30	3	2		1	2			12	1
67	Constipation	6	1		2							
68	Consumption	3,392	917	40	53	28	120	90	26	133	490	26
69	Convulsions	885	217	15	18	4	33	38	7	47	124	6
70	Croup	241	62	2	6	1	21	3	1	18	38	7
71	Cyanosis	49	22	1			3		5		2	1
72	Debility	1,033	260	20	7	7	47	38	12	53	127	3
73	Dentition	30	13				1			2	4	2
74	Diabetes	156	42	2	2	1	4	2		4	17	
75	Diarrhea	189	64	4	7	1	5	5	1	7	7	1
76	Digestive system, disease of	66	23		1			2		2	15	1

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

NEW JERSEY—continued.													NEW MEXICO.			
Montclair town.	Newark.	New Brunswick.	Orange.	Perth Amboy.	Plainfield.	Town of Union.	Group 2, rural.	Morristown town.	Passaic.	Paterson.	Phillipsburg.	Trenton.	Total.	Group 1.	Group 2.	
217	4,866	425	490	250	242	207	3,294	191	563	2,000	161	1,174	2,674	739	1,935	1
		1	1									1	8	4	4	2
	2	1	1				3			2	1		1	1		3
							1									4
	2						1									5
2	8	1	2	1			21	1	1	13		5	37	7	30	6
	2															7
							1			1		1				8
	15	3	2				9	1	5	10	2	2	2		2	9
	11	1	1	2			9	1	3	2		4				10
	1		2			1	2			1			1		1	11
			1	1		1							6		6	12
1	21		3		2	1	17	2	2	5	1	6	1	1		13
		1														14
14	243	22	13	4	12	12	163	17	13	70	14	58	9	1	8	15
1	12	1	3	2	3	2	11	4	1	18		7				16
	4	1			1		5	1		1		5				17
	1			1			1						19	9	10	18
	5						3					7	8	3	5	19
	2		1							3						20
										1		1				21
2	23	2	1	2	2	1	7	1	3	8		11	1		1	22
												1	1		1	23
	10	2		1			8	1		3		2	3	1	2	24
	4	1	2	1			2		1	2		1				25
	10	1			1		3	1		1		2	20	9	11	26
2	22		3	1	1		8	2	4	11	2	6	1	1		27
2	33	5	1	1	2	1	55	2	5	17	2	9	9	5	4	28
																29
7	267	27	33	12	14	9	155	13	8	99	10	62	22	8	14	30
6	178	8	14	12	2	6	83	2	11	56	4	36	17	4	13	31
2	35	3	5	3	1	1	13		5	18		5	6	1	5	32
	2															33
1	1						1					2				34
1	13	2	1		3		30	1	1	9	2	9	2		2	35
	8		1	1			7	1	1	3		4	1	1		36
	2									1						37
																38
1	12		1		2	2	8	1	1			1	11	2	9	39
							1									40
	2						2									41
	5	1	4				9		1	1		2	7		7	42
	2						2					2				43
	1		1				1									44
	13		1	2	1	1	15		2	6		2				45
												1	1		1	46
			1				1									47
	6		1				3		1	1			2	1	1	48
	1							1								49
																50
	10		1		1		2		1	2		2				51
2	48	3	2	1	2	4	30	2	4	16	3	11	4	2	2	52
																53
							1									54
1	30		1			2	10	2		7		9	3	1	2	55
	2		1	1			1						1		1	56
																57
	19		3	1			8		3	22	1	9	3	2	1	58
													1		1	59
1	4		1		2	1	2			1		3	48	11	37	60
4	148	15	5	5	4	6	72	5	18	61	1	21	28	8	20	61
	9	1	1	1			15		1		1	2	19	5	14	62
							2		1			1				63
										1						64
							3			1		1	7	1	6	65
	5		1		1		4	1	2	5						66
	1			1			1						2		2	67
26	576	42	66	12	22	23	313	23	42	193	10	121	152	52	100	68
2	134	22	10	8	3	4	65	6	30	57	7	28	8		8	69
1	33	2	3	2		3	16	1	1	11	1	8	45	12	33	70
	3				1	1	3			5		2				71
7	181	9	17	14	3	5	58	3	40	72	10	40	6		6	72
			1				2		3	1	1		1		1	73
	28	1	3	1	1	1	26		3	8	1	10	2		2	74
1	33	3	3	1		2	26	1	9	6		2	19	1	18	75
	9				1		3			4			1	1		76

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	NEW JERSEY.										
		Total.	Group 1, rural.	Atlantic City.	Bayonne.	Bridgeton.	Camden.	Elizabeth.	Harrison town.	Hoboken.	Jersey City.	Millville.
77	Diphtheria	678	172	14	7		69	15	10	15	74	3
78	Dislocations	1										
79	Dropsy	77	38	2	1		2	2			5	
80	Drowning	228	94	4	9	3	7	5	4	15	29	
81	Dysentery	172	65	4	2		1	10		8	15	1
82	Ear, disease of	2			1							
83	Electricity	9	3		1					1		
84	Elephantiasis	1	1									
85	Embolism	7	5									
86	Enteritis	1,141	259	7	23	2	24	42	6	40	244	4
87	Epilepsy	61	21	2			1		1		5	1
88	Erysipelas	121	26	1	3	1	3		1	12	15	
89	Esophagus, obstruction and stricture of	7	2					2				
90	Execution	5	1								2	
91	Explosion	9				1						
92	Exposure and neglect	11	4				2		1		1	
93	Extra-uterine pregnancy	5									1	
94	Eye, disease of											
95	Falling bodies	1	1									
96	Falls	103	37		6			5		5	16	1
97	Female organs of generation, disease of	8	1								1	1
98	Fever	4									3	
99	Foreign bodies in esophagus	4	1					1				
100	Fractures	168	54	4	2		12	6	2	3	4	1
101	Frozen	5	2				1				1	
102	Gangrene	91	20	3	1	1	3	1		3	11	
103	Gastritis	316	118	4	2	1	17	6	1	10	42	1
104	General disease (not specified)	1	1									
105	Goiter	1										1
106	Goiter, exophthalmic	7	4									
107	Gout	1			1							
108	Gunshot wounds	50	18	2			1	1		1	2	
109	Heart disease	2,519	834	36	34	19	99	54	11	87	312	12
110	Hemophilia	8	1					1		1	2	
111	Hemorrhage	50	18	1			3	2		2	4	
112	Hernia	80	21	1		1	4			1	8	
113	Hip joint, disease of	9	3	1								
114	Homicide	16	1				1				4	
115	Hydrocephalus	230	49	7	4	1	3	13	5	11	41	1
116	Hydrophobia	7	1								2	
117	Inanition	334	115	7	3	2	42	9	5	5	48	
118	Infanticide	2	1									
119	Inflammation and abscess of liver	41	13	2			3	1	3	1	3	1
120	Inflammation of brain	60	23	3		1	7				4	1
121	Influenza	443	150	10	5		14	7	10	7	29	
122	Injuries by machinery	3	2									
123	Jaundice	62	13	2	1	2	2	2	2	3	11	
124	Joints, disease of	9	5					1				
125	Kidneys, disease of	126	31		4	2	6	2	1	4	17	3
126	Laryngitis	53	17	2	4		1				8	1
127	Larynx, disease of	10								2		
128	Lead poison	5	1							1	2	
129	Leprosy											
130	Leucocythemia	6	1				2					
131	Lightning	3	1								1	
132	Liver, disease of	281	83	5	6	1	9	7	3	20	41	5
133	Locomotor ataxia	32	11	1						1	6	
134	Lost at sea	1	1									
135	Lungs, disease of	392	90	8	17	2	20	13	3	21	42	1
136	Lymphangitis											
137	Malarial fever	110	46				1	2	6	1	19	
138	Male organs of generation, disease of	2	1	1								
139	Malformation	151	34	2	3		11	1	3	10	36	2
140	Malignant pustule	1										
141	Measles	206	42	2	6	3	8	2	2	14	24	
142	Meningitis	909	201	13	21	3	34	16	8	64	147	
143	Mental disease	106	30				1	3	1	1	8	
144	Mining accidents	10										
145	Mumps	2										
146	Nervous system, disease of	41	13	1		2						
147	Noma	3	1							1	8	
148	Nose, disease of	2				1						

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

NEW JERSEY—continued.													NEW MEXICO.			
Montclair town.	Newark.	New Brunswick.	Orange.	Perth Amboy.	Plainfield.	Town of Union.	Group 2, rural.	Morristown town.	Passaic.	Paterson.	Phillipsburg.	Trenton.	Total.	Group 1.	Group 2.	
7	111	1	8	8	3	4	44		8	92	1	12	56	12	44	77
	1															78
	4	1					8		1	4	4	5	58	23	35	79
	19	3		4			18		2	4		8	6		6	80
	22	3	7		1		18	3	1	9		2	2	1	1	81
	1															82
	1			1			1		1							83
																84
			1							1						85
7	150	14	21	22	7	15	70	6	48	90	4	36	10	2	8	86
	8				1		14		2	3		2	4		4	87
1	22	1					17		2	8		8	5	4	1	88
	2						1									89
							1					1				90
							7			1			1		1	91
		2					1						1	1		92
	1											3				93
																94
													1	1		95
	12	2	1	1			13		2	1		1	4	2	2	96
										2		1				97
									1				194	30	164	98
										2						99
1	34	2	1	1	2		9	1	2	18		9	3	2	1	100
	1												2	1	1	101
	8	4	1		1		17	1		7	2	7				102
	26	8	4	4	1	1	28	1	12	14	3	12	18	9	9	103
																104
																105
	1	1								1			1		1	106
																107
	7	1	1				4		3	5	1	3	19	8	11	108
14	291	47	24	19	29	14	340	12	23	120	13	75	67	27	40	109
							1									110
1	7			1	1		4	1		4		1	6	1	5	111
	13	1	1		1	1	15	1		5		[illegible]	3	1	2	112
	2			1						2						113
	[illegible]						2			2			8	4	4	114
1	43	1	4	1	3	1	13	3	8	10	1	[illegible]	2	1	1	115
1	2										1					116
2	20	2	6	3	6		25		9	9	1	15	9	5	4	117
	1															118
	[illegible]		1		2		3						20	7	13	119
	7						9			3	1	1	39	16	23	120
3	63	9	1	1	3		86	2	5	9	2	27	26	11	15	121
							1									122
	6			1		1	7	1	1	5		2	3	2	1	123
								1		1	1					124
3	18	2	3				16	1		8		5	9	6	3	125
	7		2			1	4			5		1				126
	2			1			2			2		1				127
	1															128
																129
		1					2									130
							1						7	6	1	131
	39	3	5	3		1	18		6	16	2	8	9	1	[illegible]	132
1	5			1			4			2						133
																134
1	86	7	7				35	2	10	13	4	10	22	15	7	135
																136
1	13			1			15	1		4			89	15	74	137
																138
1	16		1	2	4		16	2	1	2		4				139
										1						140
1	62	1	2	2	2	2	12		7	6		6	71	7	64	141
[illegible]	151	8	22	9	7	7	59	3	11	79	3	34	12	1	11	142
	10	1		1	1		49			3		2	1		1	143
							10						9		9	144
	2															145
	4						5	1		2		4	2		2	146
1		1														147
							1									148

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	NEW JERSEY.										
		Total.	Group 1, rural.	Atlantic City.	Bayonne.	Bridgeton.	Camden.	Elizabeth.	Harrisontown.	Hoboken.	Jersey City.	Millville.
149	Obesity	1									1	
150	Old age	620	267	10	5	2	14	11	1	17	44	3
151	Ovarian tumor	9	4									
152	Ovaries, disease of	1										
153	Pancreas, disease of	2									1	
154	Paralysis	632	298	6	2	6	32	8	1	7	30	4
155	Paralysis general (of insane)	73	13		1		2		1	3	2	4
156	Parasites											
157	Pelvic abscess (female)	11	2	2						2	1	
158	Pericarditis	32	8					1	1	1	11	
159	Peritonitis	335	86	3	6		16	6	3	23	48	1
160	Pharyngeal abscess	3			1			1				
161	Pharynx, disease of (not specified)											
162	Phlebitis	6	1		1						2	
163	Phlegmasia dolens	1										1
164	Pleurisy	98	21	1	2		3	3		4	15	
165	Pneumonia	3,668	906	34	77	17	115	128	22	170	562	14
166	Poisons (not specified)	94	31	3	1	1	1	4			4	
167	Pregnancy, affections connected with	15	6					1			2	
168	Premature birth	587	146	4	8	5	39	26	4	18	78	9
169	Prostate, disease of	26	10				1			1	5	
170	Puerperal convulsions	36	9	1	2			1		2	11	
171	Puerperal mania	2	1									
172	Puerperal septicemia	112	25	1	3		5	2	1	4	15	1
173	Purpura	12	3				1	1			2	
174	Railroad accidents	353	90	4	11	1	8	16	7	9	68	1
175	Respiratory system, disease of	1	1									
176	Rheumatism	80	17	3	2			1	1	6	10	
177	Rickets	19	4					1		1	3	1
178	Roseola	3	3									
179	Rupture of bladder											
180	Sarcoma	54	9	1	1	1	1	4			8	
181	Scarlet fever	232	46	1			1	13	4	3	43	
182	Scrofula	7		1							1	
183	Septicemia	175	40	4		1	8	3	2	10	27	
184	Skin, disease of	12	2							1	3	
185	Smallpox	8	3									
186	Spinal cord, disease of	75	26		1	1	2	1		1	10	1
187	Spine, disease of	17	9					1		1	1	
188	Spleen, disease of	5							1		1	
189	Stomach, disease of	70	26	2			2	1		2	8	
190	Suffocation	98	21	2	2		7	3		1	10	1
191	Suicide by cutting throat	6	2							1	2	
192	drowning	9	2	1		1				1		
193	hanging	25	8							1	5	
194	poison	64	10		1		1	3		9	9	
195	shooting	53	18				2			4	11	
196	(not specified)	15	8							2	1	
197	Sunstroke	46	10		3	1	2	1		3	8	
198	Surgical operations	18	4				1	1			2	
199	Tabes mesenterica	32	14	2			2	3		1		
200	Tetanus	56	21		2		3	5	1	1	4	
201	Trismus nascentium	38	10			1	1	4		1	6	
202	Tuberculosis (unclassified)	47	15	1		3	1			2	8	
203	Tubes, disease of	11	2							1	1	
204	Tumor	60	22	1	1		3			1	5	
205	Tumor of uterus	13	4					1			2	
206	Typhoid fever	398	133	5	5	3	22	5	3	19	46	5
207	Typhus fever											
208	Unknown	186	72	3		2	8	5	2	7	25	
209	Uremia	185	60	6	1	1	17	7		8	20	
210	Urethra, stricture of											
211	Urinary organs, disease of	4	1									
212	Uterine hemorrhage	8	2	1							2	
213	Uterus, disease of	6	1								1	2
214	Venereal disease	26	4	1		2	1			3	2	
215	Vomiting in pregnancy	1										
216	Whooping cough	329	77	2	29	1	4	15	4	8	31	
217	Worms	3	1									
218	Wounds	19	6				2				1	
219	Yellow fever											

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

NEW JERSEY—continued.													NEW MEXICO.			
Montclair town.	Newark.	New Brunswick.	Orange.	Perth Amboy.	Plainfield.	Town of Union.	Group 2, rural.	Morristown town.	Passaic.	Paterson.	Phillipsburg.	Trenton.	Total.	Group 1.	Group 2.	
																149
3	48	5	[illegible]	4	3	1	100	6	2	39	5	24	39	10	29	150
	2				1				1			1				151
									1							152
	1															153
4	39	16	8	4	4	3	93	3	3	27	3	31	40	11	29	154
	16						30			1						155
																156
		1					1			2						157
	6	1					2			1			1		1	158
6	41	7	6	2	1	2	31		6	26	1	14	6	5	1	159
	1															160
																161
	2												1		1	162
																163
	23	2	[illegible]				4		9	7		1	14	7	7	164
41	627	35	52	25	39	37	314	18	73	233	13	116	232	70	162	165
1	18		1	1	1	1	11		2	5		[illegible]	9	5	4	166
	4		1								1					167
[illegible]	68	7	7	8	5	7	36	3	15	59	3	29	3		3	168
	2	1					5				1					169
	6			1			2					1				170
							1						1		1	171
4	14	2		1	2	1	10		3	13	1	4	8	4	4	172
	1	1					2			1						173
2	27	8	2	[illegible]	2		50		3	24	5	13	12	5	7	174
																175
1	5	1	2			2	20	1		3	1	4	16	3	13	176
	3						5			1						177
																178
													1	1		179
	[illegible]		1		[illegible]		7		3	5		[illegible]				180
1	59	2	13		3	1	16		3	14	2	7	44	10	34	181
		2					1			1		1				182
1	26	1	4	1	2	1	14	2	6	20		2	5	3	2	183
	2					1	1		1	1			9	5	4	184
	2						2	1					287	56	231	185
1	13	[illegible]		2			6		2	2		3				186
	1						4						5	1	4	187
							2		1							188
	16	2					4		1	2	1	3	12	3	9	189
1	19	1	[illegible]				5	1	4	16	1	1				190
							1									191
	1						1			2			1		1	192
	[illegible]					1	5			2						193
	20		1			2	5			3			1		1	194
	8	1		1		2	4		1	1			2	1	1	195
	2					1				1			6	1	5	196
1	7		1	1			1	2	1	1	1	2				197
			1	1	2		1		1	4			2		2	198
	4		2	3						1			3	3		199
	4	1	1				1		3	6		3				200
	[illegible]	2	1	2				1		1		2				201
3	6	1	2		1	1	[illegible]			1			1		1	202
	1		2									1				203
	7	1	2	1		1	[illegible]	1	1	4		1	16	7	9	204
	4						1			1			2		2	205
1	26	4	5	2	2	1	40	3	10	31	2	25	102	35	67	206
																207
	9	1	4		1	3	28	2		9		5	404	89	315	208
	23	1	1	5	3		14	2	1	11	1	[illegible]	3		3	209
																210
			1					1				1	2	1	1	211
	1	1					1									212
1	1												1	1		213
	10		1									2	3	1	2	214
1																215
1	47	5	13		4		44	4	12	7	1	20	29	21	8	216
									2							217
	[illegible]						4					1	3	1	2	218
													3	2	1	219

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	NEW YORK.											
		Total.	Group 1, rural.	Mount Vernon.	New Rochelle.	New York.						Peekskill.	Yonkers.
						Total.	Bronx borough.	Brooklyn borough.	Manhattan borough.	Queens borough.	Richmond borough.		
1	All causes	130,268	4,207	411	246	70,229	3,624	23,263	39,331	2,642	1,369	206	781
2	Abortion	55	2		1	41	1	14	25	1			
3	Abscess	117	4			67	1	12	48	6			
4	Abscess, lumbar and psoas	14				4		2	2				
5	Absorbent system, disease of	20				8	2	1	5				
6	Accidents and injuries (not specified)	488	18	4		120	11	31	70	4	4		5
7	Addison's disease	41		1		12		3	9				
8	Adenitis	17				11		2	8		1		
9	Alcoholism	609	12		1	450	21	97	323	7	2	1	1
10	Anemia	349	14	1	1	94	6	27	47	10	4	1	1
11	Aneurism	111	6		1	70	6	10	52	1	1		
12	Angina	82	3			26	2	10	13		1		
13	Angina pectoris	442	11		1	141	4	40	87	4	6	1	3
14	Aphthae	42	2			19	2	9	5	3			
15	Apoplexy	5,712	238	12	12	2,442	167	869	1,241	121	44	9	29
16	Appendicitis	736	16	3	2	429	14	117	272	13	13	3	8
17	Arteries, disease of	186	6			96	4	15	77				1
18	Ascites	21	1			1			1				
19	Asthma	169	2		2	92	2	51	29	9	1		2
20	Atrophy	39	2			19		12	7				2
21	Bile passages, disease of	24	2			13	2	4	6		1		
22	Birth, causes incident to	350	10	1	6	154	4	67	71	7	5	1	6
23	Bites												
24	Bladder, disease of	364	14	1	1	92	2	40	39	3	8		3
25	Bones, disease of	94	1			68	1	19	46	1	1		
26	Bowels, disease of	150	4	1		44		17	24	3			2
27	Bowels, obstruction of	596	20		2	264	16	100	137	8	3	2	6
28	Brain, disease of	1,068	54	5	3	385	27	145	189	19	5	2	2
29	Breast, disease of (puerperal)	1				1			1				
30	Bright's disease	7,446	190	21	8	4,847	227	1,592	2,760	166	102	14	30
31	Bronchitis	4,072	101	10	9	2,700	91	974	1,524	78	33	9	21
32	Burns and scalds	561	15	2	2	342	16	104	196	20	6		5
33	Calculus biliary	86	3		1	38		11	27			1	1
34	Calculus urinary	28	3			14	1	4	8		1		
35	Cancer (not specified)	911	37	3	1	285	6	69	155	8	49	1	1
36	of abdomen	265	9			130	7	39	81	2	1	3	1
37	bladder	40	1			23	2	9	10	2			1
38	brain	14				6		1	5				
39	breast	401	12	2		201	14	71	111	5		1	3
40	eye	3				2		1	1				
41	genitals	28	2			19	2	4	13				
42	head, face, and neck	185	2	2		77	3	26	44	3	1		2
43	kidneys	30	1		1	15	1	3	11				
44	larynx	27				24		9	13	1	1		
45	liver	471	10	1	1	239	12	95	128	4			1
46	lower extremities	7				4		2	2				
47	lungs	22				12		2	10				1
48	mouth, tongue, and throat	149	5			86	2	20	61	3		1	
49	ovaries	13				8	1		7				
50	penis	5				4		1	2	1			
51	rectum	174	5	1		105	3	31	66	4	1	1	
52	stomach	1,097	30	1	2	505	26	187	273	18	1		6
53	testicle	1											
54	upper extremities	9				5		4	1				
55	uterus	596	14	4	2	310	21	89	183	16	1	1	5
56	Carbuncle	18				11		3	5	3			1
57	Catalepsy												
58	Cerebro-spinal fever	517	7	1	1	289	23	82	176	4	4		1
59	Chicken pox	4	1			2			2				
60	Childbirth	235	3			130	10	36	78	4	2	1	
61	Cholera infantum	3,016	124	2	3	1,653	79	747	697	88	42	5	20
62	Cholera morbus	334	7			93	5	49	34	3	2		2
63	Chorea	20	2			6		3	2	1			
64	Circulatory system, disease of	15				5		1	4				
65	Colic	51	2			22		13	7	2			
66	Colitis	297	14	2		171	1	50	97	4	19		1
67	Constipation	27	1			22	6	12	4				
68	Consumption	14,110	447	30	14	8,349	501	2,613	4,842	245	145	22	102
69	Convulsions	1,464	50	10	3	670	34	168	405	48	15	3	6
70	Croup	619	17			356	11	172	157	12	4		
71	Cyanosis	264	4	2		189	9	142	36	2			1
72	Debility	3,282	145	30	8	2,033	75	725	1,100	95	38		13
73	Dentition	192	3			157	2	101	52	1	1		
74	Diabetes	761	26	4	1	353	24	96	215	9	9	1	2
75	Diarrhea	1,063	58	2	1	591	7	260	300	15	9	3	2
76	Digestive system, disease of	384	17			165	2	83	77	1	2		3

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

NEW YORK—continued.																
Group 2, rural.	Glens Falls.	Ogdensburg.	Group 3, rural.	Kingston.	Middletown.	Newburg.	Port Jervis.	Group 4, rural.	Buffalo.	Dunkirk.	Jamestown.	Lockport.	Niagara Falls.	Rochester.	Watertown.	
4,062	242	204	3,556	442	253	500	149	6,958	5,207	172	288	259	297	2,446	356	1
2			2					1								2
6			6	1		1		3	6	1				4		3
2			1					3								4
								3			1				1	5
28	1	1	19	4		2		51	18	1	2	1	4	14	3	6
2			1					6	2						1	7
								1	1					1		8
1	1		9	3				15	28		1	1	1	6		9
28	1	2	16	1		4		33	15	1	2	3		13	3	10
3			1					3	2					4		11
5		1	6	1				8	4			1	3	1		12
20	2		26	2		4	1	49	20	2	1	4	1	7		13
3			1					3						1		14
182	18	8	225	17	24	27	9	382	185	6	11	7	5	131	12	15
25	1	1	12	3		1	3	41	31			1	1	16	2	16
2			6					12	12	1				15		17
2			2				1	1	1					1		18
4	1		5			1		10	5					4	2	19
1								3	9							20
1			1					1	1					1		21
12	2	4	7		1			21	31		1		1	2	2	22
																23
19	1		8	4		1		43	10	1	2	1		7	2	24
2			1	2				2	3					1		25
9	1		8			1	1	11	9	1			1	3		26
21	1	2	9	1	1		1	33	36	6			3	20	2	27
56	3	4	41	5	2	5	1	68	39	3	1	4	2	11	3	28
																29
169	5	17	136	15	15	30	11	269	227	8	11	10	14	131	8	30
69	5	5	99	14	1	14	1	101	231	6	7	10	5	84	7	31
13	1		10	1	1	3		30	24	3				2		32
3			3					4	2			1		4		33
2			1		1			2	1							34
53			34	4		5		86	30	2	1	6	4	15	3	35
14	2	3	7	2				10	12			1		9		36
								3			1			1		37
								1						1		38
13			12	1		3	1	28	14			1		9	1	39
								1								40
1								1								41
10			12	2		1	1	15	5					7	1	42
1	1				1				4					1		43
						1			1					1		44
11			12	1		2		27	18	3	1	1		19		45
									1							46
								1						3		47
4			3			2		10	11							48
								2								49
									1							50
4			5			1		11	7			1	1	7	1	51
34	3	1	48	2	2	2	1	76	49		3	6	4	21	2	52
																53
			1						1							54
18	2	1	8	1	1	3	2	37	30			1	4	14	5	55
1								1	1					1		56
																57
26	1		25	5	1	2		23	32			1		3	4	58
																59
8	1		7	1				12	4			2	1	4		60
110	9	12	76	13	6	7	1	130	192	5	4	10	6	58	24	61
30	3		14	2		1	1	41	15		1	7	3	9	4	62
								2						1		63
3							1	2	1							64
3			1					3	5							65
5			9	1				21	12	1	1		1	8		66
			1													67
398	29	27	370	52	28	63	17	624	464	12	34	18	23	250	40	68
38	2	1	48	6	2	11	2	78	75	3	7	3	12	52	7	69
24	2		18		1	3	1	26	23	2	1	2		9	1	70
10			4	4	1			4	7	1	1			4		71
69	3	1	55	10	5	12	3	75	72		6	3	16	66	7	72
6			3			1			13				1			73
24			26					57	46	2	4	1	1	21	1	74
38	1	3	21	1			1	48	62	2	1	1	2	13	1	75
16		1	11		2		1	47	21	1	1	1	1	6	6	76

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	NEW YORK.											
		Total.	Group 1, rural.	Mount Vernon.	New Rochelle.	New York.						Peekskill.	Yonkers.
						Total.	Bronx borough.	Brooklyn borough.	Manhattan borough.	Queens borough.	Richmond borough.		
77	Diphtheria	2,673	47	3	4	1,922	97	670	1,058	61	36	8	6
78	Dislocations	21				3		1	2				
79	Dropsy	383	7	1		18		9	9				
80	Drowning	846	50		1	373	21	115	179	34	24	2	2
81	Dysentery	676	57			304	21	119	139	22	3		3
82	Ear, disease of	35	1			25	1	5	18		1		
83	Electricity	24				11		6	4	1			
84	Elephantiasis	2				2	1		1				
85	Embolism	92	2			37	2	9	22	2	2	1	2
86	Enteritis	4,664	139	35	8	3,623	193	1,224	1,929	199	78	9	68
87	Epilepsy	322	30	1		110	4	28	71	5	1		2
88	Erysipelas	426	12		1	272	9	66	183	12	2	1	
89	Esophagus, obstruction and stricture of	27	1			8		1	6	1			3
90	Execution	19	4			3		1			2		
91	Explosion	27	6			9		1	8				1
92	Exposure and neglect	44				13	2	3	4	2	2		
93	Extra-uterine pregnancy	36		1		26		8	18				
94	Eye, disease of	5				3	1	1	1				
95	Falling bodies	38	1			15	2	2	11				
96	Falls	552	10			426	27	67	328	1	3		1
97	Female organs of generation, disease of	34	2			10		1	9				
98	Fever	18				2		1	1			1	
99	Foreign bodies in esophagus	16				13		4	9				
100	Fractures	842	15	1	1	510	13	164	271	49	13	3	5
101	Frozen	9	1			1			1				
102	Gangrene	379	18	1		105	4	40	57	3	1	1	2
103	Gastritis	1,045	42	10	2	461	21	184	233	17	6	2	12
104	General disease (not specified)	2				1			1				
105	Goiter	13	2			1		1					
106	Goiter, exophthalmic	27	1			11		1	10				
107	Gout	5				1			1				
108	Gunshot wounds	225	16	2	2	101	8	50	36	6	1		8
109	Heart disease	9,668	362	15	17	4,339	239	1,535	2,340	140	85	10	72
110	Hemophilia	13				8		3	5				1
111	Hemorrhage	331	17	4	1	69	3	27	32	5	1		2
112	Hernia	302	6			167	8	55	94	4	6		2
113	Hip joint, disease of	30				18	2	5	11				
114	Homicide	91				72	4	7	55	4	2		
115	Hydrocephalus	1,013	22	5		764	36	217	473	28	10	2	16
116	Hydrophobia	3	1			2			2				
117	Inanition	985	27	2	2	401	33	128	197	20	23		4
118	Infanticide	2				1			1				
119	Inflammation and abscess of liver	287	6			148	8	53	79	7	1	1	1
120	Inflammation of brain	148	6			26	1	11	12	1	1		
121	Influenza	1,453	72	1	2	535	16	199	291	20	9	3	9
122	Injuries by machinery	10				2			2				
123	Jaundice	215	14	1		84	2	29	47	5	1		5
124	Joints, disease of	46	1		1	29	1	6	21		1		
125	Kidneys, disease of	499	16	3		281	12	97	163	5	4	1	3
126	Laryngitis	171	6		1	87	5	39	39	4		1	2
127	Larynx, disease of	37	4	1		13		11	2			1	
128	Lead poison	20	1			13	6	5	1	1		1	1
129	Leprosy	3				3		2	1				
130	Leucocythemia	55	4			30	3	6	17	2	2		
131	Lightning	13											
132	Liver, disease of	1,220	39	1	1	690	39	222	376	40	13	2	5
133	Locomotor ataxia	113	2	1		42	6	11	22		3		3
134	Lost at sea	1	1										
135	Lungs, disease of	1,433	52	8	7	662	24	246	350	24	18	5	19
136	Lymphangitis	3				1				1			
137	Malarial fever	308	23		6	168	30	56	53	27	2	1	2
138	Male organs of generation, disease of	3				2		1	1				
139	Malformation	447	16	1		218	13	91	106	6	2		4
140	Malignant pustule	4				2		2					
141	Measles	1,174	13	8	11	801	73	258	443	12	15	8	1
142	Meningitis	2,602	89	5	4	1,407	66	497	767	50	27	7	27
143	Mental disease	445	18		1	168	7	54	98	7	2		3
144	Mining accidents	2											
145	Mumps	10				5		2	3				
146	Nervous system, disease of	191	7			46	6	13	25	1	1		1
147	Noma	14	1	1		9	1	4	4				
148	Nose, disease of	1				1			1				

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

NEW YORK—continued.																
Group 2, rural.	Glens Falls.	Ogdensburg.	Group 3, rural.	Kingston.	Middletown.	Newburg.	Port Jervis.	Group 4, rural.	Buffalo.	Dunkirk.	Jamestown.	Lockport.	Niagara Falls.	Rochester.	Watertown.	
44	4		40	2	3	5	1	76	70	5		3	3	37		77
			1	1				1	4				1	1		78
22		1	34	5	2			50	12		3	2	3	7		79
42	1	3	29	5		4		61	34		2	4	5	11	1	80
30		1	24	1		1	2	43	32	1	1	2	4	15		81
			1					2	3							82
								2	1				2	1		83
																84
5			4					5	2	2				2		85
34	1	1	54	2	3	11	1	75	157	3	5	2	6	44	8	86
31	2		19		1			23	18	1	3			4		87
14	2	1	14	5		1	1	14	7		1			6	1	88
1								3	1					1		89
1			1					2								90
1			3					2								91
6			2					3	5							92
2									1							93
1																94
5			2					2							1	95
6			15					23	12				1	6		96
4			1					2	1							97
								7	2		1					98
1									1							99
17	1	1	20	3	1	4	2	26	40			1	3	3	2	100
			1					4							1	101
20		1	14	1			1	38	17	3	1	2	3	4	2	102
21	3	1	32	8	4	3	1	75	42	5	1	3		17	1	103
																104
			1					2	2							105
5								3	2							106
								1								107
13			8	1		1	2	15	2				2	6		108
359	20	25	284	44	26	57	11	769	380	9	34	24	15	243	34	109
														2		110
11		1	11	2	2			21	13		1	2	3	13	4	111
6		2	10		2	1		21	13	2	1			1		112
1			1												1	113
1								2	2		1		1	1		114
26	1	1	12	1	2	1		18	28		3	2	1	18	1	115
								2	2							116
38	3		33	1	2	9	1	69	94	1	1	1	5	19	12	117
														1		118
7			4		1	1	1	27	9		3	1	1	8	1	119
21	2		8	1	1	1		21	6			2		4	1	120
62	5		84	6	1	1	4	155	39	3	2	4	3	9	2	121
			1					2		1						122
9	1		9	3	1			22	12		1	2		8	1	123
			3					4	1							124
22	1	2	14	2				20	16		1	1		9		125
3			6	1				3	9			3	1	4	1	126
1			3					4	1	1					1	127
1	1								2							128
																129
4			1					5	3					2		130
3				1				1							1	131
29	1	3	27	8	6	5	1	65	47		3	3	4	25	2	132
6						1		11	8					1		133
																134
37	4	1	39	4	4	5	1	68	71	3	6	5	3	44	2	135
																136
4			15	4	1			14	8					1	1	137
																138
23			12	1	1	2		33	27	1	1		1	2		139
																140
3			36	11	1	2		42	101		1	3	6	5		141
89	3	7	40	13	4	18	3	99	126	3	2	6	3	75	9	142
14			29	3	25			25	23					13	1	143
1																144
				1	1										1	145
7			11			2		24	7			1		4		146
		1														147
																148

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	NEW YORK.											
		Total.	Group 1, rural.	Mount Vernon.	New Rochelle.	New York.						Peekskill.	Yonkers.
						Total.	Bronx borough.	Brooklyn borough.	Manhattan borough.	Queens borough.	Richmond borough.		
149	Obesity	1											
150	Old age	3,658	141	7	7	878	51	291	444	41	51	2	7
151	Ovarian tumor	80				44		12	31	1			1
152	Ovaries, disease of	32				24		9	13	2			
153	Pancreas, disease of	9				5		1	4				
154	Paralysis	2,083	113	4	2	469	20	158	249	26	16		3
155	Paralysis general (of insane)	131	11			55	3	29	21	1	1		1
156	Parasites												
157	Pelvic abscess (female)	60				32		9	23				
158	Pericarditis	168	3		1	80	2	33	38	4	3	1	2
159	Peritonitis	1,111	40	5	1	376	16	102	224	22	12	1	12
160	Pharyngeal abscess	14				11	1	4	6				
161	Pharynx, disease of (not specified)	1											
162	Phlebitis	31				24	1	5	16	2			
163	Phlegmasia dolens	1				1	1						
164	Pleurisy	405	6	1	1	259	12	73	166	6	2	1	2
165	Pneumonia	16,604	386	89	30	11,132	539	3,371	6,697	359	166	20	78
166	Poisons (not specified)	528	10		5	361	7	144	196	11	3	1	5
167	Pregnancy, affections connected with	56	4	1		26	1	13	11	1			
168	Premature birth	2,263	65	6	5	1,287	69	318	830	45	25	5	18
169	Prostate, disease of	110	4			32	1	9	22				
170	Puerperal convulsions	140	2			75	5	16	50	3	1		
171	Puerperal mania	7	1			4		3	1				
172	Puerperal septicemia	452	6	1		323	18	127	167	8	3		4
173	Purpura	43	2			23	1	8	13	1			
174	Railroad accidents	615	30		1	124	26	25	64	3	6	2	2
175	Respiratory system, disease of	4											
176	Rheumatism	493	14	2		204	21	60	109	10	4	2	4
177	Rickets	44	1			27	3	5	18	1			1
178	Roseola	1				1			1				
179	Rupture of bladder	8				5		3	2				
180	Sarcoma	205	4			97	6	24	61	4	2		3
181	Scarlet fever	812	13		4	572	25	192	331	24			2
182	Scrofula	36	1			15	1	2	10	2			
183	Septicemia	572	20	7	1	161	10	48	95	2	6		2
184	Skin, disease of	77	2			36		16	20				1
185	Smallpox	16	1			13	4	1	8				
186	Spinal cord, disease of	245	3	1		103	0	41	48	4	4		
187	Spine, disease of	87	3			46	2	9	30	4	1		
188	Spleen, disease of	11				1			1				
189	Stomach, disease of	362	13	1	1	149	6	46	91	4	2	2	1
190	Suffocation	282	19	3		111	4	20	66	7	14		
191	Suicide by cutting throat	37	1			18	1	3	13	1			
192	drowning	27	2		1	4	1		3				
193	hanging	165	5			69	2	24	33	10			
194	poison	258	2			191	16	7	156	11	1		
195	shooting	157	1			99	8	5	76	7	3		1
196	(not specified)	127	5			72	1	2	66	1	2		
197	Sunstroke	112	3			88	4	33	42	6	3		3
198	Surgical operations	71	1			21	1	3	16		1		
199	Tabes mesenterica	158	5			65	4	42	18	1			
200	Tetanus	147	9	1	1	63	8	20	29	5	1	2	5
201	Trismus nascentium	57	9			42		27	13	1	1		
202	Tuberculosis (unclassified)	196	4	1		133	20	35	76	2			3
203	Tubes, disease of	84			1	70	1	19	49	1			
204	Tumor	199	2			72	3	21	48				2
205	Tumor of uterus	131	3	1		66	1	27	37	1			2
206	Typhoid fever	1,776	40	1	1	594	21	245	275	36	17		6
207	Typhus fever												
208	Unknown	580	48	3	10	89	1	24	56		8	3	1
209	Uremia	638	23	3	1	196	10	60	111	12	3	1	6
210	Urethra, stricture of	9				2			8				
211	Urinary organs, disease of	35				14	1	3	9	1			
212	Uterine hemorrhage	16				6	1	1	3		1		1
213	Uterus, disease of	31				18	1	4	12	1			
214	Venereal disease	208	2			152	11	30	104	4	3		
215	Vomiting in pregnancy	7				5		1	4				
216	Whooping cough	988	19	2	8	666	52	287	291	26	10	5	1
217	Worms	6	1			2			2				
218	Wounds	80	1			54		21	33				
219	Yellow fever	1				1			1				

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

NEW YORK—continued.																
Group 2, rural.	Glens Falls.	Ogdensburg.	Group 3, rural.	Kingston.	Middletown.	Newburg.	Port Jervis.	Group 4, rural.	Buffalo.	Dunkirk.	Jamestown.	Lockport.	Niagara Falls.	Rochester.	Watertown.	
					1											149
230	7	6	139	12	4	16	11	402	125	2	12	10	5	86	15	150
			3			1		3	2	1				1		151
1								1	1							152
								2								153
135	2		102	11	7	11	5	232	53	2	4	14	1	50	5	154
15			2		3			6	10		1	2		1		155
																156
3			1		1			2	4						1	157
4			7					12	9	1		1		6		158
49	4		43	3	2	6	4	75	60	4	8	3	7	67	5	159
								1						1		160
																161
2																162
																163
9			3		1			12	14		2			9		164
365	26	14	353	28	16	77	11	523	559	14	20	15	34	217	34	165
11	1		6	1		1	1	20	16		2		1	1	2	166
3			1					2	5					2		167
51	4	5	46	9	9	5	2	116	155	4	8	3	6	3	12	168
9	1		3		1		1	13	11		1			2		169
9	2		6					5	1				1	4		170
			1													171
7	1		8	2	1			17	17	1				3		172
2		1	1	1				2	5							173
9			26	4	5	2	5	78	59	1	2	2	4	20	2	174
1											1					175
13	1		26	4	1			25	13		1	1	1	5	3	176
1								2	1					2		177
																178
																179
6	1	1	4	1		2		13	9					4		180
17	13	7	21	2				23	29	9	1	1		6	1	181
3								5	1							182
18	5		24	9		4	1	55	20	2		1	3	28	1	183
6			3	1			1	5	4							184
																185
13			12	2	2			16	9		1			2		186
7	1		2					5	3			1				187
1								3	1							188
10	1	2	13	1			1	39	11		1	2	1	6		189
9		3	8	2		1		16	11	1			1	5		190
			3					1			1			5		191
1								4	4				1	1		192
8			4					17	4					6		193
2			2					7	10					6	3	194
2			2				1	8	6		1			7		195
5			3					15	2	1				7		196
				2					4			1	1			197
1			2					7	6	1	1			8		198
7		1	7		1	1		19	10	1	1	1		2	1	199
2	1	1	8		1	2	1	4	6		3			2		200
1									3							201
3	1		2					12	10		1			4		202
1								2	3	1				1		203
13	1	2	7	1			1	15	5		1	1		5		204
4			3		1		2	7	8			1		4		205
104	5	11	61	5	3	10	3	134	88	6	16	3	24	38	18	206
																207
60	2	1	30	6		5		59	24		2	4	2	6	1	208
26	2	1	16	3		6		40	47	6	4	1	2	25	1	209
																210
2			1					2	1							211
			1	1					1							212
1								4								213
2			1					5	16					8	2	214
																215
25	2		32	8	2		3	40	29	3		2	1	8	1	216
								1								217
1			1					1	4		1			3		218
																219

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	NEW YORK—continued.											
		Group 5, rural.	Albany.	Amsterdam.	Auburn.	Binghamton.	Cohoes.	Corning.	Cortland.	Elmira.	Geneva.	Glovers-ville.	Hudson.
1	All causes	17,123	1,813	336	521	698	484	199	120	550	153	217	208
2	Abortion	2		2		1							
3	Abscess	7	3							1			
4	Abscess, lumbar and psoas	2											
5	Absorbent system, disease of	3	1				1						
6	Accidents and injuries (not specified)	128	10	4	1	3	1	1	1	3		1	
7	Addison's disease	11	1										
8	Adenitis	2	1										
9	Alcoholism	42	11		2	2				2	2		
10	Anemia	79	6		1					3	1	2	
11	Aneurism	14						1					1
12	Angina	14	1		2				1			1	
13	Angina pectoris	104	10	2	2	3		2		2			
14	Aphthae	7				2	1						
15	Apoplexy	1,112	82	14	35	44	21	12	10	25	9	8	14
16	Appendicitis	78	9	5	2	10	2			2		2	1
17	Arteries, disease of	27	2								1		1
18	Ascites	10											
19	Asthma	28	2			2							
20	Atrophy		2										
21	Bile passages, disease of	2								1			
22	Birth, causes incident to	42	3			1	10	1	1	3		2	1
23	Bites												
24	Bladder, disease of	110	6	1		3	2	1	1	1			1
25	Bones, disease of	8		1									
26	Bowels, disease of	41	1		1	3	1				1		1
27	Bowels, obstruction of	107	5	1	1	4		1	2	5	3		2
28	Brain, disease of	238	36	2	9	7	3		3	2	2	3	2
29	Breast, disease of (puerperal)												
30	Bright's disease	752	92	7	14	26	16	6	1	32	7	14	6
31	Bronchitis	292	55	7	14	26	9	1	3	19	4	7	8
32	Burns and scalds	62	6	2	4		7			4		1	
33	Calculus biliary	19	1										
34	Calculus urinary	3											
35	Cancer (not specified)	234	12	9	1	3	1	1		4	3	1	2
36	of abdomen	40	5		2	2			1		1	1	
37	bladder	5	1				1						
38	brain	4								1			
39	breast	57	4	1	2	4	1			2	1	1	
40	eye												
41	genitals	2	1		1								
42	head, face, and neck	31	3	1		1				1			
43	kidneys	5											
44	larynx												
45	liver	68	4	1	5	1	4	1	1	4	2	1	1
46	lower extremities	1	1										
47	lungs	3	1										
48	mouth, tongue, and throat	14	1			1	1						
49	ovaries	2											
50	penis												
51	rectum	15	3		1			1		1	1		
52	stomach	201	17	4	11	5	2	2	1	2		1	1
53	testicle		1										
54	upper extremities	1											
55	uterus	76	8		2	1	1	1		3	1	2	2
56	Carbuncle	2											
57	Catalepsy												
58	Cerebro-spinal fever	48	12		3		2	2		1	1		
59	Chicken pox		1										
60	Childbirth	39	2	1	2	1		1					
61	Cholera infantum	275	22	14	15	14	31	6	2	3	1	8	2
62	Cholera morbus	65	5	1	1	6	1	1		2	1	1	
63	Chorea	8			1								
64	Circulatory system, disease of	2	1										
65	Colic	10											
66	Colitis	21	5	1					1	1		1	
67	Constipation	3					1		1				1
68	Consumption	1,402	236	39	46	68	57	19	10	63	11	18	15
69	Convulsions	162	46	10	6	11	8	1	1	12	2	2	4
70	Croup	68	6	1	4	8	5	2		3	1	1	2
71	Cyanosis	22	1			1				1			
72	Debility	255	90	5	6	22	30	2		9	3	9	7
73	Dentition	3	1		1						1		
74	Diabetes	125	9	3	1	3	2	2	1	8	2	1	3
75	Diarrhea	122	10	3	2	6	1		3	3			6
76	Digestive system, disease of	52	7	2		2		2		1		2	1

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

NEW YORK—continued.												NORTH CAROLINA.			
Ithaca.	Johnstown.	Lansingburg.	Olean.	Poughkeepsie.	Rome.	Saratoga Springs.	Schenectady.	Syracuse.	Troy.	Utica.	Watervliet.	Total.	Group 1, rural.	Wilmington.	
214	135	248	119	496	267	265	479	1,494	1,393	990	275	21,068	5,313	565	1
1												12	2		2
	1						3	2			1	24	5	1	3
					1			1				2	1		4
						1			1			2			5
1	2		2	3	2	3	3	10	5	7	1	89	17	3	6
								1	2	1		2	1		7
												1			8
1			1	1	1	1		4	2	6		31	6	1	9
		1	1	2	2	1	2	6	5	1	2	19	4		10
								2	1	2		8	1	3	11
				1					2	1		22	5		12
3			1	1	2		1	7	6			28	6	4	13
				1			1				1	54	18	2	14
12	13	9	10	36	12	18	30	73	60	52	10	187	51	16	15
	1	2		1	2	1	8	8	2	6		52	14		16
									4			2			17
								1				51	14	2	18
			1				4		1	1		61	26	5	19
								1							20
										1		1			21
1		4		6		1	2	4	2	1	3	13			22
												5	1		23
3	3		1	4		3	1	6	1	6		28	6		24
1		1						2	1			6	1		25
								4	1			149	49	2	26
2			2	1			2	10	6	11	1	37	9	3	27
1	1	1	2	14	2	1	5	19	6	10		148	45	4	28
															29
10	8	20	1	11	4	24	17	70	56	53	13	243	61	10	30
5		7	5	9	7	4	14	39	26	15	4	290	54	8	31
2				1	2	3	3	5	3	2		281	81	7	32
						1		3	2			7	2		33
									1			43	11		34
4	1	1		10	2	4	2	9	13	12	8	118	23		35
1			2				2	3	1	1		6			36
				1				2				1			37
		1										1			38
	1	2		4	1		2	8	4	8	1	47	18	2	39
												3			40
							1					3	1		41
1			1					5	2	2		38	12		42
												1			43
															44
	1	1	1		4	1	1	13	3	5	1	9	2	1	45
												4			46
			1									2			47
		1	1	1	1			4				11	5	1	48
								1							49
												1			50
							1	1				1		1	51
2	1	1	1	3	2		1	24	8	8	1	47	9	2	52
															53
				1								2			54
2			3	1	2	4		11	5	8		55	16	1	55
												7	2		56
												1		1	57
1		2		2	3	2		9	6	1		46	14		58
															59
1				5			1	2	4	2		167	72	3	60
1	2	6	2	5	5	7	17	35	53	10	11	439	140	23	61
		1	2	5	1	1		7				124	20	8	62
												1			63
												1			64
					1				1			71	18	3	65
		1		4				2	8	3	2	34	10	2	66
												22	4		67
24	10	29	7	60	22	29	35	143	208	119	27	2,350	520	54	68
2	5	4	4	16	3	1	12	22	24	14	3	157	36	15	69
		4				1	2	3	13	2	7	503	41	1	70
	1					2		3	1			2		1	71
4	4	6	1	18	2	11	27	19	72	37	11	126	15	23	72
		1		1								92	23		73
	2		1	2			3	11	4	5		55	3	1	74
2		1		2	8		3	11	23	3	2	257	65	7	75
	2		1	1			1	6	1	2	1	120	38	3	76

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES; STATE

	CAUSE OF DEATH.	NEW YORK—continued.											
		Group 5, rural.	Albany.	Amsterdam.	Auburn.	Binghamton.	Cohoes.	Corning.	Cortland.	Elmira.	Geneva.	Gloversville.	Hudson.
77	Diphtheria	139	46	6	14	33	14	6	1	5	1		1
78	Dislocations	7	1										
79	Dropsy	177	1	4	2		5	2		4			
80	Drowning	143	10	7	2		4	2	1	2	1		
81	Dysentery	115	5	2	3	3	1		1	1		4	
82	Ear, disease of	2											
83	Electricity	2	1		1								
84	Elephantiasis												
85	Embolism	21	2	1		1							
86	Enteritis	185	20	5	9	18	7	1		9	6	6	5
87	Epilepsy	63	4		2	2	1	1					
88	Erysipelas	33	5	2	2	1	1	1		1			1
89	Esophagus, obstruction and stricture of	3	2	1									
90	Execution	5			3								
91	Explosion	4								1			
92	Exposure and neglect	14								1			
93	Extra-uterine pregnancy	2	2			1							
94	Eye, disease of	1											
95	Falling bodies	10				1							
96	Falls	33				1		1	1	1	1		
97	Female organs of generation, disease of	9				1	1						
98	Fever	5											
99	Foreign bodies in esophagus	1											
100	Fractures	91	26	1	4	[illegible]	3		1	3	3	1	1
101	Frozen	1											
102	Gangrene	109	1		7	1	2		2	1			
103	Gastritis	194	29	1	4	7	2	1		3	3	1	3
104	General disease (not specified)	1											
105	Goiter	4				1							
106	Goiter, exophthalmic	4			1								
107	Gout	1											
108	Gunshot wounds	32	2			2	1			1	1		
109	Heart disease	1,652	140	23	39	47	20	13	[illegible]	35	20	26	17
110	Hemophilia	1											
111	Hemorrhage	91	7	1		3		1		4	1		2
112	Hernia	48	5	1	2	1				1			
113	Hip joint, disease of	4			1		2						
114	Homicide	8			1	2							
115	Hydrocephalus	47	7		4		1					1	1
116	Hydrophobia	1											
117	Inanition	149	9	7	4	5	3	2	2	1	2		1
118	Infanticide												
119	Inflammation and abscess of liver	36	8	2	2	3	1			1			1
120	Inflammation of brain	32	1	1	3					3			
121	Influenza	313	21	6	2	5	4	4	1	13		2	6
122	Injuries by machinery	3		1									
123	Jaundice	29	5		4		1			1			
124	Joints, disease of	4											
125	Kidneys, disease of	68	7	1		[illegible]	2	1		3	2		1
126	Laryngitis	21	2			1		1		2			1
127	Larynx, disease of	3				1							
128	Lead poison												
129	Leprosy												
130	Leucocythemia	4										1	
131	Lightning	7											
132	Liver, disease of	160	17		6	5	4	4		4			4
133	Locomotor ataxia	23	1		1	2				1		2	
134	Lost at sea												
135	Lungs, disease of	192	36	5	7	14	8	4	3	15	1	2	5
136	Lymphangitis	1											
137	Malarial fever	36	1		4	3		2					1
138	Male organs of generation, disease of	1											
139	Malformation	61	2		5	4	1		2	2	2	2	
140	Malignant pustule						1			1			
141	Measles	58	22		1		6			1			2
142	Meningitis	245	41	14	12	19	20	6		15		4	4
143	Mental disease	77	9	2	1	2		1	1	7			
144	Mining accidents	1											
145	Mumps	1			1								
146	Nervous system, disease of	55	5		1	1	1			1		1	
147	Noma	2											
148	Nose, disease of												

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

NEW YORK—continued.												NORTH CAROLINA.			
Ithaca.	Johnstown.	Lansingburg.	Olean.	Poughkeepsie.	Rome.	Saratoga Springs.	Schenectady.	Syracuse.	Troy.	Utica.	Watervliet.	Total.	Group 1, rural.	Wilmington.	
4		12		4		1	13	20	20	47	3	120	22	4	77
				1								1	1		78
	3		1	1	3			2	4	6	1	501	162	7	79
			2	2	3		6	13	6	6	6	81	31	7	80
		1	2			1	1	6	6	2	1	514	122	5	81
		1										3			82
								2		1					83
												2	1		84
						2	1	1		1		2			85
1	5	5	2	10	2	5	12	29	14	16	3	150	29	25	86
				1						3		120	30	1	87
		2	2	1	1		2	9	3	4	2	63	17	2	88
								3				1		1	89
												2			90
												2			91
												39	11	2	92
								1				2	2		93
															94
							1					16	8		95
2				1			1	6	1	1	2	49	11		96
								2			1	14	4		97
												123	39	2	98
												9	4		99
1		5			1		12	9	8	7		22	1	2	100
												3			101
		1		3		1	3	2	5	5	2	10	2	2	102
	2	1		1	7	2	6	13	7	7	5	164	39	5	103
															104
												4	1		105
															106
							2								107
					2			4	1			75	14	3	108
22	15	13	4	48	30	23	35	101	94	68	25	1,135	285	37	109
											1	1		1	110
			1	2		2	3	9	14	7	6	60	18	3	111
		2					1	3	1	3		30	5	1	112
					1			1				4	1		113
												48	14		114
1		2	1		1	1	1	6	5	8	2	26	3	3	115
												4			116
	2		3	2	5	7	4	34	7	10	1	64	12	6	117
												1			118
							1	3	3	5	1	60	18	1	119
		1						3		4		150	27		120
6	2	6	6	3	1	3	2	11	12	13	9	799	179	18	121
												13	3		122
	1			1		1		1	1	1	1	70	10		123
							1			2		5	1		124
1			1	1		1	2	7	4	2		97	22	5	125
			1	2	1		1	4	4	1	1	9	2	3	126
		1			1					1		4		2	127
												2			128
															129
										1		1			130
												13	4		131
4	1	2	1	2	2	5	1	8	12	9	2	90	25	2	132
1		1			2			2	2			4			133
												1			134
3		2	3	7	5	4	17	9	21	16	4	80	23	3	135
								1							136
				5	1	1		5	1			527	250	28	137
															138
1	1			2	1		2	5	5	5	1	27	2	2	139
															140
2			1	4				3	19	1		223	58		141
8	3	7	2	11	9	4	22	42	32	28	15	320	61	5	142
	1			6	2		2	5	2	3	1	43	15		143
												3			144
												6	4		145
1			2	2	1		1	4	4	1		54	6	4	146
												1	1		147
															148

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	NEW YORK—continued.											
		Group 5, rural.	Albany.	Amsterdam.	Auburn.	Binghamton.	Cohoes.	Corning.	Cortland.	Elmira.	Geneva.	Glovers-ville.	Hudson.
149	Obesity												
150	Old age	1,134	57	7	17	30	4	5	3	22	5	11	8
151	Ovarian tumor	14	1			1				1		1	
152	Ovaries, disease of	2								1			
153	Pancreas, disease of		1				1						
154	Paralysis	595	33	7	9	18	14	5	6	19	5	6	13
155	Paralysis general (of insane)	15	2	1									
156	Parasites												
157	Pelvic abscess (female)	5	1			1		1			1	1	
158	Pericarditis	16	4		1		1	1			1		
159	Peritonitis	191	19	4	11	11	7	1	4	8		2	1
160	Pharyngeal abscess	1											
161	Pharynx, disease of (not specified)									1			
162	Phlebitis	3											
163	Phlegmasia dolens												
164	Pleurisy	48	6			1	2	1		4	2		1
165	Pneumonia	1,431	167	34	55	60	46	29	10	39	9	15	23
166	Poisons (not specified)	44	13	1	1	4	2		1	1	1		
167	Pregnancy, affections connected with	9	1			1							
168	Premature birth	216	13	10	3	9	16	4	2	20	3	8	6
169	Prostate, disease of	27								2			
170	Puerperal convulsions	26	2		2					1		1	
171	Puerperal mania												
172	Puerperal septicemia	37	4	3	4	1		1	1				
173	Purpura	3	1										
174	Railroad accidents	176	8	2	1	1		8	1	5	1	2	
175	Respiratory system, disease of	2											
176	Rheumatism	114	4	2	2	1	3	1	4	6		2	
177	Rickets	3					1			1			1
178	Roseola												
179	Rupture of bladder		1			1							
180	Sarcoma	36	2	4	1	2			1	3			1
181	Scarlet fever	54	11	3	1	7		3	3	2	2	1	
182	Scrofula	11											
183	Septicemia	113	19	3	3	4		1	1	6	2	3	1
184	Skin, disease of	10	1							1	1		
185	Smallpox		1										
186	Spinal cord, disease of	58	3	4	2							2	
187	Spine, disease of	9	2	2	1						2		
188	Spleen, disease of	5											
189	Stomach, disease of	74	2			1	1		3	3		1	1
190	Suffocation	60	3			1	2	1	1		1	1	
191	Suicide by cutting throat	8											
192	drowning	4								1			
193	hanging	43	3			1							
194	poison	26		1		2		1					
195	shooting	21		1		1				1		1	
196	(not specified)	10			2			2		1			
197	Sunstroke	2	1				1						
198	Surgical operations	12	2		1					1	2		
199	Tabes mesenterica	29											
200	Tetanus	16	1			3	1		1	1		1	1
201	Trismus nascentium	1											
202	Tuberculosis (unclassified)	11			3			1		1			
203	Tubes, disease of	4	1										
204	Tumor	55	2			1		1		1	2	1	
205	Tumor of uterus	12	2		1	1			1		1	1	
206	Typhoid fever	320	41	3	12	13	35	5	5	13	5	3	5
207	Typhus fever												
208	Unknown	143	4	1	16	2	1	2		2		3	2
209	Uremia	131	17	1	2	1	3		2	3	1	1	1
210	Urethra, stricture of	1											
211	Urinary organs, disease of	8	2									1	
212	Uterine hemorrhage	2	1					1					
213	Uterus, disease of	3								1			
214	Venereal disease	7	3		1	1						1	
215	Vomiting in pregnancy	1											
216	Whooping cough	62	5	4	13	11	3		2				1
217	Worms	2											
218	Wounds	9	1										
219	Yellow fever												

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

NEW YORK—continued.												NORTH CAROLINA.			
Ithaca.	Johnstown.	Lansingburg.	Olean.	Poughkeepsie.	Rome.	Saratoga Springs.	Schenectady.	Syracuse.	Troy.	Utica.	Watervliet.	Total.	Group 1, rural.	Wilmington.	
															149
5	12	6	3	25	18	13	8	62	33	29	8	393	114	11	150
								5		1		7	1		151
		1						1							152
															153
6	1	8		14	9	4	7	29	27	13	5	552	148	11	154
1				3					2			2	1		155
															156
			1			1		3		1		4			157
		1		1	1	1	1	3	4	2		6	2		158
4		5	1	3	3	2	8	20	11	19	1	43	4	5	159
															160
															161
										2					162
												3	2		163
	1			1	1	1		6	8	2		93	14	2	164
16	5	27	7	48	21	29	37	136	179	107	33	2,127	524	42	165
		2		1				4	4	3	1	44	11	2	166
									1			3		1	167
2	3	5	3	11	2	5	11	40	24	19	4	144	17	5	168
1					1					1		8	3	2	169
			1				1	1				20	4	2	170
									1			1			171
1		2			1		2	1	1		2	62	15	2	172
								1		1		2			173
3	1		3	3	5	2	2	11	4	5		66	11	2	174
												4	3		175
2	2	1		2	1		1	12	9	3		111	32	3	176
								2	1			8	2	1	177
												1			178
										1		3			179
						1	2	3	3	1		2	1		180
1					1	1	1	4		1	1	24	3	1	181
												79	10	1	182
5	4		1	2	3	1	4	12	10	12	1	109	25	2	183
1			1					1	1	1		28	5		184
									1			51	10		185
1				2		1	2	4		2		5			186
1								1		1		41	12		187
												1			188
1		2		3	2		3	6	2	2		55	8	3	189
		1	1	2	1		1	2	8	6		55	20	4	190
															191
			1				1			2		2	1		192
	1			1	2		1	1	2	2		2			193
1								1		3		6		1	194
						1			1	2		5			195
1	1											12	1		196
		1							1			11	4		197
1						1		1	2			2			198
1		1						5				93	40	2	199
						1		4	4	1		38	22	10	200
								1				8	1	2	201
		1						4			1	4		2	202
												1			203
1	1				1		1	2	2			58	14	1	204
1								5	1	3		5	1		205
4	3	8	3	7	6	6	10	25	53	8	12	1,250	239	10	206
												3			207
3	4	1		1	9		1	16	7	5	1	2,105	645	20	208
2		1	3	3	3	1	4	17	12	13	1	27	5	2	209
												2	1	1	210
				1				2		1		6	1		211
						1		1				8	3		212
				1			1	1			1	25	11		213
							1	2	2	2		20	6		214
								1				2		1	215
	1	2		4	2	3		14	2	1	1	270	87	1	216
												42	20		217
							1		2	1		12	1		218
												2			219

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	NORTH CAROLINA—continued.			NORTH DAKOTA.			OHIO.					
		Group 2, rural.	Raleigh.	Group 3.	Total.	Group 1.	Group 2.	Total.	Group 1, rural.	Ashtabula.	Cleveland.	Toledo.	Group 2, rural.
1	All causes	11,051	371	3,768	2,287	2,002	285	53,362	3,800	219	6,521	2,112	10,957
2	Abortion	6		4	1	1		22			2	6	1
3	Abscess	14	1	8	4	4		53	9	1	3	3	9
4	Abscess, lumbar and psoas	1						4			1		
5	Absorbent system, disease of	2			1		1	7					
6	Accidents and injuries (not specified)	56	3	10	31	29	2	479	65	6	76	9	77
7	Addison's disease	1						4					2
8	Adenitis	1						1					
9	Alcoholism	17	2	5	3	1	2	119	1		10	4	16
10	Anemia	10	3	2	3	3		120	8		14	4	18
11	Aneurism	3		1	1	1		41			3	3	6
12	Angina	9	1	7	6	4	2	63	10		4	2	13
13	Angina pectoris	14	1	3	1	1		192	11	1	15	9	32
14	Aphthae	29		5				24	2		1	1	11
15	Apoplexy	97	4	19	26	24	2	1,523	102	7	191	70	232
16	Appendicitis	26		12	25	24	1	281	24	2	39	11	44
17	Arteries, disease of	2						56	5		20	3	7
18	Ascites	24	2	9	3	3		102	14		5	1	31
19	Asthma	24	1	5	12	12		224	6	1	38	8	50
20	Atrophy							57			4		48
21	Bile passages, disease of	1						11				1	2
22	Birth, causes incident to	9		4	2	2		74	6		3	6	12
23	Bites	3		1				2					
24	Bladder, disease of	16		6	2	2		193	13		9	9	48
25	Bones, disease of	4		1	2	1	1	29	2			2	4
26	Bowels, disease of	81	1	16	10	10		176	11	3	6	4	49
27	Bowels, obstruction of	17	1	7	13	12	1	232	11		16	8	49
28	Brain, disease of	63	6	30	9	7	2	613	53	8	62	20	127
29	Breast, disease of (puerperal)												
30	Bright's disease	121	6	45	37	30	7	1,539	105	2	139	43	299
31	Bronchitis	167	11	50	23	21	2	889	34	1	135	42	116
32	Burns and scalds	161	3	29	10	8	2	289	13	3	39	15	65
33	Calculus biliary	5			3	1	2	69	5		4	1	20
34	Calculus urinary	25		7	2	1	1	14			2	2	5
35	Cancer (not specified)	61	2	32	17	14	3	638	48	6	107	25	115
36	of abdomen	4		2	2	2		107	9		4	8	19
37	bladder			1				12	1			1	2
38	brain			1				1					1
39	breast	22	1	4	3	3		118	11		5	3	23
40	eye	2		1				1					1
41	genitals	1		1				8				2	
42	head, face, and neck	17		9	5	4	1	109	10		3	2	33
43	kidneys	1						8					4
44	larynx							6					1
45	liver	5		1	4	4		175	14		10	8	21
46	lower extremities	3		1				2					1
47	lungs	1		1				4					1
48	mouth, tongue, and throat	5			2	2		65	2		4	1	16
49	ovaries							4			1		
50	penis	1						1					1
51	rectum							34	2		3		9
52	stomach	30	1	5	15	14	1	490	60		39	13	81
53	testicle												
54	upper extremities	1		1				2					2
55	uterus	26	2	10	2	2		163	8		9	6	25
56	Carbuncle	4		1				20	3		2	2	2
57	Catalepsy							1					1
58	Cerebro-spinal fever	21		11	2	1	1	249	9		18	11	59
59	Chicken pox							5	1		1		1
60	Childbirth	67	1	24	33	27	6	154	20		10	4	35
61	Cholera infantum	223	2	51	50	44	6	1,260	109	8	170	62	243
62	Cholera morbus	61	1	39	35	34	1	357	44	3	29	15	65
63	Chorea			1	1	1		16	1		1		5
64	Circulatory system, disease of	1						13			2	1	
65	Colic	39		11	21	19	2	78	6		50	4	2
66	Colitis	21	1					59	2		8	10	7
67	Constipation	14		4	2	2		5	1			1	
68	Consumption	1,317	34	425	246	224	22	5,789	334	20	503	184	1,362
69	Convulsions	87	8	11	60	39	21	1,085	59	7	334	58	126
70	Croup	211		250	29	24	5	554	34	1	74	49	166
71	Cyanosis			1				53	3		6		6
72	Debility	38	42	8	9	9		950	38	3	383	18	99
73	Dentition	59		10	6	6		43	1	1	7	3	10
74	Diabetes	34	1	16	12	12		266	22		15	4	48
75	Diarrhea	132	7	46	22	18	4	271	15		12	20	55
76	Digestive system, disease of	61		18	9	8	1	161	9		13	6	42

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

OHIO—continued.																
Bellaire.	Chillicothe.	Cincinnati.	Dayton.	Hamilton.	Ironton.	Marietta.	Middletown.	Portsmouth.	Group 3, rural.	Canton.	Columbus.	Findlay.	Lima.	Massillon.	Newark.	
167	277	6,214	1,405	349	221	182	145	328	15,929	408	1,983	275	377	197	269	1
		2	1	1					6	1		1		1		2
	1	7	1						15		1	1	1			3
		1							2							4
		2							5							5
4	2	31	15	7				2	146	4	12	1	2	1	2	6
									2							7
																8
2		23	8	2	1				35	1	4		2	2	1	9
		13	1	1					53		7					10
		13	3		1				8		2					11
		4	2						26				1			12
	1	21	7	2	1	2			79	1	4				1	13
		3						1	5							14
4	14	184	63	8	3	9	12	8	467	16	67	18	7	6	9	15
		26	9	1			3		87	6	17	1	4	1		16
		20	1				1		6		2					17
		5	3					1	39		1	1				18
	1	27	8	1	1	1	1	2	57	4	10		1	1		19
		3							1		1					20
		4	1						2							21
		27	4	1				1	8	3	1				1	22
										1	1					23
	4	31	4		1	1			58	3	1	2		3		24
		9	2						9		1					25
1		5							73		8	2	9		1	26
	2	38	13	2		1		1	70	2	10	1	1	2	1	27
2	1	77	16	5	5	3	1	5	173	6	24	2	6	4	6	28
																29
4	10	262	55	10	7	4	4	9	457	10	66	7	10	6	7	30
1	6	253	22	9	12	4	5	12	167	4	18	5	3	3	5	31
2	1	20	10	2	1		3	5	69	2	24	4	2		1	32
		8			1				24	1	4	1				33
	1	1							3							34
	5	49	15	5	3	7	2	2	201	5	15	1	4	5	4	35
		7	11	3	1	1		1	35		5		1		2	36
		3							4		1					37
																38
1		15	2	2					47	1	5	1		1		39
																40
									1							41
		7	2	2					46		2		2			42
		1	1						1		1					43
		4	1													44
		27	12	1			2		60	1	12	1			3	45
		1														46
									3							47
		10	4						25		1				1	48
		1	1						1							49
																50
		7	2	1					6	1	3					51
2		48	15	2	2	2	4	1	177	4	29		4	3		52
																53
																54
1	3	32	7	1			1		46	3	15		1		3	55
		8	1					1	1							56
																57
4	3	22	23	3	1				76	1	13		1	3	1	58
		1							1							59
		8			2				67	1	4		1	1		60
	2	58	18	3	1	3	1	5	447	6	47	9	12	2	9	61
1	2	23	5	4	3	2			136		15	1	1	1	3	62
		1						1	5		1					63
			1	1					7			1				64
		3	2						9		1		1			65
	1	5	2		3		1	1	16		7					66
		1							2							67
22	37	767	172	42	20	16	19	48	1,743	43	269	33	37	15	27	68
3	6	141	19	6	4	2	2	9	221	20	31	4	1	3	2	69
1	1	38	2	1				5	153	9	10	2	1	1	1	70
		11	2			1			14	2	3	1	1			71
5	3	152	20	1	2	1		2	159	1	19	5	9	5	11	72
		15		1					3					1	1	73
1	3	34	10	2	2	2		2	105	3	7		2		2	74
	1	48	2		7				79	1	26			1		75
		4	3	2		1		1	62	2	4		3		4	76

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	NORTH CAROLINA—continued.			NORTH DAKOTA.			OHIO.					
		Group 2, rural.	Raleigh.	Group 3.	Total.	Group 1.	Group 2.	Total.	Group 1, rural.	Ashtabula.	Cleveland.	Toledo.	Group 2, rural.
77	Diphtheria	42	3	49	120	86	34	698	55	4	123	104	110
78	Dislocations							13	1		2		3
79	Dropsy	245	3	84	13	10	3	677	61	3	46	10	178
80	Drowning	26	2	12	10	6	4	231	17	4	32	20	43
81	Dysentery	305	3	79	6	6		399	30	6	22	7	109
82	Ear, disease of	1		2	1	1		15	1		2	3	1
83	Electricity							5	1	1	1		1
84	Elephantiasis	1						2					
85	Embolism	1		1				22			4	4	3
86	Enteritis	59	20	17	12	12		792	22		189	63	78
87	Epilepsy	66		23	14	13	1	197	14		8	11	77
88	Erysipelas	27		17	1	1		140	3	1	19	11	29
89	Esophagus, obstruction and stricture of							15			2		3
90	Execution	2						4	1				
91	Explosion			2				24					11
92	Exposure and neglect	18	3	5	6	6		20		1	6		3
93	Extra-uterine pregnancy				2	2		6			1		
94	Eye, disease of							1					1
95	Falling bodies	4		4				19		2			5
96	Falls	28	1	9	8	7	1	145	9	2	2	5	40
97	Female organs of generation, disease of	4		6	3	3	1	22	1	1	2		6
98	Fever	61		21	7	7		15	3	2	2		3
99	Foreign bodies in esophagus	5			2	2		28				1	7
100	Fractures	13		6	10	8	2	164	9		40	5	33
101	Frozen	1		2				8	2			1	1
102	Gangrene	5		1				142	9	3	8	9	34
103	Gastritis	79	3	38	14	11	3	497	41	1	67	15	92
104	General disease (not specified)							5	1			1	
105	Goiter	3						5					2
106	Goiter, exophthalmic				1	1		10	1		1	2	3
107	Gout							1					
108	Gunshot wounds	40		18	6	5	1	125	7		6	3	27
109	Heart disease	620	29	164	114	101	13	4,210	363	14	443	109	1,004
110	Hemophilia							1			1		
111	Hemorrhage	31	1	7	11	10	1	165	12		49	13	18
112	Hernia	18	1	5	8	7	1	128	13		10	2	22
113	Hip joint, disease of	1		2	1	1		11				2	2
114	Homicide	18	1	15	4	1	3	66	5		8	1	16
115	Hydrocephalus	16		4	11	10	1	157	3		7	14	38
116	Hydrophobia	2		2				10			4		
117	Inanition	33	3	10	15	11	4	875	32	8	298	70	76
118	Infanticide			1				2					
119	Inflammation and abscess of liver	24		17	6	5	1	139	10		17	7	26
120	Inflammation of brain	76		47	42	41	1	411	31	2	18	12	127
121	Influenza	405	8	189	25	24	1	605	56	3	26	34	144
122	Injuries by machinery	5		5				6	2			1	2
123	Jaundice	46	1	13	8	8		123	5		10	3	20
124	Joints, disease of	3		1				12					4
125	Kidneys, disease of	52	1	17	10	9	1	276	22		13	5	73
126	Laryngitis	1		3	3	3		54	1		15	2	13
127	Larynx, disease of	1		1				9					3
128	Lead poison	2			1	1		8	1				2
129	Leprosy												
130	Leucocythemia	1			1	1		14	1		2	2	2
131	Lightning	5	1	3	3	2	1	19	2		1		2
132	Liver, disease of	44	2	17	18	13	5	419	21	3	36	28	83
133	Locomotor ataxia	3		1	1	1		42	2		2		9
134	Lost at sea	1											
135	Lungs, disease of	31	1	22	20	18	2	424	19	3	57	18	80
136	Lymphangitis							3					1
137	Malarial fever	234	6	9	4	4		156	16		6	11	36
138	Male organs of generation, disease of							3			2		1
139	Malformation	17	1	5	4	3	1	110	9		8	14	17
140	Malignant pustule				1	1		4					1
141	Measles	134		31	16	10	6	166	11	1	7	7	58
142	Meningitis	188	8	58	36	29	7	1,189	45	2	174	48	194
143	Mental disease	18		10	14	12	2	232	14		20	34	43
144	Mining accidents	3						52					30
145	Mumps	2			1		1	7	1		1	1	1
146	Nervous system, disease of	30		14	1		1	203	12		12	8	52
147	Noma							2					1
148	Nose, disease of							1			1		

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

OHIO—continued.																
Bellaire.	Chillicothe.	Cincinnati.	Dayton.	Hamilton.	Ironton.	Marietta.	Middletown.	Portsmouth.	Group 3, rural.	Canton.	Columbus.	Findlay.	Lima.	Massillon.	Newark.	
2	2	70	10	4	2		1	5	139	16	22	3	4	2		77
		1							6							78
	2	30	13	2	4	2			294	9	5	1	6	5	1	79
2	2	39	13	1	4	2			38	1	4	2		1	2	80
	4	33	11		6	1	1	3	134		11	1	11		1	81
		2				2			3							82
																83
		1						1								84
		5	2						3		1					85
4	10	249	16	2	3		4	1	71	5	38	3			2	86
	1	16	2		1			1	53	1	8		1			87
1		18	7						40		7			1	1	88
		3	1				1		2		2				1	89
			1						1		1					90
						1			11		1					91
		1							8		1					92
		1							3						1	93
																94
		1							10		1					95
		29	4			1	1	1	43		3		1			96
		2							7	1	1				1	97
		1			1				3							98
		17							2		1					99
	1	8	10		2	1	2		27	2	14	2				100
									2							101
1		12	3	2		1			48	2	4		1	2	2	102
2	3	85	2	2	2	1	1	2	135	2	17	3	1	5	4	103
		1	2													104
				1					2							105
								1	2							106
				1												107
1	1	5	5		3		2	2	44	1	9		1		1	108
10	28	402	137	29	13	15	18	35	1,259	18	139	18	20	33	27	109
																110
		8	10			1			42	1	2		2		3	111
		14	6	1					49	1	5	1				112
		2	1						1		2					113
		18						2	14							114
		33	8	2	1		3	4	33		9					115
									4		2					116
	5	100	33	19	2	2	3	13	143	8	27	5	4	5		117
		2														118
1	2	21	1	1	1				45	2	2	1		1		119
1	1	15	7	3	2		2		170	3	6		4	3	2	120
1	4	48	10	5	1	4		1	219	4	30	3	4	2	1	121
									1							122
		14	3	3				1	45		7	2			1	123
		2		1			1		4							124
1		11	10		1	2	1		120	1	5		5		2	125
		7	1			1			10		2			1		126
		2	1						3							127
		1							3		1					128
																129
		4					1		1		1					130
									13			1				131
3	1	84	10	3			1	3	96	2	26	2	2	3	1	132
	2	3	5						14		1				2	133
																134
1	2	48	5	3	1	3		4	131	4	18	2	14	1	2	135
		1							1							136
	4	5	3	1	2	1			58	1	5		2		2	137
																138
		8	4	2	2	1		1	33		1	1			4	139
		2	1													140
		7			6	1		11	40		10		2	1	3	141
6	8	236	42	12	4	6	5	9	296	6	59	6	6		5	142
		34	8	3				3	24		45		1	1	1	143
									19					3		144
		1							1				1			145
		10	10			3		1	81	1	4	2	1	1	3	146
												1				147
																148

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	NORTH CAROLINA—continued.			NORTH DAKOTA.			OHIO.					
		Group 2, rural.	Raleigh.	Group 3,	Total.	Group 1.	Group 2.	Total.	Group 1, rural.	Ashtabula.	Cleveland.	Toledo.	Group 2, rural.
149	Obesity							1					1
150	Old age	215	9	44	46	41	5	1,958	197	6	210	49	399
151	Ovarian tumor	4		2	2	2		29	1		2	2	4
152	Ovaries, disease of							3			1		1
153	Pancreas, disease of							1					
154	Paralysis	308	6	79	27	25	2	1,939	155	5	104	33	554
155	Paralysis general (of insane)	1			1	1		72		1	7	23	19
156	Parasites				1	1		1					
157	Pelvic abscess (female)	4						23			5	2	
158	Pericarditis	1	3					34			10	2	3
159	Peritonitis	20	5	9	19	18	1	524	29	2	96	22	71
160	Pharyngeal abscess							2					1
161	Pharynx, disease of (not specified)												
162	Phlebitis							7	1		2		1
163	Phlegmasia dolens			1				1					
164	Pleurisy	44	1	32	8	7	1	134	13		13	4	24
165	Pneumonia	1,230	20	311	212	193	19	4,606	369	19	709	148	907
166	Poisons (not specified)	23	1	6	9	8	1	131	12		10	7	14
167	Pregnancy, affections connected with	1		1	1	1		9	1		2	2	
168	Premature birth	87		37	25	25		677	19		97	49	97
169	Prostate, disease of	1		2	1	1		32	1			2	9
170	Puerperal convulsions	11	1	2	2	2		27	3		5	2	3
171	Puerperal mania			1				4	1				1
172	Puerperal septicemia	32		13	5	5		134	15	1	15	16	14
173	Purpura	2			1	1		19	2		2		2
174	Railroad accidents	33	5	15	5	3	2	558	44	9	68	28	71
175	Respiratory system, disease of	1						6	1				1
176	Rheumatism	55		21	17	17		307	27		22	6	70
177	Rickets	5			1	1		12	1			2	1
178	Roseola			1									
179	Rupture of bladder	3						2			1		
180	Sarcoma	1						71	2		12	4	5
181	Scarlet fever	10		10	17	14	3	334	43	2	45	24	50
182	Scrofula	45	1	22	5	5		43	3		3	1	21
183	Septicemia	59	5	18	31	28	3	466	35	1	71	20	89
184	Skin, disease of	13		9	2	2		30		1	3	6	9
185	Smallpox	38		3	4	4		35	4		10		3
186	Spinal cord, disease of	3		2	2	2		100	18	1	7	7	16
187	Spine, disease of	14		15	5	3	2	135	13	1	2		48
188	Spleen, disease of			1				9				2	3
189	Stomach, disease of	30	2	12	9	7	2	279	29		12	7	68
190	Suffocation	21		10	2	2		119	10	1	25	1	15
191	Suicide by cutting throat				4	3	1	15	4		2		3
192	drowning			1				18	2		1	1	4
193	hanging	1		1	3	3		59	3		4	1	10
194	poison	4		1				74	6	2	8	4	6
195	shooting	5			1		1	86	4		7	3	20
196	(not specified)	9		2	9	8	1	115	17		20		16
197	Sunstroke	5		2				32			2	1	5
198	Surgical operations	1		1	1		1	34	5		5		2
199	Tabes mesenterica	41		10	5	5		157	9	2	9	3	46
200	Tetanus	4	1	1	1	1		76	5		12	4	17
201	Trismus nascentium	1	1		1	1		10			1		1
202	Tuberculosis (unclassified)	2			5	4	1	54	3		1	7	20
203	Tubes, disease of	1			1	1		23				4	1
204	Tumor	29		14	11	10	1	155	25		9	3	35
205	Tumor of uterus	1		3	1	1		34			6	1	2
206	Typhoid fever	730	6	265	65	62	3	1,795	121	5	184	53	424
207	Typhus fever			3	3	1	2	5				1	2
208	Unknown	1,037	50	353	252	227	25	1,269	116	8	65	10	359
209	Uremia	9	2	6	4	4		298	11		59	8	51
210	Urethra, stricture of							2					
211	Urinary organs, disease of	4		1				9	2				3
212	Uterine hemorrhage	3	1	1				9			1	1	2
213	Uterus, disease of	10		4				13	1			1	4
214	Venereal disease	11		3				63	2		9	3	19
215	Vomiting in pregnancy	1						8					3
216	Whooping cough	125		57	25	22	3	401	22	1	32	3	101
217	Worms	14		8	2	2		5			1		4
218	Wounds	7		4	1	1		53	2		18		6
219	Yellow fever	1		1				4	2		1		

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

OHIO—continued.																
Bellaire.	Chillicothe.	Cincinnati.	Dayton.	Hamilton.	Ironton.	Marietta.	Middletown.	Portsmouth.	Group 3, rural.	Canton.	Columbus.	Findlay.	Lima.	Massillon.	Newark.	
																149
8	25	227	64	14	8	15	1	18	576	18	50	11	16	5	7	150
		6	1	1					8	1	2					151
		1			1				1	1	1	1				152
			1													153
4	7	79	34	9	2	4	2	9	806	17	45	14	16	13	6	154
		5		1					15			1				155
									1							156
		5	1		1				7		1		1			157
		10		1					6		1					158
5	3	86	20	3	5	1	5	4	113	5	39	4	2	2	3	159
											1					160
																161
		2							1							162
									1							163
		14	4		1		1	1	51		6	1	1			164
16	11	512	66	29	10	14	15	20	1,364	26	159	27	36	15	13	165
		8	15	1	2	2	1		38		11	1	4			166
		3								1						167
5	6	148	37	13	2	3		11	115	3	17		14		9	168
1		3							11	2	3					169
		5	1		1			1	4	1					1	170
								1	1							171
		29	1	2				1	28		4	1	1	1		172
		3	1				1		6				1			173
8	4	56	6	8	6		2	4	162	10	26	2	9	6	13	174
		1						1	2							175
1	2	16	4	1				1	133	4	14		3	1	1	176
		1			1			1	5							177
																178
									1							179
		18	3			1			11		12				1	180
2	1	27	5			2			120		6		2		2	181
		1	1			1			10		2					182
	1	27	13			2		2	151	7	18	2	6	1	3	183
			1						9		1					184
		6		1					11							185
		7	2	2					35		2	1	1		1	186
		3	1	2		1			61	1	1					187
				1					3							188
2		17	4			2	1		115	4	10	2	1		2	189
1		18	4	2			1		35	1	2	1			1	190
		2							3				1			191
		6	1						3							192
1		5	3			3			18	1	3		1	1		193
		21		1		1			16		7			1	1	194
1		16	1			2		1	16	2	4	5	2			195
	1	10			1			1	43		1		1		3	196
		10		1		1			11		1					197
	2	6							8		4		1			198
		11		1	5		1	2	57	1	8	2				199
		15				1			15		1	1			2	200
		4		2			1				1					201
1		2	2						12	1	4			1		202
		12		1					1		4					203
	1	9	4	1				1	64		5					204
		15		1					6	1	2					205
7	9	106	45	4	12	8	1	9	622	19	68	19	8	5	5	206
									3							207
1		68	10	3	9	2	2	4	540	13	15	6	17	2	7	208
3	2	65	17	2	2	1			56	2	11	1	3		1	209
		1							1							210
									3		1					211
		1	1						2		1					212
		2							4						1	213
		11	2						15		1					214
		2							2		1					215
7	7	23	1	3	3			5	162	5	13	4	3		1	216
												1				217
	1	2	5					1	13		3	1	1			218
									1							219

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	OHIO—continued.			Oklahoma.	OREGON.				PENNSYLVANIA.		
		Tiffin.	Warren.	Youngstown.		Total.	Group 1.	Group 2, rural.	Portland.	Total.	Group 1, rural.	Altoona.
1	All causes	139	143	745	3,181	3,396	778	1,762	856	90,199	20,001	752
2	Abortion				1	4	1	3		25	2	
3	Abscess			1	3	5		4	1	86	23	4
4	Abscess, lumbar and psoas	4								7	2	
5	Absorbent system, disease of					2		1	1	11	2	
6	Accidents and injuries (not specified)		4	13	32	34	10	15	9	1,144	224	25
7	Addison's disease									13	1	
8	Adenitis	1								12		1
9	Alcoholism		1	6	2	5		2	3	256	30	3
10	Anemia	1			2	10		3	7	175	25	4
11	Aneurism			2	2	5	3	2		82	16	
12	Angina			1	14	8	4	2		99	28	
13	Angina pectoris		2	3	4	15	7	4	4	267	49	2
14	Aphthae				5	3		2	1	33	6	
15	Apoplexy	4	4	18	13	95	15	50	30	3,035	612	26
16	Appendicitis	1		5	10	46	9	19	18	413	94	6
17	Arteries, disease of			1		2	1	1		131	6	
18	Ascites			1	4	4	1	3		92	37	
19	Asthma			6	7	6		3	3	438	169	
20	Atrophy									44	6	
21	Bile passages, disease of			1	1	3	1	2		11	1	
22	Birth, causes incident to			1	1	4		4		117	33	
23	Bites				2					3		
24	Bladder, disease of	3		3	4	8		5	3	157	31	
25	Bones, disease of				1	4		2	2	47	9	
26	Bowels, disease of		1	3	17	10	3	4	3	203	53	1
27	Bowels, obstruction of			4	5	23	2	14	7	311	49	9
28	Brain, disease of	1	1	5	41	37	9	19	9	940	197	7
29	Breast, disease of (puerperal)											
30	Bright's disease	4	6	13	43	84	10	50	24	2,774	477	16
31	Bronchitis	4	7	21	30	28	9	6	13	1,513	255	12
32	Burns and scalds	1	1	6	13	17	5	9	3	641	165	3
33	Calculus biliary				2	3		3		39	8	1
34	Calculus urinary				1					21	7	
35	Cancer (not specified)	2	2	10	12	30	7	12	11	610	189	14
36	of abdomen					6	1	3	2	136	30	
37	bladder									27	3	
38	brain					1		1		3	1	
39	breast			1	6	8	1	6	1	212	48	1
40	eye									6	2	
41	genitals									8		
42	head, face, and neck				7	12	3	7	2	169	47	2
43	kidneys				1	2	1		1	9	3	
44	larynx									6		
45	liver				1	12	1	6	5	263	41	3
46	lower extremities					1		1		6	1	
47	lungs				2					4	1	
48	mouth, tongue, and throat			1	1	6		5	1	59	16	
49	ovaries									16	3	
50	penis									4	1	
51	rectum					1			1	59	6	
52	stomach	1	1	2	14	52	7	29	16	688	166	3
53	testicle									2	1	
54	upper extremities									6		
55	uterus			2	5	12		4	8	314	38	1
56	Carbuncle				1					23	7	
57	Catalepsy											
58	Cerebro-spinal fever			1	21	14	3	8	2	250	75	2
59	Chicken pox									8	2	
60	Childbirth			1	37	11	7	4		306	121	
61	Cholera infantum	3	2	40	145	51	13	23	15	2,503	718	31
62	Cholera morbus	1		3	51	32	7	19	6	638	201	3
63	Chorea			1		1		1		16	4	
64	Circulatory system, disease of									10	1	
65	Colic				7	9	3	6		94	45	2
66	Colitis			1	4	7	5	2		98	9	
67	Constipation				5					10	8	
68	Consumption	11	11	54	288	433	97	236	100	7,791	1,441	56
69	Convulsions	1		26	25	12	4	5	3	2,727	595	38
70	Croup	1	3	1	66	18	7	8	3	1,064	360	12
71	Cyanosis			3		2			2	200	23	
72	Debility	2	2	10	11	13	2	6	5	2,482	288	27
73	Dentition				9					127	24	
74	Diabetes			2	7	31		19	12	427	103	5
75	Diarrhea		1	3	37	16	9	4	3	517	137	2
76	Digestive system, disease of		1	4	7	3	1		2	231	50	4

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

PENNSYLVANIA—continued.																
Carbondale.	Carlisle.	Dubois.	Harrisburg.	Hazelton.	Johnstown.	Lebanon.	Mahanoy.	Mount Carmel.	Pittston.	Plymouth.	Pottsville.	Scranton.	Steelton.	Wilkesbarre.	Williamsport.	
295	207	131	895	205	710	326	360	295	274	286	244	2,111	213	857	345	1
			2													2
1			1	2			1					3			1	3
																4
					1	1								1		5
15			8		17	5	12	17	3	7	3	21	3	33	3	6
																7
	1															8
1		3			1					1	2			2	1	9
1			4	2		2	1					8		1	2	10
						1			1			1				11
1	1		1			1				1		3		1		12
	1		2		2	2	1			2		10		2	2	13
						1		1		1						14
7	8		43	12	14	18	6	3	8	3	23	58	6	29	19	15
4	1		3		4	1	1	2	1	1	1	4	1	4	4	16
		2		1	1						2	2				17
						1							1	1		18
3			1		2	1	8	2		2	1	3		9	6	19
		2				2	1					4				20
					1											21
2			1		2				1					1		22
														1		23
1	1	1	1		1						1	1		1	1	24
												1		1		25
	2	1	5		3	2	2			2	1			2		26
1	2	1	5	3			1				2	13		7	2	27
2	2	1	11	3	5	7	2	5	3	3	7	6	2	9	4	28
																29
4	4	1	28	8	11	6	6	1	7	2	12	68	6	25	9	30
17		5	11	7	6		6	11	13	7	7	68		19	8	31
		2	5	1	11	4	10	5	4		4	24		15		32
			2		1								1	1		33
											1					34
6	2		10	3	7	3	4	2	3		2	14	1	13	7	35
			2		1	1	2				1	1		5		36
											1			1		37
																38
			7				2							1	3	39
																40
																41
1			1	1			1					2			1	42
1												1				43
									1							44
2		1	1	1	1	1	1				1	3		3	1	45
																46
																47
												2				48
																49
																50
			1			1								1	1	51
1			3	3	4	1	1	2	1	2		14	1	4	1	52
																53
																54
2			5		4	1		1	3		1	3	1	2	3	55
												1				56
																57
2		1	4		3		1		1			4	1	1	2	58
																59
		2	2				3		3	2	1	4		3		60
7	6	2	15	2	41	5	11	36	16	21	8	81	13	36	8	61
2	1	2	4	1	7	2	1	5		2	1	15	7	5	2	62
											1	1				63
													1			64
					1					2		4		1		65
			1	2								1			5	66
																67
7	15	14	90	13	37	23	16	9	14	9	13	115	16	52	34	68
13	4	6	32	10	28	14	19	19	14	23	17	121	3	47	5	69
9	2		9	8	13	2	14	11	4	6	3	46	1	10	1	70
			2	2						1		1				71
5	2	1	21	7	23	30	11	14	9	9	12	74	5	52	14	72
										1				1		73
		1	5	1	4	2			4	1	1	10		4	1	74
1	1		3		1	1	8	1	1	1	1	21		1		75
		3			1			1						3		76

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	OHIO—continued.			Oklahoma.	OREGON.				PENNSYLVANIA.		
		Tiffin.	Warren.	Youngstown.		Total.	Group 1.	Group 2, rural.	Portland.	Total.	Group 1, rural.	Altoona.
77	Diphtheria	4	4	12	46	29	8	11	10	2,805	558	26
78	Dislocations									21	6	
79	Dropsy	1	1	3	46	37	7	24	6	1,033	434	8
80	Drowning		2	2	13	53	11	25	17	347	66	
81	Dysentery	2		6	68	17	1	12	4	455	140	1
82	Ear, disease of			1	1	2		1	1	15	2	
83	Electricity			1		4		2	2	19	1	
84	Elephantiasis									1		
85	Embolism									36	5	1
86	Enteritis	5	2	25	15	45	6	3	36	1,498	84	6
87	Epilepsy		1	2	19	7		7		253	62	2
88	Erysipelas		2		10	8	2	5	1	247	60	1
89	Esophagus, obstruction and stricture of				1					14	1	
90	Execution					1		1		21	5	
91	Explosion				1	2		2		67	16	1
92	Exposure and neglect				1	1		1		51	19	3
93	Extra-uterine pregnancy									23	2	
94	Eye, disease of									3	2	
95	Falling bodies				2	10	1	9		65	14	
96	Falls			4	6	13	3	7	3	216	62	
97	Female organs of generation, disease of				7	3	1	1	1	22	8	
98	Fever				24	7	4	3		16	7	
99	Foreign bodies in esophagus				1	1		1		13	1	
100	Fractures	3	1	4	7	14	2	2	10	315	68	2
101	Frozen			2		2	2			12	3	2
102	Gangrene		1		1	11	2	5	4	251	67	2
103	Gastritis	3	4	8	27	32	7	17	8	850	168	5
104	General disease (not specified)									4	1	
105	Goiter					1			1	6	1	
106	Goiter, exophthalmic					1		1		14	2	
107	Gout									1		
108	Gunshot wounds	1	1	4	23	24	8	13	3	144	56	2
109	Heart disease	13	13	50	140	305	64	172	69	6,488	1,512	42
110	Hemophilia									12		1
111	Hemorrhage	1		3	6	7	3	2	2	214	63	1
112	Hernia			4	4	12	3	5	4	182	56	2
113	Hip joint, disease of			1		6	2	3	1	31	9	
114	Homicide			2	3	7	2	3	2	77	35	
115	Hydrocephalus			2	5	20	5	6	9	293	40	
116	Hydrophobia									6		
117	Inanition	3	3	16	9	21	2	3	16	1,196	165	3
118	Infanticide									4		
119	Inflammation and abscess of liver			1	10	11		9	2	194	55	1
120	Inflammation of brain			2	40	18	6	9	3	444	171	2
121	Influenza	1	2	2	23	66	19	43	4	978	245	2
122	Injuries by machinery				1	1		1		67	12	
123	Jaundice		1	2	13	9	2	6	1	237	57	1
124	Joints, disease of				1	2	1		1	27	3	
125	Kidneys, disease of		1	2	12	13	3	6	4	399	116	4
126	Laryngitis			1	2	3	1	1	1	76	9	2
127	Larynx, disease of				1					17	2	
128	Lead poison									18	3	
129	Leprosy									2		
130	Leucocythemia									28	4	
131	Lightning				8					29	10	
132	Liver, disease of		1	10	16	9	1	5	3	617	111	3
133	Locomotor ataxia	1		1	1	4	1	3		91	6	
134	Lost at sea					1		1		1		
135	Lungs, disease of	3	4	1	19	26	12	5	9	892	128	10
136	Lymphangitis									3	1	
137	Malarial fever		2	1	134	23	4	16	3	140	41	
138	Male organs of generation, disease of									1		
139	Malformation		1	4	13	5	2	3		221	46	
140	Malignant pustule									6	4	
141	Measles			1	48	14	9	3	2	815	219	2
142	Meningitis	5	2	13	85	67	7	28	32	1,613	312	15
143	Mental disease			1	14	15		14	1	346	87	2
144	Mining accidents					1		1		368	253	
145	Mumps									10	3	
146	Nervous system, disease of	1		1	3	6	1	3	2	244	76	1
147	Noma				1	1		1		9	2	
148	Nose, disease of									2		

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

PENNSYLVANIA—continued.																
Carbondale.	Carlisle.	Dubois.	Harrisburg.	Hazelton.	Johnstown.	Lebanon.	Mahanoy.	Mount Carmel.	Pittston.	Plymouth.	Pottsville.	Scranton.	Steelton.	Wilkesbarre.	Williamsport.	
16	8	3	19	5	8	10	2	6	9	25	1	156		19	3	77
												5		3		78
1	2	1	7	1	5	6	2	4		2	2	6	2	6	2	79
1	1		2	2	1	2				2	1	3			4	80
6	3		4		2	8	1	3	1	2		19	4	3		81
																82
					1				1			2				83
																84
					1							1				85
1	3	3	7	10	4	1	6	1	11	5		24	4	14	8	86
1	2		3				1		2	1		4		1	2	87
					2	1		4		1		10	1	1		88
												2				89
			1								1					90
												1				91
		2	1	1					1							92
	1															93
																94
	1								3		1		1			95
	1		4		2		1		1		1	4				96
																97
																98
1												1				99
5	1	2	5	3	3	1	1	4			1	21	2	5	1	100
			1													101
1			2	1	2	1	1	1	2		2	5		4	2	102
2	1	2	5		4	8	6	8	2	1	8	14	2	3	5	103
														1		104
																105
		1										1		2	1	106
																107
1			1	1	3	1	2	1				6		1		108
24	17	8	68	8	47	17	29	18	22	4	12	110	16	55	26	109
1		1														110
2	2		2		2	2	1	2		1		13	1	3	2	111
1		1	2	2	1		1					2		2		112
					2							1				113
												1				114
	2	2	2	1		1	1			2		4		4		115
1																116
2	10	6	14	2	13	9	28	16	4	11	1	31	5	24	4	117
																118
	1			1	2	1				2		4		2	1	119
	3		6		1		1			1		4	1	4		120
8	3	2	18		4	8	2	1	2	6	1	14	5	8	7	121
					1							2	1			122
	1			1	2	1			2	1		2	1	2	1	123
		1										1				124
1	8		2		2		1	2	1	2		11		2	8	125
1					3		1	1		2		3		1		126
							1									127
					1											128
																129
												2				130
																131
8	2		4		2	3	1	1	1	1	2	13		8	1	132
			2									2	1	3	1	133
																134
2	4		8	3	4	10	4		1	4	3	18	8	11	3	135
												1				136
1			7		1	2			2	1		2	2			137
																138
		1	5						2			6	1		1	139
																140
	1	6	1	4	9		7		1	12		2	3	1		141
9	7	2	32	8	32	3	3	5	4	2	6	51	12	19	9	142
1			28			1	1					2	2	1		143
4					1		21	7		2		23		3		144
1																145
1	2		2			2			2	1		7		1		146
																147
																148

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	OHIO—continued.			Oklahoma.	OREGON.				PENNSYLVANIA.		
		Tiffin.	Warren.	Youngstown.		Total.	Group 1.	Group 2, rural.	Portland.	Total.	Group 1, rural.	Altoona.
149	Obesity											
150	Old age	9	4	21	49	96	15	64	17	2,710	566	33
151	Ovarian tumor		1		1	3		2	1	46	8	1
152	Ovaries, disease of					1		1		13	1	1
153	Pancreas, disease of									3	1	
154	Paralysis	11	2	8	47	119	9	86	24	2,239	766	20
155	Paralysis general (of insane)				7	11		9	2	127	16	
156	Parasites									1	1	
157	Pelvic abscess (female)				1	2	1		1	28	1	1
158	Pericarditis	1				4		1	3	77	9	1
159	Peritonitis		1	3	7	37	5	15	17	739	111	6
160	Pharyngeal abscess									3		
161	Pharynx, disease of (not specified)											
162	Phlebitis									16		
163	Phlegmasia dolens					1	1			2		
164	Pleurisy				1	3	2	1		315	77	
165	Pneumonia	14	16	91	313	305	119	144	42	9,807	2,097	63
166	Poisons (not specified)		1	4	7	20	7	6	7	205	37	2
167	Pregnancy, affections connected with				2					14	3	
168	Premature birth		1	31	50	16		14	2	1,496	156	28
169	Prostate, disease of				2	6		2	4	37	9	
170	Puerperal convulsions				1	2		2		66	14	1
171	Puerperal mania									5	1	
172	Puerperal septicemia			5	14	7	2	4	1	195	41	
173	Purpura			1		4	1	2	1	22	3	
174	Railroad accidents	3	1	17	6	23	5	9	9	1,110	324	25
175	Respiratory system, disease of					1			1	5	1	
176	Rheumatism		1		16	16	2	11	3	388	118	4
177	Rickets				2	1		1		32	6	
178	Roseola				1					2		
179	Rupture of bladder									10	4	
180	Sarcoma	1		1	1	3		1	2	112	11	
181	Scarlet fever	3			11	10	1	3	6	894	239	8
182	Scrofula				9	8	6		2	47	11	
183	Septicemia	1	3	13	20	34	7	20	7	580	130	2
184	Skin, disease of				3	3	1	1	1	65	22	
185	Smallpox											
186	Spinal cord, disease of				24	12	7	5		21	5	1
187	Spine, disease of				5	5	4		1	130	28	1
188	Spleen, disease of			1	7	12	2	9	1	117	55	
189	Stomach, disease of				1	2		2		16	5	
				3	42	27	1	22	4	310	78	3
190	Suffocation	1			5	5	1	1	3	147	27	2
191	Suicide by cutting throat									22	5	
192	drowning				1	1	1			14	2	
193	hanging					4		1	3	72	14	
194	poison				3	10	1	6	3	56	6	
195	shooting		1	1	5	7		2	5	91	17	
196	(not specified)			1	4	12	5	5	2	148	16	2
197	Sunstroke				1	1		1		90	3	
198	Surgical operations					3		2	1	52	10	
199	Tabes mesenterica				6	6		3	3	141	23	2
200	Tetanus		2	1		1		1		147	21	2
201	Trismus nascentium									21		
202	Tuberculosis (unclassified)				2	7		3	4	68	12	
203	Tubes, disease of					2	1	1		20	1	
204	Tumor			1	4	15	4	8	3	205	62	2
205	Tumor of uterus				3	1			1	45	7	1
206	Typhoid fever	4	6	51	201	106	35	49	22	2,779	557	19
207	Typhus fever				1					1	1	
208	Unknown	2	2	8	271	108	38	64	6	1,870	787	32
209	Uremia			3	3	14		8	6	759	32	
210	Urethra, stricture of											
211	Urinary organs, disease of					1			1	22	4	
212	Uterine hemorrhage				1	1		1		21	6	
213	Uterus, disease of									13	5	
214	Venereal disease	1			5	2		1	1	71	10	
215	Vomiting in pregnancy				1	1			1	5	2	
216	Whooping cough		2	5	50	32	8	14	10	702	195	6
217	Worms				1					10	5	
218	Wounds				2	5	2	1	2	94	12	1
219	Yellow fever									3	3	

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

PENNSYLVANIA—continued.																
Carbondale.	Carlisle.	Dubois.	Harrisburg.	Hazelton.	Johnstown.	Lebanon.	Mahanoy.	Mount Carmel.	Pittston.	Plymouth.	Pottsville.	Scranton.	Steelton.	Wilkesbarre.	Williamsport.	
																149
9	19	3	37	3	15	2	6		4	3	11	30	3	9	11	150
			1													151
																152
																153
6	6	2	19	4	7	7	5	1	4	3	4	28	1	9	14	154
			11								1	3	1			155
																156
1						2			1							157
							1					1	1			158
3	2		7	3	5	6	5	3	5	4	1	37	3	10		159
																160
																161
			1													162
																163
			1		1	2	3		3	4	1	13		2	1	164
24	17	12	79	26	110	30	40	31	32	41	31	225	26	100	26	165
1			2	1	4	1				1	1	4	1	3		166
									1			1		1		167
3	7	2	6	2	6	7	5	6	3	3	6	28	6	21	3	168
												1	1		1	169
1			1		2							1		1		170
												1				171
			1		2				2			5	1			172
												1		1		173
8	3	1	22	1	24	5	4	3		1	5	20	2	8	5	174
																175
2		1		2		1	1		3	1		8	1	2		176
			1							1		1				177
																178
													1			179
				1								1	1	1	1	180
1			2	4	8			7	4	4		119	1	7	4	181
															1	182
3	1		3	2	3	1	3		4		2	17	2	7	1	183
					1									1		184
																185
1					1	1			1		1	4		2	2	186
					2	1							1		1	187
										1						188
	1		2	2	11			1	2	1		9		2	2	189
	1		5			2	2	3			1	9		2	1	190
														1		191
															1	192
			1			1	1					1				193
			1													194
	1		2			2						1				195
				1				1				3			1	196
			1		1							1				197
					1							2		2	1	198
	1		1				1					2			1	199
		1	3									2		4		200
																201
	1		1							1						202
											1					203
			1	1				1	1			3			1	204
												2		1		205
5	5	4	20	8	35	8	3	2	2	7	3	30	3	11	11	206
																207
6	3	7	22	5	28	15	3	6	3	2		19	7	5	6	208
	6		9	2	6		3	2	1	2		19	2	9	2	209
																210
				1											1	211
					1							1				212
1																213
													3	2		214
																215
2		2	8		9				5			3	4	1	11	216
											1					217
			12	4		1			1			1	1	1		218
																219

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	PENNSYLVANIA—continued.											
		Group 2, rural.	Allegheny.	Allentown.	Columbia.	Easton.	Erie.	Lancaster.	McKeesport.	Meadville.	Newcastle.	Norristown.	Oil City.
1	All causes	18,547	2,385	646	239	421	801	724	592	185	437	524	199
2	Abortion	4	4	1							2		
3	Abscess	16	3			2			1				
4	Abscess, lumbar and psoas	2											
5	Absorbent system, disease of	3											
6	Accidents and injuries (not specified)	164	16	8	4	8	1	3		4	6	5	
7	Addison's disease	5									1		
8	Adenitis	5									1	2	
9	Alcoholism	31	12		1	1	1	2	2		1	1	
10	Anemia	36	2			1	3	2		1			
11	Aneurism	11	1				1			1			
12	Angina	25	3		2				1			2	
13	Angina pectoris	63	7	1	1	5	2	8		2		2	3
14	Aphthae	2							1				
15	Apoplexy	724	64	41	8	18	35	36	12	8	7	30	13
16	Appendicitis	94	4	3	1	3	2	6	1		3		1
17	Arteries, disease of	14	2			1			2			2	1
18	Ascites	34	1										
19	Asthma	83	13		1	1	2	1	1		2		
20	Atrophy		2										
21	Bile passages, disease of	4											
22	Birth, causes incident to	19	2				1		2		1		
23	Bites		1					1					
24	Bladder, disease of	39	2			1		2		3		1	
25	Bones, disease of	10	1										
26	Bowels, disease of	63	8	2	1		1	1		1	2	1	
27	Bowels, obstruction of	51	6	1			6	3	3	1	2	3	2
28	Brain, disease of	186	21	2	2	6	5	20	7	1	4	6	2
29	Breast, disease of (puerperal)												
30	Bright's disease	471	36	15	7	11	32	37	15	12	6	20	2
31	Bronchitis	198	65	4	1	7	21	13	15	5	16	4	7
32	Burns and scalds	140	20	3	4	2	2	2	6	1	4	3	
33	Calculus biliary	7		2			1					1	
34	Calculus urinary	9	1										
35	Cancer (not specified)	165	11	7	1	5	2	4	1	3	4	3	2
36	of abdomen	26	1					1	1			1	1
37	bladder	4											
38	brain												
39	breast	53	4		1	1	2					1	
40	eye	3						1					
41	genitals	1											
42	head, face, and neck	52	2	1			1	1	1				1
43	kidneys										1		
44	larynx												
45	liver	69	4	1		1		2	2		3	3	
46	lower extremities	3					1						
47	lungs												
48	mouth, tongue, and throat	13					1						
49	ovaries	3	1				1						
50	penis												
51	rectum	11	1			1	1				1	1	
52	stomach	184	11	3	1	4	5	6	2	1	2	6	2
53	testicle	1											
54	upper extremities	3											
55	uterus	60	8		1		5	2	1	1		2	
56	Carbuncle	9											
57	Catalepsy												
58	Cerebro-spinal fever	67	5			2	1	7	5		1	1	2
59	Chicken pox	3		1								1	
60	Childbirth	65	4	2			4	1	4	1	1	3	
61	Cholera infantum	492	108	27	9	12	23	14	25	7	10	7	8
62	Cholera morbus	178	13	4	1	7	3	8	4	2	1	1	
63	Chorea	4					2						
64	Circulatory system, disease of	5											
65	Colic	26	1			2					1		
66	Colitis	7	3			1	2	1	1			1	
67	Constipation	3									1		1
68	Consumption	1,583	209	49	15	41	77	56	36	12	20	72	21
69	Convulsions	452	77	17	11	21	21	12	40		5	8	5
70	Croup	230	7	5	9	2	4	4	9		4	1	
71	Cyanosis	9	3	4	1		1				1	4	
72	Debility	264	87	26	16	21	19	42	11	2	10	13	2
73	Dentition	19	2	1		1		5	1				
74	Diabetes	108	5	3		2	2	1		2	4	2	1
75	Diarrhea	100	16	1				2	5		5		
76	Digestive system, disease of	63	13				6	3	1		7		

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

PENNSYLVANIA—continued.						RHODE ISLAND.							SOUTH CAROLINA.			
Philadelphia.	Phoenixville.	Pittsburg.	Pottstown.	Reading.	South Bethlehem.	Total.	Rural.	Central Falls.	Newport	Pawtucket.	Providence.	Woonsocket.	Total.	Group 1, rural.	Charleston.	
27,456	203	6,436	240	1,401	256	8,176	2,735	290	421	723	3,491	516	17,166	4,416	2,094	1
3		7				8	1				2		8	2		2
20		6	1	1		7	2				5		26	9	5	3
3																4
2		1				2	1				1					5
481	8	32	3	7	3	16	6	1			8	1	70	15	8	6
3		4														7
2		2				2			1		1		3		1	8
103	6	45	2	3		45	19		2	1	23		13	5	6	9
62	1	8	1	4	2	26	13		1	1	7	4	12	8	1	10
47		2				7				1	6		10	2	2	11
18		9		2		2	1				1		15	6		12
81		11	1	5		32	14		2	2	12	2	12	5	4	13
14		7											59	18	1	14
914	11	110	14	86	9	356	142	8	24	35	139	8	190	31	53	15
135	1	24		2	1	35	11		5		19		40	6	11	16
89		5		1		14	7			1	6		8		8	17
15		1		1									53	16		18
73	1	49	1	2	1	13	2			3	5	8	48	21	2	19
20		7				3	1			2						20
2		2		1		2	1				1					21
24		26		2		22	10		2	1	7	2	15	5		22
													8	1		23
50	1	13		5		25	6	1	2	4	12		23	7	4	24
20		3		2		8	3	1		1	3		8	2	2	25
39		12		3		10	5				4	1	86	28		26
106	1	26	2	1	2	30	6	3		3	15	3	27	4	4	27
326	1	54	7	13	1	69	30	4	6	4	18	7	121	31	20	28
													1		1	29
1,219	5	143	6	40	6	455	164	13	17	27	209	25	425	36	231	30
481	3	208		12	3	286	76	26	14	31	124	15	160	21	34	31
142		49	1	8	1	38	16		2	3	14	3	284	56	18	32
12		2				9	1		1	1	6		5			33
3						5	1			1	3		7	3		34
89	3	15	3	11	1	15	5			3	6	1	76	12	16	35
54		6	1	1		29	9			4	16		5	2		36
16		1		1		4	1		1		2		2			37
2						1	1									38
77		10		2		36	17	2	3	1	12	1	20	2	5	39
													1			40
5		1		1		1	1									41
47		6		1		22	9		2	1	10		18	7	2	42
2		1				1	1						1			43
4		1				1					1					44
93	1	15		6		32	13		3	3	11	2	8		8	45
1						1	1						5	1		46
3						2					2					47
25		2				9	3			1	5		9	3	1	48
7		1				3					3					49
3						2	1	1								50
26		5		2		13	5				8		2		2	51
209	1	34	1	8	1	57	26		2	5	23	1	18	3	5	52
																53
3						1	1						3	3		54
140		19	2	8		37	14	2		4	15	2	63	6	10	55
4		1		1		1		1					4	1		56
																57
44		17		1		34	13		1	8	10	2	42	7	12	58
1						1					1		1			59
48		28	1	2	1	13	3	1	1	4	4		193	68	9	60
486	8	162	4	33	11	448	139	31	13	40	132	93	347	64	25	61
113	1	25	1	9	6	21	9	3	1	2	6		87	16	15	62
3		1				1					1		1			63
2						1	1						1			64
4		4				1				1			78	44	1	65
45	1	18				5	3				2		18	3	4	66
3				1		4	2				2		10	4		67
2,990	12	436	26	136	26	837	247	23	47	71	398	51	2,133	440	259	68
786	8	175	8	49	24	46	10	2	3	3	22	6	198	61	35	69
215	2	23	5	33	5	54	25	1	4	3	18	3	214	36		70
125		8	1	14		15	5	5			5		5	1	1	71
1,106	7	161	8	70	13	208	50	15	31	20	78	14	144	23	86	72
43	1	24	1	3		7					6	1	240	37	24	73
129	3	15		8		41	21	1	4	4	9	2	42	19	5	74
119		84	1	8	1	86	29	3	1	3	35	15	157	39	26	75
37		37	1	1		83	7	10		13	49	4	82	28	1	76

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	PENNSYLVANIA—continued.											
		Group 2, rural.	Allegheny.	Allentown.	Columbia.	Easton.	Erie.	Lancaster.	McKeesport.	Meadville.	Newcastle.	Norristown.	Oil City.
77	Diphtheria	534	30	26	8	9	23	48	19	2	13	8	2
78	Dislocations	4									1		
79	Dropsy	353	18	16	4	1	7	2	1		2	5	1
80	Drowning	67	7	1	1	2	4		4	1		4	4
81	Dysentery	118	5	4	1	2	2	5	4	2	1	22	
82	Ear, disease of	1	1					1	1				
83	Electricity	2											
84	Elephantiasis												2
85	Embolism	4	2										
86	Enteritis	90	79	7	1	4	25	20	22		1	6	4
87	Epilepsy	85	3	2		1	4	1	1		2	12	1
88	Erysipelas	50	2	3	1	1			2	2	2	5	
89	Esophagus, obstruction and stricture of	1									1	1	
90	Execution	2	2	1		1	1	1					
91	Explosion	24	4				2				1		1
92	Exposure and neglect	3	2	1		1	1		1		1		
93	Extra-uterine pregnancy	2	1			1					1		
94	Eye, disease of	1											
95	Falling bodies	25	2				1		1		1		2
96	Falls	52	5	2		1	5	4	4	1	1	3	
97	Female organs of generation, disease of	8											
98	Fever	4		1									
99	Foreign bodies in esophagus	3											
100	Fractures	50	5	3	1	5	2	1	3	1		6	1
101	Frozen	4											
102	Gangrene	65	5	1	2	1	2		2			4	
103	Gastritis	193	25	3	3	1	5	10	4	1	8	9	1
104	General disease (not specified)												
105	Goiter	2											
106	Goiter, exophthalmic	2				1							
107	Gout												
108	Gunshot wounds	28	2	3	1		1	1	1		3	1	1
109	Heart disease	1,485	153	58	16	34	89	87	29	11	23	47	16
110	Hemophilia	2					1						
111	Hemorrhage	42	4	6			1	1	2		2	3	
112	Hernia	47	2		1		3	6			1		
113	Hip joint, disease of	3	1										
114	Homicide	11	1	1			1						2
115	Hydrocephalus	50	7		2	2	4	7	1		1	1	1
116	Hydrophobia	2											
117	Inanition	98	30	6	2	3	29	18	12	1	4	8	
118	Infanticide	2											
119	Inflammation and abscess of liver	51	2						1	2	2		1
120	Inflammation of brain	147	7	5	3		3	3	3				4
121	Influenza	212	28	5		3	4	16	3	5	9	9	4
122	Injuries by machinery	23	6				2				3		
123	Jaundice	50	9			3	1	5	1	1	3		1
124	Joints, disease of	6					1						
125	Kidneys, disease of	106	8	1	2	2			1	1	3	2	
126	Laryngitis	13					1		1				1
127	Larynx, disease of	3					2						
128	Lead poison	2											
129	Leprosy	1											
130	Leucocythemia	6	1	2				3					
131	Lightning	19											
132	Liver, disease of	114	20	3	4	4	11	5	1	3	6	2	
133	Locomotor ataxia	20	7	1			1	1			1		
134	Lost at sea						1						
135	Lungs, disease of	135	29	4	1	6	1	5	6	4	2	6	4
136	Lymphangitis	1											
137	Malarial fever	30	2	1		2	1	3	2	2			
138	Male organs of generation, disease of												
139	Malformation	51	6	1	4	2	2		1		2	2	1
140	Malignant pustule												
141	Measles	144	11				2				2	1	
142	Meningitis	233	57	15	6	3	17	2	12	2	11	13	1
143	Mental disease	111	1			2	3		1	3		5	
144	Mining accidents	47	1										
145	Mumps												
146	Nervous system, disease of	83		1	1	2	2	1		2		1	
147	Noma												
148	Nose, disease of	1											

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

PENNSYLVANIA—continued.						RHODE ISLAND.							SOUTH CAROLINA.			
Philadelphia.	Phoenixville.	Pittsburg.	Pottstown.	Reading.	South Bethlehem.	Total.	Rural.	Central Falls.	Newport.	Pawtucket.	Providence.	Woonsocket.	Total.	Group 1, rural.	Charleston.	
1,040	3	102	3	48	18	73	21	2	4	6	33	7	83	16	1	77
		2											3	1		78
88		25	4	10	5	5	4					1	461	203	6	79
116	1	42	1	7		47	27		3	5	9	3	74	40	6	80
80		9		8		46	12		6	3	12	13	578	126	25	81
2		7				1					1		4	1	1	82
5		7														83
1																84
17		2		1		4	2	1			1		4		2	85
687		337	3	17	3	187	58	5	4	4	100	16	233	17	122	86
45		10		1		22	16	1	1		4		58	15	1	87
79		17	1	1		22	8		8		8	3	20	4	2	88
8													4		1	89
3		2			1								4		4	90
3		14				3	2					1	3	1		91
10		2		2		4	2				2		59	23	1	92
13		2				3					3					93
						1					1		1			94
		13				8	4		1	1	2		8	1		95
10		47	1	4		71	15	3	2	4	42	5	48	11	4	96
3		3				5	2				3		12	3		97
		4				1	1						308	199	2	98
1		5		1		3				1	2		4	1		99
57		47	1	7		11	5		1	2	3		20	3	5	100
2													5			101
59		5	1	11		21	10			2	8	1	9	1	3	102
236	4	95	2	10	6	42	19	2	2	7	9	3	109	26	15	103
2																104
2		1				1					1		1			105
2		1		1		3	1		1	1						106
		1														107
17		7	1	2		3			1	1	1		134	28	15	108
1,938	19	292	21	119	16	571	211	14	39	67	218	22	843	189	115	109
5		1											1			110
41	1	9	2	1	2	14	5		1	2	5	1	44	18	5	111
43	1	9	1	1		21	9	1	2	2	7		23	4	5	112
13		2				4	1				3					113
13		12				7	4				3		48	10	6	114
132	1	21		2	2	86	18	1	4	10	41	12	36	11	3	115
		1		2									5		1	116
515	7	99	7	9		18	5		2	1	9	1	65	21	4	117
		2				4	1				3					118
39	1	23	1	1		15	8			1	10	1	36	8	3	119
59		11	3	2		6	3				2	1	110	32		120
253	6	66	2	16	1	324	100	9	12	70	127	6	492	163	66	121
2		14			1	3	1				2		6	1		122
64	1	20	2	4		24	12	1	1	1	7	2	72	18	7	123
13		2				3	1				2		4	2		124
103		16		2	2	32	15	1	1	2	10	3	79	21	14	125
23		13		1		16	6	1	1	1	6	1	7		1	126
7		3				3					3		2			127
11		1				3	1	1		1						128
		1														129
8		1	1										2	1	1	130
													20	10		131
228	4	50		4	2	59	19	1	10	2	25	2	47	17	10	132
37		6		2		9	3			1	5		1			133
																134
394	4	59	1	13	2	45	20	4		4	14	3	59	11	20	135
																136
24	1	10	1	1		24	5	2	1	1	12	3	749	362	50	137
1																138
69	1	14		3		37	17	1	2	2	13	2	80	2	60	139
1		1														140
290	3	87	7			204	67	4		12	119	2	102	68	6	141
538	3	128	2	37	7	156	48	12	16	15	50	15	112	15	7	142
67		25	1	2		22	14		1		7		35	5	5	143
1		5														144
5		1											5			145
33		8		9	2	11	6		1	1	3		37	6	3	146
7						3					3		3		1	147
1																148

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	PENNSYLVANIA—continued.											
		Group 2, rural.	Allegheny.	Allentown.	Columbia.	Easton.	Erie.	Lancaster.	McKeesport.	Meadville.	Newcastle.	Norristown.	Oil City.
149	Obesity												
150	Old age	700	71	16	10	15	39	17		6	13	12	5
151	Ovarian tumor	10	1				1		2		1		
152	Ovaries, disease of	2											
153	Pancreas, disease of												
154	Paralysis	725	24	7	5	14	13	8	5	11	7	12	3
155	Paralysis general (of insane)	40	1			1						8	
156	Parasites												
157	Pelvic abscess (female)	4	1				1		1		2		
158	Pericarditis	8		1			1	1	1			1	
159	Peritonitis	92	30	15	2	1	11	3	5	1	8	5	3
160	Pharyngeal abscess	1											
161	Pharynx, disease of (not specified)												
162	Phlebitis	3	1								1		
163	Phlegmasia dolens												
164	Pleurisy	77	7	1	2	1	1	1	2				1
165	Pneumonia	1,888	357	64	19	38	58	51	92	10	32	19	15
166	Poisons (not specified)	34	4	4	3	1	4	3			3	1	
167	Pregnancy, affections connected with	3											
168	Premature birth	136	70	26	3	8	8		21	4	8	6	2
169	Prostate, disease of	6					1		1				
170	Puerperal convulsions	9	2		1		1	1					1
171	Puerperal mania	1											
172	Puerperal septicemia	43	5	2		1	2		1	1			1
173	Purpura	3						1	1		1	1	
174	Railroad accidents	230	41	10	2	10	11	4	25	10	16	12	3
175	Respiratory system, disease of	3									1		
176	Rheumatism	99	23			1	4	5	4	3	3	5	
177	Rickets	7	2										
178	Roseola	2											
179	Rupture of bladder									1			
180	Sarcoma	9			1		1	1					1
181	Scarlet fever	185	17	9		1	7	2	5		2		1
182	Scrofula	20	1						1		1		
183	Septicemia	153	8	5	1	3	6	3	3	1	2	4	
184	Skin, disease of	18											
185	Smallpox	13	1						1				
186	Spinal cord, disease of	27	4				5	1			1	1	
187	Spine, disease of	37	1	1			1	1					
188	Spleen, disease of	3						1					
189	Stomach, disease of	94	6	1	1	1	3	3		3	2	2	1
190	Suffocation	24	3	3	1	2	1	1	1	1		3	
191	Suicide by cutting throat	4							1				1
192	drowning	4	1										
193	hanging	21	5	2		1	1	2			1	1	
194	poison	10	6			1	1		1				1
195	shooting	18	5	2		1	3		3				2
196	(not specified)	23	1	2			1				1		
197	Sunstroke	11	4			1						1	1
198	Surgical operations	14	3					1	1				
199	Tabes mesenterica	35				1	3		2		3		
200	Tetanus	46	2		2		3	2	2				
201	Trismus nascentium	3					1						
202	Tuberculosis (unclassified)	9	3			1		1				1	
203	Tubes, disease of	2									1		
204	Tumor	60	3			2	2	4	3				
205	Tumor of uterus	10			1		2			1			
206	Typhoid fever	746	134	17	6	4	18	23	15	10	42	9	11
207	Typhus fever												
208	Unknown	592	30	27	6	13	6	6	5	2	18	4	12
209	Uremia	46	7	5	1	4	5	10	3	1	5	8	
210	Urethra, stricture of												
211	Urinary organs, disease of	4	1		1								
212	Uterine hemorrhage	5			1		1		1				
213	Uterus, disease of	1	1										
214	Venereal disease												
215	Vomiting in pregnancy	13	3				1		1		2	1	
216	Whooping cough	166	10	7									
217	Worms	2	1				3	2	15	1	2	3	1
218	Wounds	13	2		6	3	2				4		
219	Yellow fever												

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

PENNSYLVANIA—continued.						RHODE ISLAND.							SOUTH CAROLINA.			
Philadelphia.	Phoenixville.	Pittsburg.	Pottstown.	Reading.	South Bethlehem.	Total.	Rural.	Central Falls.	Newport.	Pawtucket.	Providence.	Woonsocket.	Total.	Group 1, rural.	Charleston.	
																149
906	1	103	6	20	6	188	81	4	14	21	58	10	261	52	48	150
12		10				5	1				4		3	1		151
8						1					1					152
2						1				1						153
387	8	74	8	24	3	78	32	2	3	4	26	11	363	66	32	154
39		2		3		21	18	1			2		16			155
																156
9		4				3	1				2					157
38		9		4		8			1	1	4	2	7	1	1	158
276	7	59	1	7	2	32	12	2	1	4	5	5	50	3	14	159
		2				2					2					160
																161
9		1				1	1						2	1		162
2						1		1					1			163
79		28	1	6		16	7		1	3	4	1	107	53		164
3,143	25	833	18	106	29	899	302	26	32	52	444	43	1,324	285	118	165
66		19	1	4		23	4	1		2	15	1	44	10		166
4		1				8	2			2	3	1	4		2	167
698		126	1	77	4	148	41	2	7	17	76	5	149	25	30	168
14		3				10	4			1	5		6	1	3	169
25		3		2		11	4				7		23	4	8	170
		1		1									2			171
72		13		1	1	34	9		1	3	16	5	56	10	5	172
10						3	1		1		1		1			173
55		182	3	31	4	41	13	2		7	16	3	64	11	10	174
													5	2		175
58	1	34	1	3		34	11	3	3	3	14		60	17	2	176
6		8				2	2						4		1	177
													5			178
4																179
70		10		3		8	3	1	1	1	2		4		3	180
194	1	51	2	9		35	11	2	3	2	13	4	27	20	5	181
9		1		2		1	1						50	6		182
168	1	23	3	13	2	12	2			2	7	1	102	31	10	183
11		10		2		6	2				4		20	8	1	184
						2	2						85	63	1	185
39	1	8	1			11	3		1	2	4	1	10	3	1	186
14		2				8	3				5		13	3	1	187
2	1	3														188
60	1	14		4		17	2		2	2	10	1	38	11	1	189
39		9		3	1	27	5		3	3	15	1	34	7	1	190
7		3				4				1	2	1				191
5		1				1	1						1			192
15		3	1	1		10	4				6					193
19		8		2		5	1		1	1	2		4			194
21		12		1		9	4		3		2		7		1	195
91	1	3		1		10	2			1	7		7			196
54		15				2	2						11	1	4	197
6		7		1		1			1				4			198
47		13	1	4	1	17	5	2		2	4	3	39	5	2	199
40		8	3	5	1	7	3			1	3		32	15	7	200
10		7				2	2						67	1	66	201
33		2	1	1	1	47	19			3	24	1	27	2		202
8		6				4					4					203
50		3		1		11	4			1	6		56	16	7	204
11	1	8				15	3		4	1	7		7		3	205
489	4	474	5	35	6	102	23	2	12	7	52	6	970	178	70	206
													8	2		207
92		65	5	28	3	61	21	2	5	9	21	3	1,304	424	15	208
520	1	29	4	12	3	25	11	3		1	10		24		8	209
						3	2				1		5		3	210
7		2				1					1		3	2		211
3		1	1	1		3			1		2		9	3		212
1		4				2					2		24	4	1	213
27		5				16	3		1	3	8	1	50	8	18	214
2		1											3			215
175	1	54	5	9	1	111	28	9		10	60	4	176	42	24	216
1						1	1						50	27		217
6		23		1		2					2		10	5	2	218
																219

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	SOUTH CAROLINA—continued.		SOUTH DAKOTA.				TENNESSEE.						
		Group 2.	Group 3.	Total.	Group 1.	Group 2.	Group 3.	Total.	Group 1.	Group 2.	Group 3, rural.	Memphis.	Group 4, rural.	Nashville.
1	All causes	375	10,281	3,088	1,694	845	549	30,572	10,625	4,638	2,843	2,572	7,852	2,042
2	Abortion	1	5	1	1			15	6	3	1		4	1
3	Abscess	1	11	9	7	1	1	25	8	8	2		4	3
4	Abscess, lumbar and psoas							1						1
5	Absorbent system, disease of			2	2			1						1
6	Accidents and injuries (not specified)	1	46	60	37	12	11	152	37	19	17	17	45	17
7	Addison's disease							4	3				1	
8	Adenitis		2					3	2				1	
9	Alcoholism		2	5	3	2		39	7	5	2	14	4	7
10	Anemia		9	3	3			32	21		1	6	2	2
11	Aneurism	2	4	1	1			9	1				5	3
12	Angina		9	4	4			49	22	3	4	3	15	2
13	Angina pectoris		3	2	1		1	34	15	1	2	2	8	6
14	Aphthae		40	3	2	1		33	10	7	2	1	13	
15	Apoplexy	4	102	37	23	10	4	227	71	24	11	31	55	35
16	Appendicitis		23	15	10	3	2	70	24	9	4	10	17	6
17	Arteries, disease of							2	1					1
18	Ascites	2	35	5	3		2	89	35	17	6	4	24	3
19	Asthma		25	16	9	7		53	18	7	4	8	12	4
20	Atrophy			1	1									
21	Bile passages, disease of			1	1			1						1
22	Birth, causes incident to		10	4	2	2		17	9			1	5	2
23	Bites		2	1	1			2	2					
24	Bladder, disease of		12	4	1	2	1	26	11	2	3	1	6	3
25	Bones, disease of		4	5	1		4	14	4	2	5		2	1
26	Bowels, disease of	4	54	10	7	2	1	173	66	29	15	7	53	3
27	Bowels, obstruction of	2	17	8	3	5		48	10	5	4	12	7	10
28	Brain, disease of	3	67	23	16	5	2	371	88	60	48	26	97	52
29	Breast, disease of (puerperal)													
30	Bright's disease	2	156	63	46	12	5	335	127	32	11	87	46	32
31	Bronchitis	4	101	22	13	4	5	433	166	55	61	33	87	31
32	Burns and scalds	6	204	16	9	6	1	226	79	30	22	12	66	17
33	Calculus biliary	1	5	2	2			11	7	1			2	1
34	Calculus urinary		4	1	1			18	11	2	1		3	1
35	Cancer (not specified)	2	46	24	20	4		148	62	28	7	8	40	3
36	of abdomen		3	1	1			13	4	2	1	2	3	1
37	bladder	1	1					2	1					1
38	brain													
39	breast	1	12	6	4		2	48	24	4	1	1	15	3
40	eye		1					1	1					
41	genitals							2					1	1
42	head, face, and neck		9	7	3	1	3	45	26	8	1		9	1
43	kidneys		1					2	2					
44	larynx							1	1					
45	liver		5	6	6			23	13		1	2	2	5
46	lower extremities		4											
47	lungs							1	1					
48	mouth, tongue, and throat		5	1			1	12	4	2			5	1
49	ovaries							1					1	
50	penis													
51	rectum			1	1			17	4			7	4	2
52	stomach	2	8	24	19	5		66	23	8	7	5	18	5
53	testicle													
54	upper extremities													
55	uterus	1	46	7	5	2		65	28	5	3	3	13	13
56	Carbuncle	1	2					8	3	1	1		1	2
57	Catalepsy													
58	Cerebro-spinal fever		23	10	7	2	1	102	42	7	10	7	31	5
59	Chicken pox		1					1	1					
60	Childbirth	6	110	33	12	15	6	153	49	31	20	6	42	5
61	Cholera infantum	7	251	58	30	16	12	453	180	64	29	34	122	24
62	Cholera morbus	3	53	64	41	12	11	169	63	22	13	10	49	12
63	Chorea		1					7	3	1	2		1	
64	Circulatory system, disease of		1	2	1		1	1					1	
65	Colic	1	32	40	18	15	7	40	17	7			15	1
66	Colitis		11	3	3			57	4	5	2	18	13	15
67	Constipation		6					38	12	2	2		18	4
68	Consumption	40	1,394	425	171	138	116	4,451	1,588	667	361	278	1,252	305
69	Convulsions	2	100	57	26	21	10	240	42	28	19	26	67	58
70	Croup	20	158	39	23	12	4	958	521	124	48	8	238	19
71	Cyanosis		3					11	3	2		1	1	4
72	Debility		35	20	16	3	1	165	48	11	9	11	23	63
73	Dentition	6	173	13	3	9	1	100	36	12	8	8	32	4
74	Diabetes	1	17	22	18	3	1	52	32	7	1	6	5	1
75	Diarrhea	3	89	25	8	9	8	311	166	21	29	29	45	21
76	Digestive system, disease of	3	50	7	5	1	1	115	41	25	16	4	25	4

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

TEXAS.					UTAH.			VERMONT.						
Total.	Group 1.	Group 2, rural.	San Antonio.	Group 3.	Total.	Rural.	Salt Lake.	Total.	Rural.	Barre.	Bennington town.	Burlington.	Rutland.	
34,160	3,781	27,576	1,257	1,546	3,079	2,225	854	5,829	5,007	158	127	347	190	1
18	1	16		1										2
45	4	40		1	3	2	1	4	4					3
3		3						3	2				1	4
1		1						1	1					5
214	26	160	6	22	39	25	14	63	63		2	2	1	6
1		1			1		1	4	3	1				7
3		2	1					1	1					8
40	10	27	1	2	7	5	2	11	6	3	1	1		9
21	2	13	3	3	8	3	5	39	36		1	2		10
16	3	12		1				4	3			1		11
142	14	119	3	6	3	3		3	3					12
33	3	24	6		9	3	6	33	31	2				13
33	7	25		1				1	1					14
240	42	165	23	10	47	34	13	319	293	2	7	7	10	15
133	14	101	3	15	42	27	15	42	37			1	4	16
4	2		2		2		2	9	7			2		17
53	7	42	2	2	6	6		2	2					18
80	8	69	1	2	20	14	6	8	8					19
								2	2					20
1		1						2	2					21
15	5	5	2	3	7	7		16	14			2		22
23	5	16	1	1										23
46	5	33	5	3	9	6	3	31	29			1	1	24
20		15	2	3				3	3					25
227	12	210	3	2	12	10	2	8	7			1		26
82	5	69	3	5	12	3	9	29	21		2	4	2	27
631	52	552	10	17	14	9	5	71	64	1		5	1	28
								2	2					29
448	98	291	41	18	94	59	35	210	181	3	7	10	9	30
477	37	395	26	19	51	37	14	139	108	5	2	12	12	31
271	30	225	7	9	6	4	2	18	11	1	2	3	1	32
15	3	12			1		1	7	6		1			33
19	1	17	1		2	1	1							34
153	16	122	6	9	22	11	11	105	96	5	1	2	1	35
12	2	8	1	1	5	5		10	9			1		36
1		1			2	2		4	4					37
1		1												38
24	2	19	2	1	2	2		18	16		1	1		39
3	1	2												40
1	1													41
40	2	34	3	1	6	5	1	9	8				1	42
					1	1		1	1					43
								2	2					44
18	4	11	3		6	2	4	29	24			3	2	45
														46
1		1												47
17	4	10	1	2	1		1	8	7			1		48
3	1		2					2	2					49
														50
9	1	5	1	2				7	6	1				51
108	14	84	6	4	20	11	9	60	54	2		3	1	52
														53
					1	1								54
87	10	70	4	3	2		2	26	18	1	1	6		55
10	2	7	1					1	1					56
														57
82	6	69	1	6	34	25	9	19	13	3		2	1	58
6	1	5			1	1		1	1					59
271	29	221	4	17	19	15	4	16	14	2				60
801	72	654	38	37	64	34	30	111	82	3	3	20	3	61
361	51	286	10	14	45	40	5	26	24			1	1	62
3		2		1	1	1		1	1					63
3		3			3	2	1	2	2					64
92	14	77		1	2	2		3	1			2		65
57	10	39	5	3	4	2	2	7	5	1		1		66
49	2	41		6	2	2								67
2,951	339	2,200	246	166	143	86	57	524	449	16	12	33	14	68
281	51	225	3	2	57	42	15	67	56	9	1	1		69
649	48	567	2	32	21	20	1	21	19	1		1		70
7	1	6			1		1	13	12	1				71
175	44	111	7	13	37	22	15	70	51	5	1	11	2	72
119	15	100	2	2	7	3	4							73
79	3	70	4	2	14	8	6	39	34	1		4		74
326	29	238	29	30	17	7	10	27	20	1	1	4	1	75
117	16	89	2	10	7	7		14	14					76

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	SOUTH CAROLINA—continued.		SOUTH DAKOTA.				TENNESSEE.						
		Group 2.	Group 3.	Total.	Group 1.	Group 2.	Group 3.	Total.	Group 1.	Group 2.	Group 3, rural.	Memphis.	Group 4, rural.	Nashville.
77	Diphtheria	3	63	89	60	27	2	198	74	66	2	10	25	21
78	Dislocations		2					2				1		1
79	Dropsy	14	238	39	26	8	5	561	189	97	53	27	172	23
80	Drowning	1	18	21	14	6	1	54	18	2	5	10	12	7
81	Dysentery	6	421	17	9	6	2	663	220	96	82	58	178	29
82	Ear, disease of		2					13	2	8	2	1	3	2
83	Electricity							2	1			1		
84	Elephantiasis							1						1
85	Embolism		2	1			1	7	2		1	2	1	
86	Enteritis	2	91	9	5	3	1	300	71	39	24	33	34	49
87	Epilepsy		42	13	6	4	3	87	40	17	8	3	17	2
88	Erysipelas	1	13	12	8	1	3	79	36	15	5	5	18	
89	Esophagus, obstruction and stricture of		3					2						2
90	Execution			1		1		5	5					
91	Explosion	1	1	4	2		2	14	4	1	5		4	
92	Exposure and neglect	2	33	5	4	1	1	35	12	7	8	3	8	2
93	Extra-uterine pregnancy							1						1
94	Eye, disease of		1											
95	Falling bodies		7					20	10	4	3		2	1
96	Falls	2	31	15	9	1	5	79	35	6	4	7	23	4
97	Female organs of generation, disease of		9	4	4			48	16	12	4	2	13	1
98	Fever	1	106	11	2	9		153	55	15	14	2	66	1
99	Foreign bodies in esophagus	1	2					7	3				3	1
100	Fractures	1	11	5	2	3		45	16	3	1	9	9	7
101	Frozen		5	1			1	9	5	2			2	
102	Gangrene		5	4		2	2	20	3		1	6	4	6
103	Gastritis	2	66	23	13	7	3	206	75	17	12	12	73	17
104	General disease (not specified)		1					5	1		1		3	
105	Goiter			1	1			3	1	1		1		
106	Goiter, exophthalmic							1		1				
107	Gout	3	88	13	10	3		170	63	10	15	25	36	21
108	Gunshot wounds	17	522	166	108	44	14	1,245	501	126	100	103	306	109
109	Heart disease	1	1											
110	Hemophilia	1	20	9	6	1	2	44	14	3	5	4	13	5
111	Hemorrhage	1	13	12	9	1	2	26	11	4	3		6	2
112	Hernia							5	2		1		2	
113	Hip joint, disease of	1	31					92	28	12	6	18	24	4
114	Homicide		22	13	9	4		61	25	2	2	4	15	13
115	Hydrocephalus		4					1		1				
116	Hydrophobia													
117	Inanition	4	36	18	9	7	2	187	55	8	7	49	24	44
118	Infanticide							2		1	1			
119	Inflammation and abscess of liver	1	24	8	4		4	92	31	16	5	10	22	7
120	Inflammation of brain	9	69	24	11	10	3	256	95	47	25	8	67	14
121	Influenza	15	248	26	13	10	3	1,049	489	158	71	33	254	44
122	Injuries by machinery		5	2			2	6	2	1	1		2	
123	Jaundice	3	44	2		2		85	37	13	4	5	20	6
124	Joints, disease of		2	1			1	10	2	3	2		3	
125	Kidneys, disease of	1	13	27	23	3	1	127	39	24	12	7	40	5
126	Laryngitis		6	3	3			10	7			1	1	1
127	Larynx, disease of		2					2				2		
128	Lead poison							2	1					1
129	Leprosy													
130	Leucocythemia							3	1	1				1
131	Lightning		10	14	10	4		11	3	6			2	
132	Liver, disease of		20	3	2	1		132	52	14	9	23	23	11
133	Locomotor ataxia		1	3	3			5	1		1	1	1	1
134	Lost at sea													
135	Lungs, disease of	1	27	24	15	8	1	189	53	20	18	23	54	21
136	Lymphangitis													
137	Malarial fever	1	336	2	2			987	132	163	183	272	196	41
138	Male organs of generation, disease of													
139	Malformation	2	16	5	3	1	1	39	15	9		2	12	1
140	Malignant pustule							1			1			
141	Measles		28	39	8	14	17	794	226	161	112	45	240	10
142	Meningitis	3	87	40	28	3	9	595	279	71	48	42	127	28
143	Mental disease		25	7	1	6		31	17	5		2	7	
144	Mining accidents			1			1	14	13				1	
145	Mumps		5	1	1			4	2		1		1	
146	Nervous system, disease of	1	27	13	7	3	3	87	35	10	3	4	27	8
147	Noma		2					4	1		3			
148	Nose, disease of			1	1			2					2	

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

TEXAS.					UTAH.			VERMONT.						
Total.	Group 1.	Group 2, rural.	San Antonio.	Group 3.	Total.	Rural.	Salt Lake.	Total.	Rural.	Barre.	Bennington town.	Burlington.	Rutland.	
345	30	285	15	15	26	18	8	42	25	13		2	2	77
9	1	7		1				5	5					78
392	34	341	9	8	23	23		12	9	2	1			79
149	26	116	2	5	21	14	7	30	28			2		80
794	53	701	19	21	8	6	2	33	30	1	1		1	81
10		9	1		1		1	1	1					82
10	2	5	3					2	1			1		83
														84
7	3	4			1		1	9	7	1			1	85
741	87	541	65	48	15	5	10	48	34	1	2	10	1	86
110	6	97	4	3	15	14	1	18	14	1		2	1	87
101	7	91	1	2	11	10	1	14	12				2	88
4	1	2	1		2	1	1							89
6		6												90
10		9		1	7	7		3	3					91
34	8	24	2		1	1		3	3					92
1				1										93
														94
18		16	2					3	3					95
88	10	74	1	3	10	7	3	11	9	1			1	96
37	4	29	1	3										97
347	48	269		30				1	1					98
12		12			1	1								99
34	7	19	6	2	15	1	14	27	22	1		3	1	100
6	2	3		1				1	1					101
27	4	19	3	1	3	1	2	32	31				1	102
237	27	186	9	15	24	17	7	61	55	1	2	3		103
1		1												104
1		1												105
					1		1	1	1					106
														107
264	29	210	5	20	10	7	3	11	9			1	1	108
1,254	185	954	55	60	214	139	75	605	540	9	14	19	23	109
														110
86	11	67	7	1	8	5	3	10	8	1	1			111
26	5	18	2	1	12	7	5	14	14					112
6	1	4	1					1	1					113
113	10	93	2	8	10	7	3	2		1		1		114
54	6	43	3	2	8	7	1	22	16	1		4	1	115
12	1	10		1										116
347	48	260	26	13	18	14	4	54	44	2		2	6	117
2		1	1											118
159	20	125	9	5	6	3	3	10	9			1		119
201	19	155	10	17	23	23		13	10	2		1		120
397	41	327	14	15	35	31	4	129	121	1		4	3	121
20	3	15		2										122
244	18	220	2	4	11	10	1	15	14				1	123
10	1	9			1	1		1	1					124
154	12	130	4	8	13	10	3	17	15	1		1		125
10	3	4	2	1	2	2		5	4		1			126
2		2			1	1								127
4	1	1		2	2	1	1	1	1					128
					2	2								129
2	1	1						2	2					130
19	1	15		3				1	1					131
134	21	98	8	7	15	8	7	38	33	1	2	1	1	132
5		5			1		1	7	7					133
														134
166	21	135	5	5	26	14	12	56	45	2	2	4	3	135
1		1												136
1,331	267	1,015	33	16	5	2	4	9	9					137
2		2												138
60	1	53	3	3	5	4	1	24	19		1	4		139
2		2												140
1,412	47	1,287	14	64	15	13	2	21	19			1	1	141
523	49	430	8	36	59	41	18	121	92	5	5	13	6	142
75	10	55	7	3	6	6		19	15	1	2	1		143
5		4	1		234	231	3							144
8	1	7			1	1								145
69	11	55	1	2	7	4	3	26	25			1		146
8	1	7			2	2								147
1		1												148

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STAT

	CAUSE OF DEATH.	SOUTH CAROLINA—continued.		SOUTH DAKOTA.				TENNESSEE.						
		Group 2.	Group 3.	Total.	Group 1.	Group 2.	Group 3.	Total.	Group 1.	Group 2.	Group 3, rural.	Memphis.	Group 4, rural.	Nashville.
149	Obesity													
150	Old age	1	160	87	47	29	11	525	149	55	38	48	160	75
151	Ovarian tumor		2	1	1			10	5	1			3	1
152	Ovaries, disease of							1				1		
153	Pancreas, disease of													
154	Paralysis	10	255	49	32	12	5	496	195	83	28	22	141	27
155	Paralysis general (of insane)	1	15	3		3		28	3	6	9		10	
156	Parasites													
157	Pelvic abscess (female)			1	1			5	1			2		2
158	Pericarditis		5	2	1	1		9	3			3	2	1
159	Peritonitis	1	32	20	15	4	1	110	22	6	2	47	14	19
160	Pharyngeal abscess													
161	Pharynx, disease of (not specified)													
162	Phlebitis		1					2					2	
163	Phlegmasia dolens		1					2		1			1	
164	Pleurisy	1	53	5	3	2		62	25	2	1	10	15	9
165	Pneumonia	37	884	280	169	71	40	3,185	825	629	383	373	740	235
166	Poisons (not specified)		34	18	10	3	5	74	24	8	7	17	16	2
167	Pregnancy, affections connected with		2					6	2	2			1	1
168	Premature birth	4	90	23	19	1	3	249	118	26	9	29	44	23
169	Prostate, disease of		2	1		1		8	4	2			2	
170	Puerperal convulsions		11	2	1	1		21	9	2		5	5	
171	Puerperal mania		2	1	1									
172	Puerperal septicemia	2	39	15	10	5		89	33	13	8	9	25	1
173	Purpura		1	1	1			6	2				2	2
174	Railroad accidents	1	42	8	4	2	2	116	57	16	3	17	17	6
175	Respiratory system, disease of		3					4			1		3	
176	Rheumatism	4	37	21	14	5	2	195	77	21	15	15	57	10
177	Rickets		3	2	2			9	5				3	1
178	Roseola		5					1		1				
179	Rupture of bladder			2	2			2	1				1	
180	Sarcoma		1					6				4	2	
181	Scarlet fever		4	21	15	6		37	18	6	1	3	9	
182	Scrofula	2	42	8		1	7	208	76	33	15	4	77	3
183	Septicemia	3	58	37	25	9	3	197	63	19	6	32	49	28
184	Skin, disease of	1	10	2		2		23	9	7	2	2	3	
185	Smallpox													
186	Spinal cord, disease of	1	20	1		1		94	11	21	39	4	18	1
187	Spine, disease of		6	1		1		21	6	4		4	5	2
188	Spleen, disease of	3	6	4	1		3	104	49	18	1	1	34	1
189	Stomach, disease of			2	2			3	2				1	
			26	16	9	3	4	213	64	53	19	13	51	13
190	Suffocation	1	25	9	3	5	1	68	27	9	8	4	17	3
191	Suicide by cutting throat			1	1			9	3			2	2	2
192	drowning		1					1	1					
193	hanging			1	1			9	2	2			4	1
194	poison		4	3	1	1	1	13	4	1	1	2	3	2
195	shooting	1	5	8	5		3	9		3	1	1	3	1
196	(not specified)		7	6	1	5		16	8	2		1	4	1
197	Sunstroke		6	4	2	2		9	1	1	3		2	2
198	Surgical operations		4	1	1			9	3		1	1		4
199	Tabes mesenterica	1	30	5	2	3		146	67	27	8	5	30	9
200	Tetanus		10	2	2			41	10	7		10	7	7
201	Trismus nascentium							6				4	2	
202	Tuberculosis (unclassified)		25	2	2			18	11	2		2	1	2
203	Tubes, disease of							5				4		1
204	Tumor		33	10	6	2	2	60	19	6	6	3	24	2
205	Tumor of uterus		4					10	3			3	2	2
206	Typhoid fever	21	701	73	53	15	5	1,709	550	326	147	51	593	42
207	Typhus fever		6	3	3			2	1		1			
208	Unknown	38	827	284	95	74	115	2,279	769	463	322	93	593	39
209	Uremia	1	15	7	5		2	87	19	3	2	24	15	24
210	Urethra, stricture of		2					2			1			1
211	Urinary organs, disease of		1	3	1	2		9	5	1	2			
212	Uterine, hemorrhage	1	5	4	3		1	4	3		1		1	
213	Uterus, disease of		19					16	11		1			
214	Venereal disease		24	2		2		63	29	3	15	6	2	2
215	Vomiting in pregnancy		3										9	1
216	Whooping cough	1	109	53	19	25	9	425	174	31	42	15	139	24
217	Worms	3	20	1	1			30	13	5	6	1	5	
218	Wounds		3					13	1	3	1		6	2
219	Yellow fever							1					1	

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

TEXAS.					UTAH.			VERMONT.						
Total.	Group 1.	Group 2, rural.	San Antonio.	Group 3.	Total.	Rural.	Salt Lake.	Total.	Rural.	Barre.	Bennington town.	Burlington.	Rutland.	
														149
590	105	430	37	18	127	85	42	347	309	4	4	23	7	150
17	2	14	1		1	1		5	5					151
3		2	1					1	1					152
														153
423	44	348	13	18	57	41	16	116	103	1	1	9	2	154
15	4	10	1		4	3	1	1	1					155
1		1												156
8	1	4	1		5	2	3	3	2	1				157
15	2	13			3	1	2	7	6	1				158
122	15	84	16	7	41	22	19	72	56	2	2	11	1	159
1			1											160
														161
4		4			2		2	2	2					162
4		4			1	1								163
47	2	42	2	1	7	6	1	11	10		1			164
2,832	249	2,398	43	142	347	246	101	631	531	16	16	39	29	165
148	25	109	7	7	15	11	4	15	14				1	166
2		2			2	2		5	5					167
497	43	397	29	28	74	51	23	106	82	4	4	10	6	168
11	1	10			1	1		6	6					169
19	1	16	2		6	4	2	6	6					170
1		1			2	1	1							171
144	21	106	8	9	10	8	2	16	10		3	1	2	172
4	2	2			3		3	5	5					173
133	30	80	12	11	27	20	7	20	19				1	174
10		8		1	1	1								175
148	15	121	6	6	22	19	3	19	16			2	1	176
4		3	1					2	1			1		177
24	2	21		1										178
1	1													179
14	4	8	2		1		1	9	9					180
707	115	553	11	28	62	47	15	14	10	1		1	2	181
52	3	46	2	1				2	1	1				182
293	31	244	2	16	31	22	9	33	29	3		1		183
24	3	19	1	1	1	1		7	5		1	1		184
146	29	92	2	22	3	3								185
19	2	15	2		2	2		16	16					186
49	6	42	1		13	13		8	6		2			187
10	1	9						1	1					188
314	15	278	2	19	11	7	4	23	20		2	1		189
91	8	81	2		8	3	5	9	8				1	190
3		3			1	1		2	1		1			191
3		3						1	1					192
14	1	12	1		4	4		7	7					193
35	4	28		3	4	3	1	2	2					194
36	2	28	4	2	4	2	2	11	8	1		1	1	195
41	4	31	3	3	6	6		11	10				1	196
35	2	30	1	2	2	1	1	1	1					197
20	4	14		2	3	1	2	2	1			1		198
47	6	37	3	1	1	1		15	15					199
125	41	67	12	5	3	2	1	2	1			1	1	200
11	3	8			1		1							201
15	2	6	7		2	1	1	9	9					202
8	3	3	2		1		1							203
77	7	65		5	5	5		20	18			1	1	204
14	2	12			1		1	5	4		1			205
2,014	147	1,756	44	67	73	57	16	107	94	3	2	4	4	206
10		10												207
2,941	302	2,489	59	91	125	120	5	95	90		3	2		208
65	9	53	1	2	10	3	7	40	33		4	1	2	209
1		1												210
12	1	10	1					4	4					211
10		10						3	3					212
29	6	20		3										213
32	4	19	5	4				3	2			1		214
3		2		1	1		1	2	2					215
576	43	489	2	42	61	54	7	40	36	1		2	1	216
18	7	10		1										217
26	5	13	2	6	1	1		3	3					218
3	2	1						1	1					219

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STAT

	CAUSE OF DEATH.	VIRGINIA.									WASHINGTON.		
		Total.	Group 1, rural.	Norfolk.	Group 2, rural.	Alexandria.	Lynchburg.	Petersburg.	Richmond.	Group 3.	Total.	Group 1, rural.	Spokan
1	All causes	25,252	5,073	1,173	7,459	351	523	678	2,523	7,472	4,910	1,234	511
2	Abortion	11	4		2					5	4	3	
3	Abscess	21	3		7	1	1	1	2	6	7	4	2
4	Abscess, lumbar and psoas	5	2		1		1			1	2		
5	Absorbent system, disease of	5	3	1					1		1		
6	Accidents and injuries (not specified)	96	18	1	31	2		2	8	34	99	19	22
7	Addison's disease										3		
8	Adenitis	2			1					1			
9	Alcoholism	46	7	7	10	1	1	3	3	14	26	1	2
10	Anemia	21	2		6	1		1	6	5	12	2	1
11	Aneurism	10	3	1	1			1	1	2	10	1	
12	Angina	28	1		10	1			1	15	12	4	1
13	Angina pectoris	43	4	3	9	1		4	11	11	11	4	2
14	Aphthae	58	26	2	13				3	14	2		
15	Apoplexy	383	74	26	87	7	9	23	87	70	92	11	8
16	Appendicitis	80	13	4	20		1		13	29	51	15	7
17	Arteries, disease of	8		1		1			2	4			
18	Ascites	47	7	3	17			1	5	14	5	1	1
19	Asthma	109	27	3	39	3	1	2	16	18	12	2	2
20	Atrophy	12			4			2	6		3		3
21	Bile passages, disease of												
22	Birth, causes incident to	14	2	3	3		3	2		1	6	1	2
23	Bites										1		
24	Bladder, disease of	45	18	1	7	1		2	7	9	15	4	4
25	Bones, disease of	10	2		3				2	3	4		
26	Bowels, disease of	100	24		33		1	2	6	34	14	7	1
27	Bowels, obstruction of	53	8	11	9	1	2	1	10	11	25	6	5
28	Brain, disease of	209	47	10	47	3	4	10	50	38	54	15	2
29	Breast, disease of (puerperal)												
30	Bright's disease	492	86	39	96	23	12	38	81	117	140	35	16
31	Bronchitis	361	42	28	95	6	11	4	61	114	50	11	8
32	Burns and scalds	271	69	10	94	1	1	6	12	78	30	8	1
33	Calculus biliary	6			2				1	3	2		
34	Calculus urinary	14			9					5			
35	Cancer (not specified)	133	17	7	36	5	7	4	12	45	63	18	5
36	of abdomen	15	3	1	5					8	4	1	
37	bladder	4							3	1	4	1	
38	brain	1					1						
39	breast	57	9	3	20	1		3	6	15	6	1	
40	eye										3	2	
41	genitals												
42	head, face, and neck	40	7	2	9			1	8	13	7	4	1
43	kidneys	2			1					1	1		
44	larynx												
45	liver	15	4	2	3		1		2	3	16	3	
46	lower extremities	5	1		2					2	1	1	
47	lungs	2	1					1					
48	mouth, tongue, and throat	10	3		3			1		3	5	1	
49	ovaries												
50	penis	2			2								
51	rectum	7	1	2	2				1	1	7	2	2
52	stomach	91	10	2	23	1	1	1	8	45	47	8	5
53	testicle												
54	upper extremities	3								3			
55	uterus	74	6	2	25	1	2	4	10	24	21	3	2
56	Carbuncle	10	1		6			1		2	1		
57	Catalepsy												
58	Cerebro-spinal fever	82	15	6	16		1	2	9	33	16	3	1
59	Chicken pox												
60	Childbirth	162	55	2	61		1	4	6	33	23	13	
61	Cholera infantum	570	172	37	120	10	4	17	64	146	84	35	29
62	Cholera morbus	105	19	8	34	1	2	4	5	34	45	21	2
63	Chorea	1	1								1		1
64	Circulatory system, disease of										1		
65	Colic	69	18	5	32		1		2	11	4	3	
66	Colitis	36	12	2	8	1	1	1	10	1	3		2
67	Constipation	14	1		3					10	2	1	
68	Consumption	3,223	588	165	1,019	36	59	71	308	977	563	135	48
69	Convulsions	355	42	31	128	5	18	17	64	50	42	5	9
70	Croup	362	43	8	74	4	4	1	4	229	45	13	1
71	Cyanosis	10	1	3	2	1			1	2	1		
72	Debility	335	27	21	72	12	12	49	126	16	38	5	6
73	Dentition	200	44	25	79		7	7	24	14	2	1	
74	Diabetes	66	8	2	21	1		1	3	30	30	6	3
75	Diarrhea	241	62	18	71	1		10	44	35	20	2	2
76	Digestive system, disease of	82	14	7	23		5	2	5	23	7	2	

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

WASHINGTON—continued.			WEST VIRGINIA.				WISCONSIN.									
Group 2, rural.	Seattle.	Tacoma.	Total.	Group 1.	Group 2, rural.	Wheeling.	Total.	Group 1, rural.	Green Bay.	Manitowoc.	Milwaukee.	Group 2.	Group 3, rural.	Beloit.	Madison.	
1,842	898	425	9,588	5,082	3,952	554	24,928	3,679	315	168	4,550	2,389	7,414	152	216	1
1			6	3	2	1	17	4			7	2	1			2
1			10	6	3	1	35	7			5	7	7			3
1	1		1			1										4
		1					3						3			5
35	21	2	81	52	27	2	436	39	4	5	63	86	102	5	1	6
2		1					5					1	2			7
			1	1			4						2		1	8
10	9	4	16	7	3	6	59	11	1		26	1	12			9
3	5	1	16	11	3	2	55	3	3		9	2	24		1	10
4	5		7	5	2		12	3	1	1	1	1	3			11
6	1		5	4	1		24	2		1	2	2	4			12
3	1	1	19	5	11	3	58	8	1		17	6	20			13
1	1		8	3	5		7	1			1	1	3			14
86	26	11	96	50	31	15	679	138	10	3	105	64	235	5	4	15
14	9	6	20	8	8	4	217	21	5	1	45	21	69	1	5	16
			2	1	1		45	6	1	1	13	4	15		1	17
3			29	16	13		13	8			2		3			18
5	3		34	16	13	5	127	24		1	26	11	43	1	1	19
							16	8			7		1			20
							2						2			21
2		1	15	3	12		65	15			13	10	14		1	22
1			1	1												23
4	2	1	16	9	6	1	87	17	1	1	18	6	24		2	24
2	2		5	2	3		17	5			2		3			25
5	1		49	19	30		59	11			2	5	17	2		26
2	9	3	25	9	12	4	113	13	3	1	12	13	47	1	1	27
18	16	3	58	28	28	2	194	24		1	26	25	73			28
																29
53	20	16	172	82	68	22	575	88	1	5	97	73	199	4	7	30
19	6	6	82	39	27	16	578	107	3	3	182	33	148	5	2	31
13	5	3	93	45	42	6	123	13	3	1	25	12	28			32
	1	1	10	3	2	5	22	3		1	3	3	6			33
			6	2	2	2	6	1				1	3			34
20	13	7	43	22	19	2	358	42	11	2	59	32	125	5	6	35
1	1	1	7	2	4	1	32	3		1	5	3	9			36
1	2		1			1	5				1					37
																38
3	2		15	5	5	4	48	8	1		4	6	19	1	2	39
1							2					1	1			40
							2				1	1				41
2			20	9	10	1	38	6	1	1	7	3	13			42
1			2	1	1		1					1				43
							1									44
4	7	2	14	7	7		82	9	2	1	17	4	37	3		45
			3	2		1	1									46
							1						1			47
1	3		2	1	1		20	2	2		3		7			48
			2		1	1										49
																50
1	1	1	2	1	1		12	1	1		3	2	2			51
18	10	6	54	26	23	5	313	42	1	2	61	35	102	1	3	52
							1	1								53
							2					2				54
8	5	3	23	8	12	3	61	9			15	8	16		1	55
1			2		2		2						2			56
							1	1								57
9	3		25	15	8	2	40	16	4		2	5	7			58
			1		1		2									59
8	1	1	49	33	13	3	107	3			12	9	31			60
15	5		254	136	110	8	675	107	18	3	131	54	131	2	6	61
17	5		55	28	24	3	247	24	3		11	37	84		1	62
			5	3	2		1	1								63
	1		1	1			3						1			64
			2		2		169	29		2	12	15	36			65
1			3	2		1	19	1			5		9			66
1			5	4	1		5						4			67
1																
225	99	56	1,273	620	596	57	2,350	368	24	23	426	205	759	14	17	68
12	10	6	83	43	34	6	834	146	15	7	261	57	197	4	4	69
27	4		326	169	155	2	159	18			30	20	36	1		70
	1		4	1	3		9				3		2			71
11	11	5	53	23	25	5	471	75	6	4	110	13	166	6	6	72
1			11	7	4		34	9			5	3	6			73
12	4	5	23	13	8	2	149	14	3		14	16	60	1	3	74
11	3	2	66	27	30	9	153	21	1		45	18	29		3	75
2	1	2	29	19	10		95	11	1	2	22	11	25	1	1	76

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	VIRGINIA.									WASHINGTON.		
		Total.	Group 1, rural.	Norfolk.	Group 2, rural.	Alexandria.	Lynchburg.	Petersburg.	Richmond.	Group 3.	Total.	Group 1, rural.	Spokane.
77	Diphtheria	275	47	5	66	21	3	3	2	128	98	48	3
78	Dislocations										2		
79	Dropsy	481	100	11	187	2	3	3	16	159	38	10	3
80	Drowning	110	49	4	16	2	1	3	13	22	97	10	2
81	Dysentery	426	95	15	146	7	3	9	36	115	32	10	6
82	Ear, disease of	10	2		7					1			
83	Electricity	1			1						3		
84	Elephantiasis												
85	Embolism	6	1		3			1		1	1		
86	Enteritis	204	41	27	28	6	6	14	62	20	36	6	9
87	Epilepsy	71	16	4	21			1	6	23	11	5	
88	Erysipelas	48	11	1	11		4		8	13	12	3	5
89	Esophagus, obstruction and stricture of	3	1	1					1				
90	Execution	3			2					1	2		1
91	Explosion	17	4		3		1			9	4		1
92	Exposure and neglect	66	14		29	1				22	5		
93	Extra-uterine pregnancy	2		1			1						
94	Eye, disease of												
95	Falling bodies	23	7		3				4	9	12		1
96	Falls	58	10	2	14		1		9	22	20	4	
97	Female organs of generation, disease of	20	2	2	7			1		8	2	1	
98	Fever	75	1		31		1			42	11	4	1
99	Foreign bodies in esophagus	13	2	1	6					4			
100	Fractures	46	8	10	7		1	3	6	11	15	3	
101	Frozen	7	1		3					3			
102	Gangrene	21	4		6		1		3	7	6	1	1
103	Gastritis	208	41	9	60		7	7	19	65	34	12	2
104	General disease (not specified)	1			1								
105	Goiter	1								1			
106	Goiter, exophthalmic	2	2										
107	Gout	3						1		2			
108	Gunshot wounds	89	12	4	27	4		3	4	35	52	16	2
109	Heart disease	1,459	278	81	435	20	33	52	153	407	409	95	48
110	Hemophilia	1	1								2		1
111	Hemorrhage	59	16	3	10	1	5	3	5	16	14	4	4
112	Hernia	44	6	2	10			2	8	16	12	2	1
113	Hip joint, disease of	1								1	1		
114	Homicide	57	8	2	13			1	14	19	22	7	1
115	Hydrocephalus	43	7	3	9	1		3	8	12	30	6	2
116	Hydrophobia	6			1			1		4			
117	Inanition	138	21	19	23	3	5	2	44	21	68	13	6
118	Infanticide	1			1								
119	Inflammation and abscess of liver	78	14	4	17		4		10	29	4	1	
120	Inflammation of brain	191	32	1	87	1	4		2	64	25	15	
121	Influenza	754	79	25	212	11	5	8	38	376	53	12	1
122	Injuries by machinery	18	3		10				2	3	2	1	
123	Jaundice	56	7	2	22		1	1	2	21	10	2	1
124	Joints, disease of	10			4				2	4	1		1
125	Kidneys, disease of	123	21	8	41	2	2	6	3	40	19	8	2
126	Laryngitis	14	2		4	1	1	2	1	3	4		
127	Larynx, disease of												
128	Lead poison										1		
129	Leprosy												
130	Leucocythemia	3			1				1	1	2		
131	Lightning	14	5		4					5	1		
132	Liver, disease of	115	19	7	34			3	19	33	31	4	3
133	Locomotor ataxia	10	3	2					4	1	3		
134	Lost at sea												
135	Lungs, disease of	197	24	7	48	2	2	12	69	33	39	6	5
136	Lymphangitis	1								1			
137	Malarial fever	409	163	37	125	11	2	13	25	33	13	7	2
138	Male organs of generation, disease of												
139	Malformation	37	2	1	14				5	15	18	4	3
140	Malignant pustule										3		
141	Measles	297	37	1	120	1	2	1	5	130	11	2	1
142	Meningitis	414	64	9	90	7	18	8	47	171	95	28	16
143	Mental disease	60	20	3	14	1	1	4	7	10	45	1	1
144	Mining accidents	26			5					21	47	6	
145	Mumps	3							1	2	1	1	
146	Nervous system, disease of	48	5	4	13	1			8	17	7	1	
147	Noma	2			1		1						
148	Nose, disease of												

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

WASHINGTON—continued.			WEST VIRGINIA.				WISCONSIN.									
Group 2, rural.	Seattle.	Tacoma.	Total.	Group 1.	Group 2, rural.	Wheeling.	Total.	Group 1, rural.	Green Bay.	Manitowoc.	Milwaukee.	Group 2.	Group 3, rural.	Beloit.	Madison.	
37	10		162	83	74	5	352	44	6	8	93	12	73	3		77
1	1						1						1			78
14	4	7	176	106	69	1	331	42	4	1	41	63	103		5	79
54	27	4	35	17	17	1	192	28	6	5	29	18	43	3		80
10	5	1	126	65	58	3	116	16	2	2	5	14	43		1	81
			5	1	2	2	2				1	1				82
1	2						1						1			83
																84
1			1			1	17	6	1		2	2	5			85
7	11	3	39	13	13	13	409	57	4	7	193	9	71	6	3	86
4	2		51	20	29	2	82	9	1		5	5	43		2	87
3		1	27	9	17	1	50	7		1	10	5	13			88
							2		1							89
		1	3		3											90
1	2		13	4	7	2	18	1			1	5	6			91
5			10	8	2		32	5			3	1	12			92
			3		1	2	1				1					93
							1									94
9	1	1	14	10	3	1	21					1	6			95
13	1	2	23	10	11	2	45	6			5	9	16		1	96
1			9	6	3		8				1	3				97
5		1	30	16	14		18	4			2	1	4			98
			2	1	1		3	1				1				99
6	5	1	20	8	7	5	87	18	2		12	8	23	1		100
			2	1	1		3				1					101
2	2		16	11	2	3	32	7			5	5	8	1		102
15	5		114	70	39	5	231	37	3		52	18	78		4	103
																104
			3		2	1	5					2	1			105
			1		1		2				1					106
							1									107
25	6	3	46	28	17	1	58	6		1	2	10	14			108
144	83	89	479	240	202	37	2,105	324	11	5	282	217	758	13	16	109
	1						2						1	1		110
5	1		23	15	7	1	176	18	3	1	47	9	64	1	3	111
6	2	1	16	9	5	2	54	6	1		10	4	17	1	1	112
1			1		1		4	1					1			113
7	1	6	17	9	7	1	24	5	1		6	2	4		1	114
7	13	2	14	7	7		68	14	3		21	4	12			115
			2		2											116
16	18	15	34	13	13	8	379	48	9	1	139	23	72	3	1	117
							1									118
3			32	15	16	1	33	3			5	6	10		1	119
7	2	1	150	78	72		151	32	2		15	16	36		1	120
28	6	6	186	118	60	8	241	26	2		5	26	101	5	1	121
1			5	2	3		6	2								122
5	2		22	14	8		50	7			8	3	17			123
			1	1			5	1			1	1	1			124
6		3	61	31	29	1	123	18	1		25	15	38			125
	3	1	2	2			26	1			9	4	5		2	126
			1	1			2						2			127
	1		1		1		1	1								128
							1					1				129
1	1		1			1	11	1			1	1	5			130
1			5	4	1		11	1				1	5			131
10	8	6	51	18	20	13	135	24			18	11	60			132
2		1	3	2		1	16	2			2	3	8			133
																134
21	3	4	59	25	30	4	209	28	2	1	36	16	72		5	135
							1				1					136
2	1	1	34	17	17		37	5			3	7	14		1	137
																138
6	2	3	22	6	9	7	67	12	2		6	6	27			139
2	1						1									140
7	1		228	143	82	3	103	10			18	4	22		1	141
28	13	10	183	90	75	18	449	58	13	6	114	42	85	6	6	142
40	3		51	26	25		103	24			18	7	46		1	143
40	1		46	38	6	2	2									144
			3	2	1		7	2			1	2				145
6			38	17	20	1	44	9			3	3	24			146
							1						1			147
							2	2								148

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	VIRGINIA.									WASHINGTON.		
		Total.	Group 1, rural.	Norfolk.	Group 2, rural.	Alexandria.	Lynchburg.	Petersburg.	Richmond.	Group 3.	Total.	Group 1, rural.	Spokane.
149	Obesity												
150	Old age	713	126	27	292	13	12	8	57	178	130	28	9
151	Ovarian tumor	10	4		4					2	3		
152	Ovaries, disease of	2								2	2		1
153	Pancreas, disease of												
154	Paralysis	760	135	34	250	6	18	21	60	236	99	23	12
155	Paralysis general (of insane)	22	5		3				1	13	14	9	
156	Parasites												
157	Pelvic abscess (female)	1								1			
158	Pericarditis	3		2						1	2		
159	Peritonitis	121	20	10	21	3	5	8	30	24	55	12	4
160	Pharyngeal abscess												
161	Pharynx, disease of (not specified)												
162	Phlebitis	3			2				1		2		
163	Phlegmasia dolens	1								1			
164	Pleurisy	85	11	2	38			1	4	29	17	5	2
165	Pneumonia	2,429	482	93	722	28	38	64	239	763	379	77	43
166	Poisons (not specified)	59	8	8	14	2	1	1	11	14	28	6	4
167	Pregnancy, affections connected with	3		1					1	1			
168	Premature birth	228	44	27	21	5	8	14	41	68	55	8	8
169	Prostate, disease of	20	4	2	4				2	8	2		
170	Puerperal convulsions	14	1	1	2			2	3	5	4	1	1
171	Puerperal mania	1								1			
172	Puerperal septicemia	57	11	1	14	1		1	5	24	18	8	1
173	Purpura	2						1		1	1		
174	Railroad accidents	132	12	3	46	2	2	5	14	48	50	7	2
175	Respiratory system, disease of	3			2					1	1		
176	Rheumatism	170	31	9	55		3	4	11	57	20	8	2
177	Rickets	14	2	1	7		1			3	3		
178	Roseola	4								4			
179	Rupture of bladder	2	1	1							2	1	
180	Sarcoma	10	2		3				1	4	8	1	
181	Scarlet fever	58	3	1	12	1		1	2	33	53	13	5
182	Scrofula	104	11		45		1	2	3	42	5	4	
183	Septicemia	142	19	9	48	1	1	5	12	47	60	24	4
184	Skin, disease of	28	4		8				2	14	3	1	
185	Smallpox	263	218	13	23				2	7	17	12	3
186	Spinal cord, disease of	18	1	4	3		1	1	4	4	8		1
187	Spine, disease of	58	7		14	2	4	1		30	10	5	
188	Spleen, disease of	1								1			
189	Stomach, disease of	64	15	1	15		1	3	3	26	15	4	3
190	Suffocation	47	9	4	9		1	1	9	14	11		2
191	Suicide by cutting throat	2	2								2		
192	drowning	2	1					1			4		
193	hanging	3			1					2	11	4	
194	poison	4	2		1				1		13	2	2
195	shooting	16	6	1	2			1		6	13	2	
196	(not specified)	7	2		2					3	26	5	8
197	Sunstroke	30	5	3	5			2	8	7	1		
198	Surgical operations	9	3		3				3		11	5	4
199	Tabes mesenterica	43	6	2	11	1	4	1	8	10	8	1	
200	Tetanus	51	18	5	9	1	1	5	10	2	1		
201	Trismus nascentium	15	1	1	2	1		5	3	2			
202	Tuberculosis (unclassified)	6	1	1	2			1	1		5	1	
203	Tubes, disease of	1							1				
204	Tumor	62	16	1	17		1	1	4	22	13	8	
205	Tumor of uterus	8	1	1	1			1		4	2	1	
206	Typhoid fever	914	186	27	295	11	17	18	66	294	171	67	19
207	Typhus fever	1								1			
208	Unknown	2,049	506	10	714	32	107	9	65	606	163	61	20
209	Uremia	37	2	2	6		2	5	15	5	25	5	3
210	Urethra, stricture of										2		
211	Urinary organs, disease of	4	1		1				2		3	2	
212	Uterine hemorrhage	5	3	1						1			
213	Uterus, disease of	17	7		4				1	5	1	1	
214	Venereal disease	38	2	11	6	1		3	11	4	6		1
215	Vomiting in pregnancy	6	1	1				1	1	2			
216	Whooping cough	292	110	24	75	1		2	6	74	34	7	2
217	Worms	36	10	1	15					10			
218	Wounds	15	1		1				4	9	26	2	
219	Yellow fever	9	9										

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

WASHINGTON—continued.			WEST VIRGINIA.				WISCONSIN.									
Group 2, rural.	Seattle.	Tacoma.	Total.	Group 1.	Group 2, rural.	Wheeling.	Total.	Group 1, rural.	Green Bay.	Manitowoc.	Milwaukee.	Group 2.	Group 3, rural.	Beloit.	Madison.	
							1	1								149
60	19	14	184	103	67	14	1,316	272	23	7	130	160	433	8	12	150
2	1						5				1		3			151
		1	1	1												152
							2				2					153
43	13	8	278	151	116	11	567	62	4		37	77	262	3	5	154
5			4	3	1		7	4					3			155
																156
			2		2		5	1			1		1			157
1	1		4	1	2	1	13				6		3	1		158
12	14	13	29	11	12	6	253	26	1		58	16	75	3		159
																160
																161
1	1		1			1	2	1					1			162
			3	2	1											163
5	3	2	32	21	11		58	6	2		18	2	14			164
116	117	26	722	413	255	54	2,022	240	17	14	432	164	596	10	18	165
5	8	5	27	14	13		73	10	1		15	3	20		1	166
			1		1		3				2	1				167
18	7	14	114	54	51	9	426	60	13	2	154	23	65	7	6	168
2			2		1	1	18	2	2		4	1	8			169
1	1		7	1	4	2	13			1	1		3			170
																171
5		1	33	19	9	5	48	4			11	8	6			172
	1		4		4		4			1		1	1			173
21	13	7	103	63	29	11	219	44	4		42	19	45	1	2	174
1			2	1	1		1	1								175
5	1	4	67	29	34	4	152	19		1	18	23	58		1	176
2	1		2	1	1		19	7		2	3	1	2			177
							1									178
		1					6	1			1	1	2			179
2	5		5	1	1	3	31	2		2	9		9	1		180
24	4	7	60	43	16	1	200	35	2	4	76	14	43	1	8	181
1			38	24	14		10	2					6			182
16	11	5	55	30	23	2	208	31	1	1	20	32	59	2		183
2			9	6	2	1	27	2			9	1	11		1	184
1		1	4	3	1		7	1			1	1	1			185
3	3	1	26	11	15		51	11			7	5	22			186
3	1	1	72	29	43		39	3			3	8	16	1		187
			1	1			4	1			1		1			188
4	2	2	73	31	41	1	116	18	1		8	21	44	2	2	189
5	3	1	19	13	6		77	13	1	1	29	4	13			190
2							2					1				191
3	1		3	2		1	13	4			6	1				192
6	1		4	3		1	32	3		1	8	3	11			193
4	4	1	8	1	1	1	17	1	1		8	2	3			194
6	2	3	3	2	1		32	6		1	13	1	5			195
7	2	4	8	3	5		72	10	1		25	2	20	1	1	196
1			3	2	1		15	1			3		7			197
1		1	1		1		24	9	1	1	3	3	4			198
3	2	2	17	7	9	1	22	2		1	4	2	8			199
1			5	2	3		21	5		1	2	2	7		1	200
							7	1			3	1	2			201
1	3		2	2			11	2			1	1	4			202
			2			2	5	1					1	1		203
4		1	24	10	13	1	39	21			7	14	22		4	204
	1		6		5	1	10	1	1		3	2			1	205
47	31	7	586	328	232	26	365	40	6	3	52	46	75		3	206
			3		3		1	1								207
65	10	7	671	433	233	5	916	120	14	5	38	124	239	2	8	208
11	5	1	22	7	13	2	61	8		1	13	4	23	1	3	209
2																210
1			2		2		4	2					2			211
			2	1	1		2			1	1					212
			6	3	3		9	2	1		1	1	1			213
2	3		9	4	5		18	1			11		4			214
			3			3	1								1	215
18	7		152	90	54	8	218	26	6		9	14	45			216
			13	7	6		2				1		1			217
13	9	2	11	6	5		25	5		1	3	1	2		1	218
																219

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.	WISCONSIN—continued.						WYOMING.		
	Group 4, rural.	Appleton.	Chippewa Falls.	Eau Claire.	Marinette.	Superior.	Total.	Group 1.	Group 2.
All causes	4,929	175	100	257	232	352	767	103	664
Abortion	1					2	2		2
Abscess	9						2		2
Abscess, lumbar and psoas									
Absorbent system, disease of									
Accidents and injuries (not specified)	109	4	2	2	3	11	15	3	12
Addison's disease	2								
Adenitis		1							
Alcoholism	6				1	1	4		4
Anemia	10	1	1		1		3		3
Aneurism	1				1				
Angina	12			1					
Angina pectoris	5					1	2		2
Aphthae	1								
Apoplexy	94	3	1	8	4	5	7	2	5
Appendicitis	35	1	2	3	4	4	8	3	5
Arteries, disease of	2				2				
Ascites	4				1		3		3
Asthma	19			1			2		2
Atrophy									
Bile passages, disease of									
Birth, causes incident to	10		1			1			
Bites									
Bladder, disease of	16			1		1			
Bones, disease of	5	1			1				
Bowels, disease of	17	1		2		2	6	1	5
Bowels, obstruction of	17			1	1	3	7		7
Brain, disease of	38	1		2	1	3	3		3
Breast, disease of (puerperal)									
Bright's disease	81	4	1	4	4	7	8	1	7
Bronchitis	72	3	2	4	7	7	33	7	26
Burns and scalds	37	1		1		2	4	1	3
Calculus biliary	5		1						
Calculus urinary	1								
Cancer (not specified)	53	1	2	6	1	13	5		5
of abdomen	11								
bladder	4								
brain									
breast	6				1		1	1	
eye									
genitals									
head, face, and neck	4	1		2			1		1
kidneys									
larynx	1								
liver	8					1	1		1
lower extremities	1								
lungs									
mouth, tongue, and throat	5		1						
ovaries									
penis									
rectum	2		1				1	1	
stomach	56	2	2	2	3		6	2	4
testicle									
upper extremities									
uterus	11	1					1		1
Carbuncle									
Catalepsy									
Cerebro-spinal fever	6						3		3
Chicken pox	2								
Childbirth	39	3		2	1	2	12	1	11
Cholera infantum	166	9	1	0	7	31	11	1	10
Cholera morbus	78	1		2	2	4	12		12
Chorea									
Circulatory system, disease of	2								
Colic	70	1	1	1	2				
Colitis	4								
Constipation	1								
Consumption	408	18	8	28	21	31	51	4	47
Convulsions	126	4	4	4	2	3	13	3	10
Croup	45	2			5	2	5	2	3
Cyanosis	4								
Debility	63	6	1	8	6	1	4	2	2
Dentition	10					1			
Diabetes	31	2	2	1		2	1		1
Diarrhea	34	1			1		2		2
Digestive system, disease of	18	1		2			2		2

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.	WISCONSIN—continued.						WYOMING.		
	Group 4, rural.	Appleton.	Chippewa Falls.	Eau Claire.	Marinette.	Superior.	Total.	Group 1.	Group 2.
Diphtheria	103	1	1	3		5	23	8	15
Dislocations									
Dropsy	58	5	2	6	1		10	3	7
Drowning	46		1	8	1	4	5	1	4
Dysentery	26	1		2		1	4		4
Ear, disease of							1		1
Electricity									
Elephantiasis									
Embolism	1								
Enteritis	44		1	5	8	1	2		2
Epilepsy	14				1	2			
Erysipelas	9	1	1	1	1	1	2		2
Esophagus, obstruction and stricture of	1								
Execution									
Explosion	3	2					2		2
Exposure and neglect	10	1					5		5
Extra-uterine pregnancy									
Eye, disease of					1				
Falling bodies	12				1	1	1		1
Falls	3						2	1	1
Female organs of generation, disease of	4								
Fever	6					1	1		1
Foreign bodies in esophagus	1								
Fractures	15	1	1	2		4	1		1
Frozen	2						1		1
Gangrene	4	1	1						
Gastritis	35		1	2		1	5		5
General disease (not specified)									
Goiter	2								
Goiter, exophthalmic	1								
Gout	1								
Gunshot wounds	23			1	1		10	1	9
Heart disease	396	16	14	20	14	16	39	6	33
Hemophilia									
Hemorrhage	25		2		1	2	3		3
Hernia	11		1		2		1		1
Hip joint, disease of	1					1	1		1
Homicide	4					1	3		3
Hydrocephalus	11	2		1					
Hydrophobia									
Inanition	53	4	5	2	11	8	9		9
Infanticide	1						1	1	
Inflammation and abscess of liver	3						2	1	1
Inflammation of brain	43			2		4	7	3	4
Influenza	66	1			1	7	20	1	19
Injuries by machinery	4								
Jaundice	13			1	1		1		1
Joints, disease of				1					
Kidneys, disease of	21	2				3	3		3
Laryngitis	4		1				1		1
Larynx, disease of									
Lead poison									
Leprosy									
Leucocythemia	3								
Lightning	2			2					
Liver, disease of	18			3		1	4		4
Locomotor ataxia				1					
Lost at sea									
Lungs, disease of	41	2		1	3	2	8	1	7
Lymphangitis									
Malarial fever	6					1			
Male organs of generation, disease of									
Malformation	12				1	1	1		1
Malignant pustule	1								
Measles	37		1		10		20	4	16
Meningitis	96	3	3	2	3	12	11	1	10
Mental disease	7						1		1
Mining accidents	2						24		24
Mumps	1				1				
Nervous system, disease of	3	1				1	1		1
Noma									
Nose, disease of									

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.	WISCONSIN—continued.						WYOMING.		
	Group 4, rural.	Appleton.	Chippewa Falls.	Eau Claire.	Marinette.	Superior.	Total.	Group 1.	Group 2.
Obesity									
Old age	224	12	7	8	12	8	13	2	11
Ovarian tumor			1						
Ovaries, disease of									
Pancreas, disease of									
Paralysis	105	4	1	2	1	4	10	2	8
Paralysis general (of insane)									
Parasites									
Pelvic abscess (female)	2								
Pericarditis	3								
Peritonitis	63	4			3	4	7		7
Pharyngeal abscess									
Pharynx, disease of (not specified)									
Phlebitis									
Phlegmasia dolens									
Pleurisy	15			1			1		1
Pneumonia	415	13	5	15	25	58	109	8	101
Poisons (not specified)	21		1			1	7		7
Pregnancy, affections connected with									
Premature birth	75	2	4	1	9	5	2		2
Prostate, disease of	1								
Puerperal convulsions	6			1	1		1		1
Puerperal mania									
Puerperal septicemia	17					2	4		4
Purpura	1								
Railroad accidents	56	2		1	1	2	22	2	20
Respiratory system, disease of									
Rheumatism	24	2		5		1	3		3
Rickets	4								
Roseola	1								
Rupture of bladder	1								
Sarcoma	7	1							
Scarlet fever	11	1			1	4	10	7	3
Scrofula	2						26		26
Septicemia	55	3		2		2	5	1	4
Skin, disease of	2	1							
Smallpox	2								
Spinal cord, disease of	5					1	3		3
Spine, disease of	8					1	1		1
Spleen, disease of	1						2		2
Stomach, disease of	18			1		1	1		1
Suffocation	13			1	1	1			
Suicide by cutting throat	1								
drowning	2								
hanging	4				2				
poison	2						5	1	4
shooting	6								
(not specified)	3	1	1	1			2	1	1
Sunstroke	2		2						
Surgical operations	2		1						
Tabes mesenterica	4					1	1		1
Tetanus	3								
Trismus nascentium									
Tuberculosis (unclassified)	3								
Tubes, disease of	2								
Tumor	19		1			1	3	2	1
Tumor of uterus	1			1					
Typhoid fever	91	3	3	5	19	19	16	4	12
Typhus fever									
Unknown	298	6	2	42	7	11	27	4	23
Uremia	5	1			1		1		1
Urethra, stricture of									
Urinary organs, disease of									
Uterine hemorrhage									
Uterus, disease of	3								
Venereal disease	1			1			4		4
Vomiting in pregnancy									
Whooping cough	105	1	1	6	3	2	4	2	2
Worms									
Wounds	10					1			
Yellow fever									

TABLE 8.

DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS SUBDIVISIONS, AND IN EACH STATE AND TERRITORY, DURING THE CENSUS YEAR ENDING MAY 31, 1900, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE.

NOTE.—This table is presented with full details of age for the United States and the registration summaries, states and state groups, and with a more condensed statement of age for the nonregistration states.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

UNITED STATES.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	1,039,094	199,325	59,879	28,136	17,638	12,554	317,532	36,748	24,500	38,109	51,004	48,693
2	Males	551,611	110,673	31,599	14,658	8,942	6,340	172,212	18,660	12,196	18,329	25,252	24,173
3	Females	487,483	88,652	28,280	13,478	8,696	6,214	145,320	18,088	12,304	19,780	25,752	24,520
4	Unknown cause	40,539	18,998	2,380	1,126	633	493	23,630	1,302	820	953	1,080	952
5	Males	21,318	10,421	1,260	599	337	244	12,861	671	389	442	469	397
6	Females	19,221	8,577	1,120	527	296	249	10,769	631	431	511	611	555
	1. General diseases.												
7	General diseases—A	209,819	55,756	25,383	11,449	7,277	5,369	105,234	15,235	7,929	9,471	9,860	7,660
8	Males	107,704	30,044	13,190	5,770	3,539	2,671	55,214	7,355	3,585	4,482	5,338	4,031
9	Females	102,115	25,712	12,193	5,679	3,738	2,698	50,020	7,880	4,344	4,989	4,522	3,629
10	Measles M	6,231	1,592	1,492	688	359	222	4,353	541	256	258	248	119
	Measles F	6,635	1,420	1,376	688	403	225	4,112	569	295	351	241	205
11	Scarlet fever M	3,135	325	447	466	458	334	2,030	782	149	58	37	22
	Scarlet fever F	3,198	246	417	455	454	374	1,946	821	197	93	43	25
12	Diphtheria M	8,070	648	1,107	1,168	1,048	872	4,843	2,210	563	189	86	35
	Diphtheria F	8,405	491	997	1,086	1,047	920	4,541	2,588	729	220	86	68
13	Whooping cough M	4,601	2,688	1,009	372	186	107	4,362	154	26	15	4	
	Whooping cough F	5,357	2,799	1,257	558	272	149	5,035	222	41	15	3	5
14	Malarial fever M	7,497	910	620	345	238	215	2,328	710	452	558	589	426
	Malarial fever F	7,377	835	617	380	278	220	2,330	777	473	590	528	410
15	Influenza M	7,718	1,066	269	116	66	48	1,565	145	79	130	171	157
	Influenza F	8,927	815	235	126	70	54	1,300	145	114	174	180	215
16	Typhoid fever M	18,881	564	522	355	304	257	2,002	1,226	1,212	2,361	3,065	2,241
	Typhoid fever F	16,498	525	505	392	341	237	2,000	1,346	1,772	2,670	2,165	1,402
17	Cholera morbus M	3,370	993	401	238	86	55	1,773	185	126	86	85	61
	Cholera morbus F	3,039	744	345	187	85	46	1,407	157	91	91	101	101
18	Colitis M	770	323	127	42	27	8	527	13	8	4	8	13
	Colitis F	651	255	118	35	9	3	420	12	5	3	11	8
19	Diarrhea M	4,272	1,356	520	190	46	33	2,145	182	60	40	46	57
	Diarrhea F	3,438	1,119	464	156	58	20	1,817	181	59	27	36	54
20	Dysentery M	6,112	1,213	1,260	470	201	126	3,270	270	103	93	139	113
	Dysentery F	5,598	1,038	1,032	417	157	86	2,730	194	66	67	91	104
21	Enteritis M	10,258	5,979	1,565	411	149	114	8,218	223	97	90	89	100
	Enteritis F	9,399	4,829	1,396	374	165	107	6,871	234	84	90	118	147
22	Cholera infantum M	13,662	9,922	3,068	485	125	55	13,655					
	Cholera infantum F	11,914	8,467	2,754	489	129	69	11,908					
23	Fever M	1,392	383	215	88	50	39	775	108	47	63	79	49
	Fever F	1,425	381	182	68	53	39	723	119	66	80	77	74
24	Cerebro-spinal fever M	2,322	611	314	162	105	86	1,278	270	148	158	96	86
	Cerebro-spinal fever F	1,852	475	244	131	108	61	1,019	235	158	102	70	68
25	Smallpox M	2,116	219	60	54	25	38	396	97	72	167	281	230
	Smallpox F	1,368	180	75	36	39	28	358	105	64	117	165	116
26	Erysipelas M	1,582	422	46	20	12	6	506	24	27	35	41	58
	Erysipelas F	1,279	399	51	11	9	6	476	21	20	40	35	45
27	Septicemia M	3,033	341	64	51	29	36	521	143	128	121	174	152
	Septicemia F	3,743	288	70	52	37	32	479	104	80	212	490	509
28	Venereal diseases M	934	369	33	12	7	1	422	5	5	20	41	57
	Venereal diseases F	657	306	24	14	8	3	355	5	4	20	39	34
29	Others of this group M	1,748	120	51	37	18	19	245	67	33	36	59	55
	Others of this group F	1,355	100	34	24	16	19	193	45	26	27	43	39
30	General diseases—B	18,247	10,331	777	395	226	128	11,857	268	89	197	384	517
31	Males	11,048	5,709	418	211	121	79	6,538	130	48	87	211	317
32	Females	7,199	4,622	359	184	105	49	5,319	138	41	110	173	200
33	Alcoholism M	2,388	2	1			2	5	6	1	4	46	164
	Alcoholism F	423			1	1	1	3			3	18	52
34	Parasitic diseases M	265	29	56	53	36	31	205	41	2	2	3	1
	Parasitic diseases F	286	28	63	55	43	20	209	58	5	3		1
35	Lead poison M	85	2	1	1		1	5			3	3	6
	Lead poison F	28	7	1	1		1	10	1				1
36	Other poisons M	2,102	111	156	106	58	25	456	62	37	74	151	137
	Other poisons F	1,288	78	94	82	33	20	307	55	26	97	142	134
37	Inanition M	6,208	5,565	204	51	27	20	5,867	21	8	4	8	9
	Inanition F	5,174	4,509	201	45	28	7	4,790	24	10	7	13	12
38	General diseases—C	65,484	29,434	1,169	287	106	61	31,057	119	71	79	123	127
39	Males	33,230	16,553	568	150	64	28	17,363	56	38	46	56	47
40	Females	32,254	12,881	601	137	42	33	13,694	63	33	33	67	80
41	Old age M	13,362											
	Old age F	15,860											
42	Premature birth M	8,390	8,390					8,390					
	Premature birth F	6,330	6,330					6,330					
43	Malformation M	1,478	1,414	19	9	4	2	1,448	8	5	3	2	
	Malformation F	1,227	1,170	25	7	6	3	1,211	5	5	1	1	1
44	Debility and atrophy M	9,097	5,850	549	141	59	26	6,625	48	33	43	54	47
	Debility and atrophy F	8,185	4,733	576	130	36	30	5,505	58	28	32	66	79
45	Others of this group M	903	899			1		900					
	Others of this group F	652	648					648					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900.

UNITED STATES.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
43,857	44,367	41,439	40,201	42,666	43,169	48,178	52,190	53,073	46,039	33,786	17,247	6,135	2,721	7,440	1
22,349	23,296	22,428	22,529	23,915	24,024	26,269	28,563	28,761	24,627	17,525	8,457	2,616	1,045	4,385	2
21,508	21,071	19,011	17,672	18,751	19,145	21,909	23,627	24,312	21,412	16,261	8,790	3,519	1,676	3,055	3
785	848	873	819	922	899	1,024	1,146	1,095	1,001	771	381	172	117	949	4
341	376	426	416	480	485	552	616	598	568	430	183	74	44	500	5
444	472	447	403	442	414	472	530	497	433	341	198	98	73	449	6
5,988	5,400	4,634	4,234	4,178	3,850	4,396	4,864	5,074	4,560	3,544	1,821	595	255	1,037	7
3,047	2,758	2,422	2,394	2,235	2,016	2,192	2,407	2,486	2,241	1,725	887	240	91	558	8
2,941	2,642	2,212	1,840	1,943	1,834	2,204	2,457	2,588	2,319	1,819	934	355	164	479	9
80	73	65	73	58	15	17	18	8	16	6	2	—	—	19	10
194	166	139	91	84	51	31	29	24	14	10	6	1	1	21	
17	8	7	1	3	4	4	2	2	—	1	1	1	—	7	11
22	21	9	1	2	2	4	2	2	—	2	1	—	—	5	
36	18	12	12	15	10	6	6	4	3	4	4	1	—	13	12
41	30	16	18	18	10	10	5	5	5	2	1	—	—	12	
2	2	5	1	—	3	2	1	3	2	3	—	1	—	12	13
7	2	4	—	1	2	—	1	2	1	3	—	1	—	12	
314	262	264	272	240	214	188	178	170	157	70	42	11	4	48	14
290	241	250	219	203	179	196	196	179	117	77	41	7	15	59	
156	183	232	250	263	319	467	627	816	797	747	399	127	42	46	15
216	217	246	240	372	417	627	769	991	1,010	881	458	203	95	57	
1,578	1,288	945	828	584	421	331	245	216	135	57	31	7	2	106	16
1,043	868	668	539	481	395	334	281	215	106	68	25	6	5	109	
54	60	66	85	105	105	114	121	121	97	61	30	11	5	19	17
94	106	87	58	81	98	95	118	113	102	76	33	13	3	14	
10	8	23	20	21	12	21	22	23	21	11	6	2	—	3	18
14	12	13	13	16	13	24	28	18	18	11	6	3	—	8	
44	55	43	75	121	172	198	252	232	217	160	79	18	11	65	19
62	56	57	55	72	86	126	141	183	154	123	81	22	12	34	
118	117	114	151	184	151	223	244	252	233	184	87	17	11	38	20
101	101	124	138	156	148	234	313	324	314	203	111	42	12	25	
80	100	108	127	118	122	146	171	150	142	94	45	7	5	26	21
122	135	124	126	126	135	181	250	229	205	120	64	11	6	21	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	
32	35	23	27	26	15	22	21	21	13	19	4	2	—	11	23
43	38	28	26	25	15	20	18	16	16	15	13	3	1	9	
49	57	45	38	24	23	17	9	8	6	4	—	1	—	5	24
42	35	31	25	17	13	10	3	8	7	3	—	1	—	5	
174	139	126	81	80	49	48	29	42	19	12	3	2	1	68	25
89	67	62	45	45	25	24	24	13	5	5	2	1	2	34	
65	61	77	75	81	106	76	106	80	75	53	23	6	1	6	26
32	61	49	48	58	63	71	65	63	56	47	17	5	1	6	
143	194	160	161	198	176	189	194	117	120	78	32	4	2	26	27
442	416	240	139	110	115	104	72	81	53	39	19	10	2	27	
51	52	57	52	45	35	34	21	9	10	1	—	—	—	17	28
48	37	31	25	16	7	10	8	5	1	3	—	—	—	9	
38	46	50	62	70	64	89	140	212	178	160	99	22	7	16	29
39	33	34	34	60	60	103	134	117	135	131	56	26	9	11	
642	759	624	608	528	429	318	295	195	187	80	54	14	11	191	30
467	594	502	488	421	334	242	213	120	122	44	30	7	4	129	31
175	165	122	120	107	95	76	82	75	65	36	24	7	7	62	32
274	403	334	301	276	202	121	114	44	39	6	4	—	—	44	33
52	71	65	48	34	21	18	12	8	6	1	2	—	—	9	
—	1	2	1	2	1	—	1	1	—	1	—	1	—	—	34
—	2	2	1	1	2	—	1	1	—	—	—	—	—	—	
11	15	7	12	9	4	3	3	2	2	—	—	—	—	—	35
4	2	—	—	2	3	1	—	2	—	—	1	—	1	—	
175	168	150	161	120	106	94	70	43	47	13	6	—	2	30	36
105	82	46	54	53	46	35	39	29	16	9	—	2	1	10	
7	7	9	13	14	21	24	25	30	34	24	20	6	2	55	37
14	8	9	17	17	23	22	30	35	43	26	21	5	5	43	
141	152	161	169	275	407	890	1,722	4,139	6,247	8,568	6,090	2,988	1,538	421	38
65	68	73	88	123	188	387	813	1,972	2,910	4,087	2,815	1,264	568	203	39
76	84	88	81	152	219	503	909	2,167	3,337	4,481	3,275	1,724	970	218	40
—	—	—	—	—	—	191	546	1,672	2,576	3,825	2,675	1,213	554	110	41
—	—	—	—	—	—	303	656	1,865	3,018	4,180	3,119	1,647	932	140	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	42
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	2	—	—	—	—	—	—	—	—	9	43
—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	
64	68	73	88	122	186	195	267	300	333	262	140	51	14	84	44
76	82	88	81	151	218	200	252	301	319	301	156	77	38	77	
—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	45
—	2	—	—	—	1	—	—	1	—	—	—	—	—	—	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

UNITED STATES—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D	176,072	5,171	2,891	1,599	1,018	704	11,383	2,986	3,663	10,647	17,765	17,606
2	Males	83,600	2,788	1,537	858	519	371	6,073	1,438	1,384	4,016	7,629	7,904
3	Females	92,472	2,383	1,354	741	499	333	5,310	1,548	2,279	6,631	10,136	9,702
4	Anemia M	948	138	28	8	10	6	190	29	18	27	30	31
	Anemia F	1,287	121	31	14	14	8	188	25	31	76	98	90
5	Diabetes M	2,650	15	22	18	14	13	82	90	119	133	109	112
	Diabetes F	2,022	9	15	14	22	8	68	69	96	76	79	77
6	Rheumatism M	2,669	38	22	18	15	21	114	127	158	145	106	104
	Rheumatism F	2,398	37	13	18	11	18	97	111	139	124	103	84
7	Scrofula and tabes M	1,707	280	154	83	45	32	594	113	58	91	113	91
	Scrofula and tabes F	1,782	221	142	64	41	31	499	112	101	115	129	114
8	Hydrocephalus M	2,356	854	466	223	122	77	1,742	220	74	62	50	34
	Hydrocephalus F	1,946	707	376	169	128	74	1,454	186	67	71	35	36
9	Tuberculosis, general M	712	42	25	16	11	10	104	28	20	42	69	88
	Tuberculosis, general F	597	53	26	9	8	4	100	26	35	39	68	57
10	Consumption M	53,626	1,042	604	326	189	149	2,310	525	719	3,274	6,839	7,154
	Consumption F	56,124	969	564	296	186	129	2,144	762	1,591	5,830	9,192	8,657
11	Cancer M	11,436	36	12	16	10	10	84	33	35	48	82	134
	Cancer F	18,039	34	12	16	8	9	79	33	30	58	120	272
12	Tumor M	1,305	70	19	26	19	10	144	48	29	50	47	43
	Tumor F	2,122	50	19	19	18	9	115	29	31	51	77	91
13	Dropsy M	5,600	92	124	93	69	35	413	196	138	117	163	98
	Dropsy F	5,664	66	105	93	46	30	340	173	138	172	210	204
14	Others of this group M	591	181	61	31	15	8	296	29	21	27	21	15
	Others of this group F	491	116	51	29	17	13	226	22	20	19	25	20
15	2. Diseases of the nervous system	117,579	24,155	6,778	2,985	1,846	1,299	37,063	3,820	2,383	2,505	2,373	2,442
16	Males	64,189	13,883	3,612	1,583	961	667	20,706	2,074	1,269	1,327	1,254	1,287
17	Females	53,390	10,272	3,166	1,402	885	632	16,357	1,746	1,114	1,178	1,119	1,155
18	Inflammation of the brain M	3,493	1,143	500	243	127	90	2,103	277	136	135	121	69
	Inflammation of the brain F	2,748	881	416	169	112	86	1,664	216	136	123	91	78
19	Meningitis M	10,787	3,573	1,630	737	462	293	6,695	983	475	442	336	287
	Meningitis F	8,636	2,660	1,416	686	415	313	5,490	845	466	320	260	221
20	Apoplexy M	14,312	163	32	17	11	12	235	38	29	67	125	185
	Apoplexy F	12,589	131	42	20	19	6	218	35	42	74	102	147
21	Paralysis M	11,800	133	54	36	32	19	274	95	61	80	74	110
	Paralysis F	10,762	97	53	37	25	19	231	77	48	87	112	115
22	Paralysis, general (of insane) M	947							1	2	1	4	22
	Paralysis, general (of insane) F	356							1	1		3	11
23	Tetanus and trismus nascentium M	1,516	685	18	8	15	12	738	116	195	92	62	59
	Tetanus and trismus nascentium F	743	477	12	3	5	6	503	33	27	25	22	20
24	Chorea M	63	3		3	3	1	10	9	3	7	3	3
	Chorea F	116	3	1	1	2	3	10	7	33	32	7	1
25	Epilepsy M	1,915	194	31	15	16	6	262	70	106	214	180	190
	Epilepsy F	1,411	169	26	22	14	10	241	52	78	137	131	120
26	Convulsions M	8,548	6,662	857	316	145	92	8,072	148	57	21	23	25
	Convulsions F	6,957	4,896	783	285	167	85	6,216	146	42	90	86	94
27	Mental diseases M	1,910							3	6	25	72	85
	Mental diseases F	1,707							2	6	25	64	89
28	Diseases of the brain M	6,479	1,181	438	182	129	129	2,059	282	166	190	198	182
	Diseases of the brain F	4,990	844	361	160	113	89	1,567	279	193	192	157	160
29	Diseases of the spinal chord M	870	97	39	20	13	12	181	36	26	28	28	26
	Diseases of the spinal chord F	707	74	44	16	11	10	155	33	24	24	15	16
30	Locomotor ataxia M	537	1		2			3		2	2	5	9
	Locomotor ataxia F	175		1	1			2	1			4	2
31	Others of this class M	1,012	48	13	4	8	1	74	16	5	23	23	35
	Others of this class F	1,493	40	11	2	2	5	60	19	18	49	65	81
32	3. Diseases of the circulatory system	75,791	4,172	306	194	170	219	5,061	1,184	1,378	1,535	2,009	2,151
33	Males	40,804	2,404	170	105	100	120	2,899	565	579	697	830	967
34	Females	34,987	1,768	136	89	70	99	2,162	619	799	838	1,179	1,184
35	Pericarditis M	457	12	5	1	4	3	25	20	31	31	27	24
	Pericarditis F	419	11	2	2	5	10	30	27	35	32	26	16
36	Diseases of the heart M	36,500	1,689	157	100	89	111	2,146	531	530	646	772	881
	Diseases of the heart F	31,939	1,302	129	85	63	84	1,663	581	747	780	1,064	1,074
37	Angina pectoris M	1,595							4	4	13	15	30
	Angina pectoris F	1,190							5	9	14	48	44
38	Diseases of the arteries M	817	2					2	1		1		5
	Diseases of the arteries F	451	1	1				2		1		1	2
39	Aneurism M	515							2	7	3	12	23
	Aneurism F	239							3	5	5	12	20
40	Embolism M	192	18		1	1	1	21	5	5	3	4	3
	Embolism F	253	2		1		1	4	1		6	26	24
41	Others of this class M	728	683	8	3	6	5	705	2	2			1
	Others of this class F	496	452	4	1	2	4	463	2	2	1	2	4

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

UNITED STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
15,053	13,706	12,209	11,216	10,911	10,263	9,955	9,515	7,965	5,445	2,960	1,143	291	131	1,259	1
7,139	6,682	5,921	5,487	5,389	5,025	4,889	4,819	4,105	2,763	1,536	574	129	61	637	2
7,914	7,024	6,288	5,729	5,522	5,238	5,066	4,696	3,860	2,682	1,424	569	162	70	622	3
31	32	52	56	78	75	82	82	47	49	27	6	----------	1	5	4
72	82	88	76	94	83	79	74	61	39	15	6	2	1	7	
116	115	152	150	189	188	259	285	218	177	80	23	9	2	12	5
65	84	96	111	186	246	247	209	158	90	44	12	3	1	5	
100	114	114	150	152	204	199	234	255	189	126	46	8	9	20	6
90	112	104	121	156	154	197	229	219	176	100	49	13	7	13	
75	69	55	67	62	64	74	69	47	26	17	1	2	2	17	7
112	86	72	69	80	59	58	50	47	35	20	7	1	2	14	
51	31	27	22	11	6	5	5	4	4	1	----------	----------	----------	7	8
25	17	17	11	6	6	4	3	4	2	----------	----------	----------	----------	2	
60	63	48	50	43	37	16	23	12	7	2	----------	----------	----------	----------	9
62	40	31	37	23	19	19	15	8	8	8	3	----------	----------	4	
6,285	5,686	4,547	3,736	3,216	2,608	2,066	1,753	1,291	755	308	99	25	11	419	10
6,520	5,147	3,829	2,720	2,249	1,816	1,586	1,440	1,105	704	307	115	24	12	374	
229	361	615	897	1,188	1,364	1,572	1,607	1,388	955	502	203	52	13	74	11
573	1,056	1,559	2,046	2,179	2,288	2,174	1,973	1,524	1,082	580	225	67	17	104	
62	63	96	95	104	106	111	115	90	58	30	6	1	1	6	12
123	149	211	198	181	193	205	170	145	89	32	14	1	1	16	
113	131	182	244	330	356	493	630	710	533	437	188	32	21	75	13
244	237	265	320	355	357	484	514	577	454	321	137	51	29	82	
17	17	33	20	16	17	12	16	13	10	6	2	----------	1	2	14
28	14	16	20	13	17	13	19	12	3	2	1	----------	----------	1	
2,622	3,221	3,654	4,385	5,250	5,945	7,182	8,582	9,169	8,045	5,285	2,202	599	170	682	15
1,460	1,848	2,102	2,392	2,872	3,291	3,831	4,740	4,928	4,238	2,772	1,065	245	65	423	16
1,162	1,373	1,552	1,993	2,378	2,654	3,351	3,842	4,241	3,807	2,513	1,137	354	105	259	17
70	68	64	68	65	61	46	58	58	36	24	16	2	----------	16	18
54	47	50	47	44	39	33	37	27	28	17	7	4	1	5	
250	260	188	191	169	118	80	96	79	60	24	9	4	----------	41	19
167	136	136	135	87	79	84	62	53	40	26	8	3	3	15	
270	398	603	785	1,108	1,390	1,692	2,003	2,022	1,665	1,092	405	89	16	95	20
198	309	470	768	1,002	1,193	1,461	1,632	1,769	1,511	973	452	142	40	51	
189	321	401	494	665	844	1,118	1,588	1,879	1,723	1,177	471	103	37	96	21
143	199	306	414	591	757	1,082	1,378	1,673	1,649	1,111	519	153	47	70	
79	113	148	146	109	85	72	55	44	23	13	11	2	----------	17	22
30	24	38	24	31	26	31	38	39	31	14	6	3	----------	5	
54	27	29	30	27	26	21	14	11	8	----------	1	----------	----------	6	23
23	20	20	6	8	15	10	3	4	2	1	----------	----------	1	----------	
3	----------	3	3	6	2	2	2	2	2	1	----------	1	----------	1	24
----------	2	----------	6	2	1	4	4	1	3	2	1	----------	----------	----------	
133	130	109	91	64	69	72	58	57	49	26	10	2	1	22	25
89	113	63	70	61	47	54	36	45	27	16	5	4	3	19	
24	24	15	21	23	11	8	8	17	5	7	1	1	1	36	26
67	51	32	17	13	9	15	16	10	9	8	1	2	----------	33	
96	147	140	122	143	156	164	211	179	169	104	40	12	----------	36	27
111	139	149	134	132	111	148	144	142	135	96	40	17	2	21	
223	250	263	263	302	308	332	368	380	339	228	78	20	5	43	28
160	181	161	204	220	190	232	296	275	239	170	65	20	5	24	
21	42	52	52	73	63	66	77	40	37	17	2	----------	1	2	29
26	41	30	42	44	56	50	48	44	31	17	3	3	----------	5	
20	34	38	70	62	72	70	71	39	24	10	1	----------	----------	5	30
4	14	10	15	22	29	25	15	14	8	6	2	----------	1	1	
28	34	49	56	56	86	88	131	121	98	49	20	9	4	7	31
90	97	87	111	121	102	122	133	145	94	56	28	3	2	10	
2,588	3,226	3,588	3,966	5,158	5,934	7,423	8,475	8,517	6,863	4,038	1,653	412	128	504	32
1,203	1,572	1,738	2,073	2,826	3,357	4,194	4,824	4,896	3,955	2,237	855	190	50	297	33
1,385	1,654	1,850	1,893	2,332	2,577	3,229	3,651	3,621	2,908	1,801	798	222	78	207	34
20	35	27	17	39	35	24	37	25	26	7	3	2	----------	2	35
28	18	29	24	16	27	25	34	18	11	15	4	2	----------	2	
1,099	1,396	1,549	1,880	2,532	3,020	3,779	4,353	4,490	3,600	2,024	779	173	45	275	36
1,255	1,546	1,711	1,734	2,183	2,371	3,006	3,364	3,343	2,684	1,632	739	197	70	195	
38	65	76	84	145	162	238	248	192	159	86	25	2	----------	9	37
47	52	57	93	90	112	135	161	139	94	66	15	6	----------	3	
3	6	14	18	36	66	87	126	140	136	105	47	13	5	6	38
2	4	6	6	13	27	35	55	89	80	70	32	16	7	3	
34	62	63	60	56	58	50	34	25	18	3	----------	----------	----------	5	39
23	15	25	23	15	18	15	16	14	16	7	4	1	1	1	
8	8	8	12	15	16	12	24	24	14	9	1	----------	----------	----------	40
27	17	21	12	13	22	12	18	17	20	7	4	----------	----------	2	
1	----------	1	2	3	----------	4	2	----------	2	3	----------	----------	----------	----------	41
3	2	1	1	2	----------	1	3	1	3	4	----------	----------	----------	1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

UNITED STATES—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	154,035	34,841	14,650	7,087	4,001	2,492	63,071	5,553	2,555	4,070	5,107	4,846
2	Males	83,672	19,673	7,884	3,741	2,061	1,249	34,608	2,816	1,253	2,271	2,972	2,755
3	Females	70,363	15,168	6,766	3,346	1,940	1,243	28,463	2,737	1,302	1,799	2,135	2,091
4	Croup M	6,808	2,960	1,092	880	651	412	5,995	714	54	9	7	6
	Croup F	5,676	2,454	845	689	556	358	4,902	643	56	11	10	3
5	Pneumonia M	58,340	11,143	5,249	2,270	1,120	650	20,432	1,671	998	1,985	2,625	2,368
	Pneumonia F	47,631	8,419	4,547	2,079	1,069	660	16,774	1,651	1,044	1,489	1,701	1,709
6	Laryngitis M	467	76	58	34	44	30	242	71	16	5	6	8
	Laryngitis F	393	52	61	36	49	24	222	63	13	11	8	11
7	Bronchitis M	10,031	4,043	1,214	419	169	110	5,955	192	65	74	105	114
	Bronchitis F	10,192	3,212	1,087	430	182	134	5,045	224	81	113	140	123
8	Pleurisy M	1,579	50	50	36	26	11	173	47	41	65	76	87
	Pleurisy F	1,227	38	37	26	13	10	124	47	26	41	80	77
9	Asthma M	1,679	56	15	9	3	3	86	15	7	16	12	21
	Asthma F	1,327	38	14	6	7	3	68	13	7	9	24	30
10	Others of this class M	4,768	1,345	206	93	48	33	1,725	106	72	117	141	151
	Others of this class F	3,917	955	175	80	64	54	1,328	96	75	125	172	138
11	5. Diseases of the digestive system	60,229	10,455	3,534	1,245	733	570	16,537	2,194	1,968	2,301	2,792	2,837
12	Males	31,457	5,849	1,855	632	366	287	8,989	1,148	1,083	1,172	1,306	1,257
13	Females	28,772	4,606	1,679	613	367	283	7,548	1,046	885	1,129	1,486	1,580
14	Dentition M	1,369	615	665	68	16	3	1,367					
	Dentition F	1,274	576	599	87	9	3	1,274					
15	Angina M	703	138	78	67	55	43	381	98	33	16	26	17
	Angina F	709	102	72	60	46	51	331	143	56	28	13	20
16	Gastritis M	4,052	692	222	80	52	33	1,079	115	40	48	87	95
	Gastritis F	4,290	556	238	94	61	38	987	116	54	89	146	207
17	Diseases of the stomach M	2,699	407	149	64	40	39	699	107	65	55	60	86
	Diseases of the stomach F	2,443	343	133	66	36	37	615	107	63	80	116	121
18	Obstruction of the bowels M	1,894	340	41	40	22	17	460	90	68	94	84	96
	Obstruction of the bowels F	1,851	201	34	23	40	15	313	61	40	55	77	104
19	Appendicitis M	3,282	22	10	13	23	26	94	215	439	466	468	365
	Appendicitis F	1,829	14	13	11	10	16	64	190	280	282	204	185
20	Hernia M	1,157	132	17	4	5	2	160	11	11	30	32	30
	Hernia F	822	47	6	2	1	3	59	4	2	6	2	5
21	Other diseases of the bowels M	1,810	513	202	67	31	15	828	61	40	55	65	46
	Other diseases of the bowels F	1,492	395	158	54	33	12	652	49	42	46	42	64
22	Jaundice M	1,358	676	28	14	6	4	728	37	16	36	32	40
	Jaundice F	1,127	443	14	19	6	10	492	27	18	27	42	35
23	Inflammation and abscess of the liver. M	1,550	91	20	18	7	14	150	37	31	29	74	85
	Inflammation and abscess of the liver. F	1,363	71	27	18	14	13	143	20	25	35	66	60
24	Other diseases of the liver M	4,226	156	35	27	15	12	245	39	33	34	61	105
	Other diseases of the liver F	2,625	125	27	19	8	7	186	33	23	21	52	70
25	Peritonitis M	2,845	203	70	59	34	30	396	225	228	259	240	209
	Peritonitis F	4,656	162	63	49	39	32	345	188	222	401	637	618
26	Ascites M	628	16	15	10	6	11	58	17	27	8	21	16
	Ascites F	677	16	10	7	7	4	44	20	18	23	30	25
27	Others of this class M	3,884	1,848	303	101	54	38	2,344	96	52	42	50	67
	Others of this class F	3,614	1,555	285	104	57	42	2,043	88	42	36	59	66
28	6. Diseases of the urinary system and male organs of generation.	44,941	868	293	236	207	179	1,783	677	583	805	1,439	1,754
29	Males	27,869	518	159	117	119	95	1,008	368	273	367	645	822
30	Females	17,072	350	134	119	88	84	775	309	310	438	794	932
31	Bright's disease M	18,997							275	197	281	486	639
	Bright's disease F	13,173							244	254	327	602	678
32	Calculus, urinary M	342	12	2	2	1	1	18	9	5	4	8	8
	Calculus, urinary F	89	12		2	3		17				5	3
33	Diseases of the kidney M	2,947	345	140	109	104	83	781	42	28	39	55	56
	Diseases of the kidney F	1,607	255	117	102	78	78	630	31	23	37	57	58
34	Diseases of the bladder M	2,172	18	7		1	3	29	4	6	6	24	22
	Diseases of the bladder F	291	18		2		1	21	2		5	6	11
35	Others of this class M	3,411	143	10	6	13	8	180	38	37	37	72	97
	Others of this class F	1,912	65	17	13	7	5	107	32	33	69	124	182
36	7. Diseases of the female organs of generation	3,253	14	2		1	2	19	2	35	174	328	410
37	Ovarian tumors	478		1				1	2	1	13	29	37
38	Ovarian diseases	145	1					1		1	5	17	24
39	Diseases of the tubes	352	1					1			21	58	84
40	Uterine tumors	657					1	1		1	4	17	33
41	Uterine diseases	406								3	30	56	66
42	Others of this class	1,215	12	1		1	1	15		29	101	151	166

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

UNITED STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4,804	5,360	5,280	5,375	5,889	6,033	6,976	7,508	7,586	6,301	4,227	1,967	566	203	758	1
2,704	3,139	3,203	3,293	3,480	3,372	3,627	3,794	3,731	3,053	1,955	896	203	80	467	2
2,100	2,221	2,077	2,082	2,409	2,661	3,349	3,714	3,855	3,248	2,272	1,071	363	123	291	3
1	3	1	----------	1	----------	2	1	2	----------	2	1	----------	1	8	4
7	5	5	4	5	4	4	4	1	1	3	----------	----------	----------	8	
2,333	2,710	2,788	2,745	2,823	2,531	2,720	2,700	2,567	2,029	1,252	567	124	52	370	5
1,732	1,822	1,693	1,655	1,877	2,035	2,478	2,625	2,589	2,141	1,473	662	212	63	206	
15	7	17	15	13	11	12	9	4	6	6	2	----------	----------	2	6
14	5	5	1	3	8	5	2	8	7	3	2	----------	----------	2	
84	108	121	156	211	313	311	444	544	537	403	198	54	16	26	7
119	102	117	172	214	302	428	607	728	691	510	299	108	42	27	
88	93	88	86	90	96	113	116	122	103	53	25	4	2	11	8
61	70	63	67	66	57	87	85	109	77	50	20	12	2	6	
28	28	53	82	126	168	207	232	245	166	111	42	8	6	20	9
26	47	50	57	88	90	162	176	177	141	92	34	13	10	13	
155	190	185	209	216	253	262	292	247	212	128	61	13	3	30	10
141	170	144	126	156	165	185	215	243	190	141	54	18	6	29	
2,549	2,771	2,890	2,827	3,007	3,202	3,308	3,427	3,041	2,317	1,276	536	136	38	275	11
1,153	1,266	1,515	1,558	1,633	1,776	1,819	1,798	1,597	1,232	665	259	63	23	145	12
1,396	1,505	1,375	1,269	1,374	1,426	1,489	1,629	1,444	1,085	611	277	73	15	130	13
----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	2	14
24	10	14	11	12	6	10	13	14	8	7	----------	1	1	1	15
17	8	9	15	13	16	8	11	7	6	8	2	----------	----------	2	
120	129	170	206	248	282	304	320	322	258	144	49	15	7	14	16
159	200	181	173	232	249	296	327	324	256	179	75	23	3	14	
71	103	134	152	159	182	185	203	170	146	70	29	2	3	12	17
93	128	91	107	121	126	147	159	163	106	54	27	9	----------	10	
72	72	68	94	100	102	97	107	123	99	33	19	6	----------	10	18
80	93	129	107	100	126	118	141	120	91	49	27	4	2	14	
245	217	197	151	106	86	76	56	47	30	14	2	----------	----------	8	19
127	112	85	76	53	48	36	35	19	17	9	----------	----------	1	6	
36	47	52	61	53	91	95	100	110	113	70	31	7	4	13	20
25	41	58	69	90	87	89	98	84	56	21	20	2	----------	4	
49	50	48	40	61	80	64	74	87	72	51	23	8	----------	5	21
58	57	41	41	38	49	48	65	65	56	33	21	6	6	13	
34	27	29	32	45	67	43	50	55	43	27	12	2	----------	3	22
32	34	28	29	46	51	50	70	61	35	26	11	5	----------	8	
99	96	113	122	140	113	138	104	92	66	38	8	2	2	11	23
63	82	93	103	87	102	121	127	101	74	40	15	2	----------	4	
173	280	378	398	427	479	475	467	309	207	69	21	7	1	18	24
112	163	196	209	256	259	270	262	239	162	73	28	1	----------	10	
164	152	173	162	105	124	113	93	84	53	30	12	3	----------	20	25
535	478	327	186	147	135	117	118	87	54	17	14	5	----------	25	
11	13	38	28	40	47	56	68	59	53	36	20	3	3	5	26
25	30	32	36	41	48	52	61	70	60	36	14	2	1	9	
55	70	101	101	137	117	163	143	125	84	76	33	7	2	19	27
70	79	105	118	150	130	142	155	104	112	66	22	14	2	11	
1,931	2,383	2,604	2,846	3,427	3,748	4,365	4,683	4,690	3,729	2,084	920	180	61	249	28
953	1,189	1,445	1,613	2,097	2,357	2,830	3,196	3,332	2,760	1,592	690	128	39	165	29
978	1,194	1,159	1,233	1,330	1,391	1,535	1,487	1,358	969	492	230	52	22	84	30
747	965	1,165	1,299	1,684	1,854	2,135	2,225	2,137	1,635	803	301	50	13	106	31
751	923	952	1,035	1,130	1,179	1,309	1,217	1,130	769	383	183	36	17	54	
5	8	9	11	14	23	34	53	50	34	26	11	7	2	3	32
4	3	7	6	5	3	5	8	8	7	6	1	----------	1	----------	
72	65	89	92	121	139	193	263	286	309	190	84	20	4	19	33
70	72	65	65	72	62	63	95	72	68	40	13	5	2	7	
18	26	34	46	75	99	188	292	436	373	281	167	22	11	13	34
6	19	7	10	8	26	31	24	37	39	18	13	7	1	----------	
111	125	148	165	203	242	280	363	423	409	292	127	29	9	24	35
147	177	128	117	115	121	127	143	111	86	45	20	4	1	23	
393	406	411	355	215	132	121	99	61	45	16	5	3	2	20	36
45	47	51	61	48	33	30	34	20	14	6	1	1	1	3	37
31	23	14	10	4	7	2	4	2	----------	----------	----------	----------	----------	----------	38
72	61	33	14	1	1	----------	1	2	----------	----------	----------	----------	----------	----------	39
50	85	131	101	76	46	45	29	18	12	4	1	----------	----------	3	40
51	59	29	22	16	10	20	11	10	9	4	----------	1	----------	9	41
144	131	153	147	67	35	24	20	9	10	2	4	1	1	5	42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

UNITED STATES—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	9,699								32	1,041	2,185	2,147
2	Abortion	578								1	51	113	150
3	Childbirth	4,527								22	515	924	872
4	Puerperal septicemia	3,207								7	299	810	808
5	Extra-uterine pregnancy	188									2	27	53
6	Others of this class	1,199								2	174	311	264
7	9. Diseases of the bones and joints	3,021	623	204	121	71	75	1,094	238	201	191	155	114
8	Males	1,717	333	113	67	41	47	601	132	126	116	93	73
9	Females	1,304	290	91	54	30	28	493	106	75	75	62	41
10	Diseases of the spine M	958	282	88	61	28	29	488	80	59	51	36	29
	Diseases of the spine F	813	251	80	43	26	19	419	59	35	39	35	17
11	Abscess, lumbar and psoas M	63	2	1				3	1	3	1	12	8
	Abscess, lumbar and psoas F	35	2		1			3	4	1	1	3	2
12	Diseases of the bones M	395	36	16	4	7	13	76	22	34	35	25	22
	Diseases of the bones F	230	19	10	4	3	7	43	21	23	16	15	9
13	Diseases of the hip-joint M	149	4	1		4	3	12	21	24	20	12	12
	Diseases of the hip-joint F	82	8	1	3		1	13	15	10	13	4	7
14	Others of this class M	152	9	7	2	2	2	22	8	5	9	8	2
	Others of this class F	144	10		3	1	1	15	7	5	6	5	6
15	10. Diseases of the skin	2,158	581	118	42	26	15	782	52	45	47	64	73
16	Males	1,204	318	63	26	12	9	428	30	24	21	32	36
17	Females	954	263	55	16	14	6	354	22	21	26	32	37
18	Abscess M	582	111	28	10	6	7	162	25	19	16	23	25
	Abscess F	471	101	15	6	6	3	134	19	13	15	24	27
19	Carbuncle M	180	8	1	1			10	1	4	2	4	6
	Carbuncle F	88	4		3			7		1	1	3	5
20	Others of this class M	442	199	34	15	6	2	256	4	1	3	5	5
	Others of this class F	395	155	40	7	8	3	213	3	7	10	5	5
21	11. Diseases of the absorbent system	714	56	26	9	9	7	107	28	22	25	38	43
22	Males	385	38	15	5	9	4	71	19	14	15	16	22
23	Females	329	18	11	4		3	36	9	8	10	22	21
24	Addison's disease M	94							2	2	4	4	7
	Addison's disease F	79								1	3	6	5
25	Diseases of the spleen M	98	8	3		5	1	17	3	3	4	5	7
	Diseases of the spleen F	76	4	2	1		2	9	2	2	1	7	6
26	Others of this class M	193	30	12	5	4	3	54	14	9	7	7	8
	Others of this class F	174	14	9	3		1	27	7	5	6	9	10
27	12. Accidents and injuries	57,513	3,870	1,368	1,361	1,314	941	8,854	3,090	2,726	4,068	5,302	5,014
28	Males	43,414	2,142	755	794	693	469	4,853	1,858	2,131	3,270	4,401	4,258
29	Females	14,099	1,728	613	567	621	472	4,001	1,232	595	798	901	756
30	Burns and scalds M	2,750	186	377	481	414	191	1,649	239	74	53	87	79
	Burns and scalds F	4,022	141	312	364	435	341	1,593	729	229	197	176	147
31	Drowning M	4,723	29	111	89	60	64	353	501	620	568	518	401
	Drowning F	664	14	73	41	28	14	170	71	57	88	42	31
32	Exposure and neglect M	500	224	25	9	2	7	267	6	9	8	9	9
	Exposure and neglect F	422	239	23	13	8	7	290	8	3	15	17	9
33	Gunshot wounds M	3,571	8	10	14	15	18	65	114	301	553	596	490
	Gunshot wounds F	489	9	7	10	11	8	45	50	58	80	86	45
34	Homicide M	1,533			4	1	6	11	22	35	110	248	256
	Homicide F	296		1	7	3	3	14	15	9	32	51	43
35	Infanticide M	23	23					23					
	Infanticide F	24	24					24					
36	Injuries by machinery M	320		1		1		2	7	10	46	51	38
	Injuries by machinery F	13	1		1			2	3	1	2	1	1
37	Railroad accidents M	6,376	13	11	21	15	25	85	211	268	519	899	830
	Railroad accidents F	554	5	9	10	13	13	50	64	36	45	47	29
38	Suffocation M	1,454	847	39	22	9	10	927	19	25	34	51	41
	Suffocation F	994	690	47	18	12	13	780	26	11	16	13	18
39	Suicide by shooting M	1,190								3	23	127	124
	Suicide by shooting F	103								1	12	23	11
40	Suicide by drowning M	157									4	9	9
	Suicide by drowning F	84									6	12	11
41	Suicide by poison M	761								3	22	73	83
	Suicide by poison F	464								6	77	91	67
42	Other suicides M	2,205							1	10	58	129	165
	Other suicides F	534								5	44	67	64
43	Sunstroke M	535	48	11	4	2	4	69	14	8	15	33	33
	Sunstroke F	196	41	10	5	4	2	62	6	7	4	7	5
44	Surgical operations M	241	16	4	3		3	26	10	2	12	16	21
	Surgical operations F	463	7		2	1	1	11	5	5	13	63	63
45	Wounds M	690	5	4	4	12	4	29	25	18	65	85	83
	Wounds F	62	10	2	1	1		14	9	3	3	4	4
46	Others of this class M	16,385	743	162	143	162	137	1,347	689	745	1,180	1,470	1,593
	Others of this class F	4,715	547	129	95	105	70	946	246	164	164	201	208

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

UNITED STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,745	1,523	783	121	17	9	4	3	1	5					83	1
112	100	39	2	1	1				1					7	2
807	791	448	74	11	7	3	1	1	1					50	3
597	436	197	30	5		1	1		3					13	4
50	41	11	1		1									2	5
179	155	88	14				1							11	6
108	121	105	112	103	92	98	92	93	55	26	15	4	1	3	7
52	75	68	62	57	44	59	55	44	36	10	9	2	1	2	8
55	46	37	50	46	48	39	37	49	19	16	6	2		1	9
13	32	27	22	20	18	21	19	15	17	6	4			1	10
25	31	14	27	22	24	21	15	12	10	8	3	1		1	
8	7		3	3	2	4	2	3	2					1	11
2	1	3	3	6	3			3							
20	20	18	18	20	13	20	21	12	12	4	3				12
16	6	10	10	11	7	9	7	14	3	8	2				
8	9	11	5	5	4	2	2	1	1						13
6	5	1	2	1			1	2		2					
3	7	12	14	9	7	12	11	13	4		2	2	1		14
7	3	9	8	6	14	9	14	18	6	8	1	1			
71	94	91	89	106	108	113	121	100	83	66	27	7	4	15	15
30	51	48	53	67	68	58	76	61	52	41	15	3		10	16
41	43	43	36	39	40	55	45	39	31	25	12	4	4	5	17
22	35	32	27	42	34	24	30	25	16	16	3	2		4	18
25	30	25	20	16	22	26	28	14	13	11	4	2		3	
5	7	8	15	13	21	20	21	18	12	9	2			2	19
1	4	9	6	11	5	11	3	10	3	6			1	1	
3	9	8	11	12	13	14	25	18	24	16	10	1		4	20
15	9	9	10	12	13	18	14	15	15	8	8	2	2	1	
52	47	54	55	49	50	48	38	30	17	7				4	21
20	22	27	32	22	23	28	20	13	7	3				2	22
23	25	27	23	27	27	20	18	17	10	4				2	23
6	9	10	13	10	10	9	3	2	2					1	24
6	10	8	4	9	9	6	5	2	3	1				1	
8	7	7	8	4	3	10	6	8	2	1					25
8	8	7	2	6	6	2	4	3	2	1					
15	6	10	11	8	10	9	11	8	3	2				1	26
9	7	12	17	12	12	12	9	12	5	2				1	
4,385	4,350	3,478	3,024	2,631	2,068	1,957	1,620	1,317	1,139	838	432	168	62	990	27
3,706	3,656	2,938	2,580	2,213	1,688	1,561	1,192	878	690	428	179	68	19	847	28
679	694	540	444	418	380	396	428	439	449	410	253	100	43	143	29
85	77	71	52	47	34	39	30	28	25	31	11	3	5	31	30
142	120	81	75	65	63	80	64	72	70	55	21	12	9	22	
302	319	272	187	156	131	100	74	48	32	10	4	2	1	124	31
41	31	21	19	18	14	14	15	8	10	1				13	
16	14	13	22	15	13	22	19	10	18	10	7	3	1	9	32
6	11	5	2	3	10	3	6	5	10	7	4	3		5	
349	307	200	175	110	80	74	27	18	12	6	3	3		88	33
31	34	15	11	10	8	3	2		2	1	1			7	
201	191	119	90	81	45	42	15	18	5	4	1			39	34
29	29	21	14	8	5	1	4	2	3	3				13	
															35
40	37	26	18	20	6	6	9	1	2					1	36
1	1	1													
721	629	454	379	353	238	233	126	100	74	47	14		3	193	37
28	27	33	29	31	24	21	25	24	21	8	1	1	1	9	
45	57	46	34	21	28	30	26	12	17	4	8	1		33	38
11	12	7	8	8	10	11	8	9	9	6	1			30	
123	152	148	126	109	75	53	45	32	19	7	3			21	39
15	12	7	11	3	4		1	1	1		1				
12	13	13	11	21	14	14	11	6	14	4				2	40
8	7	5	5	9	7	6	2	4	2						
91	79	94	77	81	39	46	31	21	8	2	1			10	41
49	51	35	24	15	14	10	7	8	3	1		1		5	
208	221	242	248	217	188	164	130	92	64	28	5	3		37	42
54	59	56	40	35	30	21	26	11	6	7	4	1		4	
42	55	36	38	46	32	24	25	29	17	5	3	3	1	7	43
4	9	10	9	14	7	15	10	14	9	3				1	
12	22	17	12	12	21	16	18	8	2	5				6	44
62	68	54	34	30	21	13	9	3	8	2	1			8	
69	59	42	47	38	30	33	19	11	8	5	3	1		20	45
3	2	1	2		2	4	3	3	1	1	1	1		1	
1,395	1,424	1,145	1,064	886	714	665	587	444	373	260	121	49	8	226	46
195	221	188	161	169	161	194	246	275	299	315	218	81	33	30	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION RECORD.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	512,669	102,220	25,986	12,020	7,825	5,520	153,571	15,045	8,585	13,420	21,360	23,936
2	Males	272,819	57,251	13,768	6,275	3,972	2,762	84,028	7,707	4,339	6,658	10,831	12,418
3	Females	239,850	44,969	12,218	5,745	3,853	2,758	69,543	7,338	4,246	6,762	10,529	11,518
4	Unknown cause	4,849	1,678	166	72	56	31	2,003	103	65	96	120	161
5	Males	2,677	940	87	37	30	16	1,110	55	30	47	55	79
6	Females	2,172	738	79	35	26	15	893	48	35	49	65	82
	1. General diseases.												
7	General diseases—A	88,227	29,298	9,888	4,667	3,273	2,421	49,547	6,041	2,167	2,308	3,043	2,704
8	Males	45,525	15,913	5,117	2,343	1,642	1,195	26,210	2,915	994	1,124	1,661	1,470
9	Females	42,702	13,385	4,771	2,324	1,631	1,226	23,337	3,126	1,173	1,184	1,382	1,234
10	Measles M	1,872	498	620	272	124	79	1,593	143	36	16	30	14
	Measles F	1,929	446	612	280	130	77	1,545	177	49	35	23	25
11	Scarlet fever M	1,688	111	216	268	288	179	1,062	457	79	29	20	14
	Scarlet fever F	1,639	73	191	258	260	219	1,001	464	79	35	20	13
12	Diphtheria M	5,022	344	749	796	707	594	3,190	1,357	270	71	40	23
	Diphtheria F	5,179	252	703	752	705	602	3,014	1,559	334	99	54	33
13	Whooping cough M	1,718	1,005	400	149	72	30	1,656	36	2	3	2	------
	Whooping cough F	1,951	985	470	211	112	58	1,836	77	9	4	1	2
14	Malarial fever M	1,303	117	58	30	36	30	271	77	40	72	117	93
	Malarial fever F	1,223	99	62	57	36	24	278	93	52	79	105	72
15	Influenza M	2,950	256	60	22	23	13	374	43	23	39	64	67
	Influenza F	3,932	218	54	38	19	21	350	41	36	51	66	93
16	Typhoid fever M	5,620	45	36	41	48	59	229	283	291	629	996	845
	Typhoid fever F	4,129	42	47	45	62	45	241	277	378	620	643	468
17	Cholera morbus M	914	197	65	72	30	12	376	46	29	17	24	20
	Cholera morbus F	879	166	66	64	18	9	323	30	24	28	24	23
18	Colitis M	483	243	56	18	16	4	337	10	2	2	4	10
	Colitis F	433	189	66	17	6	2	280	7	4	3	6	7
19	Diarrhea M	1,965	822	170	57	12	13	1,074	61	13	15	22	17
	Diarrhea F	1,712	697	142	40	12	7	898	59	23	8	14	25
20	Dysentery M	1,497	247	153	64	41	28	533	50	21	21	50	44
	Dysentery F	1,509	213	112	47	31	13	416	23	10	10	27	27
21	Enteritis M	7,887	5,050	1,112	253	92	65	6,572	113	45	39	50	66
	Enteritis F	7,230	4,021	1,031	236	95	64	5,447	123	44	43	72	103
22	Cholera infantum M	7,381	5,956	1,166	168	58	27	7,375	------	------	------	------	------
	Cholera infantum F	6,377	5,102	1,033	159	50	28	6,372	------	------	------	------	------
23	Fever M	61	15	5	1	------	1	22	2	1	4	4	1
	Fever F	52	18	3	3	2	1	27	5	2	3	3	3
24	Cerebro-spinal fever M	1,127	297	175	82	65	38	657	135	75	62	45	96
	Cerebro-spinal fever F	912	227	112	72	58	33	502	114	81	55	27	28
25	Smallpox M	363	14	7	7	3	1	32	8	11	26	66	58
	Smallpox F	230	14	11	6	4	2	37	12	12	19	49	32
26	Erysipelas M	847	217	17	3	4	3	244	5	7	17	17	35
	Erysipelas F	629	206	17	6	4	2	235	3	4	10	18	24
27	Septicemia M	1,316	140	22	17	12	13	204	61	35	41	78	72
	Septicemia F	1,551	122	19	15	17	12	185	45	22	66	200	219
28	Venereal diseases M	529	300	19	6	5	1	331	2	2	5	8	24
	Venereal diseases F	418	264	11	8	5	2	290	1	2	9	17	16
29	Others of this group M	982	39	11	17	6	5	78	26	12	16	24	31
	Others of this group F	788	31	9	10	5	5	60	16	8	7	13	21
30	General diseases—B	11,823	7,108	364	115	81	31	7,699	76	25	94	225	368
31	Males	7,158	3,911	204	62	38	22	4,237	38	14	33	115	229
32	Females	4,665	3,197	160	53	43	9	3,462	38	11	61	110	139
33	Alcoholism M	1,693	------	------	------	------	------	------	1	1	1	32	130
	Alcoholism F	368	------	------	1	------	------	1	------	------	1	14	49
34	Parasitic diseases M	21	8	8	3	------	2	14	2	------	------	------	------
	Parasitic diseases F	21	2	3	3	9	1	18	3	------	------	------	------
35	Lead poison M	46	1	------	1	------	------	2	------	------	------	2	2
	Lead poison F	23	5	1	1	------	------	7	1	------	------	------	1
36	Other poisons M	1,138	45	57	35	20	10	167	21	8	29	78	92
	Other poisons F	654	24	27	21	14	6	92	15	5	53	87	79
37	Inanition M	4,260	3,862	141	23	18	10	4,054	14	5	3	3	5
	Inanition F	3,599	3,166	129	27	20	2	3,344	19	6	7	9	10
38	General diseases—C	41,145	21,441	903	205	76	47	22,672	78	38	41	68	78
39	Males	20,691	12,096	443	110	48	20	12,717	36	19	22	29	27
40	Females	20,454	9,345	460	95	28	27	9,955	42	19	19	39	51
41	Old age M	6,673	------	------	------	------	------	------	------	------	------	------	------
	Old age F	8,885	------	------	------	------	------	------	------	------	------	------	------
42	Premature birth M	5,556	5,556	------	------	------	------	5,556	------	------	------	------	------
	Premature birth F	4,134	4,134	------	------	------	------	4,134	------	------	------	------	------
43	Malformation M	946	919	7	5	1	------	932	4	2	1	------	------
	Malformation F	764	742	11	2	1	1	757	2	2	------	1	------
44	Debility and atrophy M	6,885	4,992	436	105	46	20	5,599	32	17	21	29	27
	Debility and atrophy F	6,223	4,023	449	93	27	26	4,618	40	17	19	38	51
45	Others of this group M	631	629	------	------	1	------	630	------	------	------	------	------
	Others of this group F	448	446	------	------	------	------	446	------	------	------	------	------

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION RECORD.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
23,185	24,333	22,286	21,919	23,122	24,107	26,155	27,769	27,392	23,917	17,391	9,000	3,212	1,100	1,864	1
12,559	13,540	12,650	12,495	13,004	13,197	13,787	14,414	14,032	12,055	8,350	4,041	1,216	371	1,127	2
10,626	10,793	9,636	9,424	10,118	10,910	12,368	13,355	13,360	11,862	9,041	4,959	1,996	729	737	3
139	202	192	196	199	212	221	220	206	166	118	54	19	2	155	4
79	110	115	125	109	128	133	128	111	83	58	24	9	1	88	5
60	92	77	71	90	84	88	92	95	83	60	30	10	1	67	6
2,237	2,056	1,727	1,597	1,605	1,666	1,931	2,201	2,279	2,078	1,654	847	270	78	191	7
1,211	1,111	947	905	871	846	922	1,016	1,059	918	732	378	94	32	109	8
1,026	945	780	692	734	820	1,009	1,185	1,220	1,160	922	469	176	46	82	9
11	7	3	2	8	1	2	2	1	3						10
18	19	9	10	2	7		2	1	1	2	1			3	
11	6	5	1			1		1			1			1	11
8	8	5	1	1			1	1		1				1	
25	11	1	11	7	5	3	2	1		1		1		3	12
24	15	7	9	10	5	5	2	2	3	2				2	
2	2	3	1		1	2		1		1		1		5	13
6	2	3		1			1			1		1		7	
67	70	64	76	57	55	51	54	49	44	22	12	3		9	14
72	50	42	48	39	49	54	57	53	30	29	13	1	2	5	
90	89	127	118	119	145	226	264	334	315	300	152	42	11	8	15
98	101	117	122	178	221	336	400	452	498	423	219	98	21	11	
642	511	323	259	197	143	109	63	51	19	6	5			19	16
345	281	223	142	127	108	92	74	61	21	12	4			12	
22	19	31	38	40	40	36	51	50	35	18	12	3	3	4	17
31	40	26	19	35	32	43	44	51	41	36	17	8	2	2	
6	6	15	10	10	8	8	12	14	15	7	4	2		1	18
8	9	8	10	11	8	15	20	12	11	6	4	3		1	
20	26	26	24	49	78	81	105	112	102	75	36	10	6	13	19
27	22	24	27	29	52	65	79	95	102	87	47	15	6	8	
45	48	42	51	61	44	89	92	94	77	76	38	7	4	10	20
35	33	42	63	59	76	91	141	139	141	95	58	17	3	3	
53	71	65	88	79	92	109	116	110	101	66	35	5	4	8	21
87	89	89	93	98	99	135	202	181	155	101	49	9	5	6	
														6	22
														5	
	2	6	5	5	1	1	4		1	1	1				23
3			1					1	1		2	1			
18	24	18	19	10	9	6	5	4	2	1				1	24
20	18	20	19	5	7	4	2	4	3	1		1		1	
38	35	22	21	15	12	5	4	3	3					1	25
18	13	13	6	7	7	2	3								
41	40	55	41	54	64	48	54	46	40	24	8	4	1	2	26
12	41	22	19	30	35	44	32	35	31	21	8	3	1	1	
80	92	89	80	93	88	72	93	49	45	31	9			4	27
177	167	100	69	54	67	48	32	37	27	13	10	4		9	
20	24	23	19	21	17	13	4	5	4	1				8	28
19	16	15	10	9	3	1	2	3	1	1				3	
20	25	29	41	46	43	60	91	136	112	102	65	16	3	6	29
18	21	15	24	39	44	74	91	92	94	91	37	15	6	2	
470	576	452	409	351	285	196	188	114	111	45	27	7	6	99	30
351	450	353	323	272	213	147	135	71	66	23	17	4	1	66	31
119	126	99	86	79	72	49	53	43	45	22	10	3	5	33	32
223	319	233	217	189	130	69	77	23	19	4	4			21	33
44	66	60	43	32	21	15	8	5	4	1				4	
		1	1	1	1		1								34
5	11	5	6	5	1	3	3		1						35
4	2			1	3	1		2					1		
119	115	107	93	64	69	61	39	29	25	7	4			11	36
64	53	33	31	36	31	17	26	11	10	9				2	
4	5	7	6	13	12	14	15	19	21	12	9	4	1	34	37
7	5	6	12	10	17	16	19	25	31	12	10	3	4	27	
84	103	94	92	150	253	534	1,061	2,288	3,372	4,507	3,256	1,604	662	110	38
38	48	40	46	65	107	224	478	1,019	1,528	2,013	1,375	596	212	52	39
46	55	54	46	85	146	310	583	1,269	1,844	2,494	1,881	1,008	450	58	40
						101	329	872	1,362	1,896	1,316	573	207	17	41
						190	417	1,074	1,667	2,318	1,785	970	433	31	
															42
														8	43
1							1							1	
37	48	40	46	65	107	123	149	147	165	117	59	23	5	29	44
46	55	54	46	85	145	120	165	194	177	176	96	38	17	26	
									1						45
					1			1							

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION RECORD—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		86,919	2,839	1,386	712	497	324	5,758	1,237	1,345	4,315	8,035	9,087
2	Males		43,342	1,586	734	399	236	166	3,121	601	499	1,776	3,843	4,520
3	Females		43,577	1,253	652	313	261	158	2,637	636	846	2,539	4,192	4,567
4	Anemia	M	618	78	16	4	6	2	106	17	9	13	22	21
		F	890	75	23	11	11	6	126	13	16	52	63	54
5	Diabetes	M	1,404	7	5	5	2	5	24	33	57	56	50	67
		F	1,289	4	4	2	10	3	23	33	41	32	47	44
6	Rheumatism	M	966	11	6	7	5	6	36	53	42	37	35	47
		F	985	19	7	4	6	4	40	48	53	54	36	34
7	Scrofula and tabes	M	491	127	35	15	4	4	185	23	7	21	38	30
		F	549	88	31	16	7	10	152	18	20	43	40	42
8	Hydrocephalus	M	1,747	624	349	174	94	65	1,306	164	51	38	37	25
		F	1,426	505	297	128	104	61	1,095	137	39	47	22	23
9	Tuberculosis, general	M	513	40	20	15	8	9	92	25	17	24	50	66
		F	423	46	20	7	6	4	83	19	25	32	44	38
10	Consumption	M	29,192	518	256	140	89	58	1,061	216	265	1,520	3,498	4,147
		F	24,770	402	221	113	94	52	882	313	596	2,208	3,818	4,116
11	Cancer	M	6,388	8	4	3	3	4	22	10	9	16	48	67
		F	10,908	10	1	1	3	1	16	12	12	18	47	145
12	Tumor	M	694	19	5	10	10	4	48	19	11	24	29	30
		F	973	14	6	9	9	5	43	12	14	22	37	36
13	Dropsy	M	948	22	8	7	5	2	44	21	18	13	25	12
		F	1,031	11	7	4	3	3	28	17	18	20	24	19
14	Others of this group	M	381	132	30	19	9	7	197	20	13	14	11	8
		F	333	79	35	18	8	9	149	14	12	11	14	16
15	2. Diseases of the nervous system		62,563	13,112	3,341	1,452	857	590	19,352	1,514	905	891	971	1,234
16	Males		33,680	7,557	1,827	782	444	296	10,906	824	501	482	509	662
17	Females		28,883	5,555	1,514	670	413	294	8,446	690	404	409	462	572
18	Inflammation of the brain	M	617	162	74	51	15	13	315	45	15	16	20	15
		F	464	110	46	29	16	13	214	26	23	18	20	22
19	Meningitis	M	6,113	2,125	974	443	263	159	3,964	481	202	172	164	178
		F	4,832	1,604	796	384	241	176	3,201	431	209	129	128	120
20	Apoplexy	M	9,809	125	26	7	8	8	174	19	15	38	65	124
		F	9,364	95	21	11	9	4	140	17	17	33	53	98
21	Paralysis	M	4,566	53	10	11	12	5	91	28	20	24	23	48
		F	4,295	33	21	12	7	8	81	17	8	27	40	50
22	Paralysis, general (of insane)	M	413							1	2	1	1	15
		F	176										1	5
23	Tetanus and trismus nascentium	M	907	435	9	5	7	6	462	60	125	52	31	34
		F	411	292	5		2	2	301	7	12	8	9	9
24	Chorea	M	32			1	2	1	4	3	1	6	2	1
		F	54	2	1	1		2	6	3	13	15	4	
25	Epilepsy	M	680	44	10	4	3	2	63	19	30	68	45	65
		F	542	32	6	8	5	1	52	20	32	40	38	54
26	Convulsions	M	5,275	4,108	559	208	89	55	5,019	81	26	7	13	15
		F	4,247	3,030	500	175	105	58	3,868	87	16	27	38	53
27	Mental diseases	M	981							2	2	7	36	35
		F	992								3	12	26	42
28	Diseases of the brain	M	2,991	458	153	43	39	36	729	72	55	64	83	97
		F	2,366	325	106	43	24	25	523	61	60	71	71	68
29	Diseases of the spinal cord	M	504	37	11	5	5	10	68	8	5	19	12	14
		F	430	20	10	7	4	4	45	16	6	11	10	15
30	Locomotor ataxia	M	371	1		1			2		1	1	3	4
		F	122							1			2	
31	Others of this class	M	421	9	1	3	1	1	15	5	2	7	11	17
		F	588	12	2			1	15	4	5	18	22	36
32	3. Diseases of the circulatory system		43,233	2,243	121	86	91	120	2,661	702	805	832	1,061	1,248
33	Males		22,884	1,294	68	50	50	58	1,520	324	310	389	464	602
34	Females		20,349	949	53	36	41	62	1,141	378	495	443	597	646
35	Pericarditis	M	335	9	5		4	2	20	18	27	26	18	21
		F	329	10	1	2	3	9	25	20	26	24	19	11
36	Diseases of the heart	M	19,783	757	58	46	41	52	954	300	277	354	427	535
		F	18,161	599	49	32	37	49	766	351	460	405	533	569
37	Angina pectoris	M	1,055							2	1	6	8	22
		F	784							3	5	8	27	30
38	Diseases of the arteries	M	658	2					2	1		1		2
		F	400	1	1				2		1		1	2
39	Aneurism	M	369								3		8	18
		F	119							2	2	1	1	10
40	Embolism	M	144	13		1		1	15	2	1	2	3	3
		F	188	2		1		1	4	1		4	14	20
41	Others of this class	M	540	513	5	3	5	3	529	1	1			1
		F	368	337	2	1	1	3	344	1	1	1	2	4

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
8,327	7,738	6,591	6,012	5,708	5,406	4,962	4,577	3,449	2,403	1,186	436	104	30	213	1
4,416	4,157	3,497	3,144	2,922	2,627	2,360	2,178	1,658	1,138	538	185	47	12	103	2
3,911	3,581	3,094	2,868	2,786	2,779	2,602	2,399	1,791	1,265	648	251	57	18	110	3
20	24	41	37	57	57	54	54	29	30	19	5		1	2	4
53	62	57	54	67	69	59	59	41	26	10	4	2	1	2	
67	68	95	87	128	114	159	156	113	82	35	6	3	1	3	5
34	51	62	76	126	163	180	154	115	71	26	6	2		3	
50	47	48	61	62	90	71	84	81	61	39	12	2	1	7	6
50	44	50	54	65	63	80	94	78	66	46	20	5	2	3	
22	27	15	21	11	19	23	22	14	5	4			1	3	7
43	31	25	27	30	15	18	16	9	10	9				1	
38	22	22	16	10	5	4	1	1	2	1				4	8
13	13	12	8	4	4		2	4	2					1	
48	46	29	36	31	15	10	12	5	6	1					9
42	28	24	28	15	10	11	12	3	4	2	1			2	
3,975	3,613	2,752	2,208	1,757	1,338	1,018	779	519	309	110	31	7	2	67	10
3,219	2,578	1,741	1,189	983	829	696	613	435	296	125	57	10	4	62	
127	220	370	536	749	836	871	889	721	516	238	93	31	5	14	11
335	657	972	1,258	1,336	1,449	1,359	1,225	905	641	338	120	29	6	28	
34	40	53	69	61	65	53	63	49	28	16	2				12
58	76	92	90	87	94	91	84	64	43	19	8			3	
24	37	50	60	46	77	88	109	118	92	73	35	4		2	13
38	28	40	71	64	73	98	128	130	103	72	35	9	5	5	
11	13	22	13	10	11	9	9	8	7	2	1		1	1	14
26	13	13	13	9	10	10	12	7	3	1					
1,407	1,858	2,024	2,529	3,038	3,496	4,225	4,816	5,003	4,492	2,942	1,231	360	91	184	15
817	1,073	1,188	1,372	1,648	1,894	2,178	2,510	2,589	2,268	1,447	539	130	33	110	16
590	785	836	1,157	1,390	1,602	2,047	2,306	2,414	2,224	1,495	692	230	58	74	17
17	20	21	13	21	15	16	17	24	13	10	4				18
17	11	18	15	19	15	6	14	9	7	5	1	1		3	
148	150	112	130	102	73	53	64	45	39	13	9	2		12	19
92	80	69	86	54	46	49	50	34	22	17	5	3	1	6	
197	279	429	535	779	976	1,174	1,337	1,364	1,164	760	268	62	11	39	20
123	220	334	560	739	919	1,125	1,237	1,299	1,152	754	371	117	32	24	
107	180	208	244	307	358	436	543	671	637	415	157	34	17	18	21
64	89	113	173	217	295	437	563	661	663	479	210	74	18	16	
36	47	59	60	42	39	34	26	18	15	8	6	2		1	22
14	12	19	5	16	14	13	21	22	18	11	3	2			
33	15	18	19	17	14	7	7	6	5					2	23
14	13	12	4	2	8	9	1	1	1						
3		1	1	4		1	2	1	1			1			24
			2	2	1	3	2		2	1					
51	69	50	41	23	28	32	25	29	22	10	6	2		2	25
32	54	30	34	34	22	36	20	18	14	8	2	2			
11	13	7	14	12	3	7	7	13	4	4	1	1		17	26
38	29	19	8	7	6	12	10	5	6	2	1	2		13	
56	79	63	52	57	75	93	131	101	91	59	29	8		5	27
55	70	71	67	67	65	105	96	96	99	68	34	13	2	1	
115	145	131	142	163	174	190	203	212	196	140	52	16	3	9	28
83	123	88	121	122	108	153	189	170	166	112	53	13	4	7	
16	33	38	35	51	39	46	52	28	26	11	1		1	1	29
16	33	21	26	34	45	36	38	34	26	12	2	2		2	
13	23	26	57	44	60	47	41	25	18	4	1			1	30
2	9	6	12	17	20	16	12	10	8	5	2				
14	20	25	29	26	40	42	55	52	37	13	5	2	1	3	31
40	42	36	44	60	38	47	53	55	40	21	8	1	1	2	
1,527	1,946	2,162	2,448	3,069	3,589	4,267	4,739	4,741	3,820	2,245	942	221	57	151	32
766	1,022	1,120	1,272	1,674	1,995	2,363	2,581	2,591	2,083	1,166	460	81	19	82	33
761	924	1,042	1,176	1,395	1,594	1,904	2,158	2,150	1,737	1,079	482	140	38	69	34
16	26	22	13	29	25	17	22	15	15	4				1	35
26	15	24	19	11	21	21	26	15	10	10	3	2		1	
687	882	974	1,128	1,464	1,743	2,054	2,286	2,306	1,838	1,011	403	71	17	72	36
674	850	951	1,058	1,291	1,447	1,748	1,950	1,947	1,572	946	433	115	31	64	
29	47	55	57	98	109	174	135	127	104	57	19	1		4	37
28	37	32	65	63	79	86	108	81	61	51	13	6		1	
3	5	12	16	29	60	71	106	112	102	85	37	2	2	3	38
1	4	5	6	12	22	34	50	84	65	60	28	16	7		
24	54	52	48	38	46	33	16	15	11	1				2	39
8	8	15	16	6	9	7	11	7	9	5	1	1			
6	8	4	10	14	12	11	16	16	13	7	1				40
21	9	14	11	10	16	8	12	16	17	5	4			2	
1		1		2		3				1					41
3	1	1	1	2			1		3	2				1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION RECORD—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	80,504	18,166	8,286	3,739	2,034	1,246	33,471	2,582	846	1,344	2,103	2,422
2	Males	42,872	10,351	4,486	1,953	1,021	607	18,418	1,301	392	733	1,210	1,410
3	Females	37,632	7,815	3,800	1,786	1,013	639	15,053	1,281	454	611	893	1,012
4	Croup M	1,527	230	314	309	227	143	1,223	277	12	3	3	3
	Croup F	1,303	172	253	218	208	137	988	278	21	3	1	
5	Pneumonia M	29,898	6,183	3,180	1,272	615	343	11,593	777	295	594	1,019	1,193
	Pneumonia F	25,398	4,689	2,697	1,192	599	369	9,546	764	346	470	677	788
6	Laryngitis M	324	49	49	24	35	20	177	53	9	1	4	3
	Laryngitis F	273	32	45	29	40	18	164	43	7	6	4	8
7	Bronchitis M	6,844	2,948	807	272	102	69	4,198	109	37	39	54	64
	Bronchitis F	7,059	2,274	689	294	115	78	3,450	114	32	62	77	77
8	Pleurisy M	793	26	38	20	18	8	110	27	15	44	49	46
	Pleurisy F	621	19	25	17	8	7	76	29	10	18	49	44
9	Asthma M	650	26	3	1	1		31	8	1	8	9	11
	Asthma F	582	19	5		1		25	7	2	1	9	12
10	Others of this class M	2,836	889	95	55	23	24	1,086	50	23	44	72	90
	Others of this class F	2,396	610	86	36	42	30	804	46	36	51	76	83
11	5. Diseases of the digestive system	28,379	3,950	857	331	215	194	5,547	835	864	1,075	1,410	1,604
12	Males	14,459	2,265	446	174	99	94	3,078	426	479	532	618	685
13	Females	13,920	1,685	411	157	116	100	2,469	409	385	543	792	919
14	Dentition M	392	225	151	12	2	2	392					
	Dentition F	363	211	137	12	1	2	363					
15	Angina M	203	20	26	16	16	8	86	31	9	4	13	7
	Angina F	184	16	17	14	7	15	69	42	19	4	6	7
16	Gastritis M	1,992	397	77	22	22	8	526	31	14	21	29	53
	Gastritis F	2,263	296	93	32	33	19	473	42	15	31	68	95
17	Diseases of the stomach M	823	64	10	3	3	6	86	8	6	10	16	33
	Diseases of the stomach F	665	44	13	3		4	64	7	5	19	39	40
18	Obstruction of the bowels M	1,130	218	20	16	7	11	272	48	31	41	46	63
	Obstruction of the bowels F	1,208	129	15	11	17	8	180	38	16	27	48	74
19	Appendicitis M	1,791	9	5	4	10	12	40	110	236	244	255	206
	Appendicitis F	1,067	7	5	5	4	8	29	104	142	158	120	129
20	Hernia M	570	69	6			1	76	3	5	15	13	16
	Hernia F	501	20	2			2	24	4		3	1	2
21	Other diseases of the bowels M	380	108	15	4	2	1	130	5	5	10	15	17
	Other diseases of the bowels F	355	81	14	2	4	3	104	6	8	14	9	26
22	Jaundice M	526	293	3	7	2	1	306	4	2	4	5	13
	Jaundice F	460	186	3	8	1	5	203	5	3	4	8	9
23	Inflammation and abscess of the liver. M	679	37	5	2	2	8	54	11	10	9	31	40
	Inflammation and abscess of the liver. F	591	26	1	2	6	4	39	7	13	9	23	28
24	Other diseases of the liver M	2,682	37	5	6	1	2	51	8	11	12	28	69
	Other diseases of the liver F	1,606	31	7	5	2	2	47	10	7	7	27	45
25	Peritonitis M	1,838	136	39	46	19	17	257	141	142	155	150	145
	Peritonitis F	3,190	95	39	30	22	19	205	122	144	256	428	426
26	Ascites M	91	2	1				3	1	5	2	2	2
	Ascites F	121	3					3			1	1	8
27	Others of this class M	1,362	650	83	36	13	17	799	25	3	5	15	21
	Others of this class F	1,346	540	65	33	19	9	666	22	13	10	14	30
28	6. Diseases of the urinary system and male organs of generation.	29,447	497	159	136	134	122	1,048	450	325	460	911	1,234
29	Males	17,159	296	82	61	75	65	579	240	151	208	390	579
30	Females	12,288	201	77	75	59	57	469	210	174	252	521	655
31	Bright's disease M	12,385							204	120	178	320	461
	Bright's disease F	9,891							186	158	208	414	487
32	Calculus, urinary M	101	2					2		3	2	5	2
	Calculus, urinary F	38	7					7				2	2
33	Diseases of the kidney M	1,075	195	74	60	67	58	454	12	4	9	16	28
	Diseases of the kidney F	773	150	68	64	53	54	389	4	3	9	21	27
34	Diseases of the bladder M	1,277	10	2			1	13	3	5	4	6	16
	Diseases of the bladder F	179	5		2			7	1		1	3	6
35	Others of this class M	2,321	89	6	1	8	6	110	21	19	15	43	72
	Others of this class F	1,407	39	9	9	6	3	66	19	13	34	81	133
36	7. Diseases of the female organs of generation	1,812	9	1		1	1	12	1	9	68	188	258
37	Ovarian tumors	284							1	1	8	16	26
38	Ovarian diseases	100									2	12	18
39	Diseases of the tubes	308									17	51	76
40	Uterine tumors	479					1	1		1	2	8	24
41	Uterine diseases	117									11	21	27
42	Others of this class	524	9	1		1		11		7	28	80	87

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,539	2,957	2,755	2,835	3,201	3,481	3,881	4,228	4,194	3,494	2,437	1,152	353	102	177	1
1,474	1,788	1,704	1,728	1,831	1,826	1,872	1,962	1,919	1,557	1,022	478	121	31	95	2
1,065	1,169	1,051	1,107	1,370	1,605	2,009	2,266	2,275	1,987	1,415	674	232	71	82	3
----	1	1	----	----	----	1	1	----	----	1	----	----	----	1	4
1	3	2	1	1	2	----	----	1	----	----	----	----	----	1	
1,242	1,510	1,413	1,426	1,460	1,332	1,372	1,353	1,283	991	617	277	67	17	67	5
853	946	831	848	1,030	1,198	1,448	1,532	1,471	1,206	855	378	125	35	51	
11	6	12	10	10	6	7	6	2	3	4	----	----	----	----	6
9	4	2	1	2	7	3	1	4	5	1	1	----	----	----	
50	71	81	95	129	219	215	289	368	352	275	140	40	11	8	7
76	63	67	116	148	220	324	458	519	495	396	232	89	31	13	
56	65	55	53	48	48	41	42	38	30	16	7	1	----	2	8
45	40	37	37	34	25	44	32	40	33	17	8	2	----	1	
13	16	25	33	53	71	88	94	79	50	37	14	3	1	5	9
11	17	24	24	46	43	74	96	73	66	36	13	3	----	----	
102	119	117	111	131	150	148	177	149	131	72	40	10	2	12	10
70	96	88	80	108	110	116	147	167	132	110	42	13	5	16	
1,501	1,645	1,713	1,631	1,664	1,747	1,732	1,735	1,506	1,146	593	262	75	13	81	11
666	749	911	911	885	963	921	872	743	567	270	113	32	6	32	12
835	896	802	720	779	784	811	863	763	579	323	149	43	7	49	13
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	14
12	2	7	5	8	2	4	2	5	3	1	----	----	1	----	15
6	1	5	5	5	4	1	4	----	4	1	1	----	----	----	
66	77	93	109	119	148	141	165	152	124	77	31	10	3	3	16
83	120	101	95	134	136	165	168	194	151	120	46	18	2	6	
35	56	57	84	73	79	74	70	56	50	14	11	----	----	5	17
46	49	24	53	53	42	55	51	55	32	15	11	3	----	2	
52	44	38	63	67	71	52	68	72	65	17	12	4	----	4	18
58	67	86	79	65	87	73	101	80	60	35	21	1	2	10	
157	128	118	86	63	50	33	25	21	10	6	1	----	----	2	19
82	75	50	47	30	26	20	25	10	9	7	----	----	1	3	
20	28	32	38	29	47	48	43	57	53	29	13	3	1	1	20
14	28	36	35	52	53	65	64	52	38	16	11	2	----	1	
16	12	19	12	18	23	18	21	26	17	11	1	3	----	1	21
21	22	17	11	9	18	11	24	21	16	4	9	1	1	3	
12	5	11	13	15	26	22	24	26	19	11	5	1	----	2	22
13	13	9	15	18	23	24	35	38	19	10	4	3	----	4	
50	53	57	59	68	45	60	48	42	25	15	1	1	----	----	23
23	34	49	40	42	56	56	58	47	36	20	8	2	----	1	
113	200	295	290	302	329	324	282	183	128	36	14	5	1	1	24
79	116	151	145	179	162	163	163	135	105	41	18	1	----	5	
114	106	129	109	65	88	70	63	43	29	14	7	3	----	8	25
379	333	228	136	111	102	96	82	68	40	12	8	5	----	9	
----	7	9	5	9	8	9	10	8	5	5	1	----	----	----	26
4	3	6	8	6	11	16	18	12	12	7	1	1	----	3	
19	31	46	38	51	47	66	51	52	39	31	16	2	----	5	27
27	35	40	51	75	64	66	70	51	57	35	11	6	1	2	
1,385	1,752	1,923	2,091	2,445	2,655	2,936	2,925	2,767	2,142	1,221	548	106	34	89	28
682	873	1,052	1,149	1,459	1,582	1,763	1,844	1,764	1,459	864	377	69	18	57	29
703	879	871	942	986	1,073	1,173	1,081	1,003	683	357	171	37	16	32	30
565	719	863	946	1,203	1,290	1,395	1,345	1,179	908	447	167	30	7	38	31
550	710	736	805	847	923	1,027	907	869	565	298	143	28	13	17	
2	5	6	4	10	10	9	11	12	11	3	2	----	1	1	32
3	1	2	2	2	----	3	4	3	3	3	1	----	----	----	
23	36	39	35	46	44	48	76	67	68	40	25	2	----	3	33
36	34	33	31	35	31	24	36	21	20	13	3	----	1	2	
9	14	22	26	50	56	113	180	236	216	181	100	18	7	2	34
4	11	4	5	4	17	23	16	24	25	11	11	5	1	----	
83	99	122	138	150	182	198	232	270	256	193	83	19	3	13	35
110	123	96	99	98	102	96	118	86	70	32	13	4	1	13	
255	239	244	183	112	65	56	47	32	23	11	2	2	1	4	36
26	23	31	37	29	20	17	21	14	7	5	----	1	1	----	37
24	18	10	6	4	1	----	3	2	----	----	----	----	----	----	38
63	53	30	13	3	----	----	1	1	----	----	----	----	----	----	39
40	64	102	77	57	30	29	15	13	11	4	----	----	----	1	40
18	12	9	6	2	2	2	3	2	2	----	----	----	----	----	41
84	69	62	44	17	12	8	4	----	3	2	2	1	----	3	42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION RECORD—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		3,772								5	259	813	926
2	Abortion		258									15	48	73
3	Childbirth		996								1	49	156	210
4	Puerperal septicemia		1,619								4	114	400	426
5	Extra-uterine pregnancy		140									2	22	36
6	Others of this class		759									79	187	181
7	9. Diseases of the bones and joints		1,050	75	28	12	26	19	160	96	82	81	76	46
8	Males		600	40	14	6	18	16	94	45	47	56	49	30
9	Females		450	35	14	6	8	3	66	51	35	25	27	16
10	Diseases of the spine	M	192	20	5	2	7	6	40	19	16	18	16	11
		F	149	16	6	3	6		31	20	12	5	11	4
11	Abscess, lumbar and psoas	M	36	1					1		2	1	3	5
		F	24	2					2	4	1		2	
12	Diseases of the bones	M	209	16	4	3	7	8	38	11	14	20	12	9
		F	146	11	8	2	1	3	25	14	13	8	10	7
13	Diseases of the hip-joint	M	90	1	1		3	1	6	12	13	15	9	5
		F	42	3		1			4	11	5	11	1	1
14	Others of this class	M	73	2	4	1	1	1	9	3	2	2	4	
		F	89	3			1		4	2	4	1	3	4
15	10. Diseases of the skin		920	261	31	16	10	4	322	22	11	9	28	26
16	Males		512	138	17	10	4	1	170	16	6	5	13	15
17	Females		408	123	14	6	6	3	152	6	5	4	15	11
18	Abscess	M	274	55	12	6	3	1	77	15	6	4	9	11
		F	204	53	6	3	3	2	67	6	3	2	9	9
19	Carbuncle	M	72	2		1			3			1	1	1
		F	35	1		1			2			1	3	1
20	Others of this class	M	166	81	5	3	1		90	1			3	3
		F	169	69	3	2	3	1	83		2	1	3	1
21	11. Diseases of the absorbent system		377	33	17	1	6	2	59	10	9	11	15	23
22	Males		193	20	10	1	6	2	39	8	4	7	8	10
23	Females		184	13	7				20	2	5	4	7	13
24	Addison's disease	M	61							1	2	2	1	3
		F	55									2	2	4
25	Diseases of the spleen	M	29	4			2		6				2	3
		F	28	2	1				3		1		2	4
26	Others of this class	M	103	16	10	1	4	2	33	7	2	5	5	4
		F	101	11	6				17	2	4	2	3	5
27	12. Accidents and injuries		27,649	1,510	438	476	468	368	3,260	1,298	1,084	1,536	2,293	2,517
28	Males		21,067	844	233	287	261	204	1,829	878	893	1,244	1,867	2,100
29	Females		6,582	666	205	189	207	164	1,431	420	191	292	426	417
30	Burns and scalds	M	1,075	48	108	164	135	68	523	82	27	19	45	47
		F	1,470	44	106	102	124	106	482	212	69	63	59	83
31	Drowning	M	2,857	16	28	23	27	34	128	309	358	277	286	244
		F	295	9	19	11	13	4	56	25	24	35	21	11
32	Exposure and neglect	M	158	44	1	1		2	48	4	2	1	5	3
		F	93	44	6	2			52		1	1	5	
33	Gunshot wounds	M	965	3	1	1	2	1	8	18	75	132	150	130
		F	138	2		4	4	3	13	9	8	11	31	13
34	Homicide	M	499			1		3	4	8	10	30	80	92
		F	134		1	2	2	2	7	9	5	7	18	23
35	Infanticide	M	12	12					12					
		F	12	12					12					
36	Injuries by machinery	M	107		1				1			12	15	16
		F	5	1					1		1		1	
37	Railroad accidents	M	3,443	6	8	10	14	21	59	140	147	228	405	429
		F	349	5	6	8	7	12	38	46	19	28	24	18
38	Suffocation	M	747	357	16	12	6	6	397	10	11	20	32	26
		F	472	289	17	8	5	8	327	17	3	11	9	12
39	Suicide by shooting	M	764									10	63	88
		F	53									5	7	6
40	Suicide by drowning	M	112									3	6	7
		F	52									2	7	6
41	Suicide by poison	M	551									13	45	62
		F	364								4	54	72	58
42	Other suicides	M	1,203								3	23	65	84
		F	301								2	16	35	34
43	Sunstroke	M	298	42	6	4		2	54	9	1	8	17	19
		F	144	35	9	4	1		49	4	1	2	4	8
44	Surgical operations	M	129	7	1	1		1	10	6		5	9	15
		F	285	3		2			5	2	3	8	38	36
45	Wounds	M	404	2	1	3	4	4	14	11	10	37	44	61
		F	34	1	1				2	6	2	3	3	8
46	Others of this class	M	7,743	307	62	67	73	62	571	281	249	426	600	777
		F	2,381	221	40	46	51	29	387	90	49	48	92	111

OF DISEASES, BY SEX AND AGE : CENSUS YEAR 1900—Continued.

REGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
790	621	303	28	4	1	1	1		3					17	1
50	52	17			1				1					1	2
227	213	119	11	2					1					7	3
337	220	97	12	2		1			1					5	4
37	32	9	1											1	5
139	104	61	4				1							3	6
58	55	63	53	55	45	39	46	47	24	15	6	3			7
33	34	40	32	32	22	19	26	18	16	3	3	1			8
25	21	23	21	23	23	20	20	29	8	12	3	2			9
6	11	11	8	8	7	3	6	5	6	1					10
7	11	6	6	11	5	7	5	3	1	2	1	1			
5	2		2	2	2	2	1	2	1						11
2	1	2	2	3	2			3							
13	12	12	11	13	7	8	11	6	8	2	2				12
10	4	6	8	4	6	6	4	10	2	7	2				
8	4	8	1	4	3	1	1								13
2	4	1						1		1					
1	5	9	10	5	3	5	7	5	1		1	1			14
4	1	3	5	5	10	7	11	12	5	2		1			
37	48	49	43	44	54	59	53	36	41	19	12	4		8	15
16	26	28	26	28	36	29	29	19	25	15	7	1		2	16
21	22	21	17	16	18	30	24	17	16	4	5	3		1	17
11	20	18	14	16	19	15	13	9	8	7		1		1	18
14	13	12	10	7	11	11	14	5	6	2	1	2			
4	2	4	8	6	8	8	9	5	7	2	2			1	19
	1	3	2	5	2	5	2	5	2	1					
1	4	6	4	6	9	6	7	5	10	6	5				20
7	8	6	5	4	5	14	8	7	8	1	4	1		1	
28	21	32	33	22	28	28	25	17	12	2				2	21
16	11	16	16	11	12	13	10	7	3	1				1	22
12	10	16	17	11	16	15	15	10	9	1				1	23
3	7	6	8	7	7	8	3	2	1						24
4	7	6	2	4	7	6	5	2	3					1	
4	2	3	3	1		1	1	1	1	1					25
4	1	2	3	2	1	1	2	1	2						
9	2	7	5	3	5	4	6	4	1					1	26
4	2	8	13	5	8	8	8	7	4	1					
2,401	2,516	1,962	1,739	1,455	1,174	1,087	907	713	590	396	225	84	24	388	27
1,994	2,088	1,639	1,446	1,197	946	843	645	464	344	198	85	31	6	330	28
407	428	323	293	258	228	244	262	249	246	198	140	53	18	58	29
51	52	51	33	27	21	27	20	16	11	9	3			11	30
78	72	51	51	33	38	47	34	37	29	17	8	4		3	
214	240	198	141	115	92	68	48	31	21	7	3			77	31
24	21	14	12	12	8	7	9	5	2					9	
10	9	9	11	8	7	11	7	4	10	3	2		1	3	32
2	4	2	2	1	4	2		1	4	5	3	1		3	
110	91	60	48	36	30	24	11	9	6	1	1	2		23	33
17	17	7	4	3		2			2	1					
79	71	34	30	19	12	10	5	4	1	2				8	34
19	14	10	5	5	3	1	2							6	
															35
16	14	11	6	6	2	8	5								36
1		1													
377	399	274	222	192	154	130	70	57	34	19	9		1	97	37
20	17	17	20	17	17	12	15	15	16	5	1	1		3	
31	44	30	27	15	20	22	19	8	8	2	2			23	38
8	8	3	6	6	9	8	6	7	4	4	1			23	
87	96	94	90	71	51	34	33	18	12	6	2			9	39
12	7	3	5	3	2		1	1	1						
9	10	10	10	15	10	8	7	5	9	2				1	40
6	3	8	4	6	5	4	1	8	2						
65	66	65	52	59	33	31	26	17	7	1				9	41
36	46	26	20	12	10	6	5	7	3	1		1		3	
108	125	136	143	130	112	89	65	53	37	15	3	2		10	42
30	39	37	29	18	14	12	14	7	5	5	8			1	
24	39	22	23	24	17	9	6	10	10	3	1			2	43
2	7	6	6	10	7	13	8	12	7	3					
11	13	10	9	8	11	9	8	2	1	1				1	44
41	39	35	24	19	17	6	8	2	2	2					
48	40	24	32	21	17	19	9	2	2	4	1	1		7	45
1	2	1	2		2	3	1	1	1	1					
754	779	611	569	451	357	349	306	228	175	123	58	26	4	49	46
110	132	107	103	113	92	121	158	151	168	154	124	46	18	7	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION CITIES.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	402,666	85,384	22,388	10,337	6,686	4,784	129,579	12,525	6,791	10,539	17,633	20,005
2	Males	215,115	47,769	11,847	5,398	3,410	2,372	70,796	6,431	3,427	5,218	8,976	10,519
3	Females	187,551	37,615	10,541	4,939	3,276	2,412	58,783	6,094	3,364	5,321	8,657	9,486
4	Unknown cause	3,396	1,061	126	56	42	26	1,311	80	43	64	94	132
5	Males	1,885	596	66	30	25	13	730	42	21	32	41	69
6	Females	1,511	465	60	26	17	13	581	38	22	32	53	63
	1. General diseases.												
7	General diseases—A	71,339	24,407	8,464	4,047	2,782	2,125	41,825	5,104	1,676	1,791	2,485	2,280
8	Males	36,907	13,269	4,360	2,041	1,399	1,030	22,099	2,456	771	873	1,355	1,253
9	Females	34,432	11,138	4,104	2,006	1,383	1,095	19,726	2,648	905	918	1,130	1,027
10	Measles M	1,539	407	546	245	110	65	1,373	111	18	4	16	5
	Measles F	1,552	366	532	242	115	68	1,323	138	26	18	12	11
11	Scarlet fever M	1,415	94	185	239	242	156	916	374	64	15	14	12
	Scarlet fever F	1,381	60	160	233	219	196	868	386	57	27	15	10
12	Diphtheria M	4,483	313	707	738	648	528	2,934	1,194	212	46	24	15
	Diphtheria F	4,631	230	665	688	645	558	2,786	1,375	264	73	41	27
13	Whooping cough M	1,357	760	336	131	60	27	1,314	29	1	3	1	
	Whooping cough F	1,555	754	400	178	92	51	1,475	55	6	4	1	2
14	Malarial fever M	1,108	99	52	27	32	26	236	75	34	61	103	84
	Malarial fever F	1,031	87	59	53	34	22	255	81	43	69	89	63
15	Influenza M	1,861	185	35	16	13	10	259	25	17	28	52	54
	Influenza F	2,550	147	40	28	14	18	247	25	22	35	56	75
16	Typhoid fever M	4,604	35	33	39	41	52	200	237	232	503	821	715
	Typhoid fever F	3,321	39	38	36	50	37	200	234	301	497	533	392
17	Cholera morbus M	628	136	37	57	17	7	254	32	20	13	14	18
	Cholera morbus F	634	121	48	51	13	6	239	18	16	19	19	21
18	Colitis M	373	194	47	13	11	3	268	8	2	1	3	8
	Colitis F	339	159	54	12	5	2	232	5	4	3	4	6
19	Diarrhea M	1,483	674	145	52	7	13	891	42	6	14	16	14
	Diarrhea F	1,320	565	118	38	8	6	735	49	21	5	13	19
20	Dysentery M	1,151	188	117	51	27	15	398	41	15	18	18	39
	Dysentery F	1,065	148	70	27	15	10	270	15	8	7	25	25
21	Enteritis M	7,067	4,612	1,013	219	79	58	5,981	97	41	35	38	62
	Enteritis F	6,435	3,660	933	212	77	58	4,940	109	40	35	62	94
22	Cholera infantum M	5,787	4,708	915	106	37	19	5,785					
	Cholera infantum F	5,039	4,044	839	111	24	19	5,037					
23	Fever M	47	12	3	1		1	17	1		3	3	1
	Fever F	39	12	3	2	1	1	19	5	2	2	2	3
24	Cerebro-spinal fever M	833	221	120	63	49	29	482	105	55	42	36	27
	Cerebro-spinal fever F	679	178	86	56	44	24	388	85	55	34	18	20
25	Smallpox M	353	14	7	7	3	1	32	8	11	24	65	58
	Smallpox F	225	14	11	6	4	2	37	12	11	19	48	32
26	Erysipelas M	670	186	16	3	2	3	210	4	7	14	14	30
	Erysipelas F	507	180	15	4	3	1	203	3	3	9	11	20
27	Septicemia M	1,020	118	21	13	10	12	174	50	26	31	58	53
	Septicemia F	1,186	100	15	11	11	10	147	39	16	49	154	178
28	Venereal diseases M	490	287	18	6	5	1	317	2	2	5	8	21
	Venereal diseases F	388	253	9	8	4	2	276	1	2	7	16	15
29	Others of this group M	638	26	7	15	6	4	58	21	8	13	21	27
	Others of this group F	555	21	9	10	5	4	49	13	8	6	11	14
30	General diseases—B	10,258	6,249	313	90	65	25	6,742	67	17	87	202	321
31	Males	6,194	3,430	173	45	35	19	3,702	32	8	31	101	197
32	Females	4,064	2,819	140	45	30	6	3,040	35	9	56	101	124
33	Alcoholism M	1,485								1	1	26	119
	Alcoholism F	331			1			1			1	14	47
34	Parasitic diseases M	13	2	3	1		2	8	1				
	Parasitic diseases F	16	2	3	2	5	1	13	3				
35	Lead poison M	42	1		1			2				2	2
	Lead poison F	20	5		1			6	1				1
36	Other poisons M	943	33	45	22	17	7	124	19	5	27	70	74
	Other poisons F	545	14	20	16	7	4	61	13	4	51	79	69
37	Inanition M	3,711	3,394	125	21	18	10	3,568	12	2	3	3	2
	Inanition F	3,152	2,798	117	25	18	1	2,959	18	5	4	8	7
38	General diseases—C	31,545	17,960	823	182	69	41	19,075	66	33	37	59	67
39	Males	15,802	10,110	405	97	45	16	10,673	29	19	21	26	25
40	Females	15,743	7,850	418	85	24	25	8,402	37	14	16	33	42
41	Old age M	4,147											
	Old age F	6,095											
42	Premature birth M	4,569	4,569					4,569					
	Premature birth F	3,415	3,415					3,415					
43	Malformation M	702	686	2	4			692	1	2	1		
	Malformation F	564	550	7	2	1	1	561	1	1			
44	Debility and atrophy M	5,891	4,363	403	93	44	16	4,919	28	17	20	26	25
	Debility and atrophy F	5,313	3,530	411	83	23	24	4,071	36	13	16	32	42
45	Others of this group M	493	492			1		493					
	Others of this group F	356	355					355					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
19,633	20,551	18,538	17,983	18,742	18,760	19,710	19,788	18,460	14,664	10,053	5,014	1,686	678	1,334	1
10,881	11,627	10,743	10,442	10,751	10,372	10,388	10,188	9,185	6,994	4,515	2,074	560	225	803	2
8,752	8,924	7,795	7,541	7,991	8,388	9,322	9,600	9,275	7,670	5,538	2,940	1,126	453	531	3
115	168	151	159	157	157	156	154	139	91	61	27	8	2	127	4
64	93	91	106	86	90	91	88	78	41	32	13	2	1	68	5
51	75	60	53	71	61	65	66	61	50	29	14	6	1	59	6
1,865	1,706	1,395	1,268	1,321	1,288	1,456	1,562	1,443	1,203	925	436	127	45	138	7
1,029	935	778	728	717	660	689	711	644	498	387	188	36	19	81	8
836	771	617	540	604	628	767	851	799	705	538	248	91	26	57	9
4	2	1	1	3	1										10
7	7	3	2		1					1				3	
10	5	3	1			1									11
5	6	4		1			1			1					
19	10	1	7	6	5	3	1	1		1		1		3	12
20	12	6	6	7	3	4		2	2	1				2	
1	1	1			1	1						1		3	13
5	1	2		1						1				2	
56	67	59	64	52	46	37	44	31	30	12	8	2		7	14
65	44	32	38	34	43	43	43	38	16	19	9	1	2	4	
75	73	99	82	89	102	155	175	186	155	144	66	13	7	5	15
76	74	84	89	138	154	249	262	279	280	232	110	47	10	6	
545	426	258	207	160	113	78	41	34	11	4	4			15	16
278	228	180	106	100	80	67	51	43	11	7	3			10	
15	15	25	27	31	30	22	38	31	18	7	10	3	3	2	17
21	37	19	15	33	23	29	33	25	32	16	12	3	2	2	
5	5	12	10	6	5	6	9	8	7	4	3	2		1	18
6	8	8	8	8	7	4	15	8	6	3	2	1		1	
18	25	23	19	39	60	55	64	66	55	38	18	6	3	11	19
23	19	20	24	22	42	54	56	60	59	56	26	7	5	5	
38	44	38	47	52	37	78	77	68	44	41	17	3	1	7	20
30	27	32	52	48	66	72	107	93	85	60	28	10	2	3	
47	61	55	76	74	77	91	92	76	79	46	27	2	3	7	21
79	76	74	82	84	86	119	172	141	121	71	35	7	4	4	
														2	22
														2	
	2	5	5	5	1	1	3								23
3			1					1			1				
14	17	13	14	9	6	6	2	2	1	1				1	24
15	15	15	13	5	6	3		3	2	1				1	
38	37	21	19	13	11	5	4	3	3					1	25
17	12	13	6	6	7	2	3								
35	32	42	33	45	49	39	41	25	23	18	4	2	1	2	26
10	36	20	17	25	23	30	24	27	24	13	6	3			
72	72	75	59	76	70	53	62	27	23	20	5			4	27
142	136	82	51	49	48	32	17	17	10	5	4	2		8	
19	19	21	18	20	15	11	1	1	3	1				6	28
17	15	11	9	8	3	1		2	1	1				3	
18	22	26	39	37	31	47	57	85	46	50	26	1	1	4	29
17	18	12	21	35	36	58	67	60	56	50	12	10	1	1	
432	534	398	344	298	227	164	147	75	72	27	13	4	4	83	30
316	419	316	272	235	173	125	111	51	32	10	7	2	1	53	31
116	115	82	72	63	54	39	36	24	40	17	6	2	3	30	32
203	297	209	186	165	110	59	62	18	7	2	3			17	33
44	61	54	36	24	19	12	7	4	4					3	
		1	1	1	1										34
4	11	5	4	4	1	3	3		1						35
4	2			1	3	1							1		
106	106	96	75	55	54	51	34	18	15	4				10	36
61	48	23	26	30	21	16	18	5	9	9				2	
3	5	5	6	10	7	12	12	15	9	4	4	2	1	26	37
7	4	5	10	8	11	10	11	15	27	5	6	2	2	25	
68	83	81	78	122	209	461	865	1,782	2,346	2,828	1,904	894	406	81	38
32	44	33	37	49	90	188	389	769	1,010	1,174	731	295	127	41	39
36	39	48	41	73	119	273	476	1,013	1,336	1,654	1,173	599	279	40	40
						87	276	659	908	1,099	702	284	122	10	41
						172	348	865	1,208	1,536	1,106	572	268	20	
															42
														5	43
1															
31	44	33	37	49	90	101	113	110	102	75	29	11	5	26	44
36	39	48	41	73	118	101	128	148	128	118	67	27	11	20	
					1										45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION CITIES—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D	68,597	2,312	1,155	607	428	267	4,769	1,027	1,076	3,442	6,671	7,589
2	Males	35,113	1,293	614	356	209	141	2,613	505	404	1,442	3,246	3,858
3	Females	33,484	1,019	541	251	219	126	2,156	522	672	2,000	3,425	3,731
4	Anemia M	412	53	10	2	5	2	72	12	8	10	15	17
	Anemia F	581	38	12	8	8	4	70	10	11	36	44	41
5	Diabetes M	946	3	5	2	2	3	15	17	32	34	28	46
	Diabetes F	932	2		2	5	1	10	19	21	17	30	29
6	Rheumatism M	690	8	4	5	6	4	27	41	33	26	32	36
	Rheumatism F	739	17	6	3	4	4	34	35	39	49	27	30
7	Scrofula and tabes M	370	103	27	14	4	2	150	19	6	17	30	21
	Scrofula and tabes F	392	68	26	13	6	9	122	13	15	28	26	30
8	Hydrocephalus M	1,492	505	300	160	83	59	1,107	148	44	33	32	20
	Hydrocephalus F	1,191	430	252	104	91	48	925	117	28	37	21	18
9	Tuberculosis, general M	416	34	16	14	7	9	80	19	14	20	44	48
	Tuberculosis, general F	304	38	19	5	5	4	71	14	22	18	32	26
10	Consumption M	24,635	439	216	125	77	52	909	185	223	1,248	2,965	3,574
	Consumption F	19,741	332	188	94	79	43	736	265	494	1,765	3,146	3,379
11	Cancer M	4,647	3	1	3	2	2	11	9	6	12	46	58
	Cancer F	7,983	8			2	1	11	11	10	12	38	121
12	Tumor M	543	16	3	9	9	2	39	18	10	20	22	22
	Tumor F	690	10	4	7	9	3	33	12	12	14	29	29
13	Dropsy M	652	17	5	7	5	1	35	21	16	11	22	11
	Dropsy F	671	7	4	2	3	3	19	14	12	17	21	18
14	Others of this group M	310	112	27	15	9	5	168	16	12	11	10	5
	Others of this group F	260	69	30	13	7	6	125	12	8	7	11	10
15	2. Diseases of the nervous system	46,673	11,101	2,812	1,206	722	494	16,335	1,235	696	693	785	975
16	Males	25,211	6,359	1,531	647	376	239	9,152	680	387	373	422	534
17	Females	21,462	4,742	1,281	559	346	255	7,183	555	309	320	363	441
18	Inflammation of the brain M	450	113	60	39	13	8	233	34	13	11	16	11
	Inflammation of the brain F	329	83	36	22	14	10	165	17	12	12	13	15
19	Meningitis M	5,088	1,770	824	374	233	130	3,331	395	157	136	143	153
	Meningitis F	4,010	1,357	675	321	201	156	2,710	358	170	106	108	93
20	Apoplexy M	6,907	107	21	7	6	6	147	18	13	29	50	103
	Apoplexy F	6,586	71	14	10	8	4	107	15	14	24	41	78
21	Paralysis M	2,859	36	7	8	10	3	64	23	16	22	21	35
	Paralysis F	2,752	28	16	9	6	6	65	14	7	24	32	40
22	Paralysis, general (of insane) M	298							1	1			9
	Paralysis, general (of insane) F	114										1	3
23	Tetanus and trismus nascentium M	811	409	7	5	4	5	430	53	107	45	29	31
	Tetanus and trismus nascentium F	374	274	4		1	2	281	6	10	7	7	8
24	Chorea M	21			1	2		3	3	1	4	1	
	Chorea F	31	2		1		2	5	1	9	8	3	
25	Epilepsy M	430	22	7	2	2	1	34	14	12	44	31	40
	Epilepsy F	358	15	1	4	2	1	23	14	22	31	29	37
26	Convulsions M	4,508	3,526	475	171	71	48	4,291	72	22	6	10	15
	Convulsions F	3,660	2,624	444	150	91	53	3,362	70	14	21	29	42
27	Mental diseases M	713							1	2	6	30	30
	Mental diseases F	727								2	11	22	31
28	Diseases of the brain M	2,220	346	120	33	30	30	559	58	39	52	71	78
	Diseases of the brain F	1,741	269	84	37	21	19	430	47	44	55	54	55
29	Diseases of the spinal cord M	344	22	9	4	4	7	46	4	2	14	9	13
	Diseases of the spinal cord F	299	9	6	5	2	1	23	11	1	9	7	14
30	Locomotor ataxia M	279	1		1			2		1		2	4
	Locomotor ataxia F	94										2	
31	Others of this class M	283	7	1	2	1	1	12	4	1	4	9	12
	Others of this class F	387	10	1			1	12	2	4	12	15	25
32	3. Diseases of the circulatory system	31,538	1,666	95	67	74	111	2,013	616	689	678	893	1,083
33	Males	16,418	955	50	40	43	54	1,142	288	262	312	390	533
34	Females	15,120	711	45	27	31	57	871	328	427	366	503	550
35	Pericarditis M	270	9	3		4	2	18	16	24	21	14	18
	Pericarditis F	263	9	1	2	2	9	23	17	20	22	17	10
36	Diseases of the heart M	14,060	513	43	36	35	48	675	267	233	285	361	474
	Diseases of the heart F	13,465	419	41	23	29	45	557	305	401	334	451	488
37	Angina pectoris M	689							1	1	3	6	18
	Angina pectoris F	515							2	3	5	22	24
38	Diseases of the arteries M	525	1					1	1		1		2
	Diseases of the arteries F	331		1				1		1		1	1
39	Aneurism M	329								2		6	18
	Aneurism F	95							2	1		1	9
40	Embolism M	98	9		1		1	11	2	1	2	3	2
	Embolism F	147	2		1		1	4	1		4	11	17
41	Others of this class M	447	423	4	3	4	3	437	1	1			1
	Others of this class F	304	281	2	1		2	286	1	1	1		1

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
7,020	6,533	5,475	4,893	4,584	4,094	3,653	3,094	2,240	1,386	616	218	42	22	153	1
3,852	3,617	2,986	2,649	2,434	2,058	1,793	1,519	1,056	633	262	82	18	9	77	2
3,168	2,916	2,489	2,244	2,150	2,036	1,860	1,575	1,184	753	354	136	24	13	76	3
17	17	32	26	36	41	36	30	17	17	5	2		1	1	4
39	40	45	33	46	46	35	35	26	13	6	2	1	1	1	
52	54	67	62	94	81	118	114	69	45	11	4	1	1	1	5
28	40	50	52	97	132	139	111	82	50	18	4	1		2	
39	41	41	54	50	64	50	55	40	30	21	5	1		4	6
41	38	35	47	54	44	60	68	55	40	28	8	2	2	2	
19	20	12	15	10	9	18	8	7	4	2			1	2	7
28	23	18	21	20	11	11	13	7	4	2					
33	16	19	14	5	5	4	1		2	1				4	8
10	10	9	6	2	2		1	3	1						
37	38	23	30	25	10	9	9	4	7						9
29	20	18	19	11	5	6	8	2	1					2	
3,479	3,172	2,397	1,906	1,500	1,063	796	568	346	167	60	19	4	2	52	10
2,622	2,118	1,423	931	772	610	502	398	261	163	70	32	5	3	46	
112	185	292	429	618	664	649	614	464	293	122	38	11	4	10	11
279	534	785	999	1,034	1,062	978	805	619	399	189	67	9	4	17	
33	31	44	56	50	55	45	42	33	14	9					12
43	59	63	68	62	68	61	52	42	23	11	6			3	
22	33	42	47	33	58	62	70	72	51	30	13	1		2	13
30	23	33	57	47	47	63	74	82	57	29	17	5	3	3	
9	10	17	10	9	8	6	8	4	4	1	1			1	14
19	11	10	11	5	8	5	10	5	2	1					
1,147	1,510	1,646	2,015	2,364	2,610	3,063	3,259	3,175	2,571	1,593	659	165	47	130	15
680	877	986	1,113	1,294	1,419	1,579	1,701	1,625	1,239	747	259	55	14	75	16
467	633	660	902	1,070	1,191	1,484	1,558	1,550	1,332	846	400	110	33	55	17
15	17	15	10	15	12	11	10	17	2	7	1				18
12	8	13	14	15	8	5	8	4	2	3				3	
131	130	101	115	82	53	46	42	27	22	10	5			9	19
71	66	50	65	45	35	38	37	20	16	10	3	3	1	5	
160	231	365	430	631	748	855	949	905	659	425	133	32	4	20	20
94	185	275	456	582	707	832	858	860	724	421	223	52	19	19	
88	133	169	190	237	251	305	335	363	332	173	66	12	9	15	21
48	70	86	124	160	213	295	361	406	367	278	107	38	8	9	
28	39	47	49	30	28	23	14	15	8	3	2			1	22
12	11	13	3	11	12	8	10	11	11	6	1	1			
30	15	15	18	12	8	4	5	4	3					2	23
12	11	10	4	2	7	7	1	1							
2		1	1	2		1		1	1						24
				1		2	1		1						
37	41	37	31	16	21	22	14	13	11	7	3	1		1	25
24	36	21	23	21	13	28	11	12	8	3	2				
9	10	7	12	10	2	7	6	9	2	4				14	26
29	21	16	6	6	6	11	4	5	5	1	1	1		10	
42	70	46	41	49	59	75	94	63	50	27	20	3		5	27
46	59	58	52	49	43	78	66	72	65	41	22	7	2	1	
103	126	113	124	123	139	139	138	137	110	74	24	6	1	6	28
71	103	67	98	94	70	111	136	100	90	66	36	6	2	6	
14	27	29	28	34	27	30	30	20	11	5	1				29
13	27	18	21	24	33	24	25	23	17	5	2	1		1	
12	21	23	41	33	45	35	29	16	10	3	1			1	30
2	7	5	10	16	17	12	8	5	5	4	1				
9	17	18	23	20	26	26	35	35	18	9	3	1		1	31
33	29	28	26	44	27	33	32	31	21	8	2	1	1	1	
1,317	1,684	1,815	2,036	2,455	2,772	3,121	3,256	3,049	2,178	1,162	489	109	34	59	32
683	897	973	1,075	1,357	1,523	1,701	1,704	1,588	1,119	554	221	33	10	53	33
634	787	842	961	1,098	1,249	1,420	1,552	1,461	1,059	608	268	76	24	26	34
16	23	20	11	24	20	13	14	7	10					1	35
20	15	20	17	11	14	18	16	11	5	4	1	2			
610	775	845	952	1,191	1,323	1,466	1,498	1,401	966	473	185	26	9	45	36
569	723	771	861	1,012	1,148	1,313	1,403	1,312	945	524	240	56	18	34	
26	37	45	43	70	80	119	78	76	52	22	10			2	37
20	30	23	50	50	50	53	68	47	34	24	6	4			
3	4	11	15	26	55	64	92	85	76	52	26	7	1	1	38
	4	4	6	10	17	27	45	74	51	50	19	14	6		
22	52	49	47	33	38	29	14	10	6	1				2	39
5	7	12	16	5	7	4	11	4	8	3					
5	6	3	7	11	7	7	8	9	9	5					40
17	7	11	10	8	13	5	8	13	13	1	2			2	
1				2		3				1					41
3	1	1	1	2			1		3	2					

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION CITIES—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	66,283	15,608	7,328	3,306	1,792	1,111	29,145	2,158	674	1,052	1,766	2,105
2	Males	35,573	8,894	3,973	1,715	902	548	16,032	1,105	315	572	1,014	1,250
3	Females	30,710	6,714	3,355	1,591	890	563	13,113	1,053	359	480	752	855
4	Croup M	1,259	180	255	261	184	127	1,007	232	10	1	2	2
	Croup F	1,067	133	211	185	176	115	820	220	14	3		
5	Pneumonia M	24,902	5,365	2,861	1,134	564	315	10,239	674	235	466	853	1,051
	Pneumonia F	20,684	4,064	2,422	1,066	534	331	8,417	630	279	365	579	667
6	Laryngitis M	253	42	39	18	27	17	143	36	7	1	3	2
	Laryngitis F	214	23	37	27	33	14	134	37	5	5	3	4
7	Bronchitis M	5,702	2,553	707	235	89	62	3,646	91	31	31	47	61
	Bronchitis F	5,863	1,947	597	266	105	71	2,986	101	27	51	63	63
8	Pleurisy M	659	23	34	17	17	7	98	25	13	32	40	43
	Pleurisy F	522	18	22	17	6	7	70	23	7	15	44	40
9	Asthma M	550	17	2	1	1		21	7	1	6	8	10
	Asthma F	491	11	5				16	5		1	7	12
10	Others of this class M	2,248	714	75	49	20	20	878	40	18	35	61	81
	Others of this class F	1,869	518	61	30	36	25	670	37	27	40	56	69
11	5. Diseases of the digestive system	21,905	3,169	719	263	174	153	4,478	636	671	826	1,178	1,320
12	Males	11,177	1,829	386	138	78	75	2,506	322	367	406	512	562
13	Females	10,728	1,340	333	125	96	78	1,972	314	304	420	666	758
14	Dentition M	366	212	138	12	2	2	366					
	Dentition F	331	197	121	11		2	331					
15	Angina M	138	15	19	12	12	5	63	24	6	1	10	5
	Angina F	133	12	14	11	5	13	55	27	14	4	6	2
16	Gastritis M	1,494	331	69	19	19	7	445	24	12	15	23	35
	Gastritis F	1,706	245	77	24	29	14	389	40	13	26	59	73
17	Diseases of the stomach M	599	53	10	2	2	4	71	8	4	7	14	25
	Diseases of the stomach F	466	32	9	2		3	46	7	4	14	31	34
18	Obstruction of the bowels M	864	187	14	13	5	10	229	29	24	31	42	55
	Obstruction of the bowels F	953	97	9	9	14	6	135	29	13	23	42	64
19	Appendicitis M	1,448	6	5	2	9	8	30	90	182	194	217	167
	Appendicitis F	861	5	3	4	4	5	21	87	117	121	101	108
20	Hernia M	423	50	6			1	57	3	5	12	12	15
	Hernia F	384	14	2			2	18			2	1	2
21	Other diseases of the bowels M	267	78	11	1		1	91	4	3	8	13	16
	Other diseases of the bowels F	264	60	11	2	1	3	77	5	7	11	9	24
22	Jaundice M	396	234	3	4	2	1	244		1	4	3	10
	Jaundice F	340	153	2	6		4	165	5		2	6	6
23	Inflammation and abscess of the liver. M	559	32	4	2	1	7	46	9	6	9	27	36
	Inflammation and abscess of the liver. F	442	24		2	5	3	34	7	10	7	22	20
24	Other diseases of the liver M	2,118	26	4	3	1	2	36	7	9	9	22	56
	Other diseases of the liver F	1,232	24	6	2	2	2	36	7	4	6	25	38
25	Peritonitis M	1,427	110	33	39	15	12	209	106	107	112	114	125
	Peritonitis F	2,535	73	27	23	18	15	156	87	112	197	350	352
26	Ascites M	66	1	1				2	1	5	2	2	2
	Ascites F	90	3					3				1	8
27	Others of this class M	1,012	494	69	29	10	15	617	17	3	2	13	15
	Others of this class F	991	401	52	29	18	6	506	13	10	7	13	27
28	6. Diseases of the urinary system and male organs of generation.	23,232	407	137	112	125	96	877	376	266	366	772	1,048
29	Males	13,272	239	72	51	68	51	481	204	118	165	343	498
30	Females	9,960	168	65	61	57	45	396	172	148	201	429	550
31	Bright's disease M	9,834							171	98	143	283	399
	Bright's disease F	8,049							153	135	166	341	413
32	Calculus, urinary M	75	2					2		3	1	5	2
	Calculus, urinary F	31	7					7				1	2
33	Diseases of the kidney M	804	157	65	51	62	46	381	11	3	6	15	22
	Diseases of the kidney F	605	124	57	53	51	43	328	3	2	9	18	21
34	Diseases of the bladder M	792	6	2			1	9	3	2	3	5	14
	Diseases of the bladder F	125	4		1			5	1		1	2	4
35	Others of this class M	1,767	74	5		6	4	89	19	12	12	35	61
	Others of this class F	1,150	33	8	7	6	2	56	15	11	25	67	110
36	7. Diseases of the female organs of generation	1,507	8	1		1	1	11	1	7	58	163	227
37	Ovarian tumors	215							1	1	8	15	22
38	Ovarian diseases	89									2	10	17
39	Diseases of the tubes	292									17	48	75
40	Uterine tumors	389					1	1		1	1	5	19
41	Uterine diseases	93									6	17	22
42	Others of this class	429	8	1		1		10		5	24	68	72

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,197	2,538	2,316	2,363	2,670	2,784	3,101	3,293	3,063	2,399	1,547	703	209	72	128	1
1,302	1,543	1,460	1,472	1,561	1,492	1,496	1,506	1,363	1,036	613	283	63	21	74	2
895	995	856	891	1,109	1,292	1,605	1,787	1,700	1,363	934	420	146	51	54	3
	1	1					1			1				1	4
1	2	2	1		2			1						1	
1,096	1,302	1,205	1,220	1,241	1,077	1,096	1,010	901	631	350	158	32	12	53	5
715	806	682	680	823	953	1,147	1,179	1,078	797	582	218	81	24	32	
9	6	10	8	7	5	5	4	2	2	3					6
5	2	1	1	1	5	2	1	3	4	1					
45	62	72	79	112	187	184	235	272	255	175	84	22	6	5	7
65	59	56	101	132	189	267	385	410	382	282	157	55	23	9	
50	59	51	43	41	39	32	32	20	22	12	4	1		2	8
38	34	30	29	28	20	32	28	33	30	13	7			1	
12	15	22	30	52	67	72	80	68	39	26	7	3	1	3	9
8	16	22	20	37	38	63	86	61	56	29	11	3			
90	98	99	92	108	117	107	144	100	87	46	30	5	2	10	10
63	76	63	59	88	85	94	108	114	94	77	27	7	4	11	
1,281	1,403	1,428	1,325	1,330	1,354	1,277	1,209	975	656	317	137	37	8	59	11
570	651	778	744	731	748	672	601	479	304	129	52	15	4	24	12
711	752	650	581	599	606	605	608	496	352	188	85	22	4	35	13
															14
9	2	5	3	3	2		1	1		2			1		15
5	1	4	3	4	3		3		2						
58	63	78	83	97	116	101	111	105	71	36	14	4	2	1	16
70	99	86	75	97	101	121	125	133	90	70	26	9	1	3	
31	48	47	68	55	55	52	45	30	20	6	8			5	17
34	42	17	44	36	26	33	36	29	15	8	7	1		2	
43	40	33	53	52	54	37	54	42	29	8	4	2		3	18
52	61	70	67	52	71	55	74	50	44	26	15	1	1	8	
134	109	90	66	54	39	27	21	14	7	5	1			1	19
70	61	36	39	24	21	16	15	9	8	4			1	2	
18	26	30	31	21	34	37	30	43	29	13	5	1		1	20
13	23	32	29	47	41	53	43	38	23	9	8	2			
12	10	18	7	16	16	9	14	16	6	5		2		1	21
18	16	14	9	7	15	9	16	10	6	3	5	1		2	
9	4	11	12	13	20	15	15	16	8	8	3				22
13	12	7	12	11	15	18	24	20	12	6	3	1		2	
47	48	52	54	59	40	44	35	24	15	7		1			23
17	27	40	29	31	45	42	42	36	19	8	4	1		1	
98	183	259	245	256	262	244	201	120	79	20	7	3	1	1	24
68	103	127	121	142	131	124	111	91	59	25	9	1		4	
97	85	109	90	52	66	51	40	29	14	7	5	1		8	25
326	275	182	109	87	81	72	60	43	27	6	3	2		8	
	7	8	4	9	7	6	6	1	4						26
4	3	5	5	6	8	13	13	6	10	3				2	
14	26	38	28	44	37	49	28	38	22	12	5	1		3	27
21	29	30	39	55	48	49	46	31	37	20	5	3	1	1	
1,212	1,535	1,673	1,823	2,082	2,183	2,323	2,194	1,964	1,357	729	302	56	24	70	28
609	780	924	1,012	1,246	1,300	1,383	1,364	1,212	878	482	188	31	13	41	29
603	755	749	811	836	883	940	830	752	479	247	114	25	11	29	30
503	643	760	832	1,024	1,070	1,112	996	833	562	260	95	17	5	28	31
474	612	639	701	723	762	829	694	647	402	213	101	20	9	15	
2	4	5	3	9	8	8	9	5	3	2	1		1	1	32
3		2	2	1		3	3	2	2	2	1				
19	29	33	32	36	33	32	55	41	32	16	5			3	33
25	29	25	20	26	22	18	25	18	8	6			1	1	
9	11	19	22	42	35	79	121	144	124	91	48	7	4		34
4	9	4	4	4	11	15	15	18	16	4	5	2	1		
76	93	107	123	135	154	152	183	188	157	113	39	7	3	9	35
97	105	79	84	82	88	75	93	67	51	22	7	3		13	
233	200	217	147	84	43	36	32	18	18	8				4	36
23	16	25	29	21	13	9	16	7	5	4					37
23	17	10	3	3	1		1	2							38
59	49	30	11	2			1								39
39	50	93	69	43	19	20	9	8	9	2				1	40
15	10	8	5	2	2	2	1	1	2						41
74	58	51	30	13	8	5	4		2	2				3	42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION CITIES—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	**8. Affections connected with pregnancy**		2,917								4	193	634	725
2	Abortion		221									12	43	63
3	Childbirth		736								1	39	111	155
4	Puerperal septicemia		1,271								3	84	314	341
5	Extra-uterine pregnancy		131									1	20	35
6	Others of this class		558									57	146	131
7	**9. Diseases of the bones and joints**		783	53	23	9	21	16	122	79	69	61	56	35
8	Males		451	27	10	4	15	13	69	38	40	41	35	23
9	Females		332	26	13	5	6	3	53	41	29	20	21	12
10	Diseases of the spine	M	132	8	3	1	5	6	23	16	12	13	9	10
		F	98	9	5	2	4		20	18	9	3	10	2
11	Abscess, lumbar and psoas	M	25	1					1		2	1	5	1
		F	15	1					1	3	1			
12	Diseases of the bones	M	175	15	4	2	6	6	33	10	12	14	11	8
		F	116	10	8	2	1	3	24	9	12	7	8	6
13	Diseases of the hip-joint	M	67	1			3	1	5	10	12	12	7	4
		F	38	3		1			4	10	4	9	1	1
14	Others of this class	M	52	2	3	1	1		7	2	2	1	3	
		F	65	3			1		4	1	3	1	2	3
15	**10. Diseases of the skin**		715	223	19	14	9	3	268	19	7	7	25	19
16	Males		395	114	11	9	4	1	139	13	5	4	11	10
17	Females		320	109	8	5	5	2	129	6	2	3	14	9
18	Abscess	M	218	51	10	5	3	1	70	12	5	3	7	7
		F	157	50	2	3	2	1	58	6	1	1	8	8
19	Carbuncle	M	58	1		1			2			1	1	1
		F	32	1		1			2			1	3	1
20	Others of this class	M	119	62	1	3	1		67	1			3	2
		F	131	58	6	1	3	1	69		1	1	3	
21	**11. Diseases of the absorbent system**		260	28	15	1	4	1	49	5	6	9	8	22
22	Males		134	16	9	1	4	1	31	4	3	6	5	9
23	Females		126	12	6				18	2	3	3	3	13
24	Addison's disease	M	44							1	1	2	1	3
		F	33									2	1	4
25	Diseases of the spleen	M	16	4			1		5				1	3
		F	18	2					2		1			4
26	Others of this class	M	74	12	9	1	3	1	26	3	2	4	3	3
		F	75	10	6				16	2	2	1	2	5
27	**12. Accidents and injuries**		21,718	1,132	358	377	378	314	2,559	1,055	857	1,175	1,842	2,057
28	Males		16,583	638	187	224	207	171	1,427	713	707	940	1,475	1,698
29	Females		5,135	494	171	153	171	143	1,132	342	150	235	367	359
30	Burns and scalds	M	880	37	85	133	110	62	427	68	22	16	38	39
		F	1,238	33	90	83	105	94	405	174	62	55	52	73
31	Drowning	M	2,063	10	15	9	18	24	76	228	267	184	181	166
		F	191	8	11	6	8	2	35	14	12	22	14	8
32	Exposure and neglect	M	101	30	1	1		1	33	3	1	1	4	2
		F	71	36	4	2			42		1	1	3	
33	Gunshot wounds	M	756	2	1		1	1	5	13	57	87	124	115
		F	108	1		3	1	2	7	7	6	6	25	12
34	Homicide	M	468					2	2	7	10	29	75	89
		F	122		1	2	2	1	6	8	4	5	17	21
35	Infanticide	M	11	11					11					
		F	8	8					8					
36	Injuries by machinery	M	82		1				1			5	14	16
		F	4								1		1	
37	Railroad accidents	M	2,680	5	8	8	11	20	52	129	126	176	314	339
		F	261	2	5	7	7	11	32	41	14	19	15	12
38	Suffocation	M	595	270	14	11	4	5	304	9	7	16	30	21
		F	353	211	14	6	4	4	239	12	3	10	8	10
39	Suicide by shooting	M	630									9	54	73
		F	39									2	5	5
40	Suicide by drowning	M	81									2	4	5
		F	33									2	5	6
41	Suicide by poison	M	486									12	38	56
		F	314								3	49	68	56
42	Other suicides	M	934								2	15	57	71
		F	239									15	32	28
43	Sunstroke	M	270	39	5	4		2	50	7		5	16	17
		F	134	31	8	4	1		44	4	1	2	4	3
44	Surgical operations	M	112	7	1	1		1	10	4		2	8	12
		F	247	3		1			4	2	2	5	38	29
45	Wounds	M	341		1	5	4	4	12	8	8	32	36	50
		F	31	1	1				2	5	2	3	3	2
46	Others of this class	M	6,093	227	55	54	59	49	444	237	207	349	482	627
		F	1,742	160	37	39	43	29	308	74	39	38	77	94

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
625	482	215	21	3	1	1			2					11	1
42	43	15			1				1					1	2
171	166	78	8	2										5	3
270	173	72	9	1		1			1					2	4
36	28	9	1											1	5
106	72	41	3											2	6
48	45	48	38	36	31	26	31	34	16	5	2	1			7
30	29	29	25	22	14	13	19	12	10	1	1				8
18	16	19	13	14	17	13	12	22	6	4	1	1			9
6	8	9	7	5	2		4	4	4						10
5	8	4	2	4	4	4	2	1		1		1			
4	2		2	1	2	1	1	1	1						11
2		2	1	2	1			2							
13	11	11	9	10	6	7	9	4	5	1	1				12
6	4	5	6	4	4	5	4	7	2	2	1				
6	3	4		1	2	1									13
2	4	1						1		1					
1	5	5	7	5	2	4	5	3							14
3		7	4	4	5	4	6	11	4						
28	36	46	32	38	43	44	37	28	18	10	8	1		1	15
13	20	28	18	25	29	22	21	14	11	8	4				16
15	16	18	14	13	14	22	16	14	7	2	4	1		1	17
9	17	18	8	15	15	10	11	4	3	4					18
8	10	10	8	5	9	8	10	3	2	1	1				
3		4	7	6	8	7	6	5	4	1	2				19
	1	3	2	5	2	3	1	5	2	1					
1	3	6	3	4	6	5	4	5	4	3	2				20
7	5	5	4	3	3	11	5	6	3		3	1		1	
21	13	20	19	18	22	22	10	9	4					2	21
12	7	8	8	8	11	11	4	6						1	22
9	6	12	11	10	11	11	6	3	4					1	23
3	5	4	4	4	6	7	2	1							24
8	4	5		4	4	3	1		1					1	
2			1	1		1	1	1							25
2		1	1	1	1	1	2		2						
7	2	4	3	3	5	3	1	4						1	26
4	2	6	10	5	6	7	3	3	1						
2,024	2,081	1,614	1,422	1,180	942	806	645	466	347	225	116	33	14	258	27
1,689	1,715	1,353	1,183	986	759	625	450	288	183	116	45	10	6	215	28
335	366	261	239	194	183	181	195	178	164	109	71	23	8	43	29
47	47	47	28	23	16	15	13	12	6	6	2			8	30
68	66	49	45	26	36	34	27	26	23	8	4	3		2	
166	188	153	119	88	74	53	34	18	12	4	1			51	31
13	16	11	9	8	7	6	6	2	1					7	
7	6	5	5	4	6	9	6	1	3	1			1	2	32
2	3	1	2		3	2			2	4	3			2	
88	76	48	44	23	24	17	7	5	5		1			17	33
14	16	6	2	2		2			2	1					
74	67	33	29	18	11	8	3	3	1	1				8	34
17	12	9	5	5	3	1	2							6	
															35
13	9	8	5	5	2	2	2								36
1		1													
313	298	219	171	154	123	95	48	40	17	12	6		1	47	37
17	14	13	13	11	13	5	11	12	12	4	1			2	
29	42	28	22	11	16	16	14	5	4	2	2			17	38
7	8	3	5	4	8	6	4	6	2	3				15	
75	81	81	76	57	40	24	24	13	9	3	2			9	39
11	5	2	3	3	1			1	1						
8	8	8	9	11	6	5	5	4	3	2				1	40
6	2	2	2	3		1	1	1	2						
65	63	58	46	54	27	27	20	10	3					7	41
32	39	19	15	10	6	4	3	4	2	1		1		2	
92	106	115	108	110	85	67	43	26	20	9	1	1		6	42
23	32	32	22	15	12	7	7	5	4	2	2			1	
22	38	20	21	23	17	8	4	9	8	2	1			2	43
2	7	4	6	10	7	13	7	11	6	3					
11	11	9	9	8	9	8	6	2	1	1				1	44
35	35	29	22	15	15	5	5	2	2	2					
45	38	20	25	20	12	16	7	2	1	2	1			6	45
1	2	1	2		2	2	1	1		1					
634	637	500	466	377	291	255	214	138	90	71	28	9	4	33	46
86	109	79	86	82	70	93	121	107	105	80	61	19	8	6	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION STATES.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		301,670	60,524	15,101	6,797	4,385	2,933	89,740	7,909	4,576	7,118	11,090	12,893
2	Males		157,745	33,924	8,021	3,547	2,227	1,468	49,187	4,047	2,274	3,534	5,484	6,519
3	Females		143,925	26,600	7,080	3,250	2,158	1,465	40,553	3,862	2,302	3,584	5,606	6,374
4	Unknown cause		2,326	903	70	25	25	11	1,034	44	37	44	47	60
5	Males		1,269	511	37	13	14	6	581	23	15	22	24	27
6	Females		1,057	392	33	12	11	5	453	21	22	22	23	33
	1. General diseases.													
7	General diseases—A		51,379	18,622	5,696	2,620	1,842	1,273	30,053	3,086	1,103	1,075	1,335	1,193
8	Males		26,286	10,143	2,971	1,300	931	631	15,976	1,509	500	516	724	644
9	Females		25,093	8,479	2,725	1,320	911	642	14,077	1,577	603	559	611	549
10	Measles	M	1,272	351	431	160	84	51	1,077	97	24	13	17	10
		F	1,311	308	418	169	82	53	1,030	115	40	26	18	18
11	Scarlet fever	M	967	68	134	156	160	97	615	250	39	21	15	10
		F	899	45	110	139	150	108	552	244	42	19	15	7
12	Diphtheria	M	2,748	201	425	450	378	310	1,764	701	145	53	27	17
		F	2,782	158	401	443	380	303	1,685	763	166	58	34	18
13	Whooping cough	M	1,140	673	265	93	52	17	1,100	21	1		1	
		F	1,308	672	306	149	69	36	1,232	46	7	3		1
14	Malarial fever	M	432	42	17	13	14	11	97	12	8	18	37	21
		F	464	33	13	18	15	8	87	32	16	26	34	24
15	Influenza	M	2,120	162	40	16	18	5	242	28	14	23	43	42
		F	2,957	155	37	23	13	12	240	27	27	29	39	62
16	Typhoid fever	M	2,547	19	11	15	20	18	83	108	135	273	438	373
		F	1,884	11	21	19	22	18	91	102	176	271	271	207
17	Cholera morbus	M	498	111	38	25	17	6	197	27	17	6	14	9
		F	461	85	35	24	7	3	154	18	12	16	11	10
18	Colitis	M	299	157	31	11	8	2	209	8		2	4	3
		F	282	125	37	12	4	1	179	4		2	5	3
19	Diarrhea	M	1,262	598	102	22	7	8	737	39	10	4	9	9
		F	1,123	499	87	11	7	3	607	41	15	5	4	14
20	Dysentery	M	782	142	80	35	28	19	304	32	16	6	12	14
		F	919	127	70	33	22	11	263	16	8	4	15	12
21	Enteritis	M	4,455	3,004	546	119	48	28	3,745	59	24	14	22	35
		F	4,135	2,427	529	101	49	33	3,139	63	21	15	30	41
22	Cholera infantum	M	4,834	3,984	676	113	38	19	4,830					
		F	4,025	3,308	554	102	36	22	4,022					
23	Fever	M	22	3	2	1		1	7	2	1	2	1	
		F	23	8	2	3	1	1	14		1	1	2	
24	Cerebro-spinal fever	M	780	225	135	58	43	26	487	85	45	42	27	22
		F	611	165	75	55	36	21	352	74	53	34	17	15
25	Smallpox	M	35	2	1		1		4	1		4	5	3
		F	24	2	2				4	1	2	2	6	
26	Erysipelas	M	543	151	11	2	3		167	2	2	10	6	22
		F	408	138	11	5	3	2	159	2	2	7	10	12
27	Septicemia	M	699	75	10	4	6	9	104	22	14	17	41	33
		F	792	65	11	8	11	4	99	23	13	34	91	89
28	Venereal diseases	M	231	146	8	1	3		158			2		11
		F	188	132	5	4	3	1	145			4	5	4
29	Others of this group	M	620	29	8	6	3	3	49	15	5	6	5	10
		F	497	16	1	3	1	2	23	6	2	3	4	12
30	General diseases—B		5,207	2,702	121	51	32	16	2,922	30	15	46	118	218
31	Males		3,238	1,504	76	29	14	10	1,633	17	9	14	63	142
32	Females		1,969	1,198	45	22	18	6	1,289	13	6	32	55	76
33	Alcoholism	M	922							1		1	16	78
		F	232			1			1			1	6	30
34	Parasitic diseases	M	13	2	5	2			9	1				
		F	10	1		3	6		10					
35	Lead poison	M	27			1			1					1
		F	16	1	1	1			3					1
36	Other poisons	M	656	27	30	21	11	7	96	10	6	12	47	59
		F	373	18	14	11	10	5	58	9	2	28	45	42
37	Inanition	M	1,620	1,475	41	5	3	3	1,527	5	3	1		4
		F	1,338	1,178	30	6	2	1	1,217	4	4	3	4	3
38	General diseases—C		24,674	13,493	463	86	34	26	14,102	30	17	14	25	27
39	Males		12,608	7,663	224	47	23	10	7,967	17	8	9	10	10
40	Females		12,066	5,830	239	39	11	16	6,135	13	9	5	15	17
41	Old age	M	4,069											
		F	5,196											
42	Premature birth	M	3,361	3,361					3,361					
		F	2,468	2,468					2,468					
43	Malformation	M	642	623	8	3	1		633	3		1		
		F	510	494	9			1	504	2	1		1	
44	Debility and atrophy	M	4,068	3,212	218	44	22	10	3,506	14	8	8	10	10
		F	3,560	2,538	230	39	11	15	2,833	11	8	5	14	17
45	Others of this group	M	468	467					467					
		F	332	330					330					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION STATES.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
12,630	13,142	12,142	12,112	13,262	14,531	16,033	17,385	17,803	16,467	12,305	6,566	2,407	703	856	1
6,601	7,081	6,570	6,568	7,116	7,632	8,227	8,873	8,996	8,375	5,967	3,023	947	231	493	2
6,029	6,061	5,572	5,544	6,146	6,899	7,806	8,512	8,807	8,092	6,338	3,543	1,460	472	363	3
58	86	81	73	91	97	97	105	96	95	81	33	16		51	4
33	44	45	43	48	55	64	62	47	48	38	12	8		30	5
25	42	36	30	43	42	33	43	49	47	43	21	8		21	6
1,100	973	853	828	830	960	1,173	1,402	1,579	1,547	1,255	667	235	56	76	7
555	504	440	450	435	474	527	640	730	666	545	307	85	23	36	8
545	469	413	378	395	486	646	762	849	881	710	360	150	33	40	9
10	5	3	2	5	1	2	2	1	3						10
15	15	7	10	2	7		2	1	1	2	1			1	
9	3	2						1			1			1	11
5	6	5	1				1	1						1	
15	6	1	7	5	4	1	2								12
15	10	4	6	6	5	4	2	2	1	2				1	
2	2	3	1		1	2		1		1		1		3	13
5	1	3					1			1		1		7	
21	14	19	26	11	20	25	22	30	25	13	9	2		2	14
21	18	16	21	12	19	27	27	31	23	19	8		1	2	
51	54	80	83	79	103	160	194	249	247	248	130	40	6	4	15
64	70	83	85	128	161	241	297	345	415	349	180	88	17	10	
300	236	146	133	102	70	56	37	32	12	3	3			7	16
194	134	104	76	57	55	54	36	30	14	6	3			3	
10	8	15	19	23	22	23	26	34	23	11	8	2	2	2	17
16	14	14	7	10	19	26	25	38	21	28	13	8	1		
2	2	9	5	8	4	2	6	11	12	6	3	2		1	18
6	3	5	8	8	4	13	13	8	8	6	4	3			
9	11	7	12	22	37	44	67	77	71	55	26	9	5	2	19
15	8	11	12	17	29	33	48	64	83	68	31	13	2	3	
18	16	13	19	23	17	39	48	58	50	53	31	6	4	3	20
19	19	25	25	24	39	53	82	89	100	66	44	13	3		
24	28	35	39	38	56	55	67	72	61	46	25	5	3	2	21
43	44	49	53	52	56	78	116	120	103	68	31	7	3	3	
														4	22
														3	
		2	1	2			1		1	1	1				23
1								1	1		1	1			
11	14	12	13	5	6	2	4	3	2						24
14	10	10	12	2	4	3	2	3	3	1		1		1	
3	2	1	3	5	3		1								25
4	1	1		2	1										
23	28	35	22	27	45	34	28	33	31	18	7	3			26
6	27	10	13	17	25	31	23	21	20	16	3	2	1	1	
32	55	38	41	50	49	44	59	36	39	19	6				27
91	75	48	31	32	37	31	23	29	21	12	8	2		3	
6	13	8	7	7	8	3	3	2	1					2	28
4	6	9	1	1	1		2	3							
9	7	11	17	23	28	35	73	90	88	71	57	15	3	3	29
7	8	9	14	25	24	52	62	63	67	66	33	11	5	1	
279	316	231	216	188	172	115	106	72	71	33	19	4	3	33	30
199	244	174	169	145	125	85	73	40	48	19	13	2		24	31
80	72	57	47	43	47	30	33	32	23	14	6	2	3	9	32
135	184	112	102	100	70	36	41	13	16	4	4			9	33
35	40	37	27	17	18	10	2	3	2	1				2	
				1	1		1								34
4	4	5	4	4		2	1		1						35
3	2			1	3	1		2							
58	55	55	62	36	47	41	22	21	18	6	4			1	36
39	27	17	17	22	19	8	17	10	6	7					
2	1	2	1	4	7	6	8	6	13	9	5	2		14	37
3	3	3	3	3	7	11	14	17	15	6	6	2	3	7	
26	40	29	30	60	102	211	465	1,090	1,870	2,811	2,166	1,111	393	55	38
12	14	15	15	26	37	91	196	485	860	1,306	951	429	126	24	39
14	26	14	15	34	65	120	269	605	1,010	1,505	1,215	682	267	31	40
						50	135	420	769	1,239	908	413	126	9	41
						78	194	513	914	1,404	1,162	657	257	17	
															42
														5	43
							1							1	
12	14	15	15	26	37	41	61	65	90	67	43	16		10	44
14	26	14	15	34	64	42	74	91	96	101	53	25	10	13	
									1						45
					1			1							

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION STATES—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		51,158	1,852	895	449	295	197	3,688	650	732	2,416	4,374	5,151
2	Males		24,954	1,026	485	250	136	96	1,993	311	265	1,018	2,068	2,556
3	Females		26,204	826	410	199	159	101	1,695	339	467	1,398	2,306	2,595
4	Anemia	M	403	53	12	2	4	2	73	9	4	8	15	10
		F	612	50	17	6	5	6	84	6	9	31	40	36
5	Diabetes	M	972	5	4	5	2	3	19	25	43	38	33	43
		F	879	3	4	1	7	3	18	23	32	22	27	28
6	Rheumatism	M	554	6	4	2	1	3	16	29	18	22	14	25
		F	596	15	1	2	3	2	23	29	29	26	18	17
7	Scrofula and tabes	M	260	86	16	5	2	2	111	7	3	7	17	16
		F	286	54	18	9	3	4	88	7	8	23	21	21
8	Hydrocephalus	M	1,192	442	260	123	66	45	936	101	28	21	22	13
		F	1,000	371	206	96	69	40	782	88	29	28	16	16
9	Tuberculosis, general	M	327	33	14	11	7	4	69	12	10	14	29	43
		F	289	37	11	6	5	2	61	13	16	24	31	24
10	Consumption	M	16,395	305	151	80	42	27	605	100	136	879	1,894	2,346
		F	14,282	233	127	64	56	34	514	157	312	1,203	2,097	2,329
11	Cancer	M	3,847	6	3	2	2	3	16	7	8	8	19	35
		F	6,977	6	1	1	2	1	11	3	10	11	25	90
12	Tumor	M	387	8	3	5	3	3	25	9	6	11	13	18
		F	591	10	3	5	4	4	26	3	6	15	14	20
13	Dropsy	M	417	10	6	1	1	1	19	5	3	3	6	2
		F	494	7	3	3			13	4	7	7	7	4
14	Others of this group	M	200	72	12	11	6	3	104	7	6	7	6	5
		F	198	40	19	6	5	5	75	6	9	8	10	10
15	2. Diseases of the nervous system		37,335	6,469	1,782	773	457	307	9,788	776	484	463	490	682
16	Males		19,646	3,762	967	427	222	157	5,535	405	269	263	238	353
17	Females		17,689	2,707	815	346	235	150	4,253	371	215	200	252	329
18	Inflammation of the brain	M	300	79	29	23	4	9	144	17	8	8	8	8
		F	225	43	18	11	8	3	83	16	16	8	9	10
19	Meningitis	M	3,502	1,292	561	281	137	83	2,354	256	103	93	71	96
		F	2,827	970	485	216	151	97	1,919	238	114	62	63	63
20	Apoplexy	M	6,620	81	17	3	6	6	113	10	7	25	32	72
		F	6,660	72	14	7	6	1	100	11	8	22	28	62
21	Paralysis	M	2,837	31	6	5	4	2	48	11	10	11	12	24
		F	2,697	15	9	8	3	4	39	10	6	6	22	29
22	Paralysis, general (of insane)	M	253								1	1	1	11
		F	133											5
23	Tetanus and trismus nascentium	M	314	102	5	2	3	1	113	22	65	26	13	11
		F	109	67	2		2	1	72	3	3	1	3	2
24	Chorea	M	25			1	2	1	4	2	1	4	1	1
		F	34	1	1			1	3	2	8	10	1	
25	Epilepsy	M	438	16	9	4	2	1	52	10	25	41	27	39
		F	367	26	6	8	4		44	13	17	25	28	34
26	Convulsions	M	2,384	1,859	263	84	39	25	2,270	35	12	3	6	3
		F	1,896	1,341	217	79	47	26	1,710	34	5	11	23	29
27	Mental diseases	M	573							1	1	5	21	20
		F	656								2	6	18	28
28	Diseases of the brain	M	1,633	256	70	18	22	20	386	34	30	29	32	51
		F	1,359	148	55	14	10	13	240	32	27	34	38	35
29	Diseases of the spinal cord	M	304	21	7	3	2	8	41	5	4	11	7	7
		F	298	16	6	3	4	4	33	9	5	6	6	11
30	Locomotor ataxia	M	213	1		1			2		1	1	2	1
		F	73							1			2	
31	Others of this class	M	250	4		2	1	1	8	2	1	5	5	9
		F	355	8	2				10	2	4	9	11	21
32	3. Diseases of the circulatory system		26,962	1,391	72	44	50	67	1,624	394	443	482	593	672
33	Males		14,044	777	44	21	26	32	900	179	165	213	253	318
34	Females		12,918	614	28	23	24	35	724	215	278	269	340	354
35	Pericarditis	M	177	5	4		1	1	11	8	15	14	10	10
		F	177	5	1	1	1	7	15	13	11	13	8	4
36	Diseases of the heart	M	12,319	488	39	19	24	28	598	167	146	191	234	287
		F	11,626	401	26	22	22	26	497	199	263	248	310	319
37	Angina pectoris	M	674							1		6	2	15
		F	517							2	2	5	12	15
38	Diseases of the arteries	M	337	1					1	1				1
		F	214	1					1				1	1
39	Aneurism	M	152								3		6	4
		F	61								2	1		2
40	Embolism	M	95	6				1	7	1	1	2	1	1
		F	104	1				1	2	1		2	7	10
41	Others of this class	M	290	277	1	2	1	2	283	1				
		F	219	206	1		1	1	209				2	3

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4,780	4,324	3,678	3,387	3,330	3,243	2,994	2,958	2,300	1,721	891	347	85	14	95	1
2,504	2,293	1,897	1,694	1,627	1,471	1,370	1,363	1,069	799	413	157	39	7	40	2
2,276	2,031	1,781	1,693	1,703	1,772	1,624	1,595	1,231	922	478	190	46	7	55	3
14	13	24	23	37	36	34	39	18	22	17	5		1	1	4
37	40	38	37	45	58	43	41	32	22	7	3	2		1	
45	33	62	63	82	74	116	110	84	63	28	5	3	1	2	5
30	29	39	55	86	110	121	108	84	51	18	5	1		2	
27	27	20	27	28	53	39	54	61	46	33	9	2	1	3	6
23	26	29	28	35	45	41	61	59	54	30	18	4		1	
9	14	6	9	2	12	11	17	11	3	3			1	1	7
23	13	10	10	16	6	10	8	6	6	9				1	
24	16	13	7	4	3	2		1						1	8
9	8	8	3	4	2		2	3	1					1	
23	32	17	20	26	10	5	7	4	5	1					9
28	16	15	19	8	8	9	9	1	4	2	1				
2,270	2,017	1,490	1,190	974	754	576	464	355	207	83	26	5		24	10
1,875	1,480	986	707	587	514	442	381	309	215	95	43	8	2	26	
59	106	214	292	418	466	521	575	438	366	181	82	26	2	8	11
196	366	579	748	834	927	850	839	631	469	250	92	24	3	19	
20	19	23	38	33	31	27	40	31	25	11	2				12
35	37	52	52	55	63	53	62	39	36	16	5			2	
7	8	15	18	17	26	35	52	60	57	54	27	3			13
13	8	17	24	27	35	46	75	62	61	50	23	7	2	2	
6	8	8	7	6	6	4	5	6	5	2	1		1		14
17	8	8	10	6	4	9	9	5	3	1					
775	978	1,120	1,471	1,815	2,228	2,764	3,171	3,470	3,287	2,188	945	279	74	87	15
423	549	617	769	943	1,177	1,382	1,612	1,766	1,672	1,073	420	103	27	50	16
352	429	503	702	872	1,051	1,382	1,559	1,704	1,615	1,115	525	176	47	37	17
9	11	9	5	11	6	9	10	15	12	7	3				18
11	6	9	5	12	9	4	9	6	6	3	1	1		1	
74	70	52	75	59	46	33	39	32	24	9	7	2		7	19
54	36	43	53	28	30	33	32	24	17	8	3	3	1	3	
120	156	241	338	482	645	778	881	972	897	555	215	47	9	25	20
79	129	230	358	492	636	804	877	960	860	583	286	95	27	13	
48	107	104	133	156	207	264	333	447	445	314	119	27	13	4	21
38	37	55	95	123	175	265	341	427	460	334	159	51	14	11	
25	25	33	30	30	24	19	18	10	13	6	4	2			22
11	8	11	5	15	7	9	18	18	11	10	3	2			
14	6	7	8	8	11	3	2	2	3						23
3	5	4	1	1	4	4	1	1	1						
2		1		3		1	2	1	1			1			24
			2	1	1	1	2		2	1					
29	39	29	22	15	21	19	18	22	16	8	4	1		1	25
22	35	17	23	23	16	22	12	12	13	8	1	2			
5	5	3	5	2	2	3	4	9	4	4	1	1		7	26
22	18	9	4	4	4	4	7	3	3	1		1		4	
30	34	26	26	22	37	53	84	66	66	50	24	7			27
30	35	38	39	46	44	71	69	70	65	58	27	8	2		
50	57	64	55	89	91	113	129	127	135	102	39	14	3	3	28
46	66	47	70	64	67	99	122	111	128	79	36	12	3	3	
5	20	21	22	31	23	29	34	15	18	9			1	1	29
11	21	16	14	23	30	30	28	27	16	9	1	1		1	
3	12	15	31	21	37	31	27	16	12	1					30
1	7	4	6	7	8	10	10	8	4	4	1				
9	7	12	19	14	27	27	31	32	26	8	4	1	1	2	31
24	26	20	27	33	20	26	31	37	29	17	7			1	
822	1,026	1,157	1,301	1,755	2,210	2,690	3,086	3,201	2,775	1,701	727	176	42	82	32
404	503	528	628	941	1,208	1,465	1,686	1,739	1,539	890	360	70	14	41	33
418	526	629	673	814	1,002	1,225	1,400	1,462	1,236	811	367	106	28	41	34
6	15	8	7	10	15	8	13	10	12	4				1	35
15	7	12	8	4	12	9	14	9	8	10	3	1		1	
363	430	469	558	835	1,078	1,296	1,512	1,569	1,370	782	322	64	13	35	36
369	486	580	614	754	911	1,124	1,269	1,344	1,137	718	333	91	22	38	
20	26	24	38	58	62	108	93	75	81	46	15	1		3	37
15	23	21	39	39	50	61	74	55	47	40	12	4		1	
	1	5	4	11	27	30	50	66	59	51	22	5	1	2	38
1		3	1	7	13	21	26	42	31	36	15	9	6		
10	24	19	16	17	18	13	5	8	8	1					39
6	4	7	5	4	6	5	7	4	3	3	1	1			
5	7	2	5	9	8	7	13	11	9	5	1				40
11	6	5	6	4	10	5	10	8	10	4	3				
		1		1		3				1					41
1		1		2										1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION STATES—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		48,727	11,301	5,189	2,188	1,153	633	20,464	1,388	482	721	1,108	1,313
2	Males		25,311	6,390	2,794	1,148	576	296	11,204	690	212	399	632	730
3	Females		23,416	4,911	2,395	1,040	577	337	9,260	698	270	322	476	583
4	Croup	M	806	124	175	171	127	63	660	135	4	2	2	1
		F	691	87	147	122	117	72	545	127	11	1	1	
5	Pneumonia	M	17,744	3,757	2,008	751	345	167	7,028	425	160	329	539	633
		F	15,972	2,907	1,717	701	338	193	5,856	444	206	248	361	473
6	Laryngitis	M	206	31	34	13	22	11	111	41	6		3	1
		F	178	25	29	21	26	7	108	26	4	3	2	6
7	Bronchitis	M	4,181	1,846	500	171	55	36	2,608	50	22	20	24	30
		F	4,481	1,476	433	164	67	43	2,183	57	16	30	41	38
8	Pleurisy	M	464	22	22	16	12	5	77	14	8	27	26	25
		F	375	14	18	12	7	4	55	17	6	9	25	22
9	Asthma	M	230	14	2		1		17	2		2	3	2
		F	233	15			1		16	3	2		3	1
10	Others of this class	M	1,680	596	53	26	14	14	703	23	12	19	35	38
		F	1,486	387	51	20	21	18	497	24	25	31	43	43
11	5. Diseases of the digestive system		16,215	2,297	427	185	111	122	3,142	484	449	587	715	879
12	Males		8,131	1,302	211	95	56	63	1,727	246	254	292	325	374
13	Females		8,084	995	216	90	55	59	1,415	238	195	295	390	505
14	Dentition	M	173	106	62	3	1	1	173					
		F	180	110	64	4	1	1	180					
15	Angina	M	112	9	15	9	7	6	46	14	5	3	5	3
		F	98	9	11	8	6	8	42	21	8	2	1	5
16	Gastritis	M	1,105	224	37	8	12	5	286	15	7	10	13	38
		F	1,342	184	47	15	12	10	268	18	8	12	33	55
17	Diseases of the stomach	M	479	26	2	1	1	6	36	4	3	6	9	24
		F	418	22	5	1		1	29	3	2	12	24	27
18	Obstruction of the bowels	M	661	130	11	11	5	6	163	31	18	20	18	35
		F	708	83	11	10	7	6	117	23	8	16	17	36
19	Appendicitis	M	971	4	2	2	6	10	24	62	124	139	140	109
		F	599	4	4	3	1	7	19	56	71	98	64	71
20	Hernia	M	354	42	2			1	45	2	1	10	6	9
		F	307	10				1	11	4		2	1	
21	Other diseases of the bowels	M	209	63	7	3	2		75	3	4	5	5	6
		F	185	47	7		3		57	4	1	6	2	8
22	Jaundice	M	290	158		6		1	165	4	1	4	3	6
		F	251	93	1	5	1	2	102	4	3	2	2	5
23	Inflammation and abscess of the liver.	M	333	17	3	1	1	3	25	5	5	6	15	17
		F	346	11	1	2	2	2	18	4	6	3	11	19
24	Other diseases of the liver	M	1,562	24	4	4	1	1	34	6	5	6	19	42
		F	1,000	13	3	3		1	20	4	4	3	11	31
25	Peritonitis	M	1,008	83	19	28	14	12	156	86	79	78	86	73
		F	1,739	54	22	20	15	13	124	83	78	130	216	230
26	Ascites	M	34	2					2					1
		F	56	2					2			1		3
27	Others of this class	M	840	414	47	19	6	11	497	14	2	5	6	11
		F	855	353	40	19	7	7	426	14	6	8	8	15
28	6. Diseases of the urinary system and male organs of generation.		18,287	307	88	81	81	77	634	235	191	283	557	738
29	Males		10,525	181	51	39	51	42	364	128	90	126	228	325
30	Females		7,762	126	37	42	30	35	270	107	101	157	329	413
31	Bright's disease	M	7,744							108	69	110	196	278
		F	6,470							98	95	131	272	325
32	Calculus, urinary	M	57	1					1		3	2	1	
		F	25	5					5				1	1
33	Diseases of the kidney	M	683	129	46	38	47	39	299	8	3	5	6	13
		F	450	93	31	35	28	33	220	1	1	5	9	18
34	Diseases of the bladder	M	890	6				1	7	2	5	2	3	6
		F	115	2		1			3				2	2
35	Others of this class	M	1,151	45	5	1	4	2	57	10	10	7	22	28
		F	702	26	6	6	2	2	42	8	5	21	45	67
36	7. Diseases of the female organs of generation		1,026	5	1			1	7		3	30	108	142
37	Ovarian tumors		181									1	13	15
38	Ovarian diseases		51									1	7	12
39	Diseases of the tubes		159									7	27	37
40	Uterine tumors		284					1	1			2	5	11
41	Uterine diseases		71									8	14	19
42	Others of this class		280	5	1				6		3	11	42	48

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,438	1,672	1,561	1,643	1,888	2,145	2,382	2,535	2,658	2,323	1,707	866	274	71	88	1
794	982	923	951	1,015	1,071	1,105	1,176	1,191	1,024	706	352	96	19	39	2
644	690	638	692	873	1,074	1,277	1,359	1,467	1,299	1,001	514	178	52	49	3
	1		1	1	2	1	1	1							4
675	853	787	779	825	800	826	845	823	679	443	202	55	11	27	5
513	568	506	525	663	818	938	941	1,010	838	621	294	94	23	32	
4	1	7	5	5	3	6	6	1	3	3					6
7	3	1		2	6	3	1	1	3	1	1				
28	38	41	54	71	133	125	161	226	224	176	109	30	8	3	7
49	38	43	76	99	140	204	277	315	321	280	172	71	24	7	
33	28	23	36	31	29	23	24	30	15	9	4	1		1	8
27	26	23	23	20	18	26	17	17	23	12	7	2			
6	1	7	14	13	20	33	34	26	20	18	7	2		3	9
5	4	8	8	23	19	29	37	25	25	18	7				
48	61	58	63	70	86	91	105	85	83	57	30	8		5	10
43	50	57	59	65	71	77	86	98	89	69	33	11	5	10	
744	838	916	905	945	985	1,035	1,064	970	801	448	199	63	10	36	11
321	369	472	491	474	522	539	522	455	417	198	91	26	5	11	12
423	469	444	414	471	463	496	542	515	384	250	108	37	5	25	13
															14
6	2	4	3	4	2	4	1	5	3	2					15
1		2	4	2	2	1	3		2	1	1				
30	39	44	56	58	68	80	94	88	88	53	24	9	3	2	16
36	65	59	54	84	79	106	101	122	102	89	32	15	1	3	
17	27	32	42	45	52	42	47	37	39	10	7				17
32	26	17	26	33	31	34	30	46	23	11	9	3			
29	20	17	32	41	40	36	37	44	50	14	10	4		2	18
31	33	43	45	40	51	41	65	58	38	27	13	1	2	3	
73	67	69	51	35	24	15	16	14	6	2				1	19
43	33	28	30	18	15	15	19	7	6	4				2	
13	11	14	21	19	29	33	30	36	38	22	12	2	1		20
7	11	22	24	27	37	40	43	31	26	13	6	1		1	
6	6	8	7	7	10	10	12	15	15	11	1	2		1	21
7	13	7	8	5	6	7	14	16	12	2	6	1	1	2	
4	2	4	6	5	10	13	14	19	15	8	4	1		3	22
4	7	5	10	14	11	14	17	27	8	7	3	2		4	
21	22	23	27	38	19	33	21	24	18	12	1	1			23
14	22	29	20	22	25	35	35	31	25	19	7	1			
65	106	164	164	165	189	192	171	108	87	25	10	3	1		24
48	73	94	85	113	98	96	104	93	75	32	14	1		1	
46	53	69	52	31	53	40	38	24	23	10	7	3		1	25
188	169	116	75	67	62	58	53	40	24	9	7	5		5	
		3	2	2	1	3	5	7	2	5	1				26
		2	5	3	7	5	7	8	4	5	1	1		2	
11	14	21	28	34	25	38	30	34	33	24	14	1		2	27
12	17	20	28	43	39	44	51	36	39	31	9	6	1	2	
794	1,041	1,103	1,200	1,453	1,646	1,845	1,811	1,821	1,500	888	408	81	21	37	28
381	500	576	620	827	952	1,106	1,108	1,147	1,030	636	292	56	8	25	29
413	541	527	580	626	694	739	703	674	470	252	116	25	13	12	30
331	421	506	536	716	803	891	836	792	649	339	120	23	3	17	31
337	450	457	516	558	617	659	618	600	396	211	94	18	10	8	
1	3	3	1	6	6	4	5	7	11	1	2				32
1	1	1	1	1		2	1	3	3	3	1				
13	20	18	13	30	25	31	50	44	52	29	22	2			33
22	19	24	16	18	16	16	23	11	16	10	3		1	1	
4	6	10	15	26	36	78	118	162	155	144	88	17	4	2	34
2	7	1	3	3	11	17	8	16	15	10	10	4	1		
32	50	39	55	49	82	102	99	142	163	123	60	14	1	6	35
51	64	44	44	46	50	45	53	44	40	18	8	3	1	3	
121	128	130	113	72	46	41	30	25	15	8	2	2	1	2	36
14	13	18	24	19	15	14	13	11	5	4		1	1		37
13	7	1	5	2			2	1							38
29	29	18	8	2			1	1							39
16	33	54	48	39	22	21	10	11	6	4				1	40
11	5	4	3	1	1		2	1	2						41
38	41	35	25	9	8	6	2		2		2	1		1	42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLAS

REGISTRATION STATES—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 2
1	**8.** Affections connected with pregnancy	2,301								2	137	500	55
2	Abortion	118									7	18	3
3	Childbirth	590									17	95	12
4	Puerperal septicemia	1,026								2	67	259	26
5	Extra-uterine pregnancy	77									1	13	1
6	Others of this class	490									45	115	12
7	**9.** Diseases of the bones and joints	693	57	18	5	18	14	112	55	57	54	49	3
8	Males	405	33	8	4	11	12	68	27	35	37	33	1
9	Females	288	24	10	1	7	2	44	28	22	17	16	1
10	Diseases of the spine M	131	17	2	1	5	4	29	13	16	13	12	
	Diseases of the spine F	101	11	4	1	5		21	10	8	4	5	
11	Abscess, lumbar and psoas M	24	1					1		2		7	
	Abscess, lumbar and psoas F	15	1					1	2			2	
12	Diseases of the bones M	149	12	3	2	5	7	29	6	8	15	7	
	Diseases of the bones F	89	9	6		1	2	18	8	8	6	6	
13	Diseases of the hip-joint M	52	1	1				2	7	8	8	5	
	Diseases of the hip-joint F	21	1					1	5	3	7		
14	Others of this class M	49	2	2	1	1	1	7	1	1	1	2	
	Others of this class F	62	2			1		3	2	3		3	
15	**10.** Diseases of the skin	529	141	21	6	4	2	174	14	4	7	16	1
16	Males	295	78	11	3	2		94	11	1	5	7	1
17	Females	234	63	10	3	2	2	80	3	3	2	9	
18	Abscess M	159	34	6	3	2		45	11	1	4	4	
	Abscess F	114	24	5	1	1	2	33	3	2	2	7	
19	Carbuncle M	40	1					1			1	1	
	Carbuncle F	16	1					1				1	
20	Others of this class M	96	43	5				48				2	
	Others of this class F	104	38	5	2	1		46		1		1	
21	**11.** Diseases of the absorbent system	251	24	11	1	3	1	40	5	4	5	11	1
22	Males	125	13	6	1	3	1	24	4	2	3	6	
23	Females	126	11	5				16	1	2	2	5	
24	Addison's disease M	40								1	1	1	
	Addison's disease F	44									1	2	
25	Diseases of the spleen M	15	1			1		2				1	
	Diseases of the spleen F	19	2	1				3				2	
26	Others of this class M	70	12	6	1	2	1	22	4	1	2	4	
	Others of this class F	63	9	4				13	1	2	1	1	
27	**12.** Accidents and injuries	14,600	960	247	283	280	186	1,956	718	553	754	1,044	1,20
28	Males	10,908	541	136	170	162	112	1,121	480	419	617	873	1,00
29	Females	3,692	419	111	113	118	74	835	238	104	137	171	19
30	Burns and scalds M	576	27	70	94	80	33	304	38	12	9	17	2
	Burns and scalds F	780	25	60	62	69	47	263	119	35	23	18	4
31	Drowning M	1,776	13	19	17	19	24	92	200	200	157	179	16
	Drowning F	196	7	13	6	8	2	36	22	18	19	12	
32	Exposure and neglect M	86	23	1			1	25	1	1		4	
	Exposure and neglect F	42	18	2				20				3	
33	Gunshot wounds M	419	2	1	1	1		5	7	36	66	51	4
	Gunshot wounds F	64	2		2	3	1	8	5	6	7	10	
34	Homicide M	128			1		1	2	2	2	8	24	1
	Homicide F	52			2	1	2	5	3	2	3	4	1
35	Infanticide M	10	10					10					
	Infanticide F	7	7					7					
36	Injuries by machinery M	40									9	5	
	Injuries by machinery F	1	1					1					
37	Railroad accidents M	1,616	3	1	5	8	8	25	51	64	107	196	18
	Railroad accidents F	177	4	2	4	3	2	15	17	7	18	11	1
38	Suffocation M	418	233	7	10	4	4	258	5	9	9	12	1
	Suffocation F	292	190	8	5	3	6	212	12		3	2	
39	Suicide by shooting M	375									6	25	4
	Suicide by shooting F	31									3	4	
40	Suicide by drowning M	60									1	3	
	Suicide by drowning F	36									1	5	
41	Suicide by poison M	284									11	28	3
	Suicide by poison F	192								3	24	37	2
42	Other suicides M	594								3	12	25	2
	Other suicides F	156								2	4	13	1
43	Sunstroke M	132	31	2	2		1	36	5	1	5	5	1
	Sunstroke F	68	22	4	3			29	2	1	2	2	
44	Surgical operations M	50	2					2	2		4	2	
	Surgical operations F	118	1		1			2		2	3	10	2
45	Wounds M	177	2	1	2	1	2	8	6	5	12	19	2
	Wounds F	21		1				1	5	1	2	2	
46	Others of this class M	4,167	195	34	38	49	38	354	163	116	200	278	40
	Others of this class F	1,459	142	21	28	31	14	236	55	27	25	38	5

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
489	388	194	17	3	1	1	1		2					8	1
26	23	11			1				1						2
131	129	81	7	1					1					3	3
222	139	63	6	2		1								3	4
18	21	5	1												5
92	76	34	3				1							2	6
35	39	39	33	37	26	23	36	30	16	14	5	3			7
18	27	25	20	22	15	11	20	12	10	3	3	1			8
17	12	14	13	15	11	12	16	18	6	11	2	2			9
1	8	5	4	0	6	3	4	2	4	1					10
5	7	4	0	9	3	4	5	3	1	2	1	1			
2	1		1	1	1	1	1	2							11
2	1	1	1	2	1			2							
9	11	8	9	9	5	4	7	5	5	2	2				12
7	1	3	4		3	8	2	5	2	6	1				
5	2	5	1	3	2	1	1								13
	2							1		1					
1	5	7	5	3	1	2	7	8	1		1	1			14
3	1	6	2	4	4	5	9	7	3	2		1			
24	24	23	28	23	27	33	37	21	32	14	9	3		2	15
11	12	12	17	14	17	16	19	12	18	11	5	1		2	16
13	12	11	11	9	10	17	18	9	14	3	4	2			17
7	8	11	9	7	10	8	7	7	6	5		1		1	18
8	7	5	4	4	5	7	10	4	6	2		2			
8	2	1	5	4	3	5	5	2	5	1				1	19
		2	2	2	1	3	1	2	1						
1	2		3	3	4	3	7	3	7	5	5				20
5	5	4	5	3	4	7	7	3	7	1	4				
16	14	26	22	13	17	19	21	13	12	2					21
9	8	13	13	7	7	7	9	3	3	1					22
7	6	13	9	6	10	12	12	10	9	1					23
1	5	5	6	5	5	4	8	1	1						24
8	5	5	2	3	6	6	5	2	3						
2	2	3	2						1	1					25
3	1	2	1	1	1	1		1	2						
6	1	5	5	2	2	3	6	2	1						26
1		6	6	2	3	5	7	7	4	1					
1,129	1,252	1,001	815	759	626	610	557	457	400	264	173	75	18	204	27
937	1,032	833	688	592	501	459	387	309	241	128	60	31	2	171	28
192	220	168	157	167	125	151	170	157	159	136	113	41	16	33	29
19	23	27	13	15	13	16	13	13	9	7	2			4	30
37	38	27	26	22	15	28	22	28	15	13	7	2		2	
131	159	133	83	72	60	34	31	25	12	4	2			42	31
13	15	9	7	10	6	4	6	4	2					7	
3	5	5	7	5	3	5	3	3	8	3	2			2	32
1	2	1	2	1	1	2		1	2	2		1		3	
48	41	28	14	23	13	15	8	6	5	1		2		10	33
6	6	4	3	3		1				1					
25	18	8	5	4	2	3	2	2	1	1					34
4	11	5	1	3	1										
															35
5	7	3	2	2		3	3								36
164	189	116	101	96	77	68	40	33	22	10	6			65	37
14	9	7	10	11	9	11	7	7	8	3		1		1	
12	18	10	11	9	11	11	10	4	4	1				12	38
5	3	1	5	4	5	5	5	3	2	1	1			15	
41	46	44	45	34	34	21	17	11	5	3	2				39
7	5	1	4	1	1		1	1							
6	6	3	3	9	5	4	6	3	7						40
2	3	2	4	4	5	4	1	2	1						
27	27	32	25	28	19	15	19	10	6	1				4	41
17	24	17	13	6	9	3	4	5	3	1				2	
49	55	67	81	53	56	47	36	37	21	9	2	2		4	42
14	15	23	17	13	7	9	12	4	1	3	2				
7	17	10	8	5	4	4	3	1	8	1					43
	4	4	1	5		5	3	6	3						
3	6	6	4	1	5	3	5	1						1	44
16	17	12	9	9	6	5	4		1	2					
22	14	11	13	8	10	8	5	1	2	2		1		2	45
1	1	1	2		2	1		1	1						
375	401	330	273	228	189	202	186	150	131	85	44	26	2	25	46
55	67	54	53	75	58	73	105	95	120	110	103	40	16	3	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CITIES IN REGISTRATION STATES.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		191,667	43,688	11,503	5,114	3,246	2,197	65,748	5,389	2,782	4,237	7,363	8,962
2	Males		100,041	24,442	6,100	2,670	1,665	1,078	35,955	2,771	1,362	2,094	3,629	4,620
3	Females		91,626	19,246	5,403	2,444	1,581	1,119	29,793	2,618	1,420	2,143	3,734	4,342
4	Unknown cause		873	286	30	9	11	6	342	21	15	12	21	31
5	Males		477	167	16	6	9	3	201	10	6	7	10	17
6	Females		396	119	14	3	2	3	141	11	9	5	11	14
	1. General diseases.													
7	General diseases—A		34,491	13,731	4,272	2,000	1,351	977	22,331	2,149	612	558	777	769
8	Males		17,668	7,499	2,214	998	688	466	11,865	1,050	277	265	418	427
9	Females		16,823	6,232	2,058	1,002	663	511	10,466	1,099	335	293	359	342
10	Measles	M	939	260	357	133	70	37	857	65	6	1	3	1
		F	934	228	338	131	67	44	808	76	17	9	7	4
11	Scarlet fever	M	694	51	103	127	114	74	469	167	24	7	9	8
		F	641	32	79	114	109	85	419	166	20	11	10	4
12	Diphtheria	M	2,209	170	383	392	319	244	1,508	538	87	28	11	9
		F	2,234	136	363	379	320	259	1,457	579	96	32	21	12
13	Whooping cough	M	779	428	201	75	40	14	758	14				
		F	912	441	236	116	49	29	871	24	4	3		1
14	Malarial fever	M	237	24	11	10	10	7	62	10	2	7	23	12
		F	272	21	10	14	13	6	64	20	7	16	18	15
15	Influenza	M	1,031	91	15	10	8	3	127	10	8	12	31	29
		F	1,575	84	23	13	8	9	137	11	13	13	29	44
16	Typhoid fever	M	1,531	9	8	13	13	11	54	62	76	147	263	243
		F	1,076	8	12	10	10	10	50	59	99	148	161	131
17	Cholera morbus	M	212	50	10	10	4	1	75	13	8	2	4	7
		F	216	40	17	11	2		70	6	4	7	0	8
18	Colitis	M	189	108	22	6	3	1	140	6		1	3	1
		F	188	95	25	7	3	1	131	2		2	3	2
19	Diarrhea	M	780	450	77	17	2	8	554	20	3	3	3	6
		F	731	367	63	9	3	2	444	31	13	2	3	8
20	Dysentery	M	436	83	44	22	14	6	169	23	10	3	10	9
		F	475	62	28	13	6	8	117	8	6	1	13	10
21	Enteritis	M	3,635	2,566	447	85	35	21	3,154	43	20	10	10	31
		F	3,340	2,066	431	77	31	27	2,632	49	17	7	20	32
22	Cholera infantum	M	3,240	2,736	425	51	17	11	3,240					
		F	2,687	2,250	360	54	10	13	2,687					
23	Fever	M	8			1		1	2	1		1		
		F	10	2	2	1		1	6		1		1	
24	Cerebro-spinal fever	M	486	149	80	39	27	17	312	55	25	22	18	13
		F	378	116	49	39	22	12	238	45	27	13	8	7
25	Smallpox	M	25	2	1		1		4	1		2	4	3
		F	19	2	2				4	1	1	2	5	
26	Erysipelas	M	366	120	10	2	1		133	1	2	7	3	17
		F	286	112	9	3	2	1	127	2	1	6	3	8
27	Septicemia	M	403	53	9		4	8	74	11	5	7	21	24
		F	427	43	7	4	5	2	61	17	7	17	45	48
28	Venereal diseases	M	192	133	7	1	3		144			2		8
		F	158	121	3	4	2	1	131			2	4	3
29	Others of this group	M	276	16	4	4	3	2	29	10	1	3	2	6
		F	264	6	1	3	1	1	12	3	2	2	2	5
30	General diseases—B		3,642	1,843	70	26	16	10	1,965	21	7	39	95	171
31	Males		2,274	1,023	45	12	11	7	1,098	11	3	12	49	110
32	Females		1,368	820	25	14	5	3	867	10	4	27	46	61
33	Alcoholism	M	714									1	10	67
		F	195			1			1			1	6	28
34	Parasitic diseases	M	5	1	2				3					
		F	5	1		2	2		5					
35	Lead poison	M	23			1			1					1
		F	13	1		1			2					1
36	Other poisons	M	461	15	18	8	8	4	53	8	3	10	39	41
		F	264	8	7	6	3	3	27	7	1	26	37	32
37	Inanition	M	1,071	1,007	25	3	3	3	1,041	3		1		1
		F	891	810	18	4			832	3	3		3	
38	General diseases—C		15,074	10,012	383	63	27	20	10,505	18	12	10	16	16
39	Males		7,719	5,677	186	34	20	6	5,923	10	8	8	7	8
40	Females		7,355	4,335	197	29	7	14	4,582	8	4	2	9	8
41	Old age	M	1,543											
		F	2,406											
42	Premature birth	M	2,374	2,374					2,374					
		F	1,749	1,749					1,749					
43	Malformation	M	398	390	1	2			393			1		
		F	310	302	5			1	308	1			1	
44	Debility and atrophy	M	3,074	2,583	185	32	20	6	2,826	10	8	7	7	8
		F	2,650	2,045	192	29	7	13	2,286	7	4	2	8	8
45	Others of this group	M	330	330					330					
		F	240	239					239					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
9,078	9,360	8,394	8,176	8,882	9,184	9,588	9,404	8,871	7,214	4,967	2,580	881	281	326	1
4,923	5,168	4,663	4,515	4,863	4,807	4,828	4,647	4,149	3,314	2,132	1,056	291	85	169	2
4,155	4,192	3,731	3,661	4,019	4,377	4,760	4,757	4,722	3,900	2,835	1,524	590	196	157	3
34	52	40	36	49	42	32	39	29	20	24	6	5		23	4
18	27	21	24	25	23	22	22	14	11	12	1	1		10	5
16	25	19	12	24	19	10	17	15	14	12	5	4		13	6
728	623	521	499	546	582	698	763	743	672	526	256	92	23	23	7
373	328	271	273	281	288	294	335	315	246	200	117	27	10	8	8
355	295	250	226	265	294	404	428	428	426	326	139	65	13	15	9
3		1	1		1										10
4	3	1	2		1					1				1	
8	2														11
2	4	4					1								
9	5	1	3	4	4	1	1								12
11	7	3	3	3	3	3		2		1				1	
1	1	1			1	1						1		1	13
4		2								1				2	
10	11	14	14	6	11	11	12	12	11	3	5	1			14
14	12	6	11	7	13	16	13	16	9	9	4		1	1	
36	35	52	47	49	60	89	105	101	87	92	44	11	2	1	15
42	43	50	52	88	94	154	159	172	197	158	71	37	6	5	
203	151	81	81	65	40	25	15	15	4	1	2			3	16
127	81	61	40	30	27	29	13	12	4	1	2			1	
3	4	9	8	14	12	9	13	15	9		6	2	2		17
6	11	7	3	8	10	12	14	12	12	8	8	3	1		
1	1	6	5	4	1		3	5	4	3	2	2		1	18
4	2	5	6	5	3	2	8	4	3	3	2	1			
7	10	4	7	12	19	18	26	31	24	18	8	5	2		19
11	5	7	9	10	19	22	25	29	40	37	10	5	1		
11	12	9	15	14	10	28	33	32	17	18	10	2	1		20
14	13	15	14	13	29	34	48	43	44	31	14	6	2		
18	18	25	27	33	41	37	43	38	39	26	17	2	2	1	21
35	31	34	42	38	43	62	86	80	69	38	17	5	2	1	
															22
		1	1	2											23
1								1							
7	7	7	8	4	3	2	1	1	1						24
9	7	5	6	2	3	2		2	2	1				1	
3	1		1	3	2		1								25
3		1		1	1										
17	20	22	14	18	30	25	15	12	14	12	3	1			26
4	22	8	11	12	13	17	15	13	13	8	1	2			
24	35	24	20	33	31	25	28	14	17	8	2				27
56	44	30	13	27	18	15	8	9	4	4	2			2	
5	8	6	6	6	8	1									28
2	5	5	3		1			2							
7	4	8	15	14	16	22	39	39	22	19	18		1	1	29
6	5	6	11	21	16	36	38	31	29	25	8	6			
241	274	177	151	135	114	83	65	33	32	15	5	1	1	17	30
164	213	137	118	108	85	63	49	20	14	6	3			11	31
77	61	40	33	27	29	20	16	13	18	9	2	1	1	6	32
115	162	88	71	76	50	26	26	8	4	2	3			5	33
35	35	31	20	9	16	7	1	2	2					1	
				1	1										34
3	4	5	2	3		2	1		1						35
3	2			1	3	1									
45	46	44	44	27	32	31	17	10	8	3					36
36	22	7	12	16	9	7	9	4	5	7					
1	1		1	1	2	4	5	2	1	1				6	37
3	2	2	1	1	1	5	5	7	11	2	2	1	1	5	
10	20	16	16	32	58	138	269	584	844	1,132	814	401	137	26	38
6	10	8	6	10	20	55	107	235	342	467	307	128	41	13	39
4	10	8	10	22	38	83	162	349	502	665	507	273	96	13	40
						36	82	207	315	442	294	124	41	2	41
						60	125	304	455	622	483	259	92	6	
															42
														4	43
6	10	8	6	10	20	19	25	28	27	25	13	4		7	44
4	10	8	10	22	37	23	37	45	47	43	24	14	4	7	
															45
					1										

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CITIES IN REGISTRATION STATES—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.												
1	General diseases—D	32,836	1,325	664	344	226	140	2,699	440	463	1,543	3,010	3,653
2	Males	16,725	733	365	207	109	71	1,485	215	170	684	1,471	1,894
3	Females	16,111	592	299	137	117	69	1,214	225	293	859	1,539	1,759
4	Anemia M	197	28	6		3	2	39	4	3	5	8	6
	Anemia F	303	13	6	3	2	4	28	3	4	15	21	23
5	Diabetes M	514	1	4	2	2	1	10	9	18	16	11	22
	Diabetes F	522	1		1	2	1	5	9	12	7	10	13
6	Rheumatism M	278	3	2		1	1	7	17	9	11	11	14
	Rheumatism F	350	13		1	1	2	17	16	15	21	9	13
7	Scrofula and tabes M	139	62	8	4	2		76	3	2	3	9	7
	Scrofula and tabes F	129	34	13	6	2	3	58	2	3	8	7	9
8	Hydrocephalus M	937	323	211	109	55	39	737	85	21	16	17	8
	Hydrocephalus F	765	296	161	72	56	27	612	68	18	18	15	11
9	Tuberculosis, general M	230	27	10	10	6	4	57	6	7	10	23	25
	Tuberculosis, general F	170	29	10	4	4	2	49	8	13	10	19	12
10	Consumption M	11,838	226	111	65	30	21	453	69	94	607	1,361	1,773
	Consumption F	9,253	163	94	45	41	25	368	109	210	760	1,425	1,592
11	Cancer M	2,106	1		2	1	1	5	6	5	4	17	26
	Cancer F	4,052	4			1	1	6	2	8	5	16	66
12	Tumor M	236	5	1	7	2	1	16	8	5	7	6	10
	Tumor F	308	6	1	3	4	2	16	3	4	7	6	13
13	Dropsy M	121	5	3	1	1		10	5	1	1	3	1
	Dropsy F	134	3		1			4	1	1	4	4	3
14	Others of this group M	129	52	9	7	6	1	75	8	5	4	5	2
	Others of this group F	125	30	14	1	4	2	51	4	5	4	7	4
15	2. Diseases of the nervous system	21,445	4,458	1,253	527	322	211	6,771	497	275	265	304	423
16	Males	11,177	2,564	671	292	154	100	3,781	261	155	154	151	225
17	Females	10,268	1,894	582	235	168	111	2,990	236	120	111	153	198
18	Inflammation of the brain M	133	30	15	11	2	4	62	6	8	3	4	4
	Inflammation of the brain F	90	16	8	4	0		34	7	5	2	2	3
19	Meningitis M	2,477	937	411	212	107	54	1,721	170	58	57	50	71
	Meningitis F	2,005	723	364	153	111	77	1,428	165	75	39	43	36
20	Apoplexy M	3,718	63	12	3	4	4	86	9	5	16	17	51
	Apoplexy F	3,882	48	7	6	5	1	67	9	5	13	16	42
21	Paralysis M	1,130	14	3	2	2		21	6	6	9	10	11
	Paralysis F	1,154	10	4	5	2	2	23	7	5	3	14	19
22	Paralysis, general (of insane) M	138											5
	Paralysis, general (of insane) F	71											3
23	Tetanus and trismus nascentium M	218	76	3	2			81	15	47	19	11	8
	Tetanus and trismus nascentium F	72	49	1		1	1	52	2	1		1	1
24	Chorea M	14			1	2		3	2	1	2		
	Chorea F	11	1				1	2		4	3		
25	Epilepsy M	188	14	8	2	1		23	5	7	17	13	14
	Epilepsy F	183	9	1	4	1		15	7	7	16	19	17
26	Convulsions M	1,617	1,277	179	47	21	18	1,542	26	8	2	3	3
	Convulsions F	1,309	935	161	54	33	21	1,204	17	3	5	14	18
27	Mental diseases M	305								1	4	15	15
	Mental diseases F	391								1	5	14	17
28	Diseases of the brain M	862	144	37	8	13	14	216	20	14	17	20	32
	Diseases of the brain F	734	92	33	8	7	7	147	18	11	18	21	22
29	Diseases of the spinal cord M	144	8	5	2	1	5	19	1	1	6	4	6
	Diseases of the spinal cord F	167	5	2	1	2	1	11	4		4	3	10
30	Locomotor ataxia M	121	1		1			2		1		1	1
	Locomotor ataxia F	45										2	
31	Others of this class M	112	2		1	1	1	5	1		2	3	4
	Others of this class F	154	6	1				7		3	3	4	10
32	3. Diseases of the circulatory system	15,267	814	46	25	33	58	976	308	327	328	425	507
33	Males	7,578	438	26	11	19	28	522	143	117	136	179	249
34	Females	7,689	376	20	14	14	30	454	165	210	192	246	258
35	Pericarditis M	112	5	2		1	1	9	6	12	9	6	7
	Pericarditis F	111	4	1	1		7	13	10	5	11	6	3
36	Diseases of the heart M	6,596	244	24	9	18	24	319	134	102	122	168	226
	Diseases of the heart F	6,930	221	18	13	14	22	288	143	204	177	228	238
37	Angina pectoris M	308									3		11
	Angina pectoris F	248							1		2	7	9
38	Diseases of the arteries M	204							1				1
	Diseases of the arteries F	145										1	
39	Aneurism M	112								2		4	4
	Aneurism F	37								1			1
40	Embolism M	49	2				1	3	1	1	2	1	
	Embolism F	63	1				1	2	1		2	4	7
41	Others of this class M	197	187		2		2	191	1				
	Others of this class F	155	150	1				151					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
3,473	3,119	2,562	2,268	2,206	1,931	1,685	1,475	1,091	704	321	129	23	6	35	1
1,940	1,753	1,386	1,199	1,139	902	803	704	467	294	137	54	10	4	14	2
1,533	1,366	1,176	1,069	1,067	1,029	882	771	624	410	184	75	13	2	21	3
11	6	15	12	16	20	16	15	6	9	8	2		1		4
23	18	26	16	24	35	19	17	17	9	3	1	1			
30	19	34	38	48	41	75	68	40	26	4	3	1	1		5
14	18	27	31	57	79	80	65	51	30	10	3			1	
16	21	13	20	16	27	18	25	20	15	15	2	1			6
14	20	14	21	24	26	21	35	36	28	12	6	2			
6	7	3	3	1	2	6	3	4	2	1			1		7
8	5	3	4	6	2	3	5	4		2					
19	10	10	5	3	3	2								1	8
6	5	5	1	2	1		1	2							
12	24	11	14	20	5	4	4	3	5						9
15	8	9	10	4	3	4	5		1						
1,774	1,576	1,135	888	717	479	354	253	182	65	33	14	2		9	10
1,278	1,020	668	449	376	295	248	166	135	82	40	18	3	1	10	
44	71	136	185	287	294	299	300	181	143	65	27	6	1	4	11
140	243	392	489	532	540	469	419	345	227	101	39	4	1	8	
19	10	19	25	22	21	19	19	15	11	4					12
20	20	23	30	30	37	23	30	17	16	8	3			2	
5	4	7	5	4	7	9	13	14	16	11	5				13
5	3	4	10	10	9	11	21	14	15	7	5	3			
4	5	3	4	5	3	1	4	2	2	1	1				14
10	6	5	8	2	2	4	7	3	2	1					
515	630	742	957	1,141	1,342	1,602	1,614	1,642	1,366	839	373	84	30	33	15
286	353	415	510	589	702	783	803	802	643	373	140	28	8	15	16
229	277	327	447	552	640	819	811	840	723	466	233	56	22	18	17
7	8	3	2	5	3	4	3	8	1	4					18
6	3	4	4	8	2	3	3	1	1	1				1	
57	50	41	60	39	26	26	17	14	7	6	3			4	19
33	22	24	32	19	19	22	19	10	11	1	1	3	1	2	
83	108	177	233	334	417	459	493	513	392	220	80	17	2	6	20
50	94	171	254	335	424	511	498	521	432	250	138	30	14	8	
29	60	65	79	86	100	133	125	139	140	72	28	5	5	1	21
22	18	28	46	66	93	123	139	172	164	133	56	15	4	4	
17	17	21	19	18	13	8	6	7	6	1					22
9	7	5	3	10	5	4	7	7	4	5	1	1			
11	6	4	7	3	5				1						23
1	3	2	1	1	3	2	1	1							
1		1		1		1		1	1						24
							1		1						
15	11	16	12	8	14	9	7	6	5	5	1				25
14	17	8	12	10	7	14	3	6	7	3	1				
3	2	3	3		1	3	3	5	2	4				4	26
13	10	6	2	3	4	3	1	3	2					1	
16	25	9	15	14	21	35	47	28	25	18	15	2			27
21	24	25	24	28	22	44	39	46	31	31	15	2	2		
38	38	46	37	49	56	62	64	52	49	36	11	4	1		28
34	46	26	47	36	29	57	69	41	52	33	19	5	1	2	
3	14	12	15	14	11	13	12	7	3	3					29
8	15	13	9	13	18	18	15	16	7	2	1				
2	10	12	15	10	22	19	15	7	4						30
1	5	3	4	8	5	6	6	3	1	3					
4	4	5	13	8	13	11	11	15	7	4	2				31
17	13	12	9	17	9	12	10	13	10	4	1				
612	767	810	889	1,141	1,393	1,544	1,603	1,509	1,133	618	274	64	19	20	32
321	378	381	431	624	736	803	809	736	575	278	121	22	5	12	33
291	389	429	458	517	657	741	794	773	558	340	153	42	14	8	34
6	12	6	5	5	10	4	5	2	7					1	35
9	7	8	6	4	5	6	4	5	3	4	1	1			
286	323	340	382	562	658	708	724	664	498	244	104	19	5	8	36
264	359	400	417	475	612	689	722	709	510	296	140	32	9	8	
17	16	14	24	30	33	53	36	24	29	11	6			1	37
7	16	12	24	26	21	28	34	21	20	13	5	2			
		4	3	8	22	23	36	39	33	18	11	3		2	38
		2	1	5	8	14	21	32	17	26	6	7	5		
8	22	16	15	12	10	9	3	3	3	1					39
3	3	4	5	3	4	2	7	1	2	1					
4	5	1	2	6	3	3	5	4	5	3					40
7	4	2	5	2	7	2	6	5	6		1				
				1		3				1					41
1		1		2											

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CITIES IN REGISTRATION STATES—Continued.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
4. Diseases of the respiratory system	34,506	8,743	4,231	1,755	911	498	16,138	964	310	429	771	996
Males	18,012	4,933	2,281	910	457	237	8,818	494	135	238	436	570
Females	16,494	3,810	1,950	845	454	261	7,320	470	175	191	335	426
Croup M	538	74	116	123	84	47	444	90	2		1	
Croup F	455	48	105	89	85	50	377	69	4	1		
Pneumonia M	12,748	2,939	1,689	613	294	139	5,674	322	100	201	373	491
Pneumonia F	11,258	2,282	1,442	575	273	155	4,727	310	139	143	263	352
Laryngitis M	135	24	24	7	14	8	77	24	4		2	
Laryngitis F	119	16	21	19	19	3	78	20	2	2	1	2
Bronchitis M	3,039	1,451	400	134	42	29	2,056	32	16	12	17	27
Bronchitis F	3,285	1,149	341	136	57	36	1,719	44	11	19	27	24
Pleurisy M	330	19	18	13	11	4	65	12	6	15	17	22
Pleurisy F	276	13	15	12	5	4	49	11	3	6	20	18
Asthma M	130	5	1		1		7	1			2	1
Asthma F	142	7					7	1			1	1
Others of this class M	1,092	421	33	20	11	10	495	13	7	10	24	29
Others of this class F	959	295	26	14	15	13	363	15	16	20	23	29
5. Diseases of the digestive system	9,741	1,516	289	117	70	81	2,073	285	256	338	483	595
Males	4,849	866	151	59	35	44	1,155	142	142	166	219	251
Females	4,892	650	138	58	35	37	918	143	114	172	264	344
Dentition M	147	93	49	3	1	1	147					
Dentition F	148	96	48	3		1	148					
Angina M	47	4	8	5	3	3	23	7	2		2	1
Angina F	47	5	8	5	4	5	28	6	3	2	1	
Gastritis M	607	158	29	5	9	4	205	8	5	4	7	20
Gastritis F	785	133	31	7	8	5	184	16	6	7	24	33
Diseases of the stomach M	255	15	2			4	21	4	1	3	7	16
Diseases of the stomach F	219	10	1				11	3	1	7	16	21
Obstruction of the bowels M	395	99	5	8	3	5	120	12	11	10	14	27
Obstruction of the bowels F	453	51	5	8	4	4	72	14	5	12	11	26
Appendicitis M	628	1	2		5	6	14	42	70	89	102	70
Appendicitis F	393	2	2	2	1	4	11	39	46	61	45	50
Hernia M	207	23	2			1	26	2	1	7	5	8
Hernia F	190	4				1	5			1	1	
Other diseases of the bowels M	96	33	3				36	3	2	3	3	5
Other diseases of the bowels F	94	26	4				30	3		3	2	6
Jaundice M	160	99		3		1	103			4	1	3
Jaundice F	131	60		3		1	64	4				2
Inflammation and abscess of the liver. M	213	12	2	1		2	17	3	1	6	11	13
Inflammation and abscess of the liver. F	197	9		2	1	1	13	4	3	1	10	11
Other diseases of the liver M	998	13	3	1	1	1	19	5	3	3	13	29
Other diseases of the liver F	626	6	2			1	9	1	1	2	9	24
Peritonitis M	597	57	13	21	10	7	108	51	44	35	50	53
Peritonitis F	1,084	32	10	13	11	9	75	48	46	71	138	156
Ascites M	9	1					1					1
Ascites F	25	2					2					3
Others of this class M	490	258	33	12	3	9	315	6	2	2	4	5
Others of this class F	500	214	27	15	6	4	266	5	3	5	7	12
6. Diseases of the urinary system and male organs of generation.	12,072	217	66	57	72	51	463	161	132	189	418	552
Males	6,638	124	41	29	44	28	266	92	57	83	181	244
Females	5,434	93	25	28	28	23	197	69	75	106	237	308
Bright's disease M	5,193							75	47	75	159	216
Bright's disease F	4,628							65	72	89	199	251
Calculus, urinary M	31	1					1		3	1	1	
Calculus, urinary F	18	5					5					1
Diseases of the kidney M	412	91	37	29	42	27	226	7	2	2	5	7
Diseases of the kidney F	282	67	20	24	26	22	159			5	6	12
Diseases of the bladder M	405	2				1	3	2	2	1	2	4
Diseases of the bladder F	61	1					1				1	
Others of this class M	597	30	4		2		36	8	3	4	14	17
Others of this class F	445	20	5	4	2	1	32	4	8	12	31	44
7. Diseases of the female organs of generation	721	4	1			1	6		1	20	83	111
Ovarian tumors	112									1	12	11
Ovarian diseases	40									1	5	11
Diseases of the tubes	143									7	24	36
Uterine tumors	194					1	1			1	2	6
Uterine diseases	47									3	10	14
Others of this class	185	4	1				5		1	7	30	33

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,096	1,253	1,122	1,171	1,357	1,498	1,602	1,600	1,527	1,228	817	417	130	41	39	1
622	737	679	695	745	737	729	720	635	503	297	157	38	9	18	2
474	516	443	476	612	761	873	880	892	725	520	260	92	32	21	3
							1								4
			1		2			1							
529	645	579	573	606	545	550	502	441	319	176	83	20	6	13	5
375	428	357	357	456	573	637	588	617	429	298	134	50	12	13	
2	1	5	3	2	2	4	4	1	2	2					6
3	1				4	2	1		2	1					
23	29	32	38	54	101	94	107	130	127	76	53	12	3		7
38	34	32	61	83	109	147	204	206	208	166	97	37	16	3	
27	22	19	26	24	20	14	14	12	7	5	1	1		1	8
20	20	16	15	14	13	14	13	10	20	8	6				
5		4	11	12	16	17	20	15	9	7		2		1	9
2	3	6	4	14	14	18	27	13	15	11	5				
36	40	40	44	47	53	50	72	36	39	31	20	3		3	10
36	30	32	38	45	46	55	47	45	51	36	18	5	4	5	
524	596	631	599	611	592	580	538	439	311	172	74	25	5	14	11
225	271	339	324	320	307	290	251	191	154	57	30	9	3	3	12
299	325	292	275	291	285	290	287	248	157	115	44	16	2	11	13
															14
3	2	2	1	1	2			1							15
		1	2	1	1		2								
22	25	29	30	36	36	40	40	41	35	12	7	3	2		16
23	44	44	34	47	44	62	58	61	41	39	12	6			
13	19	22	26	27	28	20	22	11	9	2	4				17
20	19	10	17	16	15	12	15	20	6	4	5	1			
20	16	12	22	26	23	21	23	14	14	5	2	2		1	18
25	27	27	33	27	35	23	38	28	22	18	7	1	1	1	
50	48	41	31	26	13	9	12	7	3	1					19
31	19	14	22	12	10	11	9	5	5	1				1	
11	9	12	14	11	16	22	17	22	14	7	4				20
6	6	18	18	22	25	28	22	17	11	6	3	1			
2	4	7	2	5	3	1	5	5	4	5		1		1	21
4	7	4	6	3	3	5	6	5	2	1	2	1		1	
1	1	4	5	3	4	6	5	9	4	5	2				22
4	5	3	7	7	3	8	6	9	1	3	2			2	
18	17	18	22	29	14	17	8	6	8	4		1			23
8	15	20	9	11	14	21	19	20	8	7	3				
50	89	128	119	119	122	112	90	45	38	9	3	1	1		24
37	60	70	61	76	67	57	52	49	29	16	5	1			
29	32	49	33	18	31	21	15	10	8	3	5	1		1	25
135	111	70	48	43	41	34	31	15	11	3	2	2		4	
		2	1	2			1		1						26
		1	2	3	4	2	2	2	2	1				1	
6	9	13	18	17	15	21	13	20	16	5	3				27
6	11	10	16	23	23	27	27	16	19	16	3	3	1	1	
621	824	853	932	1,090	1,174	1,232	1,080	1,018	715	396	162	31	11	18	28
308	407	448	483	614	670	726	628	595	449	254	103	18	3	9	29
313	417	405	449	476	504	506	452	423	266	142	59	13	8	9	30
269	345	403	422	537	583	608	487	446	303	152	48	10	1	7	31
261	352	360	412	434	456	461	405	378	233	126	52	10	6	5	
1	2	2		5	4	3	3	1	3		1				32
1		1	1			2		2	2	2	1				
9	13	12	10	20	14	15	29	18	16	5	2				33
11	14	16	5	9	7	10	12	3	4	3			1		
4	3	7	11	18	15	44	59	70	63	54	36	6	1		34
2	5	1	2	3	5	9	7	10	6	3	4	1	1		
25	44	24	40	34	54	56	50	60	64	43	16	2	1	2	35
38	46	27	29	30	36	24	28	25	21	8	2	2		3	
99	89	103	77	44	24	21	15	11	10	5				2	36
11	6	12	16	11	8	6	8	4	3	3					37
12	6	1	2	1				1							38
25	25	18	6	1			1								39
15	19	45	40	25	11	12	4	6	4	2				1	40
8	3	3	2	1	1				2						41
28	30	24	11	5	4	3	2		1					1	42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CITIES IN REGISTRATION STATES—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		1,446								1	71	321	357
2	Abortion		81									4	13	21
3	Childbirth		330									7	50	70
4	Puerperal septicemia		678								1	37	173	177
5	Extra-uterine pregnancy		68										11	17
6	Others of this class		289									23	74	72
7	9. Diseases of the bones and joints		426	35	13	2	13	11	74	38	44	34	29	19
8	Males		256	20	4	2	8	9	43	20	28	22	19	11
9	Females		170	15	9		5	2	31	18	16	12	10	8
10	Diseases of the spine	M	71	5			3	4	12	10	12	8	5	3
		F	50	4	3		3		10	8	5	2	4	
11	Abscess, lumbar and psoas	M	13	1					1		2		4	
		F	6							1				
12	Diseases of the bones	M	115	11	3	1	4	5	24	5	6	9	6	7
		F	59	8	6		1	2	17	3	7	5	4	5
13	Diseases of the hip-joint	M	29	1					1	5	7	5	3	1
		F	17	1					1	5	2	5		
14	Others of this class	M	28	2	1	1	1		5		1		1	
		F	38	2			1		3	1	2		2	3
15	10. Diseases of the skin		324	103	9	4	3	1	120	11		5	13	7
16	Males		178	54	5	2	2		63	8		4	5	5
17	Females		146	49	4	2	1	1	57	3		1	8	2
18	Abscess	M	103	30	4	2	2		38	8		3	2	3
		F	67	21	1	1		1	24	3		1	6	2
19	Carbuncle	M	26									1	1	
		F	13	1					1				1	
20	Others of this class	M	49	24	1				25				2	2
		F	66	27	3	1	1		32				1	
21	11. Diseases of the absorbent system		134	19	9	1	1		30	1	1	3	4	10
22	Males		66	9	5	1	1		16		1	2	3	5
23	Females		68	10	4				14	1		1	1	5
24	Addison's disease	M	23									1	1	1
		F	22									1	1	1
25	Diseases of the spleen	M	2	1					1					1
		F	9	2					2					1
26	Others of this class	M	41	8	5	1	1		15		1	1	2	3
		F	37	8	4				12	1				8
27	12. Accidents and injuries		8,669	582	167	184	190	132	1,255	475	326	393	593	745
28	Males		6,424	335	90	107	108	79	719	315	263	313	481	604
29	Females		2,245	247	77	77	82	53	536	160	63	80	112	141
30	Burns and scalds	M	381	16	47	63	55	27	208	24	7	6	10	14
		F	548	14	44	43	50	35	186	81	28	15	11	30
31	Drowning	M	982	7	6	3	10	14	40	119	109	64	74	82
		F	92	6	5	1	3		15	11	6	6	5	3
32	Exposure and neglect	M	29	9	1				10				3	
		F	20	10					10				1	
33	Gunshot wounds	M	210	1	1				2	2	18	21	25	25
		F	34	1		1			2	3	4	2	4	3
34	Homicide	M	97							1	2	7	19	16
		F	40			2	1	1	4	2	1	2	3	8
35	Infanticide	M	9	9					9					
		F	3	3					3					
36	Injuries by machinery	M	15									2	4	1
		F												
37	Railroad accidents	M	853	2	1	3	5	7	18	40	43	55	105	96
		F	89	1	1	3	3	1	9	12	2	9	2	5
38	Suffocation	M	266	146	5	9	2	3	165	4	5	5	10	7
		F	173	112	5	3	2	2	124	7		2	1	6
39	Suicide by shooting	M	241									5	16	26
		F	17										2	2
40	Suicide by drowning	M	29										1	2
		F	17									1	3	2
41	Suicide by poison	M	219									10	21	26
		F	142								2	19	33	22
42	Other suicides	M	325								2	4	17	22
		F	94									3	10	11
43	Sunstroke	M	104	28	1	2		1	32	3		3	4	9
		F	58	18	3	3			24	2	1	2	2	1
44	Surgical operations	M	33	2					2			1	1	2
		F	80	1					1		1	2	10	13
45	Wounds	M	114		1	2	1	2	6	3	3	7	11	17
		F	18		1				1	3	1	2	2	1
46	Others of this class	M	2,517	115	27	25	35	25	227	119	74	123	160	259
		F	820	81	18	21	23	14	157	39	17	15	23	34

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
324	249	106	10	2	1	1			1					2	1
18	14	9			1				1						2
75	82	40	4	1										1	3
155	92	38	8	1		1									4
17	17	5	1												5
59	44	14	2											1	6
25	29	24	18	18	12	10	21	17	8	4	1	1			7
15	22	14	13	12	7	5	13	6	4	1	1				8
10	7	10	5	6	5	5	8	11	4	3		1			9
1	5	3	3	3	1		2	1	2						10
3	4	2	2	2	2	1	2	1		1		1			
1	1		1		1		1	1							11
2		1		1				1							
9	10	7	7	6	4	3	5	8	2	1	1				12
3	1	2	2		1	2	2	2	2	1					
8	1	1			1	1									13
	2							1		1					
1	5	3	2	3		1	5	1							14
2		5	1	3	2	2	4	6	2						
15	12	20	17	17	16	18	21	13	9	5	5				15
8	6	12	9	11	10	9	11	7	4	4	2				16
7	6	8	8	6	6	9	10	6	5	1	3				17
5	5	11	8	6	6	3	5	2	1	2					18
2	4	3	2	2	3	4	6	2	2	1					
2		1	4	4	3	4	2	2	2						19
		2	2	2	1	1		2	1						
1	1		2	1	1	2	4	3	1	2	2				20
5	2	3	4	2	2	4	4	2	2		3				
9	6	14	8	9	11	13	6	5	4						21
5	4	5	5	4	6	5	3	2							22
4	2	9	3	5	5	8	8	3	4						23
1	3	3	2	2	4	3	2								24
2	2	4		3	3	3	1		1						
1		1			1	1			2						25
4	1	2	3	2	2	2	1	2							26
1		4	3	2	1	4	2	3	1						
752	817	653	528	484	394	329	295	210	157	93	64	24	8	74	27
632	659	547	425	381	314	241	192	124	80	46	20	10	2	56	28
120	158	106	103	103	80	88	103	86	77	47	44	14	5	18	29
15	18	23	8	11	8	4	6	9	4	4	1			1	30
27	32	25	20	15	13	15	15	17	9	4	3	1		1	
83	107	88	61	45	42	19	17	12	3	1				16	31
2	10	6	4	6	5	3	3	1	1					5	
	2	2	1	1	2	3	2		1	1				1	32
1	1		2			2				1				2	
26	26	16	10	10	7	8	4	2	4					4	33
3	5	3	1	2		1				1					
20	14	7	4	3	1	1		1	1						34
2	9	4	1	3	1										
															35
2	2		1	1		2									36
100	88	61	50	58	46	33	18	16	5	3	3			15	37
11	6	3	3	5	5	4	3	4	4	2					
10	16	8	6	5	7	5	5	1		1				6	38
4	3	1	4	2	4	3	3	2						7	
29	31	31	31	20	23	11	8	6	2		2				39
6	3		2	1				1							
5	4	1	2	5	1	1	4	2	1						40
2	2	1	2	1		1	1		1						
27	24	25	19	23	13	11	13	3	2					2	41
13	17	10	8	4	5	1	3	2	2	1				1	
33	36	46	46	33	29	25	14	10	4	3		1			42
7	8	18	10	10	5	4	5	2			1				
5	16	8	6	4	4	3	1		6						43
	4	2	1	5		5	2	5	2						
3	4	5	4	1	1	2	3	1						1	44
10	13	6	7	5	4	4	1		1	2					
19	12	7	6	7	5	5	3	1	1					1	45
1	1	1	2		2			1							
255	259	219	170	154	123	108	94	60	46	33	14	9	2	9	46
31	44	26	36	44	36	45	68	51	57	36	40	13	6	2	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

RURAL PART OF REGISTRATION STATES.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	110,003	16,836	3,598	1,683	1,139	736	23,992	2,520	1,794	2,881	3,727	3,931
2	Males	57,704	9,482	1,921	877	562	390	13,232	1,276	912	1,440	1,855	1,899
3	Females	52,299	7,354	1,677	806	577	346	10,760	1,244	882	1,441	1,872	2,032
4	Unknown cause	1,453	617	40	16	14	5	692	23	22	32	26	29
5	Males	792	344	21	7	5	3	380	13	9	15	14	10
6	Females	661	273	19	9	9	2	312	10	13	17	12	19
7	1. General diseases. General diseases—A	16,888	4,891	1,424	620	491	296	7,722	937	491	517	558	424
8	Males	8,618	2,644	757	302	243	165	4,111	459	223	251	306	217
9	Females	8,270	2,247	667	318	248	131	3,611	478	268	266	252	207
10	Measles M	333	91	74	27	14	14	220	32	18	12	14	9
	Measles F	377	80	80	38	15	9	222	39	23	17	11	14
11	Scarlet fever M	273	17	31	29	46	23	146	83	15	14	6	2
	Scarlet fever F	258	13	31	25	41	23	133	78	22	8	5	3
12	Diphtheria M	539	31	42	58	59	66	256	163	58	25	16	8
	Diphtheria F	548	22	38	64	60	44	228	184	70	26	13	6
13	Whooping cough M	361	245	64	18	12	3	342	7	1		1	
	Whooping cough F	396	231	70	33	20	7	361	22	3			
14	Malarial fever M	195	18	6	3	4	4	35	2	6	11	14	9
	Malarial fever F	192	12	8	4	2	2	23	12	9	10	16	9
15	Influenza M	1,089	71	25	6	10	3	115	18	6	11	12	13
	Influenza F	1,382	71	14	10	5	3	103	16	14	16	10	18
16	Typhoid fever M	1,016	10	3	2	7	7	29	46	59	126	175	130
	Typhoid fever F	808	3	9	9	12	8	41	43	77	123	110	76
17	Cholera morbus M	286	61	28	15	13	5	122	14	9	4	10	2
	Cholera morbus F	245	45	18	13	5	3	84	12	8	9	5	2
18	Colitis M	110	49	9	5	5	1	69	2		1	1	2
	Colitis F	94	30	12	5	1		48	2			2	1
19	Diarrhea M	482	148	25	5	5		183	19	7	1	6	3
	Diarrhea F	392	132	24	2	4	1	163	10	2	3	1	6
20	Dysentery M	346	59	36	13	14	13	135	9	6	3	2	5
	Dysentery F	444	65	42	20	16	3	146	8	2	3	2	2
21	Enteritis M	820	438	99	34	13	7	591	16	4	4	12	4
	Enteritis F	795	361	98	24	18	6	507	14	4	8	10	9
22	Cholera infantum M	1,594	1,248	251	62	21	8	1,590					
	Cholera infantum F	1,338	1,058	194	48	26	9	1,335					
23	Fever M	14	3	2				5	1	1	1	1	
	Fever F	13	6		1	1		8			1	1	
24	Cerebro-spinal fever M	294	76	55	19	16	9	175	30	20	20	9	9
	Cerebro-spinal fever F	233	49	26	16	14	9	114	29	26	21	9	8
25	Smallpox M	10									2	1	
	Smallpox F	5								1		1	
26	Erysipelas M	177	31	1		2		34	1		3	3	5
	Erysipelas F	122	26	2	2	1	1	32		1	1	7	4
27	Septicemia M	296	22	1	4	2	1	30	11	9	10	20	9
	Septicemia F	365	22	4	1	6	2	38	6	6	17	46	41
28	Venereal diseases M	39	13	1				14					8
	Venereal diseases F	30	11	2		1		14			2	1	1
29	Others of this group M	344	13	4	2		1	20	5	4	3	3	4
	Others of this group F	233	10				1	11	3		1	2	7
30	General diseases—B	1,565	859	51	25	16	6	957	9	8	7	23	47
31	Males	964	481	31	17	3	3	535	6	6	2	14	32
32	Females	601	378	20	8	13	3	422	3	2	5	9	15
33	Alcoholism M	208							1			6	11
	Alcoholism F	37											2
34	Parasitic diseases M	8	1	3	2			6	1				
	Parasitic diseases F	5			1	4		5					
35	Lead poison M	4											
	Lead poison F	3		1				1					
36	Other poisons M	195	12	12	13	3	3	43	2	3	2	8	18
	Other poisons F	109	10	7	5	7	2	31	2	1	2	8	10
37	Inanition M	549	468	16	2			486	2	3			3
	Inanition F	447	368	12	2	2	1	385	1	1	3	1	3
38	General diseases—C	9,600	3,481	80	23	7	6	3,597	12	5	4	9	11
39	Males	4,889	1,986	38	13	3	4	2,044	7		1	3	2
40	Females	4,711	1,495	42	10	4	2	1,553	5	5	3	6	9
41	Old age M	2,526											
	Old age F	2,790											
42	Premature birth M	987	987					987					
	Premature birth F	719	719					719					
43	Malformation M	244	233	5	1	1		240	3				
	Malformation F	200	192	4				196	1	1			
44	Debility and atrophy M	994	629	33	12	2	4	680	4		1	3	2
	Debility and atrophy F	910	493	38	10	4	2	547	4	4	3	6	9
45	Others of this group M	138	137					137					
	Others of this group F	92	91					91					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
3,552	3,782	3,748	3,936	4,380	5,847	6,445	7,981	8,932	9,253	7,338	3,986	1,526	422	530	1
1,678	1,913	1,907	2,053	2,253	2,825	3,399	4,226	4,847	5,061	3,835	1,967	656	146	324	2
1,874	1,869	1,841	1,883	2,127	2,522	3,046	3,755	4,085	4,192	3,503	2,019	870	276	206	3
24	34	41	37	42	55	65	66	67	75	57	27	11		28	4
15	17	24	19	23	32	42	40	33	42	26	11	7		20	5
9	17	17	18	19	23	23	26	34	33	31	16	4		8	6
372	350	332	329	284	378	475	639	836	875	729	411	143	33	53	7
182	176	169	177	154	186	233	305	415	420	345	190	58	13	28	8
190	174	163	152	130	192	242	334	421	455	384	221	85	20	25	9
7	5	2	1	5		2	2	1	3						10
11	12	6	8	2	6		2	1	1	1	1				
1	1	2						1			1			1	11
3	2	1	1					1						1	
6	1		4	1			1								12
4	3	1	3	3	2	1	2		1	1					
1	1	2	1			1		1		1				2	13
1	1	1					1					1		5	
11	3	5	12	5	9	14	10	18	14	10	4	1		2	14
7	6	10	10	5	6	11	14	15	14	10	4			1	
15	16	28	36	30	43	71	89	148	160	156	86	29	4	3	15
22	27	33	33	40	67	87	138	173	218	191	109	51	11	5	
97	85	65	52	37	30	31	22	17	8	2	1			4	16
67	53	43	36	27	28	25	23	18	10	5	1			2	
7	4	6	11	9	10	14	13	19	17	11	2			2	17
10	3	7	4	2	9	14	11	26	9	20	5	5			
1	1	3		4	3	2	3	6	8	3	1				18
2	1		2	3	1	11	5	4	5	3	2	2			
2	1	3	5	10	18	26	41	46	47	37	18	4	3	2	19
4	3	4	3	7	10	11	23	35	43	31	21	8	1	3	
7	4	4	4	9	7	11	15	26	33	35	21	4	3	3	20
5	6	10	11	11	10	19	34	46	56	35	30	7	1		
6	10	10	12	5	15	18	24	34	22	20	8	3	1	1	21
8	13	15	11	14	13	16	30	40	34	30	14	2	1	2	
														4	22
														3	
		1					1		1	1	1				23
									1		1	1			
4	7	5	5	1	3		3	2	1						24
5	3	5	5		1	1	2	1	1			1			
	1	1	2	2	1										25
1	1			1											
6	8	13	8	9	15	9	13	21	17	6	4	2			26
2	5	2	2	5	12	14	8	8	7	8	2		1	1	
8	20	14	21	17	18	19	31	22	22	11	4				27
35	31	18	18	5	19	16	15	20	17	8	6	2		1	
1	5	2	1	1	2	2	3	2	1					2	28
2	1	4	1	1			2	1							
2	3	3	2	9	12	13	34	51	66	52	39	15	2	2	29
1	3	3	3	4	8	16	24	32	38	41	25	5	5	1	
38	42	54	65	53	58	32	41	39	39	18	14	8	2	16	30
35	31	37	51	37	40	22	24	20	34	13	10	2		13	31
3	11	17	14	16	18	10	17	19	5	5	4	1	2	3	32
20	22	24	31	24	20	10	15	5	12	2	1			4	33
	5	6	7	8	2	3	1	1		1				1	
							1								34
1			2	1											35
								2							
13	9	11	18	9	15	10	5	11	10	3	4			1	36
3	5	10	5	6	10	1	8	6	1						
1		2		3	5	2	3	4	12	8	5	2		8	37
	1	1	2	2	6	6	8	10	4	4	1		2	2	
16	20	13	14	28	44	73	196	506	1,026	1,679	1,352	710	256	29	38
6	4	7	9	16	17	36	89	250	518	839	644	301	85	11	39
10	16	6	5	12	27	37	107	256	508	840	708	409	171	18	40
						14	53	213	454	797	614	289	85	7	41
						18	69	209	459	782	679	398	165	11	
															42
														1	43
							1							1	
6	4	7	9	16	17	22	36	37	63	42	30	12		8	44
10	16	6	5	12	27	19	37	46	49	58	29	11	6	6	
									1						45
								1							

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLA

RURAL PART OF REGISTRATION STATES—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 2
1	1. General diseases—Continued. General diseases—D		18,322	527	231	105	69	57	989	210	269	873	1,364	1,49
2	Males		8,229	293	120	43	27	25	508	96	95	334	597	66
3	Females		10,093	234	111	62	42	32	481	114	174	539	767	83
4	Anemia	M	206	25	6	2	1		34	5	1	3	7	
		F	309	37	11	3	3	2	56	3	5	16	19	1
5	Diabetes	M	458	4		3		2	9	16	25	22	22	2
		F	357	2	4		5	2	13	14	20	15	17	1
6	Rheumatism	M	276	3	2	2		2	9	12	9	11	3	1
		F	246	2	1	1	2		6	13	14	5	9	
7	Scrofula and tabes	M	121	24	8	1		2	35	4	1	4	8	
		F	157	20	5	3	1	1	30	5	5	15	14	1
8	Hydrocephalus	M	255	119	49	14	11	6	199	16	7	5	5	
		F	235	75	45	24	13	13	170	20	11	10	1	
9	Tuberculosis, general	M	97	6	4	1	1		12	6	3	4	6	1
		F	119	8	1	2	1		12	5	3	14	12	1
10	Consumption	M	4,557	79	40	15	12	6	152	31	42	272	533	57
		F	5,029	70	33	19	15	9	146	48	102	443	672	73
11	Cancer	M	1,741	5	3		1	2	11	1	3	4	2	
		F	2,925	2	1	1	1		5	1	2	6	9	2
12	Tumor	M	151	3	2	1	1	2	9	1	1	4	7	
		F	283	4	2	2		2	10		2	8	8	
13	Dropsy	M	296	5	3			1	9		2	2	3	
		F	360	4	3	2			9	3	6	3	3	
14	Others of this group	M	71	20	3	4		2	29	4	1	3	1	
		F	73	10	5	5	1	3	24	2	4	4	3	
15	2. Diseases of the nervous system		15,890	2,011	529	246	135	96	3,017	279	209	198	186	25
16	Males		8,469	1,198	296	135	68	57	1,754	144	114	109	87	12
17	Females		7,421	813	233	111	67	39	1,263	135	95	89	99	13
18	Inflammation of the brain	M	167	49	14	12	2	5	82	11	2	5	4	
		F	135	27	10	7	2	3	49	9	11	6	7	
19	Meningitis	M	1,025	355	150	69	30	29	633	86	45	36	21	2
		F	822	247	121	63	40	20	491	73	39	23	20	2
20	Apoplexy	M	2,902	18	5		2	2	27	1	2	9	15	2
		F	2,778	24	7	1	1		33	2	3	9	12	2
21	Paralysis	M	1,707	17	3	3	2	2	27	5	4	2	2	1
		F	1,543	5	5	3	1	2	16	3	1	3	8	1
22	Paralysis, general (of insane)	M	115								1	1	1	
		F	62											
23	Tetanus and trismus nascentium	M	96	26	2		3	1	32	7	18	7	2	
		F	37	18	1		1		20	1	2	1	2	
24	Chorea	M	11					1	1			2	1	
		F	23		1				1	2	4	7	1	
25	Epilepsy	M	250	22	3	2	1	1	29	5	18	24	14	2
		F	184	17	5	4	3		29	6	10	9	9	1
26	Convulsions	M	767	582	84	37	18	7	728	9	4	1	3	
		F	587	406	56	25	14	5	506	17	2	6	9	11
27	Mental diseases	M	268							1		1	6	
		F	265								1	1	4	1
28	Diseases of the brain	M	771	112	33	10	9	6	170	14	16	12	12	1
		F	625	56	22	6	3	6	93	14	16	16	17	1
29	Diseases of the spinal cord	M	160	15	2	1	1	3	22	4	3	5	3	
		F	131	11	4	2	2	3	22	5	5	2	3	
30	Locomotor ataxia	M	92									1	1	
		F	28							1				
31	Others of this class	M	138	2		1			3	1	1	3	2	
		F	201	2	1				3	2	1	6	7	11
32	3. Diseases of the circulatory system		11,695	577	26	19	17	9	648	86	116	154	168	16
33	Males		6,466	339	18	10	7	4	378	36	48	77	74	6
34	Females		5,229	238	8	9	10	5	270	50	68	77	94	9
35	Pericarditis	M	65		2				2	2	3	5	4	
		F	66	1			1		2	3	6	2	2	
36	Diseases of the heart	M	5,723	244	15	10	6	4	279	33	44	69	66	6
		F	4,696	180	8	9	8	4	209	46	59	71	82	8
37	Angina pectoris	M	366							1		3	2	
		F	269							1	2	3	5	
38	Diseases of the arteries	M	133	1					1					
		F	69	1					1					
39	Aneurism	M	40								1		2	
		F	24								1	1		
40	Embolism	M	46	4					4					
		F	41										3	
41	Others of this class	M	93	90	1		1		92					
		F	64	56			1	1	58				2	

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,307	1,205	1,116	1,119	1,124	1,312	1,309	1,483	1,209	1,017	570	218	62	8	60	1
564	540	511	495	488	569	567	659	602	505	276	103	29	3	26	2
743	665	605	624	636	743	742	824	607	512	294	115	33	5	34	3
3	7	9	11	21	16	18	24	12	13	14	3			1	4
14	22	12	21	21	23	24	24	15	13	4	2	1		1	
15	14	28	25	34	33	41	42	44	37	24	2	2		2	5
6	11	12	24	29	31	41	43	33	21	8	2	1		1	
11	6	7	7	12	26	21	29	41	31	18	7	1	1	3	6
9	6	15	7	11	19	20	26	23	26	18	12	2		1	
3	7	3	6	1	10	5	14	7	1	2				1	7
15	8	7	6	10	4	7	3	2	6	7				1	
5	6	3	2	1				1							8
3	3	3	2	2	1		1	1	1					1	
11	8	6	6	6	5	1	3	1		1					9
13	8	6	9	4	5	5	4	1	3	2	1				
496	441	355	302	257	275	222	211	173	142	50	12	3		15	10
597	460	318	258	211	219	194	215	174	133	55	25	5	1	16	
15	35	78	107	131	172	222	275	257	223	116	55	20	1	4	11
56	123	187	259	302	387	381	420	286	242	149	53	20	2	11	
1	9	9	13	11	10	8	21	16	14	7	2				12
15	17	29	22	25	26	30	32	22	20	8	2				
2	4	8	13	13	19	26	39	46	41	43	22	3			13
8	5	13	14	17	26	35	54	48	46	43	18	4	2	2	
2	3	5	3	1	3	3	1	4	3	1			1		14
7	2	3	2	4	2	5	2	2	1						
260	348	378	514	674	886	1,162	1,557	1,828	1,921	1,349	572	195	44	54	15
137	196	202	259	354	475	599	809	964	1,029	700	280	75	19	35	16
123	152	176	255	320	411	563	748	864	892	649	292	120	25	19	17
2	3	6	3	6	3	5	7	7	11	3	3				18
5	3	5	1	4	7	1	3	5	5	2	1	1			
17	20	11	15	20	20	7	22	18	17	3	4	2		3	19
21	14	19	21	9	11	11	13	14	6	7	2			1	
37	48	64	105	148	228	319	388	459	505	335	135	30	7	19	20
29	35	59	104	157	212	293	379	439	428	333	148	65	13	5	
19	47	39	54	70	107	131	208	308	305	242	91	22	5	3	21
16	19	27	49	57	82	142	202	255	296	201	103	36	10	7	
8	8	12	11	12	11	11	12	3	7	5	4	2			22
2	1	6	2	5	2	5	11	11	7	5	2	1			
3		3	1	5	6	3	2	2	2						23
2	2	2			1	2			1						
1				2			2					1			24
			2	1	1	1	1		1	1					
14	28	13	10	7	7	10	11	16	11	3	3	1		1	25
8	18	9	11	13	9	8	9	6	6	5		2			
2	3		2	2	1		1	4	2		1	1		3	26
9	8	3	2	1		1	6		1	1		1		3	
14	9	17	11	8	16	18	37	38	41	32	9	5			27
9	11	13	15	18	22	27	30	24	34	27	12	6			
12	19	18	18	40	35	51	65	75	86	66	28	10	2	3	28
12	20	21	23	28	38	42	53	70	76	46	17	7	2	1	
2	6	9	7	17	12	16	22	8	15	6			1	1	29
3	6	3	5	10	12	12	13	11	9	7		1		1	
1	2	3	16	11	15	12	12	9	8	1					30
	2	1	2	1	3	4	4	5	8	1	1				
5	3	7	6	6	14	16	20	17	19	4	2	1	1	2	31
7	13	8	18	16	11	14	21	24	19	13	6			1	
210	262	347	412	614	817	1,146	1,483	1,692	1,642	1,083	453	112	23	62	32
83	125	147	197	317	472	662	877	1,003	964	612	239	48	9	29	33
127	137	200	215	297	345	484	606	689	678	471	214	64	14	33	34
	3	2	2	5	5	4	8	8	5	4					35
6		4	2		7	3	10	4	5	6	2			1	
77	107	129	176	273	420	588	788	905	872	538	218	45	8	27	36
105	127	180	197	279	299	435	547	635	627	422	193	59	13	30	
3	10	10	14	28	29	55	57	51	52	35	9	1		2	37
8	7	9	15	13	29	33	40	34	27	27	7	2		1	
	1	1	1	3	5	7	14	27	26	33	11	2	1		38
1		1		2	5	7	5	10	14	10	9	2	1		
2	2	3	1	5	8	4	2	5	5						39
3	1	3		1	2	3		3	1	2	1	1			
1	2	1	3	3	5	4	5	7	4	2	1				40
4	2	3	1	2	3	3	4	3	4	4	2				
		1												1	41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CI

RURAL PART OF REGISTRATION STATES—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 t
1	4. Diseases of the respiratory system		14,221	2,558	958	433	242	135	4,326	424	172	292	337	
2	Males		7,299	1,457	513	238	119	59	2,386	196	77	161	196	
3	Females		6,922	1,101	445	195	123	76	1,940	228	95	131	141	
4	Croup	M	268	50	59	48	43	16	216	45	2	2	1	
		F	236	39	42	33	32	22	168	58	7		1	
5	Pneumonia	M	4,996	818	319	138	51	28	1,354	103	60	128	166	
		F	4,714	625	275	126	65	38	1,129	134	67	105	98	
6	Laryngitis	M	71	7	10	6	8	3	34	17	2		1	
		F	59	9	8	2	7	4	30	6	2	1	1	
7	Bronchitis	M	1,142	395	100	37	13	7	552	18	6	8	7	
		F	1,196	327	92	28	10	7	464	13	5	11	14	
8	Pleurisy	M	134	3	4	3	1	1	12	2	2	12	9	
		F	99	1	3		2		6	6	3	3	5	
9	Asthma	M	100	9	1				10	1		2	1	
		F	91	8			1		9	2	2		2	
10	Others of this class	M	588	175	20	6	3	4	208	10	5	9	11	
		F	527	92	25	6	6	5	134	9	9	11	20	
11	5. Diseases of the digestive system		6,474	781	138	68	41	41	1,069	199	193	249	232	
12	Males		3,282	436	60	36	21	19	572	104	112	126	106	
13	Females		3,192	345	78	32	20	22	497	95	81	123	126	
14	Dentition	M	26	13	13				26					
		F	32	14	16	1	1		32					
15	Angina	M	65	5	7	4	4	3	23	7	3	3	3	
		F	51	4	3	3	2	2	14	15	5			
16	Gastritis	M	498	66	8	3	3	1	81	7	2	6	6	
		F	557	51	16	8	4	5	84	2	2	5	9	
17	Diseases of the stomach	M	224	11		1	1	2	15		2	3	2	
		F	199	12	4	1		1	18		1	5	8	
18	Obstruction of the bowels	M	266	31	6	3	2	1	43	19	7	10	4	
		F	255	32	6	2	3	2	45	9	3	4	6	
19	Appendicitis	M	343	3		2	1	4	10	20	54	50	38	
		F	206	2	2	1		3	8	17	25	37	19	
20	Hernia	M	147	19					19			3	1	
		F	117	6					6	4		1		
21	Other diseases of the bowels	M	113	30	4	3	2		39	1	2	2	2	
		F	91	21	3		3		27	1	1	3		
22	Jaundice	M	130	59		3			62	4	1		2	
		F	120	33	1	2	1	1	38		3	2	2	
23	Inflammation and abscess of the liver.	M	120	5	1		1	1	8	2	4		4	
		F	149	2	1		1	1	5		3	2	1	
24	Other diseases of the liver	M	564	11	1	3			15	1	2	3	6	
		F	374	7	1	3			11	3	3	1	2	
25	Peritonitis	M	411	26	6	7	4	5	48	35	35	43	36	
		F	655	22	12	7	4	4	49	35	32	59	78	
26	Ascites	M	25	1					1					
		F	31									1		
27	Others of this class	M	350	156	14	7	3	2	182	8		3	2	
		F	355	139	13	4	1	3	160	9	3	3	1	
28	6. Diseases of the urinary system and male organs of generation.		6,215	90	22	24	9	26	171	74	59	94	139	
29	Males		3,887	57	10	10	7	14	98	36	33	43	47	
30	Females		2,328	33	12	14	2	12	73	38	26	51	92	
31	Bright's disease	M	2,551							33	22	35	37	
		F	1,842							33	23	42	73	
32	Calculus, urinary	M	26									1		
		F	7										1	
33	Diseases of the kidney	M	271	38	9	9	5	12	73	1	1	3	1	
		F	168	26	11	11	2	11	61	1	1		3	
34	Diseases of the bladder	M	485	4					4		3	1	1	
		F	54	1		1			2				1	
35	Others of this class	M	554	15	1	1	2	2	21	2	7	3	8	
		F	257	6	1	2		1	10	4	2	9	14	
36	7. Diseases of the female organs of generation		305	1					1		2	10	25	
37	Ovarian tumors		69										1	
38	Ovarian diseases		11										2	
39	Diseases of the tubes		16										3	
40	Uterine tumors		90									1	3	
41	Uterine diseases		24									5	4	
42	Others of this class		95	1					1		2	4	12	

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
342	419	439	472	531	647	780	935	1,131	1,095	890	449	144	30	49	1
172	245	244	256	270	334	376	456	556	521	409	195	58	10	21	2
170	174	195	216	261	313	404	479	575	574	481	254	86	20	28	3
						1									4
	1			1											
146	208	208	206	219	255	276	343	382	360	267	119	35	5	14	5
138	140	149	168	207	245	301	353	393	409	323	160	44	11	19	
2		2	2	3	1	2	2		1	1					6
4	2	1		2	2	1		1	1		1				
5	9	9	16	17	32	31	54	96	97	100	56	18	5	3	7
11	4	11	15	16	31	57	73	109	113	114	75	34	8	4	
6	6	4	10	7	9	9	10	18	8	4	3				8
7	6	7	8	6	5	12	4	7	3	4	1	2			
1	1	3	3	1	4	16	14	11	11	11	7			2	9
3	1	2	4	9	5	11	10	12	10	7	2				
12	21	18	19	23	33	41	33	49	44	26	10	5		2	10
7	20	25	21	20	25	22	39	53	38	33	15	6	1	5	
220	242	285	306	334	393	455	526	531	490	276	125	38	5	22	11
95	98	133	167	154	215	249	271	264	263	141	61	17	2	8	12
124	144	152	139	180	178	206	255	267	227	135	64	21	3	14	13
															14
3		2	2	3		4	1	4	3	2					15
1		1	2	1	1	1	1		2	1	1				
8	14	15	26	22	32	40	54	47	53	41	17	6	1	2	16
13	21	15	20	37	35	44	43	61	61	50	20	9	1	3	
4	8	10	16	18	24	22	25	26	30	8	3				17
12	7	7	9	17	16	22	15	26	17	7	4	2			
9	4	5	10	15	17	15	14	30	36	9	8	2		1	18
6	6	16	12	13	16	18	27	30	16	9	6		1	2	
23	19	28	20	9	11	6	4	7	3	1				1	19
12	14	14	8	6	5	4	10	1	1	3				1	
2	2	2	7	8	13	11	13	14	24	16	8	2	1		20
1	5	4	6	5	12	12	21	14	15	7	3			1	
4	8	1	5	2	7	9	7	10	11	6	1	1			21
3	6	3	2	2	3	2	8	11	10	1	4		1	1	
3	1		1	2	6	7	9	10	11	3	2	1		2	22
	1	2	3	7	8	6	11	18	7	4	1	2		2	
3	5	5	5	9	5	16	13	18	10	8	1				23
6	7	9	11	11	11	14	16	11	17	12	4	1			
15	17	36	45	46	67	80	81	63	49	16	7	2			24
11	13	24	24	37	31	39	52	44	46	16	9			1	
17	21	20	19	13	22	19	23	14	15	7	2	2			25
53	58	46	27	24	21	24	22	25	13	6	5	3		1	
		1	1		1	3	4	7	1	5	1				26
		1	3		3	3	5	6	2	4	1	1		1	
5	5	8	10	7	10	17	23	14	17	19	11	1		2	27
6	6	10	12	20	16	17	24	20	20	15	6	3		1	
173	217	250	268	363	472	613	731	803	785	492	246	50	10	19	28
73	93	128	137	213	282	380	480	552	581	382	189	38	5	16	29
100	124	122	131	150	190	233	251	251	204	110	57	12	5	3	30
62	76	103	114	179	220	283	349	346	346	187	72	13	2	10	31
76	98	97	104	124	161	198	213	222	163	85	42	8	4	2	
	1	1	1	1	2	1	2	6	8	1	1				32
	1			1			1	1	1	1					
4	7	6	3	10	11	16	21	26	36	24	20	2			33
11	5	8	11	9	9	6	11	3	12	7	3			1	
	3	3	4	8	21	34	59	92	92	90	52	11	3	2	34
	2		1		6	8	1	6	9	7	6	3			
7	6	15	15	15	28	46	49	82	99	80	44	12		4	35
13	18	17	15	16	14	21	25	19	19	10	6	1	1		
22	39	27	36	28	22	20	15	14	5	3	2	2	1		36
3	7	6	8	8	7	8	5	7	2	1		1	1		37
1	1		3	1			2								38
4	4		2	1				1							39
1	14	9	8	14	11	9	6	5	2	2					40
3	2	1	1				2	1							41
10	11	11	14	4	4	3			1		2	1			42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

RURAL PART OF REGISTRATION STATES—Continued.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
8. Affections connected with pregnancy	855								1	66	179	201
Abortion	37									3	5	10
Childbirth	260									10	45	55
Puerperal septicemia	348								1	30	86	85
Extra-uterine pregnancy	9									1	2	1
Others of this class	201									22	41	50
9. Diseases of the bones and joints	267	22	5	3	5	3	38	17	13	20	20	11
Males	149	13	4	2	3	3	25	7	7	15	14	7
Females	118	9	1	1	2		13	10	6	5	6	4
Diseases of the spine M	60	12	2	1	2		17	3	4	5	7	1
Diseases of the spine F	51	7	1	1	2		11	2	3	2	1	2
Abscess, lumbar and psoas M	11										3	4
Abscess, lumbar and psoas F	9	1					1	1			2	
Diseases of the bones M	34	1		1	1	2	5	1	2	6	1	1
Diseases of the bones F	30	1					1	5	1	1	2	1
Diseases of the hip-joint M	23		1				1	2	1	3	2	1
Diseases of the hip-joint F	4							1	1	2		
Others of this class M	21		1			1	2	1		1	1	
Others of this class F	24							1	1		1	1
10. Diseases of the skin	205	38	12	2	1	1	54	3	4	2	3	7
Males	117	24	6	1			31	3	1	1	2	5
Females	88	14	6	1	1	1	23		3	1	1	2
Abscess M	56	4	2	1			7	3	1	1	2	4
Abscess F	47	3	4		1	1	9		2	1	1	1
Carbuncle M	14	1					1					
Carbuncle F	3											
Others of this class M	47	19	4				23					1
Others of this class F	38	11	2	1			14		1			1
11. Diseases of the absorbent system	117	5	2		2	1	10	4	3	2	7	1
Males	59	4	1		2	1	8	4	1	1	3	1
Females	58	1	1				2		2	1	4	
Addison's disease M	17								1			
Addison's disease F	22										1	
Diseases of the spleen M	13				1		1				1	
Diseases of the spleen F	10		1				1				2	
Others of this class M	29	4	1		1	1	7	4		1	2	1
Others of this class F	26	1					1		2	1	1	
12. Accidents and injuries	5,931	378	80	99	90	54	701	243	227	361	451	460
Males	4,484	206	46	63	54	33	402	165	186	304	392	402
Females	1,447	172	34	36	36	21	299	78	41	57	59	58
Burns and scalds M	195	11	23	31	25	6	96	14	5	3	7	8
Burns and scalds F	232	11	16	19	19	12	77	38	7	8	7	10
Drowning M	794	6	13	14	9	10	52	81	91	93	105	78
Drowning F	104	1	8	5	5	2	21	11	12	13	7	3
Exposure and neglect M	57	14				1	15	1	1		1	1
Exposure and neglect F	22	8	2				10				2	
Gunshot wounds M	209	1		1	1		3	5	18	45	26	15
Gunshot wounds F	30	1		1	3	1	6	2	2	5	6	1
Homicide M	31			1		1	2	1		1	5	3
Homicide F	12					1	1	1	1	1	1	2
Infanticide M	1	1					1					
Infanticide F	4	4					4					
Injuries by machinery M	25									7	1	
Injuries by machinery F	1	1					1					
Railroad accidents M	763	1		2	3	1	7	11	21	52	91	90
Railroad accidents F	88	3	1	1		1	6	5	5	9	9	6
Suffocation M	152	87	2	1	2	1	93	1	4	4	2	5
Suffocation F	119	78	3	2	1	4	88	5		1	1	2
Suicide by shooting M	134									1	9	15
Suicide by shooting F	14									3	2	1
Suicide by drowning M	31									1	2	2
Suicide by drowning F	19										2	
Suicide by poison M	65									1	7	6
Suicide by poison F	50								1	5	4	2
Other suicides M	269								1	8	8	13
Other suicides F	62								2	1	3	6
Sunstroke M	28	3	1				4	2	1	3	1	2
Sunstroke F	10	4	1				5					
Surgical operations M	17							2		3	1	3
Surgical operations F	38			1			1		1	1		7
Wounds M	63	2					2	3	2	5	8	11
Wounds F	3											1
Others of this class M	1,650	80	7	13	14	13	127	44	42	77	118	150
Others of this class F	639	61	3	7	8		79	16	10	10	15	17

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
165	139	88	7	1			1		1					6	1
8	9	2													2
56	47	41	3						1					2	3
67	47	25	3	1										3	4
1	4														5
33	32	20	1				1							1	6
10	10	15	15	19	14	13	15	13	8	10	4	2			7
3	5	11	7	10	8	6	7	6	6	2	2	1			8
7	5	4	8	9	6	7	8	7	2	8	2	1			9
	3	2	1	3	5	3	2	1	2	1					10
2	3	2	4	7	1	3	3	2	1	1	1				
1				1		1		1							11
	1		1	1	1			1							
	1	1	2	3	1	1	2	2	3	1	1				12
4		1	2		2	1		3		5	1				
2	1	4	1	3	1		1								13
		4	3		1	1	2	2	1		1	1			14
1	1	1	1	1	2	3	5	1	1	2		1			
9	12	3	11	6	11	15	16	8	23	9	4	3		2	15
3	5		8	3	7	7	8	5	14	7	3	1		2	16
6	6	3	3	3	4	8	8	3	9	2	1	2			17
2	3		6	1	4	5	2	5	5	3		1		1	18
6	3	2	2	2	2	3	4	2	4	1		2			
1	2		1			1	3		3	1				1	19
						2	1								
	1		1	2	3	1	3		6	3	3				20
	3	1	1	1	2	3	3	1	5	1	1				
7	8	12	14	4	6	6	15	8	8	2					21
4	4	8	8	3	1	2	6	1	3	1					22
3	4	4	6	1	5	4	9	7	5	1					23
	2	2	4	3	1	1	1	1	1						24
1	3	1	2		3	3	4	2	2						
2	2	3	2						1	1					25
2	1	1	1	1				1							
2		3	2			1	5		1						26
		2	3		2	1	5	4	3	1					
377	435	348	317	275	232	281	262	247	243	171	109	51	10	130	27
305	373	286	263	211	187	218	195	176	161	82	40	21		115	28
72	62	62	54	64	45	63	67	71	82	89	69	30	10	15	29
4	5	4	5	4	5	12	7	1	5	3	1			3	30
10	6	2	6	7	2	13	7	11	6	9	1	1		1	
48	52	45	22	27	18	15	14	13	9	3	2			26	31
11	5	3	3	4	1	1	3	3	1					2	
3	3	3	6	4	1	2	1	3	7	2	2			1	32
	1	1		1	1			1	2	1		1		1	
22	15	12	4	13	6	7	4	4	1	1		2		6	33
3	1	1	2	1											
5	4	1	1	1	1	2	2	1		1					34
2	2	1													
															35
3	5	3	1	1		1	3								36
64	101	55	51	38	31	35	22	17	17	7	3			50	37
2	3	4	7	6	4	7	4	3	4	1		1		1	
2	2	2	5	4	4	6	5	3	4					6	38
1			1	2	1	2	2	1	2	1	1			8	
12	15	13	14	14	11	10	9	5	3	3					39
1	2	1	2		1		1								
1	2	2	1	4	4	3	2	1	6						40
	1	1	2	3	5	3		2							
	3	7	6	5	6	4	6	7	4	1				2	41
4	7	7	5	2	4	2	2	3	1					1	
16	19	21	35	20	27	22	22	27	17	6	2	1		4	42
7	7	5	7	3	2	5	7	2	1	3	1				
2	1	2	2	1		1	2	1	2	1					43
		2					1	1	1						
	2	1			2	1	2								44
6	4	6	2	4	2	1	3								
3	2	4	7	1	5	3	2		1	2		1		1	45
						1			1						
120	142	111	103	74	66	94	92	90	85	52	30	17		16	46
24	23	28	17	31	22	28	37	44	63	74	63	27	10	1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION CITIES IN NONREGISTRATION STATES.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
All causes	210,999	41,696	10,885	5,223	3,440	2,587	63,831	7,136	4,009	6,302	10,270	11,043
Males	115,074	23,327	5,747	2,728	1,745	1,294	34,841	3,660	2,065	3,124	5,347	5,899
Females	95,925	18,369	5,138	2,495	1,695	1,293	28,990	3,476	1,944	3,178	4,923	5,144
Unknown cause	2,523	775	96	47	31	20	969	59	28	52	73	101
Males	1,408	429	50	24	16	10	529	32	15	25	31	52
Females	1,115	346	46	23	15	10	440	27	13	27	42	49
1. General diseases.												
General diseases—A	36,848	10,676	4,192	2,047	1,431	1,148	19,494	2,955	1,064	1,233	1,708	1,511
Males	19,239	5,770	2,146	1,043	711	564	10,234	1,406	494	608	937	826
Females	17,609	4,906	2,046	1,004	720	584	9,260	1,549	570	625	771	685
Measles M	600	147	189	112	40	28	516	46	12	8	13	4
Measles F	618	138	194	111	48	24	515	62	9	9	5	7
Scarlet fever M	721	43	82	112	128	82	447	207	40	8	5	4
Scarlet fever F	740	28	81	119	110	111	449	220	37	16	5	6
Diphtheria M	2,274	143	324	346	329	284	1,426	656	125	18	13	6
Diphtheria F	2,397	94	302	309	325	299	1,329	796	168	41	20	15
Whooping cough M	578	332	135	56	20	13	556	15	1	3	1	
Whooping cough F	643	313	164	62	43	22	604	31	2	1	1	1
Malarial fever M	871	75	41	17	22	19	174	65	32	54	80	72
Malarial fever F	759	66	49	39	21	16	191	61	36	53	71	48
Influenza M	830	94	20	6	5	7	132	15	9	16	21	25
Influenza F	975	63	17	15	6	9	110	14	9	22	27	31
Typhoid fever M	3,073	26	25	26	28	41	146	175	156	356	558	472
Typhoid fever F	2,245	31	26	26	40	27	150	175	202	349	372	261
Cholera morbus M	416	86	27	47	13	6	179	19	12	11	10	11
Cholera morbus F	418	81	31	40	11	6	169	12	12	12	13	13
Colitis M	184	86	25	7	8	2	128	2	2			7
Colitis F	151	64	29	5	2	1	101	8	4	1	1	4
Diarrhea M	703	224	68	35	5	5	337	22	3	11	13	8
Diarrhea F	589	198	55	29	5	4	291	18	8	3	10	11
Dysentery M	715	105	73	29	13	9	229	18	5	15	38	30
Dysentery F	590	86	42	14	9	2	153	7	2	6	12	15
Enteritis M	3,432	2,046	566	134	44	37	2,827	54	21	25	28	31
Enteritis F	3,095	1,594	502	135	46	31	2,308	60	23	28	42	62
Cholera infantum M	2,547	1,972	490	55	20	8	2,545					
Cholera infantum F	2,352	1,794	479	57	14	6	2,350					
Fever M	39	12	3				15			2	3	1
Fever F	29	10	1	1	1		13	5	1	2	1	3
Cerebro-spinal fever M	347	72	40	24	22	12	170	50	30	20	18	14
Cerebro-spinal fever F	301	62	37	17	22	12	150	40	28	21	10	13
Smallpox M	328	12	6	7	2	1	28	7	11	22	61	55
Smallpox F	206	12	9	6	4	2	33	11	10	17	43	32
Erysipelas M	304	66	6	1	1	3	77	3	5	7	11	13
Erysipelas F	221	68	6	1	1		76	1	2	3	8	12
Septicemia M	617	65	12	13	6	4	100	39	21	24	37	39
Septicemia F	759	57	8	7	6	8	86	22	9	32	109	130
Venereal diseases M	298	154	11	5	2	1	173	2	2	3	8	13
Venereal diseases F	230	132	6	4	2	1	145	1	2	5	12	12
Others of this group M	362	10	3	11	3	2	29	11	7	10	19	21
Others of this group F	291	15	8	7	4	3	37	10	6	4	9	9
General diseases—B	6,616	4,406	243	64	49	15	4,777	46	10	48	107	150
Males	3,920	2,407	128	33	24	12	2,604	21	5	19	52	87
Females	2,696	1,999	115	31	25	3	2,173	25	5	29	55	63
Alcoholism M	771											
Alcoholism F	136								1		16	52
Parasitic diseases M	8	1	1	1		2	5	1			8	19
Parasitic diseases F	11	1	3		3	1	8	3				
Lead poison M	19	1					1				2	1
Lead poison F	7	4					4	1				
Other poisons M	482	18	27	14	9	3	71	11	2	17	31	33
Other poisons F	281	6	13	10	4	1	34	6	3	25	42	37
Inanition M	2,640	2,387	100	18	15	7	2,527	9	2	2	3	1
Inanition F	2,261	1,988	99	21	18	1	2,127	15	2	4	5	7
General diseases—C	16,471	7,948	440	119	42	21	8,570	48	21	27	43	51
Males	8,083	4,433	219	63	25	10	4,750	19	11	13	19	17
Females	8,388	3,515	221	56	17	11	3,820	29	10	14	24	34
Old age M	2,604											
Old age F	3,689											
Premature birth M	2,195	2,195					2,195					
Premature birth F	1,666	1,666					1,666					
Malformation M	304	296	1	2			299	1	2			
Malformation F	254	248	2	2	1		253		1			
Debility and atrophy M	2,817	1,780	218	61	24	10	2,093	18	9	13	19	17
Debility and atrophy F	2,663	1,485	219	54	16	11	1,785	29	9	14	24	34
Others of this group M	163	162			1		163					
Others of this group F	116	116					116					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN NONREGISTRATION STATES.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
10,555	11,191	10,144	9,807	9,860	9,576	10,122	10,384	9,589	7,450	5,086	2,434	805	397	1,008	1
5,958	6,459	6,080	5,927	5,888	5,565	5,560	5,541	5,036	3,680	2,383	1,018	269	140	634	2
4,597	4,732	4,064	3,880	3,972	4,011	4,562	4,843	4,553	3,770	2,703	1,416	536	257	374	3
81	116	111	123	108	115	124	115	110	71	37	21	3	2	104	4
46	66	70	82	61	73	69	66	64	35	20	12	1	1	58	5
35	50	41	41	47	42	55	49	46	36	17	9	2	1	46	6
1,137	1,083	874	769	775	706	758	799	700	531	399	180	35	22	115	7
656	607	507	455	436	372	395	376	329	252	187	71	9	9	73	8
481	476	367	314	339	334	363	423	371	279	212	109	26	13	42	9
1	2			3											10
3	4	2												2	
2	3	3	1			1									11
3	2			1						1					
10	5		4	2	1	3		1		1		1		3	12
9	5	3	3	4		1			2					1	
1	1			1										2	13
46	56	45	50	46	35	26	32	19	19	9	3	1		7	14
51	32	26	27	27	30	27	30	22	7	10	5	1	1	3	
39	35	47	35	40	42	66	70	85	68	52	22	2	5	4	15
34	31	34	37	50	60	95	103	107	83	74	39	10	4	1	
342	275	177	126	95	73	53	26	19	7	3	2			12	16
151	147	119	66	70	53	38	38	31	7	6	1			9	
12	11	16	19	17	18	13	25	16	12	7	4	1	1	2	17
15	26	12	12	25	13	17	19	13	20	8	4		1	2	
4	4	6	5	2	4	6	6	3	3	1	1				18
2	6	3	2	3	4	2	7	4	3					1	
11	15	19	12	27	41	37	38	35	31	20	10	1	1	11	19
12	14	13	15	12	23	32	31	31	19	19	16	2	4	5	
27	32	29	32	38	27	50	44	36	27	23	7	1		7	20
16	14	17	38	35	37	38	59	50	41	29	14	4		8	
29	43	30	49	41	36	54	49	38	40	20	10		1	6	21
44	45	40	40	46	43	57	86	61	52	33	18	2	2	3	
														2	22
														2	
	2	4	4	3	1	1	3								23
2			1								1				
7	10	6	6	5	3	4	1	1		1				1	24
6	8	10	7	3	3	1		1							
35	36	21	18	10	9	5	3	3	3					1	25
14	12	12	6	5	6	2	3								
18	12	20	19	27	19	14	26	13	9	6	1	1	1	2	26
6	14	12	6	13	10	13	9	14	11	5	5	1			
48	37	51	39	43	39	28	34	13	6	12	3			4	27
86	92	52	38	22	30	17	9	8	6	1	2	2		6	
14	11	15	12	14	9	10	1	1	3	1				6	28
15	10	6	6	8	2	1			1	1				3	
11	18	18	24	23	15	25	18	46	24	31	8	1		3	29
11	13	6	10	14	20	22	29	29	27	25	4	4	1	1	
191	260	221	193	163	113	81	82	42	40	12	8	3	3	66	30
152	206	179	154	127	88	62	62	31	18	4	4	2	1	42	31
39	54	42	39	36	25	19	20	11	22	8	4	1	2	24	32
88	135	121	115	89	60	33	36	10	3					12	33
9	26	23	16	15	8	5	6	2	2					2	
		1	1												34
1	7		2	1	1	1	2								35
1													1		
61	60	52	31	28	22	20	17	8	7	1				10	36
25	26	16	14	14	12	9	9	1	4	2				2	
2	4	5	5	9	5	8	7	13	8	8	4	2	1	20	37
4	2	3	9	7	10	5	5	8	16	6	4	1	1	20	
58	63	65	62	90	151	323	596	1,198	1,502	1,696	1,090	493	269	55	38
26	34	25	31	39	70	133	282	531	668	707	424	167	86	28	39
32	29	40	31	51	81	190	314	664	834	989	666	326	183	27	40
						51	194	452	593	657	408	160	81	8	41
						112	223	561	753	914	623	313	176	14	
															42
1														1	43
25	34	25	31	39	70	82	88	82	75	50	16	7	5	19	44
32	29	40	31	51	81	78	91	103	81	75	43	13	7	13	
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION CITIES IN NONREGISTRATION STATES—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		35,761	987	491	263	202	127	2,070	587	613	1,899	3,661	3,936
2	Males		18,388	560	249	149	100	70	1,128	290	234	758	1,775	1,964
3	Females		17,373	427	242	114	102	57	942	297	379	1,141	1,886	1,972
4	Anemia	M	215	25	4	2	2		33	8	5	5	7	11
		F	278	25	6	5	6		42	7	7	21	23	18
5	Diabetes	M	432	2	1			2	5	8	14	18	17	24
		F	410	1		1	3		5	10	9	10	20	16
6	Rheumatism	M	412	5	2	5	5	3	20	24	24	15	21	22
		F	389	4	6	2	3	2	17	19	24	28	18	17
7	Scrofula and tabes	M	231	41	19	10	2	2	74	16	4	14	21	14
		F	263	34	13	7	4	6	64	11	12	20	19	21
8	Hydrocephalus	M	555	182	89	51	28	20	370	63	23	17	15	12
		F	426	134	91	32	35	21	313	49	10	19	6	7
9	Tuberculosis, general	M	186	7	5	4	1	5	23	13	7	10	21	23
		F	134	9	9	1	1	2	22	6	9	8	13	14
10	Consumption	M	12,797	213	105	60	47	31	456	116	129	641	1,604	1,801
		F	10,488	169	94	49	38	18	368	156	284	1,005	1,721	1,787
11	Cancer	M	2,541	2	1	1	1	1	6	3	1	8	29	32
		F	3,931	4			1		5	9	2	7	22	55
12	Tumor	M	307	11	2	2	7	1	23	10	5	13	16	12
		F	382	4	3	4	5	1	17	9	8	7	23	16
13	Dropsy	M	531	12	2	6	4	1	25	16	15	10	19	10
		F	537	4	4	1	3	3	15	13	11	13	17	15
14	Others of this group	M	181	60	18	8	3	4	93	13	7	7	5	3
		F	135	39	16	12	3	4	74	8	3	3	4	6
15	2. Diseases of the nervous system		25,228	6,643	1,559	679	400	283	9,564	738	421	428	481	552
16	Males		14,034	3,795	860	355	222	139	5,371	419	232	219	271	309
17	Females		11,194	2,848	699	324	178	144	4,193	319	189	209	210	243
18	Inflammation of the brain	M	317	83	45	28	11	4	171	28	7	8	12	7
		F	239	67	28	18	8	10	131	10	7	10	11	12
19	Meningitis	M	2,611	833	413	162	126	76	1,610	225	99	79	93	82
		F	2,005	634	311	168	90	79	1,282	193	95	67	65	57
20	Apoplexy	M	3,189	44	9	4	2	2	61	9	8	13	33	52
		F	2,704	23	7	4	3	3	40	6	9	11	25	36
21	Paralysis	M	1,729	22	4	6	8	3	43	17	10	13	11	24
		F	1,598	18	12	4	4	4	42	7	2	21	18	21
22	Paralysis, general (of insane)	M	160							1	1			4
		F	43										1	
23	Tetanus and trismus nascentium	M	593	333	4	3	4	5	349	38	60	26	18	23
		F	302	225	3			1	229	4	9	7	6	7
24	Chorea	M	7							1		2	1	
		F	20	1		1		1	3	1	5	5	3	
25	Epilepsy	M	242	8	1		1	1	11	9	5	27	18	26
		F	175	6			1	1	8	7	15	15	10	20
26	Convulsions	M	2,891	2,249	296	124	50	30	2,749	46	14	4	7	12
		F	2,351	1,689	283	96	58	32	2,158	53	11	16	15	24
27	Mental diseases	M	408							1	1	2	15	15
		F	336								1	6	8	14
28	Diseases of the brain	M	1,358	202	83	25	17	16	343	38	25	35	51	46
		F	1,007	177	51	29	14	12	283	29	33	37	33	33
29	Diseases of the spinal cord	M	200	16	4	2	3	2	27	3	1	8	5	7
		F	132	4	4	4			12	7	1	5	4	4
30	Locomotor ataxia	M	158										1	3
		F	49											
31	Others of this class	M	171	5	1	1			7	3	1	2	6	8
		F	233	4				1	5	2	1	9	11	15
32	3. Diseases of the circulatory system		16,271	852	49	42	41	53	1,037	308	362	350	468	576
33	Males		8,840	517	24	29	24	26	620	145	145	176	211	284
34	Females		7,431	335	25	13	17	27	417	163	217	174	257	292
35	Pericarditis	M	158	4	1		3	1	9	10	12	12	8	11
		F	152	5		1	2	2	10	7	15	11	11	7
36	Diseases of the heart	M	7,464	269	19	27	17	24	356	133	131	163	193	248
		F	6,535	198	23	10	15	23	269	152	197	157	223	250
37	Angina pectoris	M	381							1	1		6	7
		F	267							1	3	3	15	15
38	Diseases of the arteries	M	321	1					1			1		1
		F	186		1				1		1			1
39	Aneurism	M	217										2	14
		F	58							2			1	8
40	Embolism	M	49	7		1			8	1			2	2
		F	84	1		1			2			2	7	10
41	Others of this class	M	250	236	4	1	4	1	246		1			1
		F	149	131	1	1		2	135	1	1	1		1

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN NONREGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
3,547	3,414	2,913	2,625	2,378	2,163	1,968	1,619	1,149	682	295	89	19	16	118	1
1,912	1,864	1,600	1,450	1,295	1,156	990	815	589	339	125	28	8	5	63	2
1,635	1,550	1,313	1,175	1,083	1,007	978	804	560	343	170	61	11	11	55	3
6	11	17	14	20	21	20	15	11	8	2				1	4
16	22	19	17	22	11	16	18	9	4	3	1		1	1	
22	35	33	24	46	40	43	46	29	19	7	1			1	5
14	22	23	21	40	53	59	46	31	20	8	1	1		1	
23	20	28	34	34	37	32	30	20	15	6	3			4	6
27	18	21	26	30	18	39	33	19	12	16	2	1	2	2	
13	13	9	12	9	7	12	5	3	2	1				2	7
20	18	15	17	14	9	8	8	3	4						
14	6	9	9	6	2	2	1		2	1				3	8
4	5	4	5		2			1	1						
25	14	12	16	5	5	5	5	1	1						9
14	12	9	9	7	2	2	3	2						2	
1,705	1,596	1,262	1,018	783	584	442	315	164	102	27	5	2	2	43	10
1,344	1,098	755	482	396	315	254	232	126	81	30	14	2	2	36	
68	114	156	244	331	370	350	314	283	150	57	11	5	3	6	11
139	291	393	510	502	522	509	386	274	172	88	28	5	3	9	
14	21	25	31	28	34	26	23	18	3	5					12
23	39	40	38	32	31	38	22	25	7	3	3			1	
17	29	35	42	29	51	53	57	58	35	19	5	1		2	13
25	20	29	47	37	38	52	53	68	42	22	12	2	3	3	
5	5	14	6	4	5	5	4	2	2					1	14
9	5	5	3	3	6	1	3	2							
632	880	904	1,058	1,223	1,268	1,461	1,645	1,533	1,205	754	286	81	17	97	15
394	524	571	603	705	717	796	898	823	596	374	119	27	6	60	16
238	356	333	455	518	551	665	747	710	609	380	167	54	11	37	17
8	9	12	8	10	9	7	7	9	1	3	1				18
6	5	9	10	7	6	2	5	8	1	2				2	
74	80	60	55	43	27	20	25	13	15	4	2			5	19
38	44	26	33	26	16	16	18	10	5	9	2			3	
77	123	188	197	297	331	396	456	392	267	205	53	15	2	14	20
44	91	104	202	247	283	321	360	339	292	171	85	22	5	11	
59	73	104	111	151	151	172	210	224	192	101	38	7	4	14	21
26	52	58	78	94	120	172	222	234	203	145	51	23	4	5	
11	22	26	30	12	15	15	8	8	2	2	2			1	22
3	4	8		1	7	4	3	4	7	1					
19	9	11	11	9	3	4	5	4	2					2	23
11	8	8	3	1	4	5									
1			1	1											24
				1		2									
22	30	21	19	8	7	13	7	7	6	2	2	1		1	25
10	19	13	11	11	6	14	8	6	1		1				
6	8	4	9	10	1	4	3	4						10	26
16	11	10	4	3	2	8	8	2	3	1	1	1		9	
26	45	37	26	35	38	40	47	35	25	9	5	1		5	27
25	35	33	28	21	21	34	27	26	34	10	7	5		1	
65	88	67	87	74	83	77	74	85	61	38	13	2		6	28
37	57	41	51	58	41	54	67	59	38	33	17	1	1	4	
11	13	17	13	20	16	17	18	13	8	2	1				29
5	12	5	12	11	15	6	10	7	10	3	1	1		1	
10	11	11	26	23	23	16	14	9	6	3	1			1	30
1	2	2	6	10	12	6	2	2	4	1	1				
5	13	13	10	12	13	15	24	20	11	5	1	1		1	31
16	16	16	17	27	18	21	22	18	11	4	1	1	1	1	
705	917	1,005	1,147	1,314	1,379	1,577	1,653	1,540	1,045	544	215	45	15	69	32
362	519	592	644	733	787	898	895	852	544	276	100	11	5	41	33
343	398	413	503	581	592	679	758	688	501	268	115	34	10	28	34
10	11	14	6	19	10	9	9	5	3						35
11	8	12	11	7	9	12	12	6	2			1			
324	452	505	570	629	665	758	774	737	468	229	81	7	4	37	36
305	364	371	444	537	536	624	681	603	435	228	100	24	9	26	
9	21	31	19	40	47	66	42	52	23	11	4			1	37
13	14	11	26	24	29	25	34	26	14	11	1	2			
3	4	7	12	18	33	41	56	46	43	34	15	4	1	1	38
	4	2	5	5	9	13	24	42	34	24	13	7	1		
14	30	33	32	21	28	20	11	7	3					2	39
2	4	6	11	2	3	2	4	3	6	2					
1	1	2	5	5	4	4	8	5	4	2					40
10	3	9	5	6	6	3	2	8	7	1	1			2	
1				1											41
2	1		1				1		3	2					

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION CITIES IN NONREGISTRATION STATES—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		31,777	6,865	3,097	1,551	881	613	13,007	1,194	364	623	995	1,109
2	Males		17,561	3,961	1,692	805	445	311	7,214	611	180	334	578	680
3	Females		14,216	2,904	1,405	746	436	302	5,793	583	184	289	417	429
4	Croup	M	721	106	139	138	100	80	563	142	8	1	1	2
		F	612	85	106	96	91	65	443	151	10	2		
5	Pneumonia	M	12,154	2,426	1,172	521	270	176	4,565	352	135	265	480	560
		F	9,426	1,782	980	491	261	176	3,690	320	140	222	316	315
6	Laryngitis	M	118	18	15	11	13	9	66	12	3	1	1	2
		F	95	7	16	8	14	11	56	17	3	3	2	2
7	Bronchitis	M	2,663	1,102	307	101	47	33	1,590	59	15	19	30	34
		F	2,578	798	256	130	48	35	1,267	57	16	32	36	39
8	Pleurisy	M	329	4	16	4	6	3	33	13	7	17	23	21
		F	246	5	7	5	1	3	21	12	4	9	24	22
9	Asthma	M	420	12	1	1			14	6	1	6	6	9
		F	349	4	5				9	4		1	6	11
10	Others of this class	M	1,156	293	42	29	9	10	383	27	11	25	37	52
		F	910	223	35	16	21	12	307	22	11	20	33	40
11	5. Diseases of the digestive system		12,164	1,653	430	146	104	72	2,405	351	415	488	695	725
12	Males		6,328	963	235	79	43	31	1,351	180	225	240	293	311
13	Females		5,836	690	195	67	61	41	1,054	171	190	248	402	414
14	Dentition	M	219	119	89	9	1	1	219					
		F	183	101	73	8		1	183					
15	Angina	M	91	11	11	7	9	2	40	17	4	1	8	4
		F	86	7	6	6	1	7	27	21	11	2	5	2
16	Gastritis	M	887	173	40	14	10	3	240	16	7	11	16	15
		F	921	112	46	17	21	9	205	24	7	19	35	40
17	Diseases of the stomach	M	344	38	8	2	2		50	4	3	4	7	9
		F	247	22	8	2		3	35	4	3	7	15	13
18	Obstruction of the bowels	M	469	88	9	5	2	5	109	17	13	21	28	28
		F	500	46	4	1	10	2	63	15	8	11	31	38
19	Appendicitis	M	820	5	3	2	4	2	16	48	112	105	115	97
		F	468	3	1	2	3	1	10	48	71	60	56	58
20	Hernia	M	216	27	4				31	1	4	5	7	7
		F	194	10	2			1	13			1		2
21	Other diseases of the bowels	M	171	45	8	1		1	55	2	1	5	10	11
		F	170	34	7	2	1	3	47	2	7	8	7	18
22	Jaundice	M	236	135	3	1	2		141		1		2	7
		F	209	93	2	3		3	101	1		2	6	4
23	Inflammation and abscess of the liver.	M	346	20	2	1	1	5	29	6	5	3	16	23
		F	245	15			4	2	21	3	7	6	12	9
24	Other diseases of the liver	M	1,120	13	1	2		1	17	2	6	6	9	27
		F	606	18	4	2	2	1	27	6	3	4	16	14
25	Peritonitis	M	830	53	20	18	5	5	101	55	63	77	64	72
		F	1,451	41	17	10	7	6	81	39	66	126	212	196
26	Ascites	M	57		1				1	1	5	2	2	1
		F	65	1					1				1	5
27	Others of this class	M	522	236	36	17	7	6	302	11	1		9	10
		F	491	187	25	14	12	2	240	8	7	2	6	15
28	6. Diseases of the urinary system and male organs of generation.		11,160	190	71	55	53	45	414	215	134	177	354	496
29	Males		6,634	115	31	22	24	23	215	112	61	82	162	254
30	Females		4,526	75	40	33	29	22	199	103	73	95	192	242
31	Bright's disease	M	4,641							96	51	68	124	183
		F	3,421							88	63	77	142	162
32	Calculus, urinary	M	44	1					1				4	2
		F	13	2					2				1	1
33	Diseases of the kidney	M	392	66	28	22	20	19	155	4	1	4	10	15
		F	323	57	37	29	25	21	169	3	2	4	12	9
34	Diseases of the bladder	M	387	4	2				6	1		2	3	10
		F	64	3		1			4	1		1	1	4
35	Others of this class	M	1,170	44	1		4	4	53	11	9	8	21	44
		F	705	13	3	3	4	1	24	11	8	13	36	66
36	7. Diseases of the female organs of generation		786	4			1		5	1	6	38	80	116
37	Ovarian tumors		103							1	1	7	3	11
38	Ovarian diseases		49									1	5	6
39	Diseases of the tubes		149									10	24	39
40	Uterine tumors		195								1		3	13
41	Uterine diseases		46									3	7	8
42	Others of this class		244	4			1		5		4	17	38	39

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN NONREGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,101	1,285	1,194	1,192	1,313	1,286	1,499	1,693	1,536	1,171	730	286	79	31	89	1
680	806	781	777	816	755	767	786	728	533	316	126	25	12	56	2
421	479	413	415	497	531	732	907	808	638	414	160	54	19	33	3
	1	1								1				1	4
1	2	2												1	
567	657	626	647	635	532	546	508	460	312	174	75	12	6	40	5
340	378	325	323	367	380	510	591	461	368	234	84	31	12	19	
7	5	5	5	5	3	1		1		1					6
2	1	1	1	1	1			3	2						
22	33	40	41	58	86	90	128	142	128	99	31	10	3	5	7
27	25	24	40	49	80	120	181	204	174	116	60	18	7	6	
23	37	32	17	17	19	18	18	8	15	7	3			1	8
18	14	14	14	14	7	18	15	23	10	5	1			1	
7	15	18	19	40	51	55	60	53	30	19	7	1	1	2	9
6	13	16	16	23	24	45	59	48	41	18	6	3			
54	58	59	48	61	64	57	72	64	48	15	10	2	2	7	10
27	46	31	21	43	39	39	61	69	43	41	9	2		6	
757	807	797	726	719	762	697	671	536	345	145	63	12	3	45	11
345	380	439	420	411	441	382	350	288	150	72	22	6	1	21	12
412	427	358	306	308	321	315	321	248	195	73	41	6	2	24	13
															14
6		3	2	2			1			2			1		15
5	1	3	1	3	2		1		2						
36	38	49	53	61	80	61	71	64	36	24	7	1		1	16
47	55	42	41	50	57	59	67	72	49	31	14	3	1	3	
18	29	25	42	28	27	32	23	19	11	4	4			5	17
14	23	7	27	20	11	21	21	9	9	4	2			2	
23	24	21	31	26	31	16	31	28	15	3	2			2	18
27	34	43	34	25	36	32	36	22	22	8	8			7	
84	61	49	35	28	26	18	9	7	4	4	1			1	19
39	42	22	17	12	11	5	6	3	3	3			1	1	
7	17	18	17	10	18	15	13	21	15	7	1	1		1	20
7	17	14	11	25	16	25	21	21	12	3	5	1			
10	6	11	5	11	13	8	9	11	2			1			21
14	9	10	3	4	12	4	10	5	4	2	3			1	
8	3	7	7	10	16	9	10	7	4	3	1				22
9	6	4	5	4	12	10	18	11	11	3	1	1			
29	31	34	32	30	26	27	27	18	7	3					23
9	12	20	20	20	31	21	23	16	11	1	1	1		1	
48	94	131	126	137	140	132	111	75	41	11	4	2		1	24
31	43	57	60	66	64	67	59	42	30	9	4			4	
68	53	60	57	34	35	30	25	19	6	4				7	25
191	164	112	61	44	40	38	29	28	16	3	1			4	
	7	6	3	7	7	6	5	1	3						26
4	3	4	3	3	4	11	11	4	8	2				1	
8	17	25	10	27	22	28	15	18	6	7	2	1		3	27
15	18	20	23	32	25	22	19	15	18	4	2				
591	711	820	891	992	1,009	1,091	1,114	946	642	333	140	25	13	52	28
301	373	476	529	632	630	657	736	617	429	228	85	13	10	32	29
290	338	344	362	360	379	434	378	329	213	105	55	12	3	20	30
234	298	357	410	487	487	504	509	387	259	108	47	7	4	21	31
213	260	279	289	289	306	368	289	269	169	87	49	10	3	9	
1	2	3	3	4	4	5	6	5		2			1	1	32
2		1	1	1		1	3								
10	16	21	22	16	19	17	26	23	16	11	3			3	33
14	15	9	15	17	15	8	13	10	4	3				1	
5	8	12	11	24	20	35	62	74	61	37	12	1	3		34
2	4	3	2	1	6	6	8	8	10	1	1	1			
51	49	83	83	101	100	96	133	128	93	70	23	5	2	7	35
59	59	52	55	52	52	51	65	42	30	14	5	1		10	
134	111	114	70	40	19	15	17	7	8	3				2	36
12	10	13	13	10	5	3	8	3	2	1					37
11	11	9	1	2	1		1	1							38
34	24	12	5	1											39
24	31	48	29	18	8	8	5	2	5						40
7	7	5	3	1	1	2	1	1							41
46	28	27	19	8	4	2	2		1	2				2	42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION CITIES IN NONREGISTRATION STATES—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	1,471								8	122	313	368
2	Abortion	140									8	30	42
3	Childbirth	406								1	32	61	85
4	Puerperal septicemia	593								2	47	141	164
5	Extra-uterine pregnancy	63									1	9	18
6	Others of this class	269									34	72	59
7	9. Diseases of the bones and joints	357	18	10	7	8	5	48	41	25	27	27	16
8	Males	195	7	6	2	7	4	26	18	12	19	16	12
9	Females	162	11	4	5	1	1	22	23	13	8	11	4
10	Diseases of the spine M	61	3	3	1	2	2	11	6		5	4	7
	Diseases of the spine F	48	5	2	2	1		10	10	4	1	6	2
11	Abscess, lumbar and psoas M	12									1	1	1
	Abscess, lumbar and psoas F	9	1					1	2	1			
12	Diseases of the bones M	60	4	1	1	2	1	9	5	6	5	5	1
	Diseases of the bones F	57	2	2	2		1	7	6	5	2	4	1
13	Diseases of the hip-joint M	38				3	1	4	5	5	7	4	3
	Diseases of the hip-joint F	21	2		1			3	5	2	4	1	1
14	Others of this class M	24		2				2	2	1	1	2	
	Others of this class F	27	1					1		1	1		
15	10. Diseases of the skin	391	120	10	10	6	2	148	8	7	2	12	12
16	Males	217	60	6	7	2	1	76	5	5		6	5
17	Females	174	60	4	3	4	1	72	3	2	2	6	7
18	Abscess M	115	21	6	3	1	1	32	4	5		5	4
	Abscess F	90	29	1	2	2		34	8	1		2	6
19	Carbuncle M	32	1		1			2					1
	Carbuncle F	19			1			1			1	2	1
20	Others of this class M	70	38		3	1		42	1			1	
	Others of this class F	65	31	3		2	1	37		1	1	2	
21	11. Diseases of the absorbent system	126	9	6		3	1	19	5	5	6	4	12
22	Males	68	7	4		3	1	15	4	2	4	2	4
23	Females	58	2	2				4	1	3	2	2	8
24	Addison's disease M	21							1	1	1		2
	Addison's disease F	11									1		3
25	Diseases of the spleen M	14	3			1		4				1	2
	Diseases of the spleen F	9								1			3
26	Others of this class M	33	4	4		2	1	11	3	1	3	1	
	Others of this class F	38	2	2				4	1	2	1	2	2
27	12. Accidents and injuries	13,049	550	191	193	188	182	1,304	580	531	782	1,249	1,312
28	Males	10,159	303	97	117	99	92	708	398	444	627	994	1,094
29	Females	2,890	247	94	76	89	90	596	182	87	155	255	218
30	Burns and scalds M	499	21	38	70	55	35	219	44	15	10	28	25
	Burns and scalds F	690	19	46	40	55	59	219	93	34	40	41	43
31	Drowning M	1,081	3	9	6	8	10	36	109	158	120	107	84
	Drowning F	99	2	6	5	5	2	20	3	6	16	9	5
32	Exposure and neglect M	72	21		1		1	23	3	1	1	1	2
	Exposure and neglect F	51	26	4	2			32		1	1	2	
33	Gunshot wounds M	546	1			1	1	3	11	39	66	99	90
	Gunshot wounds F	74			2	1	2	5	4	2	4	21	9
34	Homicide M	371					2	2	6	8	22	56	73
	Homicide F	82		1		1		2	6	3	4	14	13
35	Infanticide M	2	2					2					
	Infanticide F	5	5					5					
36	Injuries by machinery M	67		1				1			3	10	15
	Injuries by machinery F	4								1		1	
37	Railroad accidents M	1,827	5	7	5	6	13	34	89	83	121	209	243
	Railroad accidents F	172	1	4	4	4	10	23	29	12	10	13	7
38	Suffocation M	329	124	9	2	2	2	139	5	2	11	20	14
	Suffocation F	180	99	9	3	2	2	115	5	3	8	7	4
39	Suicide by shooting M	389									4	38	47
	Suicide by shooting F	22									2	3	3
40	Suicide by drowning M	52									2	3	3
	Suicide by drowning F	16									1	2	4
41	Suicide by poison M	267									2	17	30
	Suicide by poison F	172								1	30	35	34
42	Other suicides M	609									11	40	49
	Other suicides F	145									12	22	17
43	Sunstroke M	166	11	4	2		1	18	4		2	12	8
	Sunstroke F	76	13	5	1	1		20	2			2	2
44	Surgical operations M	79	5	1	1		1	8	4		1	7	10
	Surgical operations F	167	2		1			3	2	1	3	28	16
45	Wounds M	227			1	3	2	6	5	5	25	25	33
	Wounds F	13	1					1	3	1	1	1	1
46	Others of this class M	3,576	112	28	29	24	24	217	118	133	226	322	368
	Others of this class F	922	79	19	18	20	15	151	35	22	23	54	60

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN NONREGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
301	233	109	11	1					1					9	1
24	29	6												1	2
96	84	38	4	1										4	3
115	81	34	6						1					2	4
19	11	4												1	5
47	28	27	1											1	6
23	16	24	20	18	19	16	10	17	3	1	1				7
15	7	15	12	10	7	8	5	6	6						8
8	9	9	8	8	12	5	4	11	2	1	1				9
5	3	6	4	2	1		2	3	2						10
2	4	2		2	2	5									
3	1		1	1	1	1			1						11
		1	1	1	1			1							
4	1	4	2	4	2	4	4	1	3						12
3	3	3	4	4	3	3	2	5		1	1				
3	2	3		1	1										13
2	2	1													
		2	5	2	2	3		2							14
1		2	3	1	6	2	2	5	2						
13	24	26	15	21	27	26	16	15	9	5	3	1		1	15
5	14	16	9	14	19	13	10	7	7	4	2				16
8	10	10	6	7	8	13	6	8	2	1	1	1		1	17
4	12	7	5	9	9	7	6	2	2	2					18
6	6	7	6	3	6	4	4	1			1				
1		3	3	2	5	3	4	3	2	1	2				19
	1	1		3	1	2	1	3	1	1					
	2	5	1	3	5	3		2	3	1					20
2	3	2		1	1	7	1	4	1			1		1	
12	7	6	11	9	11	9	4	4						2	21
7	3	3	3	4	5	6	1	4						1	22
5	4	3	8	5	6	3	3							1	23
2	2	1	2	2	2	4		1							24
1	2	1		1	1									1	
2			1	1		1	1	1							25
1			1	1			2								
3	1	2		1	3	1		2						1	26
3	2	2	7	3	5	2	1								
1,272	1,264	961	894	696	548	477	350	256	190	132	52	9	6	184	27
1,057	1,056	806	758	605	445	384	258	164	103	70	25		4	159	28
215	208	155	136	91	103	93	92	92	87	62	27	9	2	25	29
32	29	24	20	12	8	11	7	3	2	2	1			7	30
41	34	24	25	11	23	19	12	9	14	4	1	2		1	
83	81	65	58	43	32	34	17	5	9	5	1			35	31
11	6	5	5	3	2	3	3	1						2	
7	4	4	4	3	4	5	4	1	2				1	1	32
1	2	1			3				2	3	3				
62	50	32	34	13	17	9	3	3	1		1			13	33
11	11	3	1			1			2						
54	53	25	25	15	10	7	3	2		1				8	34
15	3	5	4	2	2	1	2							6	
															35
11	7	8	4	4	2		2								36
1		1													
213	210	158	121	96	77	62	30	24	12	9	3		1	32	37
6	8	10	10	6	3	1	8	8	8	2	1			2	
19	26	20	16	6	9	11	9	4	4	1	2			11	38
3	5	2	1	2	4	5	1	4	2	3				8	
46	50	50	45	37	17	13	16	7	7	3				9	39
5	2	2	1	2	1				1						
3	4	7	7	6	5	4	1	2	2	2				1	40
4		1		2				1	1						
38	39	33	27	31	14	16	7	7	1					5	41
19	22	9	7	6	1	3	1	2				1		1	
59	70	69	62	77	56	42	29	16	16	6	1			6	42
16	24	14	12	5	7	3	2	3	4	2	1			1	
17	22	12	15	19	13	5	3	9	2	2	1			2	43
2	3	2	5	5	7	8	5	6	4	3					
8	7	4	5	7	6	6	3	1	1	1					44
25	22	23	15	10	11	1	4	2	1						
26	26	13	19	13	7	11	4	1		2	1			5	45
	1					2	1			1					
379	378	281	296	223	168	147	120	78	44	38	14		2	24	46
55	65	53	50	38	34	48	53	56	48	44	21	6	2	4	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NONREGISTRATION RECORD.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	526,425	97,105	33,893	16,116	9,813	7,034	163,961	21,703	15,915	24,689	29,644	24,757
2	Males	278,792	53,422	17,831	8,383	4,970	3,578	88,184	10,953	7,857	11,671	14,421	11,755
3	Females	247,633	43,683	16,062	7,733	4,843	3,456	75,777	10,750	8,058	13,018	15,223	13,002
4	Unknown cause	35,690	17,320	2,214	1,054	577	462	21,627	1,199	755	857	960	791
5	Males	18,641	9,481	1,173	562	307	228	11,751	616	359	395	414	318
6	Females	17,049	7,839	1,041	492	270	234	9,876	583	396	462	546	473
	1. General diseases.												
7	General diseases—A	121,592	26,458	15,495	6,782	4,004	2,948	55,687	9,194	5,762	7,163	6,817	4,956
8	Males	62,179	14,131	8,073	3,427	1,897	1,476	29,004	4,440	2,591	3,358	3,677	2,561
9	Females	59,413	12,327	7,422	3,355	2,107	1,472	26,683	4,754	3,171	3,805	3,140	2,395
10	Measles M	4,359	1,094	872	416	235	143	2,760	398	220	242	218	105
	Measles F	4,706	974	764	408	273	148	2,567	392	246	316	218	180
11	Scarlet fever M	1,447	214	231	198	170	155	968	325	70	29	17	8
	Scarlet fever F	1,559	173	226	197	194	155	945	357	118	58	23	12
12	Diphtheria M	3,048	304	358	372	341	278	1,653	853	293	118	46	12
	Diphtheria F	3,226	239	294	334	342	318	1,527	1,029	395	121	32	35
13	Whooping cough M	2,883	1,683	609	223	114	77	2,706	118	24	12	2	----
	Whooping cough F	3,406	1,814	787	347	160	91	3,199	145	32	11	2	3
14	Malarial fever M	6,194	793	562	315	202	185	2,057	633	412	486	472	333
	Malarial fever F	6,154	736	555	323	242	196	2,052	684	421	511	423	338
15	Influenza M	4,768	810	209	94	43	35	1,191	102	56	91	107	90
	Influenza F	4,995	597	181	88	51	33	950	104	78	123	114	122
16	Typhoid fever M	13,261	519	486	314	256	198	1,773	943	921	1,732	2,069	1,396
	Typhoid fever F	12,369	483	458	347	279	192	1,759	1,069	1,394	2,050	1,522	934
17	Cholera morbus M	2,456	796	336	166	56	43	1,397	139	97	69	61	41
	Cholera morbus F	2,160	578	279	123	67	37	1,084	127	67	63	77	78
18	Colitis M	287	80	71	24	11	4	190	3	----	2	4	3
	Colitis F	218	66	52	18	3	1	140	5	1	----	5	1
19	Diarrhea M	2,307	534	350	133	34	20	1,071	121	47	25	24	40
	Diarrhea F	1,726	422	322	116	46	13	919	122	36	19	22	29
20	Dysentery M	4,615	966	1,107	406	160	98	2,737	220	82	72	89	69
	Dysentery F	4,089	825	920	370	126	73	2,314	171	56	57	64	77
21	Enteritis M	2,371	929	453	158	57	49	1,646	110	52	51	39	34
	Enteritis F	2,169	808	365	138	70	43	1,424	111	40	47	46	44
22	Cholera infantum M	6,281	3,966	1,902	317	67	28	6,280	----	----	----	----	----
	Cholera infantum F	5,537	3,365	1,721	330	79	41	5,536	----	----	----	----	----
23	Fever M	1,331	368	210	87	50	38	753	106	46	59	75	48
	Fever F	1,373	363	179	65	51	38	696	114	64	77	74	71
24	Cerebro-spinal fever M	1,195	314	139	80	40	48	621	135	73	96	51	50
	Cerebro-spinal fever F	940	248	132	59	50	28	517	121	77	47	43	40
25	Smallpox M	1,753	205	53	47	22	37	364	89	61	141	215	172
	Smallpox F	1,138	166	64	30	35	26	321	93	52	98	116	84
26	Erysipelas M	735	205	29	17	8	3	262	19	20	18	24	28
	Erysipelas F	650	193	34	5	5	4	241	18	16	30	17	21
27	Septicemia M	1,717	201	42	34	17	23	317	82	93	80	95	80
	Septicemia F	2,192	166	51	37	20	20	294	59	58	146	290	290
28	Venereal diseases M	405	69	14	6	2	----	91	3	3	15	33	33
	Venereal diseases F	239	42	13	6	3	1	65	4	2	11	22	18
29	Others of this group M	766	81	40	20	12	14	167	41	21	20	35	24
	Others of this group F	567	69	25	14	11	14	133	29	18	20	30	18
30	General diseases—B	6,424	3,223	413	280	145	97	4,158	192	64	103	159	149
31	Males	3,890	1,798	214	149	83	57	2,301	92	34	54	96	88
32	Females	2,534	1,425	199	131	62	40	1,857	100	30	49	63	61
33	Alcoholism M	695	2	1	----	----	2	5	5	----	3	14	34
	Alcoholism F	55	----	----	----	1	1	2	----	----	2	4	3
34	Parasitic diseases M	244	26	50	50	36	29	191	39	2	2	3	1
	Parasitic diseases F	265	26	60	52	34	19	191	55	5	3	----	1
35	Lead poison M	39	1	1	----	----	1	3	----	----	3	1	4
	Lead poison F	5	2	----	----	----	1	3	----	----	----	----	----
36	Other poisons M	964	66	99	71	38	15	289	41	29	45	73	45
	Other poisons F	634	54	67	61	19	14	215	40	21	44	55	55
37	Inanition M	1,948	1,703	63	28	9	10	1,813	7	3	1	5	4
	Inanition F	1,575	1,343	72	18	8	5	1,446	5	4	----	4	2
38	General diseases—C	24,339	7,993	266	82	30	14	8,385	41	33	38	55	49
39	Males	12,539	4,457	125	40	16	8	4,646	20	19	24	27	20
40	Females	11,800	3,536	141	42	14	6	3,739	21	14	14	28	29
41	Old age M	6,689	----	----	----	----	----	----	----	----	----	----	----
	Old age F	6,975	----	----	----	----	----	----	----	----	----	----	----
42	Premature birth M	2,834	2,834	----	----	----	----	2,834	----	----	----	----	----
	Premature birth F	2,196	2,196	----	----	----	----	2,196	----	----	----	----	----
43	Malformation M	532	495	12	4	3	2	516	4	3	2	2	----
	Malformation F	463	428	14	5	5	2	454	3	3	1	----	1
44	Debility and atrophy M	2,212	858	113	36	13	6	1,026	16	16	22	25	20
	Debility and atrophy F	1,962	710	127	37	9	4	887	18	11	13	28	28
45	Others of this group M	272	270	----	----	----	----	270	----	----	----	----	----
	Others of this group F	204	202	----	----	----	----	202	----	----	----	----	----

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NONREGISTRATION RECORD.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Unknown.	
20,672	20,034	19,153	18,282	19,544	19,062	22,023	24,421	25,681	22,122	16,395	8,247	2,923	1,621	5,576	1
9,790	9,756	9,778	10,034	10,911	10,827	12,482	14,149	14,729	12,572	9,175	4,416	1,400	674	3,258	2
10,882	10,278	9,375	8,248	8,633	8,235	9,541	10,272	10,952	9,550	7,220	3,831	1,523	947	2,318	3
646	646	681	623	723	687	803	926	889	835	653	327	153	115	794	4
262	266	311	291	371	357	419	488	487	485	372	159	65	43	412	5
384	380	370	332	352	330	384	438	402	350	281	168	88	72	382	6
3,751	3,344	2,907	2,637	2,573	2,184	2,465	2,663	2,795	2,482	1,890	974	325	177	846	7
1,836	1,647	1,475	1,489	1,364	1,170	1,270	1,391	1,427	1,323	993	509	146	59	449	8
1,915	1,697	1,432	1,148	1,209	1,014	1,195	1,272	1,368	1,159	897	465	179	118	397	9
75	66	62	71	50	14	15	16	7	13	6	2			19	10
176	147	130	81	82	44	31	27	23	13	8	5	1	1	18	
6	2	2		2	4	3	2	1		1		1		6	11
14	13	4		1	2	4	1	1		1	1			4	
11	7	11	1	8	5	3	4	3	8	3	4			10	12
17	15	9	9	8	5	5	3	3	2		1			10	
		2	3		2		1	2	2	2				7	13
1		1			2			2	1	2				5	
247	192	200	196	183	159	137	124	121	113	48	30	8	4	39	14
218	191	208	171	164	130	142	139	126	87	48	28	6	13	54	
66	94	105	132	144	174	241	363	482	482	447	247	85	31	38	15
118	116	129	118	194	196	291	369	539	512	458	239	105	74	46	
936	777	622	569	387	278	222	182	165	116	51	26	7	2	87	16
698	587	445	397	354	287	242	207	154	85	56	21	6	5	97	
32	41	35	47	65	65	78	70	71	62	43	18	8	2	15	17
63	66	61	39	46	66	52	74	62	61	40	16	5	1	12	
4	2	8	10	11	4	13	10	9	6	4	2			2	18
6	3	5	3	5	5	9	8	6	7	5	2			2	
24	29	17	51	72	94	117	147	120	115	85	43	8	5	52	19
35	34	33	28	43	34	61	62	88	52	36	34	7	6	26	
73	69	72	100	123	107	134	152	158	156	108	49	10	7	28	20
66	68	82	75	97	72	143	172	185	173	108	53	25	9	22	
27	29	43	39	39	30	37	55	40	41	28	10	2	1	18	21
35	46	35	33	28	36	46	48	48	50	19	15	2	1	15	
														1	22
														1	
32	33	17	22	21	14	21	17	21	12	18	3	2		11	23
40	38	28	25	25	15	20	18	15	15	15	11	2	1	9	
31	33	27	19	14	14	11	4	4	4	3		1		4	24
22	17	11	6	12	6	6	1	4	4	2				4	
136	101	104	60	65	37	43	25	39	16	12	3	2	1	67	25
71	54	49	39	38	18	22	21	13	5	5	2	1	2	34	
24	21	22	34	27	42	28	52	34	35	29	15	2		4	26
20	20	27	29	28	28	27	33	28	25	26	9	2		5	
63	102	71	81	105	88	117	101	68	75	47	23	4	2	22	27
265	249	140	70	56	48	56	40	44	26	26	9	6	2	18	
31	28	34	33	24	18	21	17	6	6					9	28
29	21	16	15	7	4	9	6	2		2				6	
18	21	21	21	24	21	29	49	76	66	58	34	6	4	10	29
21	12	19	10	21	16	29	43	25	41	40	19	11	3	9	
172	183	172	199	177	144	122	107	81	76	35	27	7	5	92	30
116	144	149	165	149	121	95	78	49	56	21	13	3	3	63	31
56	39	23	34	28	23	27	29	32	20	14	14	4	2	29	32
51	84	101	84	87	72	52	37	21	20	2				23	33
8	5	5	5	2		3	4	3	2		2			5	
	1	1		1				1		1		1			34
	2	2	1	1	2		1	1							
6	4	2	6	4	3			2	1						35
				1							1				
56	53	43	68	56	37	33	31	14	22	6	2		2	19	36
41	29	13	23	17	15	18	13	18	6			2	1	8	
3	2	2	7	1	9	10	10	11	13	12	11	2	1	21	37
7	3	3	5	7	6	6	11	10	12	14	11	2	1	16	
57	49	67	77	125	154	356	661	1,851	2,875	4,061	2,834	1,384	876	311	38
27	20	33	42	58	81	163	335	953	1,382	2,074	1,440	668	356	151	39
30	29	34	35	67	73	193	326	898	1,493	1,987	1,394	716	520	160	40
						90	217	800	1,214	1,929	1,359	640	347	93	41
						113	239	791	1,351	1,862	1,334	677	499	109	
															42
					2									3	43
				1											
27	20	33	42	57	79	72	118	153	168	145	81	28	9	55	44
30	27	34	35	66	73	80	87	107	142	125	60	39	21	51	
				1		1									45
	2														

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NONREGISTRATION RECORD—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		89,153	2,332	1,505	887	521	380	5,625	1,749	2,318	6,332	9,730	8,519
2	Males		40,258	1,202	803	459	283	205	2,952	837	885	2,240	3,786	3,384
3	Females		48,895	1,130	702	428	238	175	2,673	912	1,433	4,092	5,944	5,135
4	Anemia	M	330	60	12	4	4	4	84	12	9	14	8	10
		F	397	46	8	3	3	2	62	12	15	24	35	36
5	Diabetes	M	1,246	8	17	13	12	8	58	57	62	77	59	45
		F	733	5	11	12	12	5	45	36	55	44	32	33
6	Rheumatism	M	1,703	27	16	11	9	15	78	74	111	108	71	57
		F	1,413	18	6	14	5	14	57	63	86	70	67	50
7	Scrofula and tabes	M	1,216	153	119	68	41	28	409	90	51	70	75	61
		F	1,233	133	111	48	34	21	347	94	81	72	89	72
8	Hydrocephalus	M	609	230	117	49	28	12	436	56	23	24	13	9
		F	520	202	79	41	24	13	359	49	28	24	13	13
9	Tuberculosis, general	M	199	2	5	1	3	1	12	3	3	18	19	22
		F	174	7	6	2	2		17	7	10	7	24	19
10	Consumption	M	24,434	524	348	186	100	91	1,249	309	454	1,754	3,341	3,007
		F	31,354	567	343	183	92	77	1,262	449	995	3,622	5,374	4,541
11	Cancer	M	5,048	28	8	13	7	6	62	23	26	32	34	67
		F	7,131	24	11	15	5	8	63	21	18	40	73	127
12	Tumor	M	611	51	14	16	9	6	96	29	18	26	18	13
		F	1,149	36	13	10	9	4	72	17	17	29	40	55
13	Dropsy	M	4,652	70	116	86	64	33	369	175	120	104	138	86
		F	4,633	55	98	89	43	27	312	156	120	152	186	185
14	Others of this group	M	210	49	31	12	6	1	99	9	8	13	10	7
		F	158	37	16	11	9	4	77	8	8	8	11	4
15	2. Diseases of the nervous system		55,016	11,043	3,437	1,533	989	709	17,711	2,306	1,478	1,614	1,402	1,208
16	Males		30,509	6,326	1,785	801	517	371	9,800	1,250	768	845	745	625
17	Females		24,507	4,717	1,652	732	472	338	7,911	1,056	710	769	657	583
18	Inflammation of the brain	M	2,876	981	426	192	112	77	1,788	232	121	119	101	54
		F	2,284	771	370	140	96	73	1,450	190	113	105	71	56
19	Meningitis	M	4,674	1,448	656	294	199	134	2,731	502	273	270	172	109
		F	3,804	1,056	620	302	174	137	2,289	414	257	191	132	101
20	Apoplexy	M	4,503	38	6	10	3	4	61	19	14	29	60	61
		F	3,225	36	21	9	10	2	78	18	25	41	49	49
21	Paralysis	M	7,234	80	44	25	20	14	183	67	41	56	51	62
		F	6,467	64	32	25	18	11	150	60	40	60	72	65
22	Paralysis, general (of insane)	M	534										3	7
		F	180							1	1		2	6
23	Tetanus and trismus nascentium	M	609	250	9	3	8	6	276	56	70	40	31	25
		F	332	185	7	3	3	4	202	26	15	17	13	11
24	Chorea	M	31	3		2	1		6	6	2	1	1	2
		F	62	1			2	1	4	4	20	17	3	1
25	Epilepsy	M	1,235	150	21	11	13	4	199	51	76	146	135	125
		F	869	137	20	14	9	9	189	32	46	97	93	66
26	Convulsions	M	3,273	2,554	298	108	56	37	3,053	67	31	14	10	10
		F	2,710	1,866	283	110	62	27	2,348	59	26	63	48	41
27	Mental diseases	M	929							1	4	18	36	50
		F	715							2	3	13	38	47
28	Diseases of the brain	M	3,488	723	285	139	90	93	1,330	210	111	126	115	85
		F	2,624	519	255	117	89	64	1,044	218	133	121	86	92
29	Diseases of the spinal cord	M	366	60	28	15	8	2	113	28	21	9	16	12
		F	277	54	34	9	7	6	110	17	18	13	5	1
30	Locomotor ataxia	M	166			1			1		1	1	2	5
		F	53		1	1			2				2	2
31	Others of this class	M	591	39	12	1	7		59	11	3	16	12	18
		F	905	28	9	2	2	4	45	15	13	31	43	45
32	3. Diseases of the circulatory system		32,558	1,929	185	108	79	99	2,400	482	573	703	948	903
33	Males		17,920	1,110	102	55	50	62	1,379	241	269	308	366	365
34	Females		14,638	819	83	53	29	37	1,021	241	304	395	582	538
35	Pericarditis	M	122	3		1		1	5	2	4	5	9	3
		F	90	1	1		2	1	5	7	9	8	7	5
36	Diseases of the heart	M	16,717	932	99	51	48	59	1,192	231	253	292	345	346
		F	13,778	703	80	53	26	35	897	230	287	375	531	505
37	Angina pectoris	M	540							2	3	7	7	8
		F	406							2	4	5	21	14
38	Diseases of the arteries	M	159											3
		F	51											
39	Aneurism	M	146							2	4	3	4	5
		F	120							1	3	4	11	10
40	Embolism	M	48	5			1		6	3	4	1		
		F	65									2	12	4
41	Others of this class	M	188	170	3		1	2	176	1	1			
		F	128	115	2		1	1	119	1	1			

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900.

NONREGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
6,726	5,968	5,618	5,204	5,203	4,857	4,993	4,938	4,516	3,042	1,774	707	187	101	1,046	1
2,723	2,525	2,424	2,343	2,467	2,398	2,529	2,641	2,417	1,625	998	389	82	49	534	2
4,003	3,443	3,194	2,861	2,736	2,459	2,464	2,297	2,069	1,417	776	318	105	52	512	3
11	8	11	19	21	18	28	28	18	19	8	1			3	4
19	20	31	22	27	14	20	15	20	13	5	2			5	
49	47	57	63	61	74	100	129	135	95	45	17	6	1	9	5
31	33	34	35	60	83	67	55	43	19	18	6	1	1	2	
50	67	66	89	90	114	128	150	174	128	87	34	6	8	13	6
40	68	54	67	91	91	117	135	141	110	54	29	8	5	10	
53	42	40	46	51	45	51	47	33	21	13	1	2	1	14	7
69	55	47	42	50	44	40	34	38	25	11	7	1	2	13	
13	9	5	5	1	1	1	4	3	2					3	8
12	4	5	3	2	2	4	1							1	
12	17	19	14	12	22	6	11	7	1	1					9
20	12	7	9	8	9	8	3	5	4	1	2			2	
2,310	2,073	1,795	1,528	1,459	1,270	1,048	974	772	446	198	68	18	9	352	10
3,301	2,569	2,088	1,531	1,266	987	890	827	670	408	182	58	14	8	312	
102	141	245	361	439	528	701	718	667	439	264	110	21	8	60	11
238	399	587	788	843	839	815	748	619	441	242	105	38	11	76	
28	23	43	26	43	41	58	52	41	30	14	4	1	1	6	12
65	73	119	108	94	99	114	86	81	46	13	6	1	1	13	
89	94	132	184	284	279	405	521	592	441	364	153	28	21	73	13
206	209	219	249	291	284	386	386	447	351	249	102	42	24	77	
6	4	11	7	6	6	3	7	5	3	4	1			1	14
2	1	3	7	4	7	3	7	5		1	1			1	
1,215	1,363	1,630	1,856	2,212	2,449	2,957	3,766	4,166	3,553	2,343	971	239	79	498	15
643	775	914	1,020	1,224	1,397	1,653	2,230	2,339	1,970	1,325	526	115	32	313	16
572	588	716	836	988	1,052	1,304	1,536	1,827	1,583	1,018	445	124	47	185	17
53	48	43	55	44	46	30	41	34	23	14	12	2		16	18
37	36	32	32	25	24	27	23	18	21	12	6	3	1	2	
102	110	76	61	67	45	27	32	34	21	11		2		29	19
75	56	67	49	33	33	35	12	19	18	9	3		2	9	
73	119	174	250	329	414	518	666	658	501	332	137	27	5	56	20
75	89	136	208	263	274	336	395	470	359	219	81	25	8	27	
82	141	193	250	358	486	682	1,045	1,208	1,086	762	314	69	20	78	21
79	110	193	241	374	462	645	815	1,012	986	632	309	79	29	54	
43	66	89	86	67	46	38	29	26	8	5	5			16	22
16	12	19	19	15	12	18	17	17	13	3	3	1		5	
21	12	11	11	10	12	14	7	5	3		1			4	23
9	7	8	2	6	7	1	2	3	1	1			1		
		2	2	2	2	1		1	1	1				1	24
	2		4			1	2	1	1	1	1				
82	61	59	50	41	41	40	33	28	27	16	4		1	20	25
57	59	33	36	27	25	18	16	27	13	8	3	2	8	19	
13	11	8	7	11	8	1	1	4	1	3			1	19	26
20	22	13	9	6	3	3	6	5	3	6				20	
40	68	77	70	86	81	71	80	78	78	45	11	4		31	27
56	69	78	67	65	46	43	48	46	36	28	6	4		20	
108	105	132	121	139	134	142	165	168	143	88	26	4	2	31	28
77	58	73	83	98	82	79	107	105	73	58	12	7	1	17	
5	9	14	17	22	24	20	25	12	11	6	1			1	29
10	8	9	16	10	11	14	10	10	5	5	1	1		3	
7	11	12	13	18	12	23	30	14	6	6				4	30
2	5	4	3	5	9	9	3	4		1			1	1	
14	14	24	27	30	46	46	76	69	61	36	15	7	3	4	31
50	55	51	67	61	64	75	80	90	54	35	20	2	1	8	
1,061	1,280	1,426	1,518	2,089	2,345	3,156	3,736	3,776	3,043	1,793	711	191	71	353	32
437	550	618	801	1,152	1,362	1,831	2,243	2,305	1,872	1,071	395	109	31	215	33
624	730	808	717	937	983	1,325	1,493	1,471	1,171	722	316	82	40	138	34
4	9	5	4	10	10	7	15	10	11	3	3	2		1	35
2	3	5	5	5	6	4	8	3	1	5	1			1	
412	514	575	752	1,068	1,277	1,725	2,067	2,184	1,762	1,013	376	102	28	203	36
581	696	760	676	892	924	1,258	1,414	1,396	1,112	686	306	82	39	131	
9	18	21	27	47	53	64	113	65	55	29	6	1		5	37
19	15	25	28	27	33	49	53	58	33	15	2			2	
	1	2	2	7	6	16	20	28	34	20	10	4	3	5	38
1		1		1	5	1	5	5	15	10	4			3	
10	8	11	12	18	12	17	18	10	7	2				3	39
15	7	10	7	9	9	8	5	7	7	2	3		1	1	
2		4	2	1	4	1	8	8	1	2					40
6	8	7	1	3	6	4	6	1	3	2					
			2	1		1	2		2	2					41
	1					1	2	1		2					

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NONREGISTRATION RECORD—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	73,531	16,675	6,364	3,348	1,967	1,246	29,600	2,971	1,709	2,726	3,004	2,424
2	Males	40,800	9,322	3,398	1,788	1,010	642	16,190	1,515	861	1.538	1,762	1,345
3	Females	32,731	7,353	2,966	1,560	927	604	13,410	1,456	848	1,188	1,242	1,079
4	Croup M	5,281	2,730	778	571	424	269	4,772	437	42	6	4	3
	Croup F	4,373	2,282	592	471	348	221	3,914	365	35	8	9	3
5	Pneumonia M	28,442	4,960	2,069	998	505	307	8,839	894	703	1,391	1,606	1,175
	Pneumonia F	22,233	3,730	1,850	887	470	291	7,228	887	698	1,019	1,024	921
6	Laryngitis M	143	27	9	10	9	10	65	18	7	4	2	5
	Laryngitis F	120	20	16	7	9	6	58	20	6	5	4	3
7	Bronchitis M	3,187	1,095	407	147	67	41	1,757	83	28	35	51	50
	Bronchitis F	3,133	938	398	136	67	56	1,595	110	49	51	63	46
8	Pleurisy M	786	24	12	16	8	3	63	20	26	21	27	41
	Pleurisy F	606	19	12	9	5	3	48	18	16	23	31	33
9	Asthma M	1,029	30	12	8	2	3	55	7	6	8	3	10
	Asthma F	745	19	9	6	6	3	43	6	5	8	15	18
10	Others of this class M	1,932	456	111	38	25	9	639	56	49	73	69	61
	Others of this class F	1,521	345	89	44	22	24	524	50	39	74	96	55
11	5. Diseases of the digestive system	31,850	6,505	2,677	914	518	376	10,990	1,359	1,104	1,226	1,382	1,233
12	Males	16,998	3,584	1,409	458	267	193	5,911	722	604	640	688	572
13	Females	14,852	2,921	1,268	456	251	183	5,079	637	500	586	694	661
14	Dentition M	977	390	514	56	14	1	975					
	Dentition F	911	365	462	75	8	1	911					
15	Angina M	500	118	52	51	39	35	295	67	24	12	13	10
	Angina F	525	86	55	46	39	36	262	101	37	24	7	13
16	Gastritis M	2,060	295	145	58	30	25	553	84	26	27	58	42
	Gastritis F	2,027	260	145	62	28	19	514	74	39	58	78	112
17	Diseases of the stomach M	1,876	343	139	61	37	33	613	99	59	45	50	53
	Diseases of the stomach F	1,778	299	120	63	36	33	551	100	58	61	77	81
18	Obstruction of the bowels M	764	122	21	24	15	6	188	42	37	53	38	33
	Obstruction of the bowels F	643	72	19	12	23	7	133	23	24	28	29	30
19	Appendicitis M	1,491	13	5	9	13	14	54	105	203	222	213	159
	Appendicitis F	762	7	8	6	6	8	35	86	138	124	84	56
20	Hernia M	587	63	11	4	5	1	84	8	6	15	19	14
	Hernia F	321	27	4	2	1	1	35		2	3	1	3
21	Other diseases of the bowels M	1,430	405	187	63	29	14	698	56	35	45	50	29
	Other diseases of the bowels F	1,137	314	144	52	29	9	548	43	34	32	33	38
22	Jaundice M	832	383	25	7	4	3	422	33	14	32	27	27
	Jaundice F	667	257	11	11	5	5	289	22	15	23	34	26
23	Inflammation and abscess of the liver. M	871	54	15	16	5	6	96	26	21	20	43	45
	Inflammation and abscess of the liver. F	772	45	26	16	8	9	104	13	12	26	43	32
24	Other diseases of the liver M	1,544	119	30	21	14	10	194	31	22	22	33	36
	Other diseases of the liver F	1,019	94	20	14	6	5	139	23	16	14	25	25
25	Peritonitis M	1,007	67	31	13	15	13	139	84	86	104	90	64
	Peritonitis F	1,466	67	24	19	17	13	140	66	78	145	209	192
26	Ascites M	537	14	14	10	6	11	55	16	22	6	19	14
	Ascites F	556	13	10	7	7	4	41	20	18	22	29	17
27	Others of this class M	2,522	1,198	220	65	41	21	1,545	71	49	37	35	46
	Others of this class F	2,268	1,015	220	71	38	33	1,377	66	29	26	45	36
28	6. Diseases of the urinary system and male organs of generation.	15,494	371	134	100	73	57	735	227	258	345	528	520
29	Males	10,710	222	77	56	44	30	429	128	122	159	255	243
30	Females	4,784	149	57	44	29	27	306	99	136	186	273	277
31	Bright's disease M	6,612							71	77	103	166	178
	Bright's disease F	3,282							58	96	119	188	191
32	Calculus, urinary M	241	10	2	2	1	1	16	9	2	2	3	6
	Calculus, urinary F	51	5		2	3		10				3	1
33	Diseases of the kidney M	1,872	150	66	49	37	25	327	30	24	30	39	28
	Diseases of the kidney F	834	105	49	38	25	24	241	27	20	28	36	31
34	Diseases of the bladder M	895	8	5		1	2	16	1	1	2	18	6
	Diseases of the bladder F	112	13				1	14	1		4	3	5
35	Others of this class M	1,090	54	4	5	5	2	70	17	18	22	29	25
	Others of this class F	505	26	8	4	1	2	41	13	20	35	43	49
36	7. Diseases of the female organs of generation	1,441	5	1			1	7	1	26	106	140	152
37	Ovarian tumors	194		1				1	1		5	13	11
38	Ovarian diseases	45	1					1		1	3	5	6
39	Diseases of the tubes	44	1					1			4	7	8
40	Uterine tumors	178									2	9	9
41	Uterine diseases	289								3	19	35	39
42	Others of this class	691	3				1	4		22	73	71	79

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NONREGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,265	2,403	2,525	2,540	2,688	2,602	3,095	3,280	3,392	2,807	1,790	815	213	101	581	1
1,230	1,351	1,499	1,565	1,649	1,546	1,755	1,832	1,812	1,496	933	418	82	49	372	2
1,035	1,052	1,026	975	1,039	1,056	1,340	1,448	1,580	1,311	857	397	131	52	209	3
1	2			1		1		2		1	1		1	7	4
[illegible]	2	3	3	4	[illegible]	4	4		1	3				7	
1,091	1,200	1,325	1,319	1,363	1,199	1,348	1,347	1,284	1,038	635	290	57	35	303	5
879	876	862	807	847	837	1,030	1,093	1,118	935	618	284	87	28	155	
4	1	5	5	3	5	5	3	2	3	2	2			2	6
5	1	3			1	2	1	4	2	2	1			2	
34	37	40	61	82	94	96	155	176	185	128	58	14	5	18	7
43	39	50	56	66	82	104	149	209	196	114	67	19	11	14	
32	28	33	33	42	48	72	74	84	73	37	18	3	2	9	8
16	30	26	30	32	32	43	53	69	44	33	12	10	2	5	
15	12	28	49	73	97	119	138	166	116	74	28	5	5	15	9
15	30	26	33	42	47	88	80	104	75	56	21	10	10	13	
53	71	68	98	85	103	114	115	98	81	56	21	3	1	18	10
71	74	56	46	48	55	69	68	76	58	31	12	5	1	13	
1,048	1,126	1,177	1,196	1,343	1,455	1,576	1,692	1,535	1,171	683	274	61	25	194	11
487	517	604	647	748	813	898	926	854	665	395	146	31	17	113	12
561	609	573	549	595	642	678	766	681	506	288	128	30	[illegible]	81	13
														2	14
12	[illegible]	7	6	6	4	6	11	[illegible]	5	3		1		1	15
11	7	4	10	[illegible]	12	2	7	7	2	7	2			2	
54	52	77	97	129	134	163	155	170	134	67	18	5	4	11	16
76	80	80	78	98	113	131	159	130	105	59	29	5	1	8	
36	47	77	68	86	103	111	133	114	96	56	18	2	3	7	17
47	79	67	54	68	84	92	108	108	74	39	16	6		8	
20	28	30	31	33	31	45	39	51	34	16	7	2		[illegible]	18
22	26	43	28	35	39	45	40	40	31	14	6	3		4	
88	89	79	65	43	36	43	31	26	20	8	1			6	19
45	37	35	29	23	22	16	10	9	8	2				3	
16	19	20	23	24	44	47	57	53	60	41	18	4	3	12	20
11	13	22	34	38	34	24	34	32	18	5	9			3	
33	38	29	28	43	57	46	53	61	55	40	22	5		7	21
37	35	24	30	29	31	37	41	44	40	29	12	5	5	10	
22	[illegible]	18	19	30	41	21	26	29	24	16	7	1		1	22
19	21	19	14	28	28	26	35	23	16	16	7	2		4	
49	43	56	63	72	68	78	56	50	41	23	7	1	2	11	23
40	48	44	63	45	46	65	69	54	38	20	7			3	
[illegible]	80	83	108	125	150	151	185	126	79	33	7	2		17	24
33	47	45	64	77	97	107	99	104	57	32	10			5	
50	46	44	53	40	36	43	30	41	24	16	5			12	25
156	145	99	50	36	33	21	36	19	14	5	6			16	
11	6	29	23	31	39	47	58	51	48	31	19	3	3	6	26
21	27	26	28	35	37	36	43	58	48	29	13	1	1	6	
36	39	55	63	86	70	97	92	73	45	45	17	5	2	14	27
43	44	65	67	75	66	76	85	53	55	31	11	8	1	9	
546	631	681	755	982	1,093	1,429	1,758	1,923	1,587	863	372	74	27	160	28
271	316	393	464	638	775	1,067	1,352	1,568	1,301	728	313	59	21	108	29
275	315	288	291	344	318	362	406	355	286	135	59	15	[illegible]	52	30
182	246	302	353	481	564	740	880	958	727	356	134	20	[illegible]	68	31
201	213	216	230	283	256	282	310	261	204	85	40	8	4	37	
3	3	3	7	4	13	25	42	38	23	23	9	7	1	2	32
1	2	5	4	3	3	2	4	5	4	3			1		
49	29	50	57	75	95	145	187	219	241	150	59	18	4	16	33
34	38	32	34	37	31	39	59	51	48	27	10	5	1	5	
[illegible]	12	12	20	25	43	75	112	200	157	100	67	4	4	11	34
2	[illegible]	3	5	4	9	8	8	13	14	7	2	2			
28	26	26	27	53	60	82	131	153	153	99	44	10	6	11	35
37	54	32	18	17	19	31	25	25	16	13	7			10	
138	167	167	172	103	67	65	52	29	22	5	4	1	1	16	36
19	24	20	24	19	13	13	13	6	7	1	1			3	37
7	5	4	4		6	2	1								38
[illegible]	8	3	1	1	1			1							39
10	21	29	24	19	16	16	14	5	1		1			2	40
33	47	20	16	14	8	18	8	8	7	4		1		9	41
60	62	91	103	50	23	16	16	9	7		2		1	2	42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NONREGISTRATION RECORD—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	5,927								27	782	1,372	1,221
2	Abortion	320								1	36	65	77
3	Childbirth	3,531								21	466	768	662
4	Puerperal septicemia	1,588								3	185	410	382
5	Extra-uterine pregnancy	48										5	17
6	Others of this class	440								2	95	124	83
7	9. Diseases of the bones and joints	1,971	548	176	109	45	56	934	142	119	110	79	68
8	Males	1,117	293	99	61	23	31	507	87	79	60	44	43
9	Females	854	255	77	48	22	25	427	55	40	50	35	25
10	Diseases of the spine M	766	262	83	59	21	23	448	61	43	33	20	18
	Diseases of the spine F	664	235	74	40	20	19	388	39	23	34	24	13
11	Abscess, lumbar and psoas M	27	1	1				2	1	1		4	3
	Abscess, lumbar and psoas F	11			1			1			1	1	2
12	Diseases of the bones M	186	20	12	1		5	38	11	20	15	13	13
	Diseases of the bones F	84	8	2	2	2	4	18	7	10	8	5	2
13	Diseases of the hip-joint M	59	8			1	2	6	9	11	5	3	7
	Diseases of the hip-joint F	40	5	1	2		1	9	4	5	2	3	6
14	Others of this class M	79	7	3	1	1	1	13	5	4	7	4	2
	Others of this class F	55	7		3		1	11	5	2	5	2	2
15	10. Diseases of the skin	1,238	320	87	26	16	11	460	30	34	38	36	47
16	Males	692	180	46	16	8	8	258	14	18	16	19	21
17	Females	546	140	41	10	8	3	202	16	16	22	17	26
18	Abscess M	308	56	16	4	3	6	85	10	13	12	14	14
	Abscess F	267	51	9	3	3	1	67	13	10	13	15	18
19	Carbuncle M	108	6	1				7	1	4	1	3	5
	Carbuncle F	53	3		2			5		1			4
20	Others of this class M	276	118	29	12	5	2	166	3	1	5	2	2
	Others of this class F	226	86	32	5	5	2	130	3	5	9	2	4
21	11. Diseases of the absorbent system	337	23	9	8	3	5	48	18	13	14	23	20
22	Males	192	18	5	4	3	2	32	11	10	8	8	12
23	Females	145	5	4	4		3	16	7	3	6	15	8
24	Addison's disease M	33							1		2	3	4
	Addison's disease F	24								1	1	4	1
25	Diseases of the spleen M	69	4	3		3	1	11	3	3	4	3	4
	Diseases of the spleen F	48	2	1	1		2	6	2	1	1	5	2
26	Others of this class M	90	14	2	4		1	21	7	7	2	2	4
	Others of this class F	73	3	3	3		1	10	5	1	4	6	5
27	12. Accidents and injuries	29,864	2,360	930	885	846	573	5,594	1,792	1,642	2,532	3,009	2,497
28	Males	22,347	1,298	522	507	432	265	3,024	980	1,238	2,026	2,534	2,158
29	Females	7,517	1,062	408	378	414	308	2,570	812	404	506	475	339
30	Burns and scalds M	1,675	138	269	317	279	123	1,126	157	47	34	42	32
	Burns and scalds F	2,552	97	206	262	311	235	1,111	517	160	134	117	64
31	Drowning M	1,866	13	83	66	33	30	225	192	262	291	232	157
	Drowning F	369	5	54	30	15	10	114	46	33	53	21	20
32	Exposure and neglect M	342	180	24	8	2	5	219	2	7	7	4	6
	Exposure and neglect F	329	195	17	11	5	7	238	8	2	14	12	9
33	Gunshot wounds M	2,606	5	9	13	13	17	57	96	226	421	446	360
	Gunshot wounds F	351	7	7	6	7	5	32	41	50	69	55	32
34	Homicide M	1,034			3	1	3	7	14	25	80	168	164
	Homicide F	162			5	1	1	7	6	4	25	33	20
35	Infanticide M	11	11					11					
	Infanticide F	12	12					12					
36	Injuries by machinery M	213				1		1	7	10	34	56	22
	Injuries by machinery F	8			1			1	3		2		1
37	Railroad accidents M	2,933	7	3	11	1	4	26	71	121	291	494	401
	Railroad accidents F	205		3	2	6	1	12	18	17	17	23	11
38	Suffocation M	707	490	23	10	3	4	530	9	14	14	19	15
	Suffocation F	522	401	30	10	7	5	453	9	8	5	4	6
39	Suicide by shooting M	426								3	13	64	36
	Suicide by shooting F	50								1	7	16	5
40	Suicide by drowning M	45									1	3	2
	Suicide by drowning F	32									4	5	5
41	Suicide by poison M	210								3	9	28	21
	Suicide by poison F	100								2	23	19	9
42	Other suicides M	1,002							1	7	35	64	81
	Other suicides F	233								3	28	32	30
43	Sunstroke M	237	6	5		2	2	15	5	7	7	16	14
	Sunstroke F	52	6	1	1	3	2	13	2	6	2	3	2
44	Surgical operations M	112	9	3	2		2	16	4	2	7	7	9
	Surgical operations F	178	4			1	1	6	3	2	7	25	27
45	Wounds M	286	3	3	1	8		15	14	8	28	41	22
	Wounds F	28	9	1	1	1		12	3	1		1	1
46	Others of this class M	8,642	436	100	76	89	75	776	408	496	754	870	816
	Others of this class F	2,334	326	89	49	54	41	559	156	115	116	109	97

OF DISEASES, BY AGE AND SEX: CENSUS YEAR 1900—Continued.

NONREGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
955	902	480	93	13	8	3	2	1	2					66	1
62	48	22	2	1										6	2
580	578	329	63	9	7	3	1	1						43	3
260	216	100	18	3			1		2					8	4
13	9	2			1									1	5
40	51	27	10											5	6
50	66	42	59	48	47	59	46	46	31	11	9	1	1	8	7
19	41	28	30	25	22	40	29	26	20	7	6	1	1	2	8
31	25	14	29	23	25	19	17	20	11	4	3			1	9
7	21	16	14	12	11	18	13	10	11	5	4			1	10
18	20	8	21	11	19	14	10	9	9	1	2			1	
3	5		1	1		2	1	1	1					1	11
		1	1	3	1										
7	8	6	7	7	6	12	10	6	4	2	1				12
6	2	4	2	7	1	3	3	4	1	1					
	5	3	4	1	1	1	1	1	1						13
4	1		2	1			1	1		1					
2	2	3	4	4	4	7	4	8	3		1	1	1		14
3	2	1	3	1	4	2	3	6	1	1	1				
34	46	42	46	62	54	54	68	64	42	47	15	3	4	12	15
14	25	20	27	39	32	29	47	42	27	26	8	2		8	16
20	21	22	19	23	22	25	21	22	15	21	7	1	4	8	17
11	15	14	13	26	15	9	17	16	8	9	3	1		3	18
11	17	13	10	9	11	15	14	9	7	9	3			3	
1	5	4	7	7	13	12	12	13	5	7				1	19
1	3	6	4	6	3	6	1	5	1	5			1	1	
2	5	2	7	6	4	8	18	13	14	10	5	1		4	20
8	1	3	5	8	8	4	6	8	7	7	4	1	3		
24	26	22	22	27	22	20	13	13	5	5				2	21
13	11	11	16	11	11	15	10	6	4	2				1	22
11	15	11	6	16	11	5	3	7	1	3				1	23
3	2	4	5	3	3	1			1					1	24
2	3	2	2	5	2					1					
4	5	4	5	3	3	9	5	2	1						25
4	7	5		4	5	1	2	2		1					
6	4	3	6	5	5	5	5	4	2	2					26
5	5	4	4	7	4	4	1	5	1	1				1	
1,984	1,834	1,516	1,285	1,176	894	870	713	604	549	442	207	84	38	602	27
1,712	1,568	1,299	1,134	1,016	742	718	547	414	346	230	94	37	13	517	28
272	266	217	151	160	152	152	166	190	208	212	113	47	25	85	29
34	25	20	19	20	13	12	10	12	14	22	8	3	5	20	30
64	48	30	24	32	25	33	30	35	41	38	13	8	9	19	
88	79	74	46	41	39	32	26	17	11	3	1	2	1	47	31
17	10	7	7	6	6	7	6	3	8	1				4	
6	5	4	11	7	6	11	12	6	8	7	5	3		6	32
4	7	3		2	6	1	6	4	6	2	1	2		2	
239	216	140	127	74	50	50	16	9	6	5	2	1		65	33
14	17	8	7	7	8	1	2				1			7	
122	120	85	60	62	33	32	10	14	4	2	1			31	34
10	15	11	9	3	2		2	2	3	3				7	
															35
24	23	15	12	14	4	3	4	1	2					1	36
	1														
344	230	180	157	161	84	103	56	43	40	28	5		2	96	37
8	10	16	9	14	7	9	10	9	5	3			1	6	
14	13	16	7	6	8	8	7	4	9	2	1	1		10	38
3	4	4	2	2	1	3	2	2	5	2				7	
36	56	54	36	38	24	19	12	14	7	1	1			12	39
3	5	4	6		2						1				
3	3	3	1	6	1	6	4	1	5	2				1	40
2	4	2	1	3	2	2	1	1							
26	13	29	25	22	6	15	5	4	1	1	1			1	41
13	5	9	4	3	4	4	2	1						2	
95	96	106	105	87	76	75	65	39	27	13	2	1		27	42
24	20	19	11	17	16	9	12	4	1	2	1	1		3	
18	16	14	15	22	15	15	19	19	7	2	2	3	1	5	43
2	2	4	3	4		2	2	2	2					1	
1	9	7	3	4	10	7	10	6	1	4				5	44
21	29	19	10	11	4	7	1	1	1		1			3	
21	19	18	15	17	13	14	10	9	6	1	2			13	45
2						1	2	2			1	1		1	
641	645	534	495	435	357	316	281	216	198	137	63	23	4	177	46
85	89	81	58	56	69	73	88	124	131	161	94	35	15	23	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CONNECTICUT.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		15,422	3,101	569	280	175	137	4,262	369	218	348	539	604
2	Males		7,902	1,725	294	145	91	62	2,317	174	115	173	258	326
3	Females		7,520	1,376	275	135	84	75	1,945	195	103	175	281	278
4	Unknown cause		54	23		1			24	1			3	1
5	Males		31	13		1			14	1			1	1
6	Females		23	10					10				2	
	1. General diseases.													
7	General diseases—A		3,138	1,050	233	112	77	68	1,540	164	45	58	79	74
8	Males		1,525	547	109	56	44	32	788	76	23	26	43	38
9	Females		1,613	503	124	56	33	36	752	88	22	32	36	36
10	Measles	M	79	20	16	12	3	5	56	7	1		4	2
		F	82	23	17	6	6	5	57	12	1	2	1	1
11	Scarlet fever	M	30		1	5	7	2	15	10	2	1		1
		F	31	1	2	5	1	5	14	14	2	1		
12	Diphtheria	M	121	6	18	17	12	14	67	35	9	2	3	2
		F	132	13	15	14	18	13	73	40	10	4	1	
13	Whooping cough	M	45	30	3	2	2		42	2				
		F	74	38	18	8	2	3	69	1				1
14	Malarial fever	M	45	1	4	1	4	3	13		2	3	1	1
		F	65	4	4	1	1	2	12	3		1	2	3
15	Influenza	M	281	24	6	1	1	1	33	3	1	4	7	4
		F	363	15	7	3		2	27	2	4	5	5	10
16	Typhoid fever	M	140	3		1	2	2	8	5	1	11	22	23
		F	109	1		2	2	1	6	6	2	13	20	9
17	Cholera morbus	M	18	4			1		5				1	1
		F	21	4				2	6	1			1	1
18	Colitis	M	5	3				1	4	1				
		F	17	6	1				7	1				
19	Diarrhea	M	81	48	6				54	3				
		F	95	49	8	1			58					1
20	Dysentery	M	80	14	1	4	5	2	26	4	2	1		
		F	86	11	7	2	1		21	2	1	1	1	1
21	Enteritis	M	193	133	15	3	3		154	4	2	1	2	1
		F	175	101	16	5	1		123	3	1	3		1
22	Cholera infantum	M	258	223	25	6	3		257					
		F	243	213	22	6		2	243					
23	Fever	M	2											
		F	1											
24	Cerebro-spinal fever	M	33	14	6	4		1	25	1	1	2	1	
		F	34	12	5	3	1	1	22	3				
25	Smallpox	M												
		F												
26	Erysipelas	M	26	8	2				10					1
		F	19	5	1				6		1		1	
27	Septicemia	M	43	7			1	1	9	1	2	1	2	2
		F	27	1					1			1	4	8
28	Venereal diseases	M	16	8					8					
		F	8	5	1				6			1		
29	Others of this group	M	29	1	1				2					
		F	31	1					1					
30	General diseases—B		214	77	8	3	3	1	92		1	1	5	7
31	Males		142	46	6	2	1		55		1		2	4
32	Females		72	31	2	1	2	1	37			1	3	3
33	Alcoholism	M	53										2	3
		F	15										1	1
34	Parasitic diseases	M	1											
		F	1				1		1					
35	Lead poison	M	3											
		F												
36	Other poisons	M	36	4	4	1			9		1			1
		F	18			1	1		2			1	2	2
37	Inanition	M	49	42	2	1	1		46					
		F	38	31	2			1	34					
38	General diseases—C		1,116	685	8	2			695	1	1			1
39	Males		596	408	5				413	1	1			
40	Females		520	277	3	2			282					1
41	Old age	M	161											
		F	203											
42	Premature birth	M	232	232					232					
		F	168	168					168					
43	Malformation	M	36	36					36					
		F	22	22					22					
44	Debility and atrophy	M	132	106	5				111	1	1			
		F	112	72	3	2			77					1
45	Others of this group	M	35	34					34					
		F	15	15					15					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
606	638	554	600	704	754	844	938	995	915	767	428	172	47	120	1
312	363	296	319	375	377	400	480	483	461	352	186	62	10	63	2
294	275	258	281	329	377	444	458	512	454	415	242	110	37	57	3
	2	2	1	3		4	4	3	2	1				3	4
	1	1		1		2	2	2	1	1				3	5
	1	1	1	2		2	2	1	1						6
85	66	62	54	73	76	90	130	152	145	128	67	32	8	10	7
39	34	26	32	42	36	38	60	69	63	49	29	10	1	3	8
46	32	36	22	31	40	52	70	83	82	79	38	22	7	7	9
3	2	1		1		1			1						10
4			2		2										
1															11
1	1			1											12
1	1		1		1										
												1			13
												1		2	
1	3	2	3		3		3	3	5	1	1				14
4	2	3	1		4	2	5	6	6	5	3			2	
6	7	12	11	13	13	22	27	41	30	26	13	8			15
10	8	8	7	19	20	23	36	43	49	43	26	13	5		
20	14	4	13	7	5	2	8	1						1	16
13	11	11	4	1	2	3		6	1					1	
		1		2	1	2	1	1	3						17
1				1	1		2	1	1	3		2			
			2			1	3	1			1	1			18
				2			7	1	0	3	5				19
1	1	1		1	3	1	6	3	4	8	5	1	1		
1	2		3	3	4	5	5	7	6	6	4	1			20
3	2	3	1	2	4	9	8	8	7	10		2			
2		2		3	1	2	2	3	5	6	1		1	1	21
3	1	2	1	4		6	4	9	8	4	1			1	
														1	22
				1					1						23
											1				
				1			1	1							24
3	1	2	2					1							
															25
2		1			2	1	3	3	2	1					26
	1	2		1	2	1	1			1		1		1	
1	5	1		6	3	1	3	3		3					27
2	3	3		2			1	1				1			
1		1	2	2	1	1									28
								1							
		1			3	1	5	5	4	3	5				29
1	1	1	1		1	6	3	3	6	5	1		1		
13	20	14	13	16	8	5	4	3	3	2	1			6	30
10	16	9	11	12	6	4	3	2	2	1				4	31
3	4	5	2	4	2	1	1	1	1	1	1			2	32
9	12	7	5	5	2	1	1		1					2	33
9	2	3	1	2	1			1						1	
				1											34
	1		1						1						35
1	3	2	5	3	3	3	2	2						1	36
1	2	2	1	2	1		1			1					
					1					1				1	37
						1			1		1			1	
4	2	3	2	1	2	11	20	45	59	98	95	50	23	3	38
2	2	3	1		1	3	7	22	26	49	44	16	4	1	39
2			1	1	1	8	13	23	33	49	51	34	19	2	40
						2	6	19	24	48	43	14	4	1	41
						6	8	16	29	44	48	32	18	2	
															42
															43
2	2	3	1		1	1	1	3	1	1	1	2			44
2			1	1	1	2	5	7	4	5	3	2	1		
									1						45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CONNECTICUT—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		2,520	92	45	19	12	5	173	34	35	117	212	258
2	Males		1,206	51	24	7	7	2	91	12	16	52	100	135
3	Females		1,314	41	21	12	5	3	82	22	19	65	112	123
4	Anemia	M	12	1				1	2	2		1		1
		F	23	3	1			1	5			2	1	1
5	Diabetes	M	74							2	5	3		2
		F	47				1		1	1		1	1	2
6	Rheumatism	M	33		1				1	1	2	1	1	2
		F	38				1		1	2	1		1	1
7	Scrofula and tabes	M	15	6	3				9		1			1
		F	11	3		1			4	1		1		
8	Hydrocephalus	M	41	19	8	4	2		33	1	3	1		
		F	41	16	12	5	1		34	3		1		
9	Tuberculosis, general	M	8				2		2				1	2
		F	5	1					1	1				2
10	Consumption	M	803	19	11	3	2	1	36	5	5	46	96	125
		F	726	16	6	6	1	1	30	13	18	57	104	114
11	Cancer	M	186										1	1
		F	369									1	1	2
12	Tumor	M	12							1			1	1
		F	33					1	1			1	2	
13	Dropsy	M	12		1				1					
		F	8	1					1				2	
14	Others of this group	M	10	6			1		7					
		F	13	1	2		1		4	1		1		1
15	2. Diseases of the nervous system		1,958	359	62	28	17	16	482	41	16	22	29	29
16	Males		1,012	206	30	14	7	5	262	20	11	14	14	18
17	Females		946	153	32	14	10	11	220	21	5	8	15	11
18	Inflammation of the brain	M	13	4	1				5	1	1			
		F	10		1	1	1	1	4		1	1		
19	Meningitis	M	182	83	23	11	7	4	128	12	1	5	3	9
		F	145	66	18	9	6	7	106	17	2	1	4	
20	Apoplexy	M	413	3					3			2	3	4
		F	410	3					3	1		1	3	3
21	Paralysis	M	107					1	1	1			1	2
		F	114	1	1				2	1				1
22	Paralysis, general (of insane)	M	4								1			
		F	7											
23	Tetanus and trismus nascentium	M	17	2					2	3	6	2		1
		F	8	8					8					
24	Chorea	M	2											
		F	2							1		1		
25	Epilepsy	M	17	2					2		1	2	2	1
		F	17	2					2		1	2	1	2
26	Convulsions	M	113	102	5	3			110	1				
		F	87	65	6	4	3	3	81				2	2
27	Mental diseases	M	32									1	2	
		F	33											2
28	Diseases of the brain	M	74	9	1				10	2	1	1	3	
		F	82	8	4				12	1	1	2	5	1
29	Diseases of the spinal cord	M	7									1		1
		F	9		1				1					
30	Locomotor ataxia	M	15											
		F	4											
31	Others of this class	M	16	1					1					
		F	18		1				1					
32	3. Diseases of the circulatory system		1,293	53	4		1		58	11	17	21	22	24
33	Males		634	25	4				29	2	5	10	11	13
34	Females		659	28			1		29	9	12	11	11	11
35	Pericarditis	M	4								1			
		F	7	1					1	1	1			
36	Diseases of the heart	M	561	14	4				18	2	4	10	11	12
		F	592	16			1		17	8	11	11	10	10
37	Angina pectoris	M	36											1
		F	24											1
38	Diseases of the arteries	M	11											
		F	16											
39	Aneurism	M	7											
		F	5											
40	Embolism	M	3											
		F	3										1	
41	Others of this class	M	12	11					11					
		F	12	11					11					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
228	213	154	156	164	167	160	135	119	93	52	24	8	1	17	1
115	112	78	80	74	74	60	60	57	46	22	12	4	1	5	2
113	101	76	76	90	93	100	75	62	47	30	12	4		12	3
1		1			1		2				1				4
2				1	6	4		1							
4	2	6	3	2	6	6	9	10	5	7	1	1			5
	3	3	4	7	6	9	9		2					1	
5	2	2	1	1	2	1	2	5	3				1		6
4	2	4	3	2	4	1	2	1	4	2	1	2			
	3					1									7
1	1	1			1					1					
1		1		1											8
1					1				1						
			2				1								9
	1														
98	97	63	57	42	38	27	22	19	12	7	4	1		3	10
91	78	48	26	31	24	28	19	20	11	7	1			6	
5	8	5	14	26	26	22	23	18	21	7	5	2		2	11
11	16	19	39	45	47	52	41	36	25	19	8	2		5	
			3	1		2	1	1	1						12
1		1	3	4	4	4	5	2	2	1	1				
				1	1	1		2	4	1	1				13
						1	1		2		1				
1								2							14
2			1			1	1	1							
26	36	50	80	87	130	130	175	190	185	136	75	23	3	13	15
7	22	29	37	45	66	59	97	95	95	69	37	8	1	6	16
19	14	21	43	42	64	71	78	95	90	67	38	15	2	7	17
					1		3	1	1						18
		1		1		1								1	
1	3	1	4	6	3		3		1		1	1			19
2	2		1	2	4					1	1			2	
2	4	19	19	30	39	43	55	61	60	42	20	3	1	8	20
3	5	12	21	26	40	42	59	66	56	34	24	8	2	1	
1	2	3	8	2	8	6	10	17	20	14	9	2			21
2	2	3	9	5	8	14	11	12	13	19	6	5		1	
			1				1			1					22
			2	1		1		2		1					
	1	1	1												23
				1			1								24
	2				1	1	2	1		1				1	25
		2	1	1		1		1		2		1			
											1			1	26
												1		1	
	2	1		3	4	1	7	5	2	1	3				27
2	1	1	1	2	3	5		8	4	4	5				
3	2	4	2	2	6	5	11	4	5	7	8	2		1	28
7	3		4	1	7	5	4	7	14	6	1			1	
	2			1					1	1					29
	1		2				2	2	1						
	4		1		3	2	2	8							30
			1				1		1		1				
			1		1	1	2	3	5	2					31
8		2	1	3	2	2	1	2	1						
29	39	51	59	90	76	140	148	159	149	127	40	17	8	13	32
15	17	18	26	48	42	79	75	83	74	58	16	6	1	6	33
14	22	33	33	42	34	61	73	76	75	69	24	11	2	7	34
1					1		1								35
1						1				1	1				
14	12	17	22	44	40	67	69	72	66	54	15	6	1	5	36
12	22	31	30	40	30	57	64	74	67	58	21	10	2	7	
	3		3	3		3	4	6	5	3					37
		2	1	1	1	2	6		3	5	1	1			
						2	1	3	2	1	1			1	38
			1		2	1	1	1	4	5	1				
	1	1	1	1	1	1		1							39
1			1				2	1							
	1							1	1						40
					1				1						
						1									41
				1											

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CONNECTICUT—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		2,212	533	169	80	43	26	851	35	29	28	41	55
2	Males		1,129	301	91	46	19	10	467	19	11	14	22	33
3	Females		1,083	282	78	34	24	16	384	16	18	14	19	22
4	Croup	M	34	5	9	12	8		34					
		F	39	5	8	9	9	6	37	2				
5	Pneumonia	M	751	167	63	22	7	7	266	15	6	12	15	27
		F	718	134	58	20	12	9	233	11	14	12	15	17
6	Laryngitis	M	9	1	1	1		1	4	1	1			
		F	11	3	2				5	2		1		
7	Bronchitis	M	229	106	17	7	2	2	134	3	2		3	3
		F	215	70	8	5	2	1	86		1		2	3
8	Pleurisy	M	25			1	1		2		1	1	2	3
		F	24	1	1				2		1		2	1
9	Asthma	M	20	4					4					
		F	18	1					1					
10	Others of this class	M	61	18	1	3	1		23		1	1	2	
		F	58	18	1		1		20	1	2	1		1
11	5. Diseases of the digestive system		817	129	25	6	6	4	170	30	26	29	27	37
12	Males		396	72	16	2	4	3	97	17	18	15	10	17
13	Females		421	57	9	4	2	1	73	13	8	14	17	20
14	Dentition	M	10	3	7				10					
		F	12	10	2				12					
15	Angina	M	2	1			1		2	1		1		1
		F	9	1	3				4	3	1			
16	Gastritis	M	58	16	3		1		20					
		F	92	9	1		1	1	12	2		3	2	
17	Diseases of the stomach	M	22	3					3					1
		F	23	1					1					
18	Obstruction of the bowels	M	35	5	1				6	1	4	1		3
		F	39	4			1		5	3		1	1	1
19	Appendicitis	M	36	1					1	5	8	6	5	3
		F	30		1				1	2	5	2	5	5
20	Hernia	M	19	4					4	1	1			1
		F	11											
21	Other diseases of the bowels	M	7	2					2					
		F	2											1
22	Jaundice	M	7	2					2					1
		F	7	2					2					
23	Inflammation and abscess of the liver.	M	28	1	1			2	4	2		2		
		F	17											1
24	Other diseases of the liver	M	81	2			1		3	2	1		1	
		F	47	1					1				2	1
25	Peritonitis	M	42	6	2	1	1		10	5	4	5	4	6
		F	72	3		3			6	3	2	8	7	11
26	Ascites	M	1	1					1					
		F	4											
27	Others of this class	M	41	25	2	1		1	29					1
		F	56	26	2	1			29					
28	6. Diseases of the urinary system and male organs of generation.		985	22	3	5	4	4	38	8	6	18	38	32
29	Males		576	13	2	3	4	2	24	4	3	9	15	18
30	Females		409	9	1	2		2	14	4	3	9	23	14
31	Bright's disease	M	421							4	6	7	13	17
		F	346							4	2	8	20	14
32	Calculus, urinary	M	1											
		F	2											
33	Diseases of the kidney	M	40	10	2	3	4	1	20				1	
		F	28	9	1	2		2	14				2	
34	Diseases of the bladder	M	66	2				1	3					
		F	12											
35	Others of this class	M	48	1					1			2	1	1
		F	21								1	1	1	
36	7. Diseases of the female organs of generation		50									3	4	5
37	Ovarian tumors		11										1	1
38	Ovarian diseases		1											
39	Diseases of the tubes		1											
40	Uterine tumors		15											
41	Uterine diseases		5									2		
42	Others of this class		17									1	3	4

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
59	72	67	82	94	117	123	121	123	119	105	57	22	4	8	1
32	48	47	49	53	51	58	58	42	54	43	18	7		3	2
27	24	20	33	41	66	65	63	81	65	62	39	15	4	5	3
															4
28	40	42	39	37	40	46	45	29	31	17	7	4		2	5
19	22	17	24	29	44	48	44	57	39	36	22	7	3	5	
			1	1		1									6
	1				1				1						
1	2	5	3	4	4	4	9	9	11	20	9	3			7
2	1		4	8	10	10	13	17	16	24	11	6	1		
1	1		2	2		2	1	2	2	2	1				8
4		1		1	3	1	1	2	4			1			
1	1			3	1	2	1	2	2	1	1			1	9
			1	2	3	2	1	3	2		2				
1	4		4	6	6	3	2		5	3					10
2		2	4	1	5	3	4	2	3	2	4	1			
22	42	36	34	56	55	44	52	48	49	32	16	6	2	4	11
10	20	17	16	23	32	20	21	23	21	9	4	3	2	1	12
12	22	19	18	33	23	24	31	25	28	23	12	3		3	13
															14
1	1	1							1						15
				1											
1	2	2	3	3	7	4	6	3	2	3	1		1		16
5	5	5	5	8	4	3	7	5	7	10	6	2		1	
1	1	2		1	4	3	3	1	2						17
1	1		2	3	3	3	2	1	3	2	1				
1	2	1	3	1	3		2	3	3					1	18
1	1	2	1		4		7	5	2	2	2	1			
1	1	1	2	1	2										19
1	2	1	1	1		2		1							
				2	2	1	3	2	2						20
	1		1		3	1	3	1	1						
				1					1	2		1			21
	1														
				1		1		1		1					22
	1			2			1							1	
4	3	1	1	2	1	2	1	3	2						23
	1	2			1	3		1	3	4	1				
1	7	7	5	10	12	7	5	8	6	2	2	1	1		24
	2	2	5	8	5	8	4	5	2	2					
	2	1		1	1	1	1					1			25
4	5	7	3	4	3		2	2	3		1			1	
															26
				2		1		1							
	1	1	2			1		2	2	1	1				27
	2			3		3	5	3	7	3	1				
32	46	50	64	75	85	85	104	105	87	65	30	6	2	9	28
18	27	28	30	45	41	47	67	60	67	45	19	4		5	29
14	19	22	34	30	44	38	37	45	20	20	11	2	2	4	30
17	26	24	25	38	35	35	54	40	46	25	7	1		4	31
13	17	17	32	28	37	34	33	39	17	17	9	1	1	3	
		1													32
								2							
1	1	1		1	2	1	2	3	3	2	2				33
	2	3			2	1	2	1		1					
		2	2	3	1	7	7	9	9	13	7	3			34
		1			3	3		1	1	1	2		1		
			3	3	3	4	4	8	9	5	3			1	35
1		1	2	2	3		2	2	2	1		1		1	
4	4	7	6	2	2	5	2	2	4						36
1	1	2	2			1		1	1						37
	1														38
	1														39
1	1	1	2	1	1	3	2	1	2						40
		2							1						41
2		2	2	1	1	1									42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CONNECTICUT—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	**8.** Affections connected with pregnancy	115									7	25	28
2	Abortion	9									2	1	1
3	Childbirth	21									1	6	3
4	Puerperal septicemia	55									3	13	16
5	Extra-uterine pregnancy	3											1
6	Others of this class	27									1	5	7
7	**9.** Diseases of the bones and joints	40				1		1	1	4	4	1	2
8	Males	24				1		1	1	2	3		2
9	Females	16								2	1	1	
10	Diseases of the spine M	4							1		1		2
	Diseases of the spine F	5								1	1		
11	Abscess, lumbar and psoas M												
	Abscess, lumbar and psoas F	3											
12	Diseases of the bones M	14				1		1		2	2		
	Diseases of the bones F	2										1	
13	Diseases of the hip-joint M	2											
	Diseases of the hip-joint F												
14	Others of this class M	4											
	Others of this class F	6								1			
15	**10.** Diseases of the skin	30	7	2	1			10	1		2	2	
16	Males	14	5	1				6			1		
17	Females	16	2	1	1			4	1		1	2	
18	Abscess M	8	1	1				2			1		
	Abscess F	11	2	1				3	1		1	2	
19	Carbuncle M	1											
	Carbuncle F												
20	Others of this class M	5	4					4					
	Others of this class F	5			1			1					
21	**11.** Diseases of the absorbent system	10		1		1		2					
22	Males	5				1		1					
23	Females	5		1				1					
24	Addison's disease M	1											
	Addison's disease F	3											
25	Diseases of the spleen M												
	Diseases of the spleen F	2		1				1					
26	Others of this class M	4				1		1					
	Others of this class F												
27	**12.** Accidents and injuries	870	71	9	23	10	13	126	42	38	38	51	51
28	Males	612	38	6	14	3	8	69	21	24	29	40	47
29	Females	258	33	3	9	7	5	57	21	14	9	11	4
30	Burns and scalds M	31	2	4	8		4	18					1
	Burns and scalds F	49	1	2	5	4	3	15	8	4			1
31	Drowning M	98	1		2		1	4	12	12	8	6	8
	Drowning F	27	1		1	1		3	6	6	1	1	1
32	Exposure and neglect M	6	2	1				3					
	Exposure and neglect F	2	1					1				1	
33	Gunshot wounds M	18							1	5	6	2	
	Gunshot wounds F	4	1			1		2	1				
34	Homicide M	3										1	
	Homicide F	2								1		1	
35	Infanticide M												
	Infanticide F												
36	Injuries by machinery M												
	Injuries by machinery F												
37	Railroad accidents M	116	1			1		2	2	2	2	12	17
	Railroad accidents F	20							3		3	2	1
38	Suffocation M	24	20		2			22					
	Suffocation F	18	13		1		1	15	1				
39	Suicide by shooting M	12											1
	Suicide by shooting F	1											1
40	Suicide by drowning M	3											1
	Suicide by drowning F	4									1		
41	Suicide by poison M	22									2	2	1
	Suicide by poison F	15								1	1	2	
42	Other suicides M	31								1		1	1
	Other suicides F	7										1	
43	Sunstroke M	3	1					1					
	Sunstroke F	2	1					1					
44	Surgical operations M	4							1				
	Surgical operations F	1											
45	Wounds M	11									1	2	2
	Wounds F												
46	Others of this class M	227	11	1	3	2	3	19	5	3	10	14	15
	Others of this class F	106	15	1	2	1	1	20	2	2	8	2	

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
23	21	7		1										3	1
2	3														2
2	4	4												1	3
13	6	1		1										2	4
	2														5
6	6	2													6
1	2	4	1	4	1	1	2	6		1	3	1			7
1	2	2	1	1		1	1	4			2				8
		2		3	1		1	2		1	1	1			9
				2							1				10
				1	1			1							11
1	1	2		1				3			1				12
								1							
			1			1									13
	1						1	1			1				14
		2					1			1		1			
1	1	1	2	2	1	2		2		2	1				15
	1		1	1	1	1		1		1					16
1		1	1	1		1		1		1	1				17
	1			1	1			1		1					18
			1	1		1		1							
			1												19
						1									20
1		1								1	1				
2		2		1		3									21
1		1		1		1									22
1		1				2									23
				1											24
		1				2									
															25
1															
1		1				1									26
77	72	44	46	35	34	41	41	38	20	18	19	7	1	31	27
62	61	37	35	29	27	27	29	23	12	5	5	4		26	28
15	11	7	11	6	7	14	12	15	8	13	14	3	1	5	29
	1	2		1	2	1	2	2			1				30
4	3	2	4			2		1		2	2			1	
5	9	10	8	2	4	1	2	2						5	31
1	1		1	1	1	2								2	
1	1	1													32
1	1			1			1								33
	1														
	1	1													34
															35
															36
16	15	3	6	6	7	4	4	2	5					12	37
3		1	1	1	1	2	2								
	1													1	38
			1			1									
1	3	2	1	1	1		1			1					39
	1						1								40
	1	1	1												
4	1	1		2	1		2	2	1					3	41
2		2	2		2		1							1	
6	4	2	5	2	1	1	3	4							42
	1				1	2		1	1						
	1			3			1								43
								1							
	1				1			1							44
1															
2	1		1			2									45
26	20	15	14	11	10	18	12	10	8	4	4	4		5	46
4	4	1	1	4	2	5	9	12	7	11	12	3	1	1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CONNECTICUT—GROUP 1.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	9,725	1,943	357	170	102	85	2,657	220	137	204	330	394
2	Males	5,021	1,092	190	94	57	39	1,472	115	78	107	155	224
3	Females	4,704	851	167	76	45	46	1,185	105	59	97	175	170
4	Unknown cause	22	9		1			10	1				1
5	Males	14	6		1			7	1				1
6	Females	8	3					3					
7	1. General diseases. General diseases—A	1,877	650	144	61	43	40	938	87	29	31	37	41
8	Males	933	350	65	30	25	19	489	45	18	15	15	20
9	Females	944	300	79	31	18	21	449	42	11	16	22	21
10	Measles M	46	13	12	7	2	3	37	7				
	Measles F	55	13	15	3	5	3	39	9		1	1	1
11	Scarlet fever M	22		1	5	4	1	11	8	1			1
	Scarlet fever F	16		1	2	1	3	7	7	1	1		
12	Diphtheria M	54	3	7	5	6	5	26	13	3	2	3	1
	Diphtheria F	51	2	6	7	8	4	27	16	6	1		
13	Whooping cough M	20	10	6		2		18	2				
	Whooping cough F	38	19	9	5		2	35					1
14	Malarial fever M	27		1		2	3	8		2	2	1	
	Malarial fever F	51	3	3	1	1	2	10	2			2	2
15	Influenza M	170	15	3	1	1	1	21	1	1	2	4	2
	Influenza F	203	7	4	1		2	14		1	3	2	5
16	Typhoid fever M	77	2		1	1	2	6	3	1	7	4	13
	Typhoid fever F	57				1	1	2	2	2	5	13	6
17	Cholera morbus M	14	3			1		4				1	
	Cholera morbus F	16	4				1	5	1			1	1
18	Colitis M	5	3				1	4	1				
	Colitis F	11	3	1				4	1				
19	Diarrhea M	54	32	5				37	3				
	Diarrhea F	46	23	5				28					
20	Dysentery M	51	6		3	4	1	14	2	2			
	Dysentery F	51	9	4	2	1		16	1		1		
21	Enteritis M	114	81	8	1			90	3	1	1		1
	Enteritis F	125	69	15	3	1		88	2	1	2		
22	Cholera infantum M	176	156	14	4	1		175					
	Cholera infantum F	153	132	13	6		2	153					
23	Fever M	2											
	Fever F												
24	Cerebro-spinal fever M	21	9	4	3		1	17	1	1	1	1	
	Cerebro-spinal fever F	17	8	2	1		1	12	1				
25	Smallpox M												
	Smallpox F												
26	Erysipelas M	22	8	2				10					1
	Erysipelas F	13	5	1				6				1	
27	Septicemia M	31	6			1	1	8	1	1		1	1
	Septicemia F	17									1	2	5
28	Venereal diseases M	5	3					3					
	Venereal diseases F	3	2					2			1		
29	Others of this group M	22											
	Others of this group F	21	1					1					
30	General diseases—B	137	58	5	2	1		66		1	1	4	4
31	Males	90	37	4	2			43		1		1	2
32	Females	47	21	1		1		23			1	3	2
33	Alcoholism M	24										1	2
	Alcoholism F	11										1	1
34	Parasitic diseases M	1											
	Parasitic diseases F	1				1		1					
35	Lead poison M	3											
	Lead poison F												
36	Other poisons M	23	3	2	1			6		1			
	Other poisons F	13									1	2	1
37	Inanition M	39	34	2	1			37					
	Inanition F	22	21	1				22					
38	General diseases—C	676	424	5				429	1	1			
39	Males	363	252	4				256	1	1			
40	Females	313	172	1				173					
41	Old age M	94											
	Old age F	117											
42	Premature birth M	149	149					149					
	Premature birth F	107	107					107					
43	Malformation M	23	23					23					
	Malformation F	14	14					14					
44	Debility and atrophy M	73	56	4				60	1	1			
	Debility and atrophy F	70	46	1				47					
45	Others of this group M	24	24					24					
	Others of this group F	5	5					5					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 1.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
395	419	365	394	477	512	556	598	613	560	457	247	89	32	69	1
206	242	200	201	248	250	255	300	308	272	205	102	38	5	38	2
189	177	165	193	229	262	301	298	305	288	252	145	51	27	31	3
	1	1		1		1	2	1	1					2	4
	1	1						1						2	5
				1		1	2		1						6
51	39	35	30	47	52	59	92	83	91	78	35	15	3	4	7
24	21	15	17	27	25	23	44	41	39	32	15	5		3	8
27	18	20	13	20	27	36	48	42	52	46	20	10	3	1	9
	1	1													
1			2		1										10
1															
															11
1															
			1												12
												1		1	13
1			2		3		2	3	2	1					
4	1	1	1		4	2	6	5	5	3	3				14
4	5	7	5	8	7	13	19	24	20	16	6	5			
5	5	5	2	11	12	16	22	23	29	26	13	6	3		15
14	9	2	6	5	3		3							1	
7	5	6	2		1	3		2	1						16
		1		2	1	1	1	1	2						
1				1	1		1	1	1	1		1			17
			2			1	3								18
				2			4		5	1	2				
		1			2	1	5		2	4	3				19
	2		3	3	3	4	4	4	3	6	1				
2	2	1	1	2	3	6	3	3	3	5		2			20
2		1		1	1	1	2	2	3	3	1			1	
3		1		4		3	3	7	6	4	1				21
														1	
															22
				1					1						
															23
2	1		1												
															24
															25
		1			2	1	2	3	1	1					
		2			2	1	1								26
1	4	1		5	2	1	2	1		2					
1	3	2		2			1								27
			1			1									
															28
		1			3	1	5	3	2	2	5				
1	1	1	1		1	3	3	1	5	3					29
10	9	6	8	9	4	2	3	2	2	2				4	30
7	8	3	6	6	2	2	2	1	2	1				3	31
3	1	3	2	3	2		1	1		1				1	32
7	5	3	2	2					1					1	
2		2	1	1	1			1						1	33
				1											
															34
	1		1						1						
															35
	2		3	3	2	2	2	1						1	
1	1	1	1	2	1		1			1					36
										1				1	
															37
4	2	1	1		1	7	5	28	35	59	58	26	17	1	38
2	2	1			1	2	1	12	16	27	28	10	3		39
2			1			5	4	16	19	32	30	16	14	1	40
						1	1	10	16	27	27	9	3		
						3	1	10	16	28	30	15	13	1	41
															42
															43
2	2	1			1	1		2			1	1			
2			1			2	3	6	3	4		1	1		44
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CONNECTICUT—GROUP 1—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		1,628	58	27	11	7	2	105	23	19	69	125	170
2	Males		791	32	13	4	6	1	56	10	12	31	58	95
3	Females		837	26	14	7	1	1	49	13	7	38	67	75
4	Anemia	M	9					1	1	1				1
		F	13		1			1	2			2	1	
5	Diabetes	M	49							2	4	2		1
		F	33							1		1		1
6	Rheumatism	M	15		1				1		1			1
		F	25							1	1		1	1
7	Scrofula and tabes	M	7	3	1				4		1			
		F	3	1					1			1		
8	Hydrocephalus	M	25	12	4	4	1		21	1	2			
		F	31	13	8	4	1		26	2		1		
9	Tuberculosis, general	M	7				2		2				1	1
		F	3											2
10	Consumption	M	544	15	6		2		23	5	4	29	56	90
		F	442	11	4	3			18	9	8	32	64	71
11	Cancer	M	113											
		F	259											
12	Tumor	M	7							1			1	1
		F	19											
13	Dropsy	M	9		1				1					
		F	2										1	
14	Others of this group	M	5	2			1		3					
		F	7	1	1				2			1		
15	2. Diseases of the nervous system		1,235	228	39	18	11	10	306	23	11	13	20	20
16	Males		637	130	22	10	4	3	169	12	8	9	10	13
17	Females		598	98	17	8	7	7	137	11	3	4	10	7
18	Inflammation of the brain	M	5	1	1				2		1			
		F	8				1		1		1	1		
19	Meningitis	M	115	45	16	7	4	3	75	7		4	2	8
		F	95	44	9	7	4	5	69	9	1	1	3	
20	Apoplexy	M	260	3					3			1	1	2
		F	261	1					1			1	2	2
21	Paralysis	M	65										1	
		F	76											1
22	Paralysis, general (of insane)	M	1											
		F	4											
23	Tetanus and trismus nascentium	M	14	2					2	2	6	1		1
		F	6	6					6					
24	Chorea	M	2											
		F	1							1				
25	Epilepsy	M	10	2					2			1	2	1
		F	7	1					1			1		
26	Convulsions	M	81	72	4	3			79	1				
		F	55	41	5	1	2	2	51				1	2
27	Mental diseases	M	16									1	1	
		F	22											1
28	Diseases of the brain	M	43	4	1				5	2	1		3	
		F	44	5	2				7	1	1		4	1
29	Diseases of the spinal cord	M	5									1		1
		F	6		1				1					
30	Locomotor ataxia	M	11											
		F	2											
31	Others of this class	M	9	1					1					
		F	13											
32	3. Diseases of the circulatory system		840	32	3		1		36	8	15	13	17	16
33	Males		393	14	3				17	1	5	7	9	9
34	Females		447	18			1		19	7	10	6	8	7
35	Pericarditis	M	4								1			
		F	6	1					1	1	1			
36	Diseases of the heart	M	341	9	3				12	1	4	7	9	8
		F	404	11			1		12	6	9	6	7	6
37	Angina pectoris	M	25											1
		F	13											1
38	Diseases of the arteries	M	9											
		F	12											
39	Aneurism	M	5											
		F	3											
40	Embolism	M	3											
		F	2										1	
41	Others of this class	M	6	5					5					
		F	7	6					6					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
156	138	98	105	114	111	104	94	75	58	33	16	4		11	1
79	74	53	54	50	45	40	43	40	26	13	6	3		3	2
77	64	45	51	64	66	64	51	35	32	20	10	1		8	3
1		1			1		2				1				4
1					5	1		1							
2	2	2	2	1	4	3	7	8	4	3		1			5
	3	2	3	5	2	7	6		2						
3		1		1	1	1	1	3	1						6
3	1	3	2	1	3		1	1	3	2	1				
	1					1									7
	1														
				1											8
1					1										
			2				1								9
	1														
70	67	45	38	32	24	19	14	13	5	6	2	1		1	10
60	47	26	15	22	21	15	11	9	8	2	1			5	
2	4	4	10	14	14	14	18	12	11	4	3	1		2	11
9	11	13	30	32	32	38	29	21	18	15	7	1		3	
			1			1		1	1						12
1		1	1	4	2	2	4	2		1	1				
				1	1	1		1	4						13
									1						
1								2							14
2						1		1							
15	25	39	56	58	89	83	102	121	112	76	41	15	1	9	15
2	16	21	28	29	47	31	53	65	59	37	19	7		2	16
13	9	18	28	29	42	52	49	56	53	39	22	8	1	7	17
								1	1						18
		1		1										1	
1	3	1	4	5	2		2				1				19
1	1			2	4					1	1			2	
	3	14	15	19	30	22	30	42	38	24	13	3			20
2	4	9	10	17	30	33	36	39	38	16	13	6	1	1	
	2	3	5	1	5	3	8	12	14	6	3	2			21
2	1	3	8	3	3	9	8	9	8	13	5	2		1	
			1												22
			1			1		1		1					
		1	1												23
				1			1								24
					1		1	1		1					25
		2	1	1		1									
														1	26
														1	
	1			2	3	1	2	4	1						27
2		1	1	1	1	4		1	3	4	3				
1	2	2		1	4	4	7	2	1	3	2	2		1	28
4	2		3	1	2	2	2	5	4	4				1	
	1								1	1					29
	1		2				1	1							
	4		1		2	1	1	2							30
			1				1								
			1				1	1	3	2					31
2		2	1	3	2	2	1								
17	27	32	41	62	52	99	92	110	96	69	21	8	2	7	32
10	11	10	16	31	27	56	43	59	41	27	8	2		4	33
7	16	22	25	31	25	43	49	51	55	42	13	6	2	3	34
1					1		1								35
						1				1	1				
9	7	9	13	29	25	46	39	51	34	26	7	2		3	36
7	16	22	23	29	23	40	42	51	50	33	11	6	2	2	
	2		2	1		7	2	5	4	1					37
				1	1	1	4		2	3					
						2	1	2	2		1			1	38
			1		1	1	1		2	5	1				
	1	1	1	1	1										39
			1				2								
	1							1	1						40
									1						
						1									41
				1											

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CONNECTICUT—GROUP 1—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		1,418	337	113	55	22	18	545	27	16	14	28	39
2	Males		735	186	66	34	9	7	302	15	7	5	13	26
3	Females		683	151	47	21	13	11	243	12	9	9	15	13
4	Croup	M	22	4	4	10	4		22					
		F	18	1	6	3	2	4	16	2				
5	Pneumonia	M	484	89	47	14	5	5	160	12	3	5	10	22
		F	445	86	31	13	9	6	145	8	8	7	11	10
6	Laryngitis	M	6	1		1		1	3	1	1			
		F	9	2	2				4	1		1		
7	Bronchitis	M	156	76	14	6		1	97	2	1		3	2
		F	147	48	7	5	2	1	63		1		2	2
8	Pleurisy	M	13			1			1		1			2
		F	14	1					1				2	
9	Asthma	M	17	4					4					
		F	13	1					1					
10	Others of this class	M	37	12	1	2			15		1			
		F	37	12	1				13	1		1		1
11	5. Diseases of the digestive system		538	83	14	3	4	3	107	15	15	18	15	25
12	Males		256	48	9	1	4	3	65	9	9	9	6	13
13	Females		282	35	5	2			42	6	6	9	9	12
14	Dentition	M	4	1	3				4					
		F	8	7	1				8					
15	Angina	M	7	1			1		2	1				1
		F	7	1	2				3	2	1			
16	Gastritis	M	42	9	2		1		12					
		F	65	4	1				5			3	1	
17	Diseases of the stomach	M	15	3					3					1
		F	17	1					1					
18	Obstruction of the bowels	M	27	5	1				6		3	1		3
		F	27	3					3	2		1	1	
19	Appendicitis	M	18							3	3	4	2	2
		F	18		1				1		3	1	3	3
20	Hernia	M	10	2					2	1				
		F	7											
21	Other diseases of the bowels	M	5	2					2					
		F	1											
22	Jaundice	M	5	1					1					1
		F	2											
23	Inflammation and abscess of the liver.	M	17	1				2	3	2				
		F	12											1
24	Other diseases of the liver	M	53	2			1		3	1				
		F	29											1
25	Peritonitis	M	29	6	2		1		9	1	3	4	4	4
		F	47	2		1			3	2	2	4	4	7
26	Ascites	M												
		F	3											
27	Others of this class	M	24	15	1	1		1	18					1
		F	39	17		1			18					
28	6. Diseases of the urinary system and male organs of generation.		640	10	1	4	4	2	21	5	3	12	27	22
29	Males		370	6	1	2	4	1	14	3	2	6	12	12
30	Females		270	4		2		1	7	2	1	6	15	10
31	Bright's disease	M	276							3	2	5	11	12
		F	236							2	1	5	13	10
32	Calculus, urinary	M	1											
		F	1											
33	Diseases of the kidney	M	23	5	1	2	4		12				1	
		F	13	4		2		1	7				1	
34	Diseases of the bladder	M	45					1	1					
		F	9											
35	Others of this class	M	25	1					1			1		
		F	11									1	1	
36	7. Diseases of the female organs of generation.		33									2	1	4
37	Ovarian tumors		6										1	1
38	Ovarian diseases		1											
39	Diseases of the tubes		1											
40	Uterine tumors		11											
41	Uterine diseases		3									1		
42	Others of this class		11									1		3

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
40	48	48	54	67	82	85	78	72	67	56	35	11	4	2	1
23	33	32	31	43	35	40	36	24	27	26	12	4		1	2
17	15	16	23	24	47	45	42	48	40	30	23	7	4	1	3
															4
20	27	29	25	29	28	34	28	17	18	11	5	1			5
9	13	14	16	15	28	33	29	33	23	21	13	5	3	1	
				1											6
	1				1				1						
1	2	3	2	3	2	3	6	4	5	11	6	3			7
2	1		4	7	8	8	10	11	11	8	6	2	1		
1			1	1			1	1	2	2					8
4		1			3		1		2						
1	1			3	1	2		2		1	1			1	9
				2	2	1	1	2	2		2				
	3		3	6	4	1	1		2	1					10
2		1	3		5	3	1	2	1	1	2				
14	35	27	24	40	33	33	31	33	30	21	15	4	2	1	11
6	16	14	10	14	20	15	11	14	12	6	3	2	2		12
8	19	13	14	26	13	18	20	19	18	15	12	2		1	13
															14
	1	1							1						15
				1											
1	2	2	2	3	6	3	4	2	2	1	1		1		16
3	5	5	4	7	1	3	7	3	3	7	6	1		1	
1		1		1	2	2	1	1	1						17
	1		2	2	2	2	2	1	3		1				
1	1	1	1	1	1		2	2	2						18
1	1	1			2		4	4	2	2	2	1			
1	1	1		1											19
1			1	2		2		1							
				1	2	1		1	2						20
	1		1		3		1	1							
				1						2					21
	1														
						1		1		1					22
	1			1											
1	2	1	1	1	1	2	1	1	1						23
	1	2			1	2		1	2	1	1				
1	7	5	3	5	7	6	3	5	3	1	1	1	1		24
	1		3	7	3	6	1	4	1	2					
	2	1										1			25
3	5	5	3	3	1		1	1	2		1				
															26
				1		1		1							
		1	1					1		1	1				27
	2			2		2	4	2	5	3	1				
24	27	34	38	49	62	50	71	61	56	51	15	4	2	5	28
14	17	19	14	28	30	26	50	35	43	33	6	3		3	29
10	10	15	24	21	32	24	21	26	13	18	9	1	2	3	30
13	16	17	12	23	21	19	39	24	32	18	3	1		2	31
9	9	11	24	20	27	22	20	21	13	16	7		1	2	
		1													32
								1							
1	1				2		2	1	1	2					33
	1	2			2										
		1	2	2	1	5	6	7	6	9	3	2			34
		1			2	2				1	2		1		
				3	3	2	3	3	4	4				1	35
1		1		1	1		1	1		1		1		1	
2	3	5	3	2	2	4	2	1	2						36
	1	1	1			1									37
	1														38
	1														39
		1	1	1	1	3	2	1	1						40
		1							1						41
2		2	1	1	1										42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CONNECTICUT—GROUP 1—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		72									3	17	17
2	Abortion		6											1
3	Childbirth		13									1	2	2
4	Puerperal septicemia		38									2	11	10
5	Extra-uterine pregnancy		2											1
6	Others of this class		13										4	3
7	9. Diseases of the bones and joints		22				1		1	1	2	2		2
8	Males		16				1		1	1	2	2		2
9	Females		6											
10	Diseases of the spine	M	4							1		1		2
		F	2											
11	Abscess, lumbar and psoas	M												
		F	3											
12	Diseases of the bones	M	8				1		1		2	1		
		F												
13	Diseases of the hip-joint	M	2											
		F												
14	Others of this class	M	2											
		F	1											
15	10. Diseases of the skin		13	1		1			5	1		1	1	
16	Males		7	3					3			1		
17	Females		6	1		1			2	1			1	
18	Abscess	M	4	1					1			1		
		F	3	1					1	1			1	
19	Carbuncle	M												
		F												
20	Others of this class	M	3	2					2					
		F	3			1			1					
21	11. Diseases of the absorbent system		9		1		1		2					
22	Males		5				1		1					
23	Females		4		1				1					
24	Addison's disease	M	1											
		F	3											
25	Diseases of the spleen	M												
		F	1		1				1					
26	Others of this class	M	4				1		1					
		F												
27	12. Accidents and injuries		565	50	5	14	7	10	86	28	25	25	38	33
28	Males		411	28	3	10	3	5	49	17	13	22	31	31
29	Females		154	22	2	4	4	5	37	11	12	3	7	2
30	Burns and scalds	M	18	1	1	3		2	10					
		F	26		1		4	3	8	3	4			
31	Drowning	M	62			1		1	2	10	5	7	2	4
		F	17	1		1			2	5	5		1	
32	Exposure and neglect	M	5	1	1				2					
		F	1	1					1					
33	Gunshot wounds	M	11							1	4	1	2	
		F												
34	Homicide	M	3										1	
		F	1										1	
35	Infanticide	M												
		F												
36	Injuries by machinery	M												
		F												
37	Railroad accidents	M	81	1			1		2	2	2	2	11	14
		F	13							2		1	1	1
38	Suffocation	M	18	14		2			16					
		F	14	10		1		1	12	1				
39	Suicide by shooting	M	9											1
		F	1											1
40	Suicide by drowning	M	3											
		F	4											1
41	Suicide by poison	M	20									1		
		F	9									2	2	1
42	Other suicides	M	21								1	1	2	
		F	5										1	1
43	Sunstroke	M	2	1					1					
		F	1	1					1					
44	Surgical operations	M	3							1				
		F	1											
45	Wounds	M	8									1	2	1
		F												
46	Others of this class	M	147	10	1	1	2	2	16	8	2	9	10	8
		F	61	9	1	2		1	13		2		2	

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
14	15	2		1										[illegible]	1
2	3														2
1	4	2												1	3
8	4			1										2	4
	1														5
3	3														6
1		3	1	2	1	1		3			2				7
1		2	1			1		2			1				8
		1		2	1			1			1				9
				1							1				10
				1	1			1							11
1		2						1							12
			1			1									13
		1						1			1				14
		1			1	1		1			1				15
					1	1		1							16
		1									1				17
					1			1							18
															19
						1									20
		1									1				
1		2		1		3									21
1		1		1		1									22
		1				2									23
				1											24
		1				2									
															25
1		1				1									26
46	50	31	33	24	22	24	26	22	10	12	8	2	1	19	27
37	43	28	24	19	17	17	17	13	7	3	4	2		17	28
9	7	3	9	5	5	7	9	9	3	9	4		1	2	29
	1	2		1	1	1	1				1				30
3	1		3					1		1	1			1	
4	5	7	6	2	3			2						3	31
1	1		1											1	
1	1	1													32
1	1						1								33
	1	1													34
															35
															36
8	12	3	3	2	5	4	2	1	2					[illegible]	37
2			1	1	1	2	1								
	1													1	38
			1												
1	1	1	1	1	1		1			1					39
	1						1								40
	1	1	1												
4	1	1		2	1		2	1	1					2	41
1		1	1		1		1								
4	4	2	3	2		1		3							42
	1				1	2		1							
				1											43
	1				1										44
1															
2	1					1									45
12	12	10	11	8	5	10	9	6	4	2	3	2		5	46
1	3	1	1	4	2	3	7	7	3	8	3		1		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CONNECTICUT—GROUP 2.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		5,697	1,158	212	110	73	52	1,605	149	81	144	209	210
2	Males		2,881	633	104	51	34	23	845	59	37	66	103	102
3	Females		2,816	525	108	59	39	29	760	90	44	78	106	108
4	Unknown cause		32	14					14				3	
5	Males		17	7					7				1	
6	Females		15	7					7				2	
	1. General diseases.													
7	General diseases—A		1,261	400	89	51	34	28	602	77	16	27	42	33
8	Males		592	197	44	26	19	13	299	31	5	11	28	18
9	Females		669	203	45	25	15	15	303	46	11	16	14	15
10	Measles	M	33	7	4	5	1	2	19		1		4	2
		F	27	10	2	3	1	2	18	3	1	1		
11	Scarlet fever	M	8				3	1	4	2	1	1		
		F	15	1	1	3		2	7	7	1			
12	Diphtheria	M	67	8	11	12	6	9	41	22	1			1
		F	81	11	9	7	10	9	46	24	4	3	1	
13	Whooping cough	M	25	20	2	2			24					
		F	36	19	9	3	2	1	34	1				
14	Malarial fever	M	18	1	1	1	2		5			1		1
		F	14	1	1				2	1		1		1
15	Influenza	M	111	9	3				12	2		2	3	2
		F	160	8	3	2			13	2	3	2	3	5
16	Typhoid fever	M	63	1			1		2	2		4	18	10
		F	52	1		2	1		4	4		8	7	3
17	Cholera morbus	M	4	1					1					1
		F	5					1	1					
18	Colitis	M												
		F	6	3					3					
19	Diarrhea	M	27	16	1				17					
		F	49	26	3	1			30					1
20	Dysentery	M	29	8	1	1	1	1	12	2		1		
		F	35	2	8				5	1	1		1	1
21	Enteritis	M	79	52	7	2	3		64	1	1		2	
		F	50	32	1	2			35	1		1		1
22	Cholera infantum	M	82	67	11	2	2		82					
		F	90	81	9				90					
23	Fever	M												
		F	1											
24	Cerebro-spinal fever	M	12	5	2	1			8			1		
		F	17	4	3	2	1		10	2				
25	Smallpox	M												
		F												
26	Erysipelas	M	4											
		F	6								1			
27	Septicemia	M	12	1					1		1	1	1	1
		F	10	1					1				2	3
28	Venereal diseases	M	11	5					5					
		F	5	3	1				4					
29	Others of this group	M	7	1	1				2					
		F	10											
30	General diseases—B		77	19	3	1	2	1	26				1	3
31	Males		52	9	2		1		12				1	2
32	Females		25	10	1	1	1	1	14					1
33	Alcoholism	M	29										1	1
		F	4											
34	Parasitic diseases	M												
		F												
35	Lead poison	M												
		F												
36	Other poisons	M	13	1	2				3					1
		F	5			1	1		2					1
37	Inanition	M	10	8			1		9					
		F	16	10	1			1	12					
38	General diseases—C		440	261	3	2			266					1
39	Males		233	156	1				157					
40	Females		207	105	2	2			109					1
41	Old age	M	67											
		F	86											
42	Premature birth	M	83	83					83					
		F	61	61					61					
43	Malformation	M	13	13					13					
		F	8	8					8					
44	Debility and atrophy	M	59	50	1				51					
		F	42	26	2	2			30					1
45	Others of this group	M	11	10					10					
		F	10	10					10					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 2.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
211	219	189	206	227	242	288	340	382	355	310	181	83	15	51	1
106	121	96	118	127	127	145	180	175	189	147	84	24	5	25	2
105	98	93	88	100	115	143	160	207	166	163	97	59	10	26	3
	1	1	1	2		3	2	2	1	1				1	4
				1		2	2	1	1	1				1	5
	1	1	1	1		1		1							6
34	27	27	24	26	24	31	38	69	54	50	32	17	5	6	7
15	13	11	15	15	11	15	16	28	24	17	14	5	1		8
19	14	16	9	11	13	16	22	41	30	33	18	12	4	6	9
3	1			1		1			1						10
3					1										
															11
	1			1											12
1	1				1										
												1			13
														1	
	3	2	1				1		3		1				14
	1	2						1	1	2				2	
2	2	5	6	5	6	9	8	17	10	10	7	3			15
5	3	3	5	8	8	7	14	20	20	17	13	7	2		
6	5	2	7	3	2	2		1							16
6	6	5	2	1	1			4						1	
						1			1						17
							1			2		1			
								1			1	1			18
							3	1	1	2	3				19
1	1			1	1		1	3	2	4	2	1	1		
1					1	1	1	3	3		3	1			20
1		2			1	3	5	5	4	5					
		1		2		1		1	2	3			1		21
	1	1	1			3	1	2	2					1	
															22
															23
											1				
				1			1	1							24
1		2	1					1							
															25
2							1		1						26
	1			1						1		1		1	
	1			1	1		1	2		1					27
1		1						1				1			
1		1	1	2	1										28
								1							
								2	2	1					29
						3		2	1	2	1		1		
3	11	8	5	7	4	8	1	1	1		1			2	30
3	8	6	5	6	4	2	1	1						1	31
	3	2		1		1			1		1			1	32
2	7	4	3	6	2	1	1							1	33
	2	1		1											
															34
															35
1	1	2	2		1	1		1							36
	1	1													
					1										37
						1			1		1			1	
		2	1	1	1	4	15	17	24	39	37	24	6	2	38
		2	1			1	6	10	10	22	16	6	1	1	39
				1	1	3	9	7	14	17	21	18	5	1	40
						1	5	9	8	21	16	5	1	1	41
						3	7	6	13	16	18	17	5	1	
															42
															43
		2	1				1	1	1	1		1			44
				1	1		2	1	1	1	3	1			
									1						45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CONNECTICUT—GROUP 2—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		892	34	18	8	5	3	68	11	16	18	87	88
2	Males		415	19	11	3	1	1	35	2	4	21	42	40
3	Females		477	15	7	5	4	2	33	9	12	27	45	48
4	Anemia	M	3	1					1	1		1		
		F	10	3					3					1
5	Diabetes	M	25								1	1		1
		F	14				1		1				1	1
6	Rheumatism	M	18							1	1	1	1	1
		F	13				1		1	1				
7	Scrofula and tabes	M	8	3	2				5					1
		F	8	2		1			3	1				
8	Hydrocephalus	M	16	7	4		1		12		1	1		
		F	10	3	4	1			8	1				
9	Tuberculosis, general	M	1											1
		F	1	1					1	1				
10	Consumption	M	259	4	5	3		1	13		1	17	40	35
		F	284	5	2	3	1	1	12	4	12	25	40	43
11	Cancer	M	73										1	1
		F	110									1	1	2
12	Tumor	M	5											
		F	14					1	1			1	2	
13	Dropsy	M	3											
		F	1	1					1				1	
14	Others of this group	M	4	4					4					
		F	6		1		1		2	1				1
15	**2.** Diseases of the nervous system		723	131	23	10	9	6	176	18	5	9	9	9
16	Males		375	76	8	4	3	2	93	8	3	5	4	5
17	Females		348	55	15	6	3	4	83	10	2	4	5	4
18	Inflammation of the brain	M	8	3					3	1				
		F	4		1	1		1	3					
19	Meningitis	M	67	38	7	4	3	1	53	5	1	1	1	1
		F	50	22	9	2	2	2	37	8	1		1	
20	Apoplexy	M	153									1	2	2
		F	149	2					2	1			1	1
21	Paralysis	M	42					1	1	1				2
		F	38	1	1				2	1				
22	Paralysis, general (of insane)	M	3								1			
		F	8											
23	Tetanus and trismus nascentium	M	3							1		1		
		F	2	2					2					
24	Chorea	M												
		F	1									1		
25	Epilepsy	M	7								1	1		
		F	10	1					1		1	1	1	1
26	Convulsions	M	32	30	1				31					
		F	32	24	1	3	1	1	30				1	
27	Mental diseases	M	16										1	
		F	11											1
28	Diseases of the brain	M	31	5					5			1		
		F	38	3	2				5			2	1	
29	Diseases of the spinal cord	M	2											
		F	3											
30	Locomotor ataxia	M	4											
		F	2											
31	Others of this class	M	7											
		F	5		1				1					
32	**3.** Diseases of the circulatory system		453	21	1				22	3	2	8	5	8
33	Males		241	11	1				12	1		3	2	4
34	Females		212	10					10	2	2	5	3	4
35	Pericarditis	M												
		F	1											
36	Diseases of the heart	M	220	5	1				6	1		3	2	4
		F	188	5					5	2	2	5	3	4
37	Angina pectoris	M	11											
		F	11											
38	Diseases of the arteries	M	2											
		F	4											
39	Aneurism	M	2											
		F	2											
40	Embolism	M												
		F	1											
41	Others of this class	M	6	6					6					
		F	5	5					5					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
72	75	56	51	50	56	56	41	44	35	19	8	4	1	0	1
36	38	25	26	24	29	20	17	17	20	9	6	1	1	2	2
36	37	31	25	26	27	36	24	27	15	10	2	3		4	3
1				1	1	3									4
2		4		1	2	3	2	2	1	4	1				5
		1	1	2	4	2								1	
2	2	1	1		1		1	2	2				1		6
1	1	1	1	1	1	1	1		1			2			
	2														7
1		1			1					1					
1		1													8
									1						
															9
28	30	18	19	10	14	8	8	6	7	1	2			2	10
31	31	22	11	9	3	13	8	11	3	5				1	
3	4	1	4	12	12	8	5	6	10	3	2	1			11
2	5	6	9	13	15	14	12	15	7	4	1	1		2	
			2	1		1	1								12
			2		2	2	1	1	2						
								1		1	1				13
						1	1		1		1				
															14
			1				1								
11	11	11	24	29	41	47	73	69	73	60	34	8	2	4	15
5	6	8	9	16	19	28	44	30	36	32	18	1	1	4	16
6	5	3	15	13	22	19	29	39	37	28	16	7	1		17
					1		3								18
						1									
				1	1		1		1			1			19
1	1		1												
2	1	5	4	11	9	21	25	19	22	18	7		1	3	20
1	1	3	11	9	10	9	23	27	18	18	11	2	1		
1			3	1	3	3	2	5	6	8	6				21
	1		1	2	5	5	3	3	5	6	1	3			
							1			1					22
			1	1				1							
	1														23
															24
	2					1	1							1	25
								1		2		1			
											1				26
												1			
	1	1		1	1		5	1	1	1	3				27
	1			1	2	1		2	1		2				
2		2	2	1	2	1	4	2	4	4	1				28
3	1		1		5	3	2	2	10	2	1				
	1			1											29
							1	1	1						
					1	1	1	1							30
									1		1				
					1	1	1	2	2						31
1								2	1						
12	12	19	18	28	24	41	56	49	53	58	19	9	1	6	32
5	6	8	10	17	15	23	32	24	33	31	8	4	1	2	33
7	6	11	8	11	9	18	24	25	20	27	11	5		4	34
															35
1															
5	5	8	9	15	15	21	30	21	32	28	8	4	1	2	36
5	6	9	7	11	7	17	22	23	17	25	10	4		4	
	1		1	2		1	2	1	1	2					37
		2	1			1	2		1	2	1	1			
								1		1					38
					1			1	2						
						1		1							39
1								1							
															40
					1										
															41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CONNECTICUT—GROUP 2—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		794	196	56	25	21	8	306	8	13	14	13	16
2	Males		394	115	25	12	10	3	165	4	4	9	9	7
3	Females		400	81	31	13	11	5	141	4	9	5	4	9
4	Croup	M	12	1	5	2	4		12					
		F	21	4	2	6	7	2	21					
5	Pneumonia	M	267	78	16	8	2	2	106	3	3	7	5	5
		F	273	48	27	7	3	3	88	3	6	5	4	7
6	Laryngitis	M	3		1				1					
		F	2	1					1	1				
7	Bronchitis	M	73	30	3	1	2	1	37	1	1			1
		F	68	22	1				23					1
8	Pleurisy	M	12				1		1			1	2	1
		F	10		1				1		1			1
9	Asthma	M	3											
		F	5											
10	Others of this class	M	24	6		1	1		8			1	2	
		F	21	6			1		7		2			
11	5. Diseases of the digestive system		279	46	11	3	2	1	63	15	11	11	12	12
12	Males		140	24	7	1			32	8	9	6	4	4
13	Females		139	22	4	2	2	1	31	7	2	5	8	8
14	Dentition	M	6	2	4				6					
		F	4	3	1				4					
15	Angina	M	2									1		
		F	2		1				1	1				
16	Gastritis	M	16	7	1				8					
		F	27	5			1	1	7	2			1	
17	Diseases of the stomach	M	7											
		F	6											
18	Obstruction of the bowels	M	8							1	1			
		F	12	1			1		2	1				1
19	Appendicitis	M	18	1					1	2	5	2	3	1
		F	12							2	2	1	2	2
20	Hernia	M	9	2					2		1			1
		F	4											
21	Other diseases of the bowels	M	2											
		F	1											1
22	Jaundice	M	2	1					1					
		F	5	2					2					
23	Inflammation and abscess of the liver.	M	11		1				1			2		
		F	5											
24	Other diseases of the liver	M	28							1	1		1	
		F	18	1					1				2	
25	Peritonitis	M	13			1			1	4	1	1		2
		F	25	1		2			3	1		4	3	4
26	Ascites	M	1	1					1					
		F	1											
27	Others of this class	M	17	10	1				11					
		F	17	9	2				11					
28	6. Diseases of the urinary system and male organs of generation.		345	12	2	1		2	17	3	3	6	11	10
29	Males		206	7	1	1		1	10	1	1	3	3	6
30	Females		139	5	1			1	7	2	2	3	8	4
31	Bright's disease	M	145							1	1	2	2	5
		F	110							2	1	3	7	4
32	Calculus, urinary	M												
		F	1											
33	Diseases of the kidney	M	17	5	1	1		1	8					
		F	15	5	1			1	7				1	
34	Diseases of the bladder	M	21	2					2					
		F	8											
35	Others of this class	M	23									1	1	1
		F	10								1			
36	7. Diseases of the female organs of generation		17									1	3	1
37	Ovarian tumors		5											
38	Ovarian diseases													
39	Diseases of the tubes													
40	Uterine tumors		4											
41	Uterine diseases		2									1		
42	Others of this class		6										3	1

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
19	24	19	28	27	35	38	43	51	52	49	22	11		6	1
9	15	15	18	10	16	18	22	18	27	17	6	3		2	2
10	9	4	10	17	19	20	21	33	25	32	16	8		4	3
															4
8	13	13	14	8	12	12	17	12	16	6	2	3		2	5
10	9	3	8	14	16	15	15	24	16	15	9	2		4	
			1			1									6
		2	1	1	2	1	3	5	6	9	3				7
				1	2	2	3	6	5	16	5	4			
	1		1	1		2		1			1				8
				1		1		2	2			1			
							1		2						9
			1		1	2		1							
1	1		1		2	2	1		3	2					10
		1	1	1			3		2	1	2	1			
8	7	9	10	16	22	11	21	15	19	11	1	2		8	11
4	4	3	6	9	12	5	10	9	9	3	1	1		1	12
4	3	6	4	7	10	6	11	6	10	8		1		2	13
															14
1															15
			1		1	1	2	1		2					16
2			1	1	3			2	4	3		1			
	1	1			1	1	2		1						17
1				1	1	1				2					
	1				2			1	1					1	18
		1	1		2		3	1							
			2		2										19
	2	1													
				1			3	1							20
						1	2		1						
									1			1			21
				1											22
				1			1							1	
3	1			1				2	1						23
						1			1	3					
		2	2	5	5	1	2	3	3	1	1				24
	1	2	2	1	2	2	3	1	1						
				1	1	1	1								25
1		2		1	2		1	1	1					1	
															26
				1											
	1		1			1		1	2						27
				1		1	1	1	2						
8	19	16	26	26	23	35	33	44	31	14	15	2		8	28
4	10	9	16	17	11	21	17	25	24	12	13	1		2	29
4	9	7	10	9	12	14	16	19	7	2	2	1		1	30
4	10	7	13	15	11	16	15	16	14	7	4			2	31
4	8	6	8	8	10	12	13	15	4	1	2	1		1	
								1							32
		1		1		1		2	2		2				33
	1	1				1	2	1		1					
		1		1		2	1	2	3	4	4	1			34
						1		1	1						
			3			2	1	5	5	1	3				35
			2	1	2		1	1	2						
2	1	2	3			1		1	2						36
1		1	1					1	1						37
															38
															39
1	1		1						1						40
		1													41
			1			1									42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CONNECTICUT—GROUP 2—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	43									4	8	11
2	Abortion	3									2	1	
3	Childbirth	8										4	1
4	Puerperal septicemia	17									1	2	6
5	Extra-uterine pregnancy	1											
6	Others of this class	14									1	1	4
7	9. Diseases of the bones and joints	18								2	2	1	
8	Males	8									1		
9	Females	10								2	1	1	
10	Diseases of the spine M												
	F	2								1	1		
11	Abscess, lumbar and psoas M												
	F												
12	Diseases of the bones M	5									1		
	F	2										1	
13	Diseases of the hip-joint M												
	F												
14	Others of this class M	2											
	F	5								1			
15	10. Diseases of the skin	17	3	2				5			1	1	
16	Males	7	2	1				3					
17	Females	10	1	1				2			1	1	
18	Abscess M	4		1				1					
	F	8	1	1				2			1	1	
19	Carbuncle M	1											
	F												
20	Others of this class M	2	2					2					
	F	2											
21	11. Diseases of the absorbent system	1											
22	Males												
23	Females	1											
24	Addison's disease M												
	F												
25	Diseases of the spleen M												
	F	1											
26	Others of this class M												
	F												
27	12. Accidents and injuries	305	21	4	9	3	3	40	14	13	13	13	18
28	Males	201	10	3	4		3	20	4	11	7	9	16
29	Females	104	11	1	5	3		20	10	2	6	4	2
30	Burns and scalds M	13	1	3	2		2	8					1
	F	23	1	1	5			7	5				1
31	Drowning M	36	1		1			2	2	7	1	4	4
	F	10				1		1	1	1	1		1
32	Exposure and neglect M	1	1					1					
	F	1										1	
33	Gunshot wounds M	7								1	5		
	F	4	1			1		2	1				
34	Homicide M												
	F	1								1			
35	Infanticide M												
	F												
36	Injuries by machinery M												
	F												
37	Railroad accidents M	35								1		1	3
	F	7							1		2	1	
38	Suffocation M	6	6					6					
	F	4	3					3					
39	Suicide by shooting M	3											
	F												
40	Suicide by drowning M												
	F												
41	Suicide by poison M	2											
	F	6										1	
42	Other suicides M	10								1			
	F	2										1	
43	Sunstroke M	4											
	F	1											
44	Surgical operations M	1											
	F												
45	Wounds M	3											1
	F												
46	Others of this class M	80	1		1		1	3	2	1	1	4	7
	F	45	6			1		7	2		3		

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
9	6	5													1
															2
1		2													3
[illegible]	2	1													4
	1														5
3	3	2													6
	2	1		2			2	3		1	1	1			7
	2			1			1	2			1				8
		1		1			1	1		1		1			9
															10
				1											
															11
	1			1				2			1				12
								1							
															13
	1						1								14
		1					1			1		1			
1	1		2	2		1		1		[illegible]					15
	1		1	1						1					16
1			1	1		1		1		1					17
	1			1						1					18
			1	1		1		1							
			1												19
															20
1										1					
1															21
															22
1															23
															24
															25
1															
															26
31	22	13	13	11	12	17	15	16	10	6	11	5		12	27
25	18	9	11	10	10	10	12	10	[illegible]	2	1	2		[illegible]	28
[illegible]	4	4	2	1	2	7	3	[illegible]	5	4	10	3		3	29
					1		1	2							30
1	[illegible]	2	1			2				1	1				
1	4	3	2		1	1	2							2	31
				1	1	2								1	
															32
				1											33
	1														
															34
															35
															36
[illegible]	3		3	4	2		2	1	1					6	37
1		1					1								
															38
						1									
	2	1													39
															40
								1						1	41
1		1	1		1									1	
2			2		1		3	1							42
									1						
	1			2			1								43
								1							
								1							44
			1			1									45
14	8	5	3	[illegible]	5	8	3	4	4	2	1	2			46
3	1					2	2	5	4	3	9	3		1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

DISTRICT OF COLUMBIA.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		6,364	1,306	268	129	105	67	1,875	184	140	189	358	344
2	Males		3,274	687	135	66	45	34	967	98	63	78	183	185
3	Females		3,090	619	133	63	60	33	908	86	77	111	175	159
4	Unknown cause		26	7	2	3	2		14	1				2
5	Males		15	5	2	1	2		10	1				1
6	Females		11	2		2			4					1
7	1. General diseases. General diseases—A		1,270	379	104	54	50	39	626	101	56	44	55	63
8	Males		630	181	53	28	23	22	307	49	26	22	33	38
9	Females		640	198	51	26	27	17	319	52	30	22	22	25
10	Measles	M	19	3	5	5	4	1	18	1				
		F	19	1	1	2	4	2	15	1		1		
11	Scarlet fever	M	15	1	1	2	3	1	10	3	1			1
		F	10			1	1	2	4	4	1			1
12	Diphtheria	M	99	2	6	12	14	14	48	34	13	2	1	
		F	94	1	11	7	15	8	42	32	15	3		
13	Whooping cough	M	22	10	9	2			21	1				
		F	16	6	3	6			15	1				
14	Malarial fever	M	29	2	1	1	1	2	7	1			3	3
		F	34	2	1	2	2	1	8			3	3	5
15	Influenza	M	41	1			1	1	3		3	2		1
		F	74	6	2	1		1	10				1	2
16	Typhoid fever	M	135	1		1			2	7	7	16	27	26
		F	90	1			1	2	4	9	12	15	16	10
17	Cholera morbus	M	6	1	2				3			1		1
		F	4											
18	Colitis	M	7	2					2					
		F	1	1					1					
19	Diarrhea	M	44	18	4	1		1	24					
		F	41	22	4		1		27					1
20	Dysentery	M	17	3	2			1	6					1
		F	21	2	1	2			5		1		1	1
21	Enteritis	M	90	67	5	3			75				1	4
		F	128	85	13	3	1	1	103					2
22	Cholera infantum	M	69	55	13	1			69					
		F	61	50	8	2	1		61					
23	Fever	M												
		F												
24	Cerebro-spinal fever	M	13	4	3			1	8	2	1			
		F	11	5	2		1		8	1				1
25	Smallpox	M	2										1	1
		F	3								1		1	
26	Erysipelas	M	3								1			
		F	4	1					1					1
27	Septicemia	M	2	2					2			1		
		F	8							3				1
28	Venereal diseases	M	9	9					9					
		F	15	15					15					
29	Others of this group	M	2											
		F	6							1				
30	General diseases—B		68	27	2	2			31	2		1	2	3
31	Males		45	13	2	1			16	1			1	3
32	Females		23	14		1			15	1		1	1	
33	Alcoholism	M	18											2
		F	2									1		
34	Parasitic diseases	M												
		F	1			1			1					
35	Lead poison	M												
		F												
36	Other poisons	M	13		1	1			2	1			1	1
		F	6							1			1	
37	Inanition	M	14	13	1				14					
		F	14	14					14					
38	General diseases—C		542	364	8	1	2		375				1	
39	Males		287	196	6		1		203				1	
40	Females		255	168	2	1	1		172					
41	Old age	M	77											
		F	77											
42	Premature birth	M	83	83					83					
		F	64	64					64					
43	Malformation	M	8	8					8					
		F	7	7					7					
44	Debility and atrophy	M	112	98	6		1		105				1	
		F	101	91	2	1	1		95					
45	Others of this group	M	7	7					7					
		F	6	6					6					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued

DISTRICT OF COLUMBIA.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
267	244	275	254	310	356	349	348	313	238	185	83	24	21	7	1
149	125	130	129	174	203	178	197	156	117	82	40	7	6	7	2
118	119	145	125	136	153	171	151	157	121	103	43	17	15		3
	1	1		3	1	1	1		1						4
				2			1								5
	1	1		1	1	1			1						6
42	23	22	21	33	37	31	28	32	24	25	4		2	1	7
27	11	12	12	21	16	13	12	12	7	9	1		1	1	8
15	12	10	9	12	21	18	16	20	17	16	3		1		9
1	1														10
															11
1															12
1										1					
															13
1		1	2	1	1	4	1	3			1				14
1	1	1	1	1	1	2	2		2		2		1		
2		2	1	6	4	4	4	3	2	4					15
2	2	2	3	7	8	5	8	8	7	8	1				
18	9	6	8	7	3	1		1	1					1	16
7	4	5	1	1	2	2		1							
1															17
					1	2		1							
		2		1			1	1							18
1				3	3	3	3	2	2	3					19
					3	1	1	3		5					
2	1	1	1	2						2			1		20
1			2	1		3	2	4							
			2		3	1	1	1	2						21
	2	1	2	1	4	2		3	7	1					
															22
															23
1			1												24
									1						
		1													25
	1				1										26
					1	1									
			1	1	1		1	1							27
2	2														
															28
			1				1								29
				1			3			1					
2	4	1	2	6	6	3	2		2	1					30
1	4	1	1	5	6	3	2		1						31
1			1	1					1	1					32
1	3	1		4	4	1	2								33
									1						
															34
															35
	1		1	1	2	2			1						36
1			1	1						1					
															37
			1	1	3	2	11	21	27	48	25	16	10	1	38
			1		1	1	6	14	15	24	13	4	3	1	39
				1	2	1	5	7	12	24	12	12	7		40
						1	6	13	13	24	12	4	8	1	41
						1	5	7	11	23	11	12	7		
															42
															43
			1		1			1	2		1				44
				1	2				1	1	1				
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

DISTRICT OF COLUMBIA—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		1,219	46	31	20	12	7	116	18	26	80	157	131
2	Males		590	25	17	11	6	4	63	10	12	29	79	59
3	Females		629	21	14	9	6	3	53	8	14	51	78	72
4	Anemia	M	8		1		1		[illegible]			1	1	
		F	6							1	1		2	
5	Diabetes	M	8								1			
		F	7											
6	Rheumatism	M	12							1		2	1	
		F	18									2		
7	Scrofula and tabes	M	7				1		1				1	
		F	7	1					1			2		
8	Hydrocephalus	M	24	5	7	2	1	1	16	1	3		4	
		F	15	5	1	2	[illegible]	1	11			2	1	
9	Tuberculosis, general	M	12	2					2			1	2	
		F	8	2					2		1	1	1	1
10	Consumption	M	441	18	8	7	3	3	39	8	8	25	67	57
		F	410	12	13	7	3	2	37	7	12	44	74	66
11	Cancer	M	62										2	1
		F	138											4
12	Tumor	M	6											1
		F	10				1		1					1
13	Dropsy	M	5											
		F	7											
14	Others of this group	M	5		1	2			3				1	
		F	3	1					1					
15	2. Diseases of the nervous system		786	170	21	5	8	3	207	9	11	8	[illegible]	23
16	Males		446	99	9	4	3	1	116	5	6	5	7	16
17	Females		340	71	12	1	5	2	91	4	5	3	2	7
18	Inflammation of the brain	M	3	1					1					1
		F	1											
19	Meningitis	M	47	15	4	3	3		25	3	5	2	2	1
		F	41	13	5		3	1	22	4	3		1	1
20	Apoplexy	M	163									[illegible]		6
		F	129	2	1				3					1
21	Paralysis	M	28								1		1	1
		F	33										1	
22	Paralysis, general (of insane)	M	8											1
		F	3											1
23	Tetanus and trismus nascentium	M	8	7					7					
		F	4	4					4					
24	Chorea	M	2									1		
		F												
25	Epilepsy	M	8											2
		F	10									1		1
26	Convulsions	M	74	67	2				69					
		F	60	47	6	1	2		56			1		
27	Mental diseases	M	25										1	2
		F	12											
28	Diseases of the brain	M	70	9	3	1		1	14	2			3	2
		F	32	5				1	6		2			1
29	Diseases of the spinal cord	M	5											
		F	6									1		1
30	Locomotor ataxia	M	3											
		F	2											
31	Others of this class	M	2											
		F	7											1
32	3. Diseases of the circulatory system		601	7	1	2			10	5	10	5	19	12
33	Males		314	3	1				4	3	5		6	6
34	Females		290	4		2			6	2	5	5	13	[illegible]
35	Pericarditis	M	4							1				
		F	3										1	
36	Diseases of the heart	M	288	3	1				4	2	5		[illegible]	6
		F	269	1		2			3	2	5	[illegible]	12	6
37	Angina pectoris	M	8											
		F	10											
38	Diseases of the arteries	M	7											
		F												
39	Aneurism	M	5											
		F												
40	Embolism	M	2											
		F	5	1					1					
41	Others of this class	M												
		F	3	[illegible]					2					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

DISTRICT OF COLUMBIA—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
110	80	83	86	68	75	61	60	26	24	13	3	1		1	1
55	43	33	43	33	37	25	33	14	12	6	2	1		1	2
55	37	50	43	35	38	36	27	12	12	7	1				3
1			2		1										4
		1			1										
					1	2	2		1						5
				2	2		1		1	1					
1			1		2		1		3						6
1	1	1	1	2		1	5		1	2					
1		1			1	1	1								7
	2			2											
															8
				1											
1	1	2		2					1						9
		2													
49	41	28	31	23	20	14	16	8	1	2	2	1		1	10
47	25	28	21	10	9	11	11	4	3	1					
2	1	1	7	7	10	6	13	5	5	2					11
5	8	17	21	16	23	22	9	7	3	2	1				
		1	1		1	1		1							12
1		1		1	2			1	2						
			1		1				1	2					13
	1				1	1	1		2	1					
				1											14
1						1									
13	25	32	28	51	77	66	68	64	45	32	12	1	5		15
9	12	16	16	30	56	35	42	33	23	13	3	1	2		16
4	13	16	12	21	21	31	26	31	22	19	9		3		17
	1														18
	1														
2	2			2	1	2									19
1	1	2	2	1	1				1				1		
1	4	9	8	18	32	17	26	19	13	7		1			20
	3	9	4	10	14	21	16	19	11	8	6		1		
	1			1	3	2	5	7	2	1	1		2		21
2			2	3	4	3	6	4	2	4	2				
1	1	1		1	1			2							22
				2											
1															23
				1											24
		1		1	3	1									25
	3			2		2				1					
		2	1				1	1							26
		1			1				1						
2	2		3	1	4	4	2	2	1		1				27
1		2	1	1			2	3		2					
2	1	3	2	4	9	8	5	2	7	5	1				28
	2		2	1	1	4	2	3	3	3	1		1		
				1	2	1	1								29
		1				1		1	1						
			1		1		1								30
	1		1												
			1				1								31
	2	1		1				1		1					
19	34	38	30	53	58	66	83	79	40	23	10	2	2		32
13	16	21	15	34	33	39	45	35	23	12	4				33
6	18	17	21	19	25	27	38	44	17	11	6	2	2		34
	2							1							35
		1	1												
11	13	16	15	32	32	31	43	32	23	10	4				36
4	17	16	19	15	23	26	36	43	16	11	6	2	2		
	1					5	1	1							37
	1		1	3	2	1	1		1						
		2		1	1		1	1		1					38
1		3		1											39
1										1					40
2							1	1							
															41
				1											

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

DISTRICT OF COLUMBIA—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		800	217	72	30	19	10	348	20	13	14	31	26
2	Males		388	122	33	13	6	5	179	11	4	5	19	16
3	Females		412	95	39	17	13	5	169	9	9	9	12	10
4	Croup	M	9	2	1	2	2	1	8				1	
		F	8		2		2	3	7	1				
5	Pneumonia	M	255	73	20	7	3	2	105	6	3	3	14	15
		F	263	64	26	12	8	2	112	5	5	8	9	7
6	Laryngitis	M	2	1					1	1				
		F	3			1	1		2	1				
7	Bronchitis	M	62	27	11	4	1		43	1			2	
		F	79	23	9	3	2		37	1		1	2	
8	Pleurisy	M	10							3		2		
		F	8											1
9	Asthma	M	2											
		F	3										1	
10	Others of this class	M	48	19	1			2	22		1		2	1
		F	48	8	2	1			11	1	4			2
11	5. Diseases of the digestive system		330	57	18	6	1	2	84	9	8	14	18	25
12	Males		164	30	6	3	1		40	6	3	4	8	14
13	Females		166	27	12	3		2	44	3	5	10	10	11
14	Dentition	M	8	4	3	1			8					
		F	17	8	9				17					
15	Angina	M												
		F	1											
16	Gastritis	M	25	2	1		1		4	2				1
		F	30	4	3				7			1		1
17	Diseases of the stomach	M	13	2					2					1
		F	12							1				3
18	Obstruction of the bowels	M	10	2					2	1			1	1
		F	17	2		1		1	4				1	2
19	Appendicitis	M	16							1	2		2	2
		F	9							1		4	1	
20	Hernia	M	8	2					2					1
		F	2											
21	Other diseases of the bowels	M	1									1		
		F	2	1					1					
22	Jaundice	M	9	6					6					1
		F	3	3					3					
23	Inflammation and abscess of the liver.	M	12									1		1
		F	6			1		1	2					
24	Other diseases of the liver	M	28	1	1				2	1		1	1	3
		F	10								1		2	
25	Peritonitis	M	15			2			2	1	1	1	4	2
		F	35			1			1	1	4	4	6	4
26	Ascites	M	1											1
		F	1											1
27	Others of this class	M	18	11	1				12					
		F	21	9					9			1		
28	6. Diseases of the urinary system and male organs of generation.		348	6	3		4	1	14	6	5	7	15	15
29	Males		202	1	1		2	1	5	3	1	3	2	11
30	Females		146	5	2		2		9	3	4	4	13	4
31	Bright's disease	M	160							2		3	2	8
		F	115							3	3	2	9	2
32	Calculus, urinary	M	1								1			
		F	2	1					1					
33	Diseases of the kidney	M	11	1	1		2	1	5	1				
		F	13	4	2		2		8			1		1
34	Diseases of the bladder	M	15											1
		F	4											
35	Others of this class	M	15											2
		F	12								1	1	4	1
36	7. Diseases of the female organs of generation		39									1	8	11
37	Ovarian tumors		7										1	3
38	Ovarian diseases		2										1	1
39	Diseases of the tubes		10									1	2	3
40	Uterine tumors		8											
41	Uterine diseases		1										1	
42	Others of this class		11										3	4

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

DISTRICT OF COLUMBIA—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
24	18	24	23	28	34	52	33	34	33	25	16	2	2		1
12	11	13	10	17	17	18	16	13	9	8	10				2
12	7	11	13	11	17	34	17	21	24	17	6	2	2		3
															4
8	10	11	9	11	11	11	12	10	4	6	6				5
6	5	9	9	10	12	19	12	11	12	11			1		
															6
1			1	5	1	1		2	3	1	1				7
2	1		2		1	7	3	7	6	4	4	1			
1					2	1					1				8
1	1	1			1	2					1				
					1		1								9
				1			1								
2	1	2		1	2	5	3	1	2	1	2				10
3		1	2		3	6	1	3	6	2	1	1	1		
14	14	20	16	18	18	22	19	18	8	1	2	2			11
7	8	13	7	7	9	13	9	10	4		1	1			12
7	6	7	9	11	9	9	10	8	1	1	1	1			13
															14
															15
							1								
1		2	2	2	3	4		2	1			1			16
1	5	2	2	1	3	4	3								
	1	1		1	2	2	2	1							17
		2		2	1	1		1	1						
					1	2	1	1							18
1			2	1	1	1		1	2	1					
2	3	2		1			1								19
			1		2										
					1		1	1	1		1				20
				1				1							
															21
						1									
					1	1									22
4		2	1	2		1									23
	1		1	1				1							
	2	3	4		1	2	2	5	1						24
			2	2	1			1			1				
		3		1											25
5		2		1		2	4	1							
															26
	2					1	2		1						27
		1	1	2	1		2	2	1			1			
13	19	29	26	31	35	31	32	25	23	13	9				28
9	8	11	15	18	19	23	23	18	19	8	6				29
4	11	18	11	13	16	8	9	7	4	5	3				30
8	7	10	12	18	16	19	17	12	15	7	4				31
3	11	16	9	12	15	6	7	6	4	4	3				
															32
						1									
	1		1				1	2							33
		1		1			1								
		1	1			1	4	2	3		2				34
			1				1	1		1					
1			1		3	3	1	2	1	1					35
1		1	1		1	1									
4	1	5	3	3		1		1							36
		2	1												37
															38
3	1														39
1		2	2	2				1							40
															41
		2		1		1									42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

DISTRICT OF COLUMBIA—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	43								1	3	12	9
2	Abortion	7										3	1
3	Childbirth	13									2	2	3
4	Puerperal septicemia	14								1	1	5	3
5	Extra-uterine pregnancy	3										1	
6	Others of this class	6										1	2
7	9. Diseases of the bones and joints	17							1	2		1	1
8	Males	8								1		1	1
9	Females	9							1	1			
10	Diseases of the spine M	2								1		1	
	Diseases of the spine F	1								1			
11	Abscess, lumbar and psoas M	1											
	Abscess, lumbar and psoas F	3							1				
12	Diseases of the bones M	4											1
	Diseases of the bones F	1											
13	Diseases of the hip-joint M												
	Diseases of the hip-joint F	1											
14	Others of this class M	1											
	Others of this class F	3											
15	10. Diseases of the skin	9	1					1					
16	Males	4											
17	Females	5	1					1					
18	Abscess M	1											
	Abscess F	1	1					1					
19	Carbuncle M	3											
	Carbuncle F	1											
20	Others of this class M												
	Others of this class F	3											
21	11. Diseases of the absorbent system	4	2					2					1
22	Males	2	1					1					
23	Females	2	1					1					1
24	Addison's disease M												
	Addison's disease F												
25	Diseases of the spleen M												
	Diseases of the spleen F												
26	Others of this class M	2	1					1					
	Others of this class F	2	1					1					1
27	12. Accidents and injuries	259	23	6	6	7	5	47	12	8	12	30	22
28	Males	179	11	5	5	1	1	23	9	5	10	26	20
29	Females	80	12	1	1	6	4	24	3	3	2	4	2
30	Burns and scalds M	11	1	3	4			8	2			1	
	Burns and scalds F	24		1	1	5	4	11	2	1	1		1
31	Drowning M	29							3	2	4	9	5
	Drowning F	1											
32	Exposure and neglect M	1	1					1					
	Exposure and neglect F												
33	Gunshot wounds M	10										4	1
	Gunshot wounds F	2											
34	Homicide M	8										3	3
	Homicide F	6				1		1		1			
35	Infanticide M												
	Infanticide F	1	1					1					
36	Injuries by machinery M												
	Injuries by machinery F												
37	Railroad accidents M	23				1		1	1	1	2	4	3
	Railroad accidents F	2											
38	Suffocation M	5	3	1				4					
	Suffocation F	7	6					6	1				
39	Suicide by shooting M	5											
	Suicide by shooting F	1											
40	Suicide by drowning M												
	Suicide by drowning F												
41	Suicide by poison M	3										1	
	Suicide by poison F	5								1	1	2	1
42	Other suicides M	7											1
	Other suicides F	7										1	
43	Sunstroke M	7	2					2					
	Sunstroke F	2											
44	Surgical operations M												
	Surgical operations F	2										1	
45	Wounds M	4										1	1
	Wounds F												
46	Others of this class M	66	4	1	1		1	7	3	2	4	3	6
	Others of this class F	20	5					5					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

DISTRICT OF COLUMBIA—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
7	9	2													1
1	2														2
4	2														3
2	1	1													4
	2														5
	2	1													6
1		2	1	1	2			1	3	1					7
1		1	1		2										8
		1		1				1	3	1					9
															10
					1										11
		1		1											
1		1			1										12
									1						
															13
										1					
			1												14
								1	2						
		1		1	2	1	1	1	1						15
		1		1	1			1							16
					1	1	1		1						17
		1													18
				1	1			1							19
									1						
															20
					1	1	1								
							1								21
							1								22
															23
															24
															25
							1								26
18	16	14	11	13	8	12	9	11	7	3	2			4	27
15	12	8	8	6	6	8	7	6	4	2				4	28
3	4	6	3	7	2	4	2	5	3	1	2				29
															30
1		1	1		2	1		1	1						
2		2		1										1	31
			1												
															32
1						1								2	33
		1		1											
	1		1												34
	2	1		1											
															35
															36
2	3		2			2		2							37
				1				1							
							1								38
	1	3			1										39
				1											
															40
					1		1								41
3		1				1				1					42
1	1	2	1	1											
	1	1	2		1										43
								1	1						
															44
1															
2															45
5	6	1	3	5	3	4	5	4	4	1					46
	1	1		2		8	2	2	1	1	2				

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	12,148	1,946	408	187	125	88	2,754	265	162	364	445	439
2	Males	6,292	1,085	215	93	70	41	1,504	138	80	186	209	200
3	Females	5,856	861	193	94	55	47	1,250	127	82	178	236	239
4	Unknown cause	220	103	6	5	2	1	117	4	2	10	2	5
5	Males	131	59	3	3	1	1	67	2	2	8	1	3
6	Females	89	44	3	2	1		50	2		2	1	2
	1. General diseases.												
7	General diseases—A	1,788	659	142	65	52	36	954	87	39	56	59	46
8	Males	973	362	76	33	33	21	525	50	17	34	34	32
9	Females	815	297	66	32	19	15	429	37	22	22	25	14
10	Measles M	23	9	6	2	1	1	19	2		1		1
	Measles F	27	5	9	2		1	17	1	3	1	1	
11	Scarlet fever M	37	5	3	1	8	5	22	10	1	2		
	Scarlet fever F	17	1	3	3	1	1	9	7	1			
12	Diphtheria M	55	4	8	8	8	9	37	13	2	3		
	Diphtheria F	48	2	8	11	5	2	28	10	6	1	2	
13	Whooping cough M	47	32	5	4	3		44					
	Whooping cough F	50	30	8	5	4	2	47	3				
14	Malarial fever M	11	1					1			1		
	Malarial fever F	5										1	
15	Influenza M	116	14	5	3	1	1	24	3	1	1	8	
	Influenza F	129	13	2	1	1	1	18	2	1	2	1	
16	Typhoid fever M	128	1			1	1	3	9	7	20	24	26
	Typhoid fever F	72		1		1	1	3		9	11	10	7
17	Cholera morbus M	33	7	8	1	2		18	4	2			
	Cholera morbus F	18	4		2			6	3	1		1	
18	Colitis M	5	3					3					
	Colitis F	9	4	1				5				1	
19	Diarrhea M	44	16	1				17	3	2		1	
	Diarrhea F	31	10	2			1	13	2	1			
20	Dysentery M	32	13	4	1	3	1	22		1			1
	Dysentery F	42	14	9	3		1	27	3				1
21	Enteritis M	67	35	9	2	1	1	48	3		1	1	1
	Enteritis F	70	37	5	1			43	1		1	1	1
22	Cholera infantum M	246	211	23	7	3	1	245					
	Cholera infantum F	194	165	16	4	5	3	193					
23	Fever M	1									1		
	Fever F	2	2					2					
24	Cerebro-spinal fever M	25	7	4	2		1	14	1		1	2	
	Cerebro-spinal fever F	19	2	1	2	2	1	8	4		3	1	1
25	Smallpox M	5									1		
	Smallpox F												
26	Erysipelas M	16	1			2		3					
	Erysipelas F	10	4					4			1		
27	Septicemia M	43	2		2			4	1	1	2	2	2
	Septicemia F	42		1			1	2	1		1	6	4
28	Venereal diseases M	1											1
	Venereal diseases F	2									1		
29	Others of this group M	38	1					1	1			1	
	Others of this group F	28	4					4					
30	General diseases—B	118	57	4	1	2	1	65	2			3	4
31	Males	71	32	3			1	36				2	1
32	Females	47	25	1	1	2		29	2			1	3
33	Alcoholism M	12										1	
	Alcoholism F	3											
34	Parasitic diseases M												
	Parasitic diseases F	1				1		1					
35	Lead poison M												
	Lead poison F												
36	Other poisons M	17		2				2				1	1
	Other poisons F	7			1	1		2	2			1	2
37	Inanition M	42	32	1			1	34					
	Inanition F	36	25	1				26					1
38	General diseases—C	1,097	361	10	2			373			1	1	1
39	Males	556	198	6	1			205			1		1
40	Females	541	163	4	1			168				1	
41	Old age M	313											
	Old age F	340											
42	Premature birth M	104	104					104					
	Premature birth F	94	94					94					
43	Malformation M	12	12					12					
	Malformation F	10	10					10					
44	Debility and atrophy M	118	73	6	1			80			1		1
	Debility and atrophy F	89	51	4	1			56				1	
45	Others of this group M	9	9					9					
	Others of this group F	8	8					8					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
393	374	403	412	443	610	736	890	924	929	824	487	192	57	45	1
172	183	192	183	219	318	393	493	500	504	438	264	75	19	22	2
221	191	211	229	224	292	343	397	424	425	386	223	117	38	23	3
4	3	6	5	5	7	8	4	11	5	6	5	3		6	4
3	1	4	2	5	4	8	2	6	3	3	1	2		4	5
1	2	2	4	1	3		2	5	2	3	4	1		2	6
23	29	29	38	19	36	33	67	56	63	77	46	22	3	6	7
12	15	13	23	11	22	14	39	27	27	38	26	10	1	3	8
11	14	16	15	8	14	19	28	29	36	39	20	12	2	3	9
		1	2				1								10
	1										1				11
															12
									1						
		1	1					1							13
				1	2	2	2	2							14
		2							2						
1	2		2	1	5	2	10	10	13	18	15	4	1		15
	5	2	2	2	3	7	11	17	15	20	9	10	1	1	
5	7	7	6	4	3	2	3	1	1						16
5	5	3	5	2	4	1	3		2		1			1	
	1		3		1			2		2					17
						1	1	1	1	3					
				1			1								18
						1			1			1			
			1		2	2	5	2	3	3	1	2			19
				1	1	2	3	1	2	3	1	1			
		1				1			2	1		2		1	20
		1	1			1	1	2	1	2	2				
			1	1	2	1	4	1		2	1				21
1	1	2	2		2	1	3	3	5	1	2				
														1	22
														1	
															23
1		2	2		2										24
		1	1												
1			2	1											25
1		1	1	1	2	1	1		2	1	2				26
					1	1				2			1		
2	4	1	3	1	2	3	7	3	2	2	1				27
5	3	2	2	2	3	3	1	2		2	3				
		1													28
1			1		1		6	5	4	9	5	2		1	29
		1		1		1	4	3	6	6	2				
6	2	5	2		8	2	4	5	4	3	2			1	30
6	2	4	2		6	2	3		4	2	1				31
		1			2		1	5		1	1			1	32
1	2	2	2		2	1	1								33
					1			1						1	
															34
															35
5		1			1		2		3		1				36
		1			3	1			1	2					37
		1			1		1	4		1	1				
3	1	1		5	5	5	13	46	109	219	181	89	40	4	38
				3	2	2	9	24	57	105	97	33	16	1	39
3	1	1		2	3	3	4	22	52	114	84	56	24	3	40
						1	3	19	51	99	94	30	16		41
						1	3	21	49	107	81	55	23		
															42
															43
				3	2	1	6	5	6	6	3	3		1	44
3	1	1		2	3	2	1	1	3	7	3	1	1	3	
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		2,193	83	28	10	8	10	139	28	39	141	187	191
2	Males		965	43	16	5	2	3	69	14	11	59	75	77
3	Females		1,228	40	12	5	6	7	70	14	28	82	112	114
4	Anemia	M	24	7					7			1	2	
		F	33	7					7	1		2	1	3
5	Diabetes	M	50							2	2	5	1	3
		F	49					1	1		3		3	3
6	Rheumatism	M	20	1					1		1			1
		F	14	1					1					
7	Scrofula and tabes	M	21	10	2				12					1
		F	25	5					5		1	6		2
8	Hydrocephalus	M	35	10	7	3	1	1	22	5	3	1		1
		F	43	18	7	2		4	31	2	2	2	1	2
9	Tuberculosis, general	M	25		1				1	1	2	2	1	6
		F	17				1		1	1	2	3	1	1
10	Consumption	M	524	10	5	1	1		17	5	3	49	70	62
		F	621	6	4	3	4	2	19	8	18	66	102	96
11	Cancer	M	219	1				1	2	1			1	2
		F	362				1		1			2	1	6
12	Tumor	M	8			1			1			1		
		F	25	2					2	1		1	1	1
13	Dropsy	M	33	1	1				2					
		F	35		1				1	1	2		1	
14	Others of this group	M	6	3				1	4					1
		F	4	1					1				1	
15	2. Diseases of the nervous system		1,827	219	67	32	15	14	347	33	18	21	29	37
16	Males		939	131	34	17	8	7	197	18	10	11	14	17
17	Females		888	88	33	15	7	7	150	15	8	10	15	20
18	Inflammation of the brain	M	27	5	2	2	1	2	12	1	1	1	1	1
		F	11	3	2				5	2		1		2
19	Meningitis	M	146	62	15	8	4	2	91	13	5	7	4	6
		F	130	41	17	12	6	6	82	12	4	5	5	4
20	Apoplexy	M	289	4	1		1		6			1		4
		F	313	6	3				6			1	1	4
21	Paralysis	M	182	2	1	1		1	5	1				
		F	176	2					2		1	1		8
22	Paralysis, general (of insane)	M	18											
		F	5											
23	Tetanus and trismus nascentium	M	8	1	1			1	3				1	1
		F	1											
24	Chorea	M												
		F	1					1	1					
25	Epilepsy	M	17	1					1			1		1
		F	9	1	1				2	1			1	1
26	Convulsions	M	67	47	10	6	1		64	1	1			
		F	48	29	9	1			39			1	1	1
27	Mental diseases	M	53							1		1	7	1
		F	78										4	2
28	Diseases of the brain	M	96	9	4		1	1	15	1	2		1	3
		F	77	9	1	2	1		13		3	1	2	1
29	Diseases of the spinal cord	M	13								1			
		F	12										1	
30	Locomotor ataxia	M	8											
		F	4											
31	Others of this class	M	15											
		F	23											2
32	3. Diseases of the circulatory system		1,267	52	1	1	1	2	57	10	9	17	20	5
33	Males		708	32	1	1		1	35	5	4	7	5	1
34	Females		559	20			1	1	22	5	5	10	15	4
35	Pericarditis	M	9							1		1		
		F	6				1		1				1	
36	Diseases of the heart	M	625	20	1	1		1	23	4	4	6	4	
		F	503	15				1	16	5	5	9	13	4
37	Angina pectoris	M	45											1
		F	35											
38	Diseases of the arteries	M	5											
		F	5											
39	Aneurism	M	5										1	
		F	1									1		
40	Embolism	M	6											
		F	4										1	
41	Others of this class	M	13	12					12					
		F	5	5					5					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
165	120	123	140	131	152	148	152	125	108	62	28	6		8	1
62	58	54	52	50	55	72	80	70	56	34	13	1		3	2
103	62	69	88	81	97	76	72	55	52	28	15	5		5	3
		1	2	2	1	8	2		1	2					4
2	1		4		2	2	8	2	1	1		1			
4	4	4	2	1	2	7	6	3	3	1					5
1	1		4	7	5	4	7	5	4	1					
	1	2			2	2	3	1	3	2	1				6
				2	1	1	3	1	3	1	1				
1	1		1				2	1		1				1	7
3	1	2	1	1					1	1				1	
	1		1					1							8
2	1														
1		3	1	2	1		1	2		1					9
1		1	4		1						1				
54	47	31	36	29	23	32	24	16	13	8	3			2	10
83	44	35	32	26	24	12	17	17	12	5	2	1		2	
1	4	12	8	13	22	25	35	38	34	13	7	1			11
8	14	25	39	40	57	51	39	27	25	16	9	2			
				1	3			1			1				12
1		2	3	3	4	2			3	1					
1		1	1	2	1	3	6	7	2	6	1				13
1		4	1	2	3	3	3	3	8	2	2	1		2	
							1								14
1						1									
36	49	36	61	80	101	152	188	207	199	154	46	22	6	5	15
15	26	15	28	38	58	84	78	109	99	87	23	10		2	16
21	23	21	33	42	43	68	110	98	100	67	23	12	6	3	17
1		1	1	1	1	2				2	1				18
					1										
2			2	3	3	1	1	3	3					1	19
4	1	3		4	1	1	2	1				1			
8	10	2	10	15	31	39	31	44	44	36	9	3		1	20
4	3	5	8	18	18	36	53	52	45	31	17	6	2	3	
1	2	3	6	5	9	20	16	36	33	35	7	3			21
2	4	2	10	6	8	21	29	26	31	18	5	4	3		
	3	1	2	2	8	1	1	1	1	1	1	1			22
						1	1	1		2					
					2			1							23
									1						
															24
1	3	2		2		2	1		2			1			25
		1					2	1							
								1							26
2				1			3								
5	4	2	3	3	2	2	6	7	4	4	1				27
3	9	7	10	8	4	3	8	6	8	6					
2	2	2	1	5	4	12	11	11	10	8	4	2			28
2	2	1	2	4	5	5	7	6	13	8		1	1		
	1	1		2	1	2	4			1					29
1		2	1		3		3			1					
			2			1	2	3							30
	1				1			1	1						
	1	1	1		2	2	4	2	2						31
3	3		2	1	2	1	2	4	1	1	1				
21	33	38	35	61	105	153	175	177	169	104	59	16	2	1	32
11	14	15	14	34	66	92	110	99	91	62	38	5			33
10	19	23	21	27	39	61	65	78	78	42	21	11	2	1	34
	1						2	2	1	1					35
			1				1	1			1				
10	12	13	14	30	61	83	93	89	84	54	36	5			36
8	15	22	18	24	35	58	58	72	77	32	19	10	2	1	
1	1	1		2	4	7	11	5	5	6	1				37
1	4	1	2	1	4	2	5	5	1	9					
								3	1		1				38
				1		1				1	1	1			
				1	1	2									39
				1			4			1					40
1				1			1								
		1													41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		1,604	290	125	54	31	15	515	50	15	36	38	28
2	Males		800	149	66	23	16	5	259	21	8	15	26	12
3	Females		804	141	59	31	15	10	256	29	7	21	12	16
4	Croup	M	29	3	7	9	4		23	6				
		F	36	6	9	5	4	6	30	6				
5	Pneumonia	M	580	89	43	7	10	2	151	12	7	14	22	12
		F	559	85	32	18	10	1	146	16	6	19	5	12
6	Laryngitis	M	3	1		2			3					
		F	6	1	2			1	4	1				1
7	Bronchitis	M	110	39	14	5	2	2	62	3	1			
		F	118	34	13	6	1	1	55	1		1	1	2
8	Pleurisy	M	11										1	
		F	16							2		1	2	
9	Asthma	M	11	1					1				1	
		F	9	4					4					
10	Others of this class	M	56	16	2			1	19			1	2	
		F	60	11	3	2		1	17	3	1		1	1
11	5. Diseases of the digestive system		588	74	14	6	1	6	101	18	12	19	22	29
12	Males		281	43	4	4	1	1	53	7	6	10	11	8
13	Females		307	31	10	2		5	48	11	6	9	11	21
14	Dentition	M	2	2					2					
		F												
15	Angina	M	3		1		1		2	1				
		F	5		1			1	2	1				1
16	Gastritis	M	37	7					7					1
		F	52	5	1				6				2	3
17	Diseases of the stomach	M	24	3					3	1		1		
		F	15	1					1		1		2	1
18	Obstruction of the bowels	M	27	2					2	1	1	1		1
		F	25	3	1			1	5	2	1			1
19	Appendicitis	M	20								3	4	3	2
		F	25	1				2	3	2	1	3		5
20	Hernia	M	13	1					1					
		F	12					1	1	2				
21	Other diseases of the bowels	M	13	5	2				7			1	1	
		F	4	2					2					
22	Jaundice	M	13	8		1			9					
		F	11	3					3		1			
23	Inflammation and abscess of the liver.	M	18	2					2					
		F	18		1	1			2	1				
24	Other diseases of the liver	M	49			1			1		1			1
		F	28			1			1	1				
25	Peritonitis	M	35	1	1				2	4	1	3	7	3
		F	72	2	4				6	1	2	5	7	10
26	Ascites	M	1											
		F	8									1		
27	Others of this class	M	26	12		2		1	15					
		F	32	14	2				16	1				
28	6. Diseases of the urinary system and male organs of generation.		704	9	1	4	3		17	9	4	11	13	17
29	Males		437	8	1	2	2		13	2	2	7	3	7
30	Females		267	1		2	1		4	7	2	4	10	10
31	Bright's disease	M	284							2	2	6	8	7
		F	202							6	2	3	5	6
32	Calculus, urinary	M	4											
		F	1										1	
33	Diseases of the kidney	M	33	7		1	2		10					
		F	13			1	1		2					
34	Diseases of the bladder	M	48											
		F	7										1	1
35	Others of this class	M	68	1	1	1			3			1		
		F	44	1		1			2	1		1	3	3
36	7. Diseases of the female organs of generation		31									1	4	4
37	Ovarian tumors		9										1	
38	Ovarian diseases		2										1	
39	Diseases of the tubes													
40	Uterine tumors		5											1
41	Uterine diseases		3									1	1	
42	Others of this class		9										1	3

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
38	48	49	42	39	74	94	89	138	118	110	63	12	4	4	1
22	25	29	22	16	36	45	53	63	65	53	24	2	2	2	2
16	23	20	20	23	38	49	36	75	53	57	39	10	2	2	3
															4
19	22	25	17	14	32	36	39	50	48	39	19	1	1		5
9	17	19	16	15	33	40	29	58	38	45	26	6	1		
															6
		1			1	2	4	8	11	9	4	1	1	2	7
4		1	2	3	3	5	2	9	9	6	11	2	1		
			2	2	2		1	1		2					8
1	1			3	1			1	2	2					
			1			3	5								9
						1		1	1	1	1				
3	3	3	2		1	4	4	4	6	3	1				10
2	5		2	2	1	3	5	6	3	3	1	2		2	
15	19	27	26	28	31	45	72	45	38	26	11	3		1	11
5	7	11	11	14	15	20	38	19	17	16	8	2			12
7	12	16	15	14	16	25	34	26	21	10	3	1		1	13
															14
							1								15
2	1	1	1	1		2	6	6	5	2	1	1			16
	1	5	1	2	4	3	7	8	6	3	1				
	1	1	1		3	3	5	1	2	1	1				17
	1			1		1	2	2	2	1					
2		1		5	4	1	2	2	4						18
	2	2		2	2	1	1	3	1	2					
	1	2	2			1			1	1					19
1		1	1	1		1	3		2	1					
1				1	2		2			2	4				20
		1		2	2		2	1	1						
					1	1				2					21
			1					1							
					1	1	1	1							22
	1					1		2	2		1				
			2	3	1	1	3	1	2	2	1				23
	1		2	1		4	4	2		1					
	4		4	3	2	7	13	7	2	3	1				24
	2		1		4	5	6	4	3	1					
2		5	1	1	1	2	2			1					25
5	3	6	7	3	2	6	4	1	1			1		1	
										1					26
			1		1	2	2	1							
1		1				1	4	1	1	1		1			27
	1	1	1	2	1	1	2	1	3	1	1				
25	22	35	32	39	62	65	88	89	84	45	33	9	1	4	28
9	4	13	12	25	37	38	58	69	67	34	27	6		4	29
16	18	22	20	14	25	27	30	20	17	11	6	3	1		30
8	2	11	5	20	28	31	44	38	46	15	9	2		2	31
13	12	16	15	11	22	20	25	15	13	11	4	2	1		
					1			1	2						32
1	1				1		3	5	5	2	5				33
9		1		1		2	2	1	2						
		1		1	1	2	9	10	8	5	5	2		1	34
					1	2		1			1				
	1	1	4	4	6	5	2	15	6	9	8	2		1	35
1	6	5	5	2	2	3	3	3	2		1	1			
3	2	1	3	3	4	2	1	1		1		1			36
1			1	1	2	2		1							37
	1														38
															39
1	1			2	2					1					40
1															41
		1	2				1					1			42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		88								1	8	22	19
2	Abortion		5										2	1
3	Childbirth		34									2	8	7
4	Puerperal septicemia		35								1	5	9	6
5	Extra-uterine pregnancy													
6	Others of this class		14									1	3	5
7	9. Diseases of the bones and joints		30		1	1	1	1	4	1		4	5	1
8	Males		18		1		1	1	3			3	4	1
9	Females		12			1			1	1		1	1	
10	Diseases of the spine	M	7		1		1		2				2	1
		F	7			1			1					
11	Abscess, lumbar and psoas	M												
		F												
12	Diseases of the bones	M	5					1	1			2		
		F	4							1			1	
13	Diseases of the hip-joint	M	5									1	1	
		F	1									1		
14	Others of this class	M	1										1	
		F												
15	10. Diseases of the skin		22	3					3		1		2	2
16	Males		15	1					1		1		2	2
17	Females		7	2					2					
18	Abscess	M	10	1					1		1		1	2
		F	5											
19	Carbuncle	M	2											
		F												
20	Others of this class	M	3										1	
		F	2	2					2					
21	11. Diseases of the absorbent system		11											
22	Males		4											
23	Females		7											
24	Addison's disease	M	3											
		F	1											
25	Diseases of the spleen	M												
		F	2											
26	Others of this class	M	1											
		F	4											
27	12. Accidents and injuries		560	36	9	6	9	2	62	23	22	39	38	50
28	Males		394	27	4	4	6		41	19	19	31	32	38
29	Females		166	9	5	2	3	2	21	4	3	8	6	12
30	Burns and scalds	M	17	1	1	3	2		7	2				2
		F	24		3	1	3		7	2		2	2	2
31	Drowning	M	95		1	1	1		3	12	12	12	11	9
		F	17			1			1	1	1	4	2	1
32	Exposure and neglect	M	2											
		F	2		1				1					
33	Gunshot wounds	M	17							1	1	5	2	
		F	2					1	1					1
34	Homicide	M	4							1			1	1
		F	4					1	1					1
35	Infanticide	M												
		F												
36	Injuries by machinery	M	4									1		
		F												
37	Railroad accidents	M	34								2	4	5	7
		F	4											
38	Suffocation	M	15	13					13					
		F	3	3					3			1		1
39	Suicide by shooting	M	17										2	2
		F												
40	Suicide by drowning	M	3											
		F	5											
41	Suicide by poison	M	8											1
		F	8									1		3
42	Other suicides	M	28										4	
		F	6											1
43	Sunstroke	M	2		1				1		1			
		F	2											
44	Surgical operations	M	1											
		F	7										1	1
45	Wounds	M	4										1	
		F												
46	Others of this class	M	143	13	1		3		17	3	3	9	6	16
		F	77	6	1				7	1	2		1	2

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
20	6	10	1	1											1
2															2
6	3	8													3
9	3	1		1											4
															5
3		1	1												6
1		3	1	1		3	2	1	2			1			7
1		2		1		1			7						8
		1	1			2	2	1				1			9
						1			1						10
		1				1	2	1				1			
															11
				1					1						12
			1			1									
1		2													13
															14
1	2	2	1	2	1		2	1	2						15
	1	1	1	2	1		1	1	1						16
1	1	1					1		1						17
		1	1		1			1	1						18
1	1	1					1		1						
	1			1											19
				1			1								20
3		1			1		1	5							21
2					1			1							22
1		1					1	4							23
1					1			1							24
								1							
1								1							25
1															26
		1					1	2							
29	38	37	24	28	23	26	32	17	28	17	13	8	1	5	27
21	30	31	16	20	15	15	22	12	15	4	6	4		3	28
8	8	6	8	8	8	11	10	5	13	13	7	4	1	2	29
	1	1					2		2						30
3	2					1	1			1	1				
5	8	6	1	3	6	1	2	2						2	31
1	1	2	1	1			1								
								2							32
												1			
3	4			1											33
	1														34
	1	1													
															35
	1						2								36
2	4	2	1		1	4			1		1				37
							1		1	2					
	2														38
			1											2	
	1	3	2	2	2	2	1								39
					1		1	1							40
			1	1	1	1		1							
	1	1			1			2	1					1	41
	1	1			1	1			1						
2	2	3	6	5	1		3		1		1				42
1			2			1	1								
								1	1						43
						1									44
1		2	1		1										
			1						1			1			45
9	5	15	5	9	3	7	11	5	9	4	4	3			46
2	3		2	6	5	7	6	3	10	10	6	3	1		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE—GROUP 1.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	8,439	1,310	271	122	93	59	1,855	182	93	223	307	302
2	Males	4,425	748	147	57	51	26	1,029	97	51	124	148	142
3	Females	4,014	562	124	65	42	33	826	85	42	99	159	160
4	Unknown cause	119	51	5	2		1	60	1	1	1	2	3
5	Males	71	29	2	2		1	34		1	1	1	3
6	Females	48	22	3	1			26	1			1	
	1. General diseases.												
7	General diseases—A	1,139	400	78	38	38	23	577	55	24	28	38	33
8	Males	621	226	41	19	23	12	321	31	12	18	25	23
9	Females	518	174	37	19	15	11	256	24	12	10	13	10
10	Measles M	9	4	1		1		6	1		1		1
	Measles F	8	1	5	1			7					
11	Scarlet fever M	19	2	2	1	5	2	12	4		2		
	Scarlet fever F	6		1	1			2	3	1			
12	Diphtheria M	48	3	2	6	8	2	33	12	2	1		
	Diphtheria F	38	1	7	8	4	2	22	9	4	1	1	
13	Whooping cough M	35	26	1	3	2		32					
	Whooping cough F	35	21	5	3	4	1	34	1				
14	Malarial fever M	6	1					1					
	Malarial fever F	3										1	
15	Influenza M	78	4	2	1	1		8	2			2	
	Influenza F	85	5	1				6			1	1	
16	Typhoid fever M	82					1	1	4	7	10	16	19
	Typhoid fever F	44				1	1	2		5	6	5	5
17	Cholera morbus M	17	6	1	1			8	2	1			
	Cholera morbus F	10			1			1	2	1			
18	Colitis M	3	2					2					
	Colitis F	7	3	1				4				1	
19	Diarrhea M	29	14	1				15	2	2		1	
	Diarrhea F	23	9	1			1	11	1	1			
20	Dysentery M	15	6	1		2		9					
	Dysentery F	14	2	1			1	4	2				1
21	Enteritis M	50	28	4	1	1	1	35	2		1	1	
	Enteritis F	59	33	4	1			38	1		1	1	1
22	Cholera infantum M	151	125	20	3	2		150					
	Cholera infantum F	111	92	10	2	4	3	111					
23	Fever M												
	Fever F												
24	Cerebro-spinal fever M	12	4		2			6				2	
	Cerebro-spinal fever F	12			2	2	1	5	4		1		
25	Smallpox M	3									1		
	Smallpox F												
26	Erysipelas M	7				1		1					
	Erysipelas F	7	3					3					
27	Septicemia M	30	1		1			2	1		2	2	2
	Septicemia F	31		1			1	2	1			3	3
28	Venereal diseases M	1											1
	Venereal diseases F	1											
29	Others of this group M	26							1			1	
	Others of this group F	24	4					4					
30	General diseases—B	88	47	4		1	1	53	1			3	2
31	Males	55	29	3			1	33				2	
32	Females	33	18	1		1		20	1			1	2
33	Alcoholism M	10										1	
	Alcoholism F	3											
34	Parasitic diseases M												
	Parasitic diseases F												
35	Lead poison M												
	Lead poison F												
36	Other poisons M	9		2				2				1	
	Other poisons F	4				1		1	1			1	1
37	Inanition M	36	29	1			1	31					
	Inanition F	26	18	1				19					1
38	General diseases—C	751	264	7	1			272			1		
39	Males	384	144	4	1			149			1		
40	Females	367	120	3				123					
41	Old age M	211											
	Old age F	221											
42	Premature birth M	73	73					73					
	Premature birth F	66	66					66					
43	Malformation M	6	6					6					
	Malformation F	7	7					7					
44	Debility and atrophy M	85	56	4	1			61					
	Debility and atrophy F	67	41	3				44			1		
45	Others of this group M	9	9					9					
	Others of this group F	6	6					6					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—GROUP 1.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
265	278	289	300	337	426	531	602	667	673	574	331	135	39	30	1
121	135	139	138	171	225	279	336	377	361	299	178	49	14	12	2
144	143	150	162	166	201	252	266	290	312	275	153	86	25	18	3
2	2	4	4	4	5	3	4	6	3	5	3	3		3	4
2	1	3	1	4	3	8	2	4	2	2		2		2	5
	1	1	3		2		2	2	1	3	2	1		1	6
18	20	22	25	16	23	24	45	42	40	56	31	16	1	5	7
10	12	8	14	11	14	7	29	20	15	25	16	7		8	8
8	8	14	11	5	9	17	16	22	25	31	15	9	1	2	9
		1													10
	1														11
									1						12
		1	1					1							13
				1	2	1	1								14
		2													
1	2		1	1	3	1	10	9	10	15	11	2			15
	3	1	1	2	3	5	5	12	12	17	7	7	1	1	
5	6	4	3	4	1		1	1							16
5	3	2	4		2	1	2				1			1	
	1		2					2		1					17
						1	1		1	3					
				1											18
						1						1			
			1		1		2	2	1	1		1			19
				1		2	1	1	1	2	1	1			
		1				1			1			2		1	20
		1	1			1		2	1	1					
			1	1	1	1	4	1		1	1				21
		2	2		1	1	1	3	5		2				
														1	22
															23
		1	2		1										24
		1	1												
1				1											25
			1	1	2					1	1				26
					1	1				2					
2	2	1	1	1	2	3	5	1		2	1				27
3	2	2	2	1	3	3	1	1		2	2				
															28
		1													
1			1		1		6	3	3	4	2	2		1	29
		1		1		1	4	3	4	4	2				
3	1	4	2		4		3	4	3	2	2			1	30
3	1	3	2		3		2		3	2	1				31
		1			1		1	4			1			1	32
1	1	2	2		2		1								33
					1			1						1	
															34
															35
2							1		2		1				36
		1			1				1	2					37
		1					1	3			1				
2	1	1		3	3		11	28	73	151	111	64	28	2	38
				1	1		8	17	40	72	62	21	12		39
2	1	1		2	2		3	11	33	79	49	43	16	2	40
							3	15	34	67	61	19	12		41
							2	11	30	74	47	42	15		
															42
															43
				1	1		5	2	6	5	1	2			44
2	1	1		2	2		1		8	5	2	1	1	2	
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE—GROUP 1—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		1,534	64	19	6	6	7	102	21	23	98	133	134
2	Males		696	34	9	3	1	2	49	11	10	47	53	55
3	Females		838	30	10	3	5	5	53	10	13	51	80	79
4	Anemia	M	15	7					7					
		F	20	5					5			1	1	2
5	Diabetes	M	34							1	2	4		1
		F	38								2		3	3
6	Rheumatism	M	14	1					1		1			1
		F	12	1					1					
7	Scrofula and tabes	M	16	9	2				11					
		F	15	3					3		1	4		1
8	Hydrocephalus	M	21	5	4	1	1	1	12	5	2	1		1
		F	32	14	6	1		3	24	2	1	2	1	
9	Tuberculosis, general	M	19		1				1	1	2	1	1	6
		F	10							1	1	5		1
10	Consumption	M	386	8	2	1			11	3	3	40	52	47
		F	425	5	3	2	4	2	16	6	8	40	73	70
11	Cancer	M	159	1				1	2	1				1
		F	247				1		1					1
12	Tumor	M	8			1			1			1		
		F	18	2					2	1		1		1
13	Dropsy	M	19											
		F	18		1				1				1	
14	Others of this group	M	5	3					3					1
		F	8										1	
15	2. Diseases of the nervous system		1,330	165	51	26	11	10	263	26	9	15	23	24
16	Males		696	106	26	12	6	5	155	14	4	7	11	14
17	Females		634	59	25	14	5	5	108	12	5	8	12	10
18	Inflammation of the brain	M	24	4	2	2	1	1	10	1		1	1	1
		F	8	3	2				5	2				1
19	Meningitis	M	111	51	11	5	4	2	73	10	2	5	2	5
		F	100	30	14	11	4	5	64	6	3	4	5	1
20	Apoplexy	M	224	4	1				5					3
		F	231	2	2				4			1	1	1
21	Paralysis	M	118	1		1			2	1				
		F	109	2					2			1		1
22	Paralysis, general (of insane)	M	13											
		F	3											
23	Tetanus and trismus nascentium	M	8	1	1			1	3				1	1
		F	1											
24	Chorea	M												
		F												
25	Epilepsy	M	11	1					1					1
		F	7		1				1	1			1	1
26	Convulsions	M	53	37	8	4	1		50	1	1			
		F	30	19	5	1			25			1		
27	Mental diseases	M	43									1	6	
		F	67										3	2
28	Diseases of the brain	M	67	7	3			1	11	1	1		1	3
		F	48	3	1	2	1		7		2	1	1	1
29	Diseases of the spinal cord	M	10											
		F	8										1	
30	Locomotor ataxia	M	6											
		F	3											
31	Others of this class	M	8											
		F	19											2
32	3. Diseases of the circulatory system		893	29			1	1	31	8	3	15	10	5
33	Males		493	15				1	16	3	1	5	3	1
34	Females		400	14			1		15	5	2	10	7	4
35	Pericarditis	M	6									1		
		F	4				1		1					
36	Diseases of the heart	M	438	10				1	11	3	1	4	3	
		F	361	12					12	5	2	9	6	4
37	Angina pectoris	M	34											1
		F	26											
38	Diseases of the arteries	M	3											
		F	4											
39	Aneurism	M	3											
		F	1									1		
40	Embolism	M	4											
		F	2										1	
41	Others of this class	M	5	5					5					
		F	2	2					2					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
109	85	85	103	91	104	109	100	83	83	43	18	4		6	1
43	40	41	39	37	38	53	49	51	45	23	9	1		2	2
66	45	44	64	54	66	56	51	32	38	20	9	3		4	3
		1	1	1	1	3			1						4
1	1		3			2	2		1			1			
2	4		2	1	1	5	4	3	3	1					5
	1		3	4	3	4	7	4	3	1					
	1	2					2	1	2	2					6
				1	1	1	3	1	2	1	1				
	1		1				1			1				1	7
2	1			1						1				1	
															8
1	1														
1		3	1	1	1		1	1		1					9
			3		1										
38	30	24	28	21	17	21	19	13	11	4	3			1	10
52	31	23	23	18	19	7	12	11	8	4	2	1		1	
1	4	10	5	11	15	21	20	28	26	9	4	1			11
8	10	17	30	28	38	37	25	15	18	12	6	1			
				1	3			1			1				12
1		2	1	1	2	2			3	1					
1		1	1	1		3	1	4	1	5	1				13
		2	1	1	2	2	2	1	3					2	
							1								14
1						1									
27	42	26	44	62	67	114	129	154	143	105	32	16	4	5	15
13	24	9	21	31	40	61	56	84	67	61	16	6		2	16
14	18	17	23	31	27	53	73	70	76	44	16	10	4	3	17
1		1	1	1	1	2				2	1				18
2			2	3	1	1	1	1	2					1	19
3	1	2		3	1	1	1	1				1			
2	9	1	7	13	23	29	23	37	37	27	5	2		1	20
2	1	4	6	14	13	31	35	39	37	22	11	5	1	3	
1	2	1	3	4	6	14	12	25	16	25	4	2			21
	2	1	5	4	4	12	20	15	22	11	4	3	2		
	3	1	2	2	2			1			1	1			22
						1				2					
					2			1							23
									1						
															24
1	2	1		2		1	1		1						25
		1					2								
								1							26
2							2								
4	4	1	3	3	1	2	5	7	3	2	1				27
3	9	6	8	7	3	3	7	5	8	2					
2	2	2		2	2	8	5	8	7	4	4	1			28
1	2	1	2	2	2	4	4	5	7	4		1	1		
	1	1		1	1	2	3			1					29
1		2	1		1		1			1					
			2			1	1	2							30
	1				1			1							
	1		1		1	1	2	1	1						31
2	2		1	1	2	1	1	4	1	1	1				
14	27	27	25	48	72	113	112	132	131	70	38	11	1		32
7	10	11	10	24	45	67	69	80	71	42	24	4			33
7	17	16	15	24	27	46	43	52	60	28	14	7	1		34
	1							2	1	1					35
			1				1	1							
6	8	10	10	20	41	59	59	72	66	38	23	4			36
6	13	16	13	21	21	44	38	47	59	22	13	6	1		
1	1	1		2	4	6	7	5	3	3					37
1	4		1	1	3	1	4	4	1	6					
								1	1		1				38
				1		1					1	1			
				1		2									39
				1			3								40
				1											
															41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE—GROUP 1—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	1,168	210	90	40	26	11	377	43	11	19	30	20
2	Males	597	115	54	18	13	3	203	21	6	13	18	8
3	Females	571	95	36	22	13	8	174	22	5	6	12	12
4	Croup M	26	2	7	7	4		20	6				
	Croup F	29	2	5	5	4	5	24	5				
5	Pneumonia M	429	66	37	5	8		116	12	5	12	15	8
	Pneumonia F	332	55	15	10	8	1	89	12	4	5	8	8
6	Laryngitis M	3	1		2			3					
	Laryngitis F	4		2				2	1				1
7	Bronchitis M	82	32	10	4	1	2	49	3	1			
	Bronchitis F	94	30	9	5	1	1	46	1			1	2
8	Pleurisy M	11										1	
	Pleurisy F	15							2		1	2	
9	Asthma M	5	1					1					
	Asthma F	4	2					2					
10	Others of this class M	41	13				1	14			1	2	
	Others of this class F	43	6	2	2		1	11	1	1		1	1
11	5. Diseases of the digestive system	386	45	9	2		4	60	7	7	12	12	20
12	Males	186	25	3			1	29	3	5	7	6	7
13	Females	200	20	6	2		3	31	4	2	5	6	13
14	Dentition M	2	2					2					
	Dentition F												
15	Angina M												
	Angina F	3		1			1	2					1
16	Gastritis M	26	3					3					1
	Gastritis F	37	5					5				1	3
17	Diseases of the stomach M	12							1				
	Diseases of the stomach F	6											1
18	Obstruction of the bowels M	20	2					2					1
	Obstruction of the bowels F	18	2	1				3	1	1			
19	Appendicitis M	15								3	4	1	1
	Appendicitis F	12	1				1	2	1				2
20	Hernia M	9	1					1					
	Hernia F	8					1	1	1				
21	Other diseases of the bowels M	8	4	2				6			1		
	Other diseases of the bowels F	3	2					2					
22	Jaundice M	10	7					7					
	Jaundice F	9	2					2		1			
23	Inflammation and abscess of the liver. M	14	2					2					
	Inflammation and abscess of the liver. F	16		1	1			2	1				
24	Other diseases of the liver M	35								1			1
	Other diseases of the liver F	19			1			1					
25	Peritonitis M	27	1	1				2	2	1	2	5	3
	Peritonitis F	45	1	1				2			4	5	6
26	Ascites M	1											
	Ascites F	5									1		
27	Others of this class M	7	3				1	4					
	Others of this class F	19	7	2				9					
28	6. Diseases of the urinary system and male organs of generation.	534	6	1	3	3		13	5	3	7	8	13
29	Males	332	5	1	1	2		9	2	2	4	2	5
30	Females	202	1		2	1		4	3	1	3	6	7
31	Bright's disease M	225							2	2	3	2	6
	Bright's disease F	154							2	1	3	3	8
32	Calculus, urinary M	3											
	Calculus, urinary F												
33	Diseases of the kidney M	24	4		1	2		7					
	Diseases of the kidney F	11			1	1		2					
34	Diseases of the bladder M	33											
	Diseases of the bladder F	4										1	1
35	Others of this class M	47	1	1				2			1		
	Others of this class F	33	1		1			2	1			2	3
36	7. Diseases of the female organs of generation	25										4	3
37	Ovarian tumors	6										1	
38	Ovarian diseases	2										1	
39	Diseases of the tubes												
40	Uterine tumors	7											1
41	Uterine diseases	2										1	
42	Others of this class	8										1	2

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
28	40	33	29	28	52	66	60	98	91	80	52	5	3	[illegible]	1
15	22	20	18	11	24	31	38	42	47	38	19		2	1	2
13	18	13	11	17	28	35	22	56	44	42	33	5	1	2	3
															4
14	19	18	14	[illegible]	21	25	29	33	34	29	15		1		5
6	12	13	[illegible]	10	26	28	18	42	33	33	23	3			
															6
					1	1	3	5	8	6	3		1	1	7
4			1	[illegible]	1	3	2	8	7	5	9	1	1		
			[illegible]	2	2		1	1		2					8
1	1			3	1			1	1	2					
						2	2								9
						1			1						
1	3	2	2			3	[illegible]	3	5	1	1				10
2	5		1	2		3	2	5	2	2	1	1		2	
7	16	20	16	23	25	29	44	32	28	18	8	1		1	11
[illegible]	6	8	7	12	14	13	22	14	14	11	5				12
4	10	12	9	11	11	16	22	18	14	7	3	1		1	13
															14
															15
	1	1	1	1		1	5	5	5	1	1				16
	1	4	1	2	3	2	3	4	5	2	1				
	1				2	1	3		2	1	1				17
	1					1		1	1	1					
1		1		4	4	1	2	2	2						18
	1	[illegible]		2	2	1	1	3		1					
	1	1	1			1			1	1					19
		1	1	1			2		1	1					
					2		1			2	3				20
		1		1			[illegible]	1	1						
					1										21
			1												
					1		1	1							22
	1					1		1	2		1				
			2	3	1	1	2		1	2					23
	1		2	1		3	[illegible]	2		1					
	3		3	3	2	[illegible]	[illegible]	5	2	3					24
	1				3	4	4	4	2						
2		5		1	1	2	1								25
4	3	4	2	2	2	3	4	1	1			1		1	
										1					26
			1			1	1	1							
							1	1	1						27
	1		1	2	1		2		1	1	1				
19	15	29	25	34	46	52	66	69	63	32	24	[illegible]	1	1	28
7	2	11	10	21	28	33	44	53	49	22	20	6		1	29
12	13	18	15	13	18	19	22	16	14	10	4	3	1		30
[illegible]	1	[illegible]	7	16	21	26	39	30	37	10	6	2			31
9	8	14	11	10	16	16	20	11	11	10	3	2	1		
								1	2						32
1					1		2	4	3	2	4				33
2		1		1		1	1	1	2						
		1		1	1	2	3	7	5	5	5	2		1	34
					1			1							
	1	1	3	4	5	5		11	2	5	5	2			35
1	5	3	4	2	1	2	1	3	1		1	1			
[illegible]	1	1	3	2	4	1	1			1		1			36
1			1		2	1									37
	1														38
															39
1				2	2					1					40
1															41
		1	2				1					1			42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE—GROUP 1—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		46									3	13	10
2	Abortion		3										2	
3	Childbirth		16										3	4
4	Puerperal septicemia		19									2	6	2
5	Extra-uterine pregnancy													
6	Others of this class		8									1	2	3
7	9. Diseases of the bones and joints		22		1	1	1		3			3	4	1
8	Males		14		1		1		2			2	3	1
9	Females		8			1			1			1	1	
10	Diseases of the spine	M	5		1		1		2				1	1
		F	5			1			1					
11	Abscess, lumbar and psoas	M												
		F												
12	Diseases of the bones	M	4									2		
		F	2										1	
13	Diseases of the hip-joint	M	4										1	
		F	1									1		
14	Others of this class	M	1										1	
		F												
15	10. Diseases of the skin		14	2					2				1	
16	Males		9										1	
17	Females		5	2					2					
18	Abscess	M	4											
		F	3											
19	Carbuncle	M	2											
		F												
20	Others of this class	M	3										1	
		F	2	2					2					
21	11. Diseases of the absorbent system		7											
22	Males		4											
23	Females		3											
24	Addison's disease	M	3											
		F	1											
25	Diseases of the spleen	M												
		F	1											
26	Others of this class	M	1											
		F	1											
27	12. Accidents and injuries		383	27	6	2	6	1	42	15	12	21	26	34
28	Males		267	20	3	1	5		29	12	10	19	23	24
29	Females		116	7	3	1	1	1	13	3	2	2	3	10
30	Burns and scalds	M	10			1	1		2	2				
		F	15		2		1		3	2				2
31	Drowning	M	61		1		1		2	7	7	8	7	6
		F	11			1			1	1	1	1	1	1
32	Exposure and neglect	M	1											
		F												
33	Gunshot wounds	M	11								1	4	1	
		F	1											1
34	Homicide	M	2							1			1	
		F	4					1	1					1
35	Infanticide	M												
		F												
36	Injuries by machinery	M	1											
		F												
37	Railroad accidents	M	28									4	4	7
		F	3											
38	Suffocation	M	11	9					9					
		F	5	1					1			1		
39	Suicide by shooting	M	15										2	1
		F												
40	Suicide by drowning	M	2											
		F	4											
41	Suicide by poison	M	6											1
		F	2											1
42	Other suicides	M	18										2	
		F	4											1
43	Sunstroke	M	2		1				1		1			
		F	2											
44	Surgical operations	M												
		F	6										1	1
45	Wounds	M	3										1	
		F												
46	Others of this class	M	96	11	1		3		15	2	1	3	5	9
		F	59	6	1				7		1		1	2

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
9	5	5	1												1
1															2
1	3	5													3
6	2														4
															5
1			1												6
1		3	1	1		1	1	1	1			1			7
1		2		1		1			1						8
		1	1				1	1				1			9
						1									10
		1					1	1				1			
															11
				1					1						12
			1												
1		2													13
															14
1	1	1	1	2	1		2	1	1						15
	1	1	1	2	1		1	1							16
1							1		1						17
		1	1		1			1							18
1							1		1						
	1			1											19
				1			1								20
2					1		1	3							21
2					1			1							22
							1	2							23
1					1			1							24
								1							
															25
								1							
1															26
							1								
20	22	28	21	23	19	19	23	14	13	11	12	4	1	3	27
15	16	22	15	16	13	10	16	10	7	1	6	2		1	28
5	6	6	6	7	6	9	7	4	6	10	6	2	1	2	29
	1	1					2		2						30
2	2					1	1			1	1				
2	3	4	1	3	6	1	1	2						1	31
1		2	1	1											
								1							32
3	2														33
	1	1													34
															35
							1								36
1	3	1	1		1	4					1				37
							1		1	1					
	2														38
			1											2	
	1	3	1	2	2	2	1								39
							1	1							40
			1	1		1		1							
		1			1			2	1						41
		1													
	2	1	6	3	1		2				1				42
			2			1									
															43
								1	1						
															44
1		2			1										
												1			45
			1												
															46
8	2	11	5	8	2	3	8	4	4	1	4	1			
1	3		1	5	5	6	5	2	4	8	5	2	1		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE—GROUP 2.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	3,709	636	137	65	32	29	899	83	69	141	138	137
2	Males	1,867	337	68	36	19	15	475	41	29	62	61	58
3	Females	1,842	299	69	29	13	14	424	42	40	79	77	79
4	Unknown cause	101	52	1	2	2		57	3	1	9		2
5	Males	60	30	1	1	1		33	2	1	7		
6	Females	41	22		1	1		24	1		2		2
7	1. General diseases. General diseases—A	649	259	64	27	14	13	377	32	15	28	21	13
8	Males	352	136	35	14	10	9	204	19	5	16	9	9
9	Females	297	123	29	13	4	4	173	13	10	12	12	4
10	Measles M	14	5	5	2		1	13	1				
	Measles F	19	4	4	1		1	10	1	3	1	1	
11	Scarlet fever M	18	3	1		3	3	10	6	1			
	Scarlet fever F	11	1	2	2	1	1	7	4				
12	Diphtheria M	7	1		2		1	4	1		2		
	Diphtheria F	10	1	1	3	1		6	1	2		1	
13	Whooping cough M	12	6	4	1	1		12					
	Whooping cough F	15	9	3			1	13	2				
14	Malarial fever M	5									1		
	Malarial fever F	2											
15	Influenza M	38	10	3	2		1	16	1	1	1	1	
	Influenza F	44	8	1	1	1	1	12	2	1	1		
16	Typhoid fever M	46	1			1		2	5		10	8	7
	Typhoid fever F	28		1				1		4	5	5	2
17	Cholera morbus M	16	1	7		2		10	2	1			
	Cholera morbus F	8	4		1			5	1			1	
18	Colitis M	2	1					1					
	Colitis F	2	1					1					
19	Diarrhea M	15	2					2	1				
	Diarrhea F	8	1	1				2	1				
20	Dysentery M	17	7	3	1	1	1	13		1			1
	Dysentery F	28	12	8	3			23	1				
21	Enteritis M	17	7	5	1			13	1				1
	Enteritis F	11	4	1				5					
22	Cholera infantum M	95	86	3	4	1	1	95					
	Cholera infantum F	83	73	6	2	1		82					
23	Fever M	1									1		
	Fever F	2	2					2					
24	Cerebro-spinal fever M	13	3	4			1	8	1		1		
	Cerebro-spinal fever F	7	2	1				3			2	1	1
25	Smallpox M	2											
	Smallpox F												
26	Erysipelas M	9	1			1		2					
	Erysipelas F	3	1					1			1		
27	Septicemia M	13	1		1			2		1			
	Septicemia F	11									1	3	1
28	Venereal diseases M												
	Venereal diseases F	1									1		
29	Others of this group M	12	1					1					
	Others of this group F	4											
30	General diseases—B	30	10		1	1		12	1				2
31	Males	16	3					3					1
32	Females	14	7		1	1		9	1				1
33	Alcoholism M	2											
	Alcoholism F												
34	Parasitic diseases M												
	Parasitic diseases F	1				1		1					
35	Lead poison M												
	Lead poison F												
36	Other poisons M	8											1
	Other poisons F	3			1			1	1				1
37	Inanition M	6	3					3					
	Inanition F	10	7					7					
38	General diseases—C	346	97	3	1			101				1	1
39	Males	172	54	2				56					1
40	Females	174	43	1	1			45				1	
41	Old age M	102											
	Old age F	119											
42	Premature birth M	31	31					31					
	Premature birth F	28	28					28					
43	Malformation M	6	6					6					
	Malformation F	3	3					3					
44	Debility and atrophy M	33	17	2				19					1
	Debility and atrophy F	22	10	1	1			12				1	
45	Others of this group M												
	Others of this group F	2	2					2					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—GROUP 2.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
128	96	114	112	106	184	205	288	257	256	250	156	57	18	15	1
51	48	53	45	48	93	114	157	123	143	139	86	26	5	10	2
77	48	61	67	58	91	91	131	134	113	111	70	31	13	5	3
2	1	2	2	2	2	5		5	2	1	2			3	4
1		1	1	1	1	5		2	1	1	1			2	5
1	1	1	1	1	1			3	1		1			1	6
5	9	7	13	3	13	9	22	14	23	21	15	6	2	1	7
2	3	5	9		8	7	10	7	12	13	10	3	1		8
3	6	2	4	3	5	2	12	7	11	8	5	3	1	1	9
			2				1								10
											1				11
															12
															13
						1	1	2							14
									2						
			1		2	1		1	3	3	4	2	1		15
	2	1	1		1	2	5	5	3	3	2	3			
	1	3	3		2	2	2		1						16
	2	1	1	2	2		1		2						
			1		1					1					17
								1							
							1								18
									1						
					1	2	3		2	2	1	1			19
					1		2		1	1					
									1	1					20
							1			1	2				
					1					1					21
1	1				1		2			1					
															22
														1	
															23
1		1			1										24
			2												25
1		1				1	1		2		1				26
													1		
	2		2				2	2	2						27
2	1			1				1			1				
															28
								2	1	5	3				29
									2	2					
3	1	1			4	2	1	1	1	1					30
3	1	1			3	2	1		1						31
					1			1		1					32
	1					1									33
															34
															35
2		1			1		1		1						36
					2	1									37
					1			1		1					
1				2	2	5	2	18	36	68	70	25	12	2	38
				2	1	2	1	7	17	33	35	12	4	1	39
1					1	3	1	11	19	35	35	13	8	1	40
						1		4	17	32	33	11	4		41
						1	1	10	19	33	34	13	8		
															42
															43
				2	1	1	1	3		1	2	1		1	44
1					1	2		1		2	1			1	
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE—GROUP 2—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		659	19	9	4	2	3	37	7	16	43	54	57
2	Males		269	9	7	2	1	1	20	3	1	12	22	22
3	Females		390	10	2	2	1	[illegible]	17	4	15	31	32	35
4	Anemia	M	9									1	2	
		F	13	2					2	1		1		1
5	Diabetes	M	16							1		1	1	2
		F	11					1	1		1			
6	Rheumatism	M	6											
		F	2											
7	Scrofula and tabes	M	5	1					1					1
		F	10	2					2			2		1
8	Hydrocephalus	M	14	5	3	2			10		1			
		F	11	4	1	1		1	7		1			2
9	Tuberculosis, general	M	6									1		3
		F	7				1		1		1		1	
10	Consumption	M	138	2	3		1		6	2		9	18	15
		F	196	1	1	1			3	2	10	26	29	26
11	Cancer	M	60										1	1
		F	115									2	1	5
12	Tumor	M												
		F	7										1	
13	Dropsy	M	14	1	1				2					
		F	17							1	2			
14	Others of this group	M	1					1	1					
		F	1	1					1					
15	2. Diseases of the nervous system		497	54	16	6	4	4	84	7	[illegible]	6	6	13
16	Males		213	25	8	5	2	2	42	4	6	4	[illegible]	3
17	Females		254	29	8	1	2	2	42	3	3	2	3	10
18	Inflammation of the brain	M	3	1				1	2		1			
		F	3									1		1
19	Meningitis	M	35	11	4	3			18	3	3	2	2	1
		F	30	11	[illegible]	1	2	1	18	3	1	1		3
20	Apoplexy	M	65				1		1			1		1
		F	82	1	1				2					3
21	Paralysis	M	64	1	1			1	3					
		F	67								1			2
22	Paralysis, general (of insane)	M	5											
		F	2											
23	Tetanus and trismus nascentium	M												
		F												
24	Chorea	M												
		F	1					1	1					
25	Epilepsy	M	[illegible]									1		
		F	2	1					1					
26	Convulsions	M	14	10	2	2			14					
		F	18	10	4				14				1	1
27	Mental diseases	M	10							1			1	1
		F	11										1	
28	Diseases of the brain	M	29	2	1		1		4		1			
		F	29	6					6		1		1	
29	Diseases of the spinal cord	M	3								1			
		F	4											
30	Locomotor ataxia	M	2											
		F	1											
31	Others of this class	M	7											
		F	4											
32	3. Diseases of the circulatory system		374	23	1	1		1	26	2	[illegible]	2	10	
33	Males		215	17	1	1			19	2	3	2	2	
34	Females		159	6				1	7		3		[illegible]	
35	Pericarditis	M	3							1				
		F	2										1	
36	Diseases of the heart	M	187	10	1	1			12	1	[illegible]	2	1	
		F	142	3				1	4		3		7	
37	Angina pectoris	M	11											
		F	9											
38	Diseases of the arteries	M	2											
		F	1											
39	Aneurism	M	2										1	
		F												
40	Embolism	M	2											
		F	2											
41	Others of this class	M	8	7					7					
		F	3	3					3					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
56	35	38	37	40	48	39	52	42	25	19	10	2		2	1
19	18	13	13	13	17	19	31	19	11	11	4			1	2
37	17	25	24	27	31	20	21	23	14	8	6	2		1	3
			1	1			2			2					4
1			1		2		1	2		1					
2		4			1	2	2								5
1			1	3	2			1	1						
					2	2	1				1				6
				1					1						
1							1	1							7
1		2	1						1						
	1		1					1							8
1															
				1				1							9
1		1	1								1				
16	17	7	[illegible]	8	[illegible]	11	5	3	2	4				1	10
31	13	12	9	8	5	5	5	6	4	1				1	
		2	3	2	7	4	15	10	8	4	3				11
	4	8	9	12	19	14	14	12	7	4	3	1			
															12
			[illegible]	2	2										
				1	1		5	3	1	1					13
1		2		1	1	1	1	2		2	2	1			
															14
9	7	10	17	18	34	38	59	53	56	49	14	6	2		15
2	2	[illegible]	7	7	18	23	22	25	32	26	7	4			16
7	5	4	10	11	16	15	37	28	21	23	7	2	2		17
					1										18
					2		1	2	1						19
1		1		1			1								
1	1	1	3	2	[illegible]	10	8	7	7	9	4	1			20
2	2	1	2	4	5	5	18	13	8	9	6	1	1		
		2	3	1	3	6	4	11	17	10	3	1			21
2	2	1	5	2	4	9	9	11	[illegible]	7	1	1	1		
					1	1	1		1	1					22
							1	1							
															23
															24
	1	1				1			1			1			25
								1							
															26
				1			1								
1		1			1		1		1	[illegible]					27
		1	2	1	1		1	1		3					
			1	3	2	4	3	3	3	4		1			28
1				2	3	1	3	1	6	4					
				1			1								29
					2		2								
							1	1							30
									1						
		1			1	1	2	1	1						31
1	1		1				1								
7	[illegible]	11	10	13	33	40	63	45	38	34	21	5	1	1	32
4	4	4	4	10	21	25	41	19	20	20	14	1			33
[illegible]	2	7	[illegible]	3	12	15	22	26	18	14	7	4	1	1	34
							2								35
											1				
4	4	3	4	10	20	24	34	17	18	16	13	1			36
2	2	6	5	3	11	14	20	25	18	10	6	4	1	1	
						1	4		2	3	1				37
		1	1		1	1	1	1		3					
								2							38
										1					
					1										39
							1			1					40
1							1								
		1													41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE—GROUP 2—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		436	80	35	14	5	4	138	7	4	17	8	8
2	Males		203	34	12	5	3	2	56		2	2	8	4
3	Females		233	46	23	9	2	2	82	7	2	15		4
4	Croup	M	3	1		2			3					
		F	7	4	1			1	6	1				
5	Pneumonia	M	151	23	6	2	2	2	35		2	2	7	4
		F	177	30	17	8	2		57	4	2	14		4
6	Laryngitis	M												
		F	2	1				1	2					
7	Bronchitis	M	28	7	4	1	1		13					
		F	24	4	4	1			9			1		
8	Pleurisy	M												
		F	1											
9	Asthma	M	6										1	
		F	5	2					2					
10	Others of this class	M	15	3	2				5					
		F	17	5	1				6	2				
11	5. Diseases of the digestive system		202	29	5	4	1	2	41	11	5	7	10	9
12	Males		95	18	1	4	1		24	4	1	3	5	1
13	Females		107	11	4			2	17	7	4	4	5	8
14	Dentition	M												
		F												
15	Angina	M	3		1		1		2	1				
		F	2							1				
16	Gastritis	M	11	4					4					
		F	15		1				1				1	
17	Diseases of the stomach	M	12	3					3			1		
		F	9	1					1		1		2	
18	Obstruction of the bowels	M	7							1	1	1		
		F	7	1				1	2	1				1
19	Appendicitis	M	5										2	1
		F	13					1	1	1	1	3		3
20	Hernia	M	4											
		F	4							1				
21	Other diseases of the bowels	M	5	1					1				1	
		F	1											
22	Jaundice	M	3	1		1			2					
		F	2	1					1					
23	Inflammation and abscess of the liver.	M	4											
		F	2											
24	Other diseases of the liver	M	14			1			1					
		F	9							1				
25	Peritonitis	M	8							2		1	2	
		F	27	1	3				4	1	2	1	2	4
26	Ascites	M												
		F	3											
27	Others of this class	M	19	9		2			11					
		F	13	7					7	1				
28	6. Diseases of the urinary system and male organs of generation.		170	3		1			4	4	1	4	5	4
29	Males		105	3		1			4			3	1	1
30	Females		65							4	1	1	4	3
31	Bright's disease	M	59									3	1	1
		F	48							4	1		2	3
32	Calculus, urinary	M	1											
		F	1										1	
33	Diseases of the kidney	M	9	3					3					
		F	2											
34	Diseases of the bladder	M	15											
		F	3											
35	Others of this class	M	21			1			1					
		F	11									1	1	
36	7. Diseases of the female organs of generation		6									1		1
37	Ovarian tumors		3											
38	Ovarian diseases													
39	Diseases of the tubes													
40	Uterine tumors		1											
41	Uterine diseases		1											
42	Others of this class		1									1		1

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
10	8	16	13	11	22	28	29	40	27	30	11	7	1	1	1
7	3	9	4	5	12	14	15	21	18	15	5	2		1	2
3	5	7	9	6	10	14	14	19	9	15	6	5	1		3
															4
5	3	7	3	5	11	11	10	17	14	10	4	1			5
3	5	6	7	5	7	12	11	16	5	12	8	3	1		
															6
		1				1	1	3	3	2	1	1		1	7
		1	1	1	2	2		1	2	1	2	1			
									1						8
			1			1	2								9
								1		1	1				
2		1			1	1	1	1	1	2					10
			1		1		3	1	1	1		1			
8	3	7	10	5	6	16	28	13	10	8	3	2			11
5	1	3	4	2	1	7	16	5	3	5	2	2			12
3	2	4	6	3	5	9	12	8	7	3					13
															14
															15
							1								
2						1	1	1		1		1			16
		1			1	1	4	4	1	1					
		1	1		1	2	2	1							17
				1			2	1	1						
1				1					2						18
	1								1	1					
		1	1												19
1						1	1		1						
1				1			1				1				20
				1	2										
						1				2					21
								1							
						1									22
								1							
							1	1	1		1				23
						1	1								
	1		1			1	7	2			1				24
	1		1		1	1	2		1	1					
			1				1			1					25
2		2	5	1		3									
															26
					1	1	1								
1		1				1	3			1		1			27
		1				1		1	2						
6	7	6	7	5	16	13	22	20	21	13	9			3	28
2	2	2	2	4	9	5	14	16	18	12	7			3	29
4	5	4	5	1	7	8	8	4	3	1	2				30
2	1	2	1	4	7	5	5	8	9	5	3			2	31
4	4	2	4	1	6	4	5	4	2	1	1				
					1										32
	1						1	1	2		1				33
						1	1								
							6	3	3	3					34
						2					1				
			1		1		2	4	4	4	3			1	35
	1	2	1		1	1	2		1						
	1			1		1		1							36
				1		1		1							37
															38
															39
	1														40
															41
															42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE—GROUP 2—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		42								1	5	9	9
2	Abortion		2											1
3	Childbirth		18									2	5	3
4	Puerperal septicemia		16								1	3	3	3
5	Extra-uterine pregnancy													
6	Others of this class		6										1	2
7	9. Diseases of the bones and joints		3					1	1	1		1	1	
8	Males		4					1	1			1	1	
9	Females		4							1				
10	Diseases of the spine	M	2										1	
		F	2											
11	Abscess, lumbar and psoas	M												
		F												
12	Diseases of the bones	M	1					1	1					
		F	2							1				
13	Diseases of the hip-joint	M	1									1		
		F												
14	Others of this class	M												
		F												
15	10. Diseases of the skin		8	1					1		1		1	2
16	Males		6	1					1		1		1	2
17	Females		2											
18	Abscess	M	6	1					1		1		1	2
		F	2											
19	Carbuncle	M												
		F												
20	Others of this class	M												
		F												
21	11. Diseases of the absorbent system		4											
22	Males													
23	Females		4											
24	Addison's disease	M												
		F												
25	Diseases of the spleen	M												
		F	1											
26	Others of this class	M												
		F	3											
27	12. Accidents and injuries		177	9	3	4	3	1	20	8	10	18	12	16
28	Males		127	7	1	3	1		12	7	9	12	9	14
29	Females		50	2	2	1	2	1	8	1	1	6	3	2
30	Burns and scalds	M	7	1	1	2	1		5					2
		F	9		1	1	2		4			2	2	
31	Drowning	M	34			1			1	5	5	4	4	3
		F	6									3	1	
32	Exposure and neglect	M	1											
		F	2		1				1					
33	Gunshot wounds	M	6							1		1	1	
		F	1					1	1					
34	Homicide	M	2											1
		F												
35	Infanticide	M												
		F												
36	Injuries by machinery	M	3									1		
		F												
37	Railroad accidents	M	6								2		1	
		F	1											
38	Suffocation	M	4	4					4					
		F	3	2					2					1
39	Suicide by shooting	M	2											1
		F												
40	Suicide by drowning	M	1											
		F	1											
41	Suicide by poison	M	2											
		F	6									1		1
42	Other suicides	M	10										2	
		F	2											
43	Sunstroke	M												
		F												
44	Surgical operations	M	1											
		F	1											
45	Wounds	M	1											
		F												
46	Others of this class	M	47	2					2	1	2	6	1	7
		F	18							1	1			

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
11	1	5		1											1
1															2
5		3													3
3	1	1		1											4
															5
2		1													6
						2	1		1						7
									1						8
						2	1								9
									1						10
						1	1								
															11
															12
						1									
															13
															14
	1	1							1						15
									1						16
	1	1													17
									1						18
	1	1													
															19
															20
1		1						2							21
															22
1		1						2							23
															24
1															25
		1						2							26
9	16	9	3	5	4	7	9	3	15	5	1	4		2	27
6	14	9	1	4	2	5	6	2	8	3		2		2	28
3	2		2	1	2	2	3	1	7	3	1	2			29
1															30
3	5	2					1							1	31
	1						1								
								1							32
												1			
	2			1											33
	1														34
															35
	1						1								36
	1	1							1						37
										1					
															38
			1												39
					1										40
					1										
	1													1	41
	1				1	1			1						
2		2		2			1		1						42
1							1								
															43
						1									44
			1												
									1						45
1	8	4		1	1	4	3	1	5	3		2			46
1			1	1		1	1	1	6	2	1	1			

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MASSACHUSETTS.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		49,756	10,754	2,331	1,058	714	499	15,356	1,184	674	1,100	1,779	2,068
2	Males		25,352	6,028	1,246	542	385	240	8,441	614	307	533	930	1,045
3	Females		24,404	4,726	1,085	516	329	259	6,915	570	367	567	849	1,023
4	Unknown cause		350	108	10	2	4		124	8	8	4	5	11
5	Males		189	59	6	2	3		70	4	3	1	4	5
6	Females		161	49	4		1		54	4	5	3	1	6
	1. General diseases.													
7	General diseases—A		8,715	3,351	888	455	321	236	5,251	488	154	154	190	186
8	Males		4,341	1,843	454	210	172	104	2,783	236	65	65	108	91
9	Females		4,374	1,508	434	245	149	132	2,468	252	89	89	82	95
10	Measles	M	167	46	56	19	18	4	143	14	1	1	2	1
		F	144	40	42	19	9	6	116	9	10	1	2	2
11	Scarlet fever	M	180	9	23	29	32	19	112	50	5	4	3	2
		F	204	15	24	33	35	25	132	53	7	2	1	2
12	Diphtheria	M	516	40	96	95	85	53	369	107	18	10	5	2
		F	556	31	83	100	63	71	348	143	34	11	7	4
13	Whooping cough	M	162	93	41	11	9	4	158	2				
		F	213	102	55	29	14	3	203	8	1			
14	Malarial fever	M	41	3			1	1	5	1	1	1	2	1
		F	29	5	1	1			7	1	2	1	3	1
15	Influenza	M	411	33	8	3	3	1	48	6	4	4	8	6
		F	709	33	8	5	5	3	54	4	5	5	3	17
16	Typhoid fever	M	374	1	2	1	3	1	8	12	16	29	68	55
		F	251	1	3	3		1	8	8	16	50	29	34
17	Cholera morbus	M	56	5	4	5	2	1	17	6	2	1	2	1
		F	57	6	3	8	1		18	1	1	1	1	3
18	Colitis	M	32	18	4	1	1		24	1			1	
		F	39	20	6		1		27	1			1	
19	Diarrhea	M	160	83	13	2			98	4				2
		F	156	76	6				82	6	1		1	2
20	Dysentery	M	118	24	10	6	1	4	45	3	3	2	1	3
		F	148	10	3	5	3	3	24	3	2	2	4	3
21	Enteritis	M	622	458	65	14	4	5	546	6	3			3
		F	547	317	82	13	7	4	423	6	3	2	2	1
22	Cholera infantum	M	1,062	929	113	13	4	3	1,062					
		F	902	781	97	13	5	6	902					
23	Fever	M	1											
		F	5	1	2	1		1	5					
24	Cerebro-spinal fever	M	125	42	14	8	6	4	74	13	8	6	9	5
		F	86	23	10	13	5	6	57	7	5	6	4	2
25	Smallpox	M	6				1		1	1				1
		F	9		2				2			1	3	
26	Erysipelas	M	80	30					30		1	2	1	1
		F	76	24	3	1			28	1			2	2
27	Septicemia	M	109	9	3	1	2	3	18	7	1	3	6	6
		F	147	10	3		1	1	15	1	2	6	17	19
28	Venereal diseases	M	29	18	1				19			2		1
		F	20	12	1			1	14				2	1
29	Others of this group	M	90	2	1	2		1	6	3	2			1
		F	76	1		1		1	3			1		2
30	General diseases—B		1,222	847	28	4	4	4	887	7	1	5	12	36
31	Males		730	475	16	3	1	3	498	5		2	6	28
32	Females		492	372	12	1	3	1	389	2	1	3	6	8
33	Alcoholism	M	145							1			2	15
		F	46										1	3
34	Parasitic diseases	M	1											
		F	1				1		1					
35	Lead poison	M	6			1			1					
		F	3											
36	Other poisons	M	75	4	2	2		3	11	1		2	4	13
		F	43	3	1	1	2	1	8	1		2	4	5
37	Inanition	M	503	471	14		1		486	3				
		F	399	369	11				380	1	1	1	1	
38	General diseases—C		4,734	2,658	79	12	6	6	2,761	5	5	3	8	5
39	Males		2,338	1,508	44	7	5	1	1,565	1	2	2	4	3
40	Females		2,396	1,150	35	5	1	5	1,196	4	3	1	4	2
41	Old age	M	661											
		F	1,042											
42	Premature birth	M	683	683					683					
		F	481	481					481					
43	Malformation	M	95	91	1				92					
		F	96	94	1			1	96					
44	Debility and atrophy	M	817	652	43	7	5	1	708	1	2	2	4	3
		F	718	517	34	5	1	4	561	4	3	1	4	2
45	Others of this group	M	82	82					82					
		F	59	58					58					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,061	1,999	1,861	1,926	2,232	2,412	2,639	2,892	2,926	2,761	2,074	1,140	427	126	119	1
1,077	1,056	931	1,019	1,129	1,213	1,313	1,405	1,395	1,304	932	459	142	37	70	2
984	943	930	907	1,103	1,199	1,326	1,487	1,531	1,457	1,142	681	285	89	49	3
15	22	21	15	19	18	14	15	13	8	10	5	1		14	4
8	11	15	9	6	11	12	9	7	3	5				6	5
7	11	6	6	13	7	2	6	6	5	5	5	1		8	6
182	152	133	131	140	134	217	240	269	291	234	108	49	8	4	7
91	81	64	59	62	62	90	92	121	112	89	49	17	2	2	8
91	71	69	72	78	72	127	148	148	179	145	59	32	6	2	9
2	1				1				1						10
1		1	1		1										
3	1														11
2	2	1					1	1							
2	1		1	1											12
1	3		2	1	1		1								
	1									1					13
														1	
	3		1		6	3	4	5	5	1	1	1			14
	2	1		1	1	1	2	2	1	2	1				
7	11	13	16	16	12	31	37	52	56	50	21	11	1	1	15
11	14	24	25	29	26	72	78	86	97	94	33	27	5		
52	39	25	20	19	10	11	3	3	3		1				16
33	16	9	17	9	5	8	3	5	1						
1		2	3	1	1	3	2	5	2	2	3	1		1	17
2	6	2	1	3	1	1	4	3	4	1	3	1			
1			1	1	1		1		1						18
1		2	1	1	1		2		2						
2	4	1	2	2	4	8	6	8	8	8	1	2			19
1		4		3	7	6	5	9	14	10	4	1			
2	4	3		3	3	10	8	11	11	4	2				20
5	4	5	5	2	7	9	18	15	23	8	6	3			
2	3	6	2	4	8	10	10	6	5	4	8		1		21
5	3	5	7	11	7	8	14	13	17	16	8		1		
															22
		1													23
	4	3	1	1				1							24
2	1	1					1								
2				1											25
1				1	1										
7	4	3	4	2	5	8	3	6	4	1	1	2			26
1	8	8	6	4	7	3	3	1	8	3	1				
7	4	5	5	6	8	5	12	10	4	2					27
23	17	8	5	11	3	7	3	1	3	3	2			1	
1	1	1		2				1	1						28
2		1													
		1	3	3	3	6	6	13	11	16	16				29
		2	2	2	4	12	13	12	9	8	6				
38	51	32	28	25	24	15	17	8	14	4	1	1	1	15	30
27	37	22	21	17	17	10	13	5	9	2	1			10	31
11	14	10	7	8	7	5	4	3	5	2		1	1	5	32
22	33	13	14	14	11	6	6	2	4		1			1	33
5	11	8	6	3	6	1	1			1					
					1										34
1		2	1			1									35
3															
4	4	7	6	3	4	9	6	2	4	1					36
3	3	2	1	4	1	2	2	3	1	1					
					1		1	1	1	1				9	37
				1		2	1		4			1	1	5	
2	6	2	7	8	21	49	89	191	339	511	428	206	79	9	38
1	2	1	2	4	9	22	40	79	136	205	171	64	20	5	39
1	4	1	5	4	12	27	49	112	203	306	257	142	59	4	40
						9	23	68	122	195	164	60	20		41
						16	35	81	188	283	242	138	57	2	
															42
														3	43
1	2	1	2	4	9	13	17	11	14	10	7	4		2	44
1	4	1	5	4	12	11	14	30	15	23	15	4	2	2	
								1							45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MASSACHUSETTS—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		8,737	351	187	96	61	34	729	110	134	458	796	918
2	Males		4,168	206	110	47	25	16	404	48	41	189	406	454
3	Females		4,569	145	77	49	36	18	325	62	93	269	390	461
4	Anemia	M	76	11	1		1		13	1			3	3
		F	119	7	5		2	1	15		1	8	6	7
5	Diabetes	M	150		2	2			4	2	5	4	3	7
		F	168	1			2	1	4	5	11	7	4	5
6	Rheumatism	M	84	2		1		2	5	6	4	3	4	5
		F	93	2		1	1		4	6	6	8	2	4
7	Scrofula and tabes	M	31	9	3				12	2			3	2
		F	33		5	1	1		7		3	2	2	2
8	Hydrocephalus	M	249	91	67	22	15	10	205	16	4	2	4	6
		F	196	66	39	26	13	8	152	15	7	7	7	2
9	Tuberculosis, general	M	77	8	3	1			12	2	5	1	6	12
		F	79	10	3	3	1	2	19	5	3	6	7	7
10	Consumption	M	2,769	72	31	16	5	3	127	14	20	172	375	413
		F	2,455	50	24	16	13	6	109	30	54	230	359	421
11	Cancer	M	605			2			2	1	1	2	3	4
		F	1,259				1		1		2	2		12
12	Tumor	M	69	2				1	3	2		2	8	2
		F	98	1		1	1		3	1	2	1	2	4
13	Dropsy	M	20		1		1		2	1		1	1	
		F	36	1					1			1		
14	Others of this group	M	38	11	2	3	3		19	1	2	2	1	
		F	33	7	1	1	1		10		4	2	1	
15	2. Diseases of the nervous system		6,156	1,087	338	129	86	64	1,704	124	82	67	78	114
16	Males		3,139	636	188	77	44	33	978	71	34	40	35	66
17	Females		3,017	451	150	52	42	31	726	53	48	27	43	48
18	Inflammation of the brain	M	46	18	3	5	2	1	29	2	1	1	1	1
		F	23	6	1	2	1		10		1		1	1
19	Meningitis	M	656	294	114	48	23	18	497	45	11	14	10	16
		F	550	221	100	31	32	20	404	44	27	10	9	4
20	Apoplexy	M	1,007	16	3	1	2		22	3	2	3	5	14
		F	1,183	7	1	1	1	1	11		3	4	1	14
21	Paralysis	M	432	3	1				4	1	3	1	4	3
		F	410	3		2			5	1	1		4	2
22	Paralysis, general (of insane)	M	25											1
		F	22											
23	Tetanus and trismus nascentium	M	26	3					3	8	5	5	2	1
		F	5	1					1			1		
24	Chorea	M	4				1	1	2		1			
		F	4								3			
25	Epilepsy	M	66	2	1		1		4	1	5	8	2	7
		F	67	3		1			4	1	4	5	9	7
26	Convulsions	M	390	265	56	19	8	9	357	10	3			2
		F	307	185	44	15	8	7	259	3	3		8	8
27	Mental diseases	M	107									2	2	5
		F	133										3	3
28	Diseases of the brain	M	264	32	9	3	6	4	54	6	3	4	6	13
		F	206	20	4			1	25	3	4	6	7	8
29	Diseases of the spinal cord	M	42	3	1				4	1		2	1	3
		F	41	2				2	4	1				2
30	Locomotor ataxia	M	37											
		F	10											
31	Others of this class	M	37			1	1		2				2	
		F	56	3					3		2	1	1	4
32	3. Diseases of the circulatory system		4,784	207	13	8	10	10	248	62	72	73	112	123
33	Males		2,426	115	6	3	6	6	136	30	33	25	45	60
34	Females		2,358	92	7	5	4	4	112	32	39	48	67	63
35	Pericarditis	M	28	2	1				3	1	3	1	1	2
		F	28	1	1	1			3	2	2	1		
36	Diseases of the heart	M	2,143	85	5	3	6	5	104	28	30	20	43	56
		F	2,123	69	6	4	3	3	85	29	35	46	62	56
37	Angina pectoris	M	95							1		2	1	2
		F	86									1	2	2
38	Diseases of the arteries	M	91											
		F	64	1					1				1	
39	Aneurism	M	23											
		F	10								2			1
40	Embolism	M	17									2		
		F	25					1	1	1			2	4
41	Others of this class	M	29	28				1	29					
		F	22	21			1		22					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
825	693	592	587	578	530	482	449	368	266	146	54	12	2	8	1
458	360	268	278	267	213	221	194	164	121	54	17	4	1	6	2
367	333	324	309	311	317	261	255	204	145	92	37	8	1	2	3
4	2	4	4	9	8	7	9	2	4	3					4
5	3	8	8	12	12	5	11	11	7	3	2				
10	8	4	9	17	12	19	20	12	10	4					5
1	4	6	13	17	23	26	12	18	8	3	1				
2	2	1	5	3	10	10	4	8	6	4	1	1			6
2	2	8	8	5	6	8	7	7	8	5	1				
1	3	1				2	1	3	1						7
2	2	2	2	2		2	2	2		1					
7	1		1	1	1									1	8
2		1	1					1						1	
8	10	3	7	6	1		2		2						9
7	5	6	6	2	1	2	1		2						
414	303	218	190	163	109	91	62	54	27	10	4			3	10
314	250	179	122	99	82	60	56	42	22	15	9	1	1		
8	18	34	50	61	69	82	85	75	63	30	11	3	1	2	11
25	57	103	138	158	181	148	148	110	86	56	24	7		1	
4	8		12	5	3	8	8	5	3	1					12
2	9	7	10	12	7	8	14	6	6	4					
	3	1				1	1	5	1	1	1				13
2	1	2	1	2	4	2	4	5	6	5					
	2	2		2		1	1		4	1					14
4		2	5	2	1			2							
129	158	173	222	290	365	412	518	576	551	365	142	44	7	5	15
68	88	84	123	150	193	206	240	272	252	168	53	12	3	3	16
61	70	89	99	140	172	236	278	304	299	197	89	32	4	2	17
	1		1	1	1	2	2	1	2						18
1	1	3		1		2	1		1						
16	9	7	12	4	1	4	5	5							19
10	3	7	11	3	4	2	6	5	1						
19	32	31	53	71	103	109	134	150	126	88	32	6	2	2	20
11	22	40	49	77	99	142	170	178	171	107	60	20	3	1	
9	20	15	20	31	42	44	50	64	69	38	13	1			21
4	6	10	11	20	30	41	48	69	68	57	22	9	1	1	
2	1	2	1	4	2	4	3	1	4						22
2		1		2	4	1	8	5	3	1					
2		1	1	2	1		1								23
	1	1			1										
1															24
									1						
4	5	8	4	3	2	2	3	3	1	3					25
6	4	4	3	3	5	4	1	2	4		1				
1			2			1	2	5	3	3				1	26
10	8	3	1			1	1	2							
2	4	4	4		6	8	16	15	18	13	4	4			27
7	5	4	2	9	7	16	16	23	19	16	3				
8	11	12	12	24	13	17	15	20	21	20	4	1			28
5	13	7	17	17	11	16	20	12	23	11	3	3			
	3	1	2	5	6	6	3	2	1	2					29
2	5	4	2	1	7	2	4	3	2	2					
1	1	1	6	4	9	6	4	2	3						30
	1		1	2		3	2			1					
3	1	2	5	1	6	3	2	4	4	1			1		31
3	1	5	2	5	4	6	6	5	6	2					
146	193	207	256	315	436	472	557	518	492	290	139	30	4	9	32
56	95	93	128	158	236	261	308	281	260	148	52	12	1	8	33
90	98	114	128	157	200	211	249	267	232	142	87	18	3	1	34
	1		2	2	5		2	3	1					1	35
3	2	3	2		1	1	1	2		5					
53	82	89	116	136	210	237	277	249	227	129	39	11		7	36
80	93	108	112	142	189	192	230	232	211	127	77	13	3	1	
2	2	1	9	6	6	15	15	9	10	9	5				37
1		1	11	10	8	7	14	12	10	2	5				
			1	6	12	7	12	15	18	10	8	1	1		38
1		2		3	1	7	2	20	9	8	4	5			
1	6	2		5	2	1	1	2	3						39
2	1		1			2	1								
	4	1		3	1	1	1	3	1						40
3	2		2	2	1	2	1	1	2		1				
															41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MASSACHUSETTS—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		7,596	1,624	674	267	158	82	2,805	168	63	82	152	197
2	Males		3,827	900	351	141	86	41	1,519	87	28	54	90	107
3	Females		3,769	724	323	126	72	41	1,286	81	35	28	62	90
4	Croup	M	108	15	27	20	17	9	88	18	1		1	
		F	96	9	29	20	16	7	81	13	2			
5	Pneumonia	M	2,676	500	252	87	50	26	915	52	20	46	77	90
		F	2,592	418	231	77	41	25	792	51	27	15	52	71
6	Laryngitis	M	31	5	6	2	5	2	20	6				
		F	22	3	3	1	4	2	13	4	1			1
7	Bronchitis	M	673	298	55	28	11	3	395	6	5	4	2	7
		F	751	233	52	25	6	5	321	9	4	3	3	6
8	Pleurisy	M	79	1	3	1	1	1	7	2	2	4	6	8
		F	49	2	2	1	1		6	2	1	1	4	3
9	Asthma	M	37	2					2	1				
		F	22	2					2					
10	Others of this class	M	223	79	8	3	2		92	2			4	7
		F	237	57	6	2	4	2	71	2		4	3	9
11	5. Diseases of the digestive system		2,305	294	64	32	13	22	425	61	65	82	121	129
12	Males		1,131	163	36	20	7	11	237	33	34	46	64	52
13	Females		1,174	131	28	12	6	11	188	28	31	36	60	77
14	Dentition	M	25	12	13				25					
		F	14	9	5				14					
15	Angina	M	17	2	2	2		2	8	1	1		1	
		F	18	1	4	1		2	8	1	1		1	
16	Gastritis	M	137	29	7				36			1	1	3
		F	154	21	6	2	2	1	32	2	1	2	4	9
17	Diseases of the stomach	M	59	3					3		1	1	2	3
		F	74	1	1				2			1	5	5
18	Obstruction of the bowels	M	101	21	2	4		1	28	4	2	3	2	8
		F	112	15	3		1		19	2		4	2	5
19	Appendicitis	M	167		1		4	2	7	11	17	25	34	13
		F	62			1		1	2	5	8	10	7	9
20	Hernia	M	40	6				1	7			1	1	
		F	52											
21	Other diseases of the bowels	M	25	8					8					2
		F	33	7	1		1		9	1		1		1
22	Jaundice	M	38	23		1		1	25					1
		F	34	14		3			17					1
23	Inflammation and abscess of the liver.	M	41	2				1	3			1	1	2
		F	43	1				1	2		1		3	1
24	Other diseases of the liver	M	192	1		1			2	1		1		8
		F	146	2				1	3	1			1	3
25	Peritonitis	M	169	12	3	9	2	2	28	15	12	13	19	12
		F	301	15	5	2	2	4	28	14	20	17	35	38
26	Ascites	M	6											
		F	15	2					2					
27	Others of this class	M	114	44	8	3	1	1	57	1	1		3	
		F	116	43	3	3		1	50	2		1	2	5
28	6. Diseases of the urinary system and male organs of generation.		2,401	40	3	10	13	9	75	26	16	47	88	97
29	Males		1,389	24	2	5	6	2	39	13	12	24	42	41
30	Females		1,012	16	1	5	7	7	36	13	4	23	46	56
31	Bright's disease	M	946							10	9	23	38	41
		F	809							10	4	20	39	45
32	Calculus, urinary	M	7								1			
		F	1											
33	Diseases of the kidney	M	87	16	2	5	6	2	31	1	2			2
		F	64	12	1	4	7	7	31			1	1	3
34	Diseases of the bladder	M	163									1		2
		F	17											
35	Others of this class	M	186	8					8	2			4	3
		F	121	4		1			5	3		2	4	8
36	7. Diseases of the female organs of generation		139	1					1		1	7	10	21
37	Ovarian tumors		21											3
38	Ovarian diseases		5											
39	Diseases of the tubes		33									3	6	9
40	Uterine tumors		40											1
41	Uterine diseases		8										2	3
42	Others of this class		32	1					1		1	4	2	5

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
226	264	251	282	364	398	453	498	477	383	292	149	53	18	21	1
126	146	137	162	183	189	213	227	195	152	120	55	22	5	10	2
100	118	114	120	181	209	240	271	282	231	172	94	31	13	11	3
															4
106	127	116	133	146	147	160	168	143	101	79	33	10	3	4	5
85	95	90	94	130	161	192	195	200	156	99	57	21	6	3	
1		2					1		1						6
	1			1			1								
3	9	8	11	13	24	24	33	34	36	29	18	9	2	1	7
5	7	9	12	28	30	33	61	59	51	54	34	9	6	2	
9	3	4	8	7	6	6	1	6	3	1				1	8
2	4	4	4	4	2	1	1	5	2	3					
1		1	2	5	3	7	6	1	3	4		1			9
		1		8	3	2	3	1	4	3					
6	7	6	8	12	9	16	18	11	8	7	4	2		4	10
8	11	10	10	15	13	12	10	17	18	13	3	1	1	6	
123	104	137	111	149	153	139	155	130	120	51	31	9		7	11
52	38	77	53	74	74	58	68	58	71	21	16	4		1	12
71	66	60	58	75	79	81	87	72	49	30	15	6		6	13
															14
	1			1	1	1		2							15
			4	1					1	1					
4	4	10	6	8	6	14	10	6	15	5	5	8			16
4	6	6	4	10	14	20	14	13	6	5	2				
2	1	4	2	7	6	5	8	6	9	2	2				17
11	4	2	2	5	10	5	3	7	6	2	3	1			
3	4	8	5	7	3	4	8	8	7	1	1				18
3	7	5	11	2	7	10	12	11	5	3	4				
18	9	12	7	4	5	1	1	2	1						19
5	4	8	4		2	1	1		1						
1	1	2		4	5		1	4	9	1	3				20
2		3	2	5	12	6	12	4	3	2		1			
1	2	2	1	2			2	1	3					1	21
2	1		8	1	2	2	8	2	2	2	1				
			1			1		3	4	2	1				22
1	1		2	2			3	3			1			3	
4	2	4		5	4	4	1	6	3			1			23
3	1	4	3	3	1	7	7	3	2	1					
6	8	21	14	28	29	19	27	9	13	6					24
7	10	15	10	18	11	11	14	18	16	5	3				
10	5	14	10	3	11	8	4	4	4	1	1				25
31	28	20	8	19	11	10	6	5	4	3	1	2		1	
		1	1			1	2			1					26
		1	1	1	3		3	2	1					1	
3	1	4	6	5	4	5	9	7	3	2	3				27
2	4	1	4	8	6	9	9	4	1	6		1		1	
110	118	105	137	198	207	251	254	257	215	128	54	10	3	5	28
45	58	49	77	101	119	146	159	167	151	96	39	5	8	3	29
65	60	56	60	97	88	105	95	90	64	32	15	5		2	30
35	42	41	67	79	95	107	105	110	91	44	13	1		2	31
42	44	50	51	82	74	91	85	77	53	25	14	3			
		1		1	2		1				1				32
									1						
2	4	1		7	4	3	10	6	5	4	5				33
6	3	2	1	1	3	4	1	3	2						
	1		3	6	6	22	22	26	26	27	16	3	2		34
2	2			1	2	3	1	2		2		2			
8	11	6	7	8	12	14	21	25	29	21	4	1	1	1	35
15	11	4	8	13	9	7	8	8	5	5	1			2	
16	15	18	23	5	8	2	8	2	6	1					36
3		2	6	1	1	1	2		2						37
3	1							1							38
5	2	4	3	1											39
1	5	7	10	8	7	1	1	1	2	1					40
2									1						41
2	7	5	4						1						42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MASSACHUSETTS—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		270									10	53	64
2	Abortion		13										1	4
3	Childbirth		78										14	14
4	Puerperal septicemia		92									8	21	29
5	Extra-uterine pregnancy		19										3	4
6	Others of this class		68									7	14	13
7	9. Diseases of the bones and joints		114	7	3		5		15	15	10	4	12	5
8	Males		74	6	2		5		13	10	8	1	9	3
9	Females		40	1	1				2	5	5	3	3	2
10	Diseases of the spine	M	26	1	1		2		4	6	4		3	1
		F	10		1				1	2	1		2	
11	Abscess, lumbar and psoas	M	5	1					1				1	
		F	2											
12	Diseases of the bones	M	28	4	1		2		7	3		1	3	1
		F	13	1					1	1	2	3	1	
13	Diseases of the hip-joint	M	6							1	1		2	1
		F	2							1	1			
14	Others of this class	M	9				1		1					
		F	13							1	1			2
15	10. Diseases of the skin		94	32	5	1	1		39	4	1	1	1	
16	Males		49	15	3	1			19	2		1		
17	Females		45	17	2		1		20	2	1		1	
18	Abscess	M	30	9	2	1			12	2		1		
		F	18	7					7	2	1			
19	Carbuncle	M	7	1					1					
		F	4										1	
20	Others of this class	M	12	5	1				6					
		F	23	10	2		1		13					
21	11. Diseases of the absorbent system		40	4	3				7			1	1	3
22	Males		21	3	2				5			1		2
23	Females		19	1	1				2				1	1
24	Addison's disease	M	8									1		
		F	5										1	
25	Diseases of the spleen	M	1											
		F	5											
26	Others of this class	M	12	3	2				5					2
		F	9	1	1				2					1
27	12. Accidents and injuries		2,099	143	36	42	32	32	285	106	62	102	137	159
28	Males		1,530	75	26	26	25	23	175	74	50	82	117	133
29	Females		569	68	10	16	7	9	110	32	12	20	20	26
30	Burns and scalds	M	90	4	16	13	7	5	46	3	2	2	3	1
		F	128	3	5	10	5	6	29	18	2	8	3	7
31	Drowning	M	267	1	2	3	5	9	20	37	28	27	22	23
		F	18	2		1		1	4	1	3	4		
32	Exposure and neglect	M	15	1					1				2	
		F	8	5					5					
33	Gunshot wounds	M	26	1					1	1	2	3	2	2
		F	9								2	3	1	
34	Homicide	M	13					1	1			1	1	
		F	6							1				
35	Infanticide	M	4	4					4					
		F	3	3					3					
36	Injuries by machinery	M	6									1	2	
		F												
37	Railroad accidents	M	250					2	2	13	2	17	31	38
		F	15		1	1			2	2	1	1		
38	Suffocation	M	68	37	3	2	1		43		2	3	2	
		F	46	33			1	1	35					
39	Suicide by shooting	M	71									2	4	8
		F	4										1	
40	Suicide by drowning	M	19										1	
		F	10										1	
41	Suicide by poison	M	20										2	4
		F	14									1	4	1
42	Other suicides	M	94								1	1	4	8
		F	30									1	2	4
43	Sunstroke	M	7	2					2				1	
		F	2		2				2					
44	Surgical operations	M	7							1				2
		F	22								1	1	2	1
45	Wounds	M	29			1	1		2		1		2	4
		F	2							1				
46	Others of this class	M	544	25	5	7	11	5	53	19	12	25	38	43
		F	252	22	3	4		1	30	9	3	1	6	13

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
59	52	29		1	1									1	1
2	3	2			1										2
17	19	13		1											3
21	11	7													4
3	8	1													5
16	11	6												1	6
6	6	7	6	4	2	4	8	4	2	2	1	1			7
3	6	5	5	2	2	1	4	1	2	1		1			8
3		2	1	2		3	4	3		1	1				9
	4	1	1		1				1						10
				1		1	1	1							
			1				1	1							11
1			1												
3	1		2	1	1	1	2		1	1					12
		1				2	1				1				
		1													13
	1	3	1	1			1					1			14
2		1		1			2	2		1					
3	4	8	5	4	3	4	4	4	6	2	1				15
1	2	3	3	3	3	2	3	3	2	1	1				16
2	2	5	2	1		2	1	1	4	1					17
1	1	3	1	2	2	1	3	1							18
	1			1		1	1	1	2	1					
	1		2	1		1			1						19
		2	1												
					1			2	1	1	1				20
2	1	3	1			1			2						
3	2	5	1		4	3	4	2	4						21
1	1	2	1		2	3	1	1	1						22
2	1	3			2		3	1	3						23
	1	1			2	2	1								24
	1				1		2								
		1													25
1		1			1				2						
1			1			1		1	1						26
1		2					1	1	1						
178	159	141	115	132	108	92	81	77	64	38	27	11	4	21	27
140	131	111	98	102	83	68	47	41	32	22	5	1	2	16	28
38	28	30	17	30	25	24	34	36	32	16	22	10	2	5	29
2	7	4	3	3	2	3	1	4	2	2					30
7	5	5	3	5	5	6	7	8	6	2	2				
25	27	14	15	8	14	2	9		1					2	31
1		1		1	1		1	1							
2		1	2	1	1	1			3					1	32
						2			1						
5	2	3	2	1					2						33
1	1			1											
7				2						1					34
1	1	1		1	1										
															35
1			1	1											36
26	25	21	14	19	10	11	8	4	2	2				5	37
1	2	1		1		1		1	2						
5	1	1	1	2		1	1	1						5	38
3				2	1					1				4	
5	10	6	8	7	8	3	4	3	1	1	1				39
3															
2	1	2	1	5	1	2		1	3						40
	1		1	1	2	2	1		1						
2	3	4	1	2		1	1								41
3		1	1		1			1	1						
13	9	11	9	8	9	9	5	5	2	1				1	42
3	8	8		2	1		4	1			1				
	1					1			2						43
			1	1	1	1									44
2	3	5	1		1	3	1			1					
5	3	1	1	4	3	1	1			1					45
									1						
40	42	43	39	38	34	32	24	25	14	14	4	1	2	2	46
13	12	8	11	16	12	10	20	24	20	12	19	10	2	1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MASSACHUSETTS—GROUP 1.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	37,876	8,185	1,823	804	579	376	11,767	870	513	834	1,344	1,592
2	Males	19,282	4,634	959	416	310	180	6,499	458	232	406	698	796
3	Females	18,594	3,551	864	388	269	196	5,268	412	281	428	646	796
4	Unknown cause	274	84	9	2	3		98	5	7	3	2	8
5	Males	145	47	5	2	2		56	3	3	1	1	3
6	Females	129	37	4		1		42	3	4	2	1	5
7	1. General diseases. General diseases—A	6,672	2,559	699	360	262	187	4,067	359	127	114	146	129
8	Males	3,288	1,419	342	164	133	82	2,140	174	51	50	81	62
9	Females	3,384	1,140	357	196	129	105	1,927	185	76	64	65	67
10	Measles M	114	34	41	14	12	2	103	7	1		2	
	Measles F	99	27	31	16	7	3	84	4	6		2	1
11	Scarlet fever M	138	8	19	24	24	16	91	32	4	4	1	2
	Scarlet fever F	157	13	17	25	31	21	107	36	7	1	1	1
12	Diphtheria M	403	30	75	76	67	41	289	81	15	7	5	2
	Diphtheria F	450	29	74	78	54	54	289	110	28	10	6	1
13	Whooping cough M	131	77	32	9	5	4	127	2				
	Whooping cough F	176	83	43	26	13	3	168	0	1			
14	Malarial fever M	21	1			1	1	3	1	1	1	1	
	Malarial fever F	14	2	1	1			4	1	1			
15	Influenza M	307	29	5	2	2		38	4	4	2	7	5
	Influenza F	568	27	8	5	5	3	48	4	5	5	3	13
16	Typhoid fever M	278	1	2	1	2	1	7	12	12	22	48	36
	Typhoid fever F	188	1	2	2		1	6	4	15	35	25	24
17	Cholera morbus M	34	3		4	1	1	9	4	2	1	1	1
	Cholera morbus F	44	4	2	5	1		12	1	1	1	1	2
18	Colitis M	23	15	2		1		18	1			1	
	Colitis F	31	17	4		1		22	1			1	
19	Diarrhea M	110	55	10	2			67	2				1
	Diarrhea F	106	50	3				53	3	1		1	2
20	Dysentery M	96	19	9	4	1	4	37	3	3	2	1	2
	Dysentery F	112	6	3	5	2	3	19	2	2	1	3	2
21	Enteritis M	498	377	47	9	4	4	441	5	3			2
	Enteritis F	450	259	72	12	5	3	351	5	3	2	1	1
22	Cholera infantum M	800	697	87	11	4	1	800					
	Cholera infantum F	664	564	78	11	5	6	664					
23	Fever M	1											
	Fever F	3	1	2				3					
24	Cerebro-spinal fever M	90	23	7	5	5	4	48	11	5	6	8	3
	Cerebro-spinal fever F	70	18	9	8	5	5	45	6	5	4	3	2
25	Smallpox M	5				1		1					1
	Smallpox F	9		2				2			1	3	
26	Erysipelas M	64	24					24			2	1	1
	Erysipelas F	58	16	2	1			19	1			2	
27	Septicemia M	85	8	2	1	2	2	15	6		1	5	5
	Septicemia F	109	10	3			1	14	1	1	4	11	15
28	Venereal diseases M	27	16	1				17			2		1
	Venereal diseases F	19	12	1			1	14				2	1
29	Others of this group M	63	2	1	1		1	5	3	1			
	Others of this group F	57	1		1		1	3					2
30	General diseases—B	900	606	20	3	4	3	636	6	1	4	10	27
31	Males	550	350	14	2	1	2	369	4		2	4	20
32	Females	350	256	6	1	3	1	267	2	1	2	6	7
33	Alcoholism M	116										1	13
	Alcoholism F	40										1	3
34	Parasitic diseases M												
	Parasitic diseases F	1				1		1					
35	Lead poison M	5			1			1					
	Lead poison F	3											
36	Other poisons M	61	4	2	1		2	9	1		2	3	7
	Other poisons F	33	2		1	2	1	6	1		2	4	4
37	Inanition M	368	346	12		1		359	3				
	Inanition F	273	254	6				260	1	1		1	
38	General diseases—C	3,571	2,057	73	11	5	4	2,150	3	4	3	6	2
39	Males	1,784	1,182	40	7	4	1	1,234	1	2	2	4	
40	Females	1,787	875	33	4	1	3	916	2	2	1	2	2
41	Old age M	474											
	Old age F	763											
42	Premature birth M	483	483					483					
	Premature birth F	333	333					333					
43	Malformation M	75	73					73					
	Malformation F	77	76	1				77					
44	Debility and atrophy M	683	557	40	7	4	1	609	1	2	2	4	
	Debility and atrophy F	572	424	32	4	1	3	464	2	2	1	2	2
45	Others of this group M	69	69					69					
	Others of this group F	42	42					42					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 1.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,603	1,590	1,471	1,498	1,735	1,807	2,029	2,194	2,190	2,006	1,501	847	317	87	81	1
848 755	838 752	738 733	798 700	886 849	909 898	1,005 1,024	1,059 1,135	1,025 1,165	928 1,078	657 844	330 517	105 212	24 63	43 38	2 3
13	19	18	15	15	12	5	11	9	6	9	4	1		10	4
7 6	10 9	13 5	9 6	4 11	7 5	6 2	6 5	6 8	2 4	5 4	4	1		3 7	5 6
140	120	102	96	110	93	164	194	195	210	178	81	40	8	1	7
73 67	64 56	51 51	44 52	47 63	40 53	62 102	71 123	84 111	78 132	65 113	35 46	15 25	1 5	1	8 9
1		1			1										10
3 1	1 1	1					1								11
1 1	1 2		1 1	1 1	1										12
	1									1				1	13
	2 2				2 1	1	3 2	3 1	2	1	1	1			14
6 8	7 12	11 15	13 17	11 25	7 18	20 57	30 65	37 73	41 73	37 74	17 28	10 21	4		15
42 24	35 12	21 9	11 15	15 6	5 3	8 5	1 3	2 2			1				16
1 1	5	1 1	3 1	1 2	1	1	2 4	4 2	4	2 1	2 2	1			17
1		2	1 1	1 1			1		1 1						18
2 1	1	1 4	1	1 3	2 6	6 5	3 4	6 5	8 9	6 6	1 3	2			19
2 4	1 4	1 4	3	2 2	3 5	10 8	8 14	6 9	10 15	3 8	2 4	3			20
3	3 2	5 8	2 4	3 9	7 4	7 8	7 12	4 11	5 15	2 12	1 3		1 1		21
															22
		1													23
2	4 1	2 1	1	1			1	1							24
2 1				1 1	1										25
6 1	3 3	2 3	3 5	1 3	5 7	2 1	3 3	5 1	3 6	1 3		2			26
7 17	4 12	4 6	5 4	4 8	6 3	5 5	9 2	5 1	3 2	1 2	2				27
1 1	1	1 1		2				1	1						28
		1 1	3 1	3 2	2 3	4 11	5 11	10 6	4 7	12 6	10 4				29
32	43	29	24	20	17	14	10	5	10	3				9	30
22 10	32 11	20 9	19 5	13 7	11 6	9 5	9 1	4 1	6 4	1 2				5 4	31 32
17 5	29 10	12 7	13 5	11 2	6 5	5 1	4	2	2	1				1	33
															34
1 3		1	1			1									35
4 2	3 1	7 2	5	2 4	4 1	3 2	5 1	2 1	3 1	1 1					36
				1	1	2			1 3					4 4	37
1	4	2	5	5	12	39	70	143	242	356	313	148	56	7	38
	2	1	1	4	4	16	31	56	97	140	126	46	14	3	39
1	2	1	4	1	8	23	39	87	145	216	187	102	42	4	40
						5 15	19 28	50 66	86 137	133 201	121 174	43 99	14 41	2	41
															42
														2	43
	2	1	1	4	4	8	12	6	11	7	5	3		1	44
1	3	1	4	1	8	8	11	21	8	15	13	8	1	2	
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MASSACHUSETTS—GROUP 1—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		6,826	268	154	69	52	23	566	88	107	357	607	731
2	Males		3,255	151	90	37	20	9	307	41	31	147	307	364
3	Females		3,571	117	64	32	32	14	259	47	76	210	300	367
4	Anemia	M	64	7	1		1		9	1			2	3
		F	92	6	5		2		13			2	4	5
5	Diabetes	M	111		2	2			4	1	2	2	1	4
		F	129				1		1	5	9	6	4	4
6	Rheumatism	M	65	1		1		1	3	6	3	3	3	5
		F	63	2			1		3	2	2	6	1	4
7	Scrofula and tabes	M	19	6	2				8				2	2
		F	22		4	1			5		3	1		2
8	Hydrocephalus	M	197	69	54	19	12	8	162	14	3	9	3	3
		F	158	54	33	17	13	7	124	10	6	7	6	2
9	Tuberculosis, general	M	59	5	3				8	2	3	1	5	10
		F	67	10	3	3	1	2	19	4	1	6	5	5
10	Consumption	M	2,184	53	25	11	5		94	12	17	134	287	331
		F	1,936	38	18	10	11	5	82	25	47	178	278	334
11	Cancer	M	457			1			1	1	1	1	1	4
		F	974				1		1		2	1		8
12	Tumor	M	56	2					2	2		1	3	2
		F	76				1		1	1	2	1	1	3
13	Dropsy	M	13		1				1	1		1		
		F	23											
14	Others of this group	M	30	8	2	3	2		15	1	2	2		
		F	31	7	1	1	1		10		4	2	1	
15	2. Diseases of the nervous system		4,584	800	265	90	63	46	1,264	89	48	49	55	83
16	Males		2,342	467	152	54	37	26	736	57	23	29	26	46
17	Females		2,242	333	113	36	26	20	528	32	25	20	29	37
18	Inflammation of the brain	M	29	10	2	3	1	1	17	2	1	1		1
		F	13	2	1	1	1		5		1		1	1
19	Meningitis	M	503	226	91	34	21	15	387	36	7	8	8	10
		F	377	156	75	20	20	11	282	27	14	8	6	2
20	Apoplexy	M	746	11	3		2		16	2	1	2	5	11
		F	896	2	1	1	1	1	6		2	4	1	9
21	Paralysis	M	328	2	1				3		3	1	4	1
		F	320	3		1			4	1	1		3	2
22	Paralysis, general (of insane)	M	21											1
		F	14											
23	Tetanus and trismus nascentium	M	23	1					1	2	5	5	1	1
		F	2	1					1					
24	Chorea	M	2				1		1		1			
		F	1											
25	Epilepsy	M	46	1	1		1		3	1	2	5	1	5
		F	45	2		1			3		2	4	6	5
26	Convulsions	M	292	193	45	13	6	3	265	10	1			2
		F	243	148	33	12	4	6	203	2	1		6	7
27	Mental diseases	M	76									2	1	4
		F	91										3	3
28	Diseases of the brain	M	194	20	8	3	4	2	37	3	2	3	3	7
		F	164	16	3			1	20	1	2	4	3	2
29	Diseases of the spinal cord	M	32	3	1				4	1		2	1	3
		F	28	1				1	2	1				2
30	Locomotor ataxia	M	27											
		F	6											
31	Others of this class	M	23			1	1		2				2	
		F	42	2					2		2			4
32	3. Diseases of the circulatory system		3,709	159	11	7	5	6	188	45	60	58	82	99
33	Males		1,859	88	6	3	4	3	104	20	26	20	35	48
34	Females		1,850	71	5	4	1	3	84	25	34	38	47	51
35	Pericarditis	M	19	1	1				2	1	2		1	2
		F	21	1	1	1			3	1	2	1		
36	Diseases of the heart	M	1,635	63	5	3	4	2	77	19	24	17	33	44
		F	1,677	56	4	3	1	2	66	23	30	36	43	47
37	Angina pectoris	M	76									1	1	2
		F	58									1	1	1
38	Diseases of the arteries	M	71											
		F	52											
39	Aneurism	M	21										1	
		F	8											
40	Embolism	M	12								2			
		F	20					1	1	1		2		
41	Others of this class	M	25	24				1	25				2	3
		F	14	14					14					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 1—Continued.

30 to 34.	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
652	551	477	463	444	411	385	336	284	203	108	42	9	2	3	1
363	281	210	226	211	170	173	144	125	94	41	13	3	1	3	2
289	270	267	237	233	241	212	192	159	109	67	29	6	1		3
3	2	3	3	8	8	5	8	2	4	3					4
4	2	8	6	8	9	4	9	9	6	1	2				
8	6	4	5	14	8	14	15	8	9	3					5
	2	4	9	13	17	22	10	16	4	3					
1		1	5	3	7	9	2	5	5	3	1				6
2	2	5	2	4	4	6	6	5	6	3					
1	1	1				1	1	1	1						7
1	1	2		1		2	2	2							
6	1		1	1										1	8
1		1						1							
5	8	2	5	5	1		2		2						9
6	4	4	5	2	1	2	1		2						
328	238	172	156	131	90	76	45	39	21	9	3			1	10
250	205	145	96	76	64	43	39	35	18	10	9	1	1		
7	15	25	37	45	53	61	63	62	46	20	9	3	1	1	11
18	47	91	106	117	136	125	108	82	66	43	18	5			
4	6		11	3	3	5	6	4	3	1					12
2	6	5	7	10	5	6	14	6	3	3					
	2					1	1	4	1	1					13
1	1	1	1		4	2	3	2	4	4					
	2	2		1		1	1		2	1					14
4		1	5	2	1			1							
99	121	136	170	231	270	337	395	423	410	261	98	36	4	5	15
51	66	66	91	121	142	156	184	196	183	121	33	10	2	3	16
48	55	70	79	110	128	181	211	227	227	140	65	26	2	2	17
			1		1	1	1	1	2						18
1	1	2					1								
12	7	5	9	3	1	3	3	4							19
7	2	6	7	2	3	1	5	4	1						
16	26	24	38	59	77	84	100	108	91	57	19	6	2	2	20
8	17	31	41	60	75	108	127	136	135	76	43	15	1	1	
7	14	12	14	24	29	34	41	49	53	32	7				21
4	5	7	7	17	23	32	40	52	52	42	18	8	1	1	
2	1	2	1	4	2	3	2	1	2						22
1		1		2	4		2	2	2						
2		1	1	2	1		1								23
	1														
															24
									1						
8	3	5	3	2	2	2	3	3	1	2					25
4	3	2	2	3	3	4		2	2						
1			2				2	3	2	3				1	26
9	7	3	1			1	1	2							
1	4	3	3		2	4	14	8	14	10	3	3			27
6	3	4	2	7	3	13	11	13	11	10	2				
4	8	11	11	21	11	13	10	14	15	16	4	1			28
4	11	7	16	14	9	15	15	11	16	9	2	3			
	2	1	1	1	5	4	3	1							29
2	3	2	2		5	1	3	1	2	2					
1	1		4	2	9	5	3	1	1						30
	1			2		2	1								
2		2	3		2	3	1	3	2	1					31
2	1	5	1	3	3	4	5	4	5	1					
119	165	164	208	263	332	373	421	427	354	210	112	20	3	6	32
48	82	74	105	129	179	203	235	214	183	100	39	8	1	6	33
71	83	90	103	134	153	170	186	213	171	110	73	12	2		34
	1		2	1	3		2	1						1	35
2	1	2	2		1	1	1	1		3					
45	71	70	94	113	159	182	208	190	159	88	30	7		5	36
66	79	86	90	122	144	157	172	187	157	98	63	9	2		
2	2	1	8	5	5	14	13	6	8	5	3				37
		1	8	8	6	4	10	7	5	1	5				
			1	4	9	5	10	13	14	7	6	1	1		38
		1		2	1	6	2	17	7	8	4	3			
1	5	2		5	2	1	1	2	2						39
2	1		1			1	1								
	3	1		1	1	1	1	2							40
1	2		2	2	1	1		1	2		1				
															41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MASSACHUSETTS—GROUP 1—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		5,864	1,272	505	200	132	58	2,167	127	47	60	122	157
2	Males		2,970	715	258	109	73	28	1,183	68	20	39	71	84
3	Females		2,894	557	247	91	59	30	984	59	27	21	51	73
4	Croup	M	75	10	14	16	13	6	59	14	1		1	
		F	66	8	16	13	13	5	55	9	2			
5	Pneumonia	M	2,079	401	196	68	43	17	725	40	14	31	59	71
		F	2,007	327	183	58	33	18	619	35	19	12	44	59
6	Laryngitis	M	25	4	4	2	4	2	16	5				
		F	20	3	2	1	4	2	12	4	1			
7	Bronchitis	M	528	236	37	22	11	3	309	4	4	4	2	6
		F	570	175	42	17	5	4	243	7	4	5	3	4
8	Pleurisy	M	66	1	1	1	1		4	2	1	4	6	3
		F	37	2	1	1	1		5	2	1	1	2	3
9	Asthma	M	26	1					1	1				
		F	18	1					1					
10	Others of this class	M	171	62	6		1		69	2			3	4
		F	176	41	3	1	3	1	49	2		3	2	7
11	5. Diseases of the digestive system		1,718	215	50	24	12	15	316	43	48	61	91	102
12	Males		835	123	27	15	7	7	179	22	25	34	45	40
13	Females		883	92	23	9	5	8	137	21	23	27	46	62
14	Dentition	M	19	10	9				19					
		F	11	8	3				11					
15	Angina	M	8		1	2		1	4	1				
		F	11	1	4			1	6				1	
16	Gastritis	M	97	22	5				27			1	1	2
		F	118	14	4	1	1	1	21	1	1	2	3	7
17	Diseases of the stomach	M	46	2					2		1	1	1	3
		F	55		1				1			1	3	4
18	Obstruction of the bowels	M	78	17	1	4		1	23	2		2	1	7
		F	88	12	3		1		16	2		3	2	5
19	Appendicitis	M	122		1		4	1	6	6	16	17	26	10
		F	50			1		1	2	4	5	9	6	7
20	Hernia	M	24	5				1	6			1	1	
		F	47											
21	Other diseases of the bowels	M	20	6					6					1
		F	26	4	1		1		6	1		1		1
22	Jaundice	M	27	15		1		1	17					1
		F	20	6		2			8					1
23	Inflammation and abscess of the liver.	M	34	2					2			1	1	2
		F	27	1					1		1		2	1
24	Other diseases of the liver	M	146	1		1			2	1		1		6
		F	111	1				1	2	1			1	3
25	Peritonitis	M	125	10	2	6	2	1	21	12	8	10	11	8
		F	218	13	5	2	2	3	25	10	16	10	26	25
26	Ascites	M	3											
		F	9	2					2					
27	Others of this class	M	86	33	8	1	1	1	44				3	
		F	92	30	2	3		1	36	2		1	2	5
28	6. Diseases of the urinary system and male organs of generation.		1,723	31	1	5	10	6	53	14	10	38	67	71
29	Males		1,006	17		4	5	2	28	5	9	19	34	28
30	Females		717	14	1	1	5	4	25	9	1	19	33	43
31	Bright's disease	M	681							3	6	19	31	23
		F	566							6	1	16	27	35
32	Calculus, urinary	M	4											
		F									1			
33	Diseases of the kidney	M	72	12		4	5	2	23	1	2			2
		F	48	10	1	1	5	4	21			1	2	2
34	Diseases of the bladder	M	118											2
		F	12											
35	Others of this class	M	131	5					5	1			3	1
		F	91	4					4	3		2	4	6
36	7. Diseases of the female organs of generation.		109								1	6	8	17
37	Ovarian tumors		17											3
38	Ovarian diseases		3											
39	Diseases of the tubes		26									3	5	6
40	Uterine tumors		30											
41	Uterine diseases		6										1	3
42	Others of this class		27								1	3	2	5

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
182	205	199	217	281	301	345	383	365	295	221	116	41	15	18	1
104	115	107	124	145	140	172	173	154	114	86	43	16	4	8	2
78	90	92	93	136	161	173	210	211	181	135	73	25	11	10	3
															4
90	98	89	102	120	110	125	127	113	74	54	26	6	2	3	5
63	74	74	76	95	126	135	153	150	124	81	44	17	5	2	
1		1					1		1						6
	1			1			1								
1	7	7	7	11	16	20	27	28	30	22	13	8	2		7
5	4	6	10	22	22	25	45	42	39	42	26	8	6	2	
8	3	4	7	4	6	5	1	3	8	1				1	8
2	3	3	2	4	1	1		5	2						
1		1	1	1	2	6	5	1	1	4		1			9
		1		2	3	1	8	1	4	2					
3	7	5	7	9	6	16	12	9	5	5	4	1		4	10
8	8	8	5	12	9	11	8	13	12	10	8			6	
94	79	110	86	105	114	103	116	95	81	39	22	7		6	11
38	29	65	40	53	54	45	50	41	46	17	8	3		1	12
56	50	45	46	52	60	58	66	54	35	22	14	4		5	13
															14
	1				1	1									15
			3						1						
3	2	8	6	5	3	8	5	5	10	3	3	2			16
4	6	3	3	7	13	15	11	10	6	3	2				
2	1	3	2	6	6	4	1	3	7	2	1				17
7	3	2	2	4	7	4	1	7	4	3	2	1			
2	4	2	5	4	3	4	7	5	6	1					18
3	5	4	11	2	4	5	11	8	1	2	4				
11	8	8	5	3	3	1		1	1						19
5	4	2	3		1	1			1						
1		2		3	3			3	2	1	1				20
1		3	2	5	11	3	12	4	3	2		1			
1	1	2	1	1			2	1	3					1	21
1	1		3		2	2	3	2		2	1				
			1			1		3	2	2					22
1			2	1			2	2			1			2	
2	2	4		5	3	4	1	5	1			1			23
2	1	1		1	1	6	4	2	3	1					
5	6	19	10	20	21	14	22	6	8	4					24
6	8	15	7	11	8	7	10	11	13	5	3				
7	3	13	6	2	9	2	3	4	4	1	1				25
24	18	14	7	13	8	6	8	4	2	1	1	1		1	
		1				1				1					26
				1	2		2	1						1	
3	1	3	4	4	2	5	6	5	2	2	2				27
2	4	1	3	7	3	9	7	3	1	4		1		1	
71	93	71	101	153	156	182	177	182	142	92	38	6	1	5	28
31	45	35	58	78	98	107	113	116	99	68	28	3	1	3	29
40	48	36	43	75	58	75	64	66	43	24	10	3		2	30
26	31	32	50	66	80	76	69	71	56	27	12	1		2	31
26	38	32	35	63	47	65	56	53	36	20	9	1			
		1			1						1				32
2	3	1		5	4	3	10	5	4	3	4				33
4	2	2	1	1	2	4	1	3	2						
	1		3	3	4	15	20	22	17	20	9	2			34
2	1			1	1	1	1	2		1		2			
3	10	1	5	4	9	13	14	18	22	18	2		1	1	35
8	7	2	7	10	8	5	6	8	5	3	1			2	
11	13	15	18	4	5	1	2	1	6	1					36
2		2	5	1			2		2						37
2	1														38
4	2	3	2	1											39
	5	5	8	2	5	1		1	2	1					40
1									1						41
2	5	5	3						1						42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MASSACHUSETTS—GROUP 1—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		188									4	39	44
2	Abortion		9											4
3	Childbirth		55										9	7
4	Puerperal septicemia		66									2	16	24
5	Extra-uterine pregnancy		15										3	3
6	Others of this class		43									2	11	6
7	9. Diseases of the bones and joints		93	6	2		4		12	12	8	4	7	5
8	Males		59	5	2		4		11	8	3	1	5	3
9	Females		34	1					1	4	5	3	2	2
10	Diseases of the spine	M	21	1	1		1		3	6	2		2	1
		F	6							1	1		1	
11	Abscess, lumbar and psoas	M	4	1					1					
		F	2											
12	Diseases of the bones	M	24	3	1		2		6	2		1	2	1
		F	13	1					1	1	2	3	1	
13	Diseases of the hip-joint	M	4								1		1	1
		F	2							1	1			
14	Others of this class	M	6				1		1					
		F	11							1	1			2
15	10. Diseases of the skin		76	24	4	1	1		30	4		1	1	
16	Males		41	12	2	1			15	2		1		
17	Females		35	12	2		1		15	2			1	
18	Abscess	M	26	7	2	1			10	2		1		
		F	12	4					4	2				
19	Carbuncle	M	5											
		F	3										1	
20	Others of this class	M	10	5					5					
		F	20	8	2		1		11					
21	11. Diseases of the absorbent system		34	3	3				6			1	1	3
22	Males		18	3	2				5			1		2
23	Females		16		1				1				1	1
24	Addison's disease	M	5									1		
		F	5										1	
25	Diseases of the spleen	M	1											
		F	4											
26	Others of this class	M	12	3	2				5					2
		F	7		1				1					1
27	12. Accidents and injuries		1,535	101	27	32	26	28	214	74	45	71	100	114
28	Males		1,130	55	19	18	20	20	132	53	39	60	85	96
29	Females		405	46	8	14	6	8	82	21	6	11	15	18
30	Burns and scalds	M	68	4	10	7	7	6	34	3	2	2	1	1
		F	90	2	3	8	4	5	22	12	2	4	2	7
31	Drowning	M	211	1	2	2	2	7	14	25	20	16	20	23
		F	13	2		1		1	4			3		
32	Exposure and neglect	M	9										2	
		F	4	2					2					
33	Gunshot wounds	M	20	1					1	1	2	3	2	1
		F	6								1	1	1	
34	Homicide	M	8									1	1	
		F	4											
35	Infanticide	M	4	4					4					
		F												
36	Injuries by machinery	M	5										2	
		F												
37	Railroad accidents	M	162					2	2	10	2	11	19	16
		F	11			1	1		2	2		1		
38	Suffocation	M	48	27	3	2			32		2	2	2	
		F	33	23			1	1	25					
39	Suicide by shooting	M	48									1	2	5
		F	2											
40	Suicide by drowning	M	14										1	
		F	7											
41	Suicide by poison	M	18										1	4
		F	11									1	3	1
42	Other suicides	M	70									1	3	7
		F	23										2	2
43	Sunstroke	M	5	1					1				1	
		F	2		2				2					
44	Surgical operations	M	4							1				
		F	20								1		2	1
45	Wounds	M	25			1	1		2		1		2	4
		F	1							1				
46	Others of this class	M	411	17	4	6	10	5	42	13	10	23	26	35
		F	178	17	3	4		1	25	6	2	1	5	7

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900 - Continued.

MASSACHUSETTS—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
40	39	19		1	1									1	1
1	3				1										2
12	16	10		1											3
13	5	[illegible]													4
2	7														5
12	8	[illegible]												1	6
6	5	5	5	2	2	4	7	3	[illegible]	2	1	1			7
3	5	4	4	1	2	1	3	1	2	1		1			8
3		1	1	1		3	4	2		1	1				9
	3	1	1		1				1						10
						1	1	1							
			1				1	1							11
1			1												
3	1		2	1	1	1	1		1	1					12
		1				2	1				1				
		1													13
	1	2					1					1			14
2				1			2	1		1					
3	[illegible]	[illegible]	2	4	3	3	4	2	6	1	1				15
1	1	3	2	3	3	2	3	1	2	1	1				16
2	2	5		1		1	1	1	4						17
1		[illegible]	1	2	2	1	3								18
	1			1			1	1	2						
	1		1	1		1			1						19
		2													
					1			1	1	1	1				20
2	1	3				1			2						
3	2	3	1		3	2	4	2	3						21
1	1	1	1		1	2	1	1	1						22
2	1	2			2		3	1	2						23
	1				1	1	1								24
	1				1		2								
		1													25
1		1			1				1						
1			1			1		1	1						26
1		1					1	1	1						
137	128	113	87	97	75	69	64	54	36	20	19	8		10	27
106	105	88	74	77	58	51	36	26	21	11	4			8	28
31	23	25	13	20	17	18	28	28	15	9	15	8		2	29
1	[illegible]	3	3	2	1	2	1	4	2						30
5	4	5	3	2	3	4	5	4	4	1	1				
20	23	11	14	8	13		1		1					2	31
1		1		1	1		1	1							
1		1	2			1			2						32
						2									
3	1	[illegible]		1					[illegible]						33
1	1			1											
5				1											34
	1	1		1	1										
															35
1			1	1											36
20	17	13	9	10	7	10	7	3	1	2				3	37
1	1	1				1		1	1						
3	1			2			1	1						2	38
[illegible]				2	1					1				1	
[illegible]	10	5	5	4	4	2	[illegible]	2	1	1	1				39
2															
2	1	1	1	2	1	2		1	2						40
	1		1	1	1	2	1								
2	[illegible]	3	1	2		1	1								41
3		1	1		1										
10	7	10	8	[illegible]	4	5	4	1	2						42
3	3	5		2	1		3	1			1				
	1					1			1						43
			1	1		1									44
2	3	5	1		1	2	1			1					
4	2	1	1	3	3	1	1								45
31	33	37	28	32	25	25	18	14	7	8	3			1	46
10	9	6	7	10	7	7	17	21	10	6	13	8		1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MASSACHUSETTS—GROUP 2.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		11,880	2,569	508	254	135	123	3,589	314	161	266	435	476
2	Males		6,070	1,394	287	126	75	60	1,942	156	75	127	232	249
3	Females		5,810	1,175	221	128	60	63	1,647	158	86	139	203	227
4	Unknown cause		76	24	1		1		26	2	1	1	3	3
5	Males		44	12	1		1		14	1			3	2
6	Females		32	12					12	1	1	1		1
	1. General diseases.													
7	General diseases—A		2,043	792	189	95	59	49	1,184	129	27	40	44	57
8	Males		1,053	424	112	46	39	22	643	62	14	15	27	29
9	Females		990	368	77	49	20	27	541	67	13	25	17	28
10	Measles	M	53	12	15	5	6	2	40	7		1		1
		F	45	13	11	3	2	3	32	5	4	1		1
11	Scarlet fever	M	42	1	4	5	8	3	21	18	1		2	
		F	47	2	7	8	4	4	25	17		1		1
12	Diphtheria	M	113	10	21	19	18	12	80	26	3	3		
		F	106	2	9	22	9	17	59	33	6	1	1	3
13	Whooping cough	M	31	16	9	2	4		31					
		F	37	19	12	3	1		35	2				
14	Malarial fever	M	20	2					2				1	1
		F	15	3					3		1	1	3	1
15	Influenza	M	104	4	3	1	1	1	10	2		2	1	1
		F	141	6					6					4
16	Typhoid fever	M	96				1		1		4	7	20	19
		F	63		1	1			2	4	1	15	4	10
17	Cholera morbus	M	22	2	4	1	1		8	2			1	
		F	13	2	1	3			6					1
18	Colitis	M	9	3	2	1			6					
		F	8	3	2				5					
19	Diarrhea	M	50	28	3				31	2				1
		F	50	26	8				29	3				
20	Dysentery	M	22	5	1	2			8					1
		F	36	4			1		5	1		1	1	1
21	Enteritis	M	124	81	18	5		1	105	1				1
		F	97	58	10	1	2	1	72	1			1	
22	Cholera infantum	M	262	232	26	2		2	262					
		F	238	217	19	2			238					
23	Fever	M												
		F	2			1		1	2					
24	Cerebro-spinal fever	M	35	19	5	2			26	2	3		1	2
		F	16	5	1	5		1	12	1		2	1	
25	Smallpox	M	1							1				
		F												
26	Erysipelas	M	16	6					6		1			
		F	18	8	1				9					2
27	Septicemia	M	24	1	1			1	3	1	1	2	1	1
		F	38				1		1		1	2	8	4
28	Venereal diseases	M	2	2					2					
		F	1											
29	Others of this group	M	27			1			1		1			1
		F	19									1		
30	General diseases—B		322	241	8	1		1	251	1		1	2	9
31	Males		180	125	2	1		1	129	1			2	8
32	Females		142	116	6				122			1		1
33	Alcoholism	M	29							1			1	2
		F	6											
34	Parasitic diseases	M	1											
		F												
35	Lead poison	M	1											
		F												
36	Other poisons	M	14			1		1	2				1	6
		F	10	1	1				2					1
37	Inanition	M	135	125	2				127					
		F	126	115	5				120			1		
38	General diseases—C		1,163	601	6	1	1	2	611	2	1		2	3
39	Males		554	326	4		1		331					3
40	Females		609	275	2	1		2	280	2	1		2	
41	Old age	M	187											
		F	279											
42	Premature birth	M	200	200					200					
		F	148	148					148					
43	Malformation	M	20	18	1				19					
		F	19	18				1	19					
44	Debility and atrophy	M	134	95	3		1		99					3
		F	146	93	2	1		1	97	2	1		2	
45	Others of this group	M	13	13					13					
		F	17	16					16					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 2.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
458	409	390	428	497	605	610	698	736	755	573	293	110	39	38	1
229	218	193	221	243	304	308	346	370	376	275	129	37	13	27	2
229	191	197	207	254	301	302	352	366	379	298	164	73	26	11	
2	2	3		4	6	5	4	4	2	1	1			4	4
1	1	2		2	4	6	3	1	1					3	5
1	2	1		2	2		1	3	1	1	1			1	6
42	32	31	35	30	41	53	46	74	81	56	27	9	2	3	7
18	17	13	15	15	22	28	21	37	34	24	14	2	1	2	8
24	15	18	20	15	19	25	25	37	47	32	13	7	1	1	9
2	1								1						10
			1		1										
1	1							1							11
1															
	1		1				1								12
															13
	1		1		4	3	1	2	3	1					14
		1		1				1	1	1	1				
1	4	2	3	5	5	11	7	15	15	13	4	1	1	1	15
3	2	9	8	4	8	15	13	13	24	20	5	5	1		
10	4	4	9	4	5	3	2	1	3						16
9	4		2	3	2	3		3	1						
		1			1	3		1	2		1	1		1	17
1	1	1		1				1			1				
1					1		1								18
					1		1		1						
	3		1	1	2	2	3	2		2					19
					1	1	1	4	5	4	1	1			
	3	2		1				5	1	1					20
1		1	2		2	1	4	6	3		2				
2		1		1	1	3	3	2		2	2				21
2	1	2	3	2	3		2	2	2	4					
															22
															23
		1													24
															25
1	1	1	1	1		1		1	1		1				26
			1	1		2			2		1				
		1		2	2		3	5	1	1					27
6	5	3	1	3		2	1		1	1				1	
1															28
					1	2	1	3	7	4	6				29
		1	1		1	1	2	6	2	2	2				
6	8	3	4	5	7	1	7	3	4	1	1	1	1	6	30
5	5	2	2	4	6	1	4	1	3	1	1			5	31
1	3	1	2	1	1		3	2	1			1	1	1	32
5	4	1	1	3	5	1	2		2		1				33
	1	1	1	1	1		1								
					1										34
		1													35
	1		1	1			1		1						36
1	2		1				1	2							
							1	1		1				5	37
							1		1			1	1	1	
1	2		2	3	9	10	19	48	97	155	115	58	23	2	38
1			1		5	6	9	23	39	65	45	18	6	2	39
	2		1	3	4	4	10	25	58	90	70	40	17		40
						1	4	18	36	62	43	17	6		41
						1	7	15	51	82	68	39	16		
															42
														1	43
1			1		5	5	5	5	3	3	2	1		1	44
	2		1	3	4	3	3	9	7	8	2	1	1		
								1							45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MASSACHUSETTS—GROUP 2—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		1,911	83	33	27	9	11	163	22	27	101	189	187
2	Males		913	55	20	10	5	7	97	7	10	42	99	90
3	Females		998	28	13	17	4	4	66	15	17	59	90	97
4	Anemia	M	12	4					4				1	
		F	27	1				1	2		1	1	2	2
5	Diabetes	M	39							1	3	2	2	3
		F	39	1			1	1	3		2	1		1
6	Rheumatism	M	19	1				1	2		1		1	
		F	30			1			1	4	4	2	1	
7	Scrofula and tabes	M	12	3	1				4	2			1	
		F	11		1		1		2			1	2	
8	Hydrocephalus	M	52	22	13	3	3	2	43	2	1		1	3
		F	38	12	6	9		1	28	5	1		1	
9	Tuberculosis, general	M	18	3		1			4		2		1	2
		F	12							1	2		2	2
10	Consumption	M	585	19	6	5		3	33	2	3	38	88	82
		F	519	12	6	6	2	1	27	5	7	52	81	87
11	Cancer	M	148			1			1			1	2	
		F	285									1		1
12	Tumor	M	13					1	1			1		
		F	22	1		1			2				1	1
13	Dropsy	M	7				1		1				1	
		F	13	1					1			1		
14	Others of this group	M	8	3			1		4				1	
		F	2											
15	2. Diseases of the nervous system		1,572	287	73	39	23	18	440	35	34	18	23	31
16	Males		797	169	36	23	7	7	242	14	11	11	9	20
17	Females		775	118	37	16	16	11	198	21	23	7	14	11
18	Inflammation of the brain	M	17	8	1	2	1		12				1	
		F	10	4		1			5					
19	Meningitis	M	153	68	23	14	2	3	110	9	4	6	2	6
		F	173	65	25	11	12	9	122	17	13	2	3	2
20	Apoplexy	M	261	5		1			6	1	1	1		3
		F	287	5					5		1			5
21	Paralysis	M	104	1					1	1				2
		F	90			1			1				1	
22	Paralysis, general (of insane)	M	4											
		F	8											
23	Tetanus and trismus nascentium	M	3	2					2				1	
		F	3									1		
24	Chorea	M	2					1	1					
		F	3								3			
25	Epilepsy	M	20	1					1		3	3	1	2
		F	22	1					1	1	2	1	3	2
26	Convulsions	M	98	72	11	6	2	1	92		2			
		F	64	37	11	3	4	1	56	1	2		2	1
27	Mental diseases	M	31										1	1
		F	42											
28	Diseases of the brain	M	70	12	1		2	2	17	3	1	1	3	6
		F	42	4	1				5	2	2	2	4	1
29	Diseases of the spinal cord	M	10											
		F	13	1				1	2					
30	Locomotor ataxia	M	10											
		F	4											
31	Others of this class	M	14											
		F	14	1					1			1	1	
32	3. Diseases of the circulatory system		1,075	48	2	1	5	4	60	17	12	15	30	24
33	Males		567	27			2	3	32	10	7	5	10	12
34	Females		508	21	2	1	3	1	28	7	5	10	20	12
35	Pericarditis	M	9	1					1		1	1		
		F	7							1				
36	Diseases of the heart	M	508	22			2	3	27	9	6	3	10	12
		F	446	13	2	1	2	1	19	6	5	10	19	8
37	Angina pectoris	M	19							1		1		
		F	28										1	1
38	Diseases of the arteries	M	20											
		F	12	1					1					
39	Aneurism	M	2											
		F	2											1
40	Embolism	M	5											
		F	5											1
41	Others of this class	M	4	4					4					
		F	8	7			1		8					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
173	142	115	124	134	119	97	113	84	63	38	12	3		5	1
95	79	58	52	56	43	48	50	39	27	13	4	1		3	2
78	63	57	72	78	76	49	63	45	36	25	8	2		2	3
1		1	1	1		2	1								4
1	1		2	4	3	1	2	2	1	2					
2	2		1	3	4	5	5	4	1	1					5
1	2	2	4	4	[illegible]	4	2	2	4		1				
1	[illegible]				3	1	2	3	1	1		1			6
1		3	1	1	2	2	1	2	2	2	1				
	2					1		2							7
1	1		2	1						1					
1					1										8
1			1											1	
3	2	1	2	1											9
1	1	2	1												
86	65	46	34	32	19	15	17	15	6	1	1			2	10
64	45	34	26	23	18	17	17	7	4	5					
1	3	[illegible]	13	16	16	21	22	13	17	10	2			1	11
7	10	12	32	41	45	23	40	28	20	13	6	2		1	
	2		1	2		3	2	1							12
	3	2	3	2	2	2			3	1					
	1	1					1	1			1				13
1		1		2			1	3	2	1					
				1					2						14
		1						1							
30	37	37	52	59	95	105	123	153	141	104	44	8	3		15
17	22	18	32	29	51	50	56	76	69	47	20	2	1		16
13	15	19	20	30	44	55	67	77	72	57	24	6	2		17
	1			1		1	1								18
		1		1		2			1						
4	2	2	3	1		1	2	1							19
[illegible]	1	1	4	1	1	1	1	1							
[illegible]	6	7	15	12	26	25	34	42	35	31	13				20
3	5	9	8	17	24	34	43	42	36	31	17	5	2		
2	6	3	6	7	13	10	9	15	16	6	6	1			21
	1	3	4	3	7	9	8	17	16	15	4	1			
						1	1		2						22
1						1	1	3	1	1					
															23
		1			1										
1															24
1	2	[illegible]	1	1	1					1					25
[illegible]	1	2	1		2		1		2		1				
						1		2	1						26
1	1														
1		1	1		4	4	2	7	4	3	1	1			27
1	2			2	4	3	5	10	8	6	1				
4	3	1	1	[illegible]	2	4	5	[illegible]	6	4					28
1	2		1	3	2	1	5	1	7	2	1				
	1		1	1	1	2		1	1	2					29
	2	[illegible]		1	[illegible]	1	1	2							
		1	2	2		1	1	1	2						30
			1			1	1			1					
1	1		2	1	4		1	1	2				1		31
1			1	2	1	2	1	1	1	1					
27	28	43	48	52	104	99	136	121	138	80	27	10	1	3	32
8	13	19	23	29	57	58	73	67	77	48	13	4		2	33
19	15	24	25	23	47	41	63	54	61	32	14	6	1	1	34
				1	2			2	1						35
1	1	1						1		2					
8	11	19	22	23	51	55	69	59	68	41	9	4		[illegible]	36
14	14	22	22	20	45	35	58	45	54	29	14	4	1	1	
			1	1	1	1	2	[illegible]	2	4	2				37
1			3	2	2	3	4	5	5	1					
				2	3	2	2	2	4	3	2				38
1		1		1		1		3	2			2			
	1								1						39
						1									
	1			2				1	1						40
2						1	1								
															41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MASSACHUSETTS—GROUP 2—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	1,732	352	169	67	26	24	638	41	16	22	30	40
2	Males	857	185	93	32	13	13	336	19	8	15	19	23
3	Females	875	167	76	35	13	11	302	22	8	7	11	17
4	Croup M	33	5	13	4	4	3	29	4				
	Croup F	30	1	13	7	3	2	26	4				
5	Pneumonia M	597	99	56	19	7	9	190	12	6	15	18	19
	Pneumonia F	585	91	48	19	8	7	173	16	8	8	8	12
6	Laryngitis M	6	1	2		1		4	1				
	Laryngitis F	2		1				1					1
7	Bronchitis M	145	62	18	6			86	2	1			1
	Bronchitis F	181	58	10	8	1	1	78	2		3		2
8	Pleurisy M	13		2			1	3		1			
	Pleurisy F	12		1				1				2	
9	Asthma M	11	1					1					
	Asthma F	4	1					1					
10	Others of this class M	52	17	2	3	1		23				1	3
	Others of this class F	61	16	3	1	1	1	22			1	1	2
11	5. Diseases of the digestive system	587	79	14	8	1	7	109	18	17	21	33	27
12	Males	296	40	9	5		4	58	11	9	12	19	12
13	Females	291	39	5	3	1	3	51	7	8	9	14	15
14	Dentition M	6	2	4				6					
	Dentition F	3	1	2				3					
15	Angina M	9	2	1			1	4		1		1	
	Angina F	7			1		1	2	1	1			
16	Gastritis M	40	7	2				9					1
	Gastritis F	36	7	2	1	1		11	1			1	2
17	Diseases of the stomach M	13	1					1				1	
	Diseases of the stomach F	19	1					1				2	1
18	Obstruction of the bowels M	23	4	1				5	2	2	1	1	1
	Obstruction of the bowels F	24	3					3			1		
19	Appendicitis M	45					1	1	5	1	8	8	3
	Appendicitis F	12							1	3	1	1	2
20	Hernia M	16	1					1					
	Hernia F	5											
21	Other diseases of the bowels M	5	2					2					1
	Other diseases of the bowels F	7	3					3					
22	Jaundice M	11	8					8					
	Jaundice F	14	8		1			9					
23	Inflammation and abscess of the liver. M	7					1	1					
	Inflammation and abscess of the liver. F	16					1	1				1	
24	Other diseases of the liver M	46											2
	Other diseases of the liver F	35	1					1					
25	Peritonitis M	44	2	1	3		1	7	3	4	3	5	4
	Peritonitis F	83	2				1	3	4	4	7	9	10
26	Ascites M	3											
	Ascites F	6											
27	Others of this class M	28	11		2			13	1	1			
	Others of this class F	24	13	1				14					
28	6. Diseases of the urinary system and male organs of generation.	678	9	2	5	3	3	22	12	6	9	21	26
29	Males	383	7	2	1	1		11	8	3	5	8	13
30	Females	295	2		4	2	3	11	4	3	4	13	13
31	Bright's disease M	265							7	3	4	7	11
	Bright's disease F	243							4	3	4	12	10
32	Calculus, urinary M	3											
	Calculus, urinary F	1											
33	Diseases of the kidney M	15	4	2	1	1		8					
	Diseases of the kidney F	16	2		3	2	3	10				1	1
34	Diseases of the bladder M	45									1		
	Diseases of the bladder F	5											
35	Others of this class M	55	3					3	1			1	2
	Others of this class F	30			1			1					2
36	7. Diseases of the female organs of generation	30	1					1			1	2	4
37	Ovarian tumors	4											
38	Ovarian diseases	2											
39	Diseases of the tubes	7										1	3
40	Uterine tumors	10											1
41	Uterine diseases	2										1	
42	Others of this class	5	1					1			1		

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
44	59	52	65	83	97	108	115	112	88	71	33	12	3	3	1
22	31	30	38	38	49	41	54	41	38	34	12	6	1	2	2
22	28	22	27	45	48	67	61	71	50	37	21	6	2	1	3
															4
16	29	27	31	26	37	35	41	30	27	25	7	4	1	1	5
22	21	16	18	35	35	57	42	50	32	18	13	4	1	1	
		1													6
2	2	1	4	2	8	4	6	6	6	7	5	1		1	7
	3	3	2	6	8	8	16	17	12	12	8	1			
1			1	3		1		3							8
	1	1	2		1		1			3					
			1	4	1	1	1		2						9
				1		1				1					
3		1	1	3	5		6	2	3	2		1			10
	3	2	5	3	4	1	2	4	6	3		1	1		
29	25	27	25	44	39	36	39	35	39	12	9	2		1	11
14	9	12	13	21	20	13	18	17	25	4	8	1			12
15	16	15	12	23	19	23	21	18	14	8	1	1		1	13
															14
				1				2							15
			1	1						1					
1	2	2		3	3	6	2	1	5	2	2	1			16
		3	1	3	1	5	3	3		2					
		1		1		1	2	3	2		1				17
4	1			1	3	1	2		2		1				
1		1		3			1	3	1		1				18
	2	1			3	5	1	3	4	1					
7	1	4	2	1	2		1	1							19
		1	1		1		1								
	1			1	2		1	1	7		2				20
1					1	3									
	1			1											21
1				1					2						
									2		1				22
	1			1			1	1						1	
2					1			1	2						23
1		3	3	2		1	3	1							
	2	2	4	8	8	5	5	3	5	2					24
1	2		3	7	3	4	4	7	3						
3	2	1	4	1	2	1	1								25
7	10	6	1	6	8	4	8	1	2	2		1			
			1				2								26
		1	1		1		1	1	1						
		1	2	1	2		3	2	1		1				27
			1	1	3		2	1		2					
39	25	34	36	45	51	69	77	75	73	36	16	4	2		28
14	13	14	19	23	21	39	46	51	52	28	11	2	2		29
25	12	20	17	22	30	30	31	24	21	8	5	2			30
9	11	9	17	13	15	31	36	39	35	17	1				31
15	6	18	16	19	27	26	29	24	17	5	5	2			
				1	1		1								32
									1						
	1			2				1	1	1	1				33
2	1				1										
				3	2	7	2	4	9	7	7	1	2		34
	1				1	2				1					
5	1	5	2	4	8	1	7	7	7	3	2	1			35
7	4	2	1	3	1	2	2		3	2					
5	2	3	5	1	3	1	1	1							36
1			1		1	1									37
1								1							38
1		1	1												39
1		2	2	1	2		1								40
1															41
	2		1												42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MASSACHUSETTS—GROUP 2—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	82									6	14	20
2	Abortion	4										1	
3	Childbirth	23										5	7
4	Puerperal septicemia	26									1	5	5
5	Extra-uterine pregnancy	4											1
6	Others of this class	25									5	3	7
7	9. Diseases of the bones and joints	21	1	1		1		3	3	2		5	
8	Males	15	1			1		2	2	2		1	
9	Females	6		1				1	1			1	
10	Diseases of the spine M	5				1		1		2		1	
	Diseases of the spine F	4		1				1	1			1	
11	Abscess, lumbar and psoas M	1										1	
	Abscess, lumbar and psoas F												
12	Diseases of the bones M	4	1					1	1			1	
	Diseases of the bones F												
13	Diseases of the hip-joint M	2							1			1	
	Diseases of the hip-joint F												
14	Others of this class M	3											
	Others of this class F	2											
15	10. Diseases of the skin	18	8	1				9		1			
16	Males	8	3	1				4					
17	Females	10	5					5		1			
18	Abscess M	4	2					2					
	Abscess F	6	3					3		1			
19	Carbuncle M	2	1					1					
	Carbuncle F	1											
20	Others of this class M	2		1				1					
	Others of this class F	3	2					2					
21	11. Diseases of the absorbent system	6	1					1					
22	Males	3											
23	Females	3	1					1					
24	Addison's disease M	3											
	Addison's disease F												
25	Diseases of the spleen M												
	Diseases of the spleen F	1											
26	Others of this class M												
	Others of this class F	2	1					1					
27	12. Accidents and injuries	564	42	9	10	6	4	71	32	17	31	37	45
28	Males	400	20	7	8	5	3	43	21	11	22	32	37
29	Females	164	22	2	2	1	1	28	11	6	9	5	8
30	Burns and scalds M	22		6	6			12				2	
	Burns and scalds F	38	1	2	2	1	1	7	6		4	1	
31	Drowning M	56			1	3	2	6	12	8	11	2	
	Drowning F	5							1	3	1		
32	Exposure and neglect M	6	1					1					
	Exposure and neglect F	4	3					3					
33	Gunshot wounds M	6											1
	Gunshot wounds F	3								1	2		
34	Homicide M	5					1	1					
	Homicide F	2							1				
35	Infanticide M												
	Infanticide F	3	3					3					
36	Injuries by machinery M	1									1		
	Injuries by machinery F												
37	Railroad accidents M	88							3		6	12	22
	Railroad accidents F	4								1			
38	Suffocation M	20	10			1		11			1		
	Suffocation F	13	10					10					
39	Suicide by shooting M	23									1	2	3
	Suicide by shooting F	2										1	
40	Suicide by drowning M	5											
	Suicide by drowning F	3											
41	Suicide by poison M	2										1	
	Suicide by poison F	3										1	
42	Other suicides M	24										1	
	Other suicides F	7								1		1	1
43	Sunstroke M	2	1					1			1		2
	Sunstroke F												
44	Surgical operations M	3											
	Surgical operations F	2											2
45	Wounds M	4									1		
	Wounds F	1											
46	Others of this class M	133	8	1	1	1		11	6	2	2	12	8
	Others of this class F	74	5					5	3	1		1	6

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
19	13	10													1
1		2													2
5	3	3													3
8	6	1													4
1	1	1													5
4	3	3													6
	1	2	1	2			1	1							7
	1	1	1	1			1								8
		1		1				1							9
	1														10
				1											
															11
							1								12
															13
		1	1	1											14
		1						1							
	1		3			1		2		1					15
	1		1					2							16
			2			1				1					17
	1							1							18
						1				1					
			1												19
			1												
								1							20
			1												
		2			1	1			1						21
		1			1	1									22
		1							1						23
		1			1	1									24
															25
									1						
															26
		1													
41	31	28	28	35	33	23	17	23	28	18	8	3	4	11	27
34	26	23	24	25	25	17	11	15	11	11	1	1	2	8	28
7	5	5	4	10	8	6	6	8	17	7	7	2	2	8	29
1	1	1		1	1	1				2					30
2	1			3	2	2	2	4	2	1	1				
5	4	3	1		1	2	1								31
1				1	1				1					1	32
									1						
2	1		2												33
2				1						1					34
1															
															35
															36
6	8	8	5	9	3	1	1	1	1					2	37
	1			1					1						
2		1	1			1								3	38
														8	
2		1	3	3	4	1	2	1							39
1															
		1		3					1						40
					1				1						
		1													41
								1	1						
3	2	1	1		5	4	1	2		1				1	42
		3					1								
									1						43
					1										44
						1									
1	1			1						1					45
									1						
9	9	6	11	6	9	7	6	11	7	6	1	1	2	1	46
3	3	2	4	6	5	3	3	3	10	6	6	2	2		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MICHIGAN.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	33,572	6,570	1,434	668	431	275	9,378	934	683	1,083	1,347	1,444
2	Males	18,084	3,743	763	359	212	153	5,230	485	344	543	627	632
3	Females	15,488	2,827	671	309	219	122	4,148	449	339	540	720	812
4	Unknown cause	632	342	26	6	5	3	382	4	10	11	12	16
5	Males	335	187	11	2	3	1	204	3	4	5	5	6
6	Females	297	155	15	4	2	2	178	1	6	6	7	10
	1. General diseases.												
7	General diseases—A	5,884	1,918	653	287	194	116	3,168	353	196	203	218	179
8	Males	3,088	1,065	351	147	97	61	1,721	170	76	90	113	85
9	Females	2,796	853	302	140	97	55	1,447	183	120	113	105	94
10	Measles M	174	56	43	17	7	7	130	19	7	5	6	4
	Measles F	199	48	50	24	11	8	141	17	7	7	2	10
11	Scarlet fever M	115	8	19	17	20	10	72	38	5			
	Scarlet fever F	105	9	19	15	18	5	66	30	7		1	1
12	Diphtheria M	167	14	21	27	12	19	93	44	13	12	3	
	Diphtheria F	211	10	22	27	17	21	97	61	27	15	4	2
13	Whooping cough M	137	86	27	10	6	3	132	5				
	Whooping cough F	136	81	27	8	6	5	127	7	1			
14	Malarial fever M	84	8	3	1	2	3	17	1		5	12	4
	Malarial fever F	84	4	1	2	2	2	11	5	5	6	9	5
15	Influenza M	204	12	2	2	3		19	2	1	1	4	2
	Influenza F	215	18	1	3	1	1	24	3	2	3	3	5
16	Typhoid fever M	365	1	3	2	4	4	14	16	30	38	52	51
	Typhoid fever F	315	3	1	1	7	3	15	23	38	56	51	33
17	Cholera morbus M	129	35	12	9	2	1	59	7	4	2	4	3
	Cholera morbus F	109	31	10	5	3	1	50	5	1	7	4	2
18	Colitis M	48	27	3	4	2		36			1		
	Colitis F	31	10	5	3	1		19				1	1
19	Diarrhea M	180	62	13	3	3	1	82	4	2	1	3	2
	Diarrhea F	145	51	11		2	1	65	7	1	1		3
20	Dysentery M	89	14	11	3	5	2	35	1			2	2
	Dysentery F	112	21	13	6	5		45	2	1			1
21	Enteritis M	289	165	46	8	4	4	227	5	1	2	5	1
	Enteritis F	271	147	35	12	2	1	197	4	6	2	4	5
22	Cholera infantum M	636	487	107	28	14		636					
	Cholera infantum F	478	348	91	23	12	3	477					
23	Fever M	3							1	1		1	
	Fever F	6	2					2		1		1	
24	Cerebro-spinal fever M	175	36	35	16	12	7	106	22	9	11	8	6
	Cerebro-spinal fever F	119	24	11	8	7	2	52	16	20	10	6	4
25	Smallpox M	8									2	1	1
	Smallpox F												
26	Erysipelas M	80	18	2				20			3	4	4
	Erysipelas F	43	8	2	1		1	12		1		1	1
27	Septicemia M	88	12			1		13	4	2	4	7	1
	Septicemia F	130	12	2	2	3	1	20	3	2	5	15	17
28	Venereal diseases M	33	20	1				21					1
	Venereal diseases F	31	24	1				25			1	2	
29	Others of this group M	84	6	3				9	1	1	8	1	3
	Others of this group F	56	2					2				1	4
30	General diseases—B	615	347	26	5	8	3	389	5	2	8	8	26
31	Males	379	193	18	3	2	1	217	3		3	4	18
32	Females	236	154	8	2	6	2	172	2	2	5	2	8
33	Alcoholism M	80											9
	Alcoholism F	5											
34	Parasitic diseases M	3	1	1				2					
	Parasitic diseases F	3				3		3					
35	Lead poison M												
	Lead poison F	2											1
36	Other poisons M	83	7	9	3	2		21	2		2	4	6
	Other poisons F	59	5	5	1	2	2	15	1	1	4	2	6
37	Inanition M	213	185	8			1	194	1		1		3
	Inanition F	167	149	3	1	1		154	1	1	1		1
38	General diseases—C	2,712	1,283	22	7	2	2	1,316	4	1	1	1	4
39	Males	1,405	720	9	4	1	1	735	2		1		1
40	Females	1,307	563	13	3	1	1	581	2	1		1	3
41	Old age M	594											
	Old age F	635											
42	Premature birth M	401	401					401					
	Premature birth F	293	293					293					
43	Malformation M	90	89					89	1				
	Malformation F	96	90	5				95					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900.

MICHIGAN.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,183	1,268	1,239	1,281	1,294	1,540	1,780	2,001	2,187	2,104	1,560	807	279	85	95	1
539	640	639	710	722	906	995	1,097	1,266	1,212	811	450	128	37	71	2
644	628	600	571	572	634	785	904	921	892	749	357	151	48	24	3
13	10	18	13	12	19	18	24	18	17	19	10	2		4	4
7	6	8	9	6	13	9	15	8	9	9	5	1		3	5
6	4	10	4	6	6	9	9	10	8	10	5	1		1	6
153	134	98	102	82	108	115	161	166	200	143	80	10	8	7	7
82	63	54	64	49	56	65	88	90	106	72	30	3	7	4	8
71	71	44	38	33	52	50	73	76	94	71	50	7	1	3	9
2	1														10
5	5	2	1		1		1								
															11
2															12
1	2	1	1												
							1								13
5	1	2	6	3	2	5	3	6	4	7	1				14
4	2	3	5	3	2	4	5	5	2	8					
10	5	8	9	5	12	13	14	24	36	24	13	1	1		15
6	4	5	4	8	12	12	27	20	33	24	15	3	1	1	
41	30	21	20	16	7	11	10	4	3					1	16
27	19	12	10	9	6	3	6	2	4	1					
2	1	4	6	4	6	3	8	9	5	2					17
3	2	4		1	3	5	2	3	5	5	1	1			
	1						1	2	4	2				1	18
	1			1	1	2	3	1		1					
	1	2		5	5	6	16	14	19	10	4	1	3		19
4	1	2	2	1	2	1	8	10	14	11	11	1			
1	2		2	3		4	9	4	7	11	3		2	1	20
1	2	1	2	2	4	2	5	10	16	10	8				
1	3	3	4	1	6	3	5	9	5	6	2				21
3	7	2	3	3	8	4	4	10	4	2	8				
														1	22
									1			1			23
3	3	1	3			1		1	1						24
3	1	1	2		1	1	1		1						
	1			1	2										25
4	5	6	6	1	7	5	7	4	2	2					26
	7	1	1	1	2	5	2	7	1	1					
7	7	4	7	4	7	6	4	2	7	2					27
12	16	10	4	2	8	5	2	1	4		3			1	
	2	2	1	2		2	2								28
1	1		1												
4		1		4	2	6	9	11	13	6	7	1	1	1	29
1	1		2	2	2	6	6	2	9	8	9	1			
9	25	28	25	21	18	8	12	7	8	4	6	2	1	5	30
7	19	22	22	14	13	7	6	4	7	3	4	1		5	31
2	6	6	3	7	5	1	6	3	1	1	2	1	1		32
5	16	17	8	8	7	2	2		2	1				3	33
	1		1	2											
							1								34
															35
								1							
2	3	5	14	5	6	4	2	4	1		2				36
2	5	6	2	4	6		5	1							
				1		1	1		4	2	2	1		2	37
						1	1	1	1	1	2	1	1		
2	5	1	3	6	11	21	70	137	271	389	283	139	41	6	38
1	1	1	1	3	5	9	30	60	141	195	140	58	17	4	39
1	4		2	3	6	12	40	77	130	194	143	81	24	2	40
						5	21	53	130	177	131	57	17	3	41
						5	30	69	114	176	138	78	24	1	
															42
															43
1	1	1	1	3	5	4	9	7	11	18	9	1		1	44
1	4		2	5	6	7	10	5	16	18	5	3		1	
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MICHIGAN—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		5,223	149	60	35	20	14	278	77	93	298	442	463
2	Males		2,337	82	29	20	11	8	150	42	37	105	171	181
3	Females		2,886	67	31	15	9	6	128	35	56	193	271	282
4	Anemia	M	70	11	4	1			16	1	2		1	2
		F	101	12	4			1	17	2	1	4	7	8
5	Diabetes	M	156	2		1		1	4	8	13	11	9	4
		F	90		1		1		2	3	2	5	3	3
6	Rheumatism	M	102	1		1	1		3	5	5	5	2	6
		F	91	1				1	2	6	8	6	1	3
7	Scrofula and tabes	M	45	7	1	1			9	3	1	2	4	1
		F	58	10	3	1			14	1	2	4	8	6
8	Hydrocephalus	M	91	31	15	11	5	3	65	11	1	2	4	3
		F	72	18	14	7	3	1	43	7	4	7	2	2
9	Tuberculosis, general	M	31	1	1				2	3		2	3	2
		F	46	1			1		2	2		3	8	7
10	Consumption	M	1,059	18	3	4	2	2	29	4	13	78	144	153
		F	1,379	19	7	3	4	1	34	12	33	155	231	236
11	Cancer	M	597	3	3		2	1	9	2	1	1	2	6
		F	807								1	3	4	12
12	Tumor	M	45	1	1	1	1	1	5	2		2	1	1
		F	81	2		1		1	4			5	4	3
13	Dropsy	M	118	2	1				3	2		1	1	2
		F	131	1		1			2	1	2	1	1	1
14	Others of this group	M	23	5					5	1	1	1		1
		F	30	3	2	2		1	8	1	3		2	1
15	2. Diseases of the nervous system		4,308	777	170	65	45	32	1,089	88	71	67	52	84
16	Males		2,370	456	96	38	22	21	633	48	35	42	21	32
17	Females		1,938	321	74	27	23	11	456	40	36	25	31	52
18	Inflammation of the brain	M	83	25	13	7	1	3	49	5		1	1	3
		F	61	17	6	2	1	1	27	5	8	2	1	4
19	Meningitis	M	261	79	36	17	8	14	154	20	14	9	9	7
		F	203	53	28	10	13	5	109	18	15	8	6	9
20	Apoplexy	M	622	9				1	10	2		3	4	1
		F	527	7	1				8	2	1	3	2	7
21	Paralysis	M	478	5	1	1			7	1	1	4		3
		F	472		3	4			7		1	1	7	6
22	Paralysis, general (of insane)	M	42											
		F	22											1
23	Tetanus and trismus nascentium	M	26	5			1		6	3	4	3	2	
		F	7	3					3	3				
24	Chorea	M	6							1			1	1
		F	10		1				1		3	2		
25	Epilepsy	M	86	8	3	1			12	6	8	10		3
		F	66	11	2	3	2		18	3	1	2	3	9
26	Convulsions	M	322	267	28	10	7		312	1			3	
		F	246	198	19	5	5	1	228	4			2	3
27	Mental diseases	M	72											3
		F	53										1	4
28	Diseases of the brain	M	238	49	14	1	5	2	71	7	7	5	1	8
		F	161	25	11	3	1	3	43	5	5	4	5	3
29	Diseases of the spinal cord	M	59	7	1			1	9	1		3		
		F	45	7	3		1	1	12	1	1	1	1	
30	Locomotor ataxia	M	28			1			1			1		
		F	9										1	
31	Others of this class	M	47	2					2	1	1	3		3
		F	56								1	2	2	6
32	3. Diseases of the circulatory system		3,124	192	9	3	2	8	214	37	42	47	48	63
33	Males		1,808	107	5	2	1	5	120	22	17	19	22	26
34	Females		1,316	85	4	1	1	3	94	15	25	28	26	37
35	Pericarditis	M	25		1				1		3	4		
		F	20	1					1	2	3	2	1	1
36	Diseases of the heart	M	1,561	76	4	2	1	4	87	21	13	14	19	22
		F	1,179	68	4	1	1	3	77	13	22	25	24	29
37	Angina pectoris	M	115									1	1	4
		F	63									1	1	6
38	Diseases of the arteries	M	52											
		F	25											1
39	Aneurism	M	15								1		2	
		F	4											
40	Embolism	M	11	2				1	3	1				
		F	9											
41	Others of this class	M	29	29					29					
		F	16	16					16					

OF DISEASES, BY AGE AND SEX: CENSUS YEAR 1900—Continued.

MICHIGAN—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
367	332	326	369	317	366	354	415	291	228	136	47	12	3	6	1
130	141	143	166	161	174	163	183	157	126	65	30	6	2	4	2
237	191	183	203	156	192	191	232	137	102	71	17	6	1	2	3
1	1	4	6	6	4	5	6	4	5	4	2				4
7	7	9	6	3	7	7	9	2	2	1	1	1			
1	4	7	9	11	11	20	14	13	11	4		2			5
2	4	5	7	5	5	13	12	7	9	3					
3	3	3	5	5	8	10	11	11	11	6					6
3	1	3	3	4	5	7	8	13	5	12	1				
2		1	4		7	1	6	3					1		7
10	1		1	4	2	3	1			1					
	4	1													8
	3	2	1	1											
	3	3	1	4	5	1	2								9
7	3	1	5	1	2		2	1	1	1					
110	107	80	80	64	56	39	45	29	20	3	2			3	10
175	128	86	66	35	48	42	37	23	21	10	2	2	1	2	
8	14	35	50	65	72	70	81	67	58	32	20	3		1	11
23	36	63	102	89	104	101	121	68	48	26	5	1			
2		3	3	2	5	6	3	6	2	2					12
5	5	11	5	5	9	6	9	5	4	1					
3	3	3	5	3	4	10	15	23	18	14	6	1			13
2	1	2	7	7	8	10	30	18	12	16	8	2			
	2	3	2	1	2	1		1	1				1		14
3	2	1		2	2	2	3								
91	128	127	157	195	245	301	351	431	404	254	121	25	14	13	15
46	80	68	77	108	137	148	202	252	233	114	67	13	7	7	16
45	48	59	80	87	108	153	149	179	171	140	54	12	7	6	17
1	5	6	1	3			1	2	4		1				18
1	3	2		4	2		1		1						
5	6	7	3	5	6	2	4	6		1	2			1	19
[illegible]	5	6	8	1	3	[illegible]	2	2	2		1				
9	20	19	22	41	67	62	83	113	94	46	21	3		2	20
12	8	22	32	33	49	62	56	75	74	53	21	6	1		
2	9	5	13	24	38	38	65	83	89	54	27	7	6	2	21
7	9	10	15	26	32	51	58	68	68	68	25	5	6	2	
4	5	5	6	[illegible]	[illegible]	5	3		4		2				22
1	2	1	1	3	1	2	4	1	3	1	1				
3	1	1		1		1		1							23
						2									
1						1						1			24
			1				2			1					
6	9	5	5	4	2	4	1	6	3		2				25
5	3	2	5		4	6	3	1		1					
1	1				1				1					2	26
2	2	3							1					1	
4	8	6	6	3	1	8	12	7	10	2	2				27
2	3	4	3	9	3	7	3	4	3	4	3				
8	10	4	7	10	8	14	17	20	20	10	9	1	1		28
6	6	5	5	2	9	10	12	16	12	8	3			2	
1	5	7	6	6	3	5	7	2	3	1					29
1	2	2	3	4	1	6	2	3	2	1		1		1	
	1	1	6	4	5	2	1	5	1						30
	2		1		1		2	1	1						
1		2	2	3	2	6	8	7	4		1	1			31
2	3	2	6	5	3	5	4	8	4	3					
90	89	114	122	182	233	313	356	464	383	221	93	27	9	7	32
34	45	57	64	101	143	184	214	297	234	125	63	13	2	6	33
20	44	57	58	81	90	129	142	167	149	96	30	14	7	1	34
1		1	1	2	1	1	1	4	3	2					35
					1	4	1	1	3						
31	44	46	51	86	128	161	191	264	202	107	56	12	2	4	36
24	40	51	56	80	80	113	126	156	130	84	29	14	5	1	
2	1	5	10	9	10	14	15	16	19	5	2			1	37
	2	4	1	1	6	[illegible]	8	7	11	6					
		2			2	4	5	12	9	11	5	1		1	38
					2	2	6	3	3	5	1		2		
		3	2	2	1	3	1								39
	1	1			1	1									
				2	1	1	1	1	1						40
2	1	1	1				1		2	1					
															41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MICHIGAN—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		4,180	971	362	185	97	49	1,664	152	59	98	128	110
2	Males		2,277	581	187	99	45	24	936	78	26	60	71	57
3	Females		1,903	390	175	86	52	25	728	74	33	38	57	53
4	Croup	M	94	27	11	12	14	6	70	22	2			
		F	67	10	14	12	12	1	49	15	3			
5	Pneumonia	M	1,469	320	117	64	22	12	535	40	17	46	56	46
		F	1,178	206	110	59	27	15	417	47	22	27	39	46
6	Laryngitis	M	19	3	2	1	4	1	11	4				
		F	19	1	5	1	3	1	11	4		1		2
7	Bronchitis	M	429	168	51	18	3	4	244	8	3	6	5	3
		F	405	135	38	14	7	7	201	4	2	4	8	2
8	Pleurisy	M	31		1				1	1	1	5	3	2
		F	37		2		2		4	1		1	1	
9	Asthma	M	55	2	1				3			1	1	
		F	52	2			1		3	1	2		1	
10	Others of this class	M	180	61	4	4	2	1	72	3	3	2	6	6
		F	145	36	6			1	43	2	4	5	8	3
11	5. Diseases of the digestive system		2,432	385	55	27	22	16	505	76	80	107	95	133
12	Males		1,300	233	26	13	11	9	292	39	50	55	42	57
13	Females		1,132	152	29	14	11	7	213	37	30	52	53	76
14	Dentition	M	12	10	2				12					
		F	9	5	3	1			9					
15	Angina	M	19	1	3	1	2		7	2	1	1	3	
		F	11	1	1	1	1		4	1	1			2
16	Gastritis	M	159	23	2	2	2		29	3	2	6	4	8
		F	180	27	7	2	2	2	40	1		1	1	7
17	Diseases of the stomach	M	90	5	1		1	1	8		1			4
		F	66	4	2			1	7			4	2	4
18	Obstruction of the bowels	M	120	16	4	2		1	23	8	5	3	2	5
		F	64	11	1	2	2	1	17	3	2		3	2
19	Appendicitis	M	150	1	1			1	3	5	28	26	11	20
		F	92		2	1		1	4	10	12	17	10	10
20	Hernia	M	47	6					6			2	1	1
		F	27	2					2	1		1		
21	Other diseases of the bowels	M	48	20		2			22		1	1	1	1
		F	35	15			2		17	1		1		2
22	Jaundice	M	50	24		2			26	2	1	1	1	1
		F	47	11				1	12		1	1		1
23	Inflammation and abscess of the liver.	M	63	1	1		1		3	1	2		3	4
		F	60				2		2		2	1	3	8
24	Other diseases of the liver	M	214	4	1	1			6	1	1		5	4
		F	130		2	1			3	1		2	1	6
25	Peritonitis	M	133	16	2	2	3	3	26	14	8	13	10	6
		F	256	8	6	3	2		19	16	10	22	32	36
26	Ascites	M	1	1					1					
		F	11											2
27	Others of this class	M	186	105	9	1	2	1	120	3		2	1	3
		F	144	68	5	3		1	77	3	2	2	1	1
28	6. Diseases of the urinary system and male organs of generation.		1,578	31	10	6	1	6	54	38	31	26	32	52
29	Males		1,022	18	5	2	1	4	30	20	19	9	13	15
30	Females		551	13	5	4		2	24	18	12	17	19	37
31	Bright's disease	M	636							19	12	7	11	9
		F	418							15	12	11	16	22
32	Calculus, urinary	M	15	1					1			1	1	
		F	8	3					3					1
33	Diseases of the kidney	M	94	10	5	2	1	4	22		1	1		2
		F	56	8	3	4		2	17	1			1	3
34	Diseases of the bladder	M	126	3					3		4			
		F	15	1					1				1	
35	Others of this class	M	151	4					4	1	2		1	4
		F	54	1	2				3	2		6	1	11
36	7. Diseases of the female organs of generation		164								1	5	21	25
37	Ovarian tumors		31										1	3
38	Ovarian diseases		9									1	1	1
39	Diseases of the tubes		15										2	3
40	Uterine tumors		41									2	3	3
41	Uterine diseases		15									1	1	4
42	Others of this class		56								1	1	13	11

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MICHIGAN—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
107	139	122	133	141	159	205	236	245	228	153	71	24	1	5	1
58	88	60	83	78	93	115	112	122	118	67	41	11		3	2
49	51	62	50	63	66	90	124	123	110	86	30	13	1	2	3
															4
50	74	46	65	63	60	86	80	67	73	34	22	6		3	5
37	59	35	32	54	43	57	77	73	66	46	13	7		1	
1		1			1					1					6
1															
3	5	3	11	4	13	12	15	26	30	20	14	4			7
2	5	4	6	3	12	18	26	32	31	24	13	6	1	1	
1	3		1	1	4		1	4	2		1				8
3	4	5	3		2	7	2	1		3					
1		1	4		5	6	8	8	7	7	3				9
2	1	1	3	1	5	6	10	5	6	5					
2	6	9	2	10	10	11	8	17	6	5	1	1			10
4	2	17	6	5	4	2	9	12	7	8	4				
103	89	121	117	120	136	175	156	172	125	83	24	12		3	11
43	33	62	68	56	86	101	89	90	70	46	14	4		8	12
60	56	59	49	64	50	74	67	82	55	37	10	8			13
															14
2		1		1		1									15
1		1							1						
3	3	5	7	7	16	12	13	11	15	10	3	1		1	16
1	7	5	10	11	11	16	11	22	16	15	2	3			
	1	2	9	9	12	13	7	10	9	8	2				17
5	4	2	3	5	4	10	4	8	1	2	1				
7	1	5	6	8	5	7	6	10	9	6	2	1		1	18
4		4	4	5	2	2	4	4	3	3	2				
14	6	13	8	2	5	4	3	2							19
9	6	5	2	2	1	2				2					
1		1	2	2	3	7	5	6	4	5		1			20
	1	2	2		1	3	4	5	3		2				
2			4		6	2	1	4	8						21
	2	2		1			3	5				1			
2		1		1	1	3	2	4	3					1	22
1			1	3	6	4	5	8	2	1		1			
	6	9	4	4	1	10	5	5	1	5					23
3	2	5	6	4	7	5	3	4	7	3					
5	7	19	18	17	25	29	30	22	16	6	2	1			24
4	4	13	9	17	7	12	19	12	13	4	3				
6	7	3	5	3	8	3	9	5	5	1	1				25
29	29	17	6	9	6	8	7	6	1	2		1			
				1			1	3		2	1				26
		1	1		2	2			1	1		1			
1	2	3	5	1	4	10	7	8	5	8	3				27
8	1	2	5	7	3	10	7	8	7	4		1			
41	65	72	84	117	140	158	145	167	177	108	52	8	8	3	28
17	27	37	46	75	100	109	104	125	132	87	45	8	2	2	29
24	38	35	38	42	40	49	41	42	45	21	7		1	1	30
13	23	28	39	63	79	79	72	64	64	41	9	1	2	1	31
22	31	26	27	38	31	42	34	36	34	14	5		1	1	
	1		1			1	1	4	2	1	1				32
	1							1	1	1					
1	3	3	1	6	8	10	6	8	10	8	4				33
1	1	6	5	2	6	2	8	1	4	2	1				
			1	1	5	6	11	26	30	21	15	3			34
	2		1		1	3		1	8	2					
8		6	4	5	8	13	14	23	26	16	16	4		1	35
1	3	3	5	2	2	2	4	3	3	2	1				
14	21	23	15	13	4	8	4	5	1	1	1	1	1		36
2	6	3	3	3	1	5	1			1		1	1		37
	1		1				1								38
3	2	3		1				1							39
	4	9	6	6	1	8	1	3							40
2	4	1					1	1							41
7	4	7	5	3	2				1		1				42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MICHIGAN—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	407									32	92	100
2	Abortion	19									1	4	5
3	Childbirth	109									3	17	27
4	Puerperal septicemia	200									16	51	54
5	Extra-uterine pregnancy	8									1	3	
6	Others of this class	71									11	18	14
7	9. Diseases of the bones and joints	105	14		1	3	3	21	7	7	9	5	3
8	Males	69	11		1		3	15	2	5	8	3	1
9	Females	36	3			3		6	5	2	1	2	2
10	Diseases of the spine M	23	3					8		3	2	1	
	Diseases of the spine F	19	3			3		6	1		1		
11	Abscess, lumbar and psoas M	4										1	
	Abscess, lumbar and psoas F	2							1				
12	Diseases of the bones M	24	3		1		2	6		1	4	1	1
	Diseases of the bones F	10							3	1		1	1
13	Diseases of the hip-joint M	9							2	1	1		
	Diseases of the hip-joint F	1								1			
14	Others of this class M	9					1	1			1		
	Others of this class F	4										1	1
15	10. Diseases of the skin	85	19	2		1	2	24			1	4	2
16	Males	50	10	2				12			1	2	2
17	Females	35	9			1	2	12				2	
18	Abscess M	23	2					2			1	2	1
	Abscess F	19	1			1	2	4				2	
19	Carbuncle M	3											
	Carbuncle F	3											
20	Others of this class M	21	8	2				10					1
	Others of this class F	13	8					8					
21	11. Diseases of the absorbent system	49	3	5			1	9	1	2	2	4	1
22	Males	28	1	3			1	5	1	1	1	1	1
23	Females	21	2	2				4		1	1	3	
24	Addison's disease M	7								1			
	Addison's disease F	6										1	
25	Diseases of the spleen M	5											
	Diseases of the spleen F	2	1					1				1	
26	Others of this class M	16	1	3			1	5	1		1	1	1
	Others of this class F	13	1	2				3		1	1	1	
27	12. Accidents and injuries	2,079	139	34	41	31	20	265	92	88	168	187	183
28	Males	1,616	79	21	28	18	14	160	55	74	144	159	150
29	Females	463	60	13	13	13	6	105	37	14	24	28	33
30	Burns and scalds M	78	6	11	12	9	4	42	7		4	2	3
	Burns and scalds F	83	1	8	5	7	4	25	19	5	2	3	6
31	Drowning M	200	1	5	5	1	1	13	22	36	29	25	19
	Drowning F	31		4	1	3	1	9	3	2	3	4	
32	Exposure and neglect M	14	5				1	6		1			
	Exposure and neglect F	8	4					4				2	
33	Gunshot wounds M	87	1		1			2	3	7	21	12	3
	Gunshot wounds F	10			1	1		2	1		1	2	1
34	Homicide M	14			1			1				3	1
	Homicide F	3											1
35	Infanticide M												
	Infanticide F												
36	Injuries by machinery M	11									3		
	Injuries by machinery F	1	1					1					
37	Railroad accidents M	245					1	1	3	14	26	29	26
	Railroad accidents F	25			2			2	2	2	2	1	2
38	Suffocation M	47	31		2			33		1	2	1	1
	Suffocation F	39	35	1				36	1				
39	Suicide by shooting M	47									1	4	5
	Suicide by shooting F	9									1	3	2
40	Suicide by drowning M	9									1		
	Suicide by drowning F	3										2	
41	Suicide by poison M	23									1	2	
	Suicide by poison F	27								1	6	2	1
42	Other suicides M	79									3	3	2
	Other suicides F	14									1		3
43	Sunstroke M	5					1	1			2		
	Sunstroke F	3	1		1			2			1		
44	Surgical operations M	6									2	1	
	Surgical operations F	25	1					1			1	2	3
45	Wounds M	38	2		1			3	1	2	4	6	8
	Wounds F	4							1				
46	Others of this class M	710	33	5	6	8	6	58	20	13	45	71	82
	Others of this class F	178	17		3	2	1	23	10	4	6	7	9

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MICHIGAN—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
76	56	37	2			1								1	1
3	5	1													2
26	16	18	1											1	3
29	31	17	1			1									4
2	3														5
16	11	1													6
5	5	4	9	9	4	6	2	3	3	3					7
3	2	3	5	6	3	5	2	3	1	2					8
2	3	1	4	3	1	1			2	1					9
	1	1	2	1	1	1			1	1					10
1	1	1	3	3		1			1						
1				1		1									11
	1														
1			2	2	1	2	1	1		1					12
1			1		1					1					
1	1	1		2											13
		1	1		1	1	1	2							14
	1								1						
5	3	1	9	3	4	7	4	5	7	4		2			15
2	1		6	2	4	4	2	3	4	4		1			16
3	2	1	3	1		3	2	2	3			1			17
2	1		4		2	2		2	1	2		1			18
3	1	1	2	1			1	1	2			1			
				1		1		1							19
						2	1								
			2	1	2	1	2		3	2					20
	1		1			1		1	1						
2	3	5	4	2	2	5	4	1	1	1					21
2	2	3	2	2	1	3	2		1						22
	1	2	2		1	2	2	1		1					23
	1	1		1		2			1						24
	1	1	1		1	1									
1	1	2	1												25
1			1	1	1	1	2								26
		1	1			1	2	1		1					
135	154	142	117	74	91	85	61	72	51	41	19	15	4	35	27
107	132	121	97	61	78	73	48	55	30	22	11	9		30	28
28	22	21	20	13	13	12	13	17	21	19	8	6	4	5	29
3	2	2	3		2	2			3	1	1			1	30
8	4		4		2	1		1	1	1		1			
10	6	11	4	1	3	4	4	3	1					9	31
4	3		1											2	
	1		1	2	1				1	1					32
		1			1										
6	4	13		5	2	4	2	2				1		1	33
2		1													
2	2	1	2				1		1						34
1	1														
															35
2	3	2	1			1	1								36
22	27	22	12	14	15	10	2	7	5	1				9	37
2		1	2		2	3		1	2					1	
1	1	2			1	2	1							1	38
					1									1	
2	5	4	7	6	3	2	2	4	1	1					39
2		1													
1			1	1		1		1	3						40
				1											
		1	3	1	5	1	6	3							41
	4	4	2	1	1	1	1	2						1	
2	6	10	11	3	11	9	4	6	4	3		1		1	42
	2	2	2	1	2	1									
1					1										43
	1	1					1								44
1	3	3	2	1	1		1			1					
2	2		3		2	1	2			1				1	45
			1			1		1							
52	72	52	49	28	32	36	22	29	11	14	10	7		7	46
8	5	8	6	2	3	5	11	12	18	17	8	5	4		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MICHIGAN—GROUP 1.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	19,570	4,613	997	436	297	177	6,520	632	417	632	808	910
2	Males	10,672	2,618	544	234	141	92	3,629	324	207	328	391	406
3	Females	8,898	1,995	453	202	156	85	2,891	308	210	304	417	504
4	Unknown cause	438	263	22	5	4	2	296	2	7	7	5	10
5	Males	223	135	9	2	2	1	149	1	3	4	1	5
6	Females	215	128	13	3	2	1	147	1	4	3	4	5
7	1. General diseases. General diseases—A	3,698	1,349	452	185	133	80	2,199	242	129	107	129	103
8	Males	1,951	740	256	98	62	39	1,195	106	48	46	66	48
9	Females	1,747	609	196	87	71	41	1,004	136	81	61	63	55
10	Measles M	118	45	32	12	5	3	97	12	5		1	1
	Measles F	132	36	40	17	8	6	107	12	4	1		4
11	Scarlet fever M	90	3	15	15	18	7	58	27	5			
	Scarlet fever F	79	8	13	8	17	3	49	24	6			
12	Diphtheria M	120	11	19	21	9	12	72	28	9	7	3	
	Diphtheria F	161	7	19	21	15	18	80	49	15	12	2	2
13	Whooping cough M	84	54	17	5	5	1	82	2				
	Whooping cough F	81	51	12	6	4	2	75	4	1			
14	Malarial fever M	40	5	2	1		2	10	1		3	6	2
	Malarial fever F	35	2		1	2	2	7	4	3	3	3	2
15	Influenza M	98	7	1	1	1		10	2	1	1	8	
	Influenza F	102	11	1	1	1	1	15	2	1	2	8	2
16	Typhoid fever M	196	1	2	1	2	3	9	10	17	15	31	30
	Typhoid fever F	180	2	1	1	4	2	10	11	26	27	33	19
17	Cholera morbus M	78	22	8	8		1	39	5	2	1		
	Cholera morbus F	63	18	6	4	3	1	32	5		3	4	2
18	Colitis M	31	20	3	2			25			1		
	Colitis F	19	9	4	3			16					
19	Diarrhea M	107	41	12	1	2		56	1	1	1	1	1
	Diarrhea F	98	38	7		2	1	48	7	1	1		2
20	Dysentery M	48	8	6	2	2	2	20				2	2
	Dysentery F	48	12	6	3	2		23	1	1			1
21	Enteritis M	217	126	40	6	3	2	177	4	1	1	5	
	Enteritis F	196	113	25	8	1	1	148	3	5		1	4
22	Cholera infantum M	435	342	74	11	8		435					
	Cholera infantum F	324	255	54	8	5	1	323					
23	Fever M	2							1	1			
	Fever F	5	2					2		1		1	
24	Cerebro-spinal fever M	108	16	21	12	7	6	62	13	6	9	6	4
	Cerebro-spinal fever F	76	13	6	5	6	2	32	11	14	6	5	2
25	Smallpox M	4									1		1
	Smallpox F												
26	Erysipelas M	57	9	2				11			2	3	4
	Erysipelas F	26	4	1	1		1	7		1		1	
27	Septicemia M	45	9					9			2	4	
	Septicemia F	70	3			1		4	3	2	5	9	13
28	Venereal diseases M	25	17					17					1
	Venereal diseases F	27	23	1				24			1	1	
29	Others of this group M	48	4	2				6			2	1	2
	Others of this group F	25	2					2					2
30	General diseases—B	407	232	16	3	7	2	260	4	2	3	2	16
31	Males	253	131	10	2	2	1	146	2		1	1	11
32	Females	154	101	6	1	5	1	114	2	2	2	1	5
33	Alcoholism M	61											6
	Alcoholism F	4											
34	Parasitic diseases M	2	1					1					
	Parasitic diseases F	3				3		3					
35	Lead poison M												
	Lead poison F	1											1
36	Other poisons M	47	4	5	2	2		13	1		1	1	2
	Other poisons F	39	4	5		1	1	11	1	1	2	1	4
37	Inanition M	143	126	5			1	132	1				3
	Inanition F	107	97	1	1	1		100	1	1			
38	General diseases—C	1,684	898	17	5	1	2	923	4		1	1	3
39	Males	895	511	6	3		1	521	2		1		1
40	Females	789	387	11	2	1	1	402	2			1	2
41	Old age M	333											
	Old age F	346											
42	Premature birth M	274	274					274					
	Premature birth F	193	193					193					
43	Malformation M	62	61					61	1				
	Malformation F	58	53	4				57	1				
44	Debility and atrophy M	189	139	6	3		1	149	1		1		1
	Debility and atrophy F	175	124	7	2	1	1	135	1			1	2
45	Others of this group M	37	37					37					
	Others of this group F	17	17					17					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MICHIGAN—GROUP 1.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
677	786	706	710	726	809	877	1,014	1,071	980	727	351	117	40	60	1
323	405	379	431	418	496	483	566	612	574	377	197	64	17	45	2
354	381	327	279	308	313	394	448	459	406	350	154	53	23	15	3
7	7	13	9	8	11	8	9	8	10	12	5	1		3	4
4	3	6	7	4	7	5	6	4	4	4	4			2	5
3	4	7	2	4	4	3	3	4	6	8	1	1		1	6
88	77	59	51	40	59	47	89	85	81	68	31	5	2	7	7
48	33	37	37	28	34	33	53	43	43	35	11	1	2	4	8
40	44	22	14	12	25	14	36	42	38	33	20	4		3	9
2															10
1	2		1												
															11
1															12
	1														
															13
							1								
5		2	2	2	1	2	2	1		1					14
3	1		2	1		1	1	2		2					
6	2	5	4	3	9	7	7	10	14	10	4				15
3	2	2	2	1	5	4	11	12	15	13	5	1		1	
19	15	14	11	8	5	4	5	2						1	16
18	13	6	2	3	3		4	2	2	1					
1		3	3	2	5	2	7	4	3	1					17
2	1	2		1	1		1	3	1	3	1	1			
								1	1	2				1	18
					1		1	1							
	1	2		3	2	4	3	7	8	8	1		2		19
3			1	1	2	1	7	8	9	6	6				
1	1			1		2	7	3	4	4				1	20
1	2	1		1	1	1	2	4	4	3	2				
1	1	2	3	1	2	2	2	5	4	4	2				21
1	7	2	2	1	5		3	9	2	1	2				
														1	22
												1			23
3	2		3												24
1	1	1	1				1		1						
	1				1										25
3	4	4	6	1	5	2	6	3	1	2					26
	6	1		1	1	2	2	4							
3	5	3	4	3	3	3	3	1	2						27
5	8	7	1	1	5	2		1	1		2			1	
	1	2	1	1		1	1								28
1															
3				3	1	4	5	6	6	3	4	1		1	29
1			2	1	1	3	2	1	3	4	2	1			
8	22	22	15	15	14	3	7	4	6	2	2	1		4	30
3	17	16	12	10	11	2	6	3	5	2	1			4	31
	5	6	3	5	3	1	1	1	1		1	1			32
2	14	12	5	8	6	1	2		1	1				3	33
	1		1	2											
							1								34
															35
1	3	4	7	2	5	1	2	3	1						36
	4	6	2	3	3		1								
							1		3	1	1			1	37
						1		1	1		1	1			
2	4	1	2	2	6	16	49	85	145	215	142	58	24	1	38
1	1	1	1	2	3	7	22	37	77	106	71	31	9	1	39
1	3		1		3	9	27	48	68	109	71	27	15		40
						5	15	35	73	99	67	30	9		41
						4	19	44	62	106	69	27	15		
															42
															43
1	1	1	1	2	2	2	7	2	4	7	4	1		1	44
1	3		1		3	5	8	4	6	3	2				
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MICHIGAN—GROUP 1—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		2,888	87	34	27	12	10	170	51	56	164	255	291
2	Males		1,334	47	17	15	7	6	92	29	23	62	98	114
3	Females		1,554	40	17	12	5	4	78	22	33	102	157	177
4	Anemia	M	33	5	2	1			8	1	2			2
		F	59	6	1			1	8	2	1	2	3	7
5	Diabetes	M	67							4	7	4	3	1
		F	44				1		1	1	2		2	2
6	Rheumatism	M	47				1		1	3	3	4	1	4
		F	47	1				1	2	4	1	4		3
7	Scrofula and tabes	M	19	5	1	1			7	2		1	3	
		F	29	5		1			6	1		3	4	1
8	Hydrocephalus	M	63	16	10	9	3	3	41	10	1	2	3	1
		F	43	11	10	5			26	4	3	5	1	
9	Tuberculosis, general	M	17		1				1	1		1	1	2
		F	24	1					1	1			5	6
10	Consumption	M	627	12	2	3	2	2	21	2	8	45	85	98
		F	779	11	4	3	4	1	23	8	23	84	136	148
11	Cancer	M	348	3					3	2	1	1	1	4
		F	399									1	3	7
12	Tumor	M	27	1		1	1	1	4	1		2	1	
		F	42	2		1			3			2	1	2
13	Dropsy	M	70	2	1				3	2		1		1
		F	70			1			1	1	2	1		1
14	Others of this group	M	16	3					3	1	1	1		1
		F	18	3	2	1		1	7		1		2	
15	2. Diseases of the nervous system		2,309	556	115	37	27	18	753	54	40	40	29	53
16	Males		1,298	328	65	23	13	10	439	31	19	25	15	17
17	Females		1,011	228	50	14	14	8	314	23	21	15	14	36
18	Inflammation of the brain	M	53	18	10	5		2	35	3		1	1	3
		F	34	14	3	1	1	1	20	4	1	1		2
19	Meningitis	M	160	54	23	9	4	6	96	17	7	6	8	4
		F	114	31	17	5	7	5	65	10	9	6	2	7
20	Apoplexy	M	316	7				1	8			1	2	1
		F	259	5					5		1	1	1	4
21	Paralysis	M	227	4	1	1			6	1	1	3		3
		F	185		1	3			4		1	1	3	4
22	Paralysis, general (of insane)	M	10											
		F	8											
23	Tetanus and trismus nascentium	M	14	3					3	2	2	3	1	
		F	5	2					2	1				
24	Chorea	M	3							1			1	
		F	10		1				1		3	2		
25	Epilepsy	M	55	8	2				10	6	4	6		
		F	41	9	2		1		12	1		1	2	6
26	Convulsions	M	241	201	22	6	7		236				2	
		F	192	152	16	2	4	1	175	4			1	3
27	Mental diseases	M	44											2
		F	34										1	4
28	Diseases of the brain	M	112	30	7	1	2	1	41	1	4	1		2
		F	74	12	7	3		1	23	2	4	1	2	2
29	Diseases of the spinal cord	M	23	3					3			1		
		F	25	3	3		1		7	1	1	1		
30	Locomotor ataxia	M	19			1			1			1		
		F	3										1	
31	Others of this class	M	21								1	2		2
		F	27								1	1	1	4
32	3. Diseases of the circulatory system		1,530	105	6	3	2	3	119	23	26	30	26	39
33	Males		884	56	2	2	1	1	62	13	9	14	12	12
34	Females		646	49	4	1	1	2	57	10	17	16	14	27
35	Pericarditis	M	15								1	3		
		F	12	1					1	1	1	1	1	1
36	Diseases of the heart	M	749	39	2	2	1	1	45	12	8	10	10	10
		F	587	39	4	1	1	2	47	9	16	15	13	19
37	Angina pectoris	M	59									1		2
		F	22											6
38	Diseases of the arteries	M	30											
		F	9											1
39	Aneurism	M	9										2	
		F	3											
40	Embolism	M	7	2					2	1				
		F	4											
41	Others of this class	M	15	15					15					
		F	9	9					9					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MICHIGAN—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
214	187	189	198	178	185	183	215	145	111	67	19	7		3	1
82	83	86	93	99	95	86	97	80	64	34	13	3		1	2
132	104	103	105	79	90	97	118	65	47	33	6	4		2	3
1		2	2	2	2	3	3	1	2	1	1				4
5	5	5	6	1	2	4	5	1	1			1			
1	1	2	4	5	3	11	7	6	4	2		1			5
1	3	3	5	1	3	6	4	5	4	1					
2	1	1	3	3	5	2	4	3	5	2					6
1		3	2		4	2	4	7	2	8					
			1		1		1	2							7
8	1			3		1	1								
	4	1													8
	1	2	1												
	1	2	1	3	4										9
2	2	1	2	1	1		1		1						
69	64	53	46	35	29	21	22	16	10	1	1			1	10
95	72	50	34	16	25	23	12	14	7	5		1		2	
4	8	21	31	44	43	39	50	39	30	18	8	1			11
13	15	32	48	51	48	52	64	28	22	11	3	1			
2		1	1	2	4	3	2	3	1						12
4	3	6	3	3	2	3	6	3	1						
3	2	1	2	3	3	7	8	9	11	10	3	1			13
2			4	3	4	5	19	7	9	7	3	1			
	2	2	1	1	1			1	1						14
1	2	1			1	1	2								
44	72	63	88	100	120	113	161	194	187	103	44	8	6	7	15
20	48	35	48	49	75	68	94	118	115	46	24	4	4	4	16
24	24	28	40	51	45	75	67	76	72	57	20	4	2	3	17
1	2	2	1				1	2	1						18
	1	1		2	1		1								
2	4	4	2	2	3	1	1	1			1			1	19
4	4		2		1	1	1	2							
6	13	9	14	19	32	27	47	53	53	18	12			1	20
5	3	11	16	21	23	27	30	35	37	26	11	2			
1	5	5	10	7	27	19	26	38	38	22	7	3	4	1	21
3	2	4	7	15	11	27	17	29	23	22	8	2	2		
	3	2	1	2	1				1						22
	1			2		1	2		1	1					
1	1					1									23
						2									
1															24
			1				2			1					
2	6	3	4	3	1	1		5	3		1				25
5	1	1	3		2	4	2	1							
	1				1									1	26
2	2	3							1					1	
1	6	5	5	2		6	7	4	4		2				27
1	3	2	2	6	2	5	1	2	2	2	1				
3	5	2	5	5	2	7	9	7	10	6	1	1			28
2	3	2	2	2	4	2	8	4	6	4				1	
1	2	2	2	3	3	3		1	2						29
	1	2	2	1	1	4	2		1					1	
		1	4	3	4	2		2	1						30
	1		1												
1				3	1	1	3	5	2						31
2	2	2	1	2		2	1	3	1	1					
31	57	52	62	108	126	145	171	217	166	85	33	9	3	2	32
15	32	31	38	57	76	87	108	134	103	52	22	4	1	2	33
16	25	21	24	51	50	58	63	83	63	33	11	5	2		34
1			1	1		1	1	3	2	1					35
					1	2	1		2						
13	31	25	30	51	66	74	94	116	86	43	19	4	1	1	36
16	23	18	24	50	43	50	59	81	58	29	10	5	2		
1	1	2	6	4	7	9	8	8	9	1					37
	1	2		1	4	4	1	1	1	1					
		1			1	2	3	6	6	7	3			1	38
					1	1	1	1	1	2	1				
		3	1		1	1	1								39
	1				1	1									
				1	1		1	1							40
		1					1		1	1					
															41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MICHIGAN—GROUP 1—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		2,635	718	265	124	71	33	1,211	105	35	63	86	73
2	Males		1,458	426	144	64	32	16	682	54	18	40	50	39
3	Females		1,177	292	121	60	39	17	529	51	17	23	36	34
4	Croup	M	51	17	4	4	8	4	37	13	1			
		F	38	7	8	7	9	1	32	5	1			
5	Pneumonia	M	945	238	90	43	18	7	396	28	13	30	40	32
		F	712	154	74	39	18	10	295	34	14	18	26	29
6	Laryngitis	M	9	1	2		3	1	7	2				
		F	10		3		2		5	4				1
7	Bronchitis	M	301	134	43	14	2	4	197	7	3	4	4	1
		F	280	108	31	14	7	6	166	4		2	3	1
8	Pleurisy	M	18		1				1	1	1	4	1	1
		F	26		1		2		3	1		1	1	
9	Asthma	M	37	1	1				2			1	1	
		F	33	1			1		2	1			1	
10	Others of this class	M	97	35	3	3	1		42	3		1	4	5
		F	78	22	4				26	2	2	2	5	3
11	5. Diseases of the digestive system		1,407	281	39	19	13	7	359	49	46	70	45	86
12	Males		764	169	19	9	7	4	208	29	30	37	19	39
13	Females		643	112	20	10	6	3	151	20	16	33	26	47
14	Dentition	M	12	10	2				12					
		F	8	4	3	1			8					
15	Angina	M	9	1	2	1			4	1	1		1	
		F	7	1	1	1			3	1				1
16	Gastritis	M	91	16	1	2	2		21	2	2	5	2	7
		F	99	22	2	1	2	1	28				1	4
17	Diseases of the stomach	M	48	2	1		1		4					3
		F	38	3	1			1	5			3	1	2
18	Obstruction of the bowels	M	79	13	2	1			16	7	3	3		5
		F	31	5	1	1	1		8	1	1		1	1
19	Appendicitis	M	84							4	17	15	6	13
		F	52		2	1			3	3	7	14	5	7
20	Hernia	M	27	3					3			2		1
		F	20	1					1	1		1		
21	Other diseases of the bowels	M	24	12		1			13			1	1	1
		F	16	10					10					1
22	Jaundice	M	30	17		2			19		1	1		
		F	27	10					10		1	1		1
23	Inflammation and abscess of the liver.	M	32	1	1		1		3		2		1	2
		F	24				2		2					1
24	Other diseases of the liver	M	116		1				1	1			3	2
		F	75			1			1			2	1	6
25	Peritonitis	M	87	13	2	2	2	1	20	11	4	2	5	3
		F	145	7	6	1	1		15	12	5	11	17	21
26	Ascites	M	2	1					1					
		F	6											1
27	Others of this class	M	123	80	7		1	3	91	3		1		2
		F	95	49	4	3		1	57	2	2	1		1
28	6. Diseases of the urinary system and male organs of generation.		818	20	7	3	1	3	34	24	19	15	17	30
29	Males		508	11	3	1	1	1	17	12	12	5	7	7
30	Females		310	9	4	2		2	17	12	7	10	10	23
31	Bright's disease	M	313							11	8	4	6	4
		F	286							9	7	6	9	14
32	Calculus, urinary	M	7	1					1					
		F	6	3					3					1
33	Diseases of the kidney	M	51	7	3	1	1	1	13			1		1
		F	27	6	2	2		2	12	1				2
34	Diseases of the bladder	M	62	2					2		2			
		F	4											
35	Others of this class	M	75	1					1	1	2		1	2
		F	37		2				2	2		4	1	6
36	7. Diseases of the female organs of generation		89								1	1	13	18
37	Ovarian tumors		14										1	2
38	Ovarian diseases		4									1		1
39	Diseases of the tubes		10										1	2
40	Uterine tumors		18										1	2
41	Uterine diseases		7										1	5
42	Others of this class		36								1		9	8

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MICHIGAN—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
92	89	69	73	88	87	113	128	137	104	68	29	10	1	4	1
38	52	36	54	51	48	57	62	68	57	26	16	7		3	2
24	37	33	19	37	39	56	66	69	47	42	13	3	1	1	3
															4
34	46	28	41	44	32	42	44	35	35	12	7	3		3	5
16	27	18	11	33	26	32	41	45	22	19	4	1		1	
															6
2	1	2	8	1	7	5	9	16	14	9	8	3			7
	4	3	2	1	8	13	14	17	17	14	8	2	1		
1	3		1	1	1			2							8
2	3	4	2		1	4	1	1		2					
1		1	3		2	3	7	5	6	4	1				9
2	1	1			2	5	5	5	5	3					
	2	5	1	5	6	7	2	10	2	1		1			10
4	2	7	4	3	2	2	5	1	3	4	1				
62	55	68	70	65	67	85	82	82	65	38	7	4		2	11
29	23	33	45	29	43	44	43	44	35	25	4	3		2	12
33	32	35	25	36	24	41	39	38	30	13	3	1			13
															14
1		1													15
1		1													
2	1	3	5	3	8	7	4	6	7	5				1	16
	4	2	3	6	7	10	7	10	9	8					
	1	1	7	4	5	6	4	7	5	1					17
5	3	1	3	2	1	6	2	3	1						
5	1	3	4	6	4	2	1	6	5	5	1	1		1	18
2		3	2	3	2	2	2	1	1	1					
7	3	5	4	2	2	3	2	1							19
5	2	2	1	1		1				1					
1		1	1	1	1	2	4	3	2	4		1			20
	1	1				3	1	4	3		2				
1			3		1		1	1	1						21
	1	1						3							
2		1		1	1	1	1	1	1						22
1				1	2	2	4	3		1					
	5	2	2	3	1	3	3			5					23
2		4	3	3	2		1	3	3						
5	7	13	13	7	14	13	13	13	9	1		1			24
3	4	10	3	10	3	7	11	5	8		1				
4	4	1	5	2	6	2	4	3	2	1	1				25
13	16	9	5	6	4	3	6	2							
										1					26
		1			2	1				1					
1	1	2	1			5	6	3	3	2	2				27
1	1		5	4	1	6	3	4	5	1		1			
24	38	39	53	66	80	83	65	73	75	47	28	4	2	2	28
8	12	19	31	44	59	55	46	53	54	36	25	4	1	1	29
16	26	20	22	22	21	28	19	20	21	11	3		1	1	30
6	9	12	29	35	48	37	33	29	20	14	6		1	1	31
16	22	14	13	19	18	25	15	17	18	9	3		1	1	
	1		1					1	2		1				32
	1									1					
	2	1		4	4	7	4	3	5	2	4				33
	1	4	3	1	1		2								
			1	1		3	5	9	17	12	8	2			34
			1			1		1	1						
2		6		4	7	8	4	11	10	8	6	2			35
	2	2	5	2	2	2	2	2	2	1					
8	12	14	8	3	1	3	1	2	1		1	1	1		36
1	3	2	1			2						1	1		37
	1						1								38
3	2	2													39
	1	6	3	1	1	1		2							40
	3														41
4	2	4	4	2					1		1				42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MICHIGAN—GROUP 1—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	248									22	53	56
2	Abortion	8									1	1	3
3	Childbirth	73									2	8	18
4	Puerperal septicemia	122									11	33	28
5	Extra-uterine pregnancy	4									1	1	
6	Others of this class	41									7	10	7
7	9. Diseases of the bones and joints	61	9		1	3	2	15	6	4	3	4	3
8	Males	41	8		1		2	11	2	3	3	2	1
9	Females	20	1			3		4	4	1		2	2
10	Diseases of the spine M	14	6					6		2	1	1	
	Diseases of the spine F	8	1			3		4	1				
11	Abscess, lumbar and psoas M	2										1	
	Abscess, lumbar and psoas F	1							1				
12	Diseases of the bones M	16	2		1		2	5		1	2		1
	Diseases of the bones F	7							2			1	1
13	Diseases of the hip-joint M	4							2				
	Diseases of the hip-joint F	1								1			
14	Others of this class M	5											
	Others of this class F	3										1	1
15	10. Diseases of the skin	37	11				1	12				3	1
16	Males	21	5					5				2	1
17	Females	16	6				1	7				1	
18	Abscess M	8										2	
	Abscess F	9	1				1	2				1	
19	Carbuncle M	3											
	Carbuncle F	2											
20	Others of this class M	10	5					5					1
	Others of this class F	5	5					5					
21	11. Diseases of the absorbent system	32	2	4			1	7	1	2		4	1
22	Males	17		2			1	3	1	1		1	1
23	Females	15	2	2				4		1		3	
24	Addison's disease M	3								1			
	Addison's disease F	3										1	
25	Diseases of the spleen M	4											
	Diseases of the spleen F	2	1					1				1	
26	Others of this class M	10		2			1	3	1			1	1
	Others of this class F	10	1	2				3		1		1	
27	12. Accidents and injuries	1,289	82	20	24	23	13	162	67	50	106	136	127
28	Males	1,025	51	11	14	14	9	99	42	41	90	117	110
29	Females	264	31	9	10	9	4	63	25	9	16	19	17
30	Burns and scalds M	48	2	7	7	8	2	26	6		2	2	1
	Burns and scalds F	54		7	3	6	3	19	12	4	1	2	5
31	Drowning M	140	1	2	8	1		7	20	22	16	18	13
	Drowning F	23		2	1	2	1	6	1	2	3	3	
32	Exposure and neglect M	12	5				1	6		1			
	Exposure and neglect F	4	1					1				1	
33	Gunshot wounds M	44	1					1	1	3	12	8	2
	Gunshot wounds F	4			1			1	1			1	
34	Homicide M	9			1			1				3	
	Homicide F	2											1
35	Infanticide M												
	Infanticide F												
36	Injuries by machinery M	7									1		
	Injuries by machinery F	1	1					1					
37	Railroad accidents M	152					1	1	1	3	17	18	16
	Railroad accidents F	16			2			2	2	1	2		1
38	Suffocation M	29	22		1			23			2	1	1
	Suffocation F	18	17					17	1				
39	Suicide by shooting M	22										2	4
	Suicide by shooting F	3										3	
40	Suicide by drowning M	7									1		
	Suicide by drowning F	2										1	
41	Suicide by poison M	11										1	
	Suicide by poison F	17								1	3	1	1
42	Other suicides M	45									2	3	2
	Other suicides F	8									1		2
43	Sunstroke M	3					1	1			2		
	Sunstroke F	2			1			1			1		
44	Surgical operations M	3									2		
	Surgical operations F	10										2	4
45	Wounds M	31	2		1			3	1	1	4	5	7
	Wounds F	4							1				
46	Others of this class M	462	18	2	1	5	4	30	13	11	29	56	64
	Others of this class F	96	12		2	1		15	7	1	5	5	3

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MICHIGAN—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
46	46	22	1			1								1	1
1	1	1													2
17	13	13	1											1	3
18	24	7				1									4
1	1														5
9	7	1													6
2	3	2	4	5	1	3	2	2	1	1					7
1	1	2	3	4		3	2	2	1						8
1	2		1	1	1					1					9
	1	1	1						1						10
	1		1	1											
						1									11
1			1	2		1	1	1							12
1					1					1					
				2											13
		1	1			1	1	1							14
	1														
1	1	1	2	2		4	1	2	4	2		1			15
1			1	2		2		1	3	2		1			16
	1	1	1			2	1	1	1						17
1						1			1	2		1			18
	1	1	1				1	1	1						
				1		1		1							19
						2									
			1	1					2						20
1	2	3	2	1	2	1	2	1	1	1					21
1	1	2	1	1	1	1	1		1						22
	1	1	1		1		1	1		1					23
				1					1						24
	1				1										
1	1	2													25
			1		1	1	1								26
		1	1				1	1		1					
82	114	89	72	45	50	39	32	34	23	18	10	8	1	24	27
72	99	75	60	38	44	33	26	25	12	9	6	6		21	28
10	15	14	12	7	6	6	6	9	11	9	4	2	1	3	29
2		1	3		1	1			1		1			1	30
4	4		1		1					1					
8	5	10	4	1	2	3	1	1	1					8	31
2	3		1											2	
				2	1				1	1					32
		1			1										
2	2	6		2		1	1	2						1	33
		1													
	1	1	1				1		1						34
	1														
															35
1	3	1				1									36
12	21	9	10	12	5	9	2	5	2	1				6	37
1		1	1			1		1	2					1	
	1					1									38
1	2	1	3	4	1	1	1	1	1						39
1			1			1		1	2						40
				1											
			1		4		5								41
	3	3	1	1	1			2							
2	5	7	5	1	8	3	1	3	1	1		1			42
		2	2		1										
															43
	1									1					44
	2	1								1				1	
2	2		2		1		1								45
			1			1		1							
41	54	39	30	16	21	12	13	12	2	5	5	5		4	46
3	2	5	5	5	2	4	6	5	9	7	4	2	1		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MICHIGAN—GROUP 2.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	14,002	1,957	437	232	134	98	2,858	302	266	451	539	534
2	Males	7,412	1,125	219	125	71	61	1,601	161	137	215	236	226
3	Females	6,590	832	218	107	63	37	1,257	141	129	236	303	308
4	Unknown cause	194	79	4	1	1	1	86	2	3	4	7	6
5	Males	112	52	2		1		55	2	1	1	4	1
6	Females	82	27	2	1		1	31		2	3	3	5
	1. General diseases. General diseases—A												
7		2,186	569	201	102	61	36	969	111	67	96	89	76
8	Males	1,137	325	95	49	35	22	526	64	28	44	47	37
9	Females	1,049	244	106	53	26	14	443	47	39	52	42	39
10	Measles M	56	11	11	5	2	4	33	7	2	5	5	3
	Measles F	67	12	10	7	3	2	34	5	3	6	2	6
11	Scarlet fever M	25	3	4	2	2	3	14	11				
	Scarlet fever F	26	1	6	7	1	2	17	6	1		1	1
12	Diphtheria M	47	3	2	6	3	7	21	16	4	5		
	Diphtheria F	50	3	3	6	2	3	17	12	12	3	2	
13	Whooping cough M	53	32	10	5	1	2	50	3				
	Whooping cough F	55	30	15	2	2	3	52	3				
14	Malarial fever M	44	3	1		2	1	7			2	6	2
	Malarial fever F	49	2	1	1			4	1	2	3	5	3
15	Influenza M	106	5	1	1	2		9				1	2
	Influenza F	113	7		2			9	1	1	1		3
16	Typhoid fever M	169		1	1	2	1	5	6	13	23	21	21
	Typhoid fever F	135	1			3	1	5	12	12	29	18	14
17	Cholera morbus M	51	13	4	1	2		20	2	2	1	4	3
	Cholera morbus F	46	13	4	1			18		1	4		
18	Colitis M	17	7		2	2		11					
	Colitis F	12	1	1		1		3				1	1
19	Diarrhea M	73	21	1	2	1	1	26	3	1		2	1
	Diarrhea F	47	13	4				17					1
20	Dysentery M	41	5	5	1	3		15	1				
	Dysentery F	64	9	7	3	3		22	1				
21	Enteritis M	72	39	6	2	1	2	50	1		1		1
	Enteritis F	75	34	10	4	1		49	1	1	2	3	1
22	Cholera infantum M	201	145	33	17	6		201					
	Cholera infantum F	154	93	37	15	7	2	154					
23	Fever M	1										1	
	Fever F	1											
24	Cerebro-spinal fever M	67	20	14	4	5	1	44	9	3	2	2	2
	Cerebro-spinal fever F	43	11	5	3	1		20	5	6	4	1	2
25	Smallpox M	4									1	1	
	Smallpox F												
26	Erysipelas M	23	9					9			1	1	
	Erysipelas F	17	4	1				5					1
27	Septicemia M	43	3			1		4	4	2	2	3	1
	Septicemia F	60	9	2	2	2	1	16				5	4
28	Venereal diseases M	8	3	1				4					
	Venereal diseases F	4	1					1				1	
29	Others of this group M	36	2	1				3	1	1	1		1
	Others of this group F	31										1	2
30	General diseases—B	208	115	10	2	1	1	129	1		5	4	10
31	Males	126	62	8	1			71	1		2	3	7
32	Females	82	53	2	1	1	1	58			3	1	3
33	Alcoholism M	19											3
	Alcoholism F	1											
34	Parasitic diseases M	1		1				1					
	Parasitic diseases F												
35	Lead poison M												
	Lead poison F	1											
36	Other poisons M	36	3	4	1			8	1		1	3	4
	Other poisons F	20	1		1	1	1	4			2	1	2
37	Inanition M	70	59	3				62			1		
	Inanition F	60	52	2				54			1		1
38	General diseases—C	1,028	385	5	2	1		393		1			1
39	Males	510	209	3	1	1		214					
40	Females	518	176	2	1			179		1			1
41	Old age M	261											
	Old age F	289											
42	Premature birth M	127	127					127					
	Premature birth F	100	100					100					
43	Malformation M	28	28					28					
	Malformation F	38	37	1				38					
44	Debility and atrophy M	83	43	3	1	1		48					
	Debility and atrophy F	84	32	1	1			34		1			1
45	Others of this group M	11	11					11					
	Others of this group F	7	7					7					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MICHIGAN—GROUP 2.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
506	482	533	571	568	731	903	987	1,116	1,124	833	456	162	45	35	1
216	235	260	279	304	410	512	531	651	638	434	253	64	20	26	2
290	247	273	292	264	321	391	456	462	486	399	203	98	25	9	3
6	3	5	4	4	8	10	15	10	7	7	5	1		1	4
8	3	2	2	2	6	4	9	4	5	5	1	1		1	5
3		3	2	2	2	6	6	6	2	2	4				6
65	57	39	51	42	49	68	72	81	119	75	49	5	6		7
34	30	17	27	21	22	32	35	47	63	37	19	2	5		8
31	27	22	24	21	27	36	37	34	56	38	30	3	1		9
	1														
4	3	2			1		1								10
															11
1															
1	1	1	1												12
															13
	1		4	1	1	3	1	5	4	6	1				
1	1	3	3	2	2	3	4	3	2	6					14
4	3	3	5	2	3	6	7	14	22	14	9	1	1		
3	2	3	2	7	7	8	16	8	18	11	10	2	1		15
22	15	7	9	8	2	7	5	2	3						
9	6	6	8	6	3	3	2		2						16
1	1	1	3	2	1	1	1	5	2	1					
1	1	2			2	5	1	5	4	2					17
	1						1	1	3						
	1			1		2	2			1					18
				2	3	2	8	7	11	2	3	1	1		
1	1	2	1				1	7	5	5	5	1			19
	1		2	2		2	2	1	3	7	3		2		
			2	1	3	1	3	6	12	7	6				20
	2	1	1		4	1	3	4	1	2					
2			1	2	3	4	1	1	2	1	1				21
															22
									1						23
	1	1				1		1	1						
2			1		1	1									24
				1	1										25
1	1	2			2	3	1	1	1						
	1		1		1	3		3	1	1					26
4	2	1	3	1	4	3	1	1	5	2					
7	8	3	3	1	8	3	2		3		1				27
	1			1		1	1								
	1		1												28
1		1		1	1	2	4	5	7	3	3		1		
	1			1	1	3	4	1	6	4	7				29
6	3	6	10	6	4	5	5	3	2	2	4	1	1	1	30
4	2	6	10	4	2	5		1	2	1	3	1		1	31
2	1			2	2		5	2		1	1		1		32
8	2	5	3		1	1			1						
				1											33
															34
															35
								1							
1		1	7	3	1	3		1			2				
2	1			1	2		4	1							36
				1		1			1	1	1	1		1	
							1			1	1		1		37
	1		1	4	5	5	21	52	126	174	141	81	17	5	38
				1	2	2	8	23	64	89	69	27	8	3	39
	1		1	3	3	3	13	29	62	85	72	54	9	2	40
							6	18	57	78	64	27	8	3	
						1	11	25	52	70	69	51	9	1	41
															42
															43
				1	2	2	2	5	7	11	5				
	1		1	3	3	2	2	4	10	15	3	3		1	44
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MICHIGAN—GROUP 2—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		2,335	62	26	8	8	4	108	26	37	134	187	172
2	Males		1,003	35	12	5	4	2	58	13	14	43	73	67
3	Females		1,332	27	14	3	4	2	50	13	23	91	114	105
4	Anemia	M	37	6	2				8				1	
		F	42	6	3				9			2	4	1
5	Diabetes	M	89	2		1		1	4	4	6	7	6	8
		F	46		1				1	2		5	1	1
6	Rheumatism	M	55	1		1			2	2	2	1	1	2
		F	44							2	7	2	1	
7	Scrofula and tabes	M	26	2					2	1	1	1	1	1
		F	29	5	3				8		2	1	4	5
8	Hydrocephalus	M	28	15	5	2	2		24	1			1	2
		F	29	7	4	2	3	1	17	3	1	2	1	2
9	Tuberculosis, general	M	14	1					1	2		1	2	
		F	22				1		1	1		3	3	1
10	Consumption	M	432	6	1	1			8	2	5	33	59	55
		F	600	8	3				11	4	10	71	95	88
11	Cancer	M	249		3		2	1	6				1	2
		F	408								1	2	1	5
12	Tumor	M	18		1				1	1				1
		F	39					1	1			3	3	1
13	Dropsy	M	48										1	1
		F	61	1					1				1	
14	Others of this group	M	7	2					2					
		F	12			1			1	1	2			1
15	2. Diseases of the nervous system		1,999	221	55	28	18	14	336	34	31	27	23	31
16	Males		1,072	128	31	15	9	11	194	17	16	17	6	15
17	Females		927	93	24	13	9	3	142	17	15	10	17	16
18	Inflammation of the brain	M	30	7	3	2	1	1	14	2				
		F	27	3	3	1			7	1	7	1	1	2
19	Meningitis	M	101	25	13	8	4	8	58	8	7	3	1	3
		F	89	22	11	5	6		44	8	6	2	4	2
20	Apoplexy	M	306	2					2	2		2	2	
		F	268	2	1				3	2		2	1	3
21	Paralysis	M	251	1					1			1		
		F	287		2	1			3				4	2
22	Paralysis, general (of insane)	M	32											
		F	14											1
23	Tetanus and trismus nascentium	M	12	2			1		3	1	2		1	
		F	2	1					1	1				
24	Chorea	M	3											
		F												1
25	Epilepsy	M	31		1	1			2		4	4		3
		F	25	2		3	1		6	2	1	1	1	3
26	Convulsions	M	81	66	6	4			76	1			1	
		F	54	46	3	3	1		53				1	
27	Mental diseases	M	28											
		F	19											1
28	Diseases of the brain	M	126	19	7		3	1	30	6	3	4	1	6
		F	87	13	4		1	2	20	3	1	3	3	1
29	Diseases of the spinal cord	M	36	4	1			1	6	1		2		
		F	20	4				1	5				1	
30	Locomotor ataxia	M	9											
		F	6											
31	Others of this class	M	26	2					2	1		1		1
		F	29									1	1	2
32	3. Diseases of the circulatory system		1,594	87	3			5	95	14	16	17	22	24
33	Males		924	51	3			4	58	9	8	5	10	14
34	Females		670	36				1	37	5	8	12	12	10
35	Pericarditis	M	10		1				1		2	1		
		F	8							1	2	1		
36	Diseases of the heart	M	812	37	2			3	42	9	5	4	9	12
		F	592	29				1	30	4	6	10	11	10
37	Angina pectoris	M	56										1	2
		F	41									1	1	
38	Diseases of the arteries	M	22											
		F	16											
39	Aneurism	M	6											
		F	1								1			
40	Embolism	M	4					1	1					
		F	5											
41	Others of this class	M	14	14					14					
		F	7	7					7					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MICHIGAN—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
153	145	137	171	139	181	171	200	149	117	69	28	5	3	3	1
48	58	57	73	62	79	77	86	77	62	31	17	3	2	3	2
105	87	80	98	77	102	94	114	72	55	38	11	2	1		3
	1	2	4	4	2	2	3	3	3	3	1				4
2	2	4		2	5	3	4	1	1	1	1				
	3	5	5	5	8	9	7	7	7	2		1			5
1	1	2	2	4	2	7	8	2	5	2					
1	2	2	2	2	3	8	7	8	6	4					6
2	1		1	4	1	5	4	6	3	4	1				
2		1	2		6	1	5	1					1		7
2			1	1	2	2				1					
															8
	2			1											
	2	1		1	1	1	2								9
5	1		3		1		1	1		1					
41	43	27	34	29	27	18	23	13	10	2	1			2	10
30	56	36	32	19	23	19	25	9	14	4	2	1	1		
4	6	14	19	21	29	31	31	28	28	14	12	2		1	11
10	21	31	54	38	56	49	57	40	26	15	2				
		2	2		1	3	1	3	1	2					12
1	2	5	2	2	7	3	3	2	3	1					
	1	2	4		1	3	7	14	7	4	3				13
	1	2	3	4	4	5	11	11	3	9	5	1			
		1	1		1	1							1		14
2				2	1	1	1								
47	56	64	69	95	125	158	190	237	217	151	77	17	8	6	15
26	32	33	29	59	62	80	108	134	118	68	43	9	3	3	16
21	24	31	40	36	63	78	82	103	99	83	34	8	5	3	17
	3	4		3					3		1				18
1	2	1		2	1				1						
1	2	3	1	3	3	1	3	5		1	1				19
2	1	6	6	1	2	1	1		2		1				
3	7	10	8	22	35	35	36	60	41	28	9	3		1	20
7	5	11	16	12	26	35	26	40	37	27	10	4	1		
1	4		3	17	11	19	39	45	51	32	20	4	2	1	21
4	7	6	8	11	21	24	41	39	45	46	17	3	4	2	
4	2	3	5	2	3	5	3		3		2				22
1	1	1	1	1	1	1	2	1	2		1				
2		1		1				1							23
						1						1			24
4	3	2	1	1	1	3	1	1			1				25
	2	1	2		2	2	1			1					
1									1					1	26
3	2	1	1	1	1	2	5	3	6	2					27
1		2	1	3	1	2	2	2	1	2	2				
5	5	2	2	5	6	7	8	13	10	4	8		1		28
4	3	3	3		5	8	4	12	6	4	3			1	
	3	5	4	3		2	7	1	1	1					29
1	1		1	3		2		3	1	1		1			
	1		2	1	1		1	3							30
	1				1		2	1	1						
		2	2		1	5	5	2	2		1	1			31
	1		2	3	3	3	3	5	3	2					
29	32	62	60	74	107	168	185	247	217	136	60	18	6	5	32
19	13	26	26	44	67	97	106	163	131	73	41	9	1	4	33
10	19	36	34	30	40	71	79	84	86	63	19	9	5	1	34
		1		1	1			1	1	1					35
						2		1	1						
18	13	21	21	35	62	87	97	148	116	64	37	8	1	3	36
8	17	33	32	30	37	63	67	75	72	55	19	9	3	1	
1		1	4	5	3	5	7	8	10	4	2			1	37
	1	2	1		2	5	7	6	10	5					
		1			1	2	2	6	3	4	2	1			38
					1	1	5	2	2	3			2		
			1	2		2									39
		1													
				1		1			1						40
2	1		1						1						
															41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MICHIGAN—GROUP 2—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		1,545	253	97	61	26	16	453	47	24	35	42	37
2	Males		819	155	43	35	13	8	254	24	8	20	21	18
3	Females		726	98	54	26	13	8	199	23	16	15	21	19
4	Croup	M	43	10	7	8	6	2	33	9	1			
		F	29	3	6	5	3		17	10	2			
5	Pneumonia	M	524	82	27	21	4	5	139	12	4	16	16	14
		F	466	52	36	20	9	5	122	13	8	9	13	17
6	Laryngitis	M	10	2		1	1		4	2				
		F	9	1	2	1	1	1	6			1		1
7	Bronchitis	M	128	34	8	4	1		47	1		2	1	2
		F	125	27	7			1	35		2	2	5	1
8	Pleurisy	M	13									1	2	1
		F	11		1				1					
9	Asthma	M	18	1					1					
		F	19	1					1		2			
10	Others of this class	M	83	26	1	1	1	1	30		3	1	2	1
		F	67	14	2			1	17		2	2	3	
11	5. Diseases of the digestive system		1,025	104	16	8	9	9	146	27	34	37	50	47
12	Males		536	64	7	4	4	5	84	10	20	18	23	18
13	Females		489	40	9	4	5	4	62	17	14	19	27	29
14	Dentition	M												
		F	1	1					1					
15	Angina	M	10		1		2		3	1		1	2	
		F	4				1		1		1			1
16	Gastritis	M	68	7	1				8	1		1	2	1
		F	81	5	5	1		1	12	1		1		3
17	Diseases of the stomach	M	42	3				1	4		1			1
		F	28	1	1				2			1	1	2
18	Obstruction of the bowels	M	41	3	2	1		1	7	1	2		2	
		F	33	6		1	1	1	9	2	1		2	1
19	Appendicitis	M	66	1	1			1	3	1	11	11	5	7
		F	40					1	1	7	5	3	5	8
20	Hernia	M	20	3					3				1	
		F	7	1					1					
21	Other diseases of the bowels	M	24	8		1			9		1			
		F	19	5			2		7	1		1		1
22	Jaundice	M	20	7					7	2			1	1
		F	20	1				1	2					
23	Inflammation and abscess of the liver.	M	31							1			2	2
		F	36								2	1	3	2
24	Other diseases of the liver	M	98	4		1			5		1		2	2
		F	55		2				2	1				
25	Peritonitis	M	46	3			1	2	6	3	4	4	5	3
		F	111	1		2	1		4	4	5	11	15	15
26	Ascites	M	7											
		F	5											1
27	Others of this class	M	63	25	2	1	1		29			1	1	1
		F	49	19	1				20	1		1	1	
28	6. Diseases of the urinary system and male organs of generation.		755	11	3	3		3	20	14	12	11	15	22
29	Males		514	7	2	1		3	13	8	7	4	6	8
30	Females		241	4	1	2			7	6	5	7	9	14
31	Bright's disease	M	323							8	4	3	5	5
		F	182							6	5	5	7	8
32	Calculus, urinary	M	8									1	1	
		F	2											
33	Diseases of the kidney	M	43	3	2	1		3	9		1			1
		F	29	2	1	2			5				1	1
34	Diseases of the bladder	M	64	1					1		2			
		F	11	1					1				1	
35	Others of this class	M	76	3					3					2
		F	17	1					1			2		5
36	7. Diseases of the female organs of generation		75									4	8	7
37	Ovarian tumors		17											1
38	Ovarian diseases		2										1	
39	Diseases of the tubes		5										1	1
40	Uterine tumors		23									2	2	1
41	Uterine diseases		8									1		1
42	Others of this class		20									1	4	3

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MICHIGAN—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
45	50	53	60	53	72	92	108	108	124	85	42	14		1	1
20	36	24	29	27	45	58	50	54	61	41	25	4			2
25	14	29	31	26	27	34	58	54	63	44	17	10		1	3
															4
16	28	18	24	19	28	44	36	32	38	22	15	3			5
21	12	17	21	21	17	25	36	28	44	27	9	6			
1		1			1					1					6
1															
1	4	1	1	3	6	7	6	10	16	11	6	1			7
2	1	1	4	2	4	5	12	15	14	10	5	4		1	
					3		1	2	2		1				8
1	1	1	1		1	3	1			1					
			1		3	3	1	3	1	3	2				9
			3	1	8	1	5		1	2					
2	4	4	1	5	4	4	6	7	4	4	1				10
		10	2	2	2		4	11	4	4	3				
41	34	53	47	55	69	90	74	90	60	45	17	8		1	11
14	10	29	23	27	43	57	46	46	35	21	10	1		1	12
27	24	24	24	28	26	33	28	44	25	24	7	7			13
															14
1				1		1									15
									1						
1	2	2	1	4	8	5	9	5	8	5	3	1			16
1	3	3	7	5	4	6	4	12	7	7	2	3			
		1	2	5	7	7	3	3	4	2	2				17
	1	1		3	3	4	2	5		2	1				
2		2	2	2	1	5	5	4	4	1	1				18
1		1	2	2			2	3	2	2	2				
7	3	8	4		3	1	1	1							19
4	4	3	1	1	1	1				1					
			1	1	2	5	1	3	2	1					20
		1	2		1		1	1							
1			1		5	2		3	2						21
	1	1		1			3	2				1			
						2	1	3	2					1	22
			1	2	4	2	1	5	2			1			
	1	7	2	1		7	2	5	1						23
1	2	1	3	1	5	5	2	1	4	3					
		6	5	10	11	16	17	9	7	5	2				24
1		3	6	7	4	5	8	7	5	4	2				
2	3	2		1	2	1	5	2	3						25
16	13	8	1	3	2	5	1	4	1	2		1			
				1			1	3		1	1				26
			1			1			1			1			
	1	1	4	1	4	5	1	5	2	6	1				27
2		2		3	2	4	4	4	2	3					
17	27	33	31	51	60	75	80	94	102	61	24	4	1	1	28
9	15	18	15	31	41	54	58	72	78	51	20	4	1	1	29
8	12	15	16	20	19	21	22	22	24	10	4				30
7	14	16	10	28	31	42	39	35	44	27	8	1	1		31
6	9	12	14	19	13	17	19	19	16	5	2				
						1	1	3		1					32
								1	1						
1	1	2	1	2	4	3	2	5	5	6					33
1		2	2	1	5	2	1	1	4	2	1				
					5	3	6	17	13	9	7	1			34
	2				1	2			2	2					
1			4	1	1	5	10	12	16	8	10	2		1	35
1	1	1					2	1	1	1	1				
6	9	9	7	10	3	5	8	3		1					36
1	3	1	2	3	1	3	1			1					37
			1												38
		1		1				1							39
	3	3	3	5		2	1	1							40
2	1	1					1	1							41
3	2	3	1	1	2										42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MICHIGAN—GROUP 2—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	**8.** Affections connected with pregnancy	159									10	39	44
2	Abortion	11										3	2
3	Childbirth	36									1	9	9
4	Puerperal septicemia	78									5	18	26
5	Extra-uterine pregnancy	4										1	
6	Others of this class	30									4	8	7
7	**9.** Diseases of the bones and joints	44	5				1	6	1	3	6	1	
8	Males	28	3				1	4		2	5	1	
9	Females	16	2					2	1	1	1		
10	Diseases of the spine M	9	2					2		1	1		
	Diseases of the spine F	11	2					2			1		
11	Abscess, lumbar and psoas M	2											
	Abscess, lumbar and psoas F	1											
12	Diseases of the bones M	8	1					1			2	1	
	Diseases of the bones F	3							1	1			
13	Diseases of the hip-joint M	5								1	1		
	Diseases of the hip-joint F												
14	Others of this class M	4					1	1			1		
	Others of this class F	1											
15	**10.** Diseases of the skin	48	8	2		1	1	12			1	1	1
16	Males	29	5	2				7			1		1
17	Females	19	3			1	1	5				1	
18	Abscess M	15	2					2			1		1
	Abscess F	10				1	1	2				1	
19	Carbuncle M												
	Carbuncle F	1											
20	Others of this class M	14	3	2				5					
	Others of this class F	8	3					3					
21	**11.** Diseases of the absorbent system	17	1	1				2			2		
22	Males	11	1	1				2			1		
23	Females	6									1		
24	Addison's disease M	4											
	Addison's disease F	3											
25	Diseases of the spleen M	1											
	Diseases of the spleen F												
26	Others of this class M	6	1	1				2			1		
	Others of this class F	3									1		
27	**12.** Accidents and injuries	790	57	14	17	8	7	103	25	38	62	51	56
28	Males	591	28	10	14	4	5	61	13	33	54	42	40
29	Females	199	29	4	3	4	2	42	12	5	8	9	16
30	Burns and scalds M	30	4	4	5	1	2	16	1		2		2
	Burns and scalds F	29	1	1	2	1	1	6	7	1	1	1	1
31	Drowning M	60		3	2		1	6	2	14	13	7	6
	Drowning F	8		2		1		3	2			1	
32	Exposure and neglect M	2											
	Exposure and neglect F	4	3					3				1	
33	Gunshot wounds M	43			1			1	1	4	9	4	1
	Gunshot wounds F	6				1		1			1	1	1
34	Homicide M	5											
	Homicide F	1											1
35	Infanticide M												
	Infanticide F												
36	Injuries by machinery M	7									2		
	Injuries by machinery F												
37	Railroad accidents M	93							2	11	9	11	10
	Railroad accidents F	9								1		1	1
38	Suffocation M	18	9		1			10		1			
	Suffocation F	21	18	1				19					
39	Suicide by shooting M	25									1	2	1
	Suicide by shooting F	6									1		2
40	Suicide by drowning M	2											
	Suicide by drowning F	1										1	
41	Suicide by poison M	12									1	1	
	Suicide by poison F	10									3	1	
42	Other suicides M	34									1		
	Other suicides F	6											1
43	Sunstroke M	2											
	Sunstroke F	1	1					1					
44	Surgical operations M	3										1	
	Surgical operations F	15	1					1			1		4
45	Wounds M	7								1		1	1
	Wounds F												
46	Others of this class M	248	15	3	5	3	2	28	7	2	16	15	18
	Others of this class F	82	3		1	1	1	8	5	3	1	2	6

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MICHIGAN—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
30	20	15	1												1
2	4														2
9	3	5													3
11	7	10	1												4
1	2														5
7	4														6
8	2	2	5	4	3	3		1	2	2					7
2	1	1	2	2	3	2		1		2					8
1	1	1	3	2		1			2						9
			1	1	1	1				1					10
1		1	2	2		1			1						
1				1											11
	1														
			1		1	1				1					12
			1												
1	1	1													13
					1			1							14
									1						
4	2		7	1	4	3	3	3	3	2		1			15
1	1		5		4	2	2	2	1	2					16
3	1		2	1		1	1	1	2			1			17
1	1		4		2	1		2							18
3			1	1					1			1			
															19
							1								
			1		2	1	2		1	2					20
	1		1			1		1	1						
1	1	2	2	1		4	2								21
1	1	1	1	1		2	1								22
		1	1			2	1								23
	1	1				2									24
		1	1			1									
			1												25
1				1			1								26
						1	1								
53	40	53	45	29	41	46	29	38	28	23	9	7	3	11	27
35	33	46	37	23	34	40	22	30	18	13	5	3		9	28
18	7	7	8	6	7	6	7	8	10	10	4	4	3	2	29
1	2	1			1	1			2	1					30
4			3		1	1		1	1			1			
2	1	1			1	1	3	2						1	31
2															
	1		1												32
4	2	7		3	2	3	1					1			33
2															
2	1		1												34
1															
															35
2		1	1				1								36
10	4	13	2	2	10	1		2	3					3	37
1			1		2	2									
1		2			1	1	1							1	38
					1									1	
1	3	3	4	2	2	1	1	3		1					39
2		1													
				1					1						40
		1	2	1	1	1	1	3							41
	1	1	1			1	1							1	
	1	3	6	2	3	6	3	3	2	2				1	42
	2			1	1	1									
1					1										43
		1					1								44
1	1	2	2	1	1		1								
			1		1	1	1								45
11	18	13	19	12	11	24	9	17	9	9	5	2		3	46
5	3	3	1	4	1	1	5	7	9	10	4	3	3		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW HAMPSHIRE.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	7,400	1,384	306	137	101	53	1,981	156	108	156	238	218
2	Males	3,663	759	161	65	43	30	1,058	77	51	63	111	101
3	Females	3,737	625	145	72	58	23	923	79	57	93	127	117
4	Unknown cause	122	40	2		4		46	4	2		3	1
5	Males	65	23	1		2		26	2			2	
6	Females	57	17	1		2		20	2	2		1	1
	1. General diseases.												
7	General diseases—A	1,146	452	92	32	29	18	623	60	25	24	30	14
8	Males	548	234	47	12	12	12	317	29	11	7	13	9
9	Females	598	218	45	20	17	6	306	31	14	17	17	5
10	Measles M	20	7	7	2			16	2	1			
	Measles F	25	5	8	4	1		18	2	1	1	1	
11	Scarlet fever M	16	2	3			3	8	5	1		1	
	Scarlet fever F	13	1	1		1	1	4	7	2			
12	Diphtheria M	30	2	2	4	6	8	22	6	1		1	
	Diphtheria F	35	3	1	6	8	1	19	7	4	2		
13	Whooping cough M	35	22	8	2			32				1	
	Whooping cough F	43	25	7	5	1		38	1	1			
14	Malarial fever M	9	2					2	2				
	Malarial fever F	3				1		1	1		2	1	
15	Influenza M	79	9	2		2		13	1		1	2	
	Influenza F	106	4	1				5					
16	Typhoid fever M	40							2	2	4	5	7
	Typhoid fever F	29							1	3	9	6	
17	Cholera morbus M	11	5	1		1		7		1			
	Cholera morbus F	23	3	2		1		6	2		1	1	1
18	Colitis M	4	2		1			3				1	
	Colitis F	4	1	1				2					1
19	Diarrhea M	21	12					12	1				
	Diarrhea F	22	11	2				13		1			
20	Dysentery M	13	5	1	1			7	1	1			
	Dysentery F	16	7					7					
21	Enteritis M	45	29	4		1	1	35	1	1		1	
	Enteritis F	53	24	2	3	1	1	31	5				
22	Cholera infantum M	148	130	16	1			147					
	Cholera infantum F	145	127	17			1	145					
23	Fever M												
	Fever F												
24	Cerebro-spinal fever M	22	5	2	1	2		10	4	3	2		
	Cerebro-spinal fever F	17	4	2		2	2	10	3	2	1	1	
25	Smallpox M												
	Smallpox F												
26	Erysipelas M	4											
	Erysipelas F	7	1	1		1		3					
27	Septicemia M	22	2					2	2			1	2
	Septicemia F	32	1		2			3	1		1	7	1
28	Venereal diseases M	2		1				1					
	Venereal diseases F												
29	Others of this group M	27							2				
	Others of this group F	19	1					1					2
30	General diseases—B	114	75	4	1			80	1			1	2
31	Males	70	49	1				50	1			1	1
32	Females	44	26	3	1			30					1
33	Alcoholism M	8											
	Alcoholism F	1											1
34	Parasitic diseases M												
	Parasitic diseases F	1			1			1					
35	Lead poison M												
	Lead poison F												
36	Other poisons M	10	1					1	1			1	1
	Other poisons F	2		2				2					
37	Inanition M	52	48	1				49					
	Inanition F	40	26	1				27					
38	General diseases—C	734	274	15	2	1		292	1			2	1
39	Males	350	153	7	1			161				2	
40	Females	384	121	8	1	1		131	1				1
41	Old age M	152											
	Old age F	197											
42	Premature birth M	79	79					79					
	Premature birth F	43	43					43					
43	Malformation M	10	7	1	1			9					
	Malformation F	11	10					10	1				
44	Debility and atrophy M	108	66	6				72				2	
	Debility and atrophy F	132	67	8	1	1		77					1
45	Others of this group M	1	1					1					
	Others of this group F	1	1					1					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
207	222	231	250	274	339	364	509	575	559	502	263	122	33	93	1
100	100	112	114	136	158	190	259	295	284	256	104	46	2	46	2
107	122	119	136	138	181	174	250	280	275	246	159	76	31	47	3
3	6	1	2	2	5	5	5	7	8	10	2	3		7	4
8	2		1	2	3	5	3	1	5	5		2		8	5
	4	1	1		2		9	6	3	5	2	1		4	6
25	12	16	12	10	23	30	37	57	47	49	25	10	4	13	7
14	7	6	6	5	10	14	13	25	21	17	12	5		7	8
11	5	10	6	5	13	16	24	32	26	32	13	5	4	6	9
								1							
	1													1	10
														1	11
							1	1						1	12
														2	
1														2	13
1			1				2	1							
1							1	2							14
2	2			1	4	7	6	11	5	10	9	4		1	
1		2	1	2	5	7	9	21	17	19	10	4	2	1	15
7	2	4	3	2		1					1				
2	1	2	2		1	1	1								16
1									2						
2	1	1			1	1		1	2	1	1		1		17
			1												18
			1		2			2	1		1			1	
						1		1	1	3		1	1		19
								1	2	1					
					1	2	3	1	1	1					20
1			1	1	1				1	1				1	
1		1	1	1	2	1	4		2	1	2				21
														1	
															22
															23
					2		1								
															24
															25
	1	1				1		1							
						1	1		1	1					26
2	2	1				2	2	3		3					
3	2	4	1	2	2		2	1	1	1					27
					1										
															28
				1		3	2	5	10	2	1	1			
					1	2	2	4	1	5				1	29
5		3	4	5	3	2	2	2	1	3					30
3		2	3	4	3			1		1					31
2		1	1	1		2	2	1	1	2					32
2		1	1	2	2										
															33
															34
															35
1			2	1	1					1					
															36
		1		1				1							
2		1	1	1		2	2	1	1	2					37
1	5	4		2	10	8	11	22	69	109	111	58	19	9	38
	1	1		1	4	5	5	9	26	65	45	21	1	8	39
1	4	3		1	6	3	6	13	43	44	66	37	18	6	40
						1	3	6	19	60	42	20	1		
						1	2	8	36	36	62	35	14	3	41
															42
														1	
															43
	1	1		1	4	4	2	3	7	5	3	1		2	
1	4	8		1	6	2	4	5	7	8	4	2	4	3	44
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW HAMPSHIRE—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		1,157	42	15	12	8	5	82	14	17	63	94	95
2	Males		477	22	9	3	2	2	38	5	4	25	43	34
3	Females		680	20	6	9	6	3	44	9	13	38	51	61
4	Anemia	M	17							1		1		
		F	33	6		2			8				2	1
5	Diabetes	M	25								1		1	2
		F	30	1					1	1	1		2	1
6	Rheumatism	M	8											
		F	11							1	1		2	
7	Scrofula and tabes	M	12	2	1	1		1	5			1	1	1
		F	13	2	1		1		4	1			2	1
8	Hydrocephalus	M	18	10	4	1			15	2	1			
		F	16	4	2		2	2	10	3	1			
9	Tuberculosis, general	M	3											
		F	6									1	1	1
10	Consumption	M	292	8	4		2	1	15	2	2	22	41	31
		F	335	7	1	6	2	1	17	3	9	35	41	57
11	Cancer	M	82											
		F	193										1	
12	Tumor	M	7									1		
		F	18		1	1			2			1		
13	Dropsy	M	9	1					1					
		F	20											
14	Others of this group	M	4	1		1			2					
		F	5		1		1		2		1	1		
15	2. Diseases of the nervous system		1,062	147	44	27	15	9	242	19	12	6	15	14
16	Males		524	81	28	17	9	4	139	8	7	3	7	7
17	Females		538	66	16	10	6	5	103	11	5	3	8	7
18	Inflammation of the brain	M	10	1	1	1			3	1	1			
		F	10	1	1				2					
19	Meningitis	M	101	38	12	12	4	3	69	4	3		3	4
		F	79	31	9	5	6	3	54	6	5	2	3	
20	Apoplexy	M	177	2	1				3					2
		F	190	1	1				2				2	
21	Paralysis	M	90	2					2		1		1	
		F	103	1					1					2
22	Paralysis, general (of insane)	M	2											
		F	2											
23	Tetanus and trismus nascentium	M	1	1					1					
		F	2											
24	Chorea	M												
		F												
25	Epilepsy	M	10			1	1		2			2	2	
		F	3		1	1			2					
26	Convulsions	M	58	35	12	2	3		52	1	1	1		
		F	46	28	3	4		1	36	3				2
27	Mental diseases	M	20											
		F	19											
28	Diseases of the brain	M	41	2	2	1	1		6	1	1		1	
		F	50	4	1			1	6	2			3	3
29	Diseases of the spinal cord	M	5					1	1					
		F	11											
30	Locomotor ataxia	M	2											
		F	3											
31	Others of this class	M	7							1				1
		F	14									1		
32	3. Diseases of the circulatory system		799	38	1	4	1	3	47	6	14	6	12	12
33	Males		434	21			1	2	24	2	4	2	3	6
34	Females		365	17	1	4		1	23	4	10	4	9	6
35	Pericarditis	M	4							1				
		F	1											
36	Diseases of the heart	M	394	17			1	2	20	1	3	2	2	6
		F	344	15	1	4		1	21	4	10	4	5	6
37	Angina pectoris	M	24											
		F	16										1	
38	Diseases of the arteries	M	6											
		F	1											
39	Aneurism	M	1								1			
		F												
40	Embolism	M	1										1	
		F	1											
41	Others of this class	M	4	4					4					
		F	2	2					2					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
67	76	74	62	78	71	77	91	79	52	39	6	5	1	14	1
29	36	34	19	30	30	35	37	25	27	17	1	3		5	2
38	40	40	43	48	41	42	54	54	25	22	5	2	1	9	3
		1	1		3		3		4	3					4
1	4	1	1	6	1	1	1	3	2					1	
1	1		1	4	1	2	4	4	3						5
1		2	2	4	2	5	4	3		1					
	1	1			1	1	1	1	1	1					6
						1	3		2					1	
	1			1	1	1									7
1		1						1		2					
															8
	1		1												
1	1		1												9
1	2														
26	30	29	11	16	17	12	14	9	8	2		1		4	10
29	24	21	22	10	13	14	14	13	7	3		1		2	
	2	2	5	9	4	17	12	10	10	9		1		1	11
3	8	11	14	26	25	17	29	29	9	12	4	1	1	3	
		1			2	1	1			1					12
1		3	1	1			2	2	1	2				2	
					1	1	2		1	1	1	1			13
1	1	1	2	1		4	1	3	3	2	1				
1								1							14
									1						
16	24	28	33	39	62	58	118	109	122	78	27	20	4	16	15
8	7	13	10	16	31	28	57	59	57	40	9	6	1	11	16
8	17	15	23	23	31	30	61	50	65	38	18	14	3	5	17
			1	1				1		2					18
3				1			2		1	1					
2	3		1	2				3	3	1				3	19
	1	2	1		1	1	2	1							
2	1	7	4	7	19	14	30	25	34	18	4	2	1	4	20
1	6	4	8	12	20	13	25	29	29	25	5	6	1	2	
1	2	3	2	4	8	9	10	21	10	10	4	2			21
1	1	5	5	5	4	5	18	10	23	6	9	6	1	1	
		1					1								22
1		1													
															23
1						1									
															24
1					1				1	1					25
1	2				1		1	1	1						
1														2	26
	2				1	1								1	
		1	1		1		7	2	1	5	1	1			27
	1	2		1	1	4	1	1	3	1	2	1	1		
1	1	1	1	1	1	5	4	6	6	3		1		1	28
	2	1	4	1	1	3	6	4	7	4	2	1			
				1			1	1	1						29
	1		4				3	2	1						
							2								30
				1	1	1									
					1		2		1					1	31
	1		1	2	1	1	3	2		1				1	
19	14	23	29	42	47	67	109	125	101	75	37	4	2	8	32
7	7	12	17	25	20	39	72	73	56	40	19	1		5	33
12	7	11	12	17	27	28	37	52	45	35	18	3	2	3	34
						1	2								35
								1							
7	7	12	16	23	20	32	61	67	53	37	19	1		5	36
12	7	11	10	15	25	26	34	49	43	34	17	3	2	8	
			1	2		6	6	3	3	3					37
			2	2	2	1	3	1	2	1	1				
							3	3							38
								1							
															39
															40
						1									
															41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW HAMPSHIRE—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		1,236	250	114	50	36	12	462	20	13	17	24	22
2	Males		609	140	58	26	14	4	242	11	9	8	11	11
3	Females		627	110	56	24	22	8	220	9	4	9	13	11
4	Croup	M	20	6	3	3	4	2	18	2				
		F	22	2	7		10	2	21					
5	Pneumonia	M	426	83	40	15	8		141	6	7	8	9	10
		F	447	61	35	21	10	5	132	5	4	9	11	9
6	Laryngitis	M	7	1	1	1		1	4	1	1			
		F	7	1	3		1		5	1				
7	Bronchitis	M	102	34	11	6	4	1	56			1	4	
		F	111	41	9	2		1	53	2				1
8	Pleurisy	M	14	1					1	1		1	1	1
		F	5							1			1	1
9	Asthma	M	2											
		F	7											
10	Others of this class	M	38	15	3	1			19	1	1			
		F	28	5	2	1	1		9				1	
11	5. Diseases of the digestive system		334	42	8	4	1	3	58	11	8	13	20	13
12	Males		160	24	5	2		3	34	5	3	3	9	7
13	Females		174	18	3	2	1		24	6	5	10	11	6
14	Dentition	M	8	6	2				8					
		F	7	5	2				7					
15	Angina	M	2		1				1					
		F	2			1			1	1				
16	Gastritis	M	20	4					4	1			1	1
		F	39	4	1				5		1	1	1	1
17	Diseases of the stomach	M	13					1	1				2	
		F	14	2					2				1	1
18	Obstruction of the bowels	M	12	2				1	3	1			2	
		F	16	2					2					1
19	Appendicitis	M	11					1	1				4	2
		F	10	1					1		1	2	2	
20	Hernia	M	9	2					2					
		F	4											
21	Other diseases of the bowels	M	6	2					2		1			
		F	1											
22	Jaundice	M	3											
		F	3	2					2					
23	Inflammation and abscess of the liver.	M	11		1				1					1
		F	9											1
24	Other diseases of the liver	M	28	1					1			1		
		F	11											
25	Peritonitis	M	21	2		2			4	3	2	2		2
		F	46	1		1	1		3	3	8	7	6	2
26	Ascites	M	1											
		F	2											
27	Others of this class	M	15	5	1				6					1
		F	10	1					1	2			1	
28	6. Diseases of the urinary system and male organs of generation.		317	5	4	2	1	1	13	4	1	7	9	9
29	Males		188	3	3	2		1	9	1	1	2	5	5
30	Females		129	2	1		1		4	3		5	4	4
31	Bright's disease	M	120							1	1	2	5	4
		F	113							3		3	4	3
32	Calculus, urinary	M												
		F												
33	Diseases of the kidney	M	15	1	3	2		1	7					
		F	5	2	1		1		4					
34	Diseases of the bladder	M	30											
		F	2											
35	Others of this class	M	23	2					2					1
		F	9									2		1
36	7. Diseases of the female organs of generation		15	1					1			1	1	4
37	Ovarian tumors		3											2
38	Ovarian diseases													
39	Diseases of the tubes		1											1
40	Uterine tumors		8											1
41	Uterine diseases													
42	Others of this class		3	1					1			1	1	

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
30	37	36	45	54	58	50	64	96	75	71	32	13	2	15	1
12	22	19	20	28	25	24	29	51	36	31	11	5		4	2
18	15	17	25	26	33	26	35	45	39	40	21	8	2	11	3
					1										4
10	15	16	16	23	18	20	23	37	26	25	8	3		4	5
10	13	15	21	21	26	24	31	33	26	31	11	5	2	8	
							1								6
					1										
	3		2	3	5	2	4	9	7	6	1	2			7
4			2	2	3	2	3	7	12	8	6	3		3	
2	2	1	1	1	1			1							8
					1						1				
		1				1									9
1				1	1			2			2				
	2	1	1	1	1	1	1	4	3		2				10
3	2	2	2	2			1	3	1	1	1				
10	15	13	16	13	19	30	21	21	25	15	9	3		1	11
4	4	8	7	5	10	17	8	11	16	6	1	1			12
5	11	5	9	7	9	13	13	10	9	9	8	2		1	13
															14
								1							15
	2	1		1	1	2		2	3			1			16
1	1		2	1	1	3	6	3	5	5	1	1			
		1	1		1	2	1	3	1						17
1	2			1			2	2			2				
					1	2	1		1	1					18
2	1	1	4				1	1	1	1					
1		1				2									19
	2				1	1									
	1	1			1	1			1	2					20
						1				1	2				
		1					1		1						21
	1														
			1				1			1					22
					1										
2	1			2	1	1		1		1					23
		1		1	2	1	2		1						
1		1	4	3	4	5	2	2	3	1					24
			1	1	2	3	1	1	1		1				
		2				2	1		2		1				25
2	4	3	2		1	2	1	2	1	1	2			1	
									1						26
								1		1					
			1		1		1	2	3						27
				3	1	1						1			
9	8	13	22	11	26	24	37	42	42	31	5	3		1	28
5	1	4	11	7	13	15	25	27	28	23	2	2		1	29
3	7	9	11	4	13	9	12	15	14	8	3	1			30
6	1	3	9	4	10	10	17	16	18	11	1			1	31
2	7	8	11	3	12	9	11	14	11	8	3	1			
															32
		1	1			1	1	2	1	1					33
									1						
				1	3		4	7	4	8	1	2			34
									2						
			1	2		4	3	2	5	3					35
1		1		1	1		1	1							
		1	1	1	1	2	1			1					36
										1					37
															38
															39
		1	1	1	1	2	1								40
															41
															42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW HAMPSHIRE—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	32									4	10	5
2	Abortion	1											
3	Childbirth	10										5	1
4	Puerperal septicemia	16									3	5	2
5	Extra-uterine pregnancy												
6	Others of this class	5									1		2
7	9. Diseases of the bones and joints	15	1	1				2	1		1	1	
8	Males	8		1				1	1		1	1	
9	Females	7	1					1					
10	Diseases of the spine M	3									1		
	Diseases of the spine F	5	1					1					
11	Abscess, lumbar and psoas M	1										1	
	Abscess, lumbar and psoas F												
12	Diseases of the bones M												
	Diseases of the bones F	2											
13	Diseases of the hip-joint M	2		1				1					
	Diseases of the hip-joint F												
14	Others of this class M	2							1				
	Others of this class F												
15	10. Diseases of the skin	10	4	1				5					
16	Males	6	4					4					
17	Females	4		1				1					
18	Abscess M	1	1					1					
	Abscess F	1		1				1					
19	Carbuncle M	2											
	Carbuncle F	1											
20	Others of this class M	3	3					3					
	Others of this class F	2											
21	11. Diseases of the absorbent system	3											
22	Males												
23	Females	3											
24	Addison's disease M												
	Addison's disease F	1											
25	Diseases of the spleen M												
	Diseases of the spleen F												
26	Others of this class M												
	Others of this class F	2											
27	12. Accidents and injuries	304	13	5	3	5	2	28	15	16	14	16	26
28	Males	224	5	1	2	3	2	13	12	12	12	14	21
29	Females	80	8	4	1	2		15	3	4	2	2	5
30	Burns and scalds M	6			1			1	1				1
	Burns and scalds F	10		2				2	1	1			
31	Drowning M	35	1			1	1	3	7	5	3	2	4
	Drowning F	3							1		2		
32	Exposure and neglect M	6											
	Exposure and neglect F	2											
33	Gunshot wounds M	7							1	1	1	1	2
	Gunshot wounds F	2								1		1	
34	Homicide M												
	Homicide F	1											1
35	Infanticide M												
	Infanticide F	1	1					1					
36	Injuries by machinery M												
	Injuries by machinery F												
37	Railroad accidents M	29								2	2	7	3
	Railroad accidents F	1											
38	Suffocation M	10	3			1	1	5					
	Suffocation F	7	4	1		1		6					
39	Suicide by shooting M	9											2
	Suicide by shooting F												
40	Suicide by drowning M	1											
	Suicide by drowning F	1											
41	Suicide by poison M	2										1	
	Suicide by poison F												
42	Other suicides M	22											
	Other suicides F	6											
43	Sunstroke M	1											
	Sunstroke F												
44	Surgical operations M												
	Surgical operations F	1											
45	Wounds M	2											
	Wounds F												
46	Others of this class M	94	1	1	1	1		4	3	4	6	4	9
	Others of this class F	45	3	1	1	1		6	1	2			4

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4	6	2												1	1
	1														2
2	2														3
2	2	1												1	4
															5
	1	1													6
3	2	1		1	1			1		1					7
1		1		1	1										8
2	2							1		1					9
		1			1										10
	2							1		1					
															11
2															12
				1											13
1															14
				1			1		1	1	1				15
							1			1					16
				1					1		1				17
															18
							1			1					19
				1											
															20
									1		1				
			1		1		1								21
															22
			1		1		1								23
															24
							1								
															25
															26
			1		1										
15	17	16	23	15	12	11	11	14	16	19	8	3	1	3	27
13	13	12	20	11	8	8	9	13	12	10	4			7	28
2	4	4	3	4	4	3	2	1	4	9	4	3	1	1	29
						1	1			1					30
	1			1	2			1		1					
4		1			1	1				1				3	31
			1	1		1			1		1			1	32
	1									1					
	1														33
															34
															35
															36
1	3	1	4	2				1		1				2	37
1															
1		1	1				1		1						38
														1	
1	1	1	2		1				1						39
				1											40
			1						1						41
2	2	2	5	1	2			1	1	1					42
1		1	2				1				1				
			1												43
															44
						1									
		2													45
4	6	4	5	6	4	5	7	6	7	6	3			1	46
	2	3	1	3	2	2	1		4	7	3	3	1		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW HAMPSHIRE—GROUP 1.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	5,231	1,042	250	114	79	45	1,530	111	73	95	172	147
2	Males	2,593	572	130	53	32	25	812	55	34	44	75	66
3	Females	2,638	470	120	61	47	20	718	56	39	51	97	81
4	Unknown cause	78	26	1		2		29	3			3	
5	Males	42	13			1		14	2			2	
6	Females	36	13	1		1		15	1			1	
	1. General diseases.												
7	General diseases—A	815	340	76	29	25	15	485	16	15	13	17	7
8	Males	397	179	38	11	9	10	247	20	7	6	6	4
9	Females	418	161	38	18	16	5	238	26	8	7	11	3
10	Measles M	14	4	6	2			12	2				
	Measles F	23	5	8	4	1		18	2	1		1	
11	Scarlet fever M	8	2	2			1	5	1			1	
	Scarlet fever F	12	1	1		1	1	4	6	2			
12	Diphtheria M	28	2	2	4	6	8	22	6				
	Diphtheria F	29	3	1	6	7	1	18	6	3	1		
13	Whooping cough M	21	11	7	2			20					
	Whooping cough F	24	14	6	3	1		24					
14	Malarial fever M	5	1					1	2				
	Malarial fever F	6				1		1	1		2		
15	Influenza M	55	6	1		1		8			1	1	
	Influenza F	63		1				1					
16	Typhoid fever M	27							1	2	4	2	3
	Typhoid fever F	13							1		4	3	
17	Cholera morbus M	9	4	1		1		6		1			
	Cholera morbus F	15	2	2		1		5	1				1
18	Colitis M	3	2					2				1	
	Colitis F	8	1	1				2					1
19	Diarrhea M	18	11					11	1				
	Diarrhea F	21	11	2				13		1			
20	Dysentery M	10	5	1	1			7	1	1			
	Dysentery F	7	5					5					
21	Enteritis M	33	21	4		1	1	27		1			
	Enteritis F	34	12	2	3	1	1	19	6				
22	Cholera infantum M	121	107	12	1			120					
	Cholera infantum F	114	103	11				114					
23	Fever M												
	Fever F												
24	Cerebro-spinal fever M	12	2	1	1			4	3	2	1		
	Cerebro-spinal fever F	12	2	2		2	2	8	2	1		1	
25	Smallpox M												
	Smallpox F												
26	Erysipelas M	3											
	Erysipelas F	6	1	1		1		3					
27	Septicemia M	16	1					1	1			1	1
	Septicemia F	21			2			2	1			6	
28	Venereal diseases M	1		1				1					
	Venereal diseases F												
29	Others of this group M	13							2				
	Others of this group F	15	1					1					1
30	General diseases—B	90	61	3	1			65	1			1	2
31	Males	55	42	1				43	1			1	1
32	Females	35	19	2	1			22					1
33	Alcoholism M	5											
	Alcoholism F	1											1
34	Parasitic diseases M												
	Parasitic diseases F	1			1			1					
35	Lead poison M												
	Lead poison F												
36	Other poisons M	6	1					1	1			1	1
	Other poisons F	1		1				1					
37	Inanition M	43	41	1				42					
	Inanition F	32	19	1				20					
38	General diseases—C	517	208	13	2	1		224				1	1
39	Males	237	113	5	1			119					
40	Females	280	95	8	1	1		105				1	1
41	Old age M	94											
	Old age F	139											
42	Premature birth M	56	56					56					
	Premature birth F	33	33					33					
43	Malformation M	7	4	1	1			6					
	Malformation F	9	9					9					
44	Debility and atrophy M	80	53	4				57					
	Debility and atrophy F	99	53	8	1	1		63				1	1
45	Others of this group M												
	Others of this group F												

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—GROUP 1.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
159	166	161	167	200	234	255	333	401	372	328	175	83	21	48	1
80	73	79	76	99	113	131	175	204	185	172	62	28	2	28	2
79	93	82	91	101	121	124	158	197	187	156	113	55	19	20	3
3	4	1		2	3	5	3	6	3	4	2	3		4	4
3	2			2	2	5	2	1	1	3		2		1	5
	2	1			1		1	5	2	1	2	1		3	6
17	11	12	7	8	12	17	20	37	30	36	12	6	1	6	7
11	7	4	5	4	5	9	8	13	14	12	6	4		5	8
6	4	8	2	4	7	8	12	24	16	24	6	2	1	1	9
	1														10
														1	11
															12
								1							
														1	13
1			1												14
1								1							
2	2			1	2	5	5	6	4	9	4	4		1	15
1		1		2	2	5	5	16	11	13	5	1			
4	2	3	2	2		1					1				16
		2	1		1		1								
1									1						17
2	1	1			1			1	1	1					
															18
			1		2			1	1		1				19
								1	1	3		1	1		
									1						20
							2								
1			1	1					1					1	21
		1	1		1	1	1		2	1	1				
														1	22
															23
					1		1								24
															25
	1					1		1							26
						1	1			1					
2	2	1					2	2		3					27
2	2	3		2	1		1	1							
															28
						2		3	6						29
					1	1	1	3	1	5				1	
4		2	3	3	2	2	2	1	1	1					30
2		1	2	2	2										31
2		1	1	1		2	2	1	1	1					32
2		1	1	1	1										33
															34
															35
			1		1										36
				1											37
2		1	1	1		2	2	1	1	1					
	4	4		1	7	8	7	9	50	73	74	38	11	5	38
	1	1			4	5	3	3	18	43	25	11	1	2	39
	3	3		1	3	3	4	6	32	30	49	27	10	3	40
						1	2	3	13	39	24	11	1		41
						1	1	5	26	26	46	25	7	2	
															42
														1	43
	1	1			4	4	1		5	4	1			1	44
	3	3		1	3	2	3	1	6	4	3	2	3	1	
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW HAMPSHIRE—GROUP 1—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		796	31	12	8	7	5	63	9	13	35	72	71
2	Males		339	17	7	3	2	2	31	8	3	17	32	26
3	Females		457	14	5	5	5	3	32	6	10	18	40	45
4	Anemia	M	10									1		
		F	23	4		2			6				1	
5	Diabetes	M	15										1	1
		F	21							1	1		2	
6	Rheumatism	M	4											
		F	5								1		2	
7	Scrofula and tabes	M	11	2	1	1		1	5			1	1	1
		F	11	1	1		1		3				2	1
8	Hydrocephalus	M	15	8	3	1			12	2	1			
		F	14	4	2		1	2	9	3				
9	Tuberculosis, general	M	3											
		F	4										1	1
10	Consumption	M	217	5	3		2	1	11	1	2	15	30	24
		F	237	5	1	3	2	1	12	2	7	17	31	43
11	Cancer	M	47											
		F	112										1	
12	Tumor	M	6											
		F	13									1		
13	Dropsy	M	7	1					1					
		F	13											
14	Others of this group	M	4	1		1			2					
		F	4		1		1		2		1			
15	2. Diseases of the nervous system		757	114	36	21	12	9	192	14	10	3	11	9
16	Males		374	63	23	11	9	4	110	6	6		5	4
17	Females		383	51	13	10	3	5	82	8	4	3	6	5
18	Inflammation of the brain	M	7	1	1	1			3		1			
		F	9	1	1				2					
19	Meningitis	M	73	28	9	7	4	3	51	4	3		2	3
		F	56	21	6	5	3	3	38	5	4	2	3	
20	Apoplexy	M	119	1					1					1
		F	126	1	1				2					
21	Paralysis	M	59	2					2				1	
		F	64	1					1					2
22	Paralysis, general (of insane)	M	2											
		F	2											
23	Tetanus and trismus nascentium	M	1	1					1					
		F	1											
24	Chorea	M												
		F												
25	Epilepsy	M	4				1		1				1	
		F	3		1	1			2					
26	Convulsions	M	51	30	11	2	3		46	1	1			
		F	40	24	3	4		1	32	2				1
27	Mental diseases	M	16											
		F	16											
28	Diseases of the brain	M	35		2	1	1		4	1	1		1	
		F	43	3	1			1	5	1			3	2
29	Diseases of the spinal cord	M	4					1	1					
		F	7											
30	Locomotor ataxia	M	1											
		F	2											
31	Others of this class	M	2											
		F	0									1		
32	3. Diseases of the circulatory system		551	21		3	1	2	27	3	9	5	10	9
33	Males		298	11			1	1	13	1	2	2	3	6
34	Females		253	10		3		1	14	2	7	4	7	3
35	Pericarditis	M	2											
		F	1											
36	Diseases of the heart	M	272	8			1	1	10	1	1	2	2	6
		F	243	9		3		1	13	2	7	4	7	3
37	Angina pectoris	M	16											
		F	8											
38	Diseases of the arteries	M	3											
		F												
39	Aneurism	M	1								1			
		F												
40	Embolism	M	1										1	
		F												
41	Others of this class	M	3	3					3					
		F	1	1					1					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
57	53	48	47	57	51	48	57	50	30	19	4	2	1	9	1
25	26	21	13	21	25	22	26	14	18	10	1	1		4	2
32	27	27	34	36	26	26	31	36	12	9	3	1	1	5	3
			1		3		2		2	1					
1	3	1	1	5	1		1	2	1						4
1			1	3	1	1	2	1	3						
1			2	4	1	3	2	3		1					5
					1		1		1	1					
							1		1						6
				1	1	1									
1		1						1		2					7
	1		1												8
1	1		1												
	2														9
22	23	19	8	10	13	10	11	6	7	2				3	
25	16	15	14	6	11	11	8	11	5	1		1		1	10
	2	1	2	7	3	8	8	6	5	4				1	
2	5	7	13	19	13	8	16	16	3	4	2		1	2	11
		1			2	1	1			1					
1		2	1	1			2	2		1				2	12
					1	1	1			1	1	1			
1		1	2	1		4	1	1	1		1				13
1								1							
									1						14
13	18	21	20	32	41	46	69	73	83	56	19	14	4	9	15
6	4	11	7	14	21	21	34	41	38	28	5	5	1	7	16
7	14	10	13	18	20	25	35	32	45	28	14	9	3	2	17
				1						2					
3				1			1		1	1					18
	2			2				2	2	1				1	
		1	1		1			1							19
2	1	6	4	5	11	8	18	21	21	11	2	2	1	3	
1	5	4	3	8	10	11	17	17	21	17	5	4	1		20
1		2	1	4	7	7	4	11	8	7	3	1			
1	1	3	3	5	3	5	6	6	12	6	5	3	1	1	21
		1					1								
1		1													22
						1									23
															24
1										1					
1	1				1		1	1	1						25
1														2	
	2				1	1								1	26
		1	1		1		6	2	1	3		1			
	1	1		1	1	3	1	1	2	1	2	1	1		27
1	1	1	1	1	1	5	2	4	6	3		1		1	
	2		2	1	1	8	6	4	7	3	2	1			28
				1			1	1							
	1		3				1	1	1						29
							1								
				1	1										30
					1		1								
	1		1	1	1	1	2	1							31
15	14	14	17	28	34	43	79	95	69	50	22	3	1	8	32
7	7	8	11	16	15	24	52	55	35	27	12			2	33
8	7	6	6	12	19	19	27	40	34	23	10	3	1	1	34
						1	1								
								1							35
7	7	8	10	14	15	20	44	52	33	26	12			2	
8	7	6	6	10	17	18	26	38	33	23	10	3	1	1	36
			1	2		3	5	2	2	1					
				2	2	1	1	1	1						37
							2	1							
															38
															39
															40
															41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW HAMPSHIRE—GROUP 1—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	914	191	96	45	26	9	367	15	9	11	16	13
2	Males	454	108	49	23	8	3	191	8	6	5	6	7
3	Females	460	83	47	22	18	6	176	7	3	6	10	6
4	Croup M	14	4	2	3	1	2	12	2				
	Croup F	17	1	6		8	1	16					
5	Pneumonia M	314	62	32	14	4		112	4	4	4	5	8
	Pneumonia F	327	47	29	19	8	4	107	3	3	6	8	5
6	Laryngitis M	5	1	1				2	1	1			
	Laryngitis F	5	1	2		1		4	1				
7	Bronchitis M	82	30	11	6	3	1	51				1	
	Bronchitis F	80	29	8	2		1	40	2				1
8	Pleurisy M	9							1		1		1
	Pleurisy F	4							1			1	
9	Asthma M	1											
	Asthma F	5											
10	Others of this class M	29	11	3				14		1			
	Others of this class F	22	5	2	1	1		9				1	
11	5. Diseases of the digestive system	242	34	6	2		3	45	7	7	7	14	8
12	Males	117	18	4	2		3	27	4	2	3	5	3
13	Females	125	16	2				18	3	5	4	9	5
14	Dentition M	7	5	2				7					
	Dentition F	7	5	2				7					
15	Angina M	1											
	Angina F	1							1				
16	Gastritis M	13	3					3	1				
	Gastritis F	27	3					3		1		1	1
17	Diseases of the stomach M	9					1	1				2	
	Diseases of the stomach F	9	2					2				1	
18	Obstruction of the bowels M	8	1				1	2	1			1	
	Obstruction of the bowels F	10	2					2					1
19	Appendicitis M	6					1	1				2	1
	Appendicitis F	8	1					1		1	1	1	
20	Hernia M	7	2					2					
	Hernia F	8											
21	Other diseases of the bowels M	5	2					2		1			
	Other diseases of the bowels F	1											
22	Jaundice M	3											
	Jaundice F	2	2					2					
23	Inflammation and abscess of the liver. M	10		1				1					1
	Inflammation and abscess of the liver. F	8											1
24	Other diseases of the liver M	21									1		
	Other diseases of the liver F	7											
25	Peritonitis M	15	2		2			4	8	1	2		
	Peritonitis F	35	1					1	2	3	3	6	2
26	Ascites M	1											
	Ascites F	2											
27	Others of this class M	11	3	1				4					1
	Others of this class F	4											
28	6. Diseases of the urinary system and male organs of generation.	228	5	3	2	1	1	12	3	1	7	8	6
29	Males	131	3	2	2		1	8	1	1	2	5	4
30	Females	97	2	1		1		4	2		5	3	2
31	Bright's disease M	83							1	1	2	5	3
	Bright's disease F	82							2		3	8	1
32	Calculus, urinary M												
	Calculus, urinary F												
33	Diseases of the kidney M	13	1	2	2		1	6					
	Diseases of the kidney F	5	2	1		1		4					
34	Diseases of the bladder M	20											
	Diseases of the bladder F	2											
35	Others of this class M	15	2					2					1
	Others of this class F	8									2		1
36	7. Diseases of the female organs of generation	11	1					1			1	1	4
37	Ovarian tumors	3											2
38	Ovarian diseases												
39	Diseases of the tubes	1											1
40	Uterine tumors	4											1
41	Uterine diseases												
42	Others of this class	3	1					1			1	1	

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
22	29	27	30	41	44	37	48	71	45	44	26	12	2	5	1
8	16	15	13	22	19	16	23	40	24	20	9	4		2	2
14	13	12	17	19	25	21	25	31	21	24	17	8	2	3	3
					1										4
6	10	13	11	17	14	14	18	32	18	16	6	2		2	5
8	12	10	14	15	21	19	23	23	13	18	10	5	2	2	
							1								6
	2		1	3	4	1	4	5	3	4	1	2			7
3			1	2	1	2	2	5	7	6	4	3		1	
2	2			1				1							8
					1						1				
		1													9
				1	1			2			1				
	2	1	1	1	1	1		2	5		2				10
5	1	2	2	1				1	1		1				
5	13	10	10	9	15	20	17	15	19	10	7	3		1	11
2	3	7	5	5	8	11	6	8	12	4	1	1			12
3	10	3	5	4	7	9	11	7	7	6	6	2		1	13
															14
								1							15
	1				1	2		2	2			1			16
	1		2		1	2	4	2	4	3	1	1			
		1				1	1	3							17
1	1						2	1			1				
					1	1	1			1					18
1	1	1					1	1	1	1					
		1				1									19
	2				1	1									
	1	1			1				1	1					20
						1					2				
		1							1						21
	1														
			1				1			1					22
					1										
1	1			2	1	1		1		1					23
		1		1	2	1	2								
1		1	3	3	3	4	2		3						24
			1		1	2	1		1		1				
		2				1	1		1		1				25
1	4	1	2		1	2	1	2	1	1	1			1	
									1						26
								1		1					
			1		1			1	3						27
				3								1			
9	5	8	15	9	16	19	23	32	30	19	8	1		1	28
6	1	3	5	5	7	12	16	19	18	16				1	29
3	5	5	9	4	9	7	7	13	12	3	3	1			30
6	1	2	5	3	5	7	10	11	12	8				1	31
2	5	5	9	3	8	7	6	12	9	3	3	1			
															32
		1	1			1	1	1	1	1					33
									1						
					2		4	5	3	6					34
									2						
				2		4	1	2	2	1					35
1				1	1		1	1							
		1			1	1				1					36
										1					37
															38
															39
															40
		1			1	1									41
															42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW HAMPSHIRE—GROUP 1—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	19									1	7	4
2	Abortion	1											
3	Childbirth	4										3	
4	Puerperal septicemia	10									1	4	2
5	Extra-uterine pregnancy												
6	Others of this class	4											2
7	9. Diseases of the bones and joints	9							1		1		
8	Males	5							1		1		
9	Females	4											
10	Diseases of the spine M	2									1		
	Diseases of the spine F	3											
11	Abscess, lumbar and psoas M												
	Abscess, lumbar and psoas F												
12	Diseases of the bones M												
	Diseases of the bones F	1											
13	Diseases of the hip-joint M	1											
	Diseases of the hip-joint F												
14	Others of this class M	2							1				
	Others of this class F												
15	10. Diseases of the skin	8	3	1				4					
16	Males	5	3					3					
17	Females	3		1				1					
18	Abscess M	1	1					1					
	Abscess F	1		1				1					
19	Carbuncle M	2											
	Carbuncle F	1											
20	Others of this class M	2	2					2					
	Others of this class F	1											
21	11. Diseases of the absorbent system	2											
22	Males												
23	Females	2											
24	Addison's disease M												
	Addison's disease F	1											
25	Diseases of the spleen M												
	Diseases of the spleen F												
26	Others of this class M												
	Others of this class F	1											
27	12. Accidents and injuries	194	7	3	1	4	1	16	9	9	10	11	13
28	Males	139	2	1		2	1	6	8	7	8	9	11
29	Females	55	5	2	1	2		10	1	2	2	2	2
30	Burns and scalds M	3											1
	Burns and scalds F	7		2				2					
31	Drowning M	21	1				1	2	6	3	2	1	
	Drowning F	2									2		
32	Exposure and neglect M	4											
	Exposure and neglect F	1											
33	Gunshot wounds M	3								1			2
	Gunshot wounds F	1										1	
34	Homicide M												
	Homicide F												
35	Infanticide M												
	Infanticide F												
36	Injuries by machinery M												
	Injuries by machinery F												
37	Railroad accidents M	19									2	5	3
	Railroad accidents F	1											
38	Suffocation M	4				1		1					
	Suffocation F	5	3			1		4					
39	Suicide by shooting M	7											2
	Suicide by shooting F												
40	Suicide by drowning M												
	Suicide by drowning F	1										1	
41	Suicide by poison M	1											
	Suicide by poison F												
42	Other suicides M	18											
	Other suicides F	5											
43	Sunstroke M												1
	Sunstroke F												
44	Surgical operations M												
	Surgical operations F	1											
45	Wounds M												
	Wounds F												
46	Others of this class M	59	1	1		1		3	2	3	4	8	3
	Others of this class F	31	2		1	1		4	1	2			2

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2	4	1													1
	1														2
1															3
1	2														4
															5
	1	1													6
2	1	1		1				1		1					7
1		1		1											8
1	1							1		1					9
		1													
	1							1		1					10
															11
1															12
				1											13
1															14
				1			1		1	1					15
							1			1					16
				1					1						17
															18
							1			1					19
				1											
									1						20
			1				1								21
															22
			1				1								23
							1								24
															25
															26
			1												
10	9	11	17	8	8	9	6	11	11	13	6	1	1	5	27
9	6	7	14	7	5	6	4	10	7	8	3			4	28
1	5	4	3	1	3	3	2	1	4	5	3	1	1	1	29
							1			1					30
	1			1	2			1							
4						1				1				1	31
			1	1		1								1	32
	1														
															33
															34
															35
															36
	1		3	2				1						2	37
1															
1		1							1						38
														1	
	1	1	1		1				1						39
															40
			1												41
2	1	2	4		2			6		1					42
		1	5				1				1				
															43
															44
						1									
															45
2	3	3	4	4	2	4	8	3	5	5	3				46
	1	8	1		1	2	1		4	5	2	1	1		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW HAMPSHIRE—GROUP 2.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	2,169	342	56	23	22	8	451	45	35	61	66	71
2	Males	1,070	187	31	12	11	5	246	22	17	19	36	35
3	Females	1,099	155	25	11	11	3	205	23	18	42	30	36
4	Unknown cause	44	14	1		2		17	1	2			1
5	Males	23	10	1		1		12					
6	Females	21	4			1		5	1	2			1
	1. General diseases.												
7	General diseases—A	331	112	16	3	4	3	138	14	10	11	13	7
8	Males	151	55	9	1	3	2	70	9	4	1	7	5
9	Females	180	57	7	2	1	1	68	5	6	10	6	2
10	Measles M	6	3	1				4		1			
	Measles F	2									1		
11	Scarlet fever M	8		1			2	3	4	1			
	Scarlet fever F	1							1				
12	Diphtheria M	2								1		1	
	Diphtheria F	6				1		1	1	1	1		
13	Whooping cough M	14	11	1				12				1	
	Whooping cough F	19	11	1	2			14	1	1			
14	Malarial fever M	4	1					1					
	Malarial fever F	3										1	
15	Influenza M	24	8	1		1		5	1			1	
	Influenza F	43	4					4					
16	Typhoid fever M	13							1			3	4
	Typhoid fever F	16								3	5	3	
17	Cholera morbus M	2	1					1					
	Cholera morbus F	8	1					1	1		1	1	
18	Colitis M	1			1			1					
	Colitis F	1											
19	Diarrhea M	3	1					1					
	Diarrhea F	1											
20	Dysentery M	3											
	Dysentery F	9	2					2					
21	Enteritis M	12	8					8	1			1	
	Enteritis F	19	12					12					
22	Cholera infantum M	27	23	4				27					
	Cholera infantum F	31	24	6			1	31					
23	Fever M												
	Fever F												
24	Cerebro-spinal fever M	10	3	1		2		6	1	1	1		
	Cerebro-spinal fever F	5	2					2	1	1	1		
25	Smallpox M												
	Smallpox F												
26	Erysipelas M	1											
	Erysipelas F	1											
27	Septicemia M	8	1					1	1				1
	Septicemia F	11	1					1			1	1	1
28	Venereal diseases M	1											
	Venereal diseases F												
29	Others of this group M	14											
	Others of this group F	4											1
30	General diseases—B	24	14	1				15					
31	Males	15	7					7					
32	Females	9	7	1				8					
33	Alcoholism M	2											
	Alcoholism F												
34	Parasitic diseases M												
	Parasitic diseases F												
35	Lead poison M												
	Lead poison F												
36	Other poisons M	4											
	Other poisons F	1		1				1					
37	Inanition M	9	7					7					
	Inanition F	8	7					7					
38	General diseases—C	217	66	2				68	1			1	
39	Males	113	40	2				42					
40	Females	104	26					26	1			1	
41	Old age M	58											
	Old age F	58											
42	Premature birth M	23	23					23					
	Premature birth F	10	10					10					
43	Malformation M	3	3					3					
	Malformation F	2	1					1	1				
44	Debility and atrophy M	28	13	2				15				1	
	Debility and atrophy F	33	14					14					
45	Others of this group M	1	1					1					
	Others of this group F	1	1					1					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—GROUP 2.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
48	56	70	83	74	105	109	176	174	187	174	88	39	12	45	1
20	27	33	36	37	45	59	84	91	99	84	42	18		18	2
28	29	37	45	37	60	50	92	83	88	90	46	21	12	27	3
	2		2		2		2	1	5	6				3	4
			1		1		1		4	2				2	5
	2		1		1		1	1	1	4				1	6
8	1	4	5	2	11	18	17	20	17	13	13	4	3	7	7
3		2	1	1	5	5	5	12	7	5	6	1		2	8
5	1	2	4	1	6	8	12	8	10	8	7	3	3	5	9
								1							10
														1	
															11
															12
							1							1	
														1	13
1														2	
							2	1							14
							1	1							
					2	2	1	5	1	1	5				15
		1	1		3	2	4	5	6	6	5	3	2	1	
3		1	1												16
2	1		1			1									
									1						17
						1			1		1		1		
															18
			1												
								1						1	19
						1									
								1	1	1					20
					1	2	1	1	1	1					
					1					1					21
1				1	1		3				1				
															22
															23
					1										24
															25
		1													26
									1						
						2		1							27
1		1	1		1		1		1	1					
					1										28
				1		1	2	2	4	2	1	1			29
						1	1	1							
1		1	1	2	1			1		2					30
1		1	1	2	1			1		1					31
										1					32
				1	1										33
															34
															35
1			1	1						1					36
		1						1							37
										1					
1	1			1	3		4	13	19	36	37	20	6	4	38
				1			2	6	8	22	20	10		1	39
1	1				3		2	7	11	14	17	10	8	3	40
							1	3	5	21	18	9			41
							1	3	10	10	16	10	7	1	
															42
															43
				1			1	3	2	1	2	1		1	44
1	1				3		1	4	1	4	1		1	2	
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW HAMPSHIRE—GROUP 2—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		361	11	3	4	1		19	5	4	28	22	24
2	Males		138	5	2				7	2	1	8	11	8
3	Females		223	6	1	4	1		12	3	3	20	11	16
4	Anemia	M	7							1				
		F	10	2					2				1	1
5	Diabetes	M	10								1			1
		F	9	1					1					1
6	Rheumatism	M	4											
		F	6							1				
7	Scrofula and tabes	M	1											
		F	2	1					1	1				
8	Hydrocephalus	M	3	2	1				3					
		F	2				1		1		1			
9	Tuberculosis, general	M												
		F	2									1		
10	Consumption	M	75	3	1				4	1		7	11	7
		F	98	2		3			5	1	2	18	10	14
11	Cancer	M	35											
		F	81											
12	Tumor	M	1									1		
		F	5		1	1			2					
13	Dropsy	M	2											
		F	7											
14	Others of this group	M												
		F	1									1		
15	2. Diseases of the nervous system		305	33	8	6	3		50	5	2	3	4	5
16	Males		150	18	5	6			29	2	1	3	2	3
17	Females		155	15	3		3		21	3	1		2	2
18	Inflammation of the brain	M	3							1				
		F	1											
19	Meningitis	M	28	10	3	5			18				1	1
		F	23	10	3		3		16	1	1			
20	Apoplexy	M	58	1	1				2					1
		F	64										2	
21	Paralysis	M	31								1			
		F	39											
22	Paralysis, general (of insane)	M												
		F												
23	Tetanus and trismus nascentium	M												
		F	1											
24	Chorea	M												
		F												
25	Epilepsy	M	6			1			1			2	1	
		F	1											
26	Convulsions	M	7	5	1				6			1		
		F	6	4					4	1				1
27	Mental diseases	M	4											
		F	3											
28	Diseases of the brain	M	6	2					2					
		F	7	1					1	1				1
29	Diseases of the spinal cord	M	1											
		F	4											
30	Locomotor ataxia	M	1											
		F	1											
31	Others of this class	M	5							1				1
		F	5											
32	3. Diseases of the circulatory system		248	17	1	1		1	20	3	5		2	3
33	Males		136	10				1	11	1	2			
34	Females		112	7	1	1			9	2	3		2	3
35	Pericarditis	M	2							1				
		F												
36	Diseases of the heart	M	122	9				1	10		2			
		F	101	6	1	1			8	2	3		1	3
37	Angina pectoris	M	8											
		F	8										1	
38	Diseases of the arteries	M	3											
		F	1											
39	Aneurism	M												
		F												
40	Embolism	M												
		F	1											
41	Others of this class	M	1	1					1					
		F	1	1					1					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
10	23	26	15	21	20	29	34	29	22	20	2	3		5	1
4	10	13	6	9	5	13	11	11	9	7		2		1	2
8	13	13	9	12	15	16	23	18	13	13	2	1		4	3
		1					1		2	2					4
	1			1		1		1	1					1	
	1			1		1	2	8							5
		2			1	2	2								
	1	1				1		1							6
						1	2		1					1	
	1														7
															8
															9
1															
4	7	10	3	6	4	2	3	3	1			1		1	10
4	8	6	8	4	2	3	6	2	2	2				1	
		1	3	2	1	9	4	4	5	5		1			11
1	3	4	1	7	12	9	13	13	6	8	2	1		1	
															12
		1							1	1					
							1		1						13
	1							2	2	2					
															14
3	6	7	13	7	21	12	49	36	39	22	8	6		7	15
2	8	2	3	2	10	7	23	18	19	12	4	1		4	16
1	3	5	10	5	11	5	26	18	20	10	4	5		3	17
			1					1							18
							1								
2	1		1					1	1					2	19
	1	1				1	2								
		1		2	8	5	12	4	13	7	2			1	20
	1		5	4	10	2	8	12	8	8		2		2	
	2	1	1		1	2	6	10	2	3	1	1			21
		2	2		1		12	4	11		4	3			
															22
															23
1															
															24
					1				1						25
	1														
															26
							1			2	1				27
		1				1			1						
							2	2							28
		1	2							1					
									1						29
			1				2	1							
							1								30
						1									
							1		1					1	31
				1			1	1		1				1	
4		9	12	14	13	24	30	30	32	25	15	1	1	5	32
		4	6	9	5	15	20	18	21	13	7	1		3	33
4		5	6	5	8	9	10	12	11	12	8		1	2	34
							1								35
		4	6	9	5	12	17	15	20	11	7	1		3	36
4		5	4	5	8	8	8	11	10	11	7		1	2	
						3	1	1	1	2					37
			2				2		1	1	1				
							1	2							38
								1							
															39
															40
						1									
															41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW HAMPSHIRE—GROUP 2—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	322	59	18	5	10	3	95	5	4	6	8	9
2	Males	155	32	9	3	6	1	51	3	3	3	5	4
3	Females	167	27	9	2	4	2	44	2	1	3	3	5
4	Croup M	6	2	1		3		6					
	Croup F	5	1	1		2	1	5					
5	Pneumonia M	112	21	8	1	2		32	2	3	2	4	4
	Pneumonia F	120	14	6	2	2	1	25	2	1	3	3	4
6	Laryngitis M	2			1		1	2					
	Laryngitis F	2		1				1					
7	Bronchitis M	20	4			1		5			1		
	Bronchitis F	31	12	1				13					
8	Pleurisy M	5	1					1				1	
	Pleurisy F	1											1
9	Asthma M	1											
	Asthma F	2											
10	Others of this class M	9	4		1			5	1				
	Others of this class F	6											
11	5. Diseases of the digestive system	92	8	2	2	1		13	4	1	6	6	5
12	Males	43	6	1				7	1	1		4	4
13	Females	49	2	1	2	1		6	3		6	2	1
14	Dentition M	1	1					1					
	Dentition F												
15	Angina M	1		1				1					
	Angina F	1			1			1					
16	Gastritis M	7	1					1				1	1
	Gastritis F	12	1	1				2			1		
17	Diseases of the stomach M	4											
	Diseases of the stomach F	5											1
18	Obstruction of the bowels M	4	1					1				1	
	Obstruction of the bowels F	6											
19	Appendicitis M	5										2	1
	Appendicitis F	2									1	1	
20	Hernia M	2											
	Hernia F	1											
21	Other diseases of the bowels M	1											
	Other diseases of the bowels F												
22	Jaundice M												
	Jaundice F												
23	Inflammation and abscess of the liver. M	1											
	Inflammation and abscess of the liver. F	1											
24	Other diseases of the liver M	7	1					1					
	Other diseases of the liver F	4											
25	Peritonitis M	6							1	1			2
	Peritonitis F	11			1	1		2	1		4		
26	Ascites M												
	Ascites F												
27	Others of this class M	4	2					2					
	Others of this class F	6	1					1	2			1	
28	6. Diseases of the urinary system and male organs of generation.	89		1				1	1			1	3
29	Males	57		1				1					1
30	Females	32							1			1	2
31	Bright's disease M	37											1
	Bright's disease F	31							1			1	2
32	Calculus, urinary M												
	Calculus, urinary F												
33	Diseases of the kidney M	2		1				1					
	Diseases of the kidney F												
34	Diseases of the bladder M	10											
	Diseases of the bladder F												
35	Others of this class M	8											
	Others of this class F	1											
36	7. Diseases of the female organs of generation	4											
37	Ovarian tumors												
38	Ovarian diseases												
39	Diseases of the tubes												
40	Uterine tumors	4											
41	Uterine diseases												
42	Others of this class												

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
8	8	9	15	13	14	13	16	25	30	27	6	1		10	1
4	6	4	7	6	5	8	6	11	12	11	2	1		2	2
4	2	5	8	7	8	5	10	14	18	16	4			8	3
															4
4	5	3	5	6	4	6	5	5	5	9	2	1		2	5
2	1	5	7	6	5	5	8	10	13	13	1			6	
					1										6
	1		1		1	1		4	4	2					7
1			1		2		1	2	5	2	2			2	
		1	1		1										8
						1									9
1											1				
							1	2							10
	1			1			1	2		1					
5	2	3	5	4	4	10	4	5	6	5	2				11
2	1	1	2	1	2	6	2	3	4	2					12
3	1	2	4	3	2	4	2	3	2	3	2				13
															14
															15
	1	1		1					1						16
1				1		1	2	1	1	2					
			1		1	1			1						17
	1			1				1			1				
						1			1						18
1			4			1									
1						1									19
						1				1					20
										1					
							1								21
															22
1															23
									1						
			1		1	1		2		1					24
				1	1	1		1							
						1			1						25
1		2									1				
															26
							1	1							27
					1	1									
	2	5	7	2	10	5	14	10	12	12	2	2			28
		1	5	2	6	3	9	8	10	7	2	2			29
	2	4	2		4	2	5	2	2	5					30
		1	4	1	5	3	7	5	6	3	1				31
	1	3	2		4	2	5	2	2	5					
															32
								1							33
				1	1			2	1	2	1	2			34
			1				2		3	2					35
		1													
			1	1		1	1								36
															37
															38
															39
			1	1		1	1								40
															41
															42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW HAMPSHIRE—GROUP 2—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	13									3	3	1
2	Abortion												
3	Childbirth	6										2	1
4	Puerperal septicemia	6									2	1	
5	Extra-uterine pregnancy												
6	Others of this class	1									1		
7	9. Diseases of the bones and joints	6	1	1				2				1	
8	Males	3		1				1				1	
9	Females	3	1					1					
10	Diseases of the spine M	1											
	Diseases of the spine F	2	1					1					
11	Abscess, lumbar and psoas M	1										1	
	Abscess, lumbar and psoas F												
12	Diseases of the bones M												
	Diseases of the bones F	1											
13	Diseases of the hip-joint M	1		1				1					
	Diseases of the hip-joint F												
14	Others of this class M												
	Others of this class F												
15	10. Diseases of the skin	2	1					1					
16	Males	1	1					1					
17	Females	1											
18	Abscess M												
	Abscess F												
19	Carbuncle M												
	Carbuncle F												
20	Others of this class M	1	1					1					
	Others of this class F	1											
21	11. Diseases of the absorbent system	1											
22	Males												
23	Females	1											
24	Addison's disease M												
	Addison's disease F												
25	Diseases of the spleen M												
	Diseases of the spleen F												
26	Others of this class M												
	Others of this class F	1											
27	12. Accidents and injuries	110	[illegible]	2	2	1	1	12	6	7	4	5	13
28	Males	85	3		2	1	1	7	4	5	4	5	10
29	Females	25	3	2				5	2	2			3
30	Burns and scalds M	3			1			1	1				
	Burns and scalds F	3							1	1			
31	Drowning M	14				1		1	1	2	1	1	4
	Drowning F	1							1				
32	Exposure and neglect M	2											
	Exposure and neglect F	1											
33	Gunshot wounds M	4							1		1	1	
	Gunshot wounds F	1								1			
34	Homicide M												
	Homicide F	1											1
35	Infanticide M												
	Infanticide F	1	1					1					
36	Injuries by machinery M												
	Injuries by machinery F												
37	Railroad accidents M	10								2		2	
	Railroad accidents F												
38	Suffocation M	6	3				1	4					
	Suffocation F	2	1	1				2					
39	Suicide by shooting M	2											
	Suicide by shooting F												
40	Suicide by drowning M	1											
	Suicide by drowning F												
41	Suicide by poison M	1											
	Suicide by poison F												
42	Other suicides M	4											
	Other suicides F	1											
43	Sunstroke M	1											
	Sunstroke F												
44	Surgical operations M												
	Surgical operations F												
45	Wounds M	2											
	Wounds F												
46	Others of this class M	35			1			1	1	1	2	1	6
	Others of this class F	14	1	1				2					2

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2	2	1												1	1
															2
1	2														3
1		1												1	4
															5
															6
1	1				1										7
					1										8
1	1														9
	1				1										10
															11
1															12
															13
															14
											1				15
															16
											1				17
															18
															19
											1				20
					1										21
															22
					1										23
															24
															25
					1										26
5	8	5	6	7	4	2	5	3	5	6	2	2		3	27
4	7	5	6	4	3	2	5	3	5	2	1			3	28
1	1			3	1					4	1	2			29
						1									30
										1					
		1			1									2	31
									1		1				32
										1					
	1														33
															34
															35
															36
1	2	1	1							1					37
			1				1								38
1			1												39
				1											40
									1						41
	1		1	1					1						42
1															
			1												43
															44
		2													45
2	3	1	1	2	2	1	4	3	2	1				1	46
	1			3	1					2	1	2			

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW JERSEY.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		32,735	7,292	1,873	830	505	370	10,870	1,032	520	745	1,150	1,419
2	Males		17,462	4,202	968	450	245	179	6,044	542	275	393	588	743
3	Females		15,273	3,090	905	380	260	191	4,826	490	245	352	562	676
4	Unknown cause		186	52	10	3	3	1	69	9	3	2	4	8
5	Males		95	31	4	2	1		38	3	1	1	3	4
6	Females		91	21	6	1	2	1	31	6	2	1	1	4
	1. General diseases.													
7	General diseases—A		5,494	2,000	625	298	198	152	3,273	410	130	89	134	121
8	Males		2,883	1,109	319	150	95	82	1,755	215	65	49	76	76
9	Females		2,611	891	306	148	103	70	1,518	195	65	40	58	45
10	Measles	M	109	29	41	13	5	4	92	11	3			
		F	97	20	39	13	6	5	83	9	2		2	
11	Scarlet fever	M	119	6	14	22	20	10	72	33	6	3	2	1
		F	113	1	12	16	26	15	70	31	3	2	2	1
12	Diphtheria	M	354	23	42	46	40	48	199	110	29	5	3	2
		F	324	12	42	56	41	33	184	105	20	4	5	
13	Whooping cough	M	161	88	41	15	8	3	155	2	1			
		F	168	79	44	18	10	3	154	6	4			
14	Malarial fever	M	59	11	1	2	1		15	1	1		4	1
		F	51	4	2	5	1	1	13	3	4	3	4	4
15	Influenza	M	199	11	4	2	1		18	6		3	3	8
		F	244	11	2	1	2	1	17	3	1	3	6	4
16	Typhoid fever	M	240	5		2	1	2	10	16	12	33	48	43
		F	158			1	1	2	4	8	13	20	20	20
17	Cholera morbus	M	55	13	3	5	1		22	3	1			1
		F	38	8	6	1	1		16		1			1
18	Colitis	M	35	17	1	1	1		20	2			1	
		F	35	10	8	2	2	1	23					
19	Diarrhea	M	98	48	8	2		1	59	1			1	1
		F	91	32	7	1			40	6	3		1	1
20	Dysentery	M	77	13	7	5	1	1	27	5	2			1
		F	95	11	13	2	4	1	31				1	1
21	Enteritis	M	612	397	80	16	8	6	507	7	4		5	6
		F	529	316	65	13	4	4	402	10	1		5	3
22	Cholera infantum	M	446	371	59	14	1	1	446					
		F	396	323	58	12	1	2	396					
23	Fever	M	3											
		F	1											
24	Cerebro-spinal fever	M	81	26	13	5	3	4	51	14	3	2	1	2
		F	61	16	5	4	3	1	29	11	8	4	1	
25	Smallpox	M	5	1	1				2				2	
		F	3								1		1	
26	Erysipelas	M	68	24	3				27			1		4
		F	53	25					25			1	3	
27	Septicemia	M	88	13	1		2	2	18	2	2	2	5	5
		F	87	11	3	1	1		16	2	4	3	7	8
28	Venereal diseases	M	13	9			1		10					
		F	13	10					10					1
29	Others of this group	M	61	4			1		5	2	1		1	1
		F	54	2		2		1	5	1				1
30	General diseases—B		537	313	16	9	5		343	1	2	5	15	13
31	Males		328	174	9	5	4		192		2	2	6	8
32	Females		209	139	7	4	1		151	1		3	9	5
33	Alcoholism	M	84										1	4
		F	17											1
34	Parasitic diseases	M	3	1	1	1			3					
		F												
35	Lead poison	M	5											
		F												
36	Other poisons	M	54	3	6	2	4		15		1	2	5	4
		F	40	5		3	1		9			3	7	4
37	Inanition	M	182	170	2	2			174		1			
		F	152	134	7	1			142	1			2	
38	General diseases—C		2,528	1,693	88	17	4	6	1,808		2	1	2	3
39	Males		1,353	1,000	34	9	2	4	1,049		1	1		1
40	Females		1,175	693	54	8	2	2	759		1		2	2
41	Old age	M	260											
		F	360											
42	Premature birth	M	342	342					342					
		F	245	245					245					
43	Malformation	M	94	94					94					
		F	57	57					57					
44	Debility and atrophy	M	585	492	34	9	2	4	541		1	1		1
		F	469	348	54	8	2	2	414		1		2	2
45	Others of this group	M	72	72					72					
		F	44	43					43					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW JERSEY.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,365	1,511	1,347	1,280	1,397	1,544	1,678	1,793	1,709	1,502	1,045	515	187	53	73	1
699	821	759	722	769	799	929	923	863	738	487	225	72	25	46	2
666	690	588	558	628	745	749	870	846	764	558	290	115	28	27	3
5	11	5	8	6	10	3	7	7	11	10	1	1		6	4
4	6	1	5	2	3	3	2	5	5	3	1			5	5
1	5	4	3	4	7		5	2	6	7		1		1	6
105	99	102	77	90	100	126	147	171	141	93	56	17	7	6	7
46	48	56	46	46	46	64	70	91	53	42	26	5	5	3	8
59	51	46	31	44	54	62	77	80	88	51	30	12	2	3	9
1		1					1								10
	1														
2															11
	1	1	1											1	
2		1	1	1			1								12
2		1				1		1		1					
2														1	13
3		1													
8	3	4	2	2	2	3	2	5	4	1	1				14
3	3	1	2		2	4		1	3	1					
7	5	8	9	7	10	14	29	32	9	16	11	3	1		15
4	6	7	6	10	23	24	34	29	30	15	18	4			
11	19	12	11	5	2	7	1	5	1					1	16
20	14	11	4	8	6	5	1	8	1						
1	2	2		4	3	4	3	7			1	1			17
	2	1	1		1	1	1	4	1	6	2				
		1		2	1		1	3	3	1					18
		1		2	1	1		1	2	2	1	1			
1	1		1	2		3	5	3	5	4	2	1	2	1	19
1	3		2	1	1		6	5	13	5	2	1			
1	1	5	4		2	4	8	7	1	4	4		1		20
2	2	4	3	5	6	4	5	9	8	7	4	2	1		
1	4	4	7	6	9	11	8	9	14	7	3				21
6	10	5	4	5	6	6	21	13	20	6	3	2		1	
															22
		1	1	1											23
								1							
2	2	1	1	1		1									24
1	2	2	2											1	
				1											25
1															
	5	7	1	4	6	3	1	4	3	2					26
1	3	2	2	2	1	5	1	4	1	2					
3	6	7	5	6	4	8	3	4	7	1					27
11	4	5	3	5	4	4	4	4	2	1					
1		1			1										28
		2													
		1	3	4	0	6	7	7	8	6	4		1		29
4		2	1	6	3	7	4	5	7	5		2	1		
21	27	26	17	16	17	16	8	5	1	1	1		1	1	30
17	21	20	15	12	11	11	5	3		1	1			1	31
4	6	6	2	4	6	5	3	2	1				1		32
13	15	14	12	10	4	6	3	1			1				33
2	3	4	1	2	1	2	1								
															34
2	1	1		1											35
2	5	5	3	1	6	3	1	1							36
2	3	1	1	2	4	2	1	1							
					1	2	1	1		1				1	37
		1			1	1	1	1	1				1		
	5	5	3	6	0	25	42	81	137	183	117	72	24	3	38
	2	3	1	4	1	15	14	42	56	78	48	28	7	2	39
	3	2	2	2	8	10	28	39	81	105	69	44	17	1	40
						10	11	37	51	72	44	28	7		41
						9	25	33	72	98	65	41	17		
															42
															43
	2	3	1	4	1	5	3	5	5	6	4			2	44
	3	2	2	2	7	1	3	6	9	7	4	3		1	
															45
					1										

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW JERSEY—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		5,208	227	76	34	20	26	383	60	64	233	448	561
2	Males		2,622	133	41	24	8	14	220	29	21	105	219	280
3	Females		2,586	94	35	10	12	12	163	31	43	128	229	281
4	Anemia	M	35	4					4		1	1	2	1
		F	44	1	1		1	1	4			2	3	2
5	Diabetes	M	79	2			1	1	4	1	3		2	4
		F	77							2	1	2	1	1
6	Rheumatism	M	38	1	1				2	2	1	2		2
		F	42	2					2	1	2	2	3	2
7	Scrofula and tabes	M	24	6	2	1			9			2	2	2
		F	15	2	1	1		1	5			2		2
8	Hydrocephalus	M	125	61	20	14	5	5	105	6		4	1	2
		F	105	52	22	3	8		85	11	2		2	1
9	Tuberculosis, general	M	28	8		1			9	2	1		1	4
		F	19	4	1		1		6	1		1	2	1
10	Consumption	M	1,830	36	15	5	2	5	63	10	11	93	207	259
		F	1,562	23	6	4	2	7	42	14	37	118	212	259
11	Cancer	M	350					1	1	2	1	1		5
		F	599	2		1			3			1	2	9
12	Tumor	M	50	1		3		1	5	1	2	1	2	1
		F	64		1			1	2	1	1		3	1
13	Dropsy	M	38	1	1				2	1	1	1	1	
		F	39	1		1			2	1			1	1
14	Others of this group	M	25	13	2			1	16	4			1	
		F	20	7	3			2	12					2
15	2. Diseases of the nervous system		4,801	1,121	330	128	71	45	1,695	112	65	54	48	85
16	Males		2,560	648	172	70	35	20	945	58	43	29	21	43
17	Females		2,241	473	158	58	36	25	750	54	22	25	27	42
18	Inflammation of the brain	M	25	4	2	3		1	10	1	1	2	1	1
		F	35	2	3	3	2		10	0	1	1	1	1
19	Meningitis	M	514	169	95	46	17	9	336	40	14	9	3	12
		F	395	142	84	34	17	14	291	25	12	7	7	10
20	Apoplexy	M	734	16	4		2		22	2	1	4	7	7
		F	736	13	1	2	2		18	5		3	4	6
21	Paralysis	M	317	5	1		2		8	1	2	1		1
		F	315	2	2		1	3	8	2		2	1	2
22	Paralysis, general (of insane)	M	52											3
		F	21											
23	Tetanus and trismus nascentium	M	69	33					33	2	17	4	2	1
		F	25	19					19		1		1	2
24	Chorea	M	2									1		
		F	4							1	1	1		
25	Epilepsy	M	38	3	1				4		2	4	1	7
		F	23								1	3		3
26	Convulsions	M	487	368	61	17	11	5	462	8	3	1	1	1
		F	398	266	57	17	12	6	358	10	1	3	4	6
27	Mental diseases	M	44										1	
		F	62									1	2	3
28	Diseases of the brain	M	187	45	6	3	3	3	60	4	3	2	2	8
		F	163	25	11	2	2	2	42	4	4	2	4	4
29	Diseases of the spinal cord	M	46	4	2	1		1	8			1	1	
		F	29	3					3	1		1	1	2
30	Locomotor ataxia	M	27	1					1				1	
		F	5											
31	Others of this class	M	18					1	1				1	2
		F	30	1					1		1	1	2	3
32	3. Diseases of the circulatory system		2,811	196	13	3	6	5	223	53	59	62	65	79
33	Males		1,433	109	9	2	3	1	124	26	20	34	27	39
34	Females		1,378	87	4	1	3	4	99	27	39	28	38	40
35	Pericarditis	M	12				1		1		2	1	1	1
		F	20							2	2	2		1
36	Diseases of the heart	M	1,265	76	8	2	2	1	89	26	18	33	26	37
		F	1,254	70	4	1	3	4	82	25	36	26	32	37
37	Angina pectoris	M	70											1
		F	57								1		5	1
38	Diseases of the arteries	M	36											
		F	23											
39	Aneurism	M	11											
		F	4											
40	Embolism	M	5	1					1					
		F	2											
41	Others of this class	M	34	32	1				33					1
		F	18	17					17				1	

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW JERSEY—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
500	485	391	332	365	335	302	284	224	134	67	28	6	1	5	1
265	248	215	184	175	169	144	157	103	60	31	10	3	1	3	2
235	237	176	148	190	166	158	147	121	74	36	18	3		2	3
1		1	2	5	3	3	4	3	3		1				4
3	7	1	2	3	6	3	3	2	2	1					
5		7	9	10	4	10	7	5	2	5			1		5
3	3	3	3	8	11	8	14	8	5	1	3				
1	1	3	2	2	3	4	4	5	2	1	1				6
2	6	1		6	1	3	2	5	2		1	1			
2	1		1		1	1	1	1	1						7
2		2				1				1					
4	1	1	1												8
1		1		1				1							
1	2	1		5		1			1						9
2	1		1	2			2								
246	234	170	142	108	99	66	60	35	18	6		1		2	10
194	182	112	67	75	57	59	59	40	21	6	7			1	
4	7	24	19	39	46	52	50	48	27	16	5	1		1	11
19	34	50	67	87	80	69	60	53	35	23	4	2		1	
	1	6	5	4	8	2	7	2	2	1					12
6	3	5	5	5	8	10	4	6	3	1					
	1	1	2	1	5	5	4	4	4	2	3				13
3	1	1	3	1	3	3	2	5	4	3	3				
1		1	1	1											14
						2	1	1	2						
93	105	114	185	205	272	309	380	382	341	210	87	40	9	10	15
54	55	69	105	110	134	174	199	188	167	105	30	19	1	6	16
39	50	45	80	95	138	135	181	194	174	105	57	21	3	4	17
3	1						1	3	1						18
1		2		3	2	1	1	4				1			
11	12	10	19	7	8	7	9	7	1	5		1			19
5	5	2	6	5	4	4	4	3	4			1			
16	11	30	43	59	70	99	106	93	92	45	11	2	3	4	20
10	18	19	49	54	91	86	103	99	87	47	25	2	3	1	
4	6	3	16	18	19	43	39	57	45	34	15	4	1		21
2	5	3	9	14	21	24	40	54	56	43	22	4		3	
5	4	9	3	4	7		5	4	3	4		1			22
3	1		1		1		4	3	4	1	2	1			
3	2	1		1	2	1									23
					1			1							
								1							24
									1						
1	4	2	4	1		2	4	1		1					25
1	4	2		4	1	1	2	1							
1	3		2	1			1	1				1		1	26
5	3	2	1	2			1	1		1					
1	2	3	1	5	5	3	6	6	6	5					27
1	4	2	5	3	7	3	11	8	4	5	1	2			
6	8	5	7	9	13	9	14	11	11	9	3	3	1	1	28
5	7	10	7	4	5	14	10	14	13	4	6	4			
1	2	3	4	2	2	5	6	4	4	2			1		29
1	1	1	1	4	4	2	2	3	1	1					
	2	2	5	1	5	4	5		1						30
		1			1		1		1	1					
2		1	1	2	3	1	3				1				31
5	2	1	1	2			2	3	3	2	1				
92	122	134	141	193	229	266	307	281	259	154	66	14	4	8	32
40	58	54	61	110	119	147	158	143	152	77	32	6	2	4	33
52	64	80	80	83	110	119	149	138	107	77	34	8	2	4	34
	1	2	1				1		1						35
2	1	3			2	1	1	2	1						
36	50	47	54	99	111	128	148	127	129	63	32	6	2	4	36
48	62	72	71	79	104	107	139	123	95	70	33	8	1	4	
3	5	3	3	10	5	13	5	7	10	5					37
1	1	3	9	2	3	9	6	7	5	4					
	1		2			5	4	7	11	6					38
		1		1	1	2	1	6	6	3	1		1		
1	1	2	1	1	2	1		1	1						39
		1		1			2								
					1			1		2					40
1															
										1					41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW JERSEY—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	5,381	1,291	625	276	143	81	2,416	206	49	81	87	140
2	Males	2,864	746	336	154	65	33	1,334	104	23	45	56	82
3	Females	2,517	545	289	122	78	48	1,082	102	26	36	31	58
4	Croup M	133	7	32	34	21	10	104	28				1
	Croup F	108	11	20	20	13	14	78	26	3			
5	Pneumonia M	1,966	430	231	98	37	20	816	61	20	34	46	71
	Pneumonia F	1,702	316	199	80	51	21	667	59	18	28	22	50
6	Laryngitis M	25	7	2	1	2		12	6	1		1	
	Laryngitis F	28	5	4	4	5		18	4			1	
7	Bronchitis M	432	201	57	14	4	2	278	3	1	1	1	3
	Bronchitis F	449	160	56	13	6	9	244	7	1	2	3	2
8	Pleurisy M	61	2	5	4			11			4	3	3
	Pleurisy F	37	2	2	1		1	6	2	2	2	1	1
9	Asthma M	16							1		1		
	Asthma F	19	1					1	1				1
10	Others of this class M	231	99	9	3	1	1	113	5	1	5	5	4
	Others of this class F	174	50	8	4	3	3	68	3	2	4	4	4
11	5. Diseases of the digestive system	1,685	237	39	18	15	16	325	48	42	64	68	94
12	Males	819	145	19	8	6	8	186	24	25	25	26	38
13	Females	866	92	20	10	9	8	139	24	17	39	42	56
14	Dentition M	11	6	4	1			11					
	Dentition F	19	8	9		1	1	19					
15	Angina M	14	2	2	1		1	6	3	1			1
	Angina F	13	1		3	1		5	5				1
16	Gastritis M	155	31	4	1	2	2	40	1	1	1	1	5
	Gastritis F	161	21	5	1	2	3	32	1	3	3	5	9
17	Diseases of the stomach M	40	4				1	5			2	1	4
	Diseases of the stomach F	30	2	1				3	1		1	2	2
18	Obstruction of the bowels M	54	16	1	1	1		19	1	1	2	3	3
	Obstruction of the bowels F	82	10	1		1	1	13	3		2	2	4
19	Appendicitis M	65							6	7	8	12	10
	Appendicitis F	64	1					1	5	7	8	4	7
20	Hernia M	45	7	1				8			4	1	
	Hernia F	35									1	1	
21	Other diseases of the bowels M	24	7	1		1		9	1	1			
	Other diseases of the bowels F	25	8	1				9	2		2		1
22	Jaundice M	39	26					26					1
	Jaundice F	23	8		1			9				1	2
23	Inflammation and abscess of the liver. M	16							1	3		1	1
	Inflammation and abscess of the liver. F	25	3					3	1				1
24	Other diseases of the liver M	170	7	2			1	10			1		4
	Other diseases of the liver F	111	3					3	1			1	3
25	Peritonitis M	127	12	1	3	2	3	21	11	11	7	7	7
	Peritonitis F	208	6	1	3	3	2	15	5	7	22	26	25
26	Ascites M	4											
	Ascites F	3											
27	Others of this class M	55	27	3	1			31					2
	Others of this class F	67	21	2	2	1	1	27					1
28	6. Diseases of the urinary system and male organs of generation.	1,963	35	13	10	7	9	74	37	24	39	63	84
29	Males	1,121	22	8	6	4	5	45	20	13	18	21	45
30	Females	842	13	5	4	3	4	29	17	11	21	42	39
31	Bright's disease M	848							17	9	15	20	39
	Bright's disease F	685							16	11	19	34	31
32	Calculus, urinary M	3								1			
	Calculus, urinary F	4											
33	Diseases of the kidney M	76	14	7	6	4	4	35	3		2		1
	Diseases of the kidney F	50	10	5	4	3	4	26			1		
34	Diseases of the bladder M	69											
	Diseases of the bladder F	11	1					1					
35	Others of this class M	125	8	1			1	10		3	1	1	5
	Others of this class F	92	2					2	1		1	8	8
36	7. Diseases of the female organs of generation	65		1				1			1	8	6
37	Ovarian tumors	9											
38	Ovarian diseases	1										1	
39	Diseases of the tubes	11											
40	Uterine tumors	13											2
41	Uterine diseases	6											
42	Others of this class	25		1				1			1	2	3
												5	1

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW JERSEY—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
167	219	156	176	188	232	247	254	233	237	172	84	27	[illegible]	7	1
89	139	95	97	103	123	122	120	104	108	71	38	4	3	4	2
78	[illegible]	61	79	85	109	125	134	129	129	101	46	23		3	3
				1											4
79	120	78	78	83	92	93	83	70	72	42	22	2	1	3	5
64	65	51	62	60	86	92	98	82	85	72	29	10		2	
		1		1			3								6
				1	1	1		1			1				
1	6	6	6	9	13	14	15	22	20	19	10	2	2		7
7	[illegible]	2	[illegible]	11	7	23	25	33	34	17	11	11			
3	3	5	7	3	5	3	6	2	3						8
1	4	2	4	3	2	1	3		3						
1		1			2	3	1	3		1	1			1	9
	1	2	1	3		2	4		1	2					
5	10	4	[illegible]	7	11	9	12	7	13	9	5				10
[illegible]	7	4	6	6	13	6	4	13	6	10	5	2		1	
95	103	110	92	85	110	101	103	91	70	56	18	4	[illegible]	4	11
28	44	51	52	50	50	67	51	40	27	24	6	3	1	1	12
67	59	59	40	35	60	34	52	51	43	32	12	1	1	[illegible]	13
															14
		1	1							1					15
		1									1				
3	8	5	9	9	7	12	19	14	8	7	[illegible]	2	1		16
6	7	11	6	8	10	6	8	13	16	10	5	1	1		
1	4	3	5	3	1	5		2	3	1					17
3	2	3	5		2			4	1		1				
1	1	4	6	1	2	2	2	2	2	1	1				18
3	3	5	3	1	12	5	8	7	5	5				1	
5	4	4	1	3		1	3	1							19
[illegible]	4	3	4	2	4	2	5								
2	4		[illegible]	2	3	6	2	[illegible]	1	4					20
1	2	[illegible]	4	2	2	4	7	4	2	2					
1		1		3	1			2		4		1			21
	1	2	1	1	2			2	1		1				
				1	3	2	3	1	1					1	22
1	1	1		2	1		1	2	1	1					
		1	[illegible]			2	1	2	1						23
1	1	1	1		3	4	2	4		2	1				
10	[illegible]	24	12	21	20	28	14	8	6	2	1				24
12	11	12	9	11	12	5	8	5	9	5	3			1	
5	12	7	7	6	11	5	6	[illegible]		1					25
30	27	14	5	4	9	7	4	3	3	2					
			1	1		1			1						26
								1	1	1					
	2	1	1		2	3	1	3	4	3	2				27
2		[illegible]	2	4	3	1	9	6	4	4				1	
91	137	147	125	146	154	211	190	186	131	77	39	4	2	2	28
41	69	84	64	90	81	132	116	115	88	48	27	3		1	29
50	68	63	61	56	73	79	74	71	43	29	12	1	2	1	30
37	53	75	53	77	65	108	91	83	63	28	13	2			31
44	46	56	52	52	66	65	65	62	36	21	6	1	1	1	
						1	1								32
		1		1		1				1					
1	[illegible]	[illegible]	3	2	3	2	6	3	5	1	2	1			33
1	4	2	1		2	2	3	2	1	4	1				
	2	1	2	[illegible]	7	7	11	16	8	5	4				34
	1				1		1	1	2	1	3				
3	11	5	[illegible]	5	[illegible]	14	7	13	12	14	8			1	35
5	17	4	8	3	4	11	5	6	4	2	2		1		
11	11	6	6	5	3	2	1	3		1					36
			2	2	1		1	2							37
1															38
5	4														39
	2	3	2	1	1	2		1		1					40
															41
[illegible]	5	3	2	2	1										42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW JERSEY—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		238									10	52	63
2	Abortion		6										1	2
3	Childbirth		61									1	7	15
4	Puerperal septicemia		112									4	31	34
5	Extra-uterine pregnancy		5										2	
6	Others of this class		54									5	11	12
7	9. Diseases of the bones and joints		62	9	2				11	2	6	8	4	8
8	Males		37	6	1				7	1	5	6	2	2
9	Females		25	3	1				4	1	1	2	2	1
10	Diseases of the spine	M	11	3					3	1	2	1	1	
		F	6	1					1				1	
11	Abscess, lumbar and psoas	M	1										1	
		F												
12	Diseases of the bones	M	15	2	1				3		1	4		1
		F	11	2	1				3	1	1	1		1
13	Diseases of the hip-joint	M	8	1					1		2	1		1
		F	1									1		
14	Others of this class	M	2											
		F	7										1	
15	10. Diseases of the skin		39	10	2				12	1		1		
16	Males		26	7					7	1				
17	Females		13	3	2				5			1		
18	Abscess	M	9	1					1	1				
		F	8	2	1				3			1		
19	Carbuncle	M	8											
		F	1											
20	Others of this class	M	9	6					6					
		F	4	1	1				2					
21	11. Diseases of the absorbent system		17	2	1		1		4		1		2	2
22	Males		10	2			1		3				2	1
23	Females		7		1				1		1			1
24	Addison's disease	M	3										1	
		F	1											
25	Diseases of the spleen	M	3				1		1				1	1
		F	2											1
26	Others of this class	M	4	2					2					
		F	4		1				1		1			
27	12. Accidents and injuries		1,720	106	32	34	32	29	233	93	73	95	150	157
28	Males		1,311	70	16	20	21	12	139	61	56	78	129	124
29	Females		409	36	16	14	11	17	94	32	17	17	21	33
30	Burns and scalds	M	74	2	8	14	13	3	40	1	3	1	3	2
		F	114	2	9	6	9	14	43	21	6	4	2	3
31	Drowning	M	208	4	4	2	2	1	13	26	24	13	21	18
		F	20	1		1	1		3	2	2		1	
32	Exposure and neglect	M	9	3					3					
		F	2											
33	Gunshot wounds	M	43								7	4	4	5
		F	7								1		2	1
34	Homicide	M	12									1	3	
		F	4									1		1
35	Infanticide	M	2	2					2					
		F												
36	Injuries by machinery	M	3									2		
		F												
37	Railroad accidents	M	309			2	1	3	6	10	10	20	45	34
		F	44	4	1			1	6	2	3	3	6	6
38	Suffocation	M	62	31		1		1	33	2			3	2
		F	36	17	2			1	20	3		1	2	2
39	Suicide by shooting	M	52									2	5	2
		F	1											
40	Suicide by drowning	M	6										1	
		F	3										1	
41	Suicide by poison	M	43										12	4
		F	21									4	4	5
42	Other suicides	M	39									3		2
		F	7										1	3
43	Sunstroke	M	29	5					5	2		2		5
		F	17	6	1				7	1				1
44	Surgical operations	M	6											4
		F	12											
45	Wounds	M	17							2		2	1	3
		F	2		1				1					
46	Others of this class	M	397	23	4	1	5	4	37	18	12	28	30	47
		F	119	6	2	4	1	1	14	3	5	4	2	7

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW JERSEY—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
45	37	25	4						1					1	1
	1	1							1						2
14	13	8	2											1	3
18	12	11	2												4
2	1														5
11	10	5													6
3	1	1	5	5	1	2	4	3	2	1					7
2	1		2	3	1		2	1	2						8
1		1	3	2		2	2	2		1					9
				2			1								10
			2	1			1								
															11
			1	1			1	1	2						12
1			1					1		1					
2					1										13
	1		1												14
		1		1		2	1	1							
2		4	2	1	3	3	4		3	1	2				15
2		3	2		2	2	3		2	1	1				16
		1		1	1	1	1		1		1				17
1		2	1		1	1	1								18
		1				1	1		1						
1		1			1	1	2		2						19
				1											
			1							1	1				20
					1						1				
	1	1		1	1	1	2		1						21
	1	1			1		1								22
				1		1	1		1						23
	1				1										24
									1						
						1									25
		1					1								26
				1			1								
135	148	120	107	85	68	64	60	42	33	19	16	2		20	27
111	129	107	88	64	58	48	45	28	18	6	5	1		16	28
24	19	13	19	21	10	16	15	14	15	13	11	1		4	29
2	5	5		1	2	1	4	2		2					30
6	5	2		5		5	4	3	3		1			1	
13	19	18	10	8	3	3	7	4	3					5	31
3	2		2	3	1		1								
	2	1	2							1					32
			1							1					
5	5	2	3	4	1	1								2	33
1	1		1												
3	3			1			1								34
1			1												
															35
		1													36
31	39	27	22	18	16	9	6	3	3		2			8	37
3	1	2	8	3	1	2	1	1	1						
1	5	1	3	3	4	3	1							1	38
1		1		1	1	1	1							2	
6	5	7	7	4	6	4	3								39
	1														
2	2			1											40
			1			1									
4	2	3	4	6	2	2	3	1							41
2	1	1	2					1		1					
4	4	5	2	1	5	4	4	4			1				42
			1	1		1									
6	2	2	3						2						43
		3	1	1		1	1	1							
1	1	1	1		2										44
3	2		1	1	1										
1	1	2	1	1		2	1								45
					1										
32	34	32	30	16	17	19	15	14	10	3	2	1			46
4	6	4	5	6	5	5	7	8	11	11	10	1		1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW JERSEY—GROUP 1.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	25,352	5,706	1,509	675	411	306	8,607	817	399	567	880	1,083
2	Males	13,535	3,301	771	361	200	141	4,774	435	207	289	445	562
3	Females	11,817	2,405	738	314	211	165	3,833	382	192	278	435	521
4	Unknown cause	142	38	7	3	2		50	8	3	2	2	5
5	Males	76	25	3	2	1		31	3	1	1	2	3
6	Females	66	13	4	1	1		19	5	2	1		2
	1. General diseases.												
7	General diseases—A	4,210	1,561	502	233	153	127	2,576	318	90	69	93	89
8	Males	2,209	874	251	114	77	69	1,385	170	46	33	49	54
9	Females	2,001	687	251	119	76	58	1,191	148	44	36	44	35
10	Measles M	91	25	35	9	5	3	77	10	3			
	Measles F	84	18	36	11	4	4	73	6	2		2	
11	Scarlet fever M	96	5	11	18	13	9	56	30	5	3	1	1
	Scarlet fever F	94	1	12	15	20	12	60	24	3	1	2	1
12	Diphtheria M	268	19	35	36	30	39	159	80	19	2	2	2
	Diphtheria F	253	8	35	48	30	26	147	81	16	4	2	
13	Whooping cough M	128	65	36	12	8	3	124	1				
	Whooping cough F	113	54	31	11	5	3	104	5	1			
14	Malarial fever M	45	8	1	1			10	1	1		4	1
	Malarial fever F	45	4	2	3	1	1	11	3	3	3	3	4
15	Influenza M	139	9	3	1	1		14	6		2	1	6
	Influenza F	173	8	2	1	2	1	14	2	1	3	6	3
16	Typhoid fever M	167	3		2	1	2	8	13	9	22	31	28
	Typhoid fever F	120			1	1	2	4	7	8	17	13	15
17	Cholera morbus M	44	11	1	3	1		16	2	1			1
	Cholera morbus F	30	7	3	1	1		12					1
18	Colitis M	31	16		1	1		18	2			1	
	Colitis F	27	9	6	1	1	1	18					
19	Diarrhea M	75	39	7	2		1	49	1			1	
	Diarrhea F	70	24	7	1			32	4	3		1	
20	Dysentery M	62	9	6	4	1	1	21	5	1			1
	Dysentery F	77	7	13	2	4	1	27				1	1
21	Enteritis M	479	305	61	13	8	5	392	6	4		4	1
	Enteritis F	408	247	50	8	4	3	312	6	1		5	1
22	Cholera infantum M	358	300	46	10	1	1	358					
	Cholera infantum F	306	246	46	11	1	2	306					
23	Fever M	2											
	Fever F	1											
24	Cerebro-spinal fever M	57	20	6	2	3	3	34	10	2	2	1	2
	Cerebro-spinal fever F	42	13	5	3	1	1	23	7	4	4		
25	Smallpox M	3	1	1				2					
	Smallpox F	2										1	
26	Erysipelas M	46	18	1				19					2
	Erysipelas F	40	18					18			1	2	
27	Septicemia M	62	10	1		2	2	15	1		2	3	3
	Septicemia F	69	11	3	1	1		16	2	2	3	6	7
28	Venereal diseases M	11	7			1		8					
	Venereal diseases F	13	10					10					1
29	Others of this group M	45	4			1		5	2	1			1
	Others of this group F	34	2		1		1	4	1				1
30	General diseases—B	421	258	12	8	5		283	1	2	4	12	8
31	Males	262	146	7	5	4		162		2	1	5	5
32	Females	159	112	5	3	1		121	1		3	7	3
33	Alcoholism M	60										1	2
	Alcoholism F	12											1
34	Parasitic diseases M	1			1			1					
	Parasitic diseases F												
35	Lead poison M	5											
	Lead poison F												
36	Other poisons M	42	2	5	2	4		13		1	1	4	3
	Other poisons F	26	4		2	1		7			3	5	2
37	Inanition M	154	144	2	2			148		1			
	Inanition F	121	108	5	1			114	1			2	
38	General diseases—C	1,926	1,304	77	16	4	4	1,405		2	1	2	1
39	Males	1,049	786	30	9	2	3	830		1	1		
40	Females	877	518	47	7	2	1	575		1		2	1
41	Old age M	188											
	Old age F	256											
42	Premature birth M	265	265					265					
	Premature birth F	177	177					177					
43	Malformation M	79	79					79					
	Malformation F	47	47					47					
44	Debility and atrophy M	459	384	30	9	2	3	428		1	1		
	Debility and atrophy F	369	267	47	7	2	1	324		1		2	1
45	Others of this group M	58	58					58					
	Others of this group F	28	27					27					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW JERSEY—GROUP 1.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,090	1,210	1,072	1,002	1,099	1,180	1,282	1,365	1,265	1,096	759	360	134	37	48	1
560	664	612	581	605	623	718	683	625	536	360	158	52	15	31	2
530	546	460	421	494	557	564	682	640	560	399	202	82	22	17	3
3	8	3	7	5	9	2	6	6	10	7	1			5	4
3	4	1	4	1	2	3	1	5	4	3	1			4	5
	4	2	3	4	7		5	1	6	4				1	6
84	73	68	58	69	80	93	103	125	92	68	40	13	4	5	7
37	33	37	34	34	40	46	53	64	33	31	20	4	6	8	8
47	40	31	24	35	40	47	50	61	59	37	20	9	1	2	9
1															10
	1														
															11
	1	1												1	
2		1					1								12
2						1									
2														1	13
3															
6	2	4	1	2	2	2	2	2	4		1				14
3	3	1	2		1	3		1	8	1					
6	4	5	6	6	7	9	21	20	3	12	8	2	1		15
4	5	6	4	8	17	20	18	22	19	9	10	2			
10	13	7	9	3	2	5	1	4	1					1	16
15	13	6	4	8	5	1	1	2	1						
1	1	2		3	3	4	3	5			1	1			17
	1	1	1		1	1	1	3	1	5	2				
		1		1	1		1	2	3	1					18
				2	1	1		1	2	1		1			
1	1			1		3	5	5	2	2	1	1	1	1	19
1	3		1		1		5	3	10	8	2	1			
1		4	3		2	2	7	6	1	3	4		1		20
1	1	2	1	5	2	3	4	9	6	7	4	2	1		
1	4	3	5	5	8	8	5	8	11	6	3				21
6	8	4	4	4	5	6	14	10	13	4	2	2		1	
															22
			1	1											23
								1							
2	1		1	1		1									24
		2	2												
				1											25
1															
	3	4	1	2	6	3	1	2	1	2					26
	2	1	2		1	5	1	4	1	2					
3	4	4	4	6	3	5	1	4	3	1					27
5	2	3	2	3	4	3	3	3	1	1					
1		1			1										28
		2													
		1	3	2	5	4	5	6	4	4	2				29
3		2	1	5	2	3	3	2	2	4		1			
16	15	18	12	12	13	12	8	8	1					1	30
15	12	13	11	10	10	8	5	2						1	31
1	3	5	1	2	3	4	3	1	1						32
11	9	8	8	8	4	5	3	1							33
1	2	4	1	1		1	1								
															34
2	1	1		1											35
2	2	4	3	1	5	1	1	1							36
	1	1		1	2	2	1	1							
						1	2	1						1	37
						1	1	1	1						
	5	4	1	6	7	21	31	59	95	130	83	52	19	2	38
	2	2		4		13	10	31	40	57	32	20	5	1	39
	3	2	1	2	7	8	21	28	55	73	51	32	14	1	40
						8	8	30	35	52	80	20	5		41
						7	19	23	47	68	49	29	14		
															42
															43
	2	2		4		5	2	1	5	5	2			1	44
	3	2	1	2	6	1	2	5	8	5	2	3		1	
															45
					1										

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW JERSEY—GROUP 1—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		4,062	179	59	28	16	20	302	47	50	183	350	446
2	Males		2,074	100	31	20	7	11	169	25	14	84	175	225
3	Females		1,988	79	28	8	9	9	133	22	36	99	175	221
4	Anemia	M	21	1					1			1	2	
		F	39	1	1		1	1	4			1	3	2
5	Diabetes	M	49	1			1	1	3		2			3
		F	60							1	1	2	1	1
6	Rheumatism	M	22	1					1	2		1		1
		F	29	2					2	1	1	2	1	1
7	Scrofula and tabes	M	20	5	1	1			7				2	2
		F	15	2	1	1		1	5			2		2
8	Hydrocephalus	M	104	50	16	10	4	5	85	6		4	1	2
		F	85	42	17	3	6		68	9	2		1	1
9	Tuberculosis, general	M	26	7		1			8	2	1		1	4
		F	18	4	1		1		6	1		1	2	
10	Consumption	M	1,493	27	12	5	2	2	48	10	8	75	165	209
		F	1,197	19	5	3	1	6	34	8	31	90	164	202
11	Cancer	M	262					1	1	1	1	1		4
		F	452	2		1			3			1	1	8
12	Tumor	M	35			3		1	4	1	1	1	2	
		F	47		1				1	1	1		2	1
13	Dropsy	M	25								1	1	1	
		F	30	1					1	1				1
14	Others of this group	M	17	8	2			1	11	8			1	
		F	16	6	2			1	9					2
15	2. Diseases of the nervous system		3,661	887	250	107	64	36	1,344	90	45	45	36	57
16	Males		1,939	509	125	59	29	14	736	48	32	23	14	26
17	Females		1,722	378	125	48	35	22	608	42	13	22	22	31
18	Inflammation of the brain	M	17	4	2	2			8	1		1	1	
		F	29	2	3	3	2		10	4	1	1	1	1
19	Meningitis	M	397	132	69	41	15	9	266	33	9	7	3	7
		F	323	121	67	27	17	11	243	19	6	5	7	9
20	Apoplexy	M	572	15	4		2		21	2		3	5	5
		F	563	13	1	1	2		17	4		3	4	4
21	Paralysis	M	238	5	1		1		7		1			1
		F	234	1	1		1	3	6	2		2	1	1
22	Paralysis, general (of insane)	M	29											1
		F	13											
23	Tetanus and trismus nascentium	M	57	29					29	1	15	3		1
		F	20	16					16		1		1	1
24	Chorea	M	1									1		
		F	1											
25	Epilepsy	M	25		1				1		2	4	1	3
		F	15									3		2
26	Convulsions	M	376	286	43	13	9	3	354	7	2	1	1	1
		F	316	202	47	15	11	6	281	9		8	4	5
27	Mental diseases	M	19											
		F	33									1		2
28	Diseases of the brain	M	139	33	5	3	2	1	44	4	3	2	2	5
		F	121	20	6	2	2	2	32	3	4	2	1	2
29	Diseases of the spinal cord	M	37	4					4			1	1	
		F	25	2					2	1		1	1	1
30	Locomotor ataxia	M	21	1					1					
		F	5											
31	Others of this class	M	11					1	1					2
		F	24	1					1		1	1	2	3
32	3. Diseases of the circulatory system		2,165	162	11	2	6	4	185	43	49	49	52	59
33	Males		1,111	87	7	1	3		98	20	17	28	23	29
34	Females		1,054	75	4	1	3	4	87	23	32	21	29	30
35	Pericarditis	M	11	1			1		1		2	1	1	1
		F	18							2	2	1		1
36	Diseases of the heart	M	983	64	6	1	2		73	20	15	27	22	28
		F	953	59	4	1	3	4	71	21	29	20	24	28
37	Angina pectoris	M	52											
		F	42								1		4	
38	Diseases of the arteries	M	29											
		F	18											
39	Aneurism	M	8											
		F	4											
40	Embolism	M	4	1					1					
		F	2											1
41	Others of this class	M	24	22	1				23					
		F	17	16					16				1	

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW JERSEY—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
393	401	314	268	286	260	231	211	158	99	39	18	3		3	1
212	216	175	147	137	138	113	100	74	44	15	7	2		2	2
181	185	139	121	149	122	118	111	84	55	24	11	1		1	3
		1	2	8	2	2	2	3	1		1				4
3	6	1	2	2	6	3	1	2	2	1					
2		5	7	7		7	5	4	2	1					5
3	3	3	2	5	9	4	12	5	3	1	3				
1	1	1	2	1	2	3	4		2						6
2	5	1		4		2	2	3			1	1			
2	1		1		1	1	1	1	1						7
2		2				1				1					
3	1	1	1												8
1		1		1				1							
1	2	1		4		1			1						9
2	1		1	2			2								
201	205	146	113	86	85	53	48	23	12	4		1		1	10
150	138	85	53	60	43	41	46	28	14	5	4			1	
2	5	15	16	30	39	41	34	38	21	8	3	1		1	11
11	28	40	57	70	58	55	42	36	27	13	2				
		4	3	4	6	2	3	2	1	1					12
5	3	5	3	3	3	9	3	4	3						
	1		2	1	3	3	2	3	3	1	3				13
2	1	1	3	1	3	2	2	4	4	3	1				
		1		1											14
						1	1	1	1						
66	80	91	146	153	206	233	293	289	243	146	59	29	5	5	15
38	41	55	88	81	98	130	149	141	119	77	22	14	3	4	16
28	39	36	58	72	108	103	144	148	124	69	37	15	2	1	17
2	1							3							18
1		2		2	2	1	1	2							
6	11	8	16	7	5	6	4	4	2	2		1			19
3	5	2	4	5	3	4	3	3	2						
11	9	28	39	46	53	72	82	70	70	37	10	5	2	2	20
9	16	12	38	38	72	62	85	78	63	36	14	6	2		
4	5	3	15	12	12	34	32	45	30	25	9	2			21
2	2	3	6	11	17	21	33	42	42	25	14	3		1	
2	1	2	1	1	5		4	4	2	4		1			22
2	1						2	2	3		2	1			
3	1			1	2	1									23
								1							
															24
									1						
1	2	2	3	1		1	3	1							25
	2	2		4	1	1									
1	3		2	1				1				1		1	26
4	3	2	1	1			1	1		1					
1	1	1		3	2	2	4	2	1	2					27
	1	2	2	2	3	1	8	4	3	1	1	2			
5	4	5	4	7	10	6	10	7	9	5	2	3	1	1	28
3	6	8	5	4	5	11	7	10	7	3	5	3			
	1	3	4	1	2	5	5	4	4	2					29
1	1	1	1	4	4	2	1	2	1	1					
	2	2	4		4	2	5		1						30
		1			1		1		1	1					
2				1	3	1					1				31
3	2	1	1	1			2	3	1	1	1				
74	100	108	104	153	178	206	231	205	195	111	44	9	3	7	32
31	50	44	50	89	94	121	115	101	114	57	21	4	1	4	33
43	50	64	54	64	84	85	116	104	81	54	23	5	2	3	34
	1	2	1				1								35
2	1	3			2	1	1	2							
28	43	39	44	81	87	107	107	89	96	47	21	4	1	4	36
40	48	57	46	61	79	75	108	93	72	50	22	5	1	3	
2	4	1	3	7	5	9	4	5	9	3					37
	1	2	8	2	2	7	4	5	4	2					
	1		2			4	3	5	9	5					38
		1			1	2	1	4	5	2	1		1		
1	1	2		1	1	1		1							39
		1		1			2								
					1			1		1					40
1															
										1					41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW JERSEY—GROUP 1—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	4,263	1,007	518	229	118	71	1,943	169	41	64	64	108
2	Males	2,272	586	278	124	53	26	1,067	88	17	33	40	68
3	Females	1,991	421	240	105	65	45	876	81	24	31	24	40
4	Croup M	111	6	26	28	17	8	85	25				1
	Croup F	92	9	17	18	10	12	66	22	3			
5	Pneumonia M	1,560	340	195	80	30	15	660	50	14	24	31	57
	Pneumonia F	1,341	245	167	71	42	21	546	45	18	24	17	32
6	Laryngitis M	21	6	1	1	2		10	5	1		1	
	Laryngitis F	22	3	2	3	5		13	4			1	
7	Bronchitis M	335	153	46	10	8	2	214	3	1		1	3
	Bronchitis F	354	117	47	10	5	9	188	6	1	2	2	2
8	Pleurisy M	48	1	5	2			8			3	3	3
	Pleurisy F	29	1	1	1		1	4	1	1	2	1	1
9	Asthma M	11							1		1		
	Asthma F	14	1					1	1				1
10	Others of this class M	186	80	5	3	1	1	90	4	1	5	4	4
	Others of this class F	139	45	6	2	3	2	58	2	1	3	3	4
11	5. Diseases of the digestive system	1,320	184	33	16	12	14	259	39	29	44	55	65
12	Males	617	104	18	6	6	7	141	20	13	17	21	26
13	Females	703	80	15	10	6	7	118	19	16	27	34	39
14	Dentition M	8	3	4	1			8					
	Dentition F	15	8	6			1	15					
15	Angina M	14	2	2	1		1	6	3	1			1
	Angina F	13	1		3	1		5	5				1
16	Gastritis M	116	20	3		2	2	27	1		1	1	2
	Gastritis F	130	19	4	1	1	2	27	1	3	3	4	7
17	Diseases of the stomach M	31	2				1	3			1	1	3
	Diseases of the stomach F	28	2	1				3	1		1	2	
18	Obstruction of the bowels M	45	15	1		1		17	1	1	2	3	2
	Obstruction of the bowels F	58	5			1	1	7	2		1	2	3
19	Appendicitis M	30							5	2	4	9	8
	Appendicitis F	49	1					1	4	7	5	2	4
20	Hernia M	32	3	1				4			3		
	Hernia F	21									1		
21	Other diseases of the bowels M	20	6	1		1		8		1			
	Other diseases of the bowels F	22	7	1				8	1		2		1
22	Jaundice M	28	19					19					1
	Jaundice F	18	8		1			9					2
23	Inflammation and abscess of the liver. M	14							1	3		1	1
	Inflammation and abscess of the liver. F	24	3					3	1				1
24	Other diseases of the liver M	134	5	2				7			1		3
	Other diseases of the liver F	97	3					3	1			1	3
25	Peritonitis M	92	9	1	3	2	3	18	9	5	5	5	3
	Peritonitis F	165	6	1	3	2	2	14	3	6	14	23	16
26	Ascites M	3											
	Ascites F	3											
27	Others of this class M	41	20	3	1			24					2
	Others of this class F	60	17	2	2	1	1	23					1
28	6. Diseases of the urinary system and male organs of generation.	1,529	27	13	8	7	8	63	32	19	31	50	69
29	Males	883	16	8	5	4	5	38	17	10	15	15	39
30	Females	646	11	5	3	3	3	25	15	9	16	35	30
31	Bright's disease M	662							15	7	14	14	34
	Bright's disease F	524							14	9	15	27	24
32	Calculus, urinary M	2											
	Calculus, urinary F	2											
33	Diseases of the kidney M	58	10	7	5	4	4	30	2		1		1
	Diseases of the kidney F	38	9	5	3	3	3	23					
34	Diseases of the bladder M	57											
	Diseases of the bladder F	9	1					1					
35	Others of this class M	104	6	1			1	8		3		1	4
	Others of this class F	73	1					1	1		1	8	5
36	7. Diseases of the female organs of generation	52									1	7	5
37	Ovarian tumors	7											
38	Ovarian diseases											1	
39	Diseases of the tubes	10											
40	Uterine tumors	11											2
41	Uterine diseases	6											
42	Others of this class	18									1	2	3
												4	

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW JERSEY—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
143	181	131	144	142	174	193	195	173	185	128	59	19	3	4	1
79	122	81	86	76	98	93	86	66	85	54	27	2	3	1	2
64	59	50	58	66	76	100	109	107	100	74	32	17		5	3
				1											4
70	106	68	68	59	72	60	58	48	54	33	16	1	1	1	5
51	50	42	49	45	61	70	81	65	65	53	18	7		2	
		1					3								
				1		1		1			1				6
1	5	4	6	7	12	11	13	12	17	15	6	1	2		7
7	1	2	4	10	7	20	20	28	26	11	9	8			
3	3	3	7	3	5	2	2	1	2						8
1	2	1	4	3	1	1	3		3						
1		1			2	3		1			1				9
	1	2		2		2	2		1	1					
4	7	4	5	7	7	8	10	4	12	6	4				10
5	5	3	1	4	7	6	3	13	5	9	4	2		1	
81	84	90	75	68	87	76	82	67	51	49	13	4	1	1	11
21	33	43	41	40	42	48	38	27	18	21	4	3			12
60	51	47	34	28	45	28	44	40	33	28	9	1	1	1	13
															14
		1	1							1					15
		1									1				
3	7	5	7	8	7	9	13	11	5	6	1	2			16
5	5	9	6	5	9	6	6	10	10	8	3	1	1		
	3	3	5	3	1	3		1	3	1					17
3	2	3	5		2			4	1		1				
	1	3	5	1	2	1	2	2		1	1				18
3	3	2		1	10	4	6	6	4	4					
3	1	2		2		1	2								19
7	1	3	4	1	3	2	5								
2	2		4	1	3	5	2	2	1	3					20
1	2	2	2	1	2	2	4		2	2					
		1		3	1			1		4		1			21
	1	2	1		2			2	1		1				
				1	3	1	2		1						22
	1	1		1			1	2		1					
		1	2			1	1	2	1						23
1		1	1		3	4	2	4		2	1				
8	9	21	10	14	16	23	12	4	4	1	1				24
10	11	9	8	11	7	5	8	4	8	5	2			1	
5	9	6	5	6	7	3	3	1		1					25
28	24	11	5	4	4	4	4	2	2	1					
			1	1					1						26
								1	1	1					
	1		1		2	1	1	3	2	3	1				27
2		3	2	4	3	1	8	5	4	4					
66	113	120	98	117	112	155	152	143	93	60	30	3	2	1	28
28	57	70	53	73	58	104	89	91	62	39	22	2		1	29
38	56	50	45	44	54	51	63	52	31	21	8	1	2		30
25	44	62	45	63	46	83	68	65	46	21	9	1			31
33	37	45	38	41	49	44	54	46	27	14	5	1	1		
						1	1								32
		1								1					
	3	3	2	1	2	2	5	2	1		2	1			33
1	2	2	1		1	1	3	1		3					
	2	1	2	4	5	6	9	13	6	5	4				34
	1				1		1	1	1	1	2				
3	8	4	4	5	5	12	6	11	9	13	7			1	35
4	16	2	6	3	3	6	5	4	3	2	1		1		
10	8	5	3	5	3	1		3		1					36
			1	2	1			2							37
															38
5	3														39
	1	3	2	1	1	1		1		1					40
															41
5	4	2		2	1										42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW JERSEY—GROUP 1—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	192									8	37	55
2	Abortion	5											2
3	Childbirth	55									1	7	15
4	Puerperal septicemia	81									2	18	29
5	Extra-uterine pregnancy	2										1	
6	Others of this class	49									5	11	9
7	9. Diseases of the bones and joints	46	7	1				8	2	5	8	3	2
8	Males	26	4					4	1	4	6	1	1
9	Females	20	3	1				4	1	1	2	2	1
10	Diseases of the spine M	8	2					2	1	1	1	1	
	Diseases of the spine F	5	1					1				1	
11	Abscess, lumbar and psoas M												
	Abscess, lumbar and psoas F												
12	Diseases of the bones M	11	2					2		1	3		
	Diseases of the bones F	9	2	1				3	1	1	1		1
13	Diseases of the hip-joint M	6								2	1		1
	Diseases of the hip-joint F	1									1		
14	Others of this class M	1											
	Others of this class F	5										1	
15	10. Diseases of the skin	29	9					9			1		
16	Males	19	7					7					
17	Females	10	2					2			1		
18	Abscess M	5	1					1					
	Abscess F	6	1					1			1		
19	Carbuncle M	7											
	Carbuncle F	1											
20	Others of this class M	7	6					6					
	Others of this class F	3	1					1					
21	11. Diseases of the absorbent system	10	2					2				1	1
22	Males	6	2					2				1	1
23	Females	4											
24	Addison's disease M	3										1	
	Addison's disease F	1											
25	Diseases of the spleen M	1											1
	Diseases of the spleen F	1											
26	Others of this class M	2	2					2					
	Others of this class F	2											
27	12. Accidents and injuries	1,324	81	26	25	24	22	178	68	64	57	116	113
28	Males	992	55	13	16	14	6	104	43	50	47	99	85
29	Females	332	26	13	9	10	16	74	25	14	10	17	28
30	Burns and scalds M	57	2	7	12	8	1	30	1	5	1	3	1
	Burns and scalds F	90	1	6	5	8	13	33	16	4	4	2	3
31	Drowning M	179	3	3	1	2	1	10	21	21	10	18	18
	Drowning F	17	1		1	1		3	2	2			
32	Exposure and neglect M	8	3					3					
	Exposure and neglect F	2											
33	Gunshot wounds M	29								5	8	3	1
	Gunshot wounds F	5										1	1
34	Homicide M	8									1	2	
	Homicide F	4									1		1
35	Infanticide M	2	2					2					
	Infanticide F												
36	Injuries by machinery M	2									1		
	Injuries by machinery F												
37	Railroad accidents M	224			2	1	1	4	7	9	15	31	25
	Railroad accidents F	34	4	1			1	6	2	3	1	6	4
38	Suffocation M	41	20				1	21				3	2
	Suffocation F	29	12	2			1	15	3			2	2
39	Suicide by shooting M	46									1	6	2
	Suicide by shooting F	1											
40	Suicide by drowning M	4											
	Suicide by drowning F	2										1	
41	Suicide by poison M	40										12	3
	Suicide by poison F	16									2	3	4
42	Other suicides M	31									1		2
	Other suicides F	6										1	3
43	Sunstroke M	24	4					4	2		2		4
	Sunstroke F	14	5	1				6					1
44	Surgical operations M	4											
	Surgical operations F	8											3
45	Wounds M	12							2		2	1	2
	Wounds F	2		1				1					
46	Others of this class M	281	21	3	1	3	2	30	10	12	10	20	25
	Others of this class F	102	5	2	8	1	1	10	2	5	2	1	6

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW JERSEY—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
36	31	19	4						1					1	1
	1	1							1						2
13	10	6	2											1	3
12	10	8	2												4
1															5
10	10	4													6
3			4	3		2	3	1	1	1					7
2			2	2			1	1	1						8
1			2	1		2	2			1					9
				2											10
			2				1								
															11
			1				1	1	1						12
1										1					
2															13
			1												14
				1		2	1								
1		4		1	2	3	4		2	1	1				15
1		3			1	2	3		1	1					16
		1		1	1	1	1		1		1				17
		2				1	1								18
		1				1	1		1						
1		1			1	1	2		1						19
				1											
										1					20
					1						1				
	1			1	1	1	1		1						21
	1				1										22
				1		1	1		1						23
	1				1										24
									1						
															25
						1									
															26
				1			1								
114	110	97	78	78	48	53	45	33	27	18	12	2		13	27
93	93	88	65	58	41	38	33	22	15	5	2	1		10	28
21	17	9	13	20	7	15	12	11	12	13	10	1		3	29
	5	4		1		1	3	2		2					30
5	5	2		5		4	2	2	1		1			1	
13	16	17	2	8	3	2	5	3	2					4	31
3	2		1	3			1								
	1	1	2							1					32
			1							1					
4	3	2	2	4										2	33
1	1		1												
2	2						1								34
1			1												
															35
		1													36
23	27	19	16	14	11	8	1	3	3		1			4	37
2			2	3		2	1	1	1						
1	3	1	1	3	2	3	1								38
1		1		1		1	1							2	
6	5	6	7	4	2	4	2								39
	1														
2	1			1											40
						1									
4	2	3	3	6	2	2	3								41
2	1	1	2							1					
4	2	5	2	1	4	2	4	3			1				42
				1		1									
5	1	2	3						1						43
		2	1	1		1	1	1							
1		1			2										44
2	1			1	1										
	1	1	1	1		1									45
					1										
28	24	25	20	15	14	15	10	11	9	2		1			46
4	6	3	4	5	5	5	6	7	10	11	9	1			

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW JERSEY—GROUP 2.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	7,383	1,586	364	155	94	64	2,263	215	121	178	270	336
2	Males	3,927	901	197	89	45	38	1,270	107	68	104	143	181
3	Females	3,456	685	167	66	49	26	993	108	53	74	127	155
4	Unknown cause	44	14	3		1	1	19	1			2	3
5	Males	19	6	1				7				1	1
6	Females	25	8	2		1	1	12	1			1	2
	1. General diseases.												
7	General diseases—A	1,284	439	123	65	45	25	697	92	40	20	41	32
8	Males	674	235	68	36	18	13	370	45	19	16	27	22
9	Females	610	204	55	29	27	12	327	47	21	4	14	10
10	Measles M	18	4	6	4		1	15	1				
	Measles F	13	2	3	2	2	1	10	3				
11	Scarlet fever M	23	1	3	4	7	1	16	3	1		1	
	Scarlet fever F	19			1	6	3	10	7		1		
12	Diphtheria M	86	4	7	10	10	9	40	30	10	3	1	
	Diphtheria F	71	4	7	8	11	7	37	24	4		3	
13	Whooping cough M	33	23	5	3			31	1	1			
	Whooping cough F	55	25	13	7	5		50	1	3			
14	Malarial fever M	14	3		1	1		5					
	Malarial fever F	2			2			2		1		1	
15	Influenza M	60	2	1	1			4			1	2	2
	Influenza F	71	3					3	1				1
16	Typhoid fever M	73	2					2	3	3	11	17	15
	Typhoid fever F	38							1	5	3	7	5
17	Cholera morbus M	11	2	2	2			6	1				
	Cholera morbus F	8	1	3				4		1			
18	Colitis M	4	1	1				2					
	Colitis F	8	1	2	1	1		5					
19	Diarrhea M	23	9	1				10					1
	Diarrhea F	21	8					8	2				1
20	Dysentery M	15	4	1	1			6		1			
	Dysentery F	18	4					4					
21	Enteritis M	133	92	19	3		1	115	1			1	
	Enteritis F	121	69	15	5		1	90	4				2
22	Cholera infantum M	88	71	13	4			88					
	Cholera infantum F	90	77	12	1			90					
23	Fever M	1											
	Fever F												
24	Cerebro-spinal fever M	24	6	7	3		1	17	4	1			
	Cerebro-spinal fever F	19	3		1	2		6	4	4		1	
25	Smallpox M	2										2	
	Smallpox F	1								1			
26	Erysipelas M	22	6	2				8			1		2
	Erysipelas F	13	7					7				1	
27	Septicemia M	26	3					3	1	2		2	2
	Septicemia F	18								2		1	1
28	Venereal diseases M	2	2					2					
	Venereal diseases F												
29	Others of this group M	16										1	
	Others of this group F	20			1			1					
30	General diseases—B	116	55	4	1			60			1	3	5
31	Males	66	28	2				30			1	1	3
32	Females	50	27	2	1			30				2	2
33	Alcoholism M	24											2
	Alcoholism F	5											
34	Parasitic diseases M	2	1	1				2					
	Parasitic diseases F												
35	Lead poison M												
	Lead poison F												
36	Other poisons M	12	1	1				2			1	1	1
	Other poisons F	14	1		1			2				2	2
37	Inanition M	28	26					26					
	Inanition F	31	26	2				28					
38	General diseases—C	602	389	11	1		2	403					2
39	Males	304	214	4			1	219					1
40	Females	298	175	7	1		1	184					1
41	Old age M	72											
	Old age F	104											
42	Premature birth M	77	77					77					
	Premature birth F	68	68					68					
43	Malformation M	15	15					15					
	Malformation F	10	10					10					
44	Debility and atrophy M	126	108	4			1	113					1
	Debility and atrophy F	100	81	7	1		1	90					1
45	Others of this group M	14	14					14					
	Others of this group F	16	16					16					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW JERSEY—GROUP 2.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
275	301	275	278	298	364	396	428	444	406	286	155	53	16	25	1
139	157	147	141	164	176	211	240	238	202	127	67	20	10	15	2
136	144	128	137	134	188	185	188	206	204	159	88	33	6	10	3
2	3	2	1	1	1	1	1	1	1	3		1		1	4
1	2		1	1	1	1	1		1					1	5
1	1	2						1		3		1			6
21	26	34	19	21	20	33	44	46	49	25	16	4	3	1	7
9	15	19	12	12	6	18	17	27	20	11	6	1	2		8
12	11	15	7	9	14	15	27	19	29	14	10	3	1	1	9
		1					1								10
2															11
			1												
			1	1											12
		1						1		1					
															13
		1													
2	1		1			1		3		1					14
					1	1									
1	1	3	3	1	3	5	3	12	6	4	3	1			15
	1	1	2	2	6	4	16	7	11	6	8	2			
4	3	5	2	2		2		1							16
5	1	5			1	4		1							
	1			1				2							17
	1							1		1					
				1				1							18
		1								1	1				
			1	1				3	3	2	1		1		19
			1	1			1	2	3	2					
	1	1	1			2	1	1		1					20
1	1	2	2		4	1	1		2						
		1	2	1	1	3	3	1	3	1					21
	2	1		1	1		7	3	7	2	1				
															22
		1													23
	1	1													24
1	2													1	
															25
	2	3		2				2	2						26
1	1	1		2											
	2	3	1		1	3	2		4						27
3	2	2	1	2		1	1	1	1						
															28
				2	1	2	2	1	2	2	2		1		29
1				1	1	4	1	3	5	1		1	1		
5	12	8	5	4	4	4		2		1	1		1		30
2	9	7	4	2	1	3		1		1	1				31
3	3	1	1	2	3	1		1					1		32
2	6	6	4	2		1					1				33
1	1			1	1	1									
															34
															35
	3	1			1	2									36
2	2		1	1	2										
								1		1					37
		1						1					1		
		1	2		2	4	11	22	42	53	34	20	5	1	38
		1	1		1	2	4	11	16	21	16	8	2	1	39
			1		1	2	7	11	23	32	18	12	3		40
						2	3	7	16	20	14	8	2		41
						2	6	10	25	30	16	12	3		
															42
															43
		1	1		1		1	4		1	2			1	44
			1		1		1	1	1	2	2				
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW JERSEY—GROUP 2—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		1,146	48	17	6	4	6	81	13	14	50	98	115
2	Males		548	33	10	4	1	3	51	4	7	21	44	55
3	Females		598	15	7	2	3	3	30	9	7	29	54	60
4	Anemia	M	14	3					3		1			1
		F	5									1		
5	Diabetes	M	30	1					1	1	1		2	1
		F	17							1				
6	Rheumatism	M	16		1				1		1	1		1
		F	13								1		2	1
7	Scrofula and tabes	M	4	1	1				2			2		
		F												
8	Hydrocephalus	M	21	11	4	4	1		20					
		F	20	10	5		2		17	2			1	
9	Tuberculosis, general	M	2	1					1					
		F	1											1
10	Consumption	M	337	9	3			3	15		3	18	42	50
		F	365	4	1	1	1	1	8	6	6	28	48	57
11	Cancer	M	88							1				1
		F	147										1	1
12	Tumor	M	15	1					1		1			1
		F	17					1	1				1	
13	Dropsy	M	13	1	1				2	1				
		F	9			1			1				1	
14	Others of this group	M	8	5					5	1				
		F	4	1	1			1	3					
15	2. Diseases of the nervous system		1,140	234	80	21	7	9	351	22	20	9	12	28
16	Males		621	139	47	11	6	6	209	10	11	6	7	17
17	Females		519	95	33	10	1	3	142	12	9	3	5	11
18	Inflammation of the brain	M	8			1		1	2		1	1		1
		F	6							2				
19	Meningitis	M	117	37	26	5	2		70	7	5	2		5
		F	72	21	17	7		3	48	6	6	2		1
20	Apoplexy	M	162	1					1		1	1	2	2
		F	173			1			1	1				2
21	Paralysis	M	79				1		1	1	1	1		
		F	81	1	1				2					1
22	Paralysis, general (of insane)	M	23											2
		F	8											
23	Tetanus and trismus nascentium	M	12	4					4	1	2	1	2	
		F	5	3					3					1
24	Chorea	M	1											
		F	3							1	1	1		
25	Epilepsy	M	13	3					3					1
		F	8								1			1
26	Convulsions	M	111	82	18	4	2	2	108	1	1			
		F	82	64	10	2	1		77	1	1			1
27	Mental diseases	M	25										1	
		F	29										2	1
28	Diseases of the brain	M	48	12	1		1	2	16					3
		F	42	5	5				10	1			3	2
29	Diseases of the spinal cord	M	9		2	1		1	4					
		F	4	1					1					1
30	Locomotor ataxia	M	6										1	
		F												
31	Others of this class	M	7										1	
		F	6											
32	3. Diseases of the circulatory system		646	34	2	1		1	38	10	10	13	13	20
33	Males		322	22	2	1		1	26	6	3	6	4	10
34	Females		324	12					12	4	7	7	9	10
35	Pericarditis	M	1											
		F	2									1		
36	Diseases of the heart	M	282	12	2	1		1	16	6	3	6	4	9
		F	301	11					11	4	7	6	8	9
37	Angina pectoris	M	18											1
		F	15										1	1
38	Diseases of the arteries	M	7											
		F	5											
39	Aneurism	M	3											
		F												
40	Embolism	M	1											
		F												
41	Others of this class	M	10	10					10					
		F	1	1					1					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW JERSEY—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
107	84	77	64	79	75	71	73	66	35	28	10	3	1	2	1
53	32	40	37	38	31	31	37	29	16	16	3	1	1	1	2
54	52	37	27	41	44	40	36	37	19	12	7	2		1	3
1				2	1	1	2		2						4
	1			1			2								
3		2	2	3	4	3	1	1		4			1		5
			1	2	2	4	2	3	2						
		2		1	1	1		5		1	1				6
	1			2	1	1		2	2						
															7
1															8
				1											9
45	29	24	29	22	14	13	12	12	6	2				1	10
44	44	27	14	15	14	18	13	12	7	1	3				
2	2	9	3	9	7	11	16	10	6	8	2	1			11
8	6	10	10	17	22	14	18	17	8	10	2	2		1	
	1	2	2		2		4		1						12
1			2	2	5	1	1	2		1					
		1			2	2	2	1	1	1					13
1				2		1		1			2				
1			1												14
						1									
27	25	23	39	52	66	76	87	93	98	64	28	11	4	5	15
16	14	14	17	29	36	44	50	47	48	28	8	5	3	2	16
11	11	9	22	23	30	32	37	46	50	36	20	6	1	3	17
1							1		1						18
				1				2				1			
5	1	2	4		3	1	5	3	2	3					19
2			2		1		1		2			1			
5	2	2	4	13	17	27	24	23	22	8	1	4	1	2	20
1	2	7	11	16	19	24	18	21	24	11	11	2	1	1	
	1		1	6	7	9	7	12	15	9	6	1	1		21
	3		3	3	4	3	7	12	14	18	8	1		2	
3	3	6	2	3	2		1		1						22
1			1		1		2	1	1	1					
	1	1													23
					1										
								1							24
	2		1			1	1			1					25
1	2						2	1							
							1								26
1				1											
	1	2	1	2	3	1	2	4	5	3					27
1	3		3	1	4	2	3	4	1	4					
1	2		3	2	3	3	4	4	2	4	1				28
2	1	2	2			3	3	4	3	1	1	1			
1	1			1			1						1		29
							1	1							
			1	1	1	2									30
		1	1	1			3								31
2				1					2	1					
18	22	26	37	40	51	60	76	76	64	43	22	5	1	1	32
9	8	10	11	21	25	26	43	42	33	20	11	2	1		33
9	14	16	26	19	26	34	33	34	26	23	11	3		1	34
									1						35
									1						
8	7	8	10	18	24	21	41	38	33	16	11	2	1		36
8	14	15	25	18	25	32	31	30	23	20	11	3		1	
1	1	2		3		4	1	2	1	2					37
1		1	1		1	2	2	2	1	2					
						1	1	2	2	1					38
				1				2	1	1					
			1		1				1						39
										1					40
															41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW JERSEY—GROUP 2—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	1,118	284	107	47	25	10	473	37	8	17	23	32
2	Males	592	160	58	30	12	7	267	16	5	12	16	14
3	Females	526	124	49	17	13	3	206	21	2	5	7	18
4	Croup M	22	1	6	5	4	2	19	3				
	Croup F	16	2	3	2	3	2	12	4				
5	Pneumonia M	406	90	36	18	7	5	156	11	6	10	15	14
	Pneumonia F	361	71	32	9	9		121	14		4	5	18
6	Laryngitis M	4	1	1				2	1				
	Laryngitis F	3	2	2	1			5					
7	Bronchitis M	97	48	11	4	1		64			1		
	Bronchitis F	95	43	9	3	1		56	1			1	
8	Pleurisy M	13	1		2			3			1		
	Pleurisy F	8	1	1				2	1	1			
9	Asthma M	5											
	Asthma F	5											
10	Others of this class M	45	19	4				23	1			1	
	Others of this class F	35	5	2	2		1	10	1	1	1	1	
11	5. Diseases of the digestive system	365	53	5	2	3	2	66	9	13	20	13	29
12	Males	202	41	1	2		1	45	4	12	8	5	12
13	Females	163	12	5		3	1	21	5	1	12	8	17
14	Dentition M	3	3					3					
	Dentition F	4		3		1		4					
15	Angina M												
	Angina F												
16	Gastritis M	39	11	1	1			13		1			3
	Gastritis F	31	2	1		1	1	5				1	2
17	Diseases of the stomach M	9	2					2			1		1
	Diseases of the stomach F	2											2
18	Obstruction of the bowels M	9	1		1			2					1
	Obstruction of the bowels F	24	5	1				6	1		1		1
19	Appendicitis M	26							1	5	4	3	2
	Appendicitis F	15							1		3	2	3
20	Hernia M	13	4					4			1	1	
	Hernia F	14										1	
21	Other diseases of the bowels M	4	1					1	1				
	Other diseases of the bowels F	3	1					1	1				
22	Jaundice M	11	7					7					
	Jaundice F	5										1	
23	Inflammation and abscess of the liver. M	2											
	Inflammation and abscess of the liver. F	1											
24	Other diseases of the liver M	36	2				1	3					1
	Other diseases of the liver F	14											
25	Peritonitis M	35	3					3	2	6	2	1	4
	Peritonitis F	43				1		1	2	1	8	3	9
26	Ascites M	1											
	Ascites F												
27	Others of this class M	14	7					7					
	Others of this class F	7	4					4					
28	6. Diseases of the urinary system and male organs of generation.	434	8		2		1	11	5	5	8	13	15
29	Males	238	6		1			7	3	3	3	6	6
30	Females	196	2		1		1	4	2	2	5	7	9
31	Bright's disease M	186							2	2	1	5	5
	Bright's disease F	161							2	2	4	7	7
32	Calculus, urinary M	1								1			
	Calculus, urinary F	2											
33	Diseases of the kidney M	18	4		1			5	1		1		
	Diseases of the kidney F	12	1		1		1	3			1		
34	Diseases of the bladder M	12											
	Diseases of the bladder F	2											
35	Others of this class M	21	2					2			1		1
	Others of this class F	19	1					1					2
36	7. Diseases of the female organs of generation	13		1				1				1	1
37	Ovarian tumors	2											
38	Ovarian diseases	1											
39	Diseases of the tubes	1											
40	Uterine tumors	2											
41	Uterine diseases												
42	Others of this class	7		1				1				1	1

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW JERSEY—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
24	38	25	32	46	58	54	59	60	52	44	25	8		3	1
10	17	14	11	27	25	29	34	38	23	17	11	2		1	2
14	21	11	21	19	33	25	25	22	29	27	14	6			3
															4
9	14	10	10	24	20	24	25	22	18	9	6	1		2	5
13	15	9	13	15	25	22	17	17	20	19	11	3			
				1											6
					1										
		2		2	1	3	2	10	3	4	4	1			7
	2		2	1		3	5	5	8	6	2	3			
		2				1	4	1	1						8
	2	1			1										
							1	2		1				1	9
			1	1			2			1					
1	3		1		4	1	2	3	1	3	1				10
1	2	1	5	2	6		1		1	1	1				
14	19	20	17	17	23	25	21	24	19	7	5		1	8	11
7	11	8	11	10	8	19	13	13	9	3	2		1	1	12
7	8	12	6	7	15	6	8	11	10	4	3			2	13
															14
															15
	1		2	1		3	6	3	3	1	1		1		16
1	1	2		3	1		2	3	6	2	2				
1	1					2		1							17
1		1	1			1			2						18
		3	3		2	1	2	1	1	1				1	
2	3	2	1	1			1	1							19
1	3			1	1										
	2		2	1		1				1					20
		1	2	1		2	3	4							
1								1							21
				1											
						1	1	1						1	22
1				1	1				1						
			1			1									23
	1														
2		3	2	7	4	5	2	4	2	1					24
2		3	1		5			1	1		1				
	3	1	2		4	2	3	2							25
2	3	3			5	3		1	1	1					
						1									26
	1	1				2			2		1				27
							1	1						1	
25	24	27	27	29	42	56	38	43	38	17	9	1		1	28
13	12	14	11	17	23	28	27	24	26	9	5	1			29
12	12	13	16	12	19	28	11	19	12	8	4			1	30
12	9	13	8	14	19	25	23	18	17	7	4	1			31
11	9	11	14	11	17	21	11	16	9	7	1			1	
															32
				1		1									
1			1	1	1		1	1	4	1					33
	2				1	1		1	1	1	1				
				2	2	1	2	3	2						34
									1		1				
	3	1	2		1	2	1	2	3	1	1				35
1	1	2	2		1	5		2	1		1				
1	2	1	3			1	1								36
			1				1								37
1															38
	1														39
	1					1									40
															41
	1	1	2												42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW JERSEY—GROUP 2—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	**8.** Affections connected with pregnancy		46									2	15	8
2	Abortion		1										1	
3	Childbirth		6											
4	Puerperal septicemia		31									2	13	5
5	Extra-uterine pregnancy		3										1	
6	Others of this class		5											3
7	**9.** Diseases of the bones and joints		16	2	1				3		1		1	1
8	Males		11	2	1				3		1		1	1
9	Females		5											
10	Diseases of the spine	M	3	1					1		1			
		F	1											
11	Abscess, lumbar and psoas	M	1										1	
		F												
12	Diseases of the bones	M	4		1				1					1
		F	2											
13	Diseases of the hip-joint	M	2	1					1					
		F												
14	Others of this class	M	1											
		F	2											
15	**10.** Diseases of the skin		10	1	2				3	1				
16	Males		7							1				
17	Females		3	1	2				3					
18	Abscess	M	4							1				
		F	2	1	1				2					
19	Carbuncle	M	1											
		F												
20	Others of this class	M	2											
		F	1		1				1					
21	**11.** Diseases of the absorbent system		7		1		1		2		1		1	1
22	Males		4				1		1				1	
23	Females		3		1				1		1			1
24	Addison's disease	M												
		F												
25	Diseases of the spleen	M	2				1		1				1	
		F	1											1
26	Others of this class	M	2											
		F	2		1				1		1			
27	**12.** Accidents and injuries		396	25	6	9	8	7	55	25	9	38	34	44
28	Males		319	15	3	4	7	6	35	18	6	31	30	39
29	Females		77	10	3	5	1	1	20	7	3	7	4	5
30	Burns and scalds	M	17		1	2	5	2	10					1
		F	24	1	8	4	1	1	10	5	2			
31	Drowning	M	29	1	1	1			3	5	3	8	3	
		F	3										1	
32	Exposure and neglect	M	1											
		F												
33	Gunshot wounds	M	14								2	1	1	4
		F	2								1		1	
34	Homicide	M	4										1	
		F												
35	Infanticide	M												
		F												
36	Injuries by machinery	M	1									1		
		F												
37	Railroad accidents	M	85					2	2	3	1	5	14	9
		F	10									2		2
38	Suffocation	M	21	11		1			12	2				
		F	7	5					5			1		
39	Suicide by shooting	M	6									1		
		F												
40	Suicide by drowning	M	2										1	
		F	1											
41	Suicide by poison	M	3											1
		F	5									2	1	1
42	Other suicides	M	8									2		
		F	1											
43	Sunstroke	M	5	1					1					1
		F	3	1					1	1				
44	Surgical operations	M	2											
		F	4											1
45	Wounds	M	5											1
		F												
46	Others of this class	M	116	2	1		2	2	7	8		18	10	22
		F	17	3		1			4	1		2	1	1

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW JERSEY—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
9	5	6													1
															2
1	3	2													3
6	2	3													4
1	1														5
1		1													6
	1	1	1	2	1		1	2	1						7
	1			1	1		1		1						8
		1	1	1				2							9
							1								10
				1											
															11
				1					1						12
			1					1							
					1										13
	1														14
		1						1							
1			2		1				1		1				15
1			2		1				1		1				16
															17
1			1		1										18
									1						19
			1								1				20
		1					1								21
		1					1								22
															23
															24
															25
		1					1								26
21	38	23	29	7	20	11	15	9	5	1	4			7	27
18	36	19	23	5	17	10	12	6	3	1	3			5	28
3	2	4	6	1	3	1	3	3	3		1			1	29
2		1			2		1								30
1						1	2	1	2						
	3	1	2			1	2	1	1					1	31
			1		1										
	1														32
1	2		1		1	1									33
1	1			1											34
															35
															36
5	12	8	6	4	5	1	2				1			4	37
1	1	2	1		1										
	2		2		2									1	38
					1										
		1			3		1								39
	1														40
			1												
			1					1							41
								1							
	2				1	2		1							42
			1												
1	1								1						43
		1													
	1		1												44
1	1		1												
1		1				1	1								45
4	10	7	10	1	3	4	5	3	1	1	2				46
		1	1	1			1	1	1		1			1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW YORK.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		130,268	25,492	7,248	3,240	2,065	1,336	39,381	3,474	1,860	2,786	4,735	5,813
2	Males		68,648	14,169	3,889	1,690	1,056	674	21,478	1,765	929	1,386	2,336	3,037
3	Females		61,620	11,323	3,359	1,550	1,009	662	17,903	1,709	931	1,400	2,399	2,776
4	Unknown cause		580	159	11	4	4	6	184	12	10	14	16	12
5	Males		319	87	8	2	2	4	103	6	4	7	8	6
6	Females		261	72	3	2	2	2	81	6	6	7	8	6
	1. General diseases.													
7	General diseases—A		21,444	7,921	2,696	1,211	859	564	13,251	1,322	399	411	498	458
8	Males		11,074	4,333	1,421	609	426	275	7,064	639	192	206	270	249
9	Females		10,370	3,588	1,275	602	433	289	6,187	683	207	205	228	209
10	Measles	M	574	152	222	74	39	21	508	36	8	5	4	2
		F	600	148	207	83	36	23	497	52	11	12	5	2
11	Scarlet fever	M	426	37	66	76	68	45	292	92	14	8	8	5
		F	386	14	47	66	65	52	244	92	18	13	8	2
12	Diphtheria	M	1,351	103	230	234	195	139	901	330	59	18	11	10
		F	1,322	82	214	217	204	144	861	347	44	17	14	12
13	Whooping cough	M	472	276	112	42	23	6	459	8				
		F	516	264	126	60	27	16	493	16		3		
14	Malarial fever	M	138	11	8	8	5	2	34	6	4	8	15	9
		F	170	13	4	7	8	2	34	16	5	9	10	6
15	Influenza	M	605	49	11	8	5	1	69	7	3	5	13	16
		F	848	48	12	7	3	3	73	11	12	9	12	18
16	Typhoid fever	M	1,014	6	3	7	8	8	32	38	49	116	171	127
		F	762	4	11	10	8	7	40	42	68	89	105	85
17	Cholera morbus	M	170	39	8	2	5	3	57	7	7	2	6	2
		F	164	25	13	5	1		44	4	6	6	3	2
18	Colitis	M	157	82	23	3	4	1	113	3		1	1	2
		F	140	71	15	7			93	3		2	2	1
19	Diarrhea	M	575	283	54	13	4	5	359	20	4	3	4	4
		F	488	222	45	8	4	1	280	20	8	3	1	6
20	Dysentery	M	322	48	42	15	11	5	121	18	7	3	8	5
		F	354	44	22	12	8	6	92	5	3	1	7	4
21	Enteritis	M	2,419	1,649	307	67	24	11	2,058	32	13	9	7	19
		F	2,245	1,331	296	50	32	21	1,730	32	10	5	16	28
22	Cholera infantum	M	1,656	1,329	263	37	12	14	1,655					
		F	1,360	1,087	219	38	11	5	1,360					
23	Fever	M	10	2	2	1		1	6	1		1		
		F	8	3		1	1		5			1	1	
24	Cerebro-spinal fever	M	279	82	54	21	19	8	184	28	18	15	5	8
		F	238	72	35	22	14	7	150	26	16	9	4	6
25	Smallpox	M	9	1					1			1	1	
		F	7	2					2	1		1	1	
26	Erysipelas	M	249	65	4	2	1		72	2		4	1	12
		F	177	67	4	2	1	1	75	1		5	3	6
27	Septicemia	M	277	27	5	1		3	36	5	6	4	14	15
		F	295	27	2	8	6	1	39	12	5	17	32	28
28	Venereal diseases	M	118	78	4	1	1		84					8
		F	90	60	2	4	3		69			1	1	1
29	Others of this group	M	253	14	3	2	2	2	23	6		3	1	5
		F	200	4	1		1		6	4	1	2	3	2
30	General diseases—B		2,148	893	26	22	6	7	954	11	9	25	70	121
31	Males		1,366	486	18	14	3	5	526	6	6	6	38	74
32	Females		782	407	8	8	3	2	428	5	3	19	32	47
33	Alcoholism	M	480									1	9	43
		F	129			1			1				3	23
34	Parasitic diseases	M	4		3	1			4					
		F	2	1		1			2					
35	Lead poison	M	10											1
		F	10	1	1	1			3					
36	Other poisons	M	345	7	5	11	2	4	29	5	4	5	29	29
		F	183	5	2	1	2	2	12	4	1	18	28	23
37	Inanition	M	527	479	10	2	1	1	493	1	2			1
		F	458	400	5	4	1		410	1	2	1	1	1
38	General diseases—C		10,040	5,613	219	43	18	12	5,905	18	8	8	10	11
39	Males		5,155	3,157	108	25	14	4	3,308	12	4	4	3	4
40	Females		4,885	2,456	111	18	4	8	2,597	6	4	4	7	7
41	Old age	M	1,632											
		F	2,026											
42	Premature birth	M	1,291	1,291					1,291					
		F	972	972					972					
43	Malformation	M	267	257	3	2	1		263	2		1		
		F	180	175	2				177		1		1	
44	Debility and atrophy	M	1,772	1,416	105	23	13	4	1,561	10	4	3	3	4
		F	1,549	1,151	109	18	4	8	1,290	6	3	4	6	7
45	Others of this group	M	193	193					193					
		F	158	158					158					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
6,081	6,372	5,706	5,602	6,004	6,280	6,856	7,200	7,250	6,492	4,623	2,449	830	231	243	1
3,323	3,551	3,229	3,124	3,309	3,298	3,456	3,618	3,559	3,284	2,250	1,144	356	77	139	2
2,758	2,821	2,477	2,478	2,695	2,982	3,400	3,582	3,691	3,208	2,373	1,305	474	154	104	3
12	26	22	24	33	31	39	35	32	37	19	10	6		6	4
5	13	13	16	19	17	23	21	17	19	9	5	3		5	5
7	13	9	8	14	14	16	14	15	18	10	5	3		1	6
446	416	346	346	340	387	450	511	582	538	408	229	76	13	17	7
227	223	189	184	180	203	191	227	251	239	184	111	31	4	7	8
219	193	157	162	160	184	256	284	331	299	224	118	45	9	10	9
2	1	1	2	3		1	1								10
3	5	2	3	1	3			1	1	1	1				
3	1	2													11
3	3	3						1							
7	3		4	2	4	1	1								12
9	3	2	2	5	3	3									
	1	1			1	2									13
		2								1				1	
5	4	9	9	4	3	6	5	4	6	3	3			1	14
6	7	4	12	6	7	13	9	15	6	5	2				
12	20	30	27	21	33	51	46	57	76	71	39	7	1	1	15
26	25	28	28	40	46	65	73	88	122	94	53	17	2	3	
133	102	62	48	39	39	18	16	15	3	3	1			2	16
80	61	46	30	26	22	26	18	12	5	4	2			1	
4	4	4	7	12	8	10	11	8	10	5	4		2		17
6	3	4	5	4	8	15	15	17	7	7	5	3			
1	1	5	4	8	2	2	1	5	4	3	3	2			18
4	2	2	4	4	1	7	5	4	3	3	1				
5	5	3	6	8	18	18	25	34	24	22	10	3			19
8	3	3	6	9	12	19	15	26	34	19	6	7		3	
11	6	3	8	10	8	13	16	26	19	21	15	3		1	20
7	8	10	11	10	15	21	36	36	38	27	17	4	2		
16	18	20	22	21	25	23	33	41	26	17	13	5	1		21
24	19	27	29	26	27	46	65	69	36	32	16	5	2	1	
														1	22
							1			1					23
1															
4	4	3	4	2	2		1		1						24
5	5	2	4	2	3	2		1	1	1		1			
	1	1	1	1	1		1								25
2															
8	11	16	10	19	20	18	13	12	16	11	3	1			26
4	11	2	4	8	10	13	12	9	9	4	1				
9	25	18	20	23	24	18	24	9	17	5	5				27
29	25	13	16	8	16	11	9	19	11	4				1	
3	10	3	4	1	4									1	28
1	4	5	2	1	1		2	2							
4	6	7	8	11	11	13	32	39	37	22	15	10			29
1	6	2	6	10	10	15	25	32	26	24	14	8	3		
173	179	112	111	91	82	59	53	37	33	15	7	1		5	30
119	141	86	82	76	60	44	37	23	22	9	6	1		4	31
54	38	26	29	15	22	15	16	14	11	6	1			1	32
75	99	51	51	51	35	17	24	9	7	3	2			3	33
25	21	20	17	4	7	6		1	1						
															34
1	2	2	2	2											35
	2			1	3	1									
41	39	33	28	22	24	25	8	11	8	4	1				36
28	13	6	10	9	7	4	8	4	4	4					
2	1		1	1	1	2	5	3	7	2	3	1		1	37
1	2		2	1	5	4	8	9	5	2	1			1	
13	16	13	13	26	39	77	192	487	739	1,113	815	401	123	13	38
8	6	6	8	9	13	30	78	205	354	516	353	183	46	5	39
5	10	7	5	17	26	47	114	282	385	597	462	218	77	8	40
						20	57	180	312	496	340	178	46	3	41
						33	78	250	351	571	450	211	76	6	
															42
							1							1	43
8	6	6	8	9	13	10	21	25	42	20	13	5		1	44
5	10	7	5	17	26	14	35	32	34	26	12	7	1	2	
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW YORK—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		22,516	760	398	204	134	89	1,585	275	298	889	1,830	2,316
2	Males		11,525	404	210	126	66	45	851	133	114	399	871	1,246
3	Females		10,991	356	188	78	68	44	734	142	184	490	959	1,070
4	Anemia	M	136	11	4	1	2	1	19	4	1	2	5	2
		F	213	10	4	3	2	2	21	2	0	14	14	10
5	Diabetes	M	390	1	2	2	1	1	7	6	12	12	16	20
		F	371	1	3	1	3	1	9	9	13	4	11	12
6	Rheumatism	M	237	1	2			1	4	14	5	8	5	7
		F	256	9		1		1	11	12	11	7	8	5
7	Scrofula and tabes	M	87	38	3	2	1	1	45	2	1	1	5	7
		F	107	29	7	4	1	2	43	4	2	4	7	6
8	Hydrocephalus	M	557	195	120	63	31	23	432	56	10	11	8	1
		F	456	171	101	43	37	21	373	39	11	7	3	9
9	Tuberculosis, general	M	114	9	6	8	4	4	31	4	2	6	11	17
		F	82	17	5	2			24	1	10	6	9	1
10	Consumption	M	8,001	107	66	41	23	12	249	41	70	348	802	1,164
		F	6,109	90	56	18	22	14	200	67	117	433	884	969
11	Cancer	M	1,571	2					2	1	5	4	10	14
		F	2,877	4				1	5	3	7	2	14	41
12	Tumor	M	173	4	1	3	2		10	3	4	4	4	11
		F	231	5	1	2	1	1	10		3	6	2	9
13	Dropsy	M	176	4	1	1		1	7	1	2		3	
		F	207	3	2	1			6	1	3	3	2	2
14	Others of this group	M	83	32	5	5	2	1	45	1	2	3	2	3
		F	82	17	9	3	2	1	32	4	1	4	5	6
15	2. Diseases of the nervous system		14,815	2,369	675	331	186	116	3,677	317	183	196	201	272
16	Males		7,812	1,371	367	175	84	62	2,059	164	107	109	103	145
17	Females		7,003	998	308	156	102	54	1,618	153	76	87	98	127
18	Inflammation of the brain	M	86	21	6	4		2	33	4	1	3	4	1
		F	62	11	3	3	2	1	20	3	4	1	5	1
19	Meningitis	M	1,448	496	239	125	64	30	954	110	43	45	33	38
		F	1,154	360	202	102	65	38	767	96	42	27	25	33
20	Apoplexy	M	2,873	23	7	2	1	5	38	3	4	8	11	33
		F	2,839	33	5	4	3		45	3	2	8	11	24
21	Paralysis	M	1,108	14	2	3	2		21	6	1	4	3	13
		F	975	6	3	2	2	1	14	5	3	2	8	13
22	Paralysis, general (of insane)	M	87										1	5
		F	44											3
23	Tetanus and trismus nascentium	M	150	48	4	2	2		56	12	30	11	5	6
		F	54	31	1		2	1	35	1	2		2	
24	Chorea	M	8			1	1		2	1		2		
		F	12	1					1			6	1	
25	Epilepsy	M	173	17	3	2			22	2	8	13	15	17
		F	149	8	1	3	2		14	8	8	11	13	11
26	Convulsions	M	800	657	75	25	7	11	775	12	3	1	1	
		F	664	493	69	32	17	7	618	13	1	4	0	6
27	Mental diseases	M	200								1	1	7	8
		F	245								2	5	8	13
28	Diseases of the brain	M	589	87	28	8	5	9	137	11	12	15	15	17
		F	519	48	22	7	6	5	88	16	8	18	9	14
29	Diseases of the spinal cord	M	114	7	3	2	2	5	19	3	3	4	5	2
		F	131	4	1	3	3	1	12	6	4	3	3	5
30	Locomotor ataxia	M	82								1		1	1
		F	31										1	
31	Others of this class	M	94	1		1			2			2	2	3
		F	124	3	1				4	2		2	6	4
32	3. Diseases of the circulatory system		10,946	570	28	20	28	39	685	199	205	232	271	322
33	Males		5,591	315	17	11	14	17	374	87	67	106	125	156
34	Females		5,355	255	11	9	14	22	311	112	138	126	146	166
35	Pericarditis	M	81	3	2			1	6	4	5	5	2	6
		F	87	2				7	9	6	3	8	3	1
36	Diseases of the heart	M	4,877	166	15	9	14	15	219	81	61	98	115	139
		F	4,791	132	10	9	14	14	179	104	134	114	137	151
37	Angina pectoris	M	247									3		6
		F	195							2	1	2	3	5
38	Diseases of the arteries	M	113	1					1	1				1
		F	73											
39	Aneurism	M	78										2	4
		F	33											1
40	Embolism	M	46	3					3		1			
		F	46									2	2	5
41	Others of this class	M	149	142		2		1	145	1				
		F	130	121	1			1	123				1	3

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,331	2,154	1,750	1,520	1,477	1,400	1,261	1,242	965	710	319	133	28	5	28	1
1,299	1,216	969	826	781	652	588	590	436	309	159	63	13	1	9	2
1,032	938	781	694	696	748	673	652	529	401	160	70	15	4	19	3
5	10	10	6	15	12	13	12	8	4	5	1		1	1	4
15	16	15	14	17	22	18	12	10	6	1					
18	14	32	27	36	28	45	45	34	25	7	4			2	5
10	13	17	21	33	53	52	46	37	20	8	1	1		1	
13	14	8	11	17	23	11	26	28	15	19	6	1		2	6
10	13	10	16	10	26	15	28	28	27	8	10	1			
2	3	2	3	1	2	4	4	3	1	1					7
4	5		5	7	2	4	5	2	5	2					
10	9	10	4	2	2	2									8
2	3	4		1	1		2	1							
8	14	4	6	4	2	2	1	2							9
9	2	4	3	2	2	5	3			1					
1,197	1,091	786	611	495	361	263	207	173	95	35	10			3	10
868	678	430	315	264	231	190	148	138	106	38	19	3		11	
27	47	90	132	182	199	225	251	154	129	60	27	11		1	11
90	180	269	285	329	370	345	350	270	197	76	29	6	2	7	
13	9	16	14	18	8	7	19	13	14	5	1				12
14	19	20	23	21	24	20	23	15	13	6	3				
3	1	9	8	10	11	14	22	19	26	26	13	1			13
4	3	7	9	10	16	22	31	27	27	20	8	4	2		
3	4	2	4	1	4	2	3	2		1	1				14
6	6	5	3	2	1	2	4	1							
350	419	512	641	786	886	1,188	1,221	1,333	1,283	839	384	82	23	22	15
204	244	298	342	409	451	597	617	656	670	414	179	26	6	12	16
146	175	214	299	377	435	591	604	677	613	425	205	56	17	10	17
4	3	2	1	5	3	5	3	6	4	3	1				18
5	1	1	5	1	4		4	2	3	1	1				
32	32	23	33	26	23	15	16	7	10	2	4			2	19
22	17	16	22	10	11	23	14	11	9	5	1	1		1	
65	66	115	166	224	256	365	371	404	384	232	103	16	2	7	20
37	57	109	171	238	277	358	348	406	337	246	112	32	13	5	
29	64	69	63	67	74	92	123	146	169	112	42	5	3	2	21
17	8	22	29	41	64	91	120	166	182	108	61	16	2	3	
11	10	14	15	11	5	8	4	1	1		1				22
4	5	6	1	7	1	3	3	6	1	4					
5	2	3	6	4	6	1	1		2						23
2	4	2	1	1	2	1	1								
		1					1		1						24
			1	1	1	1									
16	15	10	8	4	9	7	7	9	9	1	1				25
8	17	5	11	10	5	5	3	5	7	4		1			
1	1	1		1		2		1		1					26
3	3		2	1	1	2	2		1					1	
14	12	9	6	7	12	26	27	18	21	18	11	2			27
13	11	16	17	13	18	31	26	21	22	15	9	4	1		
19	23	30	21	31	29	42	41	45	46	37	14	3	1		28
20	28	20	26	26	27	39	59	37	34	30	17	2	1		
8	7	7	8	13	9	9	8	4	7	2					29
6	10	5	1	12	12	18	9	12	8	4	1				
2	4	11	7	10	13	13	8	3	7	1					30
1	2	3		4	4	6	3	5		2					
3	5	3	8	6	12	12	7	12	9	5	2			1	31
8	12	9	12	12	8	10	12	6	9	5	3				
413	478	506	565	736	907	1,070	1,223	1,194	994	606	240	61	15	24	32
217	240	243	282	390	489	541	634	629	537	312	121	26	7	8	33
196	238	263	283	346	418	529	589	565	457	294	119	35	8	16	34
4	9	5	3	5	8	5	3		4						35
9	4	4	4	4	8	1	10	2	4	4	1	1		1	
191	202	215	252	352	420	482	566	579	483	278	108	23	7	6	36
171	216	243	263	320	378	490	528	524	426	261	106	28	5	13	
12	12	13	9	19	34	33	33	26	24	13	7	1		2	37
11	14	8	10	16	17	26	29	20	13	12	3	2		1	
		1	1	3	12	9	23	19	16	19	5	2			38
				2	6	8	15	10	8	12	6	3	3		
6	15	8	12	6	11	5	2	2	4	1					39
2	2	4	3	3	5	2	2	3	1	3	1	1			
4	2	1	5	3	4	5	7	3	6	1	1				40
2	2	3	3	1	4	2	5	6	5	2	2				
				1		2									41
1		1												1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW YORK—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		23,515	5,636	2,844	1,165	585	325	10,555	675	216	318	568	674
2	Males		12,298	3,161	1,563	599	304	157	5,784	329	92	166	315	375
3	Females		11,217	2,475	1,281	566	281	168	4,771	346	124	152	253	299
4	Croup	M	338	50	76	72	52	29	279	55	1	1		
		F	281	35	53	50	49	29	216	57	2	1	1	
5	Pneumonia	M	8,845	1,943	1,172	425	197	90	3,827	217	74	141	278	327
		F	7,759	1,512	962	398	167	106	3,145	231	102	116	191	240
6	Laryngitis	M	100	9	21	4	11	6	51	19	2		2	1
		F	71	9	9	13	12	3	46	8	3	1		1
7	Bronchitis	M	1,951	871	258	79	26	20	1,254	22	7	5	10	12
		F	2,141	711	226	86	39	18	1,080	29	8	14	21	22
8	Pleurisy	M	216	17	13	8	9	3	50	6	3	9	10	13
		F	189	9	11	10	4	3	37	9	1	4	14	15
9	Asthma	M	78	3	1		1		5				1	2
		F	91	4					4				1	
10	Others of this class	M	790	268	22	11	8	9	318	10	5	10	14	20
		F	685	195	20	9	10	9	243	12	10	16	25	21
11	5. Diseases of the digestive system		6,984	944	185	73	47	50	1,299	203	194	228	315	378
12	Males		3,502	509	88	38	26	28	689	102	106	114	144	162
13	Females		3,482	435	97	35	21	22	610	101	88	114	171	216
14	Dentition	M	95	61	31	1	1	1	95					
		F	97	62	32	3			97					
15	Angina	M	44	3	6	5	3	3	20	5	2	1	1	1
		F	38	5	2	2	3	5	17	3	5	2		1
16	Gastritis	M	468	103	17	5	6	3	134	7	4	2	6	18
		F	577	88	23	7	4	3	125	12	3	1	16	22
17	Diseases of the stomach	M	203	6	1	1		3	11	3	1	2	3	11
		F	159	9	1				10		1	5	12	10
18	Obstruction of the bowels	M	278	62	3	4	4	3	76	13	5	6	8	10
		F	318	34	5	6	2	1	48	8	4	9	7	17
19	Appendicitis	M	453	1		2	2	6	11	28	53	64	63	48
		F	283	1	1	1	1	3	7	28	36	46	33	31
20	Hernia	M	155	12	1				13			3	3	6
		F	147	7					7					
21	Other diseases of the bowels	M	77	17	4		1		22	2	1	2	3	3
		F	73	11	3				14		1	2	2	3
22	Jaundice	M	110	56		2			58	2		3	2	1
		F	105	42	1	1		1	45	4	1	1	1	1
23	Inflammation and abscess of the liver.	M	130	9		1			10	1		1	9	8
		F	157	7					7	2	3	2	5	10
24	Other diseases of the liver	M	741	6		1			7	1	2	2	12	20
		F	479	7	1	1			9		2	1	4	17
25	Peritonitis	M	419	32	8	7	6	4	57	31	38	27	32	33
		F	692	19	4	6	6	6	41	33	29	42	89	99
26	Ascites	M	11											
		F	10											
27	Others of this class	M	318	141	17	9	3	5	175	9		1	2	3
		F	347	143	24	8	5	3	183	5	3	3	2	5
28	6. Diseases of the urinary system and male organs of generation.		9,132	153	45	42	47	42	329	99	93	115	275	398
29	Males		5,096	87	27	19	31	24	188	59	37	47	118	168
30	Females		4,036	66	18	23	16	18	141	40	56	68	157	230
31	Bright's disease	M	3,975							47	32	42	97	147
		F	3,471							39	53	59	131	188
32	Calculus, urinary	M	22									1		
		F	6	1					1					
33	Diseases of the kidney	M	296	67	24	19	27	23	160	3		2	4	7
		F	203	47	14	19	14	16	110			2	3	8
34	Diseases of the bladder	M	325							2	1	1	3	2
		F	39											1
35	Others of this class	M	478	20	3		4	1	28	7	4	1	14	11
		F	317	18	4	4	2	2	30	1	3	7	23	33
36	7. Diseases of the female organs of generation		468	2				1	3		1	10	47	53
37	Ovarian tumors		80									1	8	3
38	Ovarian diseases		32										4	9
39	Diseases of the tubes		84									3	15	19
40	Uterine tumors		131					1	1				2	5
41	Uterine diseases		31									3	7	9
42	Others of this class		110	2					2		1	3	11	18

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
745	807	791	786	890	974	1,058	1,120	1,183	1,000	675	329	95	33	23	1
418	468	487	462	486	483	476	516	542	437	275	133	37	9	11	2
327	339	304	324	404	491	582	604	641	563	400	196	61	24	12	3
						1	1								4
	1		1		1			1							
352	412	420	354	403	361	344	358	379	287	172	71	23	6	9	5
269	285	245	244	310	376	415	404	442	359	233	102	32	8	10	
2	1	3	3	3	2	5	1	1	2	2					6
4	1	1			2	1			2	1					
18	12	17	19	32	63	64	76	104	98	64	46	5	3		7
28	18	24	40	43	70	98	129	138	143	127	74	28	13	1	
16	15	13	12	14	7	11	14	13	5	4	1				8
14	12	10	12	8	5	14	10	3	7	4	5				
2		3	6	4	7	10	10	11	8	5	2	1		1	9
2	2	4	3	10	7	13	14	11	11	7	2				
28	28	31	38	30	43	41	56	34	37	28	13	5		1	10
15	20	20	24	33	30	41	47	41	41	28	13	1	3	1	
331	408	428	466	434	417	425	446	399	330	162	79	23	4	15	11
154	198	220	259	223	226	209	221	182	176	64	32	7	2	5	12
177	210	208	207	211	191	216	225	217	154	98	40	16	2	10	13
															14
3		1	1	2	1	1		2	2	1					15
					2	1	1								
16	17	18	28	22	25	27	37	37	36	21	11		1	1	16
18	28	25	23	37	28	48	39	51	41	39	11	8		2	
11	17	16	21	23	22	9	24	12	12	3	2				17
9	9	8	13	14	9	12	15	18	8	3	1	2			
14	11	8	12	18	19	16	15	17	22	4	6	3			18
15	18	21	20	26	23	19	28	24	17	8	4			2	
27	41	31	29	20	11	5	8	8	4	1				1	19
19	12	15	16	11	5	6	7	6	3	1				1	
8	5	10	13	7	11	15	16	17	16	6	4	1	1		20
4	6	12	14	16	13	23	14	14	13	8	2			1	
2	3	4	2	1	2	7	7	8	5	2	1				21
4	5	3	3	2	2	4	8	5	8		4		1	2	
1	2	3	3	1	4	3	6	7	6	4	3	1			22
1	3	4	6	5	2	7	7	10	1	4	1	1			
7	7	6	15	19	9	10	9	6	9	4					23
6	14	15	6	11	11	11	17	14	10	8	4	1			
39	65	86	98	76	90	79	72	43	40	5	8	1			24
20	42	49	46	51	48	49	48	47	30	12	3	1			
21	24	29	27	16	18	22	14	11	10	3	4	1		1	25
77	67	44	44	24	26	21	23	18	10	1	2	1		1	
		2			1	1	2	4		1					26
			2		1		2	1	1	1	1			1	
5	6	11	10	18	13	14	11	10	14	9	5			2	27
4	5	12	14	14	21	15	16	9	12	13	7	2	1		
444	597	607	670	775	853	938	865	836	647	371	165	34	9	12	28
223	298	322	347	443	491	551	495	502	405	259	111	22	2	8	29
221	299	285	323	332	362	387	370	334	242	112	54	12	7	4	30
195	259	290	308	396	432	466	391	385	265	147	56	13	1	6	31
183	268	253	298	300	331	358	331	305	211	100	45	9	6	3	
1	2	1		5	2	2	1	2	5						32
1			1				1		1		1				
6	7	8	6	13	6	12	17	11	18	11	4	1			33
12	8	9	8	12	3	5	9	3	5	3	1		1	1	
4	3	4	6	8	11	31	45	57	55	53	33	3	1	1	34
	2		1	2	2	6	3	8	6	2	4	2			
17	27	19	27	21	40	40	41	47	32	48	18	5		1	35
25	21	23	15	18	26	18	26	18	19	7	3	1			
66	65	61	53	34	21	14	12	9	3	8	1			2	36
7	5	9	8	12	8	4	6	5	2	2					37
9	3	1	3	2			1								38
13	17	11	5				1								39
11	18	28	24	17	8	7	8	4	1	1				1	40
5	1		3	1	1		1								41
21	21	12	10	2	4	8					1			1	42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW YORK—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	989									56	208	244
2	Abortion	55									4	6	17
3	Childbirth	235									8	33	49
4	Puerperal septicemia	452									26	111	109
5	Extra-uterine pregnancy	36										5	13
6	Others of this class	211									18	53	56
7	9. Diseases of the bones and joints	271	24	8	3	7	9	51	24	26	20	16	15
8	Males	152	9	3	3	3	7	25	12	16	12	12	8
9	Females	119	15	5		4	2	26	12	10	8	4	7
10	Diseases of the spine M	48	4		1	1	3	9	5	6	8	8	
	Diseases of the spine F	39	5	2		2		9	5	5	1	2	2
11	Abscess, lumbar and psoas M	11								1		3	4
	Abscess, lumbar and psoas F	3	1					1					
12	Diseases of the bones M	56	3	1	1	2	4	11	3	4	2	3	4
	Diseases of the bones F	38	6	3		1	2	12	2	4	2	1	4
13	Diseases of the hip-joint M	16							4	4	2	2	
	Diseases of the hip-joint F	14	1					1	4	1	5		
14	Others of this class M	21	2	2	1			5		1		1	
	Others of this class F	25	2			1		3	1			1	1
15	10. Diseases of the skin	214	57	7	3	1		68	8	2	2	7	10
16	Males	118	31	4	1	1		37	8		2	3	6
17	Females	96	26	3	2			31		2		4	4
18	Abscess M	70	17	2	1	1		21	8		1	1	4
	Abscess F	47	10	2	1			13		1		3	3
19	Carbuncle M	13									1	1	
	Carbuncle F	5	1					1					
20	Others of this class M	35	14	2				16				1	2
	Others of this class F	44	15	1	1			17		1		1	1
21	11. Diseases of the absorbent system	105	13	1	1	1		16	2		2	4	4
22	Males	47	6	1	1	1		9	1		1	3	2
23	Females	58	7					7	1		1	1	2
24	Addison's disease M	16											1
	Addison's disease F	25									1		1
25	Diseases of the spleen M	6	1					1					
	Diseases of the spleen F	5	1					1				1	
26	Others of this class M	25	5	1	1	1		8	1		1	3	1
	Others of this class F	28	6					6	1				1
27	12. Accidents and injuries	6,101	378	105	118	142	76	819	309	216	260	399	515
28	Males	4,593	213	54	67	81	46	461	207	184	207	323	436
29	Females	1,508	165	51	51	61	30	358	102	32	53	76	79
30	Burns and scalds M	245	10	25	38	47	16	136	18	6	1	7	11
	Burns and scalds F	316	15	25	27	30	15	112	47	14	6	8	18
31	Drowning M	774	4	7	3	8	6	28	76	70	54	73	69
	Drowning F	72	3	8	1	3		15	6	2	5	4	3
32	Exposure and neglect M	28	9					9	1			2	1
	Exposure and neglect F	16	7	1				8					
33	Gunshot wounds M	198		1		1		2	1	12	23	22	26
	Gunshot wounds F	27			1	1		2	3	2	3	4	1
34	Homicide M	69							1	2	6	12	14
	Homicide F	22			2		1	3	2		1	2	5
35	Infanticide M	2	2					2					
	Infanticide F												
36	Injuries by machinery M	10									1	3	
	Injuries by machinery F												
37	Railroad accidents M	554	3	1	3	5	2	13	20	29	29	58	50
	Railroad accidents F	61		1	1	2	1	5	8	1	9	2	2
38	Suffocation M	168	84	3	3	2	2	94	3	6	4	5	6
	Suffocation F	114	65	3	4	1	3	76	6		1		5
39	Suicide by shooting M	145									1	5	20
	Suicide by shooting F	12									2		
40	Suicide by drowning M	17											2
	Suicide by drowning F	10											2
41	Suicide by poison M	158									8	8	22
	Suicide by poison F	100									10	22	14
42	Other suicides M	260									3	11	20
	Other suicides F	69								2	2	6	6
43	Sunstroke M	72	21	1	2			24	3		1	4	5
	Sunstroke F	40	14	1	2			17	1	1	1	2	
44	Surgical operations M	26	2					2			2	1	3
	Surgical operations F	45								1	1	4	6
45	Wounds M	67		1			2	3	3	1	5	6	8
	Wounds F	13							1	1	2	2	2
46	Others of this class M	1,800	79	15	18	18	18	148	81	58	69	103	179
	Others of this class F	591	61	12	13	24	10	120	28	8	10	20	15

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
225	173	74	9												1
15	7	6													2
51	64	26	4												3
114	67	23	2												4
8	5	4	1												5
37	30	15	2												6
13	20	15	8	12	12	5	17	11	4	2					7
5	14	10	6	8	4	3	11	3	3						8
8	6	5	2	4	8	2	6	8	1	2					9
1	2	2	1	3	1	1	3	2	1						10
4	3	2		2	3					1					
1	1							1							11
1								1							
3	8	4	4	3	2	1	3		1						12
2	1	2	1		1		1	3	1	1					
	1	1			1		1								13
	2							1							
	2	3	1	2		1	4		1						14
1		1	1	2	4	2	5	3							
12	13	6	9	7	11	14	20	8	9	4	2			2	15
6	7	4	4	4	5	7	8	3	7	3	2			2	16
6	6	2	5	3	6	7	12	5	2	1					17
3	5	4	2	3	3	4	3	2	3	2				1	18
4	3	2	1	1	4	4	6	1		1					
2			2		1	2	1		2					1	19
			1		1			2							
1	2			1	1	1	4	1	2	1	2				20
2	2		3	2	1	3	6	2	2						
4	8	10	13	9	7	7	7	5	6	1					21
2	4	5	8	4	1		4	1	1	1					22
2	4	5	5	5	6	7	3	4	5						23
	2	2	5	3	1		2								24
2	3	2	1	3	4	3	2	1	2						
1	1		1						1	1					25
	1	1		1											
1	1	3	2	1			2	1							26
		2	4	1	2	4	1	3	3						
503	593	453	368	354	253	251	236	169	159	86	55	23	6	74	27
436	479	377	298	277	203	193	159	109	105	45	21	10		63	28
67	114	76	70	77	50	58	77	60	54	41	34	13	6	11	29
12	6	13	6	8	4	5	3	4	2	1				2	30
7	18	17	13	11	3	9	9	12	4	6	1	1			
64	87	70	44	44	26	21	13	14	7	1	1			12	31
3	8	5	1	4	3	2	8	3	2					3	
	1	1	1	1	1	3	2	1	3	1					32
1	1		1	1				1						3	
27	22	10	8	11	10	9	4	3	3	1				4	33
2	3	2	2	1		1				1					
12	7	6	1	1	2	3		2							34
1	5	2		1											
															35
1	2			1		2									36
58	64	36	37	36	26	25	17	13	7	5	3			28	37
2	5	2	4	5	5	8	2	3	2			1			
4	8	3	5	4	6	4	5	3	3	1				4	38
1	3		2	1	2	2	1	3	2		1			5	
23	17	16	15	14	11	10	6	2	1		1				39
2	4		1		1		1	1							
1	2	1	1	1	3	1	4		1						40
2	1	1		1	2			1							
17	20	22	14	17	8	11	5	2	3	1					41
10	16	8	6	5	4	1	2	1	1						
15	23	27	39	31	24	20	16	12	13	3		1		2	42
7	5	9	8	8	3	2	6	2		3					
	12	7	2	2	2	2	2	1	4	1					43
	4	1		4		4	2	2	1						
2	3	4	2		1	1	4							1	44
7	7	2	4	7	2	1	2		1						
10	7	6	5	3	5	1	1	1	1					1	45
1	1	1	1		1										
190	198	155	118	103	74	75	77	51	57	30	16	8		9	46
21	33	26	27	28	24	33	46	31	41	31	32	11	6		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW YORK—GROUP 1.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	76,080	17,573	5,610	2,402	1,499	936	28,020	2,211	979	1,445	2,777	3,755
2	Males	40,611	9,740	3,002	1,234	769	463	15,208	1,120	468	713	1,356	2,005
3	Females	35,469	7,833	2,608	1,168	730	473	12,812	1,091	511	732	1,421	1,750
4	Unknown cause	154	29	6	1	2	4	42	2	3	1	5	4
5	Males	91	18	4	1	1	2	26	1	1		5	2
6	Females	63	11	2		1	2	16	1	2	1		2
	1. General diseases.												
7	General diseases—A	13,713	5,852	2,083	905	636	405	9,881	846	165	155	193	235
8	Males	7,103	3,187	1,087	446	318	188	5,226	406	86	78	100	131
9	Females	6,610	2,665	996	459	318	217	4,655	440	79	77	93	104
10	Measles M	407	111	170	58	31	12	382	19	1	2		1
	Measles F	435	102	171	68	28	18	387	35	3	4		1
11	Scarlet fever M	315	27	56	60	49	39	231	65	5	4	3	3
	Scarlet fever F	276	11	38	52	49	37	187	65	9	7	5	2
12	Diphtheria M	989	87	197	185	156	95	720	217	24	4	5	3
	Diphtheria F	1,001	71	192	186	162	118	729	229	15	3	5	8
13	Whooping cough M	323	169	90	36	17	5	317	3				
	Whooping cough F	378	183	97	49	21	13	363	10		3		
14	Malarial fever M	88	10	7	4	5	2	28	6	2	4	6	5
	Malarial fever F	112	11	4	7	6	2	30	12	4	5	7	4
15	Influenza M	263	20	5	2	3		30	4	2	1	10	10
	Influenza F	359	20	8	4	2	1	35	5	3	5	4	13
16	Typhoid fever M	367	2	2	1	2	2	9	13	20	45	53	53
	Typhoid fever F	275	1	3	2	3	2	11	17	21	28	39	39
17	Cholera morbus M	52	16	3	1	1	1	22	2	1		1	1
	Cholera morbus F	50	10	4				14	3	1	4	1	
18	Colitis M	98	58	16	1	3	1	79	2				
	Colitis F	90	50	13	4			67			2	2	
19	Diarrhea M	348	213	45	10	2	5	275	7		1	1	3
	Diarrhea F	309	176	34	5	1	1	217	9	3	2	1	3
20	Dysentery M	178	26	26	11	6	3	72	16	6	1	6	4
	Dysentery F	186	26	14	7	5	5	57	3	1		6	4
21	Enteritis M	2,022	1,440	264	47	21	8	1,780	25	12	7	6	16
	Enteritis F	1,860	1,186	252	43	20	14	1,515	27	10	3	11	19
22	Cholera infantum M	995	813	157	12	6	7	995					
	Cholera infantum F	812	650	141	15	5	1	812					
23	Fever M	3			1		1	2	1				
	Fever F												
24	Cerebro-spinal fever M	178	55	37	12	13	4	121	19	12	3	1	6
	Cerebro-spinal fever F	121	38	18	9	8	5	78	18	6	1	1	1
25	Smallpox M	7	1					1			1	1	
	Smallpox F	7	2					2	1		1	1	
26	Erysipelas M	166	52	2	2	1		57	1		3		9
	Erysipelas F	120	59	3	2	1		65			4	1	4
27	Septicemia M	116	19	3			2	24	4	1		6	8
	Septicemia F	75	16	1	2	4		23	4	3	3	6	5
28	Venereal diseases M	82	58	4	1			63					5
	Venereal diseases F	72	52	2	4	2		60			1	1	
29	Others of this group M	106	10	3	2	2	1	18	2		2	1	4
	Others of this group F	72	1	1		1		3	2		1	2	1
30	General diseases—B	1,302	421	15	7	2	4	449	9	3	20	58	90
31	Males	860	225	13	5	2	2	247	4	2	6	33	56
32	Females	442	196	2	2		2	202	5	1	14	25	34
33	Alcoholism M	366									1	7	33
	Alcoholism F	99			1			1				3	18
34	Parasitic diseases M	2		2				2					
	Parasitic diseases F	1	1					1					
35	Lead poison M	8											1
	Lead poison F	8	1					1					
36	Other poisons M	249	3	4	3	2	2	14	4	2	5	26	22
	Other poisons F	133	3	1			2	6	4	1	14	22	15
37	Inanition M	235	222	7	2			231					
	Inanition F	201	191	1	1			193	1				1
38	General diseases—C	5,097	3,700	179	29	15	9	3,932	9	6	2	2	3
39	Males	2,631	2,077	87	15	11	1	2,191	5	4	1	1	
40	Females	2,466	1,623	92	14	4	8	1,741	4	2	1	1	3
41	Old age M	393											
	Old age F	649											
42	Premature birth M	782	782					782					
	Premature birth F	604	604					604					
43	Malformation M	142	137	1	2	1		141			1		
	Malformation F	97	96	1				97					
44	Debility and atrophy M	1,212	1,056	86	13	10	1	1,166	5	4		1	
	Debility and atrophy F	1,040	847	91	14	4	8	964	4	2	1	1	3
45	Others of this group M	102	102					102					
	Others of this group F	76	76					76					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 1.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4,016	4,116	3,686	3,436	3,590	3,515	3,578	3,316	2,986	2,229	1,358	724	218	76	49	1
2,234	2,406	2,176	1,999	2,082	1,874	1,812	1,678	1,389	1,088	599	285	69	17	33	2
1,782	1,710	1,510	1,437	1,508	1,641	1,766	1,638	1,597	1,141	759	439	149	59	16	3
5	9	6	7	11	6	12	7	13	9	6	2	1		3	4
3	5	5	3	8	3	9	5	6	4	2				3	5
2	4	1	4	3	3	3	2	7	5	4	2	1			6
216	217	177	196	177	202	221	220	219	173	122	67	24	4	3	7
108	117	100	106	98	104	89	95	87	79	51	34	5	2	1	8
108	100	77	90	79	98	132	125	132	94	71	33	19	2	2	9
			1	1											10
1	1		2							1					
3	1														11
	1														
5	2		2	2	3	1	1								12
4	1	1	2	1	2	1									
		1			1	1									13
		1								1					
4	2	7	8	4	2	1	3	2	3	1					14
3	6	2	9	3	6	8	3	6	2	1	1				
7	17	19	18	13	16	25	20	19	18	18	14		1	1	15
13	15	16	16	23	26	30	29	33	41	30	14	7		1	
47	41	19	20	15	16	5	8	2		1					16
36	30	15	8	9	8	7	4	2			1				
		1	2	5	6	1	4	3	2		1				17
3	2	1	2	2	1	6	3	2	1	1	2	1			
1		4	2	2	1			3	2	1	1				18
3	2	2	3	1	1	1	1	2	1	2					
2	2	1	2	5	6	6	8	14	7	4	3	1			19
5	1	1	3	4	7	11	6	11	14	4	1	5		1	
8	4	3	5	6	3	9	7	7	7	9	4	1			20
6	7	10	8	4	11	12	15	13	9	14	4	1	1		
11	13	15	16	15	20	12	15	24	15	10	6	3	1		21
18	14	20	25	18	21	35	45	41	15	11	9	2	1		
															22
															23
4	3	3	2	1	2				1						24
4	2	1	3		1	1		1	1	1		1			
		1	1	1	1										25
2															
6	9	12	8	12	12	11	8	4	8	4	2				26
2	7	1	3	4	5	7	7	4	4	2					
4	14	8	9	7	9	8	9		4		1				27
7	4	3	1	4	4	3	1	3	1						
2	6	1	3	1	1										28
1	3	2	1		1			2							
4	3	5	7	8	5	9	12	9	12	3	2				29
	4	1	4	6	4	10	11	12	5	3	1	2			
149	140	88	79	68	50	38	30	13	9	6	2			1	30
101	113	70	60	57	37	28	25	10	4	4	2			1	31
48	27	18	19	11	13	10	5	3	5	2					32
65	80	42	36	39	24	11	16	8	2	1	2			1	33
22	15	15	12	2	5	4		1	1						
															34
	2	1	2	2											35
	2			1	3	1									
35	31	27	22	16	13	16	7	4	2	3					36
25	9	3	7	8	5	4	5		3	2					
1						1	2								37
1	1					1		2	1						
5	2	4	3	8	9	41	69	191	211	283	198	90	29		38
4	2	2	2	2	3	13	32	62	92	108	67	32	8		39
1		2	1	6	6	28	37	129	119	175	131	58	21		40
						11	28	58	87	104	65	32	8		41
						23	31	121	107	166	126	54	21		
															42
															43
4	2	2	2	2	3	2	4	4	5	4	2				44
1		2	1	6	6	5	6	8	12	9	5	4			
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW YORK—GROUP 1—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		13,271	549	305	156	99	63	1,172	180	169	505	1,103	1,532
2	Males		7,290	286	161	101	50	33	631	86	67	244	547	866
3	Females		5,981	263	144	55	49	30	541	94	102	261	556	666
4	Anemia	M	41	7	1		1	1	10	2		1	2	1
		F	71	1	2	2	1	2	8	1	1	4	5	5
5	Diabetes	M	203		1		1	1	3	2	4	4	4	10
		F	184	1		1		1	3	2	1		2	4
6	Rheumatism	M	106	1	2				3	6	4	4	3	7
		F	120	8		1			9	7	7	7	1	4
7	Scrofula and tabes	M	43	28	2	1			31		1		2	1
		F	43	18	6	1		1	26	1		1	2	2
8	Hydrocephalus	M	444	147	101	55	26	19	348	46	6	6	7	1
		F	365	135	87	32	30	15	299	32	9	6	3	6
9	Tuberculosis, general	M	89	8	4	8	3	3	26	3	2	6	9	11
		F	52	15	5	1			21	1	8	5	5	
10	Consumption	M	5,433	71	47	35	17	8	178	25	40	213	512	820
		F	3,531	63	38	14	16	9	140	44	69	232	524	601
11	Cancer	M	782							1	3	3	6	8
		F	1,456	3					3	2	3	1	10	33
12	Tumor	M	87	2		2	1		5	1	3	4	1	5
		F	93	4		2		1	7		2	4		8
13	Dropsy	M	11	1					1		2			
		F	15	1					1		1			
14	Others of this group	M	51	21	3		1	1	26		2	3	1	2
		F	51	14	6	1	2	1	24	4	1	1	4	3
15	2. Diseases of the nervous system		6,892	1,351	408	189	107	64	2,119	172	71	91	92	150
16	Males		3,740	777	232	102	49	34	1,194	87	38	53	48	85
17	Females		3,152	574	176	87	58	30	925	85	33	38	44	65
18	Inflammation of the brain	M	22	3	1				4	1		1	3	
		F	10	4	1	1			6					
19	Meningitis	M	875	307	165	85	41	18	616	60	15	20	17	24
		F	664	228	123	63	41	24	479	56	18	11	14	12
20	Apoplexy	M	1,434	19	4	1	1	4	29	3	2	4	8	19
		F	1,308	21	3	2	2		28	2	2	5	5	14
21	Paralysis	M	346	5	2	2	1		10	2		2	1	8
		F	250	3	1	2	1		7	3	1	2	5	6
22	Paralysis, general (of insane)	M	45											3
		F	22											1
23	Tetanus and trismus nascentium	M	95	43	2	2			47	6	13	6	1	5
		F	37	28			1	1	30				1	
24	Chorea	M	4			1	1		2	1		1		
		F	4	1					1			2		
25	Epilepsy	M	71	6	1	1			8	1	1	7	8	8
		F	72	3		2			5	6	4	7	6	7
26	Convulsions	M	413	350	40	5	4	5	404	6	1			
		F	329	257	35	13	7	3	315	6	1		2	3
27	Mental diseases	M	65								1		2	2
		F	125								1	5	4	7
28	Diseases of the brain	M	261	41	14	3	1	6	65	7	4	9	7	12
		F	219	25	13	3	4	2	47	7	6	5		8
29	Diseases of the spinal cord	M	46	2	3	1		1	7			1		2
		F	61	2		1	2		5	3		1	2	4
30	Locomotor ataxia	M	32								1		1	1
		F	16										1	
31	Others of this class	M	31	1		1			2			2		1
		F	35	2					2	2			4	3
32	3. Diseases of the circulatory system		5,485	330	18	15	25	28	416	145	143	138	175	235
33	Males		2,748	189	12	7	13	10	231	70	43	64	81	117
34	Females		2,737	141	6	8	12	18	185	75	100	74	94	118
35	Pericarditis	M	48	3	2				5	4	3	5	4	5
		F	42	1				5	6	4	1	3	2	
36	Diseases of the heart	M	2,361	77	10	5	13	10	115	64	39	59	76	104
		F	2,454	55	6	8	12	12	93	70	99	70	90	110
37	Angina pectoris	M	87											3
		F	70							1			1	3
38	Diseases of the arteries	M	58							1				1
		F	45											
39	Aneurism	M	60										1	4
		F	17											
40	Embolism	M	21	2					2		1			
		F	21									1	1	5
41	Others of this class	M	113	107		2			109	1				
		F	88	85				1	86					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,614	1,410	1,139	940	875	730	638	531	375	222	88	42	6	1	1	1
946	871	678	561	519	368	317	278	160	93	40	15	2		1	2
668	539	461	379	356	362	321	253	215	129	46	27	4	1		3
3	5	2	2	4	2	4		2							4
7	8	8	4	2	5	5	4	2	1	1					
11	9	19	12	20	16	28	29	16	13		3				5
7	5	9	13	17	28	30	25	24	11	3					
6	8	6	7	12	10	3	11	5	3	7				1	6
3	8	3	9	4	13	7	9	14	8	2	4	1			
1	1		2				1	2	1						7
1			3	1	1		3			2					
8	6	8	4	1	1	2									8
2	2	2		1	1		1	1							
4	12	4	5	3		1	1	2							9
4	1	1	2	1		2	1								
881	794	575	433	345	222	160	108	82	32	10	3				10
566	406	270	180	143	114	103	45	47	24	12	9	2			
19	30	52	82	123	109	114	117	46	40	18	9	2			11
66	98	158	155	182	189	166	153	121	79	23	13		1		
10	3	8	10	10	5	5	9	8	3	2					12
8	8	7	11	5	9	5	8	5	3	2	1				
1		2	1		1				1	2					13
		1	1		1	2	2	1	3	1		1			
2	3	1	1	1	2		2	2		1					14
4	3	2	1		1	1	2								
192	235	308	355	404	456	539	504	461	383	222	102	22	10	4	15
112	142	189	205	216	236	278	254	239	200	114	41	6		3	16
80	93	119	150	188	220	261	250	222	183	108	61	16	10	1	17
3	2	2		2	1	1	1	1							18
1		1	1				1								
16	21	15	25	12	11	7	8	3	3	1				1	19
14	7	9	8	3	7	11	9	2	3		1				
42	40	80	111	137	157	187	174	184	143	81	27	4		2	20
22	42	71	106	132	156	163	158	158	120	72	34	11	7		
16	38	45	33	27	26	32	28	22	30	15	10	1			21
8	2	6	5	12	20	31	35	30	39	18	13	4	2	1	
5	5	8	7	5	3	4	2	1	1						22
3	3	2		4	1	2	2	2	1	1					
4	2	2	2	4	3										23
1	2	2	1												
															21
					1										
5	7	7	5		5	3	1	2	2		1				25
3	6	5	5	4	2	3	2	1	5	1					
1						1									26
					1				1						
4	7	4	1	4	4	9	11	5	5	4	3				27
8	9	8	10	9	10	19	11	10	3	5	4	1	1		
12	11	18	8	12	13	20	21	15	14	11	1	1			28
12	13	10	11	11	11	18	23	11	9	9	8				
2	7	3	5	7	4	2	2	3		1					29
3	5	3	1	6	7	8	7	4	1		1				
1	1	3	3	4	5	7	4		1						30
1		1		3	2	2	1	3		2					
	1	2	5	2	4	5	2	3	1	1					31
4	4	1	2	4	2	4	1	1	1						
278	325	309	360	430	465	531	514	456	319	152	63	17	6	8	32
152	166	152	181	238	212	258	254	220	165	71	31	0	3	3	33
126	159	157	179	192	223	273	260	236	154	81	32	11	3	5	34
4	4		2	3	2	3	1		3						35
4	3		3	3	2	1	3	1	4		1			1	
131	142	136	163	216	215	230	226	200	150	59	26	4	3	3	36
114	146	150	168	177	206	259	233	216	139	75	26	8	1	4	
10	7	7	4	8	12	8	9	9	4	4	2				37
6	7	3	4	10	7	5	12	6	3	2					
				3	4	8	13	10	7	0	3	2			38
				1	4	6	10	7	6	4	3	2	2		
4	13	8	11	5	7	4	1	1		1					39
1	2	2	3	1	2	1	1	2			1	1			
3		1	1	2	2	3	4		1	1					40
	1	1	1		2	1	1	4	2		1				
				1		2									41
1		1													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW YORK—GROUP 1—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	16,196	4,393	2,352	942	455	237	8,379	467	132	193	385	493
2	Males	8,574	2,464	1,281	469	238	117	4,569	229	54	96	218	269
3	Females	7,622	1,929	1,071	473	217	120	3,810	238	78	97	167	224
4	Croup M	204	24	48	47	34	16	169	34				
	Croup F	169	19	36	33	31	20	139	25	1	1		
5	Pneumonia M	6,318	1,547	990	343	162	75	3,117	162	43	87	197	242
	Pneumonia F	5,417	1,203	831	348	141	82	2,605	173	65	77	132	189
6	Laryngitis M	53	6	9	2	9	5	31	10				
	Laryngitis F	44	4	5	11	8		28	6	2			1
7	Bronchitis M	1,378	680	205	62	21	14	982	15	6	3	8	7
	Bronchitis F	1,472	554	179	66	31	10	840	24	4	8	15	11
8	Pleurisy M	141	16	13	8	7	3	47	5	2	2	6	9
	Pleurisy F	129	9	11	10	3	3	36	6	1	2	10	11
9	Asthma M	45		1		1		2				1	1
	Asthma F	53	4					4					
10	Others of this class M	435	191	15	7	4	4	221	3	3	4	6	10
	Others of this class F	338	136	9	5	3	5	158	4	5	9	10	12
11	5. Diseases of the digestive system	3,636	591	124	35	28	30	808	99	97	96	168	204
12	Males	1,839	316	56	21	14	18	425	51	52	46	79	93
13	Females	1,797	275	68	14	14	12	383	48	45	50	89	111
14	Dentition M	80	52	25	1	1	1	80					
	Dentition F	80	51	27	2			80					
15	Angina M	17	1	3	1	1	1	7	3	1		1	1
	Angina F	12	1	1	1	2	2	7	4	1			
16	Gastritis M	231	74	8	3	4	2	91	1	2		4	9
	Gastritis F	298	64	17	4	2	2	89	8	2		9	10
17	Diseases of the stomach M	94	2	1			2	5	3		1	2	6
	Diseases of the stomach F	73	5					5			4	8	6
18	Obstruction of the bowels M	126	38	1	4	1	2	46	3	2	2	5	8
	Obstruction of the bowels F	168	21	3	4	1	1	30	3	2	5	3	11
19	Appendicitis M	276	1			2	5	8	21	30	36	39	29
	Appendicitis F	180		1			2	3	19	24	20	26	22
20	Hernia M	89	6	1				7			2	1	5
	Hernia F	86	2					2					
21	Other diseases of the bowels M	26	8	1				9	2			2	
	Other diseases of the bowels F	25	7					7			1		3
22	Jaundice M	53	31		2			33	1		3	1	
	Jaundice F	51	32					32	3				1
23	Inflammation and abscess of the liver. M	68	5		1			6				4	4
	Inflammation and abscess of the liver. F	88	4					4	1	2	1	3	8
24	Other diseases of the liver M	462	3					3	1	2	1	6	16
	Other diseases of the liver F	276	3					3			1	3	11
25	Peritonitis M	156	17	5	2	4	1	29	12	15	1	13	14
	Peritonitis F	279	12	3	1	4	3	23	7	12	17	36	35
26	Ascites M	1											
	Ascites F	1											
27	Others of this class M	160	78	11	7	1	4	101	4			1	1
	Others of this class F	180	73	16	2	5	2	98	3	2	1	1	4
28	6. Diseases of the urinary system and male organs of generation.	5,832	97	33	32	36	29	227	62	60	75	186	285
29	Males	3,125	60	22	16	24	16	138	35	23	27	79	127
30	Females	2,707	37	11	16	12	13	89	27	37	48	107	158
31	Bright's disease M	2,677							30	21	25	70	118
	Bright's disease F	2,433							27	37	43	96	139
32	Calculus, urinary M	12									1		
	Calculus, urinary F	5	1					1					
33	Diseases of the kidney M	179	51	20	16	23	16	126	2			1	2
	Diseases of the kidney F	125	29	9	13	10	13	74			2	1	6
34	Diseases of the bladder M	98							1	1	1	1	1
	Diseases of the bladder F	13											
35	Others of this class M	159	9	2		1		12	2	1		7	6
	Others of this class F	131	7	2	3	2		14			3	10	13
36	7. Diseases of the female organs of generation	281	1				1	2			7	33	43
37	Ovarian tumors	45									1	5	2
38	Ovarian diseases	24										4	7
39	Diseases of the tubes	71									2	12	15
40	Uterine tumors	72					1	1				2	8
41	Uterine diseases	18									2	4	5
42	Others of this class	51	1					1			2	5	11

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900.

NEW YORK—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
523	553	549	516	592	622	622	633	617	451	263	147	39	16	4	1
291	335	347	305	336	312	283	297	282	193	101	46	8	2	1	2
232	218	202	211	256	310	339	336	335	258	162	101	31	14	3	3
							1								4
			1		1			1							
252	304	301	259	279	237	217	211	193	122	59	26	7	2	1	5
194	189	164	163	205	246	250	207	239	155	93	51	14	4	2	
		2	2	1	1	3		1	1	1					6
3					2	1			1						
13	8	11	14	23	44	37	45	61	53	29	18	1			7
17	14	16	30	26	43	59	92	76	72	58	41	17	2		
9	8	9	8	13	4	7	4	4	2	2					8
8	3	8	6	5	3	7	6	2	4	2	4				
1		1	6	4	7	6	5	6	2	2					9
2	1	4	1	5	5	6	11	5	7	1	1				
16	15	23	16	16	19	13	30	17	13	8	2				10
8	6	10	10	15	10	16	20	12	19	8	4		1	1	
199	248	267	250	240	220	203	203	147	105	49	25	3	3	2	11
96	119	139	144	131	124	95	97	66	55	15	9	1	2		12
103	129	128	106	109	96	108	106	81	50	34	16	2	1	2	13
															14
		1		1	1				1						15
9	11	9	9	12	16	9	14	14	14	5	1		1		16
11	16	16	7	20	13	25	15	28	13	11	4	1			
9	10	8	14	9	6	5	12	3	1						17
6	6	5	7	6	3	4	9	3		1					
7	4	3	5	8	9	6	6	3	6		2	1			18
10	9	13	9	15	11	10	18	7	9	2	1				
16	21	20	19	16	5	3	6	5	2						19
15	10	6	11	7	3	1	6	4	2	1					
8	4	8	7	3	8	10	8	9	6	1	1		1		20
3	4	9	10	11	8	14	6	6	3	4	1				
1		2	1	1	1	1	3	2	1						21
	2	2	1			2	3		2		1			1	
	1	2	2	1	1		3	3		2					22
1	1	1	3	2	1	3	1	2							
5	5	5	10	12	5	2	2	2	5	1					23
4	7	12	3	5	3	5	7	8	4	3	3				
28	49	63	64	51	59	45	35	20	15	3	1				24
15	34	39	27	29	30	28	25	14	10	4	3				
9	12	11	8	6	5	8	5	1	1		3				25
36	36	20	16	9	10	6	8	6	1					1	
										1					26
			1												
4	2	7	5	11	5	6	3	4	3	2	1				27
2	4	5	11	5	9	10	3	3	1	3	3	1	1		
339	444	461	485	570	606	592	490	418	297	150	68	11	5	1	28
173	227	246	255	323	343	345	266	220	169	84	38	6		1	29
166	217	215	230	247	263	247	224	198	128	66	30	5	5		30
158	207	231	236	297	317	315	233	193	134	63	22	6		1	31
136	198	198	222	233	248	237	215	185	120	63	27	5	4		
	2			3	2	2	1		1						32
1			1						1		1				
3	5	3	5	2	1	4	8	5	4		1				33
9	7	6	3	4	1	2	5	2	2				1		
2	1	2	3	4	4	14	9	15	15	10	13				34
	2			2		2		4	1		2				
10	12	9	11	10	19	10	15	7	15	11	2				35
20	10	11	4	8	14	6	4	7	4	3					
47	45	40	21	18	9	4	4	5	1	1				1	36
6	2	4	4	8	3	2	3	2	1	1					37
7	3	1	2												38
12	16	11	2				1								39
7	10	19	11	10	4	1		3						1	40
4	1		1		1										41
11	13	5	1		1	1									42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW YORK—GROUP 1—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		658									33	148	159
2	Abortion		44									4	6	13
3	Childbirth		134									4	20	29
4	Puerperal septicemia		334									16	86	75
5	Extra-uterine pregnancy		27										3	12
6	Others of this class		119									9	33	30
7	9. Diseases of the bones and joints		171	14	1	2	6	7	35	23	18	9	10	6
8	Males		90	5	2	2	2	6	17	11	10	4	6	3
9	Females		81	9	4		4	1	18	12	8	5	4	3
10	Diseases of the spine	M	23				1	2	3	5	5	2		
		F	26	1	2		2		5	5	4	1	2	
11	Abscess, lumbar and psoas	M	3								1		1	
		F	1											
12	Diseases of the bones	M	43	3	1	1	1	4	10	3	3	2	2	3
		F	26	5	2		1	1	9	2	3	1	1	3
13	Diseases of the hip-joint	M	6							3			2	
		F	12	1					1	4	1	3		
14	Others of this class	M	15	2	1	1			4		1		1	
		F	16	2			1		3	1			1	
15	10. Diseases of the skin		124	38	3	2			43	4		2	7	3
16	Males		69	19	3	1			23	4		2	3	5
17	Females		55	19		1			20				4	3
18	Abscess	M	42	10	1	1			12	4		1	1	3
		F	29	9		1			10				2	2
19	Carbuncle	M	7									1	1	
		F	5	1					1					
20	Others of this class	M	20	9	2				11				1	2
		F	21	9					9				1	1
21	11. Diseases of the absorbent system		37	7	1	1			9			1	1	4
22	Males		15	3	1	1			5				1	2
23	Females		22	4					4			1		2
24	Addison's disease	M	5											1
		F	8									1		1
25	Diseases of the spleen	M												
		F	1	1					1					
26	Others of this class	M	10	3	1	1			5				1	1
		F	13	3					3					1
27	12. Accidents and injuries		3,231	200	77	86	88	55	506	193	112	117	211	304
28	Males		2,436	114	41	47	47	36	285	131	88	92	155	249
29	Females		795	86	36	39	41	19	221	62	24	25	56	55
30	Burns and scalds	M	158	9	20	27	27	13	96	9	4		6	6
		F	208	9	19	19	18	11	76	27	13	4	6	13
31	Drowning	M	398	3	2			1	6	37	24	12	29	41
		F	30	1	5		1		7	2	1		1	2
32	Exposure and neglect	M	6	1					1				1	
		F	7	6					6					
33	Gunshot wounds	M	113		1				1		5	10	11	16
		F	16			1			1	2	2	1	2	
34	Homicide	M	53							1	2	4	10	12
		F	19			1		1	2	2		1	2	4
35	Infanticide	M	1	1					1					
		F												
36	Injuries by machinery	M	2										2	
		F												
37	Railroad accidents	M	146		1	2	4	2	9	12	8	6	5	14
		F	13			1	2		3	2				1
38	Suffocation	M	80	46	2	2	1	2	53	2	4	2	2	2
		F	53	32	1	3			36	3		1		3
39	Suicide by shooting	M	94									1	3	14
		F	7											
40	Suicide by drowning	M	3											1
		F	4											2
41	Suicide by poison	M	117									6	8	20
		F	76									8	20	14
42	Other suicides	M	137									3	9	10
		F	33								1	2	4	5
43	Sunstroke	M	61	20	1	1			22	3		1	3	3
		F	33	13	1	2			16	1		1	2	
44	Surgical operations	M	13	2					2				1	1
		F	9										2	1
45	Wounds	M	45		1			2	3	3	1	3	2	6
		F	10							1	1	1	2	1
46	Others of this class	M	1,009	32	13	15	15	16	91	64	37	44	65	103
		F	277	25	10	12	20	7	74	22	6	5	15	9

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
161	107	46	4												1
12	4	5													2
35	30	14	2												3
88	51	17	1												4
5	4	3													5
21	18	7	1												6
9	16	8	6	9	6	1	8	5	2						7
5	10	6	4	6	1		6		1						8
4	6	2	2	3	5	1	2	5	1						9
1	2	1	1	2			1								10
2	3	1		1	2										
1															11
1															
3	5	3	3	2	1		2		1						12
1	1	1	1					2	1						
	1														13
	2							1							
	2	2		2			3								14
			1	2	3	1	2	2							
6	9	4	6	5	7	7	11	4	1						15
4	6	3	2	3	3	4	5	1	1						16
2	3	1	4	2	4	8	6	3							17
2	5	3	1	2	2	2	3	1							18
1	2	1		1	3	2	4								
1			1		1	1			1						19
			1		1			2							
1	1			1		1	2								20
1	1		3	1		1	2	1							
2	3	3	3	4	1	3	2		1						21
	2	1	2	2											22
2	1	2	1	2	1	3	2		1						23
	1	1	1	1											24
2	1			1		1	1								
															25
	1		1	1											26
		2	1	1	1	2	1		1						
271	353	277	205	179	126	126	90	62	45	18	8	5	2	21	27
239	291	238	169	143	98	93	64	36	32	9	2	3		19	28
32	62	39	36	36	28	33	26	26	13	9	6	2	2	2	29
8	2	11	3	2	2	3	1	2	2					1	30
5	13	13	9	7	3	5	5	8		1					
38	63	47	32	26	16	12	5	4		1				5	31
	4	2	1	1	3	2	1	1	1					1	
			1			1	1		1						32
			1												
15	16	4	6	7	6	5	2	1	2					2	33
1	3	2		1		1									
8	7	5		1	1	1		1							34
1	5	1		1											
															35
															36
12	16	9	14	8	7	5	5	4	3					6	37
	1	1	1		3	1									
2	4	2			2	3		1						1	38
1	3		1		1		1	1	1					1	
16	12	13	12	7	7	5	3		1						39
2	3		1					1							
						1			1						40
	1			1											
15	16	15	9	12	4	9	5	2	1						41
7	9	4	4	3	8	1	1	1	1						
12	15	16	18	18	14	7	6	5	3					1	42
4	2	5	3	2	1	2	2								
	11	6	1	2	2	2	1	1	3						43
	4			3		3	1	2							
1		4	1			1	2								44
1		1	2	1	1										
7	5	4	3	3	3	1		1							45
1	1	1	1												
105	124	102	69	57	34	36	33	14	15	8	2	3		3	46
9	13	9	12	16	13	18	15	12	10	8	6	2	2		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW YORK—GROUP 2.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	4,508	641	133	71	57	35	937	106	78	130	196	174
2	Males	2,373	358	72	37	27	24	518	59	46	72	103	85
3	Females	2,135	283	61	34	30	11	419	47	32	58	93	89
4	Unknown cause	63	28					28	4	1	3	1	1
5	Males	31	12					12	3		2		
6	Females	32	16					16	1	1	1	1	1
	1. General diseases.												
7	General diseases—A	675	174	54	26	27	15	296	35	25	25	36	23
8	Males	354	102	26	11	13	10	162	18	14	14	21	12
9	Females	321	72	28	15	14	5	134	17	11	11	15	11
10	Measles M												
	Measles F	3	1	1				2			1		
11	Scarlet fever M	18	3	2	1	3		9	6	1		1	1
	Scarlet fever F	19	1	2	2	6	2	13	4	2			
12	Diphtheria M	29	1	1	1	6	6	15	5	6	1	1	1
	Diphtheria F	19		2	2	3		7	8	2	2		
13	Whooping cough M	15	9	2	2	1		14	1				
	Whooping cough F	12	6	3	3			12					
14	Malarial fever M	2											2
	Malarial fever F	2										1	
15	Influenza M	30	1		1			2	1		1	1	1
	Influenza F	37	3	1				4	1	1			2
16	Typhoid fever M	71	1			1		2	3	5	10	16	6
	Typhoid fever F	49			1	1		2	3	5	2	6	4
17	Cholera morbus M	17	6	1			1	8			1	1	1
	Cholera morbus F	16	3	1				4					
18	Colitis M	2		2				2					
	Colitis F	3	1					1	1				
19	Diarrhea M	27	7	1		1		9	2	1			
	Diarrhea F	15	3	1	1			5					1
20	Dysentery M	16	4	3	1			8			1		
	Dysentery F	15		2	1			3					
21	Enteritis M	18	7	4	1			12					
	Enteritis F	18	3	1	1	1		9				1	1
22	Cholera infantum M	71	57	8	3		3	71					
	Cholera infantum F	60	41	11	4	2	2	60					
23	Fever M												
	Fever F												
24	Cerebro-spinal fever M	12	5	2	1	1		9		1		1	
	Cerebro-spinal fever F	15	4	3			1	8		1	2	2	1
25	Smallpox M												
	Smallpox F												
26	Erysipelas M	7	1					1					
	Erysipelas F	10	1					1			1	1	
27	Septicemia M	5											
	Septicemia F	16				1		1			2	1	1
28	Venereal diseases M	1											
	Venereal diseases F	1											
29	Others of this group M	13											
	Others of this group F	11	2					2			1		1
30	General diseases—B	57	35	2	1	1		39		1		1	1
31	Males	30	17					17		1		1	1
32	Females	27	18	2	1	1		22					
33	Alcoholism M	1											
	Alcoholism F	1											
34	Parasitic diseases M												
	Parasitic diseases F												
35	Lead poison M	1											
	Lead poison F	1		1				1					
36	Other poisons M	7	1					1		1		1	
	Other poisons F	5			1	1		2					
37	Inanition M	21	16					16					
	Inanition F	20	18	1				19					1
38	General diseases—C	418	132	4	2			138			1		1
39	Males	199	75	3	2			80					
40	Females	219	57	1				58			1		1
41	Old age M	104											
	Old age F	139											
42	Premature birth M	31	31					31					
	Premature birth F	29	29					29					
43	Malformation M	17	15	1				16					
	Malformation F	6	6					6					
44	Debility and atrophy M	35	17	2	2			21					
	Debility and atrophy F	39	16	1				17			1		1
45	Others of this group M	12	12					12					
	Others of this group F	6	6					6					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 2.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
196	194	154	158	178	207	227	334	341	344	282	168	63	20	21	1
100	94	82	83	96	110	111	178	179	178	158	77	23	8	13	2
96	100	72	75	82	97	116	156	162	166	124	91	40	12	8	3
	4	1	2	2	4	1	3	3	2	1	1	1			4
	1		2		2	1	2	2	1	1	1	1			5
	3	1		2	2		1	1	1						6
24	17	11	9	10	11	22	20	20	29	32	18	10		2	7
12	8	6	2	6	8	9	10	8	13	19	5	6		1	8
12	9	5	7	4	3	13	10	12	16	13	13	4		1	9
															10
															11
															12
															13
						1									14
	1	2			1	1	2	1	5	9	1	1			15
1		1	1		1	2	3	4	4	4	8				
10	5	2	2	2	3	1	1	1	1					1	16
5	5	3	6	2		3	1	1	1						
	1			2		1				2					17
1						2	1	3		2	2	1			
							1								18
		1			2	3	3	2	2	2	1				19
	1					1	1		3	2	1				
						1	1		2	2		1			20
						1	2	1	3	2	1	2			
1							1		1	1	1	1			21
1	1					1			1	1	1	1			
															22
															23
				1											24
1															
															25
1					2	1	1	1							26
1				1	2	2			1						
		1				2	1	1							27
3	1						1	2	1					1	
	1														28
		1													
				1				2	2	3	2	3			29
	1			1				1	2	2					
1	1	3	1		2	1	2		1	1	1			1	30
	1	2			1	1	1		1	1	1			1	31
1		1	1		1		1								32
		1													33
			1												
															34
		1													35
	1				1	1			1						36
1		1					1								
							1			1	1			1	37
					1										
	4	1	2	1	1	1	11	20	53	81	63	21	15	4	38
		1	1	1	1		3	8	22	41	25	7	5	4	39
	4		1			1	8	12	31	40	33	14	10		40
							1	7	18	39	25	7	5	2	41
							3	7	29	39	38	13	10		
															42
														1	43
		1	1	1	1		2	1	4	2				1	44
	4		1			1	5	5	2	1		1			
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW YORK—GROUP 2—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		797	27	13	7	5	3	55	12	9	32	84	62
2	Males		362	14	6	2	2	2	26	6	4	13	37	29
3	Females		435	13	7	5	3	1	29	6	5	19	47	33
4	Anemia	M	16			1	1		2				1	
		F	15	1	1				2					1
5	Diabetes	M	16	1					1	1	1	1	1	
		F	8								1	1	2	
6	Rheumatism	M	8					1	1					
		F	6										1	
7	Scrofula and tabes	M	5	1				1	2	1				1
		F	6	3		1			4					1
8	Hydrocephalus	M	14	4	5		1		10	1	1			
		F	14	6	1	1	2		10	2				1
9	Tuberculosis, general	M	2											
		F	2											1
10	Consumption	M	212	5	1	1			7	3	2	12	34	26
		F	242	2	3	1	1	1	8	3	4	18	42	29
11	Cancer	M	65	1					1					1
		F	111							1				
12	Tumor	M	10										1	1
		F	14	1					1				1	
13	Dropsy	M	12	1					1					
		F	11		2	1			3					
14	Others of this group	M	2	1					1					
		F	6			1			1				1	
15	2. Diseases of the nervous system		670	84	18	15	9	4	130	18	9	7	11	6
16	Males		358	57	11	7	3	3	81	12	7	5	6	3
17	Females		312	27	7	8	6	1	49	6	2	2	5	3
18	Inflammation of the brain	M	8	2	1			1	4	1			1	
		F	15	3			1	1	5	1			2	1
19	Meningitis	M	56	20	8	3			31	10	6	5	1	
		F	43	7	5	6	3		21	3	2	2	2	
20	Apoplexy	M	101					1	1				1	1
		F	107				1		1					
21	Paralysis	M	80			1			1					1
		F	57	1					1					1
22	Paralysis, general (of insane)	M	10											
		F	5											1
23	Tetanus and trismus nascentium	M	4	1			1		2					
		F	1											
24	Chorea	M												
		F												
25	Epilepsy	M	16	4					4		1		2	1
		F	17	3			1		4					
26	Convulsions	M	27	24	1			1	26				1	
		F	14	11	1	2			14					
27	Mental diseases	M	8											
		F	6											
28	Diseases of the brain	M	35	5	1	3	1		10					
		F	29	2					2	2			1	
29	Diseases of the spinal cord	M	6	1			1		2	1				
		F	7											
30	Locomotor ataxia	M	4											
		F	2											
31	Others of this class	M	3											
		F	9		1				1					
32	3. Diseases of the circulatory system		453	25	1	1			27	4	3	5	8	7
33	Males		266	13	1	1			15	1	2	3	6	3
34	Females		187	12					12	3	1	2	2	4
35	Pericarditis	M	1											
		F	3											
36	Diseases of the heart	M	238	5	1	1			7	1	2	2	6	2
		F	166	7					7	2	1	2	2	4
37	Angina pectoris	M	12									1		1
		F	10							1				
38	Diseases of the arteries	M	1											
		F	1											
39	Aneurism	M	2											
		F	1											
40	Embolism	M	4											
		F	1											
41	Others of this class	M	8	8					8					
		F	5	5					5					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
76	69	41	35	41	53	44	73	39	35	18	10	5		4	1
32	30	20	14	22	18	17	39	21	16	9	4	3		2	2
44	39	21	21	19	35	27	31	18	19	9	6	2		2	3
	2		1	3			3		1	1	1			1	4
4	4		1	1				1	1						
2		1		2	1	2		1	1	1					5
1						1	1							1	
					2		1	2	1	1					6
1							2			1	1				
1															7
			1												
2															8
		1													
1	1														9
1															
24	21	17	11	12	[illegible]	6	9	6	6	2	1			1	10
33	24	13	10	11	15	8	7	8	6	3					
1	3	1	2	3	4	8	18	10	6	3	1	3			11
4	8	6	8	5	16	15	20	7	9	5	4	2		1	
		1		2	1		3			1					12
	1			1	3	1	3		2		1				
					1	1	5	2	1		1				13
	1			1	1	2		2	1						
1															14
	1	1	1				1								
24	24	24	24	50	31	43	65	65	66	42	22	[illegible]	1		15
17	11	15	10	24	12	22	33	30	34	24	11		1		16
7	13	9	14	26	19	21	32	35	32	18	11	8			17
				1					1						18
1				1	2		1				1				
	1			1			1								19
	1	2	2	2	1	2			1	2					
2	1		3	9	4	14	16	11	17	14	6		1		20
1		2	[illegible]	11	9	8	19	16	18	9	5	2			
7	4	4	3	6	2	4	12	14	12	5	5				21
1			4	5	2	[illegible]	10	11	10	4	2	3			
2		1	3	3			1								22
		1				1		2							
		1			1										23
					1										
															24
1	4	1					1	1							25
	6			3		3		1							
															26
3		3		1	1										27
2									1			3			
2	1	4	1	1	3	1	1	4	3	4					28
1	2	3	1	3	3	2	1	2	1	3	2				
		1			1				1						29
	1			1	1	1		2	1						
				1		1	1			1					30
	1							1							
				1		2									31
1	[illegible]	1	1			1	1				1				
10	11	21	18	24	35	44	60	60	51	40	16	5	2	2	32
[illegible]	7	11	11	11	27	26	38	35	33	20	9	1	1		33
4	4	10	7	13	8	18	22	25	18	20	7	4	1	2	34
						1									35
		1			1		1								
[illegible]	7	10	10	[illegible]	21	22	37	34	32	20	8	1	1		36
4	8	[illegible]	6	11	7	16	20	24	18	16	7	4	1	2	
		1		1	3	2		1	1		1				37
	1		1	2		2	1	1		1					
					1										38
										1					
				1	1										39
										1					
			1		1	1	1								40
										1					
															41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW YORK—GROUP 2—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	572	84	29	15	8	6	142	14	9	16	14	20
2	Males	308	43	20	11	6	2	82	7	4	8	9	12
3	Females	264	41	9	4	2	4	60	7	5	8	5	8
4	Croup M	19	2	5	4	1	1	13	4		1		
	Croup F	7	1	1		1	2	5	1			1	
5	Pneumonia M	210	26	12	5	3		46	2	3	7	9	10
	Pneumonia F	195	25	7	4		1	37	5	5	6	2	6
6	Laryngitis M	2		1				1					
	Laryngitis F	1											
7	Bronchitis M	38	7	2	2	1		12					
	Bronchitis F	42	13				1	14			1		1
8	Pleurisy M	5								1			
	Pleurisy F	4											1
9	Asthma M	5											
	Asthma F												
10	Others of this class M	29	8			1	1	10	1				2
	Others of this class F	15	2	1		1		4	1		1	2	
11	5. Diseases of the digestive system	251	25	5	3	1	2	36	8	12	13	13	12
12	Males	126	12	4	3		2	21	4	6	8	5	8
13	Females	125	13	1		1		15	4	6	5	8	4
14	Dentition M	3	1	2				3					
	Dentition F	3	2	1				3					
15	Angina M	3							1	1			
	Angina F	3							1				
16	Gastritis M	11	1	1				2					
	Gastritis F	14				1		1					
17	Diseases of the stomach M	6	1					1					
	Diseases of the stomach F	7	1					1					
18	Obstruction of the bowels M	14	4					4					1
	Obstruction of the bowels F	10										1	1
19	Appendicitis M	21			1		1	2	1	2	3	1	3
	Appendicitis F	6							1	2	1	1	
20	Hernia M	4											1
	Hernia F	4	1					1					
21	Other diseases of the bowels M	4		1				1					1
	Other diseases of the bowels F	6	1					1					
22	Jaundice M	5											
	Jaundice F	5								1			
23	Inflammation and abscess of the liver. M	2											
	Inflammation and abscess of the liver. F	5								1			
24	Other diseases of the liver M	14			1			1				1	
	Other diseases of the liver F	19										1	1
25	Peritonitis M	27	1		1		1	3	1	3	4	3	1
	Peritonitis F	26							1	2	4	5	2
26	Ascites M	1											
	Ascites F	1											
27	Others of this class M	11	4					4	1		1		1
	Others of this class F	16	8					8	1				
28	6. Diseases of the urinary system and male organs of generation.	279	1	2		1	3	7	2	3	3	5	12
29	Males	177	1				3	4	2	2	1	3	2
30	Females	102		2		1		3		1	2	2	10
31	Bright's disease M	112							2	2	1	2	1
	Bright's disease F	79								1	2	1	7
32	Calculus, urinary M	1											
	Calculus, urinary F	1											
33	Diseases of the kidney M	15					2	2					1
	Diseases of the kidney F	10		2		1		3					1
34	Diseases of the bladder M	19											
	Diseases of the bladder F	1											
35	Others of this class M	30	1				1	2				1	
	Others of this class F	11										1	2
36	7. Diseases of the female organs of generation	14									1	1	
37	Ovarian tumors												
38	Ovarian diseases	1											
39	Diseases of the tubes	1											
40	Uterine tumors	4											
41	Uterine diseases	1											
42	Others of this class	7									1	1	

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
14	16	20	28	19	24	33	49	43	48	33	16	11	2	1	1
10	11	13	19	10	12	13	22	20	21	21	9	4	1		2
4	5	7	9	9	12	20	27	23	27	12	7	7	1	1	3
						1									4
8	8	11	15	9	8	9	18	13	13	14	4	2	1		5
4	3	6	8	8	8	17	22	18	22	9	5	3	1		
1															6
									1						
	1	1	2	1		1	2	2	5	4	5	2			7
	1			1	2	2	4	4	2	3	2	4		1	
							1	3							8
	1	1	1												
		1				1	1	2							9
1	2		2		4	1			3	3					10
					2	1	1	1	2						
12	13	10	17	16	14	11	15	25	10	6	8				11
4	6	3	12	9	7	4	6	10	7	2	4				12
8	7	7	5	7	7	7	9	15	3	4	4				13
															14
								1							15
					1	1									
			1	1	2	1	2			1	1				16
2	1	1		2	2	2		1		1	1				
			1	2	1		1								17
1				1				2	1	1					
1	1			2		1	1	1	1		1				18
	1	1		1		1	3	1							
1	2	1	3	1	1										19
		1													
									2		1				20
			1		1		1								
						1		1							21
	1	1					2				1				
1								2	1		1				22
					1			2		1					
			1					1							23
1	1			1			1								
	2		2		1	1	2	3	1						24
	1	2	3	2		3		6							
1	1	1	4	2	2				1						25
4	2				1			3	1						
								1							26
										1					
		1		1					1	1					27
		1	1				2		1		2				
12	10	10	9	11	20	17	28	51	42	22	11	2		2	28
6	5	5	5	9	15	10	18	35	28	17	8	1		1	29
6	5	5	4	2	5	7	10	16	14	5	3	1		1	30
2	4	4	4	8	10	7	11	29	13	8	2	1		1	31
5	3	3	2	1	4	6	7	16	12	5	3	1			
									1						32
							1								
1		1	1	1	2	1	1		1	2	1				33
	1	1	1		1		1							1	
						1	4	4	6	1	3				34
							1								
3	1				3	1	2	2	7	6	2				35
1	1	1	1	1		1			2						
4			5		2				1						36
															37
1															38
1															39
			2		1				1						40
1															41
1			3		1										42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW YORK—GROUP 2—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	35									5	6	9
2	Abortion	[illegible]											
3	Childbirth	9											2
4	Puerperal septicemia	[illegible]									3	2	2
5	Extra-uterine pregnancy	2										1	1
6	Others of this class	14									2	3	4
7	9. Diseases of the bones and joints	13	3				1	4			3		1
8	Males	8	1				1	2			[illegible]		
9	Females	5	2					[illegible]					1
10	Diseases of the spine M	5	1				1	2			2		
	Diseases of the spine F	3	1					1					1
11	Abscess, lumbar and psoas M	1											
	Abscess, lumbar and psoas F	1	1					1					
12	Diseases of the bones M	1											
	Diseases of the bones F	1											
13	Diseases of the hip-joint M	1									1		
	Diseases of the hip-joint F												
14	Others of this class M												
	Others of this class F												
15	10. Diseases of the skin	13	2	1	1			4	1				1
16	Males	8	2					2	1				
17	Females	5		1	1			2					1
18	Abscess M	4							1				
	Abscess F	2											1
19	Carbuncle M	1											
	Carbuncle F												
20	Others of this class M	3	2					2					
	Others of this class F	3		1	1			2					
21	11. Diseases of the absorbent system	3											
22	Males	2											
23	Females	1											
24	Addison's disease M	1											
	Addison's disease F	1											
25	Diseases of the spleen M	1											
	Diseases of the spleen F												
26	Others of this class M												
	Others of this class F												
27	12. Accidents and injuries	195	21	4		5	1	31	8	6	16	16	18
28	Males	144	9	1		3	1	14	5	6	15	15	15
29	Females	51	12	3		2		17	3		1	1	3
30	Burns and scalds M	6		1		2		[illegible]					1
	Burns and scalds F	[illegible]	2	2		1		5	1				1
31	Drowning M	40				1	1	2	3	2	10	7	6
	Drowning F	6		1		1		2	1			1	1
32	Exposure and neglect M	4	2					[illegible]					
	Exposure and neglect F	2	1					1					
33	Gunshot wounds M	13								1	1	2	1
	Gunshot wounds F												
34	Homicide M	1											
	Homicide F												
35	Infanticide M												
	Infanticide F												
36	Injuries by machinery M												
	Injuries by machinery F												
37	Railroad accidents M	[illegible]											1
	Railroad accidents F												
38	Suffocation M	5	2					2					
	Suffocation F	7	5					5	1				
39	Suicide by shooting M	1										1	
	Suicide by shooting F	1									1		
40	Suicide by drowning M												
	Suicide by drowning F	1											
41	Suicide by poison M	1											
	Suicide by poison F	1											
42	Other suicides M	[illegible]											2
	Other suicides F	5											
43	Sunstroke M												
	Sunstroke F												
44	Surgical operations M												
	Surgical operations F	1											
45	Wounds M	1									1		
	Wounds F												
46	Others of this class M	60	5					5	2	3	[illegible]	5	4
	Others of this class F	[illegible]	[illegible]					4					1

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
5	7	3													1
1	1														2
2	4	1													3
1															4
															5
1	2	2													6
	1						1	2		1					7
	1						1	1							8
								1		1					9
							1								10
										1					
								1							11
	1														12
								1							
															13
															14
	1		1		2	1			1					1	15
	1		1			1			1					1	16
					2										17
			1			1								1	18
					1										
									1						19
	1														20
					1										
	2									1					21
	1									1					22
	1														23
	1														24
	1														
										1					25
															26
14	14	9	7	4	8	9	7	13	5	4	2			4	27
13	11	6	6	4	7	7	5	9	1	2				3	28
1	3	3	1		1	2	2	4	4	2	2			1	29
						1		1							30
								1							
3	1	2	1	1		1		1							31
									1						
						1	1								32
								1							
3		2		1	1			1							33
					1										34
															35
															36
	2		1		2	1	1							1	37
	1		1											1	38
														1	
															39
								1							40
			1												41
	1														
						1									42
1	1	1	1							1					
															43
															44
					1										
															45
7	7	2	2	2	3	2	3	6	1	2				1	46
	1	2				2	2	1	8	1	2				

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW YORK—GROUP 3.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	4,900	710	161	75	65	37	1,048	108	73	133	167	207
2	Males	2,479	384	82	38	32	20	556	48	31	68	72	113
3	Females	2,421	326	79	37	33	17	492	60	42	65	95	94
4	Unknown cause	41	13	1			1	15	1				
5	Males	24	6	1			1	8	1				
6	Females	17	7					7					
	1. General diseases.												
7	General diseases—A	731	195	66	25	32	15	333	38	22	32	11	21
8	Males	357	106	32	10	16	10	174	17	11	18	3	11
9	Females	374	89	34	15	16	5	159	21	11	14	8	10
10	Measles M	25	7	5	1	3	1	17	4	1			1
	Measles F	25	3	8	5	1		17	1	2	1		
11	Scarlet fever M	11				4	1	5	1	2	2		
	Scarlet fever F	12		1	2	1	1	5	2	2	2		
12	Diphtheria M	25		2	4	2	5	13	8	4			
	Diphtheria F	26		2	2	3	1	8	10	4	3		
13	Whooping cough M	20	15	4		1		20					
	Whooping cough F	25	13	5	2	2		22	2				
14	Malarial fever M	9	1		1			2					1
	Malarial fever F	11	1					1		1	1		
15	Influenza M	37	5	1		1		7			2		1
	Influenza F	59	1	1	1			6			1	2	
16	Typhoid fever M	43				1	1	2	1	1	10	3	4
	Typhoid fever F	39	1					1	3	2	3	3	7
17	Cholera morbus M	10	1	1				2		1			
	Cholera morbus F	8		1				1					
18	Colitis M	7	2		1			3					1
	Colitis F	3	2					2					
19	Diarrhea M	12	3					3	1				
	Diarrhea F	11	3	1				4					
20	Dysentery M	10	1	3		2		6					
	Dysentery F	18	5	2		1		8					
21	Enteritis M	37	20	3	1	1		25					1
	Enteritis F	34	8	3	2	4	2	19	1				
22	Cholera infantum M	51	42	7	1	1		51					
	Cholera infantum F	52	43	7	1		1	52					
23	Fever M												
	Fever F												
24	Cerebro-spinal fever M	18	6	6			2	14	1		3		
	Cerebro-spinal fever F	15	5	3		4		12			1		
25	Smallpox M												
	Smallpox F												
26	Erysipelas M	11	1					1	1				1
	Erysipelas F	10	1					1					
27	Septicemia M	21			1			1		2	1		
	Septicemia F	17							2		2	3	3
28	Venereal diseases M	1											1
	Venereal diseases F												
29	Others of this group M	9	2					2					
	Others of this group F	9											
30	General diseases—B	67	36		1	1		38		1	1	1	2
31	Males	40	21					21		1			1
32	Females	27	15		1	1		17			1	1	1
33	Alcoholism M	11											1
	Alcoholism F	1											
34	Parasitic diseases M												
	Parasitic diseases F												
35	Lead poison M												
	Lead poison F												
36	Other poisons M	7											
	Other poisons F	2											
37	Inanition M	22	21					21		1		1	1
	Inanition F	24	15		1	1		17			1		
38	General diseases—C	363	148	2	1	1		152	1			1	
39	Males	187	80	1	1	1		83					
40	Females	176	68	1				69	1			1	
41	Old age M	89											
	Old age F	93											
42	Premature birth M	40	40					40					
	Premature birth F	31	31					31					
43	Malformation M	9	9					9					
	Malformation F	7	7					7					
44	Debility and atrophy M	45	27	1	1	1		30					
	Debility and atrophy F	40	25	1				26	1			1	
45	Others of this group M	4	4					4					
	Others of this group F	5	5					5					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 3.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
178	189	153	175	206	256	307	372	372	405	314	154	46	11	26	1
101	94	74	81	114	130	152	175	174	206	163	85	20	7	15	2
77	95	79	94	92	126	155	197	198	199	151	69	26	4	11	3
1	1	2	2	1	1	2	2	2	3	4	2	1		1	4
1	1	1	1	1	1	1	2		2	2	2				5
		1	1			1		2	1	2		1		1	6
20	16	11	17	20	17	21	26	38	39	28	16	2		3	7
10	8	3	9	7	8	11	11	20	14	13	7	1		1	8
10	8	8	8	13	9	10	15	18	25	15	9	1		2	9
			1				1								10
	2				1				1						
								1							11
1															
															12
	1														
															13
														1	
1			1			1			1	1				1	14
1		1	1				2	1	2						
			2		2	4	3	4	3	5	4				15
	1	2	1	4	2	3	4	8	11	7	5	1		1	
8	4	3	1	2	1	1		2							16
6	2	2	2	2	2	1	2	1							
			1	2		1	1		1	1					17
		1	1		2	1			2						
					1	1				1					18
							1								
			2		2			2	1			1			19
				1		1		1	2	2					
							1			2	1				20
1				1		1	2	2	2	1					
1	1		1				2	3	2		1				21
1		1	1	3			2	1	1	3	1				
															22
															23
															24
	1		1												
															25
	1			1	1		1	3		1					26
	1		1	1		1	1	2	1		1				
	2			2	1	8	2	3	4						27
		1		1	2	1		1	1						
															28
								2	2	2	1				29
						1	1	1	2	2	2				
2	5	1	2	2	3	1	2	3	2					1	30
2	4	1	1	2	2	1		3						1	31
	1		1		1		2		2						32
2	2	1		1	2			1						1	33
	1														
															34
															35
	2		1	1		1		2							36
															37
			1		1		2		2						
					2	2	6	19	36	69	39	26	10		38
							4	11	18	35	19	11	6		39
					2	2	2	8	18	34	20	15	4		40
							1	9	14	31	17	11	9		41
						1	1	5	16	32	20	14	4		
															42
															43
							3	2	4	4	2				44
					2	1	1	3	2	2		1			
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW YORK—GROUP 3—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		879	17	3	2	2	2	26	9	12	33	66	87
2	Males		413	12	2		1	1	16	4	1	13	30	49
3	Females		466	5	1	2	1	1	10	5	11	20	36	38
4	Anemia	M	6											
		F	15								1	1	3	2
5	Diabetes	M	16							1		1		2
		F	10							1	1			
6	Rheumatism	M	15										1	
		F	16							1	1		1	
7	Scrofula and tabes	M	8										1	1
		F	6			1	1		2		1			
8	Hydrocephalus	M	10	7	1			1	9					
		F	6	2		1		1	4	1				
9	Tuberculosis, general	M	1											1
		F	1											
10	Consumption	M	271	4	1		1		6	3	1	12	27	45
		F	259	2	1				3	2	7	19	30	34
11	Cancer	M	71											
		F	113											1
12	Tumor	M	4										1	
		F	12										1	
13	Dropsy	M	15											
		F	26	1					1				1	
14	Others of this group	M	1	1					1					
		F	2											1
15	2. Diseases of the nervous system		775	88	22	15	8	6	139	13	9	10	13	15
16	Males		379	55	11	9	4	2	81	8	7	4	5	6
17	Females		396	33	11	6	4	4	58	5	2	6	8	9
18	Inflammation of the brain	M	6	2	1				3			1		1
		F	5										1	
19	Meningitis	M	41	15	6	5	4	1	31	3	1		1	
		F	37	7	5	8	2	2	19		1	3	2	4
20	Apoplexy	M	137	1					1				1	1
		F	165	1					1				1	1
21	Paralysis	M	65	3					3	3				
		F	71							1			1	1
22	Paralysis, general (of insane)	M	4											
		F	1											
23	Tetanus and trismus nascentium	M	11	1	1				2		4		1	
		F	1											
24	Chorea	M												
		F												
25	Epilepsy	M	9								1	3		1
		F	11				1		1		1	8	1	1
26	Convulsions	M	36	29	2	3		1	35	1				
		F	33	20	5	2		2	29	2				
27	Mental diseases	M	27											2
		F	30										2	1
28	Diseases of the brain	M	28	4	1				5		1		1	1
		F	27	5	1				6	1				1
29	Diseases of the spinal cord	M	7			1			1	1			1	
		F	9			1	1		2	1				
30	Locomotor ataxia	M	1											
		F												
31	Others of this class	M	7											
		F	6											
32	3. Diseases of the circulatory system		483	21	1	1			23	8	3	10	7	12
33	Males		248	7		1			8	3	1	6	2	9
34	Females		235	14	1				15	5	2	4	5	3
35	Pericarditis	M	4											1
		F	3										1	
36	Diseases of the heart	M	218	6		1			7	3	1	5	2	8
		F	204	7					7	5	1	4	4	2
37	Angina pectoris	M	19									1		
		F	14								1			
38	Diseases of the arteries	M	4											
		F	2											
39	Aneurism	M												
		F	1											
40	Embolism	M	2											
		F	2											
41	Others of this class	M	1	1					1					
		F	9	7	1				8					1

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 3—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
74	70	59	37	54	59	63	72	57	52	30	10	3		6	1
37	29	24	17	25	30	27	32	25	26	17	6	2		3	2
37	41	35	20	29	29	36	40	32	26	13	4	1		3	3
1		1					1	1		2					4
	3			2			2	1							
			1	1	1	1	1	1	1	2	1				5
	2			1	2			1	1	1					
2				1	1		2	4	1	2	1				6
2		2			1	2	2	2	1		1				
						1									7
1	1				1										
	1														8
		1													
															9
1															
32	27	19	14	17	20	11	13	10	10	2				2	10
30	29	20	7	13	11	9	13	16	9	4	1			2	
1	1	4	2	4	6	11	13	8	11	5	3	1		1	11
2	5	9	7	11	12	21	18	8	10	5	2	1		1	
1				1				1							12
	1		4			2	2	1	1						
				1		3	2		3	4	1	1			13
1		2	2	2	2	2	3	3	4	3					
															14
		1													
14	16	8	25	26	54	68	78	86	94	69	32	5		1	15
8	6	6	13	14	24	30	31	35	47	35	17	2			16
6	10	2	12	12	30	38	47	51	47	34	15	3		1	17
								1							18
1							1	1	1						
	1			1	2						1				19
1				2	2		1	1	1						
3	1	3	6	8	10	18	16	21	19	16	11	2			20
2	3	1	2	5	20	22	23	32	24	20	6	2			
	2		1	3	3	4	7	8	16	13	2				21
1	1		4	2	3	5	11	11	15	7	6	1		1	
1	1					2									22
	1														
			1		2	1									23
	1														
															24
			1			1	1		1						25
	2		1							1					
															26
			1			1									
2	1	1	2		3	2	2	3	4	3	2				27
1	1	1	1		2	6	8	2	2	2	1				
		1	1	2	1	2	4	2	3	3	1				28
	1		3	1	1	2	2	3	2	2	2				
			1		1		1		1						29
				2	1	2			1						
									1						30
2		1			2				2						31
					1		1	1	1	2					
5	7	9	13	25	38	60	70	65	63	49	14	2			32
1	5	3	4	14	20	39	38	29	31	26	9				33
4	2	1	9	11	18	21	32	36	32	23	5	2			34
	1				1	1									35
		1								1					
1	4	3	3	13	15	34	30	28	30	22	9				36
3	2	5	9	10	14	20	27	34	31	19	5	2			
			1	1	4	3	6	1		2					37
1					4	1	4	1		2					
							1		1	2					38
							1			1					
															39
								1							
						1	1								40
				1					1						
															41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW YORK—GROUP 3—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		710	138	56	22	15	8	239	21	11	17	19	16
2	Males		354	71	28	11	6	4	120	7	4	9	7	7
3	Females		356	67	28	11	9	4	119	14	7	8	12	9
4	Croup	M	12	3	4	2	2		11	1				
		F	11	2	3	1			6	5				
5	Pneumonia	M	241	37	16	7	4	1	65	4	3	7	7	7
		F	244	38	17	8	6	2	71	6	7	7	9	7
6	Laryngitis	M	4							2	1			
		F	3				1	1	2	1				
7	Bronchitis	M	67	26	8	1		3	38					
		F	62	21	7	2	2		32				2	1
8	Pleurisy	M	2									1		
		F	2											
9	Asthma	M	1											
		F	5											
10	Others of this class	M	27	5		1			6			1		
		F	29	6	1			1	8	2		1	1	1
11	5. Diseases of the digestive system		277	38	5	3	3	1	50	8	8	9	12	9
12	Males		131	18	4	2	2		26	4	3	5	2	3
13	Females		146	20	1	1	1	1	24	4	5	4	10	6
14	Dentition	M	2		2				2					
		F	2	1		1			2					
15	Angina	M	3	1			1		2					
		F	4	2			1		3					1
16	Gastritis	M	21	1			1		2					1
		F	27	6					6	1				2
17	Diseases of the stomach	M	9			1			1					
		F	6									1	1	1
18	Obstruction of the bowels	M	8	2					2					
		F	4											
19	Appendicitis	M	12							2	1	3	2	1
		F	7	1					1			1	3	
20	Hernia	M	5											
		F	8											
21	Other diseases of the bowels	M	4	1					1					
		F	6	1					1					
22	Jaundice	M	7	6					6					
		F	6	2	1				3					
23	Inflammation and abscess of the liver.	M	1	1					1					
		F	6	1					1			1		
24	Other diseases of the liver	M	27											
		F	20	1					1					
25	Peritonitis	M	20	2	1	1			4	2	2	2		1
		F	38	1				1	2	3	4	1	5	2
26	Ascites	M	1											
		F	2											
27	Others of this class	M	11	4	1				5					
		F	10	4					4		1		1	
28	6. Diseases of the urinary system and male organs of generation.		269	5		1	1	1	8	4	2	7	11	14
29	Males		151			1	1	1	3	1		4	6	6
30	Females		118	5					5	3	2	3	5	8
31	Bright's disease	M	109									4	4	3
		F	98							3	1	2	4	8
32	Calculus, urinary	M	2											
		F												
33	Diseases of the kidney	M	9			1	1	1	3	1				
		F	7	4					4					
34	Diseases of the bladder	M	10											
		F	3											
35	Others of this class	M	21										2	3
		F	10	1					1		1	1	1	
36	7. Diseases of the female organs of generation		15											
37	Ovarian tumors		4											
38	Ovarian diseases													
39	Diseases of the tubes													
40	Uterine tumors		6											
41	Uterine diseases													
42	Others of this class		5											

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 3—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
18	24	25	25	22	38	41	43	40	56	30	13	4	1	7	1
15	17	16	12	14	19	18	19	18	27	11	7	2	1	4	2
3	7	9	13	8	19	23	24	22	29	19	6	2		3	3
															4
10	14	14	12	9	13	12	15	13	19	7	4	2		4	5
2	7	8	8	6	13	19	16	16	26	9	3	1		3	
										1					6
1	1			3	3	4	3	3	6	3	1		1		7
1		1	2	1	3		5	4		7	2	1			
		1													8
						1	1								
											1				9
					2	2				1					
4	2	1		2	3	2	1	2	2		1				10
			3	1	1	1	2	2	3	2	1				
9	16	9	19	15	17	16	22	19	20	10	7	1		1	11
3	5	2	10	10	9	5	8	10	12	7	5	1			12
6	11	7	9	5	8	11	13	9	8	8	2			1	13
															14
			1												15
1			1	3	2	1		2	3	4	1				16
	3	2	2	2	1	1	3	1	1	2					
			1	2	1		2	1	1						17
		2							1						
	1			1				1	2		1				18
						1	1		1					1	
1	1							1							19
						1	1								
								2		2	1				20
1	1	1		1		2		1	1						
	1		1								1				21
					1			1	2		1				
												1			22
						1	1	1							
															23
	1		1	1				1							
	1	1	4	3	2	2	7	2	5						24
2	1	1	3	1	4	2	2	1	1	1					
1	1	1	2		3	1									25
3	4	1	3		1	2	4	2			1				
								1							26
					1				1						
				1	1	1			1	1	1				27
	1					1	1	1							
7	13	13	15	18	18	18	35	30	27	15	13	1			28
4	8	9	3	12	10	6	20	19	20	12	8				29
3	5	4	12	6	8	12	15	11	7	3	5	1			30
3	5	8	3	9	8	6	16	13	13	7	6				31
3	3	4	11	5	8	12	14	9	5	3	3				
1				1											32
							2		3						33
			1	1					1						
	1			1	1			1	2	3	1				34
									1		1	1			
	1	1		1	1		2	5	2	2	1				35
	2						1	2			1				
1	2	2	3	2			2	1	1		1				36
		1					1	1	1						37
															38
															39
	1		3	1			1								40
															41
1	1	1		1							1				42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW YORK—GROUP 3—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		29									2	7	8
2	Abortion		2											1
3	Childbirth		8									1	2	2
4	Puerperal septicemia		11										2	3
5	Extra-uterine pregnancy													
6	Others of this class		8									1	3	2
7	9. Diseases of the bones and joints		10								1	1	1	1
8	Males		4									1	1	1
9	Females		6								1			
10	Diseases of the spine	M	1										1	
		F	1								1			
11	Abscess, lumbar and psoas	M	1											1
		F												
12	Diseases of the bones	M	1											
		F	2											
13	Diseases of the hip-joint	M	1									1		
		F												
14	Others of this class	M												
		F	3											
15	10. Diseases of the skin		13		2				2	1				
16	Males		7		1				1	1				
17	Females		6		1				1					
18	Abscess	M	5		1				1	1				
		F	3		1				1					
19	Carbuncle	M												
		F												
20	Others of this class	M	2											
		F	3											
21	11. Diseases of the absorbent system		2											
22	Males		1											
23	Females		1											
24	Addison's disease	M	1											
		F												
25	Diseases of the spleen	M												
		F												
26	Others of this class	M												
		F	1											
27	12. Accidents and injuries		236	11	3	4	2	3	23	4	4	11	18	22
28	Males		183	8	2	3	1	1	15	2	3	8	16	20
29	Females		53	3	1	1	1	2	8	2	1	3	2	2
30	Burns and scalds	M	7			3	1		4	1				
		F	8			1	1	1	3	1				1
31	Drowning	M	31		2			1	3		2		5	6
		F	7							1		2		
32	Exposure and neglect	M	2	1					1					
		F												
33	Gunshot wounds	M	11									3		2
		F	1										1	
34	Homicide	M												
		F												
35	Infanticide	M												
		F												
36	Injuries by machinery	M	1											
		F												
37	Railroad accidents	M	36									4	7	3
		F	6		1				1		1	1		
38	Suffocation	M	7	3					3			1		
		F	4	2				1	3					
39	Suicide by shooting	M	2											
		F	1											
40	Suicide by drowning	M												
		F												
41	Suicide by poison	M	2											
		F												
42	Other suicides	M	7											
		F	3											
43	Sunstroke	M												
		F	2											
44	Surgical operations	M												
		F	2											
45	Wounds	M	1											
		F												
46	Others of this class	M	76	4					4	1	1		4	9
		F	19	1					1				1	1

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 3—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
3	4	3	2												1
	1														2
1	1		1												3
2	2	1	1												4
															5
		2													6
1					1	1	2	1							7
							1								8
1					1	1	1	1							9
															10
															11
1					1		1								12
															13
						1	1	1							14
1				1			2	2	2	1	1				15
				1			1		1	1	1				16
1							1	2	1						17
1				1				1	1	1					18
															19
							1				1				20
			2				1	1	1						21
			1												22
			1												23
			1												24
															25
			1												26
22	15	11	13	20	8	14	10	9	10	9	6	1		6	27
20	11	9	10	14	7	14	7	4	8	4	4	1		6	28
2	4	2	3	6	1		3	5	2	5	2				29
			1	1											30
		1	1							1					
3		1	2	2		4	1		1					1	31
1	1						1	1							
									1						32
3	2	1													33
															34
															35
						1									36
5	1	2	3	2	1	4								4	37
	1	1	1												
1				1		1									38
							1								
1	1														39
	1														
															40
		1			1										41
		1	1		1	1	1	2							42
	1			1						1					
				1					1						43
				2											44
					1										45
7	7	8	8	8	3	3	5	2	6	4	4	1		1	46
1			1	2	1		1	4	1	3	2				

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW YORK—GROUP 4.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	15,983	2,769	633	286	170	114	3,972	385	274	387	551	618
2	Males	8,344	1,580	344	151	90	43	2,208	221	143	195	272	303
3	Females	7,639	1,189	289	135	80	71	1,764	164	131	192	279	315
4	Unknown cause	98	37	1				38	2	3	4	3	4
5	Males	61	24	1				25		3	1	2	3
6	Females	37	13					13	2		3	1	1
	1. General diseases.												
7	General diseases—A	2,466	806	254	117	67	49	1,293	135	73	69	76	65
8	Males	1,311	454	142	65	34	21	716	69	32	34	47	38
9	Females	1,155	352	112	52	33	28	577	66	41	35	29	27
10	Measles M	81	18	32	9	2	2	64	8	2	3		
	Measles F	77	27	17	6	4	3	57	5	4	3	3	1
11	Scarlet fever M	37	2	3	8	7	2	22	5	2		2	1
	Scarlet fever F	26	1	2	3	3	7	16	6	1		1	
12	Diphtheria M	108	7	15	17	12	9	60	27	9	2	2	4
	Diphtheria F	86	6	8	10	15	10	49	24	5	2	2	
13	Whooping cough M	44	36	2	1	1	1	41	1				
	Whooping cough F	40	23	13	2		1	39					
14	Malarial fever M	2			2			2			1	1	1
	Malarial fever F	15	1			1		2	2		1		1
15	Influenza M	89	14	2			1	17				1	2
	Influenza F	128	9			1	2	12	2	2	1	1	
16	Typhoid fever M	189	1		2	1	3	7	3	8	18	32	26
	Typhoid fever F	138	2	4	5	1	1	13	7	14	21	12	15
17	Cholera morbus M	39	7			2		9	2	3		3	
	Cholera morbus F	41	8	3	1			12		3	1		1
18	Colitis M	22	14	2	1	1		18					
	Colitis F	22	12	1	2			15					
19	Diarrhea M	71	28	5	2			35	4	3	1	1	
	Diarrhea F	59	18	7	2	2		29	5	4			
20	Dysentery M	49	12	7	2		1	22	1		1	2	
	Dysentery F	49	7		2			9	1	2	1	1	
21	Enteritis M	170	102	23	8	2		135	5	1	1		1
	Enteritis F	130	64	21	4	4	2	95	2			2	
22	Cholera infantum M	238	184	40	9	3	2	238					
	Cholera infantum F	191	151	30	9		1	191					
23	Fever M	3		2				2			1		
	Fever F	7	3			1		4			1	1	
24	Cerebro-spinal fever M	30	6	6	4	1		17	4	2	4		1
	Cerebro-spinal fever F	33	9	3	6			21	2	5		1	
25	Smallpox M												
	Smallpox F												
26	Erysipelas M	20	7	2				9					1
	Erysipelas F	3	1					1	1				1
27	Septicemia M	48	2	1				3		2	1	3	1
	Septicemia F	62	4				1	5	5	1	4	5	2
28	Venereal diseases M	20	14			1		15					
	Venereal diseases F	11	5			1		6					
29	Others of this group M	44							1		1		
	Others of this group F	31	1					1	1				
30	General diseases—B	299	181	5	2	1	1	190	1	2	2	4	11
31	Males	173	100	3	1	1	1	106	1	1		1	7
32	Females	126	81	2	1			84		1	2	3	4
33	Alcoholism M	37										1	5
	Alcoholism F	15											2
34	Parasitic diseases M	1		1				1					
	Parasitic diseases F												
35	Lead poison M	1											
	Lead poison F	1			1			1					
36	Other poisons M	24	1	1	1			3					2
	Other poisons F	18	2					2			2	2	2
37	Inanition M	110	99	1		1	1	102	1	1			
	Inanition F	92	79	2				81		1		1	
38	General diseases—C	1,344	589	11	6	1	1	608	8		2	3	2
39	Males	678	340	4	3	1	1	349	7		1	1	
40	Females	666	249	7	3			259	1		1	2	2
41	Old age M	294											
	Old age F	363											
42	Premature birth M	186	186					186					
	Premature birth F	121	121					121					
43	Malformation M	38	35	1				36	2				
	Malformation F	27	26	1				27					
44	Debility and atrophy M	131	90	3	3	1	1	98	5		1	1	
	Debility and atrophy F	126	73	6	3			82	1		1	2	2
45	Others of this group M	29	29					29					
	Others of this group F	29	29					29					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 4.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
669	691	647	663	673	757	899	1,030	1,182	1,072	860	431	147	40	35	1
344	338	356	348	355	377	457	524	617	549	428	210	62	18	19	2
325	353	291	315	318	380	442	506	565	523	432	221	85	22	16	3
3	1	3	3	4	6	4	4	4	7	1	1	2		1	4
	1	2	3	2	3	2	3	2	5	1	1	1		1	5
3		1		2	3	2	1	2	2			1			6
71	64	52	45	37	49	43	83	90	93	75	40	9	4		7
43	32	30	23	23	22	21	36	43	46	30	21	4	1		8
28	32	22	22	14	27	22	47	47	47	45	19	5	3		9
2		1		1											10
	1														
		2													11
1	1														
1	1		2												12
1		1		1		1									
	1					1									13
		1													
		1							1		2				14
	1			1	1	1	2	2		1					
2		2	3	2	3	7	5	9	12	15	7	2			15
4	5	2	3	3	7	4	14	15	18	19	11	3	2		
31	16	13	9	7	6	3	1	8	1						16
16	8	9	6	4	2	5	4	2							
3	3	2	2	1		2		2	4	1	1		1		17
	1	1	1		5	2	5	5		3	1				
				1		1	1			1					18
			1			2			2	1	1				
	1	1	1		4	1	4	4	7	3	1				19
	1		2		2		2	1	8	3	1	1			
2	1			1			3	6	5	3	2				20
				2	1	3	8	6	9	3	2	1			
1	1	2		2	3	2	5	4	4	1	2				21
	2		1	1	2		4	5	5	10	1				
															22
															23
1															
			1				1								24
	1	1		1	1										
															25
		1	1	1		1	1	2	2		1				26
	2	1					1	1	1						
1	4	4	4	7	3	3	5	4	1	1	1				27
4	8	4	8	1	3	1	1	3	1						
	2	1			2										28
	1	2					2								
	2				1		10	9	9	5	4	2			29
1					3	3	4	7	8	5	2		1		
10	11	12	7	10	10	6	5	5	6	3	2	1		1	30
7	6	8	6	6	8	5	1	1	4	2	1	1		1	31
3	5	4	1	4	2	1	4	4	2	1	1				32
8	5	5	6	3	5	1	1			1				1	33
2	3	3	1	2	1	1									
															34
1															35
3	1	3		2	3	3		1	1	1	1				36
1	2	1		1			2	1	1	1					
				1		1			3			1			37
				1	1		2	3	1		1				
3	2	3	1	6	5	10	29	77	126	217	149	71	22		38
3	1	2		2	1	4	7	31	56	105	65	34	9		39
	1	1	1	4	4	6	22	46	70	112	84	37	13		40
						2	4	30	48	102	65	34	9		41
						4	14	39	66	108	82	37	13		
															42
															43
3	1	2		2	1	2	3	1	8	3					44
	1	1	1	4	4	2	8	7	4	4	2				
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW YORK—GROUP 4—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		2,670	67	31	15	12	8	133	31	36	120	217	233
2	Males		1,211	40	16	10	5	2	73	18	13	54	79	105
3	Females		1,459	27	15	5	7	6	60	13	23	66	138	128
4	Anemia	M	26	1					1					
		F	44	2					2		2	2	3	1
5	Diabetes	M	64			1			1	2	3	4	2	2
		F	69		1		3		4	4	4	2	3	2
6	Rheumatism	M	21							2		2		
		F	27	1					1				2	
7	Scrofula and tabes	M	15	4		1	1		6				1	1
		F	26	4				1	5	2	1	2	3	1
8	Hydrocephalus	M	44	16	6	3	1		26	7	2	3	1	
		F	27	10	6	3	2	3	24		2			1
9	Tuberculosis, general	M	15	1	1		1	1	4	1			1	4
		F	12	1					1				8	
10	Consumption	M	717	11	8	1	2	1	23	3	7	45	72	93
		F	748	8	8	1	1	1	19	7	10	55	120	117
11	Cancer	M	239								1		1	2
		F	421					1	1		4	1	3	4
12	Tumor	M	18		1				1	1			1	2
		F	35				1		1					1
13	Dropsy	M	34							1				
		F	43									2	1	1
14	Others of this group	M	18	7		4			11	1				1
		F	7	1		1			2			2		
15	2. Diseases of the nervous system		2,071	328	86	39	11	15	479	35	30	25	27	37
16	Males		1,087	195	41	19	4	8	267	22	15	19	15	20
17	Females		984	133	45	20	7	7	212	13	15	6	12	17
18	Inflammation of the brain	M	25	6	2	3		1	12		1			
		F	9	2	1	1			4		2			
19	Meningitis	M	175	65	16	10	4	3	98	15	7	8	7	3
		F	148	45	29	12	3	6	95	7	7		1	4
20	Apoplexy	M	369	2	2	1			5			2	1	3
		F	370	3		1			4				3	5
21	Paralysis	M	180	1					1	1	1		1	2
		F	181								1		1	3
22	Paralysis, general (of insane)	M	15											1
		F	5											1
23	Tetanus and trismus nascentium	M	11	2	1				3	2	1	3		1
		F	7	2	1				3		1			
24	Chorea	M	1											
		F	2									1	1	
25	Epilepsy	M	27	2	1				3	1	2	1	3	4
		F	22		1				1	2	1	1	4	
26	Convulsions	M	131	103	16	5		3	127	2				
		F	106	78	9	5	4		96	1			1	2
27	Mental diseases	M	34									1		3
		F	28								1		1	
28	Diseases of the brain	M	81	14	3			1	18		3	3	1	2
		F	55	1	3	1		1	6	2	2	3		1
29	Diseases of the spinal cord	M	8							1		1		
		F	20	2	1				3	1				1
30	Locomotor ataxia	M	14											
		F	6											
31	Others of this class	M	16										2	1
		F	25									1		
32	3. Diseases of the circulatory system		1,701	77	1	2	2	5	87	13	27	35	24	22
33	Males		848	40		1	1	2	44	5	6	13	10	7
34	Females		853	37	1	1	1	3	43	8	21	22	14	15
35	Pericarditis	M	12										2	
		F	17					2	2	1	2	1		
36	Diseases of the heart	M	748	31		1	1	2	35	5	6	13	8	6
		F	760	27	1	1	1	1	31	7	19	19	12	14
37	Angina pectoris	M	42											1
		F	42									2	1	1
38	Diseases of the arteries	M	30											
		F	10											
39	Aneurism	M	4											
		F	5											
40	Embolism	M	3											
		F	8										1	
41	Others of this class	M	9	9					9					
		F	11	10					10					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 4—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
226	233	189	186	151	186	181	180	162	114	60	20	6	2	4	1
108	103	94	88	62	79	85	87	74	46	33	8	1	1		2
118	130	95	98	89	107	96	93	88	68	27	12	5	1	4	3
1		1	1	2	5	5	5	1	1	2			1		4
2	1	2	5	3	8	6	4	2	1						
3	1	6	7	3	2	8	8	7	3	2					5
	2	1	3	3	9	12	7	6	4	2		1			
1			2		4		1	6	1	1	1				6
1	1	1	2		3	1	6	3	5	1					
	1	1			1	1	1	1		1					7
1	2		1	1		2	1	1	3						
	2	1		1	1										8
3				1		1									9
2	1	2			2		1								
95	94	67	55	33	30	32	26	19	14	7	2				10
98	90	49	41	30	21	19	17	17	23	5	5	1		4	
2	3	13	19	21	33	32	40	34	21	13	3	1			11
9	26	35	41	47	59	46	51	49	28	13	2	1	1		
1	1	3	2				1	2	3						12
4	7	5	2	4	2	3	1	2	1	1	1				
2		1	2	1	2	4	5	4	3	7	2				13
			2	1	3	7	4	8	3	5	4	2			
	1	1			1	2									14
1			1				1								
41	51	59	74	91	101	166	184	234	213	137	66	12	4	5	15
22	29	30	37	53	43	86	94	119	116	59	34	2	3	2	16
19	22	29	37	38	58	80	90	115	97	78	32	10	1	3	17
	1		1				2	3	2	3					18
			2				1								
5	3	3	4	8	4	3	3	2	2						19
3	3	1	5	1	1	3	4	5	4	3		1			
9	8	12	13	26	19	45	60	65	56	25	17	1		2	20
4	3	11	16	19	34	45	50	63	46	42	19	5		1	
2	5	6	7	6	8	17	19	36	35	20	9	1	3		21
3	3	7	1	9	13	16	19	35	32	24	9	4		1	
2	2	3		3	2		1				1				22
1			1					1		1					
			1												23
1						1	1								
									1						24
3	3		2	1	2			1	1						25
1	1		3	2	2	1		2		1					
				1				1							26
1	1		1			1	1							1	
		1	3		1	8	1	1	7	4	4				27
	1	1	1	1	4	1	2	5	6	3	1				
1	4	2	3	5	4	9	4	7	8	5	2				28
3	5	2	3	3	1	6	8	2	4	1	2		1		
		1		1		2	1		1						29
1	2	2		1	1	4		1	2	1					
	2	2	1	1	2	1	1	2	2						30
		2		1	1	2									
	1		2	1	1	1	2	1	1	2	1				31
1	3	3	4	1	1		4	1	3	2	1				
58	52	76	63	105	147	156	211	226	185	138	56	11	2	7	32
32	22	36	26	53	80	70	109	121	96	79	28	5	2	4	33
26	30	40	37	52	67	86	102	105	89	59	28	6		3	34
	2	3		1	3		1								35
2		2		1	2		2			2					
31	17	31	23	46	65	62	94	109	90	73	25	5	2	2	36
22	28	33	34	49	61	78	91	97	81	52	25	6		1	
1	1	1	2	6	5	7	8	4	1	2	1			2	37
1	1	4	2	1	1	6	4	6	8	1	2			1	
		1			5	1	6	8	4	4	1				38
				1	1	1	2	2		3					
	1		1		2										39
1		1			1	1				1					
	1								1		1				40
	1		1		1		3				1				
															41
														1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW YORK—GROUP 4—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		2,220	451	204	80	49	22	806	65	27	27	51	52
2	Males		1,147	261	118	41	25	5	450	41	14	15	29	30
3	Females		1,073	190	86	39	24	17	356	24	13	12	22	22
4	Croup	M	32	13	4	3	5	1	26	6				
		F	32	4	7	6	6	2	25	6	1			
5	Pneumonia	M	753	144	76	29	17	2	268	24	12	10	22	27
		F	663	100	52	21	7	11	191	14	9	5	15	16
6	Laryngitis	M	14	1	6				7	5				
		F	7	3	1		2	1	7					
7	Bronchitis	M	210	79	29	7	2	1	118	4	1			1
		F	241	68	21	11	5	2	107	2	1	3	1	1
8	Pleurisy	M	21									3	3	
		F	16				1		1	1		1	1	
9	Asthma	M	12	1					1					1
		F	9											
10	Others of this class	M	105	23	3	2	1	1	30	2	1	2	4	1
		F	105	15	5	1	3	1	25	1	2	3	5	8
11	5. Diseases of the digestive system		1,081	146	25	12	7	4	194	38	29	46	44	65
12	Males		570	78	11	6	4	1	100	18	21	23	22	28
13	Females		511	68	14	6	3	3	94	20	8	23	22	37
14	Dentition	M	7	5	2				7					
		F	7	6	1				7					
15	Angina	M	8	1		1		1	3	1				
		F	9	2				2	4	1	2	1		
16	Gastritis	M	73	14	5	1			20	2			1	3
		F	71	6	4	2			12	1			2	4
17	Diseases of the stomach	M	40	1					1					3
		F	20								1			1
18	Obstruction of the bowels	M	47	10	1		2		13	4	1	2		
		F	53	5	2	1	1		9	1		1	1	1
19	Appendicitis	M	61			1			1	1	9	12	6	5
		F	31					1	1	1	3	10	2	3
20	Hernia	M	19	1					1			1	1	
		F	19	2					2					
21	Other diseases of the bowels	M	16	6	1				7		1	1		2
		F	9	1	1				2			1	1	
22	Jaundice	M	26	5					5	1				1
		F	15	3					3			1	1	
23	Inflammation and abscess of the liver.	M	28	2					2				4	4
		F	22							1			1	1
24	Other diseases of the liver	M	98	1					1			1	3	1
		F	51	1					1					
25	Peritonitis	M	88	5		1	1		7	6	10	6	7	9
		F	141	5	1	2	2		10	15	2	9	14	27
26	Ascites	M	2											
		F	1											
27	Others of this class	M	57	27	2	2	1		32	3				
		F	62	37	5	1			43					
28	6. Diseases of the urinary system and male organs of generation.		950	19	7	4	5	3	38	17	9	8	20	39
29	Males		560	10	4	2	3	1	20	11	4	2	9	11
30	Females		390	9	3	2	2	2	18	6	5	6	11	28
31	Bright's disease	M	374							7	3	1	6	8
		F	304							6	4	5	8	18
32	Calculus, urinary	M	3											
		F												
33	Diseases of the kidney	M	29	6	4	2	1	1	14			1	1	1
		F	18	4	2	2	2	1	11					1
34	Diseases of the bladder	M	58										1	1
		F	8											1
35	Others of this class	M	96	4			2		6	4	1		1	1
		F	60	5	1			1	7		1	1	3	8
36	7. Diseases of the female organs of generation		51	1					1			1	2	9
37	Ovarian tumors		7											
38	Ovarian diseases		2											
39	Diseases of the tubes		7									1		4
40	Uterine tumors		20											1
41	Uterine diseases		4										1	2
42	Others of this class		11	1					1				1	2

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 4—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
69	73	77	82	83	81	125	123	155	126	126	52	15	4	1	1
33	34	44	47	39	32	62	60	81	53	53	23	6	1		2
36	39	33	35	44	49	63	63	74	73	73	29	9	3	1	3
															4
25	27	38	35	30	27	40	33	54	31	34	12	3	1		5
28	31	27	28	28	38	42	45	46	42	36	13	8		1	
		1	1												6
4	1	2		3	3	9	12	20	14	11	7				7
3	1	3	3	8	5	10	7	21	23	26	13	1	2		
2	2	1	2			1	3	1	1	1	1				8
3	1	1	1	2		1	2	1							
						1	2	1	2	2	1	1			9
			1	2		2	2		1	1					
2	4	2	9	6	2	11	10	5	5	5	2	2			10
2	6	2	2	4	6	8	7	6	7	10	3		1		
48	49	61	73	64	46	76	67	64	68	28	12	8		1	11
18	26	39	41	33	24	40	40	33	41	12	8	2		1	12
30	23	22	32	31	22	36	27	31	27	16	4	6			13
															14
2						1		1							15
							1								
2	2	3	5	1	1	3	8	9	6	3	3			1	16
1	1	3	4	3	2	8	5	3	11	6	1	4			
1	1	5	4	4	4	8	3	4	5	1	1				17
	2		1	2	3	4	1	2	1	1		1			
2	2		3	5	1	3	2	2	4	2		1			18
4	5	5	5	2	3	3	2	7	3	1	1				
3	8	5	5	1	1	1	1		1	1					19
3	1	1	2	1	1	1			1						
	1		1	3		2	2	2	5						20
			1	3	1	3	1	3	3	1	1				
		1				2		1	1						21
2	1						1		1						
	1	1	1		2	3	2	2	3	2	2				22
	1	2	2			1	1	1		2					
			4	3	1	3	3	1	2	1					23
1	1	1	1	3	1	3	3	3	1	1					
4	4	12	14	11	11	10	15	4	7						24
1	2	1	4	8	4	8	6	9	3	4					
4	6	10	3	4	2	7	1	3	1		1	1			25
17	9	7	10	6	3	4	4	1	2			1			
		1						1							26
			1												
	1	1	1	1	1	2	3	3	6	2	1				27
1		2	1	3	4	1	2	2	2		1				
33	53	37	54	63	73	101	100	126	97	52	22	7	1		28
16	25	18	26	38	45	62	62	87	62	42	16	3	1		29
17	28	19	28	25	28	39	38	39	35	10	6	4			30
13	19	15	20	35	36	47	38	62	36	20	6	1	1		31
15	26	14	21	23	23	34	30	34	29	7	5	2			
								2	1						32
	1				2	2	2	2	1	1	1				33
1			2				1		1	1					
2		1	2		1	2	12	9	11	11	5				34
			1			1	1	1		1	1	1			
1	5	2	4	3	6	11	10	12	13	10	4	2			35
1	2	5	4	2	5	4	6	4	5	1		1			
5	7	5	9	2	3	3	2	2							36
			1	1	3		1	1							37
1							1								38
			2												39
1	5	5	3	1		3		1							40
			1												41
3	2		2												42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW YORK—GROUP 4—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	83									4	16	16
2	Abortion	1											
3	Childbirth	23										1	4
4	Puerperal septicemia	38									3	10	7
5	Extra-uterine pregnancy	1											
6	Others of this class	20									1	5	5
7	9. Diseases of the bones and joints	24	3	1		1	1	6	1	1	1	1	2
8	Males	14	1			1		2	1		1	1	2
9	Females	10	2	1			1	4		1			
10	Diseases of the spine M	6	1					1			1		
	Diseases of the spine F	3	2					2					
11	Abscess, lumbar and psoas M	2										1	1
	Abscess, lumbar and psoas F	1											
12	Diseases of the bones M	3				1		1					1
	Diseases of the bones F	3		1			1	2		1			
13	Diseases of the hip-joint M	1							1				
	Diseases of the hip-joint F												
14	Others of this class M	2											
	Others of this class F	3											
15	10. Diseases of the skin	26	5					5		1			
16	Males	16	3					3					
17	Females	10	3					3		1			
18	Abscess M	7	1					1					
	Abscess F	7	1					1		1			
19	Carbuncle M	3											
	Carbuncle F												
20	Others of this class M	2	2					2					
	Others of this class F	3	2					2					
21	11. Diseases of the absorbent system	25	3			1		4	1				
22	Males	9	2			1		3					
23	Females	16	1					1	1				
24	Addison's disease M	2											
	Addison's disease F	7											
25	Diseases of the spleen M	2	1					1					
	Diseases of the spleen F	2											
26	Others of this class M	5	1			1		2					
	Others of this class F	7	1					1	1				
27	12. Accidents and injuries	874	55	7	9	13	5	89	38	36	43	63	61
28	Males	659	32	4	3	10	1	50	28	34	32	56	52
29	Females	215	23	3	6	3	4	39	10	2	11	7	9
30	Burns and scalds M	25	1	2	1	6		10	1	1	1		2
	Burns and scalds F	34	2	3	5	1	1	12	4	1		1	2
31	Drowning M	106	1	1		2	1	5	14	11	9	16	6
	Drowning F	12	1			1		2	2		1	2	
32	Exposure and neglect M	4	2					2				1	
	Exposure and neglect F	4											
33	Gunshot wounds M	22								2	3	5	1
	Gunshot wounds F	3											1
34	Homicide M	5									1	1	1
	Homicide F	2			1			1					1
35	Infanticide M	1	1					1					
	Infanticide F												
36	Injuries by machinery M	3									1		
	Injuries by machinery F												
37	Railroad accidents M	153	1		1	1		3	5	14	5	17	11
	Railroad accidents F	15							2		5	1	1
38	Suffocation M	19	11					11				1	
	Suffocation F	15	8			1	1	10	1				1
39	Suicide by shooting M	22										1	4
	Suicide by shooting F												
40	Suicide by drowning M	7											1
	Suicide by drowning F	3											
41	Suicide by poison M	16									1	3	
	Suicide by poison F	10									1		
42	Other suicides M	43											3
	Other suicides F	16										2	
43	Sunstroke M	5	1		1			2					1
	Sunstroke F	1											
44	Surgical operations M	8									1		
	Surgical operations F	15								1	1	1	2
45	Wounds M	7									1	1	1
	Wounds F	2									1		
46	Others of this class M	213	14	1		1		16	8	6	8	10	21
	Others of this class F	83	12				2	14	1		2		1

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 4—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
24	18	3	2												1
		1													2
6	10	1	1												3
11	7														4
		1													5
7	1		1												6
		1	1	1	3	1	2	2	1						7
			1	1	1	1	1	1	1						8
		1			2		1	1							9
					1	1	1	1							10
					1										
															11
								1							
				1											12
															13
			1						1						14
		1			1		1								
3		1	2		2	2	2		4	3					15
2			1		2	2			4	2					16
1		1	1				2			1					17
1					1	1			2	1					18
1		1	1				1			1					
1			1			1									19
					1				2	1					20
							1								
		3	3	2	5		2	3	3						21
		1	1		1		2		1						22
		2	2	2	4			2	2						23
			1		1										24
		1		1	3			1	1						
									1						25
		1		1											
		1					2								26
			2		1			1	1						
75	77	65	58	54	40	25	36	33	29	20	11	5	1	15	27
60	59	52	48	43	36	17	22	24	18	10	5	3		10	28
15	18	13	10	11	4	8	14	9	11	10	6	2	1	5	29
	2	2	1	2	1		1							1	30
2	3	2		2		1	1	1		1	1				
6	10	8	5	2	3	2	1	2	2					4	31
		1		1			1							2	
	1														32
1	1													2	
1	2	1		2	2	1		1						1	33
1			1												
1			1												34
															35
	1			1											36
21	15	11	10	11	7	3	5	6	2	2	3			1	37
	2			2				1	1						
	2		1	1	1				1	1					38
						1		1						1	
3	2	1	3	2	2	1	1	2							39
	1	1	1	1	1		1								40
1		1			1										
1	1	2	2	3	1	1			1						41
1	4	1	1		1		1								
2	2	8	9	4	1	2	2	2	5	1		1		1	42
2	1	1	4	8			1	1		1					
			1						1						43
						1									
1	2		1		1		1							1	44
4	3	1		1			1								
1		1					1		1						45
					1										
23	18	17	13	14	16	7	9	11	5	6	2	2		1	46
8	4	6	4	2	1	5	9	5	10	8	5	2	1		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW YORK—GROUP 5.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	28,797	3,799	711	406	274	214	5,404	664	456	691	1,044	1,059
2	Males	14,841	2,107	389	230	138	124	2,988	317	241	338	533	531
3	Females	13,956	1,692	322	176	136	90	2,416	347	215	353	511	528
4	Unknown cause	224	52	3	3	2	1	61	3	3	6	7	3
5	Males	112	27	2	1	1	1	32	1		4	1	1
6	Females	112	25	1	2	1		29	2	3	2	6	2
7	1. General diseases. General diseases—A	3,859	894	239	138	97	80	1,448	268	114	130	182	114
8	Males	1,949	484	134	77	45	46	786	129	49	62	99	57
9	Females	1,910	410	105	61	52	34	662	139	65	68	83	57
10	Measles M	61	16	15	6	2	6	45	5	4		4	
	Measles F	60	15	10	4	3	2	34	8	2	3	2	
11	Scarlet fever M	45	5	5	7	5	3	25	12	4	2	2	
	Scarlet fever F	58	1	4	7	6	5	23	15	4	4	2	
12	Diphtheria M	200	8	15	27	19	24	93	73	16	11	3	2
	Diphtheria F	190	5	10	17	21	15	68	76	18	7	7	4
13	Whooping cough M	70	47	14	3	3		67	3				
	Whooping cough F	61	39	8	4	4	2	57	4				
14	Malarial fever M	30		1	1			2		2	3	8	
	Malarial fever F	30				1		1	2		2	2	1
15	Influenza M	186	9	3		1		13	2	1	1	1	2
	Influenza F	265	12	2	2			16	3	6	2	5	3
16	Typhoid fever M	344	2	1	4	3	2	12	13	15	33	67	38
	Typhoid fever F	261		4	2	3	4	13	12	26	35	45	20
17	Cholera morbus M	52	9	3	1	2	1	16	3	2	1	1	
	Cholera morbus F	49	4	4	4	1		13	1	2	1	2	1
18	Colitis M	28	8	3				11	1		1	1	1
	Colitis F	22	6	1	1			8	1				1
19	Diarrhea M	117	32	3	1	1		37	6		1	2	1
	Diarrhea F	94	22	2		1		25	6	1	1		2
20	Dysentery M	69	5	3	1	3	1	13	1	1			1
	Dysentery F	86	6	4	2	2	1	15	1				
21	Enteritis M	172	80	13	10		3	106	2		1	1	1
	Enteritis F	203	67	19		3	3	92	2		2	2	8
22	Cholera infantum M	301	233	51	12	2	2	300					
	Cholera infantum F	245	202	30	9	4		245					
23	Fever M	4	2					2					
	Fever F	1			1			1					
24	Cerebro-spinal fever M	41	10	3	4	4	2	23	4	3	5	3	1
	Cerebro-spinal fever F	54	16	5	7	2	1	31	6	4	5		4
25	Smallpox M	2											
	Smallpox F												
26	Erysipelas M	45	4					4			1	1	1
	Erysipelas F	28	5	1			1	7				1	1
27	Septicemia M	87	6	1			1	8	1	1	2	5	6
	Septicemia F	125	7	1	1	1		10	1	1	6	14	11
28	Venereal diseases M	14	6					6					2
	Venereal diseases F	6	3					3					1
29	Others of this group M	81	2				1	3	3				1
	Others of this group F	77							1	1		1	
30	General diseases—B	423	220	4	11	1	2	238	1	2	2	6	17
31	Males	263	123	2	8		2	135	1	1		3	9
32	Females	160	97	2	3	1		103		1	2	3	8
33	Alcoholism M	65										1	4
	Alcoholism F	13											3
34	Parasitic diseases M	1			1			1					
	Parasitic diseases F	1			1			1					
35	Lead poison M												
	Lead poison F												
36	Other poisons M	58	2		7		2	11	1	1		2	5
	Other poisons F	25		1		1		2			2	3	5
37	Inanition M	139	121	2				123					
	Inanition F	121	97	1	2			100		1			
38	General diseases—C	2,818	1,044	23	5	1	2	1,075		2	3	4	5
39	Males	1,460	585	13	4	1	2	605			2	1	4
40	Females	1,358	459	10	1			470		2	1	3	1
41	Old age M	752											
	Old age F	782											
42	Premature birth M	252	252					252					
	Premature birth F	187	187					187					
43	Malformation M	61	61					61					
	Malformation F	43	40					40		1		1	
44	Debility and atrophy M	349	226	13	4	1	2	246			2	1	4
	Debility and atrophy F	304	190	10	1			201		1	1	2	1
45	Others of this group M	46	46					46					
	Others of this group F	42	42					42					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 5.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,022	1,182	1,066	1,170	1,357	1,545	1,845	2,148	2,369	2,442	1,809	972	356	84	112	1
544	619	541	613	662	807	924	1,063	1,200	1,263	902	487	182	27	59	2
478	563	525	557	695	738	921	1,085	1,169	1,179	907	485	174	57	53	3
3	11	10	10	15	14	20	19	10	16	7	4	1		1	4
1	5	5	7	8	8	10	9	7	7	3	1	1		1	5
2	6	5	3	7	6	10	10	3	9	4	3				6
115	102	95	79	96	108	143	162	215	204	151	88	31	5	9	7
54	58	50	44	46	61	64	75	93	87	71	44	15	1	4	8
61	44	45	35	50	47	79	87	122	117	80	44	16	4	5	9
	1			1		1									10
2	1	2	1	1	2			1			1				
															11
1	1	3													
1					1										12
4	1			3	1	1									
															13
	2	1			1	4	7	2	1	1	1				14
2		1	2	2		3	2	6	2	1	1				
3	2	7	4	6	11	14	16	24	38	24	13	4			15
8	7	7	7	10	10	26	23	28	48	34	15	6		1	
37	36	25	16	13	13	8	6	7	1	2	1			1	16
17	16	17	8	9	10	10	7	6	4	4	1			1	
1		1	2	2	2	5	6	3	3	1	2		1		17
2		1	1	2		4	6	7	4	1		1			
	1	2	2					2	2		2	2			18
1				3		4	2	2							
3	2		1	3	4	9	10	12	7	13	5	1			19
3		2	1	4	3	6	6	13	7	8	3	1		2	
1	1		3	3	5	3	4	13	5	5	8	1		1	20
	1		3	3	3	4	9	14	15	7	10		1		
2	3	3	5	4	9	9	10	10	4	5	3	1			21
4	2	6	2	4	4	10	14	22	14	7	4	2	1	1	
														1	22
							1			1					23
	1		1												24
	1			1	1	1									
	1						1								25
1	1	3	1	5	5	5	2	2	6	6		1			26
1	1			2	3	3	3	2	2	2					
4	5	5	7	7	11	2	7	1	8	4	3				27
16	12	5	7	2	7	6	6	10	7	4					
1	1	1	1		1									1	28
			1	1											
	1	2	1	2	5	4	10	17	12	9	6	5			29
	1	1	2	3	3	1	9	11	14	12	9	6	2		
11	22	8	22	11	17	13	14	16	15	5	2			1	30
9	17	5	15	11	12	9	10	9	13	2	2				31
2	5	3	7		5	4	4	7	2	3				1	32
5	12	2	9	8	4	5	7	2	5	1					33
1	2	2	3		1	1									
															34
															35
3	4	3	5	3	7	4	1	4	4						36
1	2	1	3		2			3		1					
1	1		1		1		2	3	4	1	2				37
	1		1		2	3	4	4	2	2				1	
5	8	5	7	11	22	23	77	180	313	463	366	193	47	9	38
1	3	1	5	4	8	13	32	93	166	227	177	99	18	1	39
4	5	4	2	7	14	10	45	87	147	236	189	94	29	8	40
						7	23	76	145	220	168	94	18	1	41
						5	29	78	133	226	184	93	28	6	
															42
															43
							1								
1	3	1	5	4	8	6	9	17	21	7	9	5			44
4	5	4	2	7	14	5	15	9	14	10	5	1	1	2	
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW YORK—GROUP 5—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		4,899	100	46	24	16	13	199	43	72	199	360	402
2	Males		2,249	52	25	13	8	7	105	19	29	75	178	197
3	Females		2,650	48	21	11	8	6	94	24	43	124	182	205
4	Anemia	M	47	3	3				6	2	1	1	2	1
		F	68	6	1	1	1		9	1	2	7	3	1
5	Diabetes	M	91		1	1			2		4	2	9	6
		F	100		2				2	2	6	1	4	6
6	Rheumatism	M	87							6	1	2	1	
		F	87					1	1	4	3		8	1
7	Scrofula and tabes	M	21	5	1				6	1		1	1	3
		F	26	4	1	1			6	1		1	2	2
8	Hydrocephalus	M	45	21	7	5	3	3	39	2	1	2		
		F	44	18	7	6	3	2	36	4		1		1
9	Tuberculosis, general	M	7		1				1				1	1
		F	15	1		1			2		2	1	1	
10	Consumption	M	1,368	16	9	4	3	3	35	7	20	60	157	180
		F	1,329	15	6	2	4	3	30	11	27	109	168	188
11	Cancer	M	414	1					1		1	1	3	3
		F	776	1					1				1	3
12	Tumor	M	54	2		1	1		4	1	1			3
		F	77		1				1		1	2		
13	Dropsy	M	104	2	1	1		1	5				3	
		F	112	1					1	1	2	1		1
14	Others of this group	M	11	2	2	1	1		6				1	
		F	16	2	3				5			1		2
15	2. Diseases of the nervous system		4,407	518	141	73	51	27	810	79	64	63	58	64
16	Males		2,248	287	72	38	24	15	436	35	40	28	29	31
17	Females		2,159	231	69	35	27	12	374	44	24	35	29	33
18	Inflammation of the brain	M	25	8	1	1			10	2		1		
		F	23	2	1	1	1		5	2	2	1	2	
19	Meningitis	M	301	59	44	22	15	8	178	22	14	12	7	11
		F	262	73	40	18	16	6	153	30	14	11	6	13
20	Apoplexy	M	832	1	1				2		2	2		9
		F	889	8	2	1			11	1		3	2	4
21	Paralysis	M	437	5			1		6			2	1	2
		F	416	2	2		1	1	6	1	1		1	2
22	Paralysis, general (of insane)	M	13										1	1
		F	11											
23	Tetanus and trismus nascentium	M	29	1			1		2	4	12	2	3	
		F	8	1			1		2	1	1		1	
24	Chorea	M	3									1		
		F	6									3		
25	Epilepsy	M	50	5	1	1			7		3	2	2	3
		F	27	2		1			3		2		2	3
26	Convulsions	M	193	151	16	12	3	1	183	3	2	1		
		F	182	127	19	10	6	2	164	4		4	3	1
27	Mental diseases	M	66										5	1
		F	56										1	5
28	Diseases of the brain	M	184	23	9	2	3	2	39	4	4	3	6	2
		F	189	15	5	3	2	2	27	4		10	8	4
29	Diseases of the spinal cord	M	47	4			1	4	9		3	2	4	1
		F	34			1		1	2	1	4	2	1	
30	Locomotor ataxia	M	31											
		F	7											
31	Others of this class	M	37											1
		F	49	1					1			1	2	1
32	3. Diseases of the circulatory system		2,824	117	7	1	1	6	132	29	29	44	57	46
33	Males		1,481	66	4	1		5	76	8	15	20	26	20
34	Females		1,343	51	3		1	1	56	21	14	24	31	26
35	Pericarditis	M	16					1	1		2		2	
		F	22	1					1	1		4		1
36	Diseases of the heart	M	1,312	47	4	1		3	55	8	13	19	23	19
		F	1,207	36	3		1	1	41	20	14	19	29	21
37	Angina pectoris	M	87									1		1
		F	59										1	1
38	Diseases of the arteries	M	20	1					1					
		F	15											
39	Aneurism	M	12										1	
		F	9											1
40	Embolism	M	16	1					1					
		F	14									1		
41	Others of this class	M	18	17				1	18					
		F	17	14					14				1	2

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 5—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
341	372	322	322	356	372	335	386	332	287	125	51	8	2	13	1
176	183	153	146	153	157	142	154	156	128	60	30	5	...	3	2
165	189	169	176	203	215	193	232	176	159	65	21	3	2	10	3
...	3	5	2	6	5	4	3	4	2	...	...	...	...	...	4
2	...	5	4	9	9	7	2	4	3	...	...	...	...	...	
2	4	5	7	10	6	6	7	9	7	2	...	...	...	2	5
2	4	7	5	12	14	9	13	6	4	2	1	...	...	...	
4	5	2	2	4	6	8	11	11	9	8	4	1	...	1	6
3	4	4	5	6	9	5	9	9	13	4	4	...	...	...	
...	1	1	1	1	1	2	2	...	...	...	...	...	...	...	7
1	2	...	...	5	...	2	1	1	2	...	...	...	...	...	
...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	8
...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	
...	1	...	1	...	2	...	...	...	...	...	...	...	...	...	9
1	...	1	1	1	...	3	1	...	...	1	...	...	...	...	
165	152	108	98	88	80	54	51	56	33	14	4	...	...	...	10
141	129	78	77	67	70	51	66	50	44	14	4	...	...	5	
4	10	20	27	31	47	60	63	56	51	21	11	4	...	...	11
9	43	61	74	84	94	97	108	85	71	30	8	2	...	5	
1	5	4	2	5	2	2	6	7	8	2	1	...	...	...	12
2	2	8	6	11	10	9	9	7	6	3	...	...	...	...	
...	1	6	5	8	7	6	10	13	18	13	9	...	...	...	13
3	2	4	4	6	9	9	22	13	16	11	4	1	2	...	
...	...	...	1	...	1	...	1	...	...	...	1	...	...	...	14
1	2	1	...	2	...	1	...	1	...	...	...	...	...	...	
79	93	113	163	215	244	372	390	487	527	369	162	35	8	12	15
45	56	58	77	102	136	181	205	233	273	182	76	16	2	7	16
34	37	55	86	113	108	191	185	254	254	187	86	19	6	5	17
1	...	...	...	2	2	4	...	1	1	...	1	...	...	...	18
2	1	...	2	...	2	...	...	1	2	1	...	...	...	...	
11	6	5	4	4	6	5	4	2	5	1	3	...	...	1	19
4	6	4	7	2	...	7	...	3	...	1	...	...	...	1	
9	16	20	33	44	66	101	105	123	149	96	42	9	1	3	20
8	9	24	41	71	58	120	98	137	129	103	48	12	6	4	
4	15	14	19	25	35	35	57	66	76	59	16	3	...	2	21
4	2	9	15	13	26	36	45	79	86	55	31	4	...	...	
...	2	2	5	...	...	2	...	...	...	...	...	...	...	...	22
...	1	3	...	3	...	...	1	1	...	2	...	...	...	...	
1	...	...	2	...	...	...	1	...	2	...	...	...	...	...	23
...	1	...	...	1	1	...	...	...	...	...	...	...	...	...	
...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	24
...	...	...	1	1	...	1	...	...	...	...	...	...	...	...	
7	1	2	...	3	2	3	4	5	5	1	...	...	...	...	25
4	2	...	2	1	1	1	1	1	2	1	...	1	...	...	
...	1	1	...	...	...	1	...	...	...	1	...	...	...	...	26
2	2	...	...	1	...	...	1	...	...	...	...	...	...	...	
5	4	...	...	2	3	7	13	9	5	7	3	2	...	...	27
2	...	6	5	3	2	5	5	4	10	5	3	...	...	...	
4	7	5	8	11	8	10	11	17	18	14	10	2	1	...	28
4	7	5	8	8	11	11	25	19	18	15	3	2	...	...	
1	...	2	2	5	3	5	4	1	4	1	...	...	...	...	29
2	2	...	...	2	2	3	2	5	3	3	...	...	...	...	
1	1	6	3	4	6	4	2	1	3	...	...	...	...	...	30
...	1	...	...	...	1	2	2	1	...	...	...	...	...	...	
1	3	...	1	2	5	4	3	8	5	2	1	...	...	1	31
2	3	4	5	7	4	5	5	3	4	1	1	...	...	...	
62	83	91	111	152	222	279	368	387	376	227	91	26	5	7	32
26	40	41	60	74	120	148	195	224	212	116	44	14	1	1	33
36	43	50	51	78	102	131	173	163	164	111	47	12	4	6	34
...	2	2	1	2	2	...	1	...	1	...	...	...	...	...	35
3	1	...	1	...	3	...	4	1	...	1	1	...	...	...	
22	32	35	53	68	104	134	179	208	181	104	40	13	1	1	36
28	37	46	46	73	90	117	157	153	157	99	43	8	3	6	
1	4	4	2	3	10	13	10	11	18	5	3	1	...	...	37
3	5	1	3	3	5	12	8	6	2	6	1	2	...	...	
...	...	...	1	...	2	...	3	1	4	7	1	...	...	...	38
...	...	...	...	...	1	1	2	1	2	3	3	1	1	...	
2	1	...	...	...	1	1	1	1	4	...	...	...	...	...	39
...	...	1	...	2	2	...	1	...	1	1	...	...	...	...	
1	1	...	3	1	1	...	1	3	4	...	...	...	...	...	40
2	...	2	1	...	1	1	1	2	2	1	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	41
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW YORK—GROUP 5—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	3,817	570	203	106	58	52	989	108	37	65	99	93
2	Males	1,915	322	116	67	29	29	563	45	16	38	52	57
3	Females	1,902	248	87	39	29	23	426	63	21	27	47	36
4	Croup M	71	8	15	16	10	11	60	10	1			
	Croup F	62	9	6	10	11	5	41	20				
5	Pneumonia M	1,323	189	78	41	11	12	331	25	13	30	43	41
	Pneumonia F	1,240	146	55	17	13	10	241	33	16	21	33	22
6	Laryngitis M	27	2	5	2	2	1	12	2	1		2	1
	Laryngitis F	16	2	3	2	1	1	9	1	1	1		
7	Bronchitis M	238	79	14	7	2	2	104	3		2	2	4
	Bronchitis F	324	55	19	7	1	5	87	3	1	2	3	8
8	Pleurisy M	47	1			2		3	1		3	1	4
	Pleurisy F	38							2		1	3	3
9	Asthma M	15	2					2					
	Asthma F	24										1	
10	Others of this class M	194	41	4	1	2	3	51	4	1	8	4	7
	Others of this class F	198	36	4	3	3	2	48	4	3	2	7	3
11	5. Diseases of the digestive system	1,739	144	26	20	8	13	211	50	48	64	78	88
12	Males	836	85	13	6	6	7	117	25	24	32	36	30
13	Females	903	59	13	14	2	6	94	25	24	32	42	58
14	Dentition M	3	3					3					
	Dentition F	5	2	3				5					
15	Angina M	13		3	3	1	1	8			1		
	Angina F	10		1	1		1	3	3	2	1		
16	Gastritis M	132	13	3	1	1	1	19	4	2	2	1	5
	Gastritis F	167	12	2	1	1	1	17	2	1	1	5	6
17	Diseases of the stomach M	54	2				1	3		1	1	1	2
	Diseases of the stomach F	53	3	1				4				3	2
18	Obstruction of the bowels M	83	8	1		1	1	11	6	2	2	3	1
	Obstruction of the bowels F	83	8		1			9	4	2	3	2	4
19	Appendicitis M	83							3	11	10	15	10
	Appendicitis F	59			1	1		2	7	7	14	1	6
20	Hernia M	38	5					5				1	
	Hernia F	30	2					2					
21	Other diseases of the bowels M	27	2	1		1		4			1	1	
	Other diseases of the bowels F	27	1	2				3		1		1	
22	Jaundice M	19	14					14				1	
	Jaundice F	28	5		1		1	7	1				
23	Inflammation and abscess of the liver. M	31	1					1	1		1	1	
	Inflammation and abscess of the liver. F	36	2					2				1	1
24	Other diseases of the liver M	140	2					2				2	3
	Other diseases of the liver F	113	2	1	1			4		2			5
25	Peritonitis M	128	7	2	2	1	2	14	10	8	14	9	8
	Peritonitis F	208	1		3		2	6	7	9	11	29	33
26	Ascites M	6											
	Ascites F	5											
27	Others of this class M	79	28	3		1	1	33	1			1	1
	Others of this class F	79	21	3	5		1	30	1		2		1
28	6. Diseases of the urinary system and male organs of generation.	1,802	31	3	5	4	6	49	14	19	22	53	48
29	Males	1,083	16	1		3	3	23	10	8	13	21	22
30	Females	719	15	2	5	1	3	26	4	11	9	32	26
31	Bright's disease M	703							8	6	11	15	17
	Bright's disease F	557							3	10	7	22	16
32	Calculus, urinary M	4											
	Calculus, urinary F												
33	Diseases of the kidney M	64	10			2	3	15			1	2	3
	Diseases of the kidney F	43	10	1	4	1	2	18				2	
34	Diseases of the bladder M	140							1			1	1
	Diseases of the bladder F	14											
35	Others of this class M	172	6	1		1		8	1	2	1	3	1
	Others of this class F	105	5	1	1		1	8	1	1	2	8	10
36	7. Diseases of the female organs of generation.	107								1	1	11	11
37	Ovarian tumors	24										2	1
38	Ovarian diseases	5											2
39	Diseases of the tubes	5										3	
40	Uterine tumors	29											1
41	Uterine diseases	8									1	2	2
42	Others of this class	36								1		4	5

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 5—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
121	141	120	135	174	209	237	272	328	319	223	101	26	10	10	1
69	71	67	79	87	108	100	118	141	143	89	48	14	4	6	2
52	70	53	56	87	101	137	154	187	176	134	53	12	6	4	3
	1														4
57	59	56	63	76	76	66	81	106	102	58	25	9	2	4	5
41	55	40	37	63	71	87	114	123	114	86	30	6	3	4	
1	1			2	1	2	1		1						6
1	1	1								1					
	1	3	3	2	13	13	14	18	20	17	15	2	2		7
2	2	4	5	7	17	27	21	33	46	33	16	5	2		
5	5	2	2	1	3	3	6	5	2	1					8
3	2		4	1	2	5	1	5	3	2	1				
1		1				2	1	2	4	1				1	9
	1		1	3		3	1	6	3	4	1				
5	5	5	11	6	15	14	15	10	14	12	8	3		1	10
5	8	8	9	13	11	15	17	20	10	8	5	1	1		
63	82	81	107	99	120	119	139	144	127	69	27	11	1	11	11
33	42	37	52	40	62	65	69	63	61	28	13	3		4	12
30	40	44	55	59	58	54	70	81	66	41	14	8	1	7	13
															14
1				1					1	1					15
					1										
4	4	6	12	5	4	13	13	12	13	8	5				16
4	7	3	10	10	10	12	16	18	16	19	5	3		2	
1	6	3	1	6	10	1	6	4	5	2	1				17
2	1	1	5	5	3	4	5	11	5		1	1			
4	3		4	2	9	6	6	10	9	2	2	1			18
1	3	2	6	8	9	4	4	9	5	5	2			1	
5	9	5	2	2	4	1	1	2	1					1	19
1	1	7	3	3	1	3		2						1	
		2	5	1	3	3	6	4	5	3	1	1			20
	1	2	2	1	3	4	6	4	1	3				1	
1	2	1			1	3	4	4	3	2					21
2	1		2	2	1	2	2	4	3		1		1	1	
					1		1		2						22
	1	1	1	3		2	4	4	1	1	1	1			
2	2	1		4	3	5	4	2	2	2					23
	4	2	1	1	2	3	6	2	5	4	1	1			
7	9	10	14	11	17	21	13	14	12	2	2	1			24
2	4	6	9	11	10	8	15	17	16	3		1			
6	4	6	10	4	3	6	8	7	7	3				1	25
17	16	16	15	9	10	9	7	6	6	1	1				
		1			1	1	2	1							26
							2	1			1			1	
1	3	2	4	4	6	5	5	3	3	3	2			2	27
1	1	4	1	6	8	3	3	3	8	5	1	1			
53	77	86	107	113	136	210	212	211	184	132	51	13	3	9	28
24	33	44	58	61	78	128	129	141	126	104	41	12	1	6	29
29	44	42	49	52	58	82	83	70	58	28	10	1	2	3	30
19	23	32	45	47	61	91	93	88	69	49	20	5		4	31
24	38	34	42	33	48	69	65	61	45	22	7	1	2	3	
		1		1					2						32
2	1	4		3	1	5	4	4	9	8	1	1			33
2		2	1	7	1	3	2	1	1	2	1				
	1		1	3	5	14	20	28	21	28	11	3	1	1	34
					2	3	1	3	4	1					
8	8	7	12	7	11	18	12	21	25	19	9	3		1	35
3	6	6	6	7	7	7	15	5	8	3	2				
9	11	14	15	12	7	7	4	1		2				1	36
1	3	4	3	3	2	2	1	1		1					37
			1	2											38
	1		1												39
3	2	4	5	5	3	3	2			1					40
			1	1			1								41
5	5	6	4	1	2	2								1	42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW YORK—GROUP 5—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	184									12	31	52
2	Abortion	6											3
3	Childbirth	61									8	10	12
4	Puerperal septicemia	61									4	11	22
5	Extra-uterine pregnancy	6										1	
6	Others of this class	50									5	9	15
7	9. Diseases of the bones and joints	53	4	1	1			6		6	6	4	5
8	Males	36	2	1	1			4		5	3	4	2
9	Females	17	2					2			3		3
10	Diseases of the spine M	13	2		1			3		1	3	2	
	Diseases of the spine F	6	1					1					1
11	Abscess, lumbar and psoas M	4										1	2
	Abscess, lumbar and psoas F												
12	Diseases of the bones M	8								1		1	
	Diseases of the bones F	6	1					1			1		1
13	Diseases of the hip-joint M	7								4			
	Diseases of the hip-joint F	2									2		
14	Others of this class M	4		1				1					
	Others of this class F	3											1
15	10. Diseases of the skin	38	11	1		1		13	2	1			1
16	Males	18	7			1		8	2				1
17	Females	20	4	1				5		1			
18	Abscess M	12	6			1		7	2				1
	Abscess F	6		1				1					
19	Carbuncle M	2											
	Carbuncle F												
20	Others of this class M	4	1					1					
	Others of this class F	14	4					4		1			
21	11. Diseases of the absorbent system	38	3					3	1		1	3	
22	Males	20	1					1	1		1	2	
23	Females	18	2					2				1	
24	Addison's disease M	7											
	Addison's disease F	9											
25	Diseases of the spleen M	3											
	Diseases of the spleen F	2										1	
26	Others of this class M	10	1					1	1		1	2	
	Others of this class F	7	2					2					
27	12. Accidents and injuries	1,565	91	14	19	34	12	170	66	58	73	91	110
28	Males	1,171	50	6	14	20	7	97	41	53	60	81	100
29	Females	394	41	8	5	14	5	73	25	5	13	10	10
30	Burns and scalds M	49		2	7	11	3	23	7	1		1	2
	Burns and scalds F	58	2	1	2	9	2	16	14		2	1	1
31	Drowning M	199		2	3	5	2	12	22	31	23	16	10
	Drowning F	17	1	2	1			4		1	2		
32	Exposure and neglect M	12	3					3	1				1
	Exposure and neglect F	3		1				1					
33	Gunshot wounds M	39				1		1	1	1	6	4	6
	Gunshot wounds F	7				1		1	1		2	1	
34	Homicide M	10									1	1	1
	Homicide F	1											
35	Infanticide M												
	Infanticide F												
36	Injuries by machinery M	4										1	
	Injuries by machinery F												
37	Railroad accidents M	210	1					1	3	7	13	26	21
	Railroad accidents F	27					1	1	4		3	1	
38	Suffocation M	57	22	1	1	1		25	1	2	1	2	4
	Suffocation F	35	18	2	1		1	22	1				1
39	Suicide by shooting M	26										3	2
	Suicide by shooting F	3									1		
40	Suicide by drowning M	7											
	Suicide by drowning F	2											
41	Suicide by poison M	22									1	2	2
	Suicide by poison F	13									1	2	
42	Other suicides M	70										2	5
	Other suicides F	12								1			1
43	Sunstroke M	6										1	1
	Sunstroke F	4	1					1		1			
44	Surgical operations M	5									1		2
	Surgical operations F	18										1	3
45	Wounds M	13										3	1
	Wounds F	1											1
46	Others of this class M	442	24	1	3	2	2	32	6	11	14	19	42
	Others of this class F	193	19	2	1	4	1	27	5	2	2	4	3

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 5—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
32	37	19	1												1
2	1														2
7	19	10													3
12	7	5													4
3	1		1												5
8	9	4													6
3	3	6	1	2	2	2	4	1	1	1					7
	3	4	1	1	2	2	2	1	1						8
3		2		1			2			1					9
		1		1				1	1						10
2		1		1											
	1														11
	2	1	1		1	1									12
		1					1			1					
		1			1		1								13
		1				1	1								14
1							1								
2	3	1		1		4	5	2	1		1			1	15
		1					2	2			1			1	16
2	3			1		4	3		1						17
		1						1							18
1	1					2	1								
							1							1	19
							1	1			1				20
1	2			1		2	2		1						
2	3	4	5	3	1	4	3	3	2						21
2	1	3	4	2			2	1							22
	2	1	1	1	1	4	1	2	2						23
		1	2	2			2								24
	1	1	1	1	1	2	1		1						
1	1		1												25
	1														
1		2	1					1							26
						2		2	1						
121	134	91	85	97	71	77	93	52	70	35	28	12	3	28	27
104	107	72	65	73	55	62	61	36	46	20	10	3		25	28
17	27	19	20	24	16	15	32	16	24	15	18	9	3	3	29
4	2		1	3	1	1	1	1		1					30
	2	1	3	2		3	3	2	4	3		1			
14	13	12	4	13	7	2	6	7	4		1			2	31
2	3	2		2				1							
		1		1	1	1		1	1	1					32
				1										1	
5	2	2	2	1	1	2	2		1	1				1	33
			1							1					
3		1				2		1							34
		1													
															35
1	1					1									36
20	30	14	9	15	9	12	6	3	2	3				16	37
2	1		2	3	2	2	2	2	1			1			
1	1	1	3	2	3		5	2	2					2	38
			1	1	1	1	2	1	1		1			2	
3	2	2		5	2	4	2				1				39
					1		1								
1	1				2		3								40
1					1										
1	3	4	2	2	2	1			1	1					41
2	2	3	1	2											
1	6	2	11	9	8	9	7	3	5	2					42
		2		2	2		3	1							
	1	1					1			1					43
		1					1								
	1						1								44
2	4		2	3		1	1		1						
2	2	1	2		1									1	45
48	42	31	31	22	18	27	27	18	30	10	8	3		3	46
8	15	9	10	8	9	8	19	9	17	11	17	7	3		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

RHODE ISLAND.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		8,176	1,854	495	195	133	75	2,752	192	117	197	288	319
2	Males		4,132	1,036	260	102	63	41	1,502	99	63	94	138	159
3	Females		4,044	818	235	93	70	34	1,250	93	54	103	150	160
4	Unknown cause		61	27	3				30		1	1	1	2
5	Males		33	18	2				20					1
6	Females		28	9	1				10		1	1	1	1
	1. General diseases.													
7	General diseases—A		1,780	712	218	93	56	33	1,112	62	37	20	37	31
8	Males		860	369	113	49	24	17	572	28	18	9	17	14
9	Females		920	343	105	44	32	16	540	34	19	11	20	17
10	Measles	M	98	26	32	16	7	8	89	4	3	1	1	
		F	106	17	39	16	9	2	83	10	4	1	2	2
11	Scarlet fever	M	23	2	2	3	1	2	10	8	4	2	1	
		F	12	1	1		2	1	5	3	1	1	2	
12	Diphtheria	M	34	4	2	6	6	4	22	10				
		F	39	4	2	5	9	6	26	9	2	1	1	
13	Whooping cough	M	35	16	12	4	1	1	34	1				
		F	76	36	17	12	4	4	73	2				
14	Malarial fever	M	11	3					3					1
		F	13	1					1	3		1	1	
15	Influenza	M	131	9	2	2	1	1	15				3	5
		F	193	5	1	1	1		8	1	1	1	7	6
16	Typhoid fever	M	61	1	2	1			4	3	7	3	11	6
		F	41		3	1	2	1	7	2	9	3	4	5
17	Cholera morbus	M	8	2		1			3					
		F	13	3	1				4	1				
18	Colitis	M	2	1					1					1
		F	3	2					2					
19	Diarrhea	M	45	26	3	1			30	3	2			
		F	41	20	2	1			23			1	1	
20	Dysentery	M	17	5	1		2	1	9					1
		F	29	5	2	1	1		9				1	
21	Enteritis	M	94	60	12	6	3		81	1		1		
		F	93	59	12	1	1	1	74	1		1	1	
22	Cholera infantum	M	246	197	42	6	1		246					
		F	202	174	22	4	1		201					
23	Fever	M	1	1					1					
		F												
24	Cerebro-spinal fever	M	16	7	2	1	1		11		1	2		
		F	18	6	3	1	1	1	12	2	1	1		1
25	Smallpox	M												
		F	2											
26	Erysipelas	M	11	5					5					
		F	11	3		1	1		5					2
27	Septicemia	M	8										1	
		F	4											
28	Venereal diseases	M	8	4	1		1		6					
		F	8	6					6					1
29	Others of this group	M	11			2			2		1			
		F	16	1					1		1			
30	General diseases—B		90	17	2	3	3		25	1		1	4	3
31	Males		58	9			2		11	1		1	3	2
32	Females		32	8	2	3	1		14				1	1
33	Alcoholism	M	32										1	1
		F	13										1	1
34	Parasitic diseases	M	1							1				
		F												
35	Lead poison	M	3											
		F												
36	Other poisons	M	13				2		2			1	2	1
		F	10		2	3	1		6					
37	Inanition	M	9	9					9					
		F	9	8					8					
38	General diseases—C		606	379	13		1		393					
39	Males		311	220	5				225					
40	Females		295	159	8		1		168					
41	Old age	M	79											
		F	109											
42	Premature birth	M	80	80					80					
		F	68	68					68					
43	Malformation	M	22	21	1				22					
		F	15	15					15					
44	Debility and atrophy	M	120	109	4				113					
		F	91	64	8		1		73					
45	Others of this group	M	10	10					10					
		F	12	12					12					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

RHODE ISLAND.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
303	317	309	330	379	404	426	432	449	428	275	163	53	16	27	1
157	161	168	162	189	213	199	209	208	198	117	61	16	5	14	2
146	156	141	168	190	191	227	223	241	230	158	102	37	11	13	3
2	4	3	3	2	1	1	5	1		3				1	4
1	[illegible]	1	1	2	1		2			1					5
1	1	2	2			1	3	1		2				1	6
24	23	29	30	30	37	48	56	55	61	48	23	8	1	8	7
13	15	12	15	13	13	22	29	23	20	14	8	2	1	2	8
11	8	17	15	17	24	26	27	32	41	34	15	6		6	9
1	2									1					10
															11
	1		1												12
															13
														1	
		1			1	1		1	1		1	1			14
2					2	1	1		1						
3	2	6	5	8	8	14	17	13	13	12	4	1	1	1	15
2	2	5	7	10	14	17	16	26	31	22	8	5		4	
8	[illegible]	2	5	1			1							1	16
3		3	2		2		1								
		1			1		1	1	1						17
1		1			2			1		2	1				
															18
						1									
		1	1		1	2		3	1		1				19
			1	1		2	2	4	1	4	1				
			1	1		1	1	2		1					20
	1	1		1	2	2	3		5		3	1			
1				1		2	3	1	2		1				21
	1	3	3	1		2			3	3					
															22
														1	
															23
			1				1								24
		1													
															25
	1			1											
	1				1	2			1		1				26
	1						2				1				
1	1	1		2			2								27
2		2													
					1			1							28
			1												
	1		1				3	1	1	1					29
		1	1	3	2	1	2	1		2	1				
8	7	8	12	[illegible]	[illegible]	4	3	2	2		1				30
5	4	6	11	3	2	[illegible]	3	1	2						31
3	3	2	1	3	1	1		1			1				32
4	4	5	8	2	2	1	2		2						33
1	2	2	1	3	1	1									
															34
				1		1	1								35
1		1	3			1		1							36
2	1							1							
															37
											1				
1				1		6	7	27	58	46	36	20	9	2	38
				1		2	3	12	29	17	13	6	2	1	39
1						4	4	15	29	29	23	14	7	1	40
						1	3	11	28	17	11	6	2		41
						3	3	13	25	26	20	12	6	1	
															42
															43
				1		1		1	1		2			1	44
1						1	1	2	4	3	3	2	1		
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

RHODE ISLAND—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		1,385	77	37	15	19	3	151	18	10	87	135	142
2	Males		639	45	21	6	9	1	82	7	3	33	69	65
3	Females		746	32	16	9	10	2	69	11	7	54	66	77
4	Anemia	M	9	1	2				3			1		1
		F	17	4					4			2	1	1
5	Diabetes	M	18									1	1	1
		F	23									1		
6	Rheumatism	M	11									1		1
		F	23		1		1		2	1		1		2
7	Scrofula and tabes	M	12	8					8				1	1
		F	6	1		1			2			1		1
8	Hydrocephalus	M	41	16	10	3	6	1	36	1	1		1	
		F	45	17	7	6	3	2	35	7		2		
9	Tuberculosis, general	M	25	5	3	1	1		10			2	4	
		F	22	2	2	1	1		6			2	2	3
10	Consumption	M	436	14	5	2	2		23	6	2	28	60	59
		F	401	7	4	1	4		16	3	7	44	61	68
11	Cancer	M	78											2
		F	189		1				1				2	2
12	Tumor	M	6										1	
		F	13				1		1					
13	Dropsy	M	1	1					1					
		F	4									1		
14	Others of this group	M	2		1				1				1	
		F	3	1	1				2					
15	2. Diseases of the nervous system		822	112	45	16	8	5	186	19	15	12	16	9
16	Males		428	64	24	9	6	3	106	8	11	7	10	5
17	Females		394	48	21	7	2	2	80	11	4	5	6	4
18	Inflammation of the brain	M	3		1				1	1				
		F	2		1				1					
19	Meningitis	M	82	28	13	7	5	2	55	6	6	2	2	2
		F	74	31	15	7	2	2	57	9	1	2		
20	Apoplexy	M	182	4	1				5			2	1	1
		F	174		1				1			1	2	1
21	Paralysis	M	36								1	1	1	
		F	42										1	
22	Paralysis, general (of insane)	M	15									1		1
		F	6											
23	Tetanus and trismus nascentium	M	6	2					2		2		1	1
		F	3	1	1				2					
24	Chorea	M												
		F	1								1			
25	Epilepsy	M	12	2	1			1	4		1		4	
		F	10								2		1	
26	Convulsions	M	29	21	5	1			27	1			1	
		F	17	12	1				13	1		1		1
27	Mental diseases	M	10											
		F	12											
28	Diseases of the brain	M	36	7	3	1	1		12		1	1		
		F	35	4	1				5	1			2	2
29	Diseases of the spinal cord	M	5											
		F	6		1				1					
30	Locomotor ataxia	M	7											
		F	2											
31	Others of this class	M	5											
		F	9									1		
32	3. Diseases of the circulatory system		652	39	1		1		41	6	7	14	8	14
33	Males		321	24			1		25	2	5	7	3	3
34	Females		331	15	1				16	4	2	7	5	11
35	Pericarditis	M	4									2		
		F	4										1	1
36	Diseases of the heart	M	278	15					15	2	4	5	2	3
		F	293	9	1				10	4	2	7	4	10
37	Angina pectoris	M	15											
		F	17											
38	Diseases of the arteries	M	10											
		F	4											
39	Aneurism	M	4											
		F	3								1		1	
40	Embolism	M												
		F	4											
41	Others of this class	M	10	9			1		10					
		F	6	6					6					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

RHODE ISLAND—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
127	108	111	90	91	70	73	57	45	47	15	5	1		2	1
66	52	66	33	36	36	30	20	18	16	4		1		2	2
61	56	45	57	55	34	43	37	27	31	11	5				3
		2				1		1							4
	1		1	3		1		1	2						
1				1	6	3	1	3							5
2	1	1	1	2	3	3	3	5	1						
2	3		2		1			1							6
	1		2	3	1	3	2	3	1		1				
	1						1								7
		1			1										
2															8
1															
2	1	1	1	2		1			1						9
1	2	1		1		2	1		1						
56	45	55	25	24	17	15	7	6	4	2				2	10
48	44	27	24	18	10	12	6	3	6	3	1				
2	2	8	5	7	12	10	11	7	9	2		1			11
8	6	14	28	24	18	22	22	15	18	6	3				
1				2					2						12
1	1	1	1	3	1		3		1						
															13
				1					1	1					
															14
										1					
9	20	21	35	52	59	61	77	82	65	48	28	7		1	15
4	10	10	17	26	34	26	42	45	27	27	10	2		1	16
5	10	11	18	26	25	35	35	37	38	21	18	5			17
								1							18
				1						1					
1	1	2	1	3					1						19
2	1		1	1											
	6	5	6	11	23	19	25	29	17	22	9			1	20
1	5	4	10	16	17	28	23	21	19	12	9	4			
	1		1	2	1	5	8	8	3	2		2			21
1	1		1	2	3	3	5	7	9	5	3	1			
2	1		2	4	2	1		1							22
		2				1	3								
															23
		1													
															24
	1				1			1							25
	1	1	3	2											
															26
					1										
1			2		2			1	1	2	1				27
1	1				1	1	1	1	2	2	2				
		2	1	2	4		5	3	4	1					28
	1	2	2	3	1	1	1	4	6	1	3				
			2				2		1						29
		1			2	1	1								
			2	2	1	1	1								30
			1				1								
		1		2			1	1							31
				1				4	2		1				
13	16	29	41	45	73	80	57	87	73	26	15	2	1	4	32
6	6	10	15	27	37	43	24	40	45	15	4	1	1	2	33
7	10	19	26	18	36	37	33	47	28	11	11	1		2	34
							1		1						35
		1				1									
5	4	9	12	21	36	40	22	39	40	14	2		1	2	36
6	9	17	24	16	29	33	29	46	26	10	9			2	
	1	1	3	5	1	2			2						37
1	1		2	2	3	3	2	1			1	1			
				1		1	1	1	2	1	2	1			38
					1		1			1	1				
1	1														39
		1							2						
															40
					3		1								
															41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

RHODE ISLAND—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		1,332	338	145	54	29	24	590	41	17	21	15	41
2	Males		683	197	81	31	16	12	337	21	8	13	8	26
3	Females		649	141	64	23	13	12	253	20	9	8	7	15
4	Croup	M	30	7	8	4	3	6	28	2				
		F	24	7	5	4	1	3	20	4				
5	Pneumonia	M	458	99	50	19	12	5	185	12	4	11	8	24
		F	441	78	43	12	9	8	150	12	5	8	6	12
6	Laryngitis	M	9	2	1	1			4	3	1			
		F	7	2	1	1			4	1				1
7	Bronchitis	M	148	78	20	6			104	2	2	2		2
		F	138	49	14	6	2		71	2	2			
8	Pleurisy	M	12	1		1	1	1	4	1	1			
		F	4											
9	Asthma	M	6											
		F	7							1				
10	Others of this class	M	20	10	2				12	1				
		F	28	5	1		1	1	8		2		1	2
11	5. Diseases of the digestive system		396	104	16	9	4	1	134	15	6	20	16	15
12	Males		209	64	8	5			77	8	3	10	8	10
13	Females		187	40	8	4	4	1	57	7	3	10	8	5
14	Dentition	M	2	2					2					
		F	5	3	2				5					
15	Angina	M	1							1				
		F	1				1		1					
16	Gastritis	M	16	4	2				6	1				
		F	26	4			1		5				2	
17	Diseases of the stomach	M	8										1	
		F	9			1			1	1		1		1
18	Obstruction of the bowels	M	13	3					3	1		3		3
		F	17	1		1		1	3	1	1		1	1
19	Appendicitis	M	26							3	1	4	3	5
		F	9							1		6	1	1
20	Hernia	M	10	1					1	1				
		F	11							1				
21	Other diseases of the bowels	M	6	2		1			3					
		F	4	1	2				3					
22	Jaundice	M	12	9					9					
		F	12	7			1		8					
23	Inflammation and abscess of the liver.	M	10	2					2			1	1	
		F	5											1
24	Other diseases of the liver	M	36	2					2					1
		F	23											
25	Peritonitis	M	13	1		2			3		1		3	
		F	19		2				2	2	1	2	2	
26	Ascites	M												
		F												
27	Others of this class	M	56	38	8	2			46	1	1	2		1
		F	46	24	2	2	1		29	1	1	1	2	1
28	6. Diseases of the urinary system and male organs of generation.		556	4	4	1	1	4	14	5	9	8	14	25
29	Males		312	3	2		1	3	9	4	2	4	7	12
30	Females		244	1	2	1		1	5	1	7	4	7	13
31	Bright's disease	M	238							4	1	4	6	10
		F	217							1	7	4	7	11
32	Calculus, urinary	M	4											
		F	1											
33	Diseases of the kidney	M	21	2	2		1	3	8				1	1
		F	11	1	2	1		1	5					2
34	Diseases of the bladder	M	21											
		F	4											
35	Others of this class	M	28	1					1		1			1
		F	11											
36	7. Diseases of the female organs of generation.		38									1	4	3
37	Ovarian tumors		5											
38	Ovarian diseases		1											1
39	Diseases of the tubes		4										2	
40	Uterine tumors		15											
41	Uterine diseases		2											
42	Others of this class		11									1	2	2

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

RHODE ISLAND—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
31	46	35	47	60	64	60	68	54	55	44	27	10	2	4	1
22	27	20	30	36	31	19	25	18	16	13	10	2		1	2
9	19	15	17	24	33	41	43	36	39	31	17	8	2	3	3
															4
20	26	19	24	32	19	17	19	12	10	10	5			1	5
8	15	12	13	22	28	32	26	26	24	21	15	2	1	3	
			1												6
1															
1	1	1	1	1	8	1	3	5	6	3	4	1			7
	3	2	2	1	4	6	11	9	9	9	2	4	1		
			2	1	2							1			8
									4						
			1	1	1		2	1							9
						1	4	1							
1			1	1	1	1	1				1				10
	1	1	2	1	1	2	2		2	1		2			
18	20	11	14	24	26	23	16	19	10	5	3		1		11
7	8	7	9	14	11	11	7	12	5	2					12
11	12	4	5	10	15	12	9	7	5	3	3		1		13
															14
															15
	1			1	2		1	3	1						16
	2			5	1	2	4	3		1	1				
1	1		1	1	1		1	1							17
2	1				1		1								
					2					1					18
1	1			2		2	1			1	1		1		
2		2	2	4											19
				1		1		3	2	1					20
		1	1	1	3	2	1		1						
	1						1		1						21
								1							
				1				1	1						22
			1		1	1			1						
	2		1	1	1	1									23
1		1	1					1							
3	1	3	2	5	3	7	4	3							24
4	1	2	2	2	7	2	1		1	1					
		2	1		2	1									25
2	5				1	1					1				
															26
1			2			1		1							27
1	2				1	2	1	2	2						
18	19	33	29	47	53	54	64	70	47	27	15	3	1	1	28
10	7	20	12	17	35	31	40	34	34	18	12	2	1	1	29
8	12	13	17	30	18	23	24	36	13	9	3	1			30
9	7	18	9	15	31	25	35	28	18	9	6	2		1	31
8	10	12	16	25	17	23	21	33	11	7	3	1			
					1		1		2						32
										1					
1			1	1	1	2		1	4						33
			1	1			1		1						
						1	3	3	4	5	4		1		34
							2	1	1						
		2	2	1	2	3	1	2	6	4	2				35
	2	1		4	1			2		1					
3	7	4	1	6	2	2	3	1	1						36
	1				2	1		1							37
															38
	2														39
1	1	2	1	6		1	2		1						40
1		1													41
1	3	1					1								42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

RHODE ISLAND—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	72									1	21	10
2	Abortion	3											
3	Childbirth	13										3	1
4	Puerperal septicemia	34									1	12	3
5	Extra-uterine pregnancy	3											
6	Others of this class	19										6	6
7	9. Diseases of the bones and joints	23	2	2		1	1	6	3	1	2	1	
8	Males	9	1			1	1	3			2		
9	Females	14	1	2				3	3	1		1	
10	Diseases of the spine M	3	1			1	1	3					
	Diseases of the spine F	5	1					1	2				
11	Abscess, lumbar and psoas M												
	Abscess, lumbar and psoas F												
12	Diseases of the bones M	3											
	Diseases of the bones F	5		2				2				1	
13	Diseases of the hip-joint M	3									2		
	Diseases of the hip-joint F	1							1				
14	Others of this class M												
	Others of this class F	3								1			
15	10. Diseases of the skin	14	7	2		1		10					
16	Males	10	4	1		1		6					
17	Females	4	3	1				4					
18	Abscess M	6	2	1		1		4					
	Abscess F	1	1					1					
19	Carbuncle M	1											
	Carbuncle F												
20	Others of this class M	3	2					2					
	Others of this class F	3	2	1				3					
21	11. Diseases of the absorbent system	5							1	1			
22	Males	5							1	1			
23	Females												
24	Addison's disease M												
	Addison's disease F												
25	Diseases of the spleen M												
	Diseases of the spleen F												
26	Others of this class M	5							1	1			
	Others of this class F												
27	12. Accidents and injuries	344	36	7	4	9	4	60	21	13	9	16	24
28	Males	254	18	3	2	2	4	29	19	12	8	13	21
29	Females	90	18	4	2	7		31	2	1	1	3	3
30	Burns and scalds M	19	1	2	1	1		5	4	1	1	1	1
	Burns and scalds F	19	3	3	2	6		14	1	1			
31	Drowning M	44	1				4	5	5	7	2	4	2
	Drowning F	3							1				1
32	Exposure and neglect M	3	1					1					
	Exposure and neglect F	1											
33	Gunshot wounds M	3								1		1	
	Gunshot wounds F												
34	Homicide M	4											
	Homicide F	3									1	1	1
35	Infanticide M	2	2					2					
	Infanticide F	2	2					2					
36	Injuries by machinery M	3									1		1
	Injuries by machinery F												
37	Railroad accidents M	36							2		2	3	6
	Railroad accidents F	5											
38	Suffocation M	15	9					9					2
	Suffocation F	12	10					10					
39	Suicide by shooting M	6											1
	Suicide by shooting F	3											
40	Suicide by drowning M	1											1
	Suicide by drowning F												
41	Suicide by poison M	4											
	Suicide by poison F	1											
42	Other suicides M	17										1	
	Other suicides F	7										2	
43	Sunstroke M	2											1
	Sunstroke F												
44	Surgical operations M												
	Surgical operations F	1											
45	Wounds M	2											
	Wounds F												
46	Others of this class M	93	4	1	1	1		7	8	3	2	3	6
	Others of this class F	33	3	1		1		5					1

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

RHODE ISLAND—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
21	13	5	1												1
1	1	1													2
5	3	1													3
11	5	1	1												4
3															5
1	4	2													6
1	1	2	2		1		1			1	1				7
1	1	1									1				8
		1	2		1		1			1					9
															10
			1				1								
															11
	1	1									1				12
					1					1					
1															13
															14
		1	1												
				1			1		1		1				15
				1			1		1		1				16
															17
				1					1						18
							1								19
											1				20
1			1		1										21
1			1		1										22
															23
															24
															25
1			1		1										26
26	33	18	24	14	14	14	17	6	8	12	8	2	1	4	27
21	28	15	18	13	12	12	13	5	3	6	2			4	28
5	5	3	6	1	2	2	4	1	5	6	6	2	1		29
	1		1	1	1	1								1	30
			1				1	1							
3	2	1	1	3	1	1	1			2	1			3	31
		1													
		1					1								32
									1						
	1														33
1	3														34
															35
	1														36
5	7	3	1	1	2	1	1	1		1					37
2	1						1			1					
		2	1			1									38
			1			1									
2			1		1			1							39
			3												
															40
			2		1		1								41
	1														
1	3	2	2	1	2	3	1	1							42
1	2	1	1												
						1									43
															44
	1														
			1			1									45
9	10	6	8	7	4	3	8	2	3	8	1				46
2		1		1	2	1	2		4	5	6	2	1		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

VERMONT.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	5,829	825	169	73	31	33	1,131	119	94	150	211	225
2	Males	2,936	490	90	35	17	14	646	55	47	85	104	91
3	Females	2,893	335	79	38	14	19	485	64	47	65	107	134
4	Unknown cause	95	42		1	1		44	1	1	2	1	2
5	Males	56	29					29	1	1			
6	Females	39	13		1	1		15			2	1	2
	1. General diseases. General diseases—A												
7		720	180	45	13	6	11	255	39	22	16	35	21
8	Males	364	100	28	[illegible]	5	5	144	17	7	[illegible]	17	12
9	Females	356	80	17	7	1	6	111	22	15	8	18	9
10	Measles M	9	3	[illegible]				6	1				
	Measles F	12	1	1			1	3	2	1		2	1
11	Scarlet fever M	[illegible]			1	1		2	3		1		
	Scarlet fever F	8	2	1			1	4	3			1	
12	Diphtheria M	21	3		1		2	6	12	1	1		1
	Diphtheria F	21		3			4	7	9	4			
13	Whooping cough M	24	20	2	1			23					
	Whooping cough F	16	11	1		1		13	1				
14	Malarial fever M	5											1
	Malarial fever F	4											
15	Influenza M	53								1	2		
	Influenza F	76	2	1	1			4	1	1	1	1	
16	Typhoid fever M	50		1		1		2		4	3	10	9
	Typhoid fever F	57	1	2	1			4	3	[illegible]	5	10	4
17	Cholera morbus M	12			2	3	1	6				1	
	Cholera morbus F	14	1		3			4	1	[illegible]	1		
18	Colitis M	4	2		1			3	1				
	Colitis F	3											
19	Diarrhea M	14	2					2					
	Diarrhea F	13	6					6					
20	Dysentery M	17	[illegible]	1			2	6				1	
	Dysentery F	16	2					2	1				
21	Enteritis M	24	11	3				14					
	Enteritis F	24	10	3				13			1	1	
22	Cholera infantum M	67	52	15				67					
	Cholera infantum F	44	40	4				44					
23	Fever M	1											
	Fever F												
24	Cerebro-spinal fever M	11	2	2				4		1	1	1	1
	Cerebro-spinal fever F	[illegible]	1	1	2			4	1	1			
25	Smallpox M												
	Smallpox F												
26	Erysipelas M	6											
	Erysipelas F	8											
27	Septicemia M	13	1	1				2				3	
	Septicemia F	20	3					3				3	3
28	Venereal diseases M	2											
	Venereal diseases F	1											
29	Others of this group M	25	1					1				1	
	Others of this group F	11											1
30	General diseases—B	81	49	5	1	1		56					3
31	Males	49	27	3	1	1		32					[illegible]
32	Females	32	22	2				24					
33	Alcoholism M	10											1
	Alcoholism F	1											
34	Parasitic diseases M												
	Parasitic diseases F												
35	Lead poison M												
	Lead poison F	1											
36	Other poisons M	10	1	1	1	1		4					2
	Other poisons F	5		2				[illegible]					
37	Inanition M	29	26	2				28					
	Inanition F	25	22					22					
38	General diseases—C	565	183	1				184	1				1
39	Males	257	103					103	1				
40	Females	308	80	1				81					1
41	Old age M	140											
	Old age F	207											
42	Premature birth M	66	66					66					
	Premature birth F	40	40					40					
43	Malformation M	8	8					8					
	Malformation F	16	14	1				15					
44	Debility and atrophy M	32	18					18	1				
	Debility and atrophy F	40	21					21					1
45	Others of this group M	11	11					11					
	Others of this group F	5	5					5					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

VERMONT.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
164	197	217	177	225	292	361	382	475	539	450	231	121	34	34	1
73	81	114	86	94	147	174	192	271	273	242	90	43	13	15	2
91	116	103	91	131	145	187	190	204	266	208	141	78	21	19	3
4	1	2	1	5	5	4	5	4	6	3				4	4
2	1	2		3	3	2	5	1	3	2				1	5
2			1	2	2	2		3	3	1				3	6
15	19	16	17	13	22	33	25	39	37	50	29	11	2	4	7
4	7	8	9	6	10	13	10	21	18	31	15	2	1	4	8
11	12	8	8	7	12	20	15	18	19	19	14	9	1		9
				1					1						10
		1	1	1											
															11
															12
	1														
		1													13
1	1														
			2			1								1	14
	1	1		1			1								
1		1	3	1	2	2	4	6	7	17	5	1			15
2	1		2	1	4	9	5	7	14	10	7	5	1		
2	5	3	4	2	1	3		2							16
4	3	2	1	1	4	5	3	1		1					
		1			1	1		1						1	17
1		1		1	1			1				1			
															18
1								1			1				
					2	2		3	2	2	1				19
		1	1				2	2			1				
				1		1	1		2	2	3				20
				1			1	4	1	1	4	1			
					1	2	1	1	1	3	1				21
		1	1			2	1		1	2	1				
															22
											1				23
	1	2													24
			1					1							
															25
1					1			3	1						26
	1			1	1	1	1			2		1			
	1			1		1	1	1	2	1					27
2	3	1			1	1	1			1		1			
							1							1	28
	1														
					2		2	4	2	6	4	1	1	1	29
			1		1	2		1	3	2					
4	1	2	2	2	3	1	1	3	3						30
4		2	1	2	1	1	1	1	1						31
	1		1		2			2	2						32
3		1	1	1	1	1		1							33
					1										
															34
															35
								1							
1		1					1		1						36
			1		1				1						
				1											37
	1							1	1						
			1	4	2	7	10	33	62	95	75	60	25	5	38
			1	1	1	2	4	18	20	52	27	16	10	1	39
				3	1	5	6	15	42	43	48	44	15	4	40
							2	14	19	51	27	16	10	1	41
						3	5	15	39	40	45	43	15	2	
															42
															43
														1	
			1	1	1	2	2	4	1	1					44
				3	1	2	1		3	3	3	1		1	
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

VERMONT—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		1,000	25	18	4	1	4	52	16	16	50	73	76
2	Males		425	15	8	1		1	25	11	5	22	35	25
3	Females		575	10	10	3	1	3	27	5	10	28	38	51
4	Anemia	M	16	7					7				1	
		F	23		2	1			3			2	3	3
5	Diabetes	M	22							4	1	2		
		F	17							2	1	2	2	1
6	Rheumatism	M	9										1	1
		F	10										1	
7	Scrofula and tabes	M	6		1				1			1		
		F	11	1	1			1	3			1	2	1
8	Hydrocephalus	M	11	4	2			1	7	2	2			
		F	11	4	1	2		1	8	1	2			
9	Tuberculosis, general	M	4											
		F	5							2		1		
10	Consumption	M	240	3	3	1			7	5	2	18	32	23
		F	284	3	6		1		10		7	21	29	43
11	Cancer	M	97											
		F	184											2
12	Tumor	M	11		1				1				1	1
		F	18											1
13	Dropsy	M	5											
		F	7									1		
14	Others of this group	M	4	1	1				2		1	1		
		F	5	2				1	3				1	
15	2. Diseases of the nervous system		800	108	30	12	6	3	159	14	11	10	13	15
16	Males		416	70	19	6	4	1	100	5	5	3	6	4
17	Females		384	38	11	6	2	2	59	9	6	7	7	11
18	Inflammation of the brain	M	4		1				1	1	2			
		F	9	3			1		4		1	2	1	1
19	Meningitis	M	65	28	10	4	2	1	45	3	1		2	1
		F	56	12	7	6	1	1	27	7	3		3	2
20	Apoplexy	M	160	4					4				1	
		F	159	3					3		2	1	2	2
21	Paralysis	M	59										1	1
		F	57							1				
22	Paralysis, general (of insane)	M												
		F	1											
23	Tetanus and trismus nascentium	M	3								1	1		
		F												
24	Chorea	M	1											
		F												
25	Epilepsy	M	11	1					1	1		1	1	1
		F	7	1	1				2			1		
26	Convulsions	M	44	30	9	1	2		42		1			
		F	23	18	3			1	22			1		
27	Mental diseases	M	10										1	1
		F	9											1
28	Diseases of the brain	M	38	7					7			1		
		F	34									1	1	3
29	Diseases of the spinal cord	M	8											
		F	8											1
30	Locomotor ataxia	M	4											
		F	3							1				
31	Others of this class	M	9											
		F	18	1					1			1		1
32	3. Diseases of the circulatory system		682	37	1	3			41	5	8	5	16	18
33	Males		375	26	1	2			29		5	3	6	8
34	Females		307	11		1			12	5	3	2	10	10
35	Pericarditis	M	6								1			1
		F	1										1	
36	Diseases of the heart	M	327	16	1	2			19		4	3	6	6
		F	278	6		1			7	5	3	1	8	10
37	Angina pectoris	M	19											
		F	14									1		
38	Diseases of the arteries	M	6											
		F	3											
39	Aneurism	M	3											
		F	1											
40	Embolism	M	4											1
		F	5										1	
41	Others of this class	M	10	10					10					
		F	5	5					5					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

VERMONT—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
60	63	74	45	61	77	76	73	55	59	42	19	6	1	6	1
25	27	37	13	20	31	32	29	25	26	21	9	3	1	2	2
35	30	37	32	41	46	44	44	30	33	21	10	3		4	3
1					3	2	1		1						4
2	1	3	1		1	2	2								
1		2	3		3	1	2		3						5
		2		1		1	3	1	1						
					1		2	1	2					1	6
		2			1	1	1	1	1		2				
	1	1					1			1					7
	1	1	1					1							
															8
1			1	1	1										9
					2										
20	22	30	7	10	14	17	7	6	9	8	1	1		1	10
26	27	20	12	19	16	14	14	9	6	7	2			2	
2	3	3	2	9	6	12	14	16	10	10	7	2	1		11
4	7	8	15	20	22	23	20	16	23	14	5	3		2	
	1	1			1		1	2	1	1					12
3		1	1		4	3	2	1	1		1				
					2		1			1	1				13
			1	1			2	1	1						
															14
			1												
12	14	27	29	30	31	57	75	96	92	72	23	15	3	2	15
5	5	15	14	11	17	25	38	57	49	36	9	6	1	3	16
4	9	12	15	19	14	32	37	39	43	36	14	9	2		17
															18
2	2	2		1	1	2		1	2						19
2		5	1	1	1		2	1		1					
3	2	4	7	6	5	11	20	34	33	19	6	4		1	20
	2	6	6	8	11	16	24	15	28	20	7	5	1		
1		3	4	2	5	5	7	8	5	14	1	1	1		21
	1		4	1	1	12	8	11	8	6	4	1	1		
															22
												1			
									1						23
				1											24
		1	1		1			1		1	1				25
1	1			1					1						
					1										26
1						1	1	3	2						27
						1	1			3	2	1			
1	1	1	1	1	4	1	6	5	5	2	1	1			28
1	2	1	1	5		2	1	8	3	4		1			
		2				1	2	2						1	29
	1			2	1		2	1							
			1			2	1								30
			1					1							
		2				2	1	3	1						31
	2		2	1		1	1	2	3	2	1				
10	11	17	17	38	46	63	71	87	115	75	28	3		8	32
5	5	5	6	14	23	40	46	59	67	41	11			2	33
5	6	12	11	24	23	23	25	28	48	34	17	3		6	34
	1					1			1	1					35
5	4	5	6	12	20	32	42	51	63	35	11			2	36
4	5	9	11	23	18	22	25	25	46	31	16	3		6	
				2	2	5	3	2	3	2					37
		2		1	4	1		2	1	1	1				
						2		2		2					38
								1	1	1					
							1	2							39
1															
					1			2							40
	1	1			1					1					
															41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

VERMONT—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		871	151	59	27	12	9	258	21	8	26	24	20
2	Males		436	93	28	16	5	5	147	9	3	19	14	11
3	Females		435	58	31	11	7	4	111	12	5	7	10	9
4	Croup	M	11	2	1	3	2		8	2		1		
		F	10	2		2	1	1	6	3	1			
5	Pneumonia	M	318	53	20	7	1	3	84	4	2	16	14	11
		F	313	33	21	4	3	1	62	7	3	6	8	9
6	Laryngitis	M	1	1					1					
		F	4										1	
7	Bronchitis	M	65	24	6	4	2	2	38	2	1	1		
		F	74	20	8	4	2	1	35	2			1	
8	Pleurisy	M	5			1			1			1		
		F	6								1			
9	Asthma	M	3	2					2					
		F	5	1					1					
10	Others of this class	M	33	11	1	1			13	1				
		F	23	2	2	1	1	1	7			1		
11	5. Diseases of the digestive system		344	31	3	4	1	2	41	13	8	11	10	26
12	Males		169	19	3				22	5	6	10	3	9
13	Females		175	12		4	1	2	19	8	2	1	7	17
14	Dentition	M												
		F												
15	Angina	M	8											
		F												
16	Gastritis	M	30	5	1				6					1
		F	31	1		3			4					3
17	Diseases of the stomach	M	7											
		F	16	2					2					
18	Obstruction of the bowels	M	11	1					1			1		1
		F	18	1					1	1				2
19	Appendicitis	M	27	1					1	3	5	2	3	4
		F	15							2	1		1	3
20	Hernia	M	8	1					1					
		F	6	1					1					
21	Other diseases of the bowels	M	2											
		F	6	2					2					
22	Jaundice	M	9	4					4					
		F	6	1					1					
23	Inflammation and abscess of the liver.	M	4											
		F	6											1
24	Other diseases of the liver	M	23											1
		F	15								1			1
25	Peritonitis	M	34	1	2				3	2	1	7		2
		F	38			1	1	1	3	5		1	6	5
26	Ascites	M												
		F	2											
27	Others of this class	M	11	6					6					
		F	16	4				1	5					2
28	6. Diseases of the urinary system and male organs of generation.		308	2	2	1		1	6	3	2	5	10	9
29	Males		182	2					2	2		3	2	3
30	Females		126		2	1		1	4	1	2	2	8	6
31	Bright's disease	M	116							2		1	1	3
		F	94							1	1	2	7	3
32	Calculus, urinary	M												
		F												
33	Diseases of the kidney	M	10	1					1					
		F	7		2			1	3		1			1
34	Diseases of the bladder	M	27	1					1					
		F	4			1			1					
35	Others of this class	M	29									2	1	
		F	21										1	2
36	7. Diseases of the female organs of generation.		17	1					1				1	
37	Ovarian tumors		5											
38	Ovarian diseases		1											
39	Diseases of the tubes													
40	Uterine tumors		5											
41	Uterine diseases													
42	Others of this class		6	1					1				1	

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

VERMONT—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
11	22	30	27	30	35	40	52	75	75	60	38	16	2	1	1
3	8	16	16	15	23	15	20	41	29	25	12	9		1	2
8	14	14	11	15	12	25	32	34	46	35	26	7	2		3
															4
3	7	14	14	13	20	13	18	26	24	19	9	6		1	5
6	12	13	10	12	9	19	25	28	33	27	19	4	1		
1					1	1									6
					1	1	2	7	2	5	2	3			7
		1				2	4	4	10	7	6	1	1		
	1		1					1							8
1				1	1				1			1			
						1									9
				2		1		1							
		2	1	2	2			7	3	1	1				10
	2		1		1	2	3	1	2	1	1	1			
13	24	13	13	18	20	31	24	27	26	17	6	1	1	1	11
8	9	6	9	7	9	23	10	10	10	10	2	1			12
5	15	7	4	11	11	8	14	17	16	7	4		1	1	13
															14
			1			1	1								15
	1			4	1	3	2	4	2	5	1				16
	3		1	1	3	1	2	4	5	1	3				
1		2	2				1		1						17
	2		1	2	1	2	1	3	1	1					
1	1			1		2		1	2						18
1		3		1			3	2	2	1			1		
3	2	1			1	1		1							19
	3		1				3							1	
					1	2		1	2	1					20
	1				1			1	2						
									1	1					21
1	2								1						
1			1			1	1	1							22
						1		2	1	1					
	1				1	1	1								23
	1			1				1	1		1				
	1		3	2	3	9	2	1			1				24
1	1	1		3	1	1	3			2					
2	3	3	1		1	1	1	1	2	3		1			25
2	1	3		3	3	1	2	2	1						
															26
								1		1					
			1		1	2	1								27
	1		1		2	2		1	2						
11	10	12	11	14	31	28	32	44	47	23	6	4			28
3	1	8	6	6	16	14	21	30	39	18	4	4			29
8	9	4	5	8	15	14	11	14	8	5	2				30
3	1	6	6	6	12	11	10	16	23	12	2	1			31
7	4	3	5	7	12	11	6	13	6	4	2				
															32
		1					4	3	1						33
	1						1								
		1			2	1	2	1	8	4	1	1			34
					2					1					
					2	2	5	5	7	2	1	2			35
1	4	1		1	1	3	4	1	2						
	2	3	2		1	1	3	1							36
			1				3	1							37
			1												38
															39
	1	1			1	2									40
															41
	1	2				1									42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

VERMONT—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	**8. Affections connected with pregnancy**	47									6	5	16
2	Abortion												
3	Childbirth	16											5
4	Puerperal septicemia	16									5	1	6
5	Extra-uterine pregnancy												
6	Others of this class	15									1	4	5
7	**9. Diseases of the bones and joints**	16		1				1		1	2	3	
8	Males	6								1	1	1	
9	Females	10		1				1			1	2	
10	Diseases of the spine M	4										1	
	Diseases of the spine F	4		1				1			1		
11	Abscess, lumbar and psoas M	1								1			
	Abscess, lumbar and psoas F	2										2	
12	Diseases of the bones M												
	Diseases of the bones F	3											
13	Diseases of the hip-joint M	1									1		
	Diseases of the hip-joint F												
14	Others of this class M												
	Others of this class F	1											
15	**10. Diseases of the skin**	12	1		1			2					
16	Males	3	1		1			2					
17	Females	9											
18	Abscess M	1			1			1					
	Abscess F	3											
19	Carbuncle M												
	Carbuncle F	1											
20	Others of this class M	2	1					1					
	Others of this class F	5											
21	**11. Diseases of the absorbent system**	7							1				
22	Males	3							1				
23	Females	4											
24	Addison's disease M	2											
	Addison's disease F	2											
25	Diseases of the spleen M												
	Diseases of the spleen F	1											
26	Others of this class M	1							1				
	Others of this class F	1											
27	**12. Accidents and injuries**	264	15	4	6	3	3	31	5	17	17	20	18
28	Males	195	5		2	2	2	11	3	13	16	20	16
29	Females	69	10	4	4	1	1	20	2	4	1		2
30	Burns and scalds M	5				1		1					
	Burns and scalds F	13		2	2		1	5		1			2
31	Drowning M	26			1	1	1	3		4	5	6	3
	Drowning F	4		1				1	1	2			
32	Exposure and neglect M	2	1					1					
	Exposure and neglect F	1	1					1					
33	Gunshot wounds M	10									3	1	1
	Gunshot wounds F	1	1					1					
34	Homicide M	1											
	Homicide F	1											
35	Infanticide M												
	Infanticide F												
36	Injuries by machinery M												
	Injuries by machinery F												
37	Railroad accidents M	20								1	3	2	2
	Railroad accidents F												
38	Suffocation M	4	2					2				1	1
	Suffocation F	5	4	1				5					
39	Suicide by shooting M	11										1	
	Suicide by shooting F												
40	Suicide by drowning M	1										1	
	Suicide by drowning F												
41	Suicide by poison M	1										1	
	Suicide by poison F	1											
42	Other suicides M	17								1	2	1	1
	Other suicides F	3											
43	Sunstroke M	1									1		
	Sunstroke F												
44	Surgical operations M												
	Surgical operations F	2			1			1					
45	Wounds M	3								1			2
	Wounds F												
46	Others of this class M	93	2		1		1	4	3	6	2	6	6
	Others of this class F	38	4		1	1		6	1	1	1		

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

VERMONT—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
9	5	3					1		1					1	1
															2
4	8	3							1						3
3	1														4
															5
2	1						1							1	6
1	2				2	2				2					7
	1				2										8
1	1					2				2					9
	1				2										10
	1					1									
															11
1										2					12
															13
															14
						1									
	1			1	2	2			2		1	1			15
									1						16
	1			1	2	2			1		1	1			17
	1				1							1			18
															19
						1									
									1						20
				1	1	1			1		1				
1		2	2				1								21
		1	1												22
1		1	1				1								23
		1	1												24
1		1													
															25
			1												
															26
							1								
13	22	16	10	9	15	14	9	11	14	11	8	4		2	27
11	17	14	10	9	11	7	8	8	10	6	1	2		2	28
2	5	2			4	7	1	3	4	5	5	2			29
				1		2		1							30
1					1	3									
	1			2	2										31
											1				32
	1		1				1	1				1			33
			1												34
	1														
															35
															36
1	2	1	2			2	2		1					1	37
															38
1	3	2	2					1	1						39
															40
															41
	1														
1	2	4	2	1	1			1							42
	1					2									
															43
															44
	1														
															45
8	8	7	2	5	8	3	5	4	8	6		1		1	46
1	1	2			3	2	1	3	4	5	5	2			

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ALABAMA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	25,699	5,142	8,852	1,059	783	1,388	1,816	1,375	1,128	1,011	889	982	899	702	898	3,917
Males	12,970	2,756	4,710	528	405	618	893	648	534	456	428	503	447	342	465	1,993
Females	12,729	2,386	4,142	531	378	770	923	727	594	555	461	479	452	360	433	1,924
Unknown cause	2,173	1,088	1,340	66	38	56	70	56	45	38	47	34	46	41	50	246
Males	1,068	594	728	27	19	25	30	19	13	7	21	12	22	13	18	114
Females	1,105	494	612	39	19	31	40	37	32	31	26	22	24	28	32	132
1. General diseases. General diseases—A	7,493	1,476	3,202	486	328	496	491	346	263	211	196	198	195	138	165	778
Males	3,806	768	1,673	251	166	226	239	187	128	109	102	109	100	70	85	361
Females	3,687	708	1,529	235	162	270	252	159	135	102	94	89	95	68	80	417
Measles M	209	62	142	10	5	16	6	8	4	4	4	5		2	1	2
Measles F	219	52	127	14	8	20	9	4	5	4	4	5	9	4	1	5
Scarlet fever M	20	4	10	8		1										1
Scarlet fever F	14	3	10			2	1								1	
Diphtheria M	43	4	35	6											1	1
Diphtheria F	44	5	25	12	1	1	2		1						1	1
Whooping cough M	239	130	221	13	2	1										2
Whooping cough F	255	148	246	6					1		1					1
Malarial fever M	497	52	157	49	37	49	44	35	24	18	9	14	18	6	11	26
Malarial fever F	508	55	147	50	27	55	48	31	20	13	22	11	17	8	18	41
Influenza M	386	66	101	14	5	13	13	4	3	9	10	10	14	17	17	156
Influenza F	392	52	76	6	10	12	14	14	12	10	7	13	18	18	16	166
Typhoid fever M	873	36	138	76	78	118	122	95	52	44	42	36	19	12	12	29
Typhoid fever F	840	31	122	81	96	143	109	63	50	30	29	22	23	16	11	45
Cholera morbus M	74	21	44	4	2			3		4		3	3	2	2	7
Cholera morbus F	63	7	23	6		2	2	2	4	3			6	4	3	8
Colitis M	31	14	24			1					1		1	1	2	1
Colitis F	25	8	19	1			2								1	2
Diarrhea M	166	34	79	12	2	2	2	2	3	3	2	7	6	5	14	27
Diarrhea F	120	18	63	5		2	2	5		5	5	5	5	2	2	19
Dysentery M	442	81	240	21	11	9	9	5	15	9	11	12	21	12	10	57
Dysentery F	422	82	226	16	5	4	7	10	8	13	12	15	6	6	15	79
Enteritis M	173	65	124	14	3	3		3	1	2	4	4	2	2	4	7
Enteritis F	179	60	115	13	2	6	7	3	3	4	5	2	2	2	1	14
Cholera infantum M	220	115	220													
Cholera infantum F	208	101	208													
Fever M	93	25	48	8	7	3	7	1	4	1	1	1	4			8
Fever F	102	26	48	12	5	7	6	4	3	1	1	2	1		2	10
Cerebro-spinal fever M	29	14	21		4		1	1		1	1					
Cerebro-spinal fever F	21	8	15	2	1			2					1			
Smallpox M	136	19	28	6	4	5	19	15	9	8	6	7	4	5	5	15
Smallpox F	88	18	25	5	2	7	8	5	7	6	2	6	4	2	3	6
Erysipelas M	27	4	8	2	1	1	1	1	1		2	2	2			6
Erysipelas F	29	11	14	2		2		1			1	1	1	1		6
Septicemia M	61	7	12	3	5	2	3	4	7	3	4	1	4	5	2	6
Septicemia F	94	5	7	2	4	4	23	12	15	8	2	4	1	2	3	7
Venereal diseases M	55	10	11	1		1	9	7	5	2	5	5	1		2	6
Venereal diseases F	44	7	10	1		2	8	2	5	5	3	3	1		2	2
Others of this group M	32	5	10	4		1	3	3		1		2	1	1	2	4
Others of this group F	20	2	3	1	1	1	4	1	1					3		5
General diseases—B	252	103	151	8	4	7	10	8	6	6	10	10	5	4	5	18
Males	151	49	80	4	2	5	8	6	5	4	9	5	3	4	4	12
Females	101	54	71	4	2	2	2	2	1	2	1	5	2		1	6
Alcoholism M	19						1	2	1	2	3	3	1	3	3	
Alcoholism F	1															1
Parasitic diseases M	26	3	21	4			1									
Parasitic diseases F	17	2	11	4	1			1								
Lead poison M	2										1	1				
Lead poison F	2	1	1													1
Other poisons M	50	8	9		2	5	6	4	4	2	5	1	2	1	1	8
Other poisons F	24	3	7		1	2	2	1		2	1	5	1		1	1
Inanition M	54	43	50													4
Inanition F	57	48	52						1				1			3
General diseases—C	988	372	411	8	2	1	1	2		1	1	3	4	6	11	542
Males	472	195	215	1	1	1		1		1	1		3	4	7	237
Females	516	177	196	2	1		1	1				3	1	2	4	305
Old age M	217														6	211
Old age F	288														3	285
Premature birth M	132	132	132													
Premature birth F	116	116	116													
Malformation M	11	10	11													
Malformation F	12	12	12													
Debility and atrophy M	106	47	66	1	1	1		1		1	1		3	4	1	26
Debility and atrophy F	93	42	61	2	1		1	1				3	1	2	1	20
Others of this group M	8	5	8													
Others of this group F	7	7	7													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ALABAMA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	4,016	77	257	116	114	306	522	419	363	293	251	272	216	159	169	559
Males	1,656	39	134	57	49	103	208	133	140	112	96	120	89	66	73	276
Females	2,360	38	123	59	55	203	314	286	223	181	155	152	127	93	96	283
Anemia M	11	3	4	1	1								2			3
Anemia F	9		1		1		1	1	1			1	1			2
Diabetes M	19		3		1	1	2	1	1		2	2	1	1	1	3
Diabetes F	11		1				1	2				1	3	1		2
Rheumatism M	70	1	1	7	5	5	1	1	1	3	8	6	6	3	7	21
Rheumatism F	55	1	1	3	3	1	1	1	2	1	4	4	2	8	9	15
Scrofula and tabes M	85	10	29	9	4	3	5	4	2	2	3	5	3	4	5	7
Scrofula and tabes F	76	6	23	10	2	3	7	2	4	1	5	3	2	4	3	7
Hydrocephalus M	16	7	11			1	1		2		1					
Hydrocephalus F	18	10	12	1			2		2							1
Tuberculosis, general M	8		1				1		2	1	1	1		1		
Tuberculosis, general F	8							2	1	1		2				2
Consumption M	1,079	12	46	19	26	82	190	117	119	94	71	79	57	36	33	110
Consumption F	1,587	14	50	26	53	185	283	240	185	143	100	79	68	40	31	104
Cancer M	83	1	2	1	2	2	1	2	5	3	5	8	7	10	8	27
Cancer F	257		1	2		2	4	13	12	21	28	40	28	24	19	63
Tumor M	19	3	3	1	2			2	1	2	1			1	1	5
Tumor F	41	4	5	1	1	1	3	5		1	4	7	4		2	7
Dropsy M	259		29	19	8	9	7	6	6	7	9	19	13	10	18	99
Dropsy F	290	2	25	15	5	11	10	20	16	13	14	14	19	16	32	80
Others of this group M	7	2	5						1							1
Others of this group F	8	1	4	1			2					1				
2. Diseases of the nervous system	1,974	497	796	81	45	53	78	52	43	50	58	93	76	66	94	389
Males	1,063	293	437	42	27	23	40	36	23	28	34	47	36	34	53	203
Females	911	204	359	39	18	30	38	16	20	22	24	46	40	32	41	186
Inflammation of the brain M	92	32	60	5	1	3	4	4	1	2	1	5	1		1	6
Inflammation of the brain F	75	18	41	4	2	7	5	1	3	1		2		2	2	5
Meningitis M	187	83	136	16	6	7	3	3	2	2	3		2	1	2	4
Meningitis F	155	49	106	14	5	5	11	2				1		2	3	6
Apoplexy M	107		1		2		1	3	3	5	4	12	9	8	20	39
Apoplexy F	69		2	1			1	3	3	5	2	9	8	3	7	25
Paralysis M	219	1	6	5	4	2	8	8	4	7	9	8	12	15	19	117
Paralysis F	247	4	8	2	1	5	4	3	5	8	15	16	25	19	22	114
Paralysis, general (of insane) M	11								1	2	3	2	1	1	1	
Paralysis, general (of insane) F	4								1			2				1
Tetanus and trismus nascentium M	57	38	38	4	2		5	2		1	1	1			1	2
Tetanus and trismus nascentium F	27	20	20		1	1	2		1			1			1	
Chorea M	1	1	1													
Chorea F	1															1
Epilepsy M	66	5	10	2	4	6	11	4	6	1	3	5	3	2	2	7
Epilepsy F	32	5	6	4		3	4	1	2	3	1		1	1		6
Convulsions M	102	79	97	2			1						1			1
Convulsions F	119	74	108	3	2	3	1			1		1				
Mental diseases M	23				1		4	2		1	2	1	2	3	3	4
Mental diseases F	20					3	2	2	2	2	2	2	1	1	1	2
Diseases of the brain M	169	48	84	8	6	5	5	9	3	7	7	12	4	4	2	13
Diseases of the brain F	123	30	62	11	5	3	8	2	3	1	2	7	4	1	4	10
Diseases of the spinal cord M	10	1	2		1		1	1	2			1	1		1	
Diseases of the spinal cord F	12	3	4		2						2	2		1		1
Locomotor ataxia M	4											1			1	2
Locomotor ataxia F																
Others of this class M	15	2	2				2		1		1	1				8
Others of this class F	27	1	2					2		1		3	1	2	1	15
3. Diseases of the circulatory system	1,166	35	57	17	16	34	50	42	53	65	58	74	87	77	122	414
Males	562	16	29	9	8	15	17	18	27	21	22	38	35	38	61	224
Females	604	19	28	8	8	19	33	24	26	44	36	36	52	39	61	190
Pericarditis M	6					1				1			1			3
Pericarditis F	5					1		1					1	1		1
Diseases of the heart M	536	14	27	8	8	13	17	18	24	19	22	36	33	37	61	213
Diseases of the heart F	575	13	21	6	8	16	33	23	26	41	34	36	50	37	61	183
Angina pectoris M	12			1		1			1			1	1	1		6
Angina pectoris F	8									1	1		1			5
Diseases of the arteries M																
Diseases of the arteries F																
Aneurism M	6								2	1		1				2
Aneurism F	5			1		1				1	1			1		
Embolism M																
Embolism F	2					1				1						
Others of this class M	2	2	2													
Others of this class F	9	6	7	1												1

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ALABAMA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	3,562	961	1,547	105	106	151	217	148	121	123	110	143	131	92	130	438
Males	1,954	526	868	60	53	84	136	79	66	67	58	78	77	38	70	220
Females	1,608	435	679	45	53	67	81	69	55	56	52	65	54	54	60	218
Croup M	301	211	291	7	1					1						1
Croup F	278	215	270	6			1				1					
Pneumonia M	1,385	244	455	44	46	77	129	74	58	61	50	65	71	28	60	167
Pneumonia F	1,074	172	310	35	47	61	70	63	47	48	40	53	44	41	41	174
Laryngitis M	12	7	10	1												1
Laryngitis F	14	3	7	1					2	1	1				1	1
Bronchitis M	133	51	92	5	1	2	1	1	2		2	5		2	3	17
Bronchitis F	142	37	74	3	5	3	4	3	1	3	4	7	3	4	3	25
Pleurisy M	40	1	1	1	1		2	2	1	3	1	6	1	3	3	15
Pleurisy F	29	1	4		1		2	2		1	2	2	3	4	2	6
Asthma M	26	1	2				1	1	2			1		3	2	14
Asthma F	32		2			1			3		1	1	3	4	8	9
Others of this class M	57	11	17	2	4	5	3	1	3	2	5	1	5	2	2	5
Others of this class F	39	7	12			2	4	1	2	3	3	2	1	1	5	3
5. Diseases of the digestive system.	1,406	317	626	54	28	49	77	55	49	50	34	52	46	48	61	177
Males	744	172	319	25	16	28	45	28	27	23	14	24	24	26	34	111
Females	662	145	307	29	12	21	32	27	22	27	20	28	22	22	27	66
Dentition M	102	40	102													
Dentition F	103	34	103													
Angina M	23	7	14	4					2		1	1			1	
Angina F	34	4	17	4		3		1		1		3	2	1		2
Gastritis M	64	8	22	1	1		1	2	1	3	1	2	5	5	5	15
Gastritis F	82	6	20	5	1	3	6	2	4	4	6	3	6	3	6	13
Diseases of the stomach M	47	7	16	2		5	4	1		2	1	3	3	1	2	7
Diseases of the stomach F	57	17	25	5	3		3	4	2	3	1	2	1	3	1	4
Obstruction of the bowels M	29	7	9	3	1	1	2	2	1		1	1	1		2	5
Obstruction of the bowels F	13	2	4	1	1					1		1	1		2	2
Appendicitis M	39		2	2		7	6	5	5	3		3	2	2		2
Appendicitis F	11		2	1	1	1	1			2		1	1	1		
Hernia M	22		1		1	1	1		2	1		1		4	2	8
Hernia F	9	1	1								1	4			1	2
Other diseases of the bowels M	78	27	43	1	3	4	5	2	4	1	1	2	1		2	9
Other diseases of the bowels F	52	14	25	1	2	5	4	2		2	1	2		2		6
Jaundice M	25	15	15			1	3		1			2		1		2
Jaundice F	32	14	15	1			1	4	1	1	1		2	2	1	3
Inflammation and abscess of the liver M	39	1	4		1	1	7	3	3	2	1	1	1	4	5	6
Inflammation and abscess of the liver F	33		2	1	1	1	6	5	1	1	1	2	3	1	3	5
Other diseases of the liver M	63	4	9	5	2	1	5	1	3	6	4	4	4	2	3	14
Other diseases of the liver F	32	8	9			1	1	2	1	1	1	1	2	2	4	7
Peritonitis M	33	3	4	2	1	3	5	7	2	2	1			1	2	3
Peritonitis F	45	3	3	1		3	5	6	9	7	5	2		1		3
Ascites M	47		6	2	2	2	2	2	1	1	1	1	1	1	4	21
Ascites F	36		2	2	1	4	3	1	1	1	2	3	2	3	3	8
Others of this class M	133	53	72	3	4	2	4	3	2	2	2	3	6	5	6	19
Others of this class F	123	42	79	7	2		2		3	5	1	4	2	3	6	11
6. Diseases of the urinary system and male organs of generation.	609	18	45	6	14	16	26	31	29	26	36	45	46	33	56	200
Males	402	12	27	4	8	5	16	15	12	14	25	29	33	24	38	152
Females	207	6	18	2	6	11	10	16	17	12	11	16	13	9	18	48
Bright's disease M	226			3	5	1	8	14	6	13	20	26	24	17	25	64
Bright's disease F	145			1	5	6	6	12	15	11	6	16	13	7	14	33
Calculus, urinary M	23	1	1			1	2							2		17
Calculus, urinary F	4		1													3
Diseases of the kidney M	70	6	18	1	1	1	3		5	1	2	1	2	1	6	28
Diseases of the kidney F	28	4	15	1				1		1	1				3	6
Diseases of the bladder M	28	1	2				1					1	1	1	2	20
Diseases of the bladder F	1															1
Others of this class M	55	4	6		2	2	2	1	1		3	1	6	3	5	23
Others of this class F	29	2	2		1	5	4	3	2		4			2	1	5
7. Diseases of the female organs of generation.	96	2	2		4	8	13	6	10	6	10	6	7	6	4	14
Ovarian tumors	6									2		2	1			1
Ovarian diseases	1								1							
Diseases of the tubes	3	1	1						1					1		
Uterine tumors	8							1		1	1		2	1		2
Uterine diseases	25				1	4	3	1	2	1	1			2	4	6
Others of this class	53	1	1		3	4	10	4	5	2	8	4	4	2		5

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ALABAMA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	335				2	73	83	59	37	55	20	1	1		1	3
Abortion	21					5	3	6	2	3	2					
Childbirth	181				1	40	37	32	19	39	10		1		1	1
Puerperal septicemia	100					14	34	18	15	10	7					2
Extra-uterine pregnancy	2							1	1							
Others of this class	31				1	14	9	2		3	1	1				
9. Diseases of the bones and joints.	63	19	36	3	1	6		1	2	3			2	2	1	6
Males	35	8	18	1	1	4		1	1	1			1	1		6
Females	28	11	18	2		2			1	2			1	1	1	
Diseases of the spine. M	24	7	17	1		1		1	1					1		2
Diseases of the spine. F	19	8	13	2						2			1	1		
Abscess, lumbar and psoas. M	1												1			
Abscess, lumbar and psoas. F																
Diseases of the bones. M	7	1	1		1	3										2
Diseases of the bones. F	2	1	1			1										
Diseases of the hip-joint. M	1									1						
Diseases of the hip-joint. F	2		1						1							
Others of this class. M	2															2
Others of this class. F	5	2	3			1									1	
10. Diseases of the skin	49	16	20		1	1	1	3	1	4	1	2	3	1	1	7
Males	27	7	11				1	2	1	1			4			7
Females	22	9	9		1	1		1		3	1	2	2	1	1	
Abscess. M	10	3	4				1	1	1	1			2			
Abscess. F	9	1	1		1	1		1		2	1	2				
Carbuncle. M	5												1			4
Carbuncle. F	3												2	1		
Others of this class. M	12	4	7					1					1			3
Others of this class. F	10	8	8							1					1	
11. Diseases of the absorbent system.	12		1	1			1	2	1				2	2	2	
Males	7			1				2						2	2	
Females	5		1				1		1				2			
Addison's disease. M	1							1								
Addison's disease. F																
Diseases of the spleen. M	2			1											1	
Diseases of the spleen. F	3		1				1		1							
Others of this class. M	4							1						2	1	
Others of this class. F	2												2			
12. Accidents and injuries	1,505	161	361	113	80	131	176	145	105	80	57	49	29	27	26	126
Males	1,023	77	171	46	55	99	153	121	91	68	46	41	20	22	20	70
Females	482	84	190	67	25	32	23	24	14	12	11	8	9	5	6	56
Burns and scalds. M	121	9	77	15	5	2	4		4		3			1	2	8
Burns and scalds. F	207	11	96	43	6	5	4	11	4	6	3	1	3		2	23
Drowning. M	81		6	8	11	12	13	5	6	4	4	1	2	1	1	7
Drowning. F	14		2	4	3	3			1	1						
Exposure and neglect. M	15	13	15													
Exposure and neglect. F	29	19	23						1	1				1		3
Gunshot wounds. M	207		1	2	15	30	46	34	24	23	10	11	2		1	8
Gunshot wounds. F	45		4	6	8	13	6	6	1				1			
Homicide. M	81		1	1	3	6	12	15	11	9	5	4	5	3	3	3
Homicide. F	15		1	1	1	2	4	1		2		2				1
Infanticide. M																
Infanticide. F																
Injuries by machinery. M	3					2	3	1		1		1				
Injuries by machinery. F	2			1		1										
Railroad accidents. M	96		1	1		11	19	14	18	10	8	2		1	1	10
Railroad accidents. F	10			1	1	3	1			1	1	1			1	
Suffocation. M	36	27	29			1	1		1			1		2		1
Suffocation. F	47	43	45	2												
Suicide by shooting. M	3							3		2	2					1
Suicide by shooting. F	2						1					1				
Suicide by drowning. M																
Suicide by drowning. F	1												1			
Suicide by poison. M	3						2	1	1	1		1	1			1
Suicide by poison. F	1												1			
Other suicides. M	6							1				1	1			3
Other suicides. F	4						1		1			1		1		
Sunstroke. M	6								1	1				1	1	2
Sunstroke. F	3	1	1					1			1					
Surgical operations. M	4				1									1		2
Surgical operations. F	5						1	1			2				1	
Wounds. M	9		1	1			2		1		1		1		1	1
Wounds. F																
Others of this class. M	337	28	40	18	20	35	51	47	24	17	13	19	8	12	10	23
Others of this class. F	97	10	18	9	6	5	5	4	6	1	4	2	3	3	2	29

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ARIZONA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	1,223	192	396	81	49	49	64	80	58	70	61	71	55	33	45	111
Males	750	109	221	44	15	27	44	62	40	48	44	45	35	22	34	69
Females	473	83	175	37	34	22	20	18	18	22	17	26	20	11	11	42
Unknown cause	171	28	65	13	14	5	4	5	6	5	7	5	8	7	6	20
Males	83	14	37	4	5	2	2	2	3		2	3	6	5	2	10
Females	88	14	28	9	9	3	2	4	3	5	5	2	2	2	4	10
1. General diseases. General diseases—A	339	74	172	49	19	11	17	8	9	10	6	4	4	5	7	18
Males	184	39	87	27	6	7	12	7	5	7	6	1	1	3	5	10
Females	155	35	85	22	13	4	5	1	4	3		3	3	2	2	8
Measles M	32	5	17	10	3									1		1
Measles F	37	1	18	8	7		1			1			1		1	
Scarlet fever M	9	1	4	4					1							
Scarlet fever F	9		4	5												
Diphtheria M	5		1	2			2									
Diphtheria F	10	1	2	5	3											
Whooping cough M	12	4	8	1												3
Whooping cough F	10		5	2												
Malarial fever M	9	1	2	2	1	1				1	1					1
Malarial fever F	8	4	6		1											1
Influenza M	4		1								2					1
Influenza F	4	2	2													2
Typhoid fever M	26	2	5	3	1	3	3	2	3	2	2				1	1
Typhoid fever F	15	2	4	2		3	4									2
Cholera morbus M	7	2	3				1	1		1			1			
Cholera morbus F	7	1	4		1				1			1				
Colitis M	2		1												1	
Colitis F																
Diarrhea M	5		1	1								1				2
Diarrhea F	6	1	3		1				1							1
Dysentery M	14	2	6	1			3	1							3	
Dysentery F	8	1	4							1		1	2			
Enteritis M	13	6	11	1						1						
Enteritis F	9	4	6			1			1						1	
Cholera infantum M	11	5	11													
Cholera infantum F	13	10	13													
Fever M	19	7	11	1			2	1		2	1			1		
Fever F	10	5	7											1		2
Cerebro-spinal fever M	3					1	1	1								
Cerebro-spinal fever F	1		1													
Smallpox M	4	1	2					1	1							
Smallpox F	1	1	1													
Erysipelas M	3	2	2											1		
Erysipelas F	2	1	1											1		
Septicemia M	5	1	1		1	2										1
Septicemia F	1											1				
Venereal diseases M																
Venereal diseases F	2								1	1						
Others of this group M	1			1												
Others of this group F	2	1	1					1								
General diseases—B	22	11	12				1	1	1			3	2			2
Males	18	9	10					1	1			3	2			1
Females	4	2	2				1									1
Alcoholism M	6							1	1			1	2			1
Alcoholism F																
Parasitic diseases M	1	1	1													
Parasitic diseases F																
Lead poison M																
Lead poison F																
Other poisons M	2											2				
Other poisons F	2						1									1
Inanition M	9	8	9													
Inanition F	2	2	2													
General diseases—C	24	11	12										1			11
Males	13	7	7													6
Females	11	4	5										1			5
Old age M	6															6
Old age F	3															3
Premature birth M	3	3	3													
Premature birth F	3	3	3													
Malformation M	2	2	2													
Malformation F																
Debility and atrophy M	2	2	2													
Debility and atrophy F	5	1	2										1			2
Others of this group M																
Others of this group F																

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ARIZONA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	188	4	11	2	4	16	25	25	14	15	14	22	13	4	10	13
Males	127	2	5	2	1	9	18	19	10	11	11	13	9	2	7	10
Females	61	2	6		3	7	7	6	4	4	3	9	4	2	3	3
Anemia M																
Anemia F																
Diabetes M	2					1							1			
Diabetes F																
Rheumatism M	3					1									2	
Rheumatism F	3											1			2	
Scrofula and tabes M	1	1	1													
Scrofula and tabes F	1									1						
Hydrocephalus M	3		3													
Hydrocephalus F																
Tuberculosis, general M																
Tuberculosis, general F																
Consumption M	107	1	1	2	1	7	17	19	9	11	11	11	5	1	3	8
Consumption F	45	1	5		3	7	7	3	4	3	2	4	3	2		2
Cancer M	4								1			1		1	1	
Cancer F	8							3				2	1		1	1
Tumor M	2											1				1
Tumor F	1	1	1													
Dropsy M	5						1						2		1	1
Dropsy F	3										1	2				
Others of this group M																
Others of this group F																
2. Diseases of the nervous system	87	19	36	2	3	1		3	5	2	5	10	7	4	5	4
Males	57	13	23	2				2	2	2	4	7	4	3	5	3
Females	30	6	13		3	1		1	3		1	3	3	1		1
Inflammation of the brain M	6	1	4	1										1		
Inflammation of the brain F	6		3		1				1					1		
Meningitis M	13	5	10						1	2						
Meningitis F	6	1	3		1				1		1					
Apoplexy M	5							2			2	2		1		1
Apoplexy F	2												1			1
Paralysis M	7										1		1		4	1
Paralysis F	5	1	2						1			1	1			
Paralysis, general (of insane) M	5										1	1	3			
Paralysis, general (of insane) F																
Tetanus and trismus nascentium M	3											2				
Tetanus and trismus nascentium F	1	1	1													
Chorea M																
Chorea F	1				1											
Epilepsy M	4	2	2	1								1				
Epilepsy F	1											1				
Convulsions M	5	4	5													
Convulsions F	4	3	3			1										
Mental diseases M	3											1		1		1
Mental diseases F	1												1			
Diseases of the brain M	2		1						1							
Diseases of the brain F	2		1									1				
Diseases of the spinal cord M																
Diseases of the spinal cord F																
Locomotor ataxia M																
Locomotor ataxia F																
Others of this class M	2	1	1												1	
Others of this class F	1							1								
3. Diseases of the circulatory system.	43	5	7	2	2			2	3	3	5	6	6	2	1	4
Males	22	2	4					2	3	1	2	3	4	1		2
Females	21	3	3	2	2					2	3	3	2	1	1	2
Pericarditis M																
Pericarditis F	1				1											
Diseases of the heart M	20	1	3					2	3	1	2	3	4	1		1
Diseases of the heart F	19	2	2	2	1					2	3	3	2	1	1	2
Angina pectoris M																
Angina pectoris F																
Diseases of the arteries M																
Diseases of the arteries F																
Aneurism M																
Aneurism F																
Embolism M																
Embolism F																
Others of this class M	2	1	1													1
Others of this class F	1	1	1													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ARIZONA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	136	30	56	5	1	5	3	6	10	14	4	6	5	3	3	13
Males	93	17	34	4	1	3	2	6	10	9	3	4	4	3	2	8
Females	43	13	22	2		2	1			5	1	2	2		1	5
Croup M	6	4	5	1												
Croup F	4	4	4													
Pneumonia M	73	11	25	2	1	2	1	5	8	8	2	3	4	3	2	7
Pneumonia F	32	7	14	2		2				4	1	2	1		1	5
Laryngitis M																
Laryngitis F																
Bronchitis M	6	2	4	1					1							
Bronchitis F	2		1				1									
Pleurisy M	4					1	1				1					1
Pleurisy F																
Asthma M	2									1		1				
Asthma F	1									1						
Others of this class M	2							1	1							
Others of this class F	4	2	3										1			
5. Diseases of the digestive system.	52	8	20	2		1		1	2	5	5	2	3	2	4	5
Males	36	5	11	2				1	1	5	5	2	1	1	4	3
Females	16	3	9			1			1				2	1		2
Dentition M																
Dentition F	4		4													
Angina M	1									1						
Angina F																
Gastritis M	4	1	3												1	
Gastritis F	2		2													
Diseases of the stomach M	4							1			1	1			1	
Diseases of the stomach F	1												1			
Obstruction of the bowels M	2			1						1						
Obstruction of the bowels F																
Appendicitis M	5		2	1						1					1	
Appendicitis F																
Hernia M	1									1						
Hernia F																
Other diseases of the bowels M	1		1													
Other diseases of the bowels F																
Jaundice M	2	1	1													1
Jaundice F																
Inflammation and abscess of the liver M	7		1						1	1	3			1		
Inflammation and abscess of the liver F																
Other diseases of the liver M	5										1		1		1	2
Other diseases of the liver F	3					1							1			1
Peritonitis M																
Peritonitis F	2								1					1		
Ascites M	1	1	1													
Ascites F	1															1
Others of this class M	3	2	2									1				
Others of this class F	3	3	3													
6. Diseases of the urinary system and male organs of generation.	33			1	1		3	3		2	2	3	2	2	5	9
Males	26			1			3	2		1	2	3	1	2	5	6
Females	7				1			1		1			1			3
Bright's disease M	20			1			2	1		1	2	3	1	2	5	2
Bright's disease F	5				1			1					1			2
Calculus, urinary M																
Calculus, urinary F																
Diseases of the kidney M	3						1									2
Diseases of the kidney F	1															1
Diseases of the bladder M	2															2
Diseases of the bladder F	1									1						
Others of this class M	1							1								
Others of this class F																
7. Diseases of the female organs of generation.	2					1		1								
Ovarian tumors																
Ovarian diseases																
Diseases of the tubes																
Uterine tumors	1							1								
Uterine diseases																
Others of this class	1					1										

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ARIZONA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	12					3	2	1	2	2	1					1
Abortion	2					1					1					
Childbirth	10					2	2	1	2	2						1
Puerperal septicemia																
Extra-uterine pregnancy																
Others of this class																
9. Diseases of the bones and joints.	1				1											
Males	1				1											
Females																
Diseases of the spine. M	1				1											
Diseases of the spine. F																
Abscess, lumbar and psoas. M																
Abscess, lumbar and psoas. F																
Diseases of the bones. M																
Diseases of the bones. F																
Diseases of the hip-joint. M																
Diseases of the hip-joint. F																
Others of this class. M																
Others of this class. F																
10. Diseases of the skin	1						1									
Males																
Females	1						1									
Abscess. M																
Abscess. F	1						1									
Carbuncle. M																
Carbuncle. F																
Others of this class. M																
Others of this class. F																
11. Diseases of the absorbent system.																
Males																
Females																
Addison's disease. M																
Addison's disease. F																
Diseases of the spleen. M																
Diseases of the spleen. F																
Others of this class. M																
Others of this class. F																
12. Accidents and injuries	112	2	5	4	4	6	8	23	6	12	12	10	3	4	4	11
Males	90	1	3	2	1	6	7	20	5	12	9	6	3	2	4	10
Females	22	1	2	2	3		1	3	1		3	4		2		1
Burns and scalds. M	1	1	1													
Burns and scalds. F	4		1	1	1							1				
Drowning. M																
Drowning. F	1							1								
Exposure and neglect. M																
Exposure and neglect. F																
Gunshot wounds. M	17			1		1		4	1	3	1	1	1	1		3
Gunshot wounds. F	4				1							2		1		
Homicide. M	13			1		1		2	1	2	4	1		1		
Homicide. F	1										1					
Infanticide. M																
Infanticide. F																
Injuries by machinery. M																
Injuries by machinery. F																
Railroad accidents. M	3						1	3		1						4
Railroad accidents. F																
Suffocation. M																
Suffocation. F																
Suicide by shooting. M	4						1	1	1			1				
Suicide by shooting. F																
Suicide by drowning. M																
Suicide by drowning. F																
Suicide by poison. M																
Suicide by poison. F																
Other suicides. M	2							1				1				
Other suicides. F	2							1	1							
Sunstroke. M	1															1
Sunstroke. F																
Surgical operations. M	1														1	
Surgical operations. F	3						1	1			1					
Wounds. M	2		1				1									
Wounds. F																
Others of this class. M	40		1		1	4	4	9	2	6	4	2	2		3	2
Others of this class. F	7	1	1	1	1						1	1		1		1

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ARKANSAS.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	22,518	4,076	8,064	1,382	933	1,451	1,583	1,289	969	888	881	886	811	619	660	2,102
Males	11,813	2,165	4,210	723	468	715	795	622	471	431	453	494	471	371	393	1,196
Females	10,705	1,911	3,854	659	465	736	788	667	498	457	428	392	340	248	267	906
Unknown cause	2,604	983	1,510	180	96	130	102	84	58	62	48	54	49	36	39	156
Males	1,351	530	798	100	41	74	52	38	21	25	20	22	33	17	22	88
Females	1,253	453	712	80	55	56	50	46	37	37	28	32	16	19	17	68
1. General diseases.																
General diseases—A	7,234	1,249	3,173	597	382	531	476	362	243	216	211	222	174	123	135	389
Males	3,742	639	1,621	298	196	259	273	187	129	99	110	124	97	73	70	206
Females	3,492	610	1,552	299	186	272	203	175	114	117	101	98	77	50	65	183
Measles M	582	104	296	60	33	40	52	24	11	12	13	24	10	1	1	5
Measles F	692	99	310	62	40	54	41	35	37	27	30	21	11	8	6	10
Scarlet fever M	27	7	22	4	1											
Scarlet fever F	32		24	3	3	1	1									
Diphtheria M	64	17	51	8	1	1			2							1
Diphtheria F	44	4	30	10			1		1	1						1
Whooping cough M	142	83	130	9		2										1
Whooping cough F	174	99	166	6	1	1										
Malarial fever M	907	88	263	81	76	87	92	61	44	23	30	35	25	28	19	43
Malarial fever F	823	87	265	106	55	86	62	51	26	26	25	27	30	12	14	38
Influenza M	179	27	43	2	6	7	5	14	5	9	4	6	5	8	10	55
Influenza F	140	21	33		7	7	3	6	2	3	3	6	5	5	12	48
Typhoid fever M	602	23	107	53	43	77	81	48	38	30	25	28	24	9	11	28
Typhoid fever F	570	30	112	55	54	94	61	38	20	28	22	21	12	13	13	27
Cholera morbus M	75	29	51	6	4	8	1	1		1	2			2	2	2
Cholera morbus F	57	14	33	4	1	1	3	1	2		3		1	2	3	3
Colitis M	9	1	4									1	1		1	2
Colitis F	6	3	5						1							
Diarrhea M	90	13	48	5	2		2	1	3	3	2	2	4	3	4	11
Diarrhea F	77	24	53	4	2			2	1	1	1	1		2	1	9
Dysentery M	300	42	182	26	5	5	6	5	7	4	10	8	9	7	6	20
Dysentery F	241	49	164	12	3	5	4	8	3	5	4	3	8		7	15
Enteritis M	189	37	109	15	8	12	5	5	4	3	5	5	5	3	1	9
Enteritis F	165	43	92	19	4	5	2	8	1	2	4	4	4	3	2	15
Cholera infantum M	169	76	169													
Cholera infantum F	150	72	149													1
Fever M	43	12	24	3		4	3	3		1	1			1		3
Fever F	38	13	24	2		1	1	3	1			3				3
Cerebro-spinal fever M	100	23	38	17	7	9	4	6	2	5	3	2	3	2	2	
Cerebro-spinal fever F	80	18	35	11	9	6	3	4	2	2	1	2	1	1	1	2
Smallpox M	131	22	32	3	5	9	15	11	8	7	8	4	7	5	6	11
Smallpox F	64	10	17	3	3	3	4	7	6	8	2	3	3	1	2	2
Erysipelas M	38	14	17	2	2		1	2	1	1	1	3	1	1	2	4
Erysipelas F	33	8	10	2		2	2	2	1	2	1	4	1	1	2	2
Septicemia M	53	14	18	2	3	1	3	3	2		4	3	1	2	4	7
Septicemia F	79	5	14		3	4	13	9	8	11	5	2	1	1	2	6
Venereal diseases M	20	1	1			1	3	3	2		2	3	1	1	1	2
Venereal diseases F	9	6	7						1	1						
Others of this group M	22	6	16	2		1							1			2
Others of this group F	18	5	9		1	2	1	1	1			1		1		1
General diseases—B	202	71	115	11	2	2	8	9	6	6	9	10	6	4	6	8
Males	110	32	49	6	2	2	6	5	5	4	7	8	6	2	5	3
Females	92	39	66	5			2	4	1	2	2	2		2	1	5
Alcoholism M	14								3	1	3	3	2		1	1
Alcoholism F	2							1		1						
Parasitic diseases M	16	1	11	5												
Parasitic diseases F	21	2	16	4												1
Lead poison M																
Lead poison F																
Other poisons M	51	4	9	1	2	2	6	5	2	3	4	5	4	2	4	2
Other poisons F	30	4	12	1			2	3	1	1	2	2		2	1	3
Inanition M	29	27	29													
Inanition F	39	33	38													1
General diseases—C	506	243	259	1	2	1	1	2	3	1		6	2	6	8	214
Males	242	125	131									1	1	2	2	105
Females	264	118	128	1	2	1	1	2	3	1		5	1	4	6	109
Old age M	89															89
Old age F	104														5	99
Premature birth M	97	97	97													
Premature birth F	90	90	90													
Malformation M	14	13	14													
Malformation F	19	16	18		1											
Debility and atrophy M	37	10	15									1	1	2	2	16
Debility and atrophy F	46	7	15	1	1	1	1	2	3	1		5	1	4	1	10
Others of this group M	5	5	5													
Others of this group F	5	5	5													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ARKANSAS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	2,792	77	205	58	97	212	375	303	224	190	177	192	191	120	138	310
Males	1,252	39	111	35	37	73	130	111	79	80	80	97	93	59	83	184
Females	1,540	38	94	23	60	139	245	192	145	110	97	95	98	61	55	126
Anemia M	8	3	3			1		2		1	1					
Anemia F	5	3	3			1										1
Diabetes M	16		2			1			1	1	1	2	1	1	2	4
Diabetes F	5					2					1			1		1
Rheumatism M	61	2	5		8	3	6	1	2	5	1	4	9	3	4	11
Rheumatism F	54	1	2	3	5	3	1	4	1	4	3	3	4	5	4	12
Scrofula and tabes M	51	8	21	4	1	3	5	3	5	1	1	2		1	2	4
Scrofula and tabes F	42	6	17	2	2	1	2	1	2	2	1	5	4	1		2
Hydrocephalus M	19	9	15	4												
Hydrocephalus F	14	6	9		3	1									1	
Tuberculosis, general M	7		1	1		1	1			1		2				
Tuberculosis, general F	2			1			1									
Consumption M	782	9	35	15	21	58	111	95	67	63	61	56	56	39	37	68
Consumption F	1,107	18	35	11	42	122	223	168	123	88	70	59	56	37	28	45
Cancer M	73	1	4	1	1	1		2		1	4	8	7	4	11	29
Cancer F	98		1			1	3	2	7	8	10	8	18	9	9	22
Tumor M	21	2	4	1	1		1	1	1		1	2		4	2	3
Tumor F	19	1	1				1	2	2		1	1	1	2	3	5
Dropsy M	212	3	19	9	5	5	9	7	3	7	10	21	20	7	25	65
Dropsy F	191	3	26	6	8	8	14	15	10	8	11	18	15	5	10	37
Others of this group M	2	2	2													
Others of this group F	3											1		1		1
2. Diseases of the nervous system	1,891	329	713	193	106	131	92	68	48	56	58	60	63	47	56	200
Males	1,066	195	392	111	54	68	51	36	32	32	35	39	37	34	35	110
Females	825	134	321	82	52	63	41	32	16	24	23	21	26	13	21	90
Inflammation of the brain M	130	35	59	15	9	7	10	4	6	2	6	3	3	2	1	3
Inflammation of the brain F	113	24	60	17	6	3	5	5	1	3	1	4		2	2	5
Meningitis M	345	66	145	49	28	32	18	15	8	12	12	8	5	7	2	4
Meningitis F	226	32	100	32	22	18	11	9	6	6	3	7	4	4	3	1
Apoplexy M	54		2			2	2		2	1	1	4	7	5	5	23
Apoplexy F	39	1	2		1	3	2	1	2	1	3	2	5	3	6	8
Paralysis M	137		5	5	2	2	2	2	2	5	6	6	17	15	18	50
Paralysis F	105		5	1	3	5	4	4	2	4	3	4	8	2	8	52
Paralysis, general (of insane) M	4									1	1	1		1		
Paralysis, general (of insane) F																
Tetanus and trismus nascentium M	5	3	3				1	1								
Tetanus and trismus nascentium F	6	5	5								1					
Chorea M	1	1	1													
Chorea F	2				1	1										
Epilepsy M	37	1	4	4	1	11	5	6	2	1			1	1		1
Epilepsy F	24	3	4			8	2	2	2	2	1	1	1			1
Convulsions M	46	38	43	1		1	1									
Convulsions F	53	35	44	1	1	4	1	1								1
Mental diseases M	7				1		2	1		1		1				1
Mental diseases F	6						2		1		2					1
Diseases of the brain M	258	40	113	36	12	13	9	6	11	9	7	14	3	2	6	17
Diseases of the brain F	217	33	96	31	14	21	11	9		5	8	4	7	2		9
Diseases of the spinal cord M	20	8	14	1	1		1				1	1			1	
Diseases of the spinal cord F	9	1	4		4		1									
Locomotor ataxia M	2								1							1
Locomotor ataxia F	1						1									
Others of this class M	20	3	3					1			1	1	1	1	2	10
Others of this class F	24		1				1	1	2	3	1		1		2	12
3. Diseases of the circulatory system	635	28	51	15	11	22	31	30	31	35	37	45	40	36	61	190
Males	331	17	31	7	3	11	17	7	11	12	12	26	23	21	36	114
Females	304	11	20	8	8	11	14	23	20	23	25	19	17	15	25	76
Pericarditis M	5			1	1		1		2							
Pericarditis F	2							1			1					
Diseases of the heart M	311	15	29	6	2	11	16	6	8	12	12	26	23	20	33	107
Diseases of the heart F	290	8	17	8	8	11	13	22	20	23	23	17	17	15	24	72
Angina pectoris M	7													1	1	5
Angina pectoris F	8						1				1	2			1	3
Diseases of the arteries M	1															1
Diseases of the arteries F																
Aneurism M	4							1							2	1
Aneurism F	1															1
Embolism M	1								1							
Embolism F																
Others of this class M	2	2	2													
Others of this class F	3	3	3													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ARKANSAS—Continued.

CAUSE OF DEATH.		All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.		3,742	717	1,214	141	111	230	257	228	193	175	202	180	182	146	128	355
Males		2,146	390	658	77	61	132	153	134	115	106	117	102	118	92	72	209
Females		1,596	327	556	64	50	98	104	94	78	69	85	78	64	54	56	146
Croup	M	312	210	300	10						1			1			
	F	249	169	236	11	1		1									
Pneumonia	M	1,566	116	259	56	57	115	149	121	100	98	106	96	104	84	54	167
	F	1,122	113	233	46	45	87	88	80	68	64	78	68	57	47	45	116
Laryngitis	M	2			1	1											
	F	10	4	7	1				1	1							
Bronchitis	M	150	45	72	7	2	5	3	5	5	4	6	4	7	2	7	21
	F	113	32	53	4		6	4	6	4		5	4	5	4	5	13
Pleurisy	M	26	1	2	1	1	2		1	5	1	1		1	1	3	7
	F	19		4		1		2	3		2				1	3	3
Asthma	M	14	2	2					2	1	1	2		2		2	2
	F	15							1		2		3		1		5
Others of this class	M	76	16	23	2		10	1	5	4	1	2	2	3	5	6	12
	F	68	9	23	2	3	5	9	3	5	1	2	3	2	1	3	6
5. Diseases of the digestive system.		1,268	233	518	117	61	50	48	52	52	36	51	44	44	58	29	108
Males		654	113	256	51	33	26	30	28	28	15	30	23	26	34	18	56
Females		614	120	262	66	28	24	18	24	24	21	21	21	18	24	11	52
Dentition	M	31	12	31													
	F	38	19	38													
Angina	M	24	5	15	2					1	1	1	1	1	1		1
	F	45	9	27	6	1	1		1	3				1	1		4
Gastritis	M	58	12	20	4	1	3	2		4	1	4	1	3	2	4	9
	F	60	5	22	6	1	4	2	6	1	3	1	2	2	2	2	5
Diseases of the stomach.	M	163	16	56	22	17	7	5	7	7	4	7	5	8	10	5	8
	F	175	28	73	29	12	7	1	6	7	4	5	3	6	6	2	14
Obstruction of the bowels.	M	19	3	7	3	1	1		2	1					1		3
	F	8		2	1	2			1			1				1	
Appendicitis	M	31		2	1	3	6	7	4	2			1		2	2	1
	F	15		1	2	2	2	1			2	2	2			1	
Hernia	M	9		1		1	1	1				1	1		1	1	1
	F	6									3	2					1
Other diseases of the bowels.	M	69	14	30	6	2	2	1		4	2	4	3	2	2	3	8
	F	55	13	29	5	3	3			2	2	1	2	1		1	6
Jaundice	M	20	8	10	1			1	4	1				1			2
	F	17	6	6	2	1	1	2	1	1		1					2
Inflammation and abscess of the liver.	M	46	4	9	2	1		5	4	2	2	4	3	6	3	1	4
	F	31	3	6	1		2	2	1	1	1	2	6	3	2		4
Other diseases of the liver.	M	39	3	8	4	2		3	1	3	1	2	3	1	4	2	5
	F	30	6	9	4	1		1		1	1	1	2	1	4	1	4
Peritonitis	M	27		5	3	2	2	3	3		3	1	1	1	2		1
	F	33	1	2	2	2	1	6	3	5	2	2	1	1	2	1	3
Ascites	M	25		4	1	2	1	1	1	2		2	1	2	1		7
	F	26	1	3	1	2	2	2	2	1	3	1		1	2	1	5
Others of this class	M	93	36	58	2	1	3	1	2	1	1	4	3	6	5		6
	F	75	29	44	7	1	1	1	3	2		2	3	2	4	1	4
6. Diseases of the urinary system and male organs of generation.		382	7	20	11	12	17	19	25	16	19	27	31	27	23	37	98
Males		267	3	10	6	5	12	11	14	7	9	16	24	17	21	32	83
Females		115	4	10	5	7	5	8	11	9	10	11	7	10	2	5	15
Bright's disease	M	140			1	1	3	3	7	5	5	10	17	13	12	22	41
	F	61			2	4	3	4	6	8	5	7	4	6	1	2	9
Calculus, urinary	M	7	1	1					1				1				4
	F	4		1								2		1			
Diseases of the kidney.	M	60	1	8	2	2	4	2	3	1	1	1	4	3	1	8	20
	F	27	3	7	1		1	2	2	1	3	1	2	1	1	2	3
Diseases of the bladder.	M	17						1			2				3	1	10
	F	3												1			2
Others of this class	M	43	1	1	3	2	5	5	3	1	1	5	2	1	5	1	8
	F	20	1	2	2	3	1	2	3		2	1	1	1		1	1
7. Diseases of the female organs of generation.		56				2	4	9	4	6	4	6	6	5	2	3	5
Ovarian tumors		1												1			
Ovarian diseases																	
Diseases of the tubes																	
Uterine tumors		5						2	1	1				1		1	2
Uterine diseases		7				1			1	2		1				1	1
Others of this class		40				1	4	7	2	3	4	5	6	3	2	1	2

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ARKANSAS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	257					38	80	55	29	29	18	3				5
Abortion	20					2	6	6		4	2					
Childbirth	142					24	41	30	17	17	8	2				3
Puerperal septicemia	82					11	29	17	11	7	6	1				
Extra-uterine pregnancy																
Others of this class	13					1	4	2	1	1	2					2
9. Diseases of the bones and joints.	67	27	43	4	3	3	2	2		3	2	3	1			1
Males	38	18	26	2	3	1	2			1	1	2				
Females	29	9	17	2		2		2		2	1	1	1			1
Diseases of the spine. M	28	13	21	1	1		2			1	1	1				
Diseases of the spine. F	23	8	16	2		2		1		1	1					
Abscess, lumbar and psoas. M	2	1	1		1											
Abscess, lumbar and psoas. F																
Diseases of the bones. M	4	3	3			1										
Diseases of the bones. F	1												1			
Diseases of the hip-joint. M	2				1							1				
Diseases of the hip-joint. F	1	1	1													
Others of this class M	2	1	1	1												
Others of this class F	4							1		1		1				1
10. Diseases of the skin	71	24	36	1	2	4		1	1	1	4	2	3	3	3	10
Males	37	10	15		1	2		1	1	1	1	1	2	2	3	7
Females	34	14	21	1	1	2					3	1	1	1		3
Abscess M	17	4	5		1	2			1	1	1	1	1	2	1	1
Abscess F	10	3	5	1	1									1		2
Carbuncle M	5							1							2	2
Carbuncle F	1										1					
Others of this class M	15	6	10										1			4
Others of this class F	23	11	16			2					2	1	1			1
11. Diseases of the absorbent system.	12	3	4					1	3	1	1			1		1
Males	8	2	2					1	1	1	1			1		1
Females	4	1	2						2							
Addison's disease M																
Addison's disease F	1								1							
Diseases of the spleen M	6	1	1					1	1	1	1					1
Diseases of the spleen F																
Others of this class M	2	1	1											1		
Others of this class F	3	1	2						1							
12. Accidents and injuries	799	85	203	53	46	76	83	63	56	54	30	28	24	14	17	52
Males	569	52	110	30	32	55	70	60	42	46	23	25	18	13	15	30
Females	230	33	93	23	14	21	13	3	14	8	7	3	6	1	2	22
Burns and scalds M	67	8	52	6	2	1	1	1	1				2		1	
Burns and scalds F	92	3	46	14	7	4	5		5	1	1		2			7
Drowning M	27			3	5	3	6	4	1	1		1			1	2
Drowning F	17		6	3		4	1	1	1							1
Exposure and neglect M	13	9	9			1									2	1
Exposure and neglect F	10	7	8		1					1						
Gunshot wounds M	99		1	4	5	16	16	17	11	8	4	6	4	1	1	5
Gunshot wounds F	14	1	3		1	3	2			1	1		2	1		
Homicide M	42				1	1	8	8	8	5	2	4	1	1	1	2
Homicide F	4					1	1	1	1							
Infanticide M	1	1	1													
Infanticide F																
Injuries by machinery. M	14			1	2		4	2		1	2	1		1		
Injuries by machinery. F																
Railroad accidents M	47			1	3	6	6	7	10	6	1	2	2		1	2
Railroad accidents F	3									1	1		1			
Suffocation M	23	19	20			1	1	1								
Suffocation F	13	13	13													
Suicide by shooting M	4							1		1		1		1		
Suicide by shooting F																
Suicide by drowning M																
Suicide by drowning F	1						1									
Suicide by poison M	5					1	3									1
Suicide by poison F																
Other suicides M	13					2		2	1	3			2	1	1	1
Other suicides F	3					1			1				1			
Sunstroke M	5		1				1				1	1		2	1	1
Sunstroke F	4		1			1				1						1
Surgical operations M	1					1										
Surgical operations F	1					1										
Wounds M	7					2	1			1	1		1			1
Wounds F	1															1
Others of this class M	198	15	26	15	14	20	23	17	10	20	12	9	6	5	6	14
Others of this class F	67	9	16	6	5	6	3	1	6	3	4	3			2	12

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CALIFORNIA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	22,506	2,514	3,788	628	402	655	1,118	1,264	1,238	1,358	1,231	1,230	1,296	1,205	1,559	5,534
Males	13,998	1,431	2,122	328	203	335	617	733	767	872	824	831	879	795	1,036	3,656
Females	8,508	1,083	1,666	300	199	320	501	531	471	486	407	399	417	410	523	1,878
Unknown cause	466	117	149	16	18	9	14	11	11	16	25	23	33	20	22	99
Males	296	67	80	6	6	3	13	6	7	10	21	18	24	16	17	69
Females	170	50	69	10	12	6	1	5	4	6	4	5	9	4	5	30
1. General diseases. General diseases—A	2,762	657	1,076	220	106	122	170	136	110	115	72	71	72	74	67	351
Males	1,559	351	566	101	51	61	110	84	67	70	54	51	56	39	37	212
Females	1,203	306	510	119	55	61	60	52	43	45	18	20	16	35	30	139
Measles M	29	4	21	1	1	1	4								1	
Measles F	27	9	19	1	1	1	2	2		1						
Scarlet fever M	38		19	13	1	2	1		1	1						
Scarlet fever F	36	2	11	20	2			1	1							1
Diphtheria M	109	7	51	36	17	1			1			1				2
Diphtheria F	118	1	39	49	16	7	1		1	1	2		1			1
Whooping cough M	69	43	63	4	1											1
Whooping cough F	82	42	77	5												
Malarial fever M	65	7	12	4	1	5	4	5	5	6	2	2	5	5	1	8
Malarial fever F	54	5	18	2	5	5	1	6	2	1	1		1	1	5	6
Influenza M	125	7	9	3	1		4	1	4		5	8	7	5	8	75
Influenza F	92	3	8	2	2	1	2		5	1	2	4	4	9	7	45
Typhoid fever M	347	5	20	16	12	40	56	48	32	28	24	22	17	9	3	20
Typhoid fever F	195	6	16	24	17	31	31	20	13	15	5	4	3	4	2	10
Cholera morbus M	68	24	34	4	6	1	3	1	1		1		3	2	4	8
Cholera morbus F	53	15	28	2	2		2	3		3	1				3	9
Colitis M	9	2	2					1					1		2	3
Colitis F	6	1	2							3						1
Diarrhea M	50	18	23	1	3	1	3	2			1	1	1	2		12
Diarrhea F	32	13	14	2	1		1					2		2		10
Dysentery M	103	9	13	1	1	4	18	13	10	7	8	4	3	2	6	13
Dysentery F	32	3	8				1		1	2	1		2	5	3	9
Enteritis M	200	114	143	3	2	2	1	4	4	5	1	6	3	3	3	17
Enteritis F	171	100	123	3	2	3	4	7	3	3	1	3		2	2	15
Cholera infantum M	105	33	105													
Cholera infantum F	96	72	96													
Fever M	23	5	7		1		1		1	2	2	1	4	1	1	2
Fever F	9	2	2		1	4										2
Cerebro-spinal fever M	55	13	31	8	2	1	5	1	1	1	1		1	1		2
Cerebro-spinal fever F	46	14	26	6	4	3	3		2		1		1			
Smallpox M	7				1		2	1	1	2						
Smallpox F	7		1			1	2		2						1	
Erysipelas M	25	2	3					1			1	2	3	2	2	11
Erysipelas F	21	2	2		1			1	2	1			1	2	2	9
Septicemia M	75	2	3	6	1	2	4	4	4	15	4	5	5	3	3	16
Septicemia F	76	3	4	2	1	5	10	12	8	12	1	6	2	7		6
Venereal diseases M	22	5	7			1		1	1		3	3	1	1	1	3
Venereal diseases F	18	10	12						2	1	2	1				
Others of this group M	35			1			1	1	1	3	1	1	2	3	2	19
Others of this group F	32	3	4	1					1	1	1		1	3	5	15
General diseases—B	722	337	363	5	4	6	14	28	34	41	45	37	33	27	26	59
Males	477	187	205	3	1	1	3	17	25	34	40	28	28	22	20	50
Females	245	150	158	2	3	5	11	11	9	7	5	9	5	5	6	9
Alcoholism M	171							6	14	25	28	20	21	15	14	28
Alcoholism F	36						5	5	3	3	3	6	3	2	3	3
Parasitic diseases M	4	1	3									1				
Parasitic diseases F	1	1	1													
Lead poison M	1									1						
Lead poison F	1															1
Other poisons M	92	1	11	2			3	9	11	8	12	5	7	5	5	14
Other poisons F	47	2	5	2	3	5	6	5	6	4	2	2	2	2	2	1
Inanition M	209	185	191	1	1	1		2				2		2	1	8
Inanition F	160	147	152					1				1		1	1	4
General diseases—C	1,167	326	342	3	2	2	5	1	4	2	2	5	9	7	30	753
Males	697	187	194	3	1	1	3	1	2	1		3	3	6	17	462
Females	470	139	148		1	1	2		2	1	2	2	6	1	13	291
Old age M	422														14	408
Old age F	277														11	266
Premature birth M	104	104	104													
Premature birth F	76	76	76													
Malformation M	25	24	24		1											
Malformation F	24	23	24													
Debility and atrophy M	135	48	55	3		1	3	1	2	1		3	3	6	3	54
Debility and atrophy F	91	38	46		1	1	2		2	1	2	2	6	1	2	25
Others of this group M	11	11	11													
Others of this group F	2	2	2													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CALIFORNIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	5,329	121	265	87	80	238	447	549	468	511	407	390	372	331	396	788
Males	3,180	60	135	50	34	97	232	311	283	320	258	248	244	204	255	509
Females	2,149	61	130	37	46	141	215	238	185	191	149	142	128	127	141	279
Anemia M	21	2	3				2	1	1	1		2	4	1	1	4
Anemia F	32	1	3	1	1	2	4	1	1	2	3	3	6	1	1	3
Diabetes M	76			3	4	2	2	1	1	1	2	4	10	8	13	25
Diabetes F	67		2	2	5	1	4	1	2	1	4	1	6	14	11	13
Rheumatism M	58	1	1	2	2	3	2	2	2	3	1	2	3	5	4	26
Rheumatism F	35		1	1	1	1				3	3	5	2	1	7	10
Scrofula and tabes M	23	4	6	1	1	1	1	2		2	1	1	4			3
Scrofula and tabes F	17	1	2			3	1	3	1		1	1	1	1	1	2
Hydrocephalus M	93	20	57	14	4	1	5	2	4	1	1	2	2			
Hydrocephalus F	79	25	63	9	3	3		1								
Tuberculosis, general M	44		4	5	1	1	3	6	4	4	2	2	3	3	3	3
Tuberculosis, general F	20	1	2	4	2		1	1		5	2	1	1		1	
Consumption M	2,210	27	54	20	22	86	214	284	261	281	224	175	157	118	115	199
Consumption F	1,270	20	38	18	33	128	196	217	153	149	74	59	48	39	36	82
Cancer M	524	1	1	2		1	2	9	9	17	22	54	48	59	107	193
Cancer F	502	1	2				4	7	23	25	54	60	57	66	72	132
Tumor M	33	1	1	1				3		4		2	5	4	3	10
Tumor F	54		1	1	1	2	3	3	2	5	4	5	2	3	5	17
Dropsy M	73	1	2	1		2	1	1	1	2		2	7	6	8	40
Dropsy F	58	6	6	1		1	1	4	2	1	4	6	5	2	6	19
Others of this group M	25	3	6	1						4	5	1	1		1	6
Others of this group F	15	6	10				1		1			1			1	1
2. Diseases of the nervous system	2,601	289	502	81	40	42	53	57	89	100	115	128	140	165	206	883
Males	1,646	172	297	44	20	29	26	30	52	67	73	89	93	101	127	598
Females	955	117	205	37	20	13	27	27	37	33	42	39	47	64	79	285
Inflammation of the brain M	58	16	31				3	1	2	1	1	3	2	1	2	11
Inflammation of the brain F	49	16	25	6	2	3	3			1	3				1	5
Meningitis M	240	60	131	25	11	11	7	5	9	9	4	5	4	4	2	13
Meningitis F	156	51	93	16	8	4	4	7	5	5	5		2		2	5
Apoplexy M	486	6	13	2		2	2	6	7	19	26	23	46	34	62	244
Apoplexy F	280	1	3	2	2		6	4	12	10	7	17	19	27	41	130
Paralysis M	304	1	1		1	1	2	3	3	6	9	17	13	27	26	195
Paralysis F	160	3	3	5	1		1	3	2	2	4	7	9	14	16	93
Paralysis, general (of insane) M	55								5	8	8	12	4	4	4	10
Paralysis, general (of insane) F	10							1		1		1			2	5
Tetanus and trismus nascentium M	26	9	11	3	2		1	1	6		1					1
Tetanus and trismus nascentium F	10	4	4		3			1	2							
Chorea M																
Chorea F	1				1											
Epilepsy M	52	2	2	2	2	8	4	4	4	4	1	1	4	3	2	11
Epilepsy F	22					2	3	4		2	5		2	2	2	
Convulsions M	103	66	88	6	1	1		1		1	3		1			1
Convulsions F	69	33	56	4	2	2	1		2	1				1		
Mental diseases M	62			1			2	1	1	5	2	5	6	8	3	28
Mental diseases F	34						6	3	7	5	6	2		1	1	6
Diseases of the brain M	194	10	18	4	2	6	5	5	12	10	14	20	9	15	13	61
Diseases of the brain F	113	8	17	4	1		3	2	5	5	11	9	12	11	6	27
Diseases of the spinal cord M	24	2	2					1			2	2	3	1	6	7
Diseases of the spinal cord F	18	1	4			1	2					2		1	3	5
Locomotor ataxia M	16								2	2	1	1	1	3	2	4
Locomotor ataxia F	6													4	1	1
Others of this class M	26			1	1			2	1	2	1			1	5	12
Others of this class F	27					1	1	2	2	1	1	1	3	3	4	8
3. Diseases of the circulatory system	2,361	51	67	19	33	44	43	57	74	121	124	145	198	200	289	947
Males	1,525	32	36	11	14	25	23	27	44	72	87	87	123	136	202	638
Females	836	19	31	8	19	19	20	30	30	49	37	58	75	64	87	309
Pericarditis M	20					1		1	2	1	3		6	1	2	3
Pericarditis F	17						3		2	2	1		2	2	3	2
Diseases of the heart M	1,327	22	26	10	14	24	22	23	39	64	74	73	106	115	178	559
Diseases of the heart F	751	14	26	8	19	18	17	27	25	46	31	55	69	56	78	276
Angina pectoris M	63								2	4	3	3	2	7	10	32
Angina pectoris F	24					1		1	2		4		3	3	3	7
Diseases of the arteries M	52									1	1	4	5	4	4	33
Diseases of the arteries F	23												1	2	2	18
Aneurism M	45			1			1	1	1	2	6	6	4	8	7	8
Aneurism F	9							1			1	2		1		4
Embolism M	8	1	1					1				1		1	1	3
Embolism F	7							1	1	1		1			1	2
Others of this class M	10	9	9					1								
Others of this class F	5	5	5													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CALIFORNIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	2,588	413	697	89	26	56	70	87	110	103	119	124	125	123	170	689
Males	1,622	252	413	39	14	35	43	62	75	67	85	87	89	86	117	410
Females	966	161	284	50	12	21	27	25	35	36	34	37	36	37	53	279
Croup M	59	14	46	12				1								
Croup F	36	5	23	11	1								1			
Pneumonia M	1,103	155	254	23	12	29	37	50	65	54	69	69	70	56	71	244
Pneumonia F	620	109	183	29	8	21	22	16	26	28	28	27	23	27	32	150
Laryngitis M	6	1	3	2												1
Laryngitis F	10	1	7	2	1											
Bronchitis M	219	58	80	2	1	2	1	1	3	2	6	9	4	10	14	84
Bronchitis F	178	34	54	5			1	3		3		2	4	7	12	86
Pleurisy M	31		1			3		2	3	2	2	3	1	2	4	8
Pleurisy F	18			1			1	1	3	2		1	1	1	3	4
Asthma M	52					1	1			2	2	3	3	5	8	27
Asthma F	23			1			1	1			2	3	2		2	11
Others of this class M	152	24	29		1		4	8	4	7	5	3	11	13	20	46
Others of this class F	81	12	17	1	2		2	4	6	3	4	3	5	2	4	28
5. Diseases of the digestive system.	1,355	134	186	33	32	37	85	81	74	80	91	81	101	76	117	281
Males	745	81	113	16	15	13	38	30	38	47	46	48	59	47	65	170
Females	610	53	73	17	17	24	47	51	36	33	45	33	42	29	52	111
Dentition M	13	8	13													
Dentition F	7	6	7													
Angina M	14	1	5	4		1					1	2	1			
Angina F	13	4	4	5	3											1
Gastritis M	91	14	17				2		5	2	6	5	8	4	10	32
Gastritis F	87	9	14	3	2	1	4	2	4	2	9	5	5	3	8	25
Diseases of the stomach M	63	8	9		2		4	2	3	3	2	2	7	4	6	19
Diseases of the stomach F	46	4	4	2			1	3	1	3	3	4	4	1	2	11
Obstruction of the bowels M	41	11	13	1		1			1	5	2	1	3	3	4	7
Obstruction of the bowels F	51	5	7	3		5	3	1	2	5	4	1	4	1	5	12
Appendicitis M	92	1	4	3	8	5	20	13	11	5	4	8	2	2	3	4
Appendicitis F	61			2	6	8	13	11	4	5	2	3	1	2	1	3
Hernia M	22	2	3				1	1		1	1		1	4		10
Hernia F	21		1					1			2	1	4	2	2	8
Other diseases of the bowels M	30	5	5	2		1	2	1		1	3		2	5	2	6
Other diseases of the bowels F	16	2	4				1	1	2	1	1		1	1		4
Jaundice M	13	6	6										1	1	1	4
Jaundice F	8	3	3			1	1						2			1
Inflammation and abscess of the liver M	54	1	1	1	2		1	3	4	2	6	7	11	1	5	10
Inflammation and abscess of the liver F	36	2	2		1	1	1	3			3	2	1	3	7	12
Other diseases of the liver M	167	2	2			1		5	5	17	12	14	18	17	22	54
Other diseases of the liver F	103	2	2		1		4	7	6	10	12	9	7	11	14	20
Peritonitis M	83	4	8	2	3	4	7	4	8	9	6	7	3	2	5	12
Peritonitis F	110	3	6	2	3	7	18	21	15	9	9	5	7	3	2	3
Ascites M	8	1	1									1	1		1	4
Ascites F	3												1		1	1
Others of this class M	54	17	26	3			1	1	1	2	3	1	1	4	3	8
Others of this class F	48	13	19		1	1	1	1	2			3	5	2	3	10
6. Diseases of the urinary system and male organs of generation.	1,133	21	29	12	8	6	43	42	43	74	62	73	93	87	138	423
Males	783	15	15	7	5	4	23	29	21	42	43	48	58	56	99	333
Females	350	6	14	5	3	2	20	13	22	32	19	25	35	31	39	90
Bright's disease M	568			7	4	3	23	24	17	37	35	42	46	44	76	210
Bright's disease F	281			5		2	17	9	17	28	18	23	27	28	34	73
Calculus, urinary M	8									1			1		3	3
Calculus, urinary F	2	1	1													1
Diseases of the kidney M	52	12	12		1			1	1	3	3		8	5	5	17
Diseases of the kidney F	34	4	12		2		1	1	4	2	1		2	1	1	7
Diseases of the bladder M	60								1	1	2	2		3	5	46
Diseases of the bladder F	7							1					1			5
Others of this class M	95	3	3			1		4	2		8	4	8	4	9	57
Others of this class F	26	1	1		1		2	2	1	2		2	5	2	4	4
7. Diseases of the female organs of generation.	77					3	6	10	12	7	13	11	4	1	2	8
Ovarian tumors	10								2		2	2				4
Ovarian diseases	4							1			3					
Diseases of the tubes	12						1	3	1	1	2	3	1			
Uterine tumors	20								4	2	2	5	3	1		3
Uterine diseases	2										1				1	
Others of this class	29					3	5	6	5	4	3	1			1	1

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CALIFORNIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	118					7	24	37	16	19	13	1				1
Abortion	27					1	7	9	3	5	2					
Childbirth	43					3	10	12	3	7	6	1				1
Puerperal septicemia	26					2	3	8	7	4	2					
Extra-uterine pregnancy	6						2	2	2							
Others of this class	16					1	2	6	1	3	3					
9. Diseases of the bones and joints.	52	4	6	2	7	1	2	1	1	3	5	2	3	4	4	11
Males	32	3	4	1	4	1	2			1	5	1	1	1	3	8
Females	20	1	2	1	3			1	1	2		1	2	3	1	3
Diseases of the spine. M	14	3	4		1	1				1	3	1			1	2
Diseases of the spine. F	9	1	2		3					1			1		1	1
Abscess, lumbar and psoas. M																
Abscess, lumbar and psoas. F																
Diseases of the bones. M	7			1							1					5
Diseases of the bones. F	3									1		1	1			
Diseases of the hip-joint. M	6				3		2				1					
Diseases of the hip-joint. F	3			1				1	1							
Others of this class M	5												1	1	2	1
Others of this class F	5													3		2
10. Diseases of the skin	34	5	6	1	1		2	1		1	2	2	2	2	4	10
Males	20	2	3	1	1		1	1			1	1	2	1	1	7
Females	14	3	3				1			1	1	1		1	3	3
Abscess M	10		1		1		1	1			1		2	1	1	1
Abscess F	5	1	1				1				1	1			2	2
Carbuncle M	3											1				2
Carbuncle F	1															1
Others of this class M	7	2	2	1												4
Others of this class F	5	2	2							1				1	1	
11. Diseases of the absorbent system.	20					1	1		2	2	2	1	5	2	2	2
Males	11					1			1	1	1	1	2	1	2	1
Females	9						1		1	1	1		3	1		1
Addison's disease M	5									1		1	1	1	1	
Addison's disease F	4												3	1		
Diseases of the spleen M	3												1		1	1
Diseases of the spleen F																
Others of this class M	3					1			1		1					
Others of this class F	5						1		1	1	1					1
12. Accidents and injuries	1,721	39	100	60	45	81	139	166	190	163	134	136	106	86	86	229
Males	1,405	22	61	46	37	64	100	135	152	140	110	121	97	79	74	189
Females	316	17	39	14	8	17	39	31	38	23	24	15	9	7	12	40
Burns and scalds M	45	3	13	3		1	1	1	5	1	4	4	3	5	1	3
Burns and scalds F	38		6	3	2	4	4	3	2	3	2	1		1	1	1
Drowning M	168		11	15	5	12	17	14	11	14	8	13	5	10	7	26
Drowning F	18		2	1		1	1	1	3		2			1	2	4
Exposure and neglect M	13	1	2				1		1			1		1	1	6
Exposure and neglect F	3	1	1								1					1
Gunshot wounds M	98		1	2	11	11	12	11	12	10	6	4	3	5	7	3
Gunshot wounds F	10			1	1		2	2		2						2
Homicide M	66		1	1		1	4	10	11	9	3	9	4	5	4	4
Homicide F	16					1	2	3	4	2	3					1
Infanticide M																
Infanticide F	1	1	1													
Injuries by machinery. M	5							2	2							1
Injuries by machinery. F																
Railroad accidents M	142	1	4	2	8	12	10	21	20	14	7	8	12	4	8	12
Railroad accidents F	23		6		1		2	1	3		1	2	4			3
Suffocation M	24	11	11			1			1	1	3	1	1	2		3
Suffocation F	12	8	9					1		1				1		
Suicide by shooting M	84						3	9	9	12	14	5	5	2	6	14
Suicide by shooting F	8					2	2	2		1		1				
Suicide by drowning M	3						1	1	1		1	1				1
Suicide by drowning F	3							1	2							
Suicide by poison M	56						2	4	6	8	6	6	7	3	5	9
Suicide by poison F	34					3	13	2	6	3	3	1	2			1
Other suicides M	144					1	6	9	15	17	15	18	12	9	12	30
Other suicides F	26						3	6	3	4		3	1	2	2	2
Sunstroke M	3								1				1	1		
Sunstroke F	1							1								
Surgical operations M	17						3	3	1			2	3	2	1	2
Surgical operations F	25					1	6	3	5	1	6	1			2	
Wounds M	18				1	4	1		1	1	1	2	4	1		2
Wounds F																
Others of this class M	516	6	18	23	12	21	34	50	55	53	42	47	37	29	22	73
Others of this class F	98	7	14	4	4	5	4	5	10	6	6	6	2	2	5	25

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

COLORADO.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	7,428	1,208	1,949	296	185	268	420	492	473	479	435	391	378	317	279	1,066
Males	4,471	651	1,037	172	107	145	243	288	293	301	307	257	272	206	186	657
Females	2,957	557	912	124	78	123	177	204	180	178	128	134	106	111	93	409
Unknown cause	250	97	114	4	4	5	6	12	12	11	4	9	8	6	10	45
Males	150	52	63	3	4	4	4	9	4	5	4	7	5	5	6	27
Females	100	45	51	1		1	2	3	8	6		2	3	1	4	18
1. General diseases. General diseases—A	1,285	345	680	120	47	49	54	48	43	39	28	34	27	30	19	67
Males	673	176	354	57	24	22	29	23	19	17	19	19	20	23	13	34
Females	612	169	326	63	23	27	25	25	24	22	9	15	7	7	6	33
Measles M	27	11	22	5												
Measles F	32	6	19	4		2		2		1		1				3
Scarlet fever M	39	5	26	11	1											1
Scarlet fever F	40	2	25	10	2	1				2						
Diphtheria M	69	9	43	13	10	2				1						
Diphtheria F	79	9	44	24	7	2			2							
Whooping cough M	50	30	47	3												
Whooping cough F	44	24	44													
Malarial fever M	14	4	8				2				1		3			
Malarial fever F	7	1	3	1					2						1	
Influenza M	22	3	3			1	1	1		1	1	5	2	1	1	5
Influenza F	18		2	1		1		1	2			1	2	2	1	5
Typhoid fever M	137	5	19	11	9	11	21	15	10	11	11	4		7	4	4
Typhoid fever F	85	3	12	9	11	11	9	4	8	8	1	4	1	1	1	5
Cholera morbus M	26	11	15	3	1		1					1		2		3
Cholera morbus F	41	14	23	2		1	1		1	1	2	1	1	1		7
Colitis M	6	2	5													1
Colitis F	3	3	3													
Diarrhea M	13	3	7	1			1						1		1	2
Diarrhea F	12	7	10	2												
Dysentery M	14	2	7					1	1		1	1			1	2
Dysentery F	14	8	6					2			1	1	1			3
Enteritis M	40	22	30	1		1			2	1		1	1	2		1
Enteritis F	27	13	20	1				1				1			1	3
Cholera infantum M	79	52	78													1
Cholera infantum F	74	56	73													1
Fever M	16	4	8		1		1	2				1	1		2	
Fever F	17	6	11	1		1	1		1				1			1
Cerebro-spinal fever M	15	2	8	1		1					1		1	1	1	1
Cerebro-spinal fever F	12	8	9	1	1							1				
Smallpox M	34	1	10	7	1	4			1		1	3	2	2		3
Smallpox F	20	1	7	4	2	1	3			1		1				1
Erysipelas M	14	3	8			1			1	1		1	1	1	1	4
Erysipelas F	14	7	7					1	1		1				2	2
Septicemia M	39	1	7		1	1	2	2	3	2	3	1	8	5		4
Septicemia F	66	4	5	3		7	11	13	6	8	4	4	1	2		2
Venereal diseases M	13	5	6	1				1	1			1		2	1	
Venereal diseases F	4	2	2					1	1							
Others of this group M	5	1	2					1							1	2
Others of this group F	3		1							1				1		
General diseases—B	180	64	75	2		1	9	8	9	9	15	15	7	8	4	18
Males	119	31	39	1			3	5	7	8	12	13	6	8	4	13
Females	61	33	36	1		1	6	3	2	1	3	2	1			5
Alcoholism M	51						3	3	3	4	8	10	5	6	1	8
Alcoholism F	10						1		1	1	2	1	1			3
Parasitic diseases M	1		1													
Parasitic diseases F																
Lead poison M	1												1			
Lead poison F																
Other poisons M	28		3	1				2	4	4	4	2		2	2	4
Other poisons F	13		1	1		1	4	2	1		1	1				1
Inanition M	38	31	35									1			1	1
Inanition F	38	33	35				1	1								1
General diseases—C	360	177	182	3				1	3	1	3		2	5	8	152
Males	201	105	107						2		3		2	3	6	78
Females	159	72	75	3				1	1	1				2	2	74
Old age M	65															65
Old age F	64														1	63
Premature birth M	72	72	72													
Premature birth F	50	50	50													
Malformation M	7	7	7													
Malformation F	5	4	4	1												
Debility and atrophy M	53	22	24						2		3		2	3	6	13
Debility and atrophy F	38	16	19	2				1	1	1				2	1	11
Others of this group M	4	4	4													
Others of this group F	2	2	2													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

COLORADO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	1,276	26	51	16	17	56	123	170	159	145	118	105	70	73	48	125
Males	759	14	30	8	9	29	76	95	100	89	77	61	43	41	26	75
Females	517	12	21	8	8	27	47	75	59	56	41	44	27	32	22	50
Anemia M	3	1	1								1					1
Anemia F	4	1	2							1	1					
Diabetes M	23	1	1		3	1	1		1	1	2	2	1	1	1	8
Diabetes F	15			1				1	1	3	2	4		1	1	1
Rheumatism M	19	1	2	2		2		1	1		1	2		1	1	6
Rheumatism F	26			1	3	1	4	2	3	3	3		2		1	3
Scrofula and tabes M	5	1	2	2							1					
Scrofula and tabes F	5	2	2								1		1			1
Hydrocephalus M	13	3	10	1			1		1							
Hydrocephalus F	14	5	8	3		2		1								
Tuberculosis, general M	1									1						
Tuberculosis, general F	1		1													
Consumption M	570	4	8		4	23	69	93	92	85	66	38	31	26	12	23
Consumption F	304	4	6	2	3	22	43	70	46	38	18	18	9	8	7	14
Cancer M	79			1		1	1		5	1	3	12	9	10	10	26
Cancer F	105							1	5	9	12	16	11	18	9	24
Tumor M	8	1	3				1					2				2
Tumor F	7		2						2	1		1			1	
Dropsy M	35	1	1	2	2	2	3	1		1	3	4	2	3	2	9
Dropsy F	34				2	2			1	1	4	5	4	5	3	7
Others of this group M	3	1	2									1				
Others of this group F	2			1					1							
2. Diseases of the nervous system	738	150	212	31	12	21	14	22	28	36	37	55	3[illegible]	40	46	146
Males	444	88	110	21	6	10	9	9	17	27	22	34	24	22	29	104
Females	294	62	102	10	6	11	5	13	11	9	15	21	14	18	17	42
Inflammation of the brain M	24	10	14	1	1	1	1			1	1		1	1	1	1
Inflammation of the brain F	15	5	10	1		2	1	1								
Meningitis M	95	38	52	13	3	3	4	3	1	3	1	6		3		8
Meningitis F	88	28	53	9	3	4	2	3	5	3		1	1	2	1	1
Apoplexy M	74		1			1				1	7	5	7	8	6	38
Apoplexy F	44	1	1			1	1		1	1	3	6	7	5	4	14
Paralysis M	77	1	2	1		1		1	3	4	1	7	6	5	9	37
Paralysis F	58	1	3				1	2	1	1	4	5	5	4	8	24
Paralysis, general (of insane) M	11									3	1	2		1	2	2
Paralysis, general (of insane) F																
Tetanus and trismus nascentium M	7	1	1	1		1			1	1			1		1	
Tetanus and trismus nascentium F	1										1					
Chorea M	1												1			
Chorea F																
Epilepsy M	12					8	2	2	1	1	1	1				1
Epilepsy F	9	1	1		2			2		2	1	1				
Convulsions M	51	32	34	2	1		1		3	6		1	1			2
Convulsions F	31	18	24		1	1		2	1					2		
Mental diseases M	29								5	1	4	5	3		4	7
Mental diseases F	10								2		2	3			2	1
Diseases of the brain M	46	6	6	2	1		1	3	3	3	1	5	4	3	5	8
Diseases of the brain F	30	8	9			3		2	1	2	1	4	1	4	2	1
Diseases of the spinal cord M	3									1	2					
Diseases of the spinal cord F	4		1								2			1		
Locomotor ataxia M	4									1		1			1	1
Locomotor ataxia F																
Others of this class M	10			1						1	3			1		4
Others of this class F	4							1			1	1				1
3. Diseases of the circulatory system	489	47	63	13	17	23	20	20	33	18	33	24	44	24	40	117
Males	293	27	35	10	10	13	9	8	13	12	20	13	34	16	32	68
Females	196	20	28	3	7	10	11	12	20	6	13	11	10	8	8	49
Pericarditis M	1								1							
Pericarditis F	3								1			1				1
Diseases of the heart M	260	18	26	10	10	12	7	8	12	11	18	11	29	13	32	61
Diseases of the heart F	173	16	24	3	7	10	7	12	17	6	11	10	10	6	7	43
Angina pectoris M	14						2				1		5	2		4
Angina pectoris F	11						3		1		1			1	1	4
Diseases of the arteries M	3					1								1		1
Diseases of the arteries F																
Aneurism M	2									1	1					
Aneurism F																
Embolism M	3											2				1
Embolism F	5						1		1		1			1		1
Others of this class M	10	9	9													1
Others of this class F	4	4	4													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

COLORADO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	1,269	199	382	46	22	35	63	60	64	73	85	63	89	52	50	185
Males	809	108	204	27	8	21	44	43	49	56	66	48	64	33	31	115
Females	460	91	178	19	14	14	19	17	15	17	19	15	25	19	19	70
Croup M	34	6	26	7		1										
Croup F	24	5	18	5	1											
Pneumonia M	650	76	137	16	8	18	35	40	44	51	57	42	59	27	21	95
Pneumonia F	366	68	131	12	12	12	18	14	15	15	18	14	22	15	12	56
Laryngitis M	4		2						1							1
Laryngitis F	2			1		1										
Bronchitis M	37	14	21	2		1	1		1		2			1	2	5
Bronchitis F	33	9	18	1		1	1			1	1			1	3	6
Pleurisy M	10		1	1			2	1		1		1	1			2
Pleurisy F	7				1			1				1		1	2	1
Asthma M	24	1	1	1					2		3	2	3	2	4	6
Asthma F	7												1	1	1	4
Others of this class M	50	11	16			1	6	2	1	4	4	3	1	3	4	5
Others of this class F	21	9	11					2		1			2	1	1	3
5. Diseases of the digestive system.	468	65	98	21	20	22	30	38	25	39	19	24	22	27	17	66
Males	225	29	43	12	12	8	13	20	9	16	11	15	12	10	9	35
Females	243	36	55	9	8	14	17	18	16	23	8	9	10	17	8	31
Dentition M	4	1	4													
Dentition F	4	4	4													
Angina M	7		3	1	2	1										
Angina F	3	1	1	1					1							
Gastritis M	24	4	6	3			1	1			1	1	1	1	1	3
Gastritis F	32	8	11			1	2	3		2	1		2	4		6
Diseases of the stomach M	17	2	2	1			2	1		3	2	1	1	1		3
Diseases of the stomach F	16	1	5			2				4		1				4
Obstruction of the bowels M	19	5	7	1		1		3			1	2		2		2
Obstruction of the bowels F	23	2	4	2			2	3		1	1			6		4
Appendicitis M	45			1	6	3	8	5	4	5	4	1	3	1		4
Appendicitis F	25	1	1	2	5	5	1	1	2	2		2		2		2
Hernia M	9	2	2	1				1		1		2			1	1
Hernia F	9												2	3	1	
Other diseases of the bowels M	7								1			1			2	3
Other diseases of the bowels F	12	3	4			1			2	2		2				1
Jaundice M	11	4	4	1				2								4
Jaundice F	10	3	4						2		1	1			1	1
Inflammation and abscess of the liver M	9		1	1				4		2		1				
Inflammation and abscess of the liver F	13	2	3	1				2				1	1	1	1	3
Other diseases of the liver M	25		2			1		2	2	1		3	2	4	3	5
Other diseases of the liver F	14	1	1		1			1		1			3		2	5
Peritonitis M	24	2	3		3	2	2		2	2	3	2	3		1	1
Peritonitis F	65	3	6	2	2	5	12	7	9	9	5	1	1	1	1	4
Ascites M	2				1			1								
Ascites F	2									1					1	
Others of this class M	22	9	9	2						2		1	2	1	1	4
Others of this class F	18	7	11	1				1		1		1	1		1	1
6. Diseases of the urinary system and male organs of generation.	282	7	10	5	9	8	19	18	11	14	21	13	31	26	22	75
Males	198	5	8	3	5	5	9	7	9	9	16	8	27	21	18	53
Females	84	2	2	2	4	3	10	11	2	5	5	5	4	5	4	22
Bright's disease M	137			3	3	4	4	5	5	8	13	7	23	16	14	32
Bright's disease F	70			2	3	3	10	6	2	4	4	5	4	5	4	18
Calculus, urinary M	2		1											1		
Calculus, urinary F																
Diseases of the kidney M	23	3	5		1		3	1	1				2		2	8
Diseases of the kidney F	3	1	2													1
Diseases of the bladder M	11								1			1	1		1	7
Diseases of the bladder F	1															1
Others of this class M	25	2	2		1	1	2	1	2	1	3		1	4	1	6
Others of this class F	10				1			5		1	1					2
7. Diseases of the female organs of generation.	26					1	5	3	4	5	1	4		1		2
Ovarian tumors	4						1			1		1				1
Ovarian diseases	1						1									
Diseases of the tubes	2								1	1						
Uterine tumors	6								1	1	1	2		1		
Uterine diseases	5					1	1	1	1							1
Others of this class	8						2	2	1	2		1				

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

COLORADO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	64					6	14	12	11	14	4					3
Abortion	11						4	4	2	1						
Childbirth	29					4	6	4	6	7	2					
Puerperal septicemia	13					1	1	4	3	2	1					1
Extra-uterine pregnancy	2									1	1					
Others of this class	9					1	3			3						2
9. Diseases of the bones and joints	11	2	3				1				1		1	1		4
Males	6	1	1											1		4
Females	5	1	2				1				1		1			
Diseases of the spine. M	3	1	1											1		1
Diseases of the spine. F	2	1	2													
Abscess, lumbar and psoas. M																
Abscess, lumbar and psoas. F																
Diseases of the bones. M	2															2
Diseases of the bones. F	1										1					
Diseases of the hip-joint. M																
Diseases of the hip-joint. F	1						1									
Others of this class. M	1															1
Others of this class. F	1												1			
10. Diseases of the skin	18	2	4		1		1		1	2	1	2		1	1	4
Males	9	1	2		1					1		1		1		3
Females	9	1	2				1		1	1	1	1			1	1
Abscess. M	6		1		1					1		1				2
Abscess. F	5	1	1				1				1	1				1
Carbuncle. M																
Carbuncle. F																
Others of this class. M	3	1	1											1		1
Others of this class. F	4		1						1	1					1	
11. Diseases of the absorbent system.	1									1						
Males	1									1						
Females																
Addison's disease. M																
Addison's disease. F																
Diseases of the spleen. M	1									1						
Diseases of the spleen. F																
Others of this class. M																
Others of this class. F																
12. Accidents and injuries	711	27	75	35	36	41	61	80	70	72	65	43	39	23	14	57
Males	584	14	41	30	28	33	47	69	64	60	57	38	35	22	12	48
Females	127	13	34	5	8	8	14	11	6	12	8	5	4	1	2	9
Burns and scalds. M	10	1	5	3						1						1
Burns and scalds. F	10		3	1	2	1		1		1		1				
Drowning. M	33	1	14	5	5	3		3	2					1		
Drowning. F	7		6		1											
Exposure and neglect. M	13	3	4		3	1			1	1				1	1	1
Exposure and neglect. F	1		1													
Gunshot wounds. M	51		1	2	2	4	6	12	9	4	6	1	1	2		1
Gunshot wounds. F	11		1			3	3	1		2	1					
Homicide. M	18		1		2	1		2	4	3	1	1	1			2
Homicide. F	1				1											
Infanticide. M																
Infanticide. F																
Injuries by machinery. M	8					1	1			4		1		1		
Injuries by machinery. F																
Railroad accidents. M	71	1	1	7	5	2	4	12	8	7	8	5	7		1	6
Railroad accidents. F	6				3		2				1					
Suffocation. M	12	3	4	1				1	1	1	1		1			3
Suffocation. F	11	6	9				1	1								
Suicide by shooting. M	11						2	1	3	2		1		1	1	
Suicide by shooting. F	5						2		1		2					
Suicide by drowning. M	1										1					
Suicide by drowning. F																
Suicide by poison. M	6								2	1	1	2				
Suicide by poison. F	9					1	1	1	2	1	1	1			1	
Other suicides. M	22					1	2	2	2		4	3	2	2	1	3
Other suicides. F	4				1					1		1		1		
Sunstroke. M	2															2
Sunstroke. F																
Surgical operations. M	2								1		1					
Surgical operations. F	5	1	1			1	1	1								1
Wounds. M	8						1		1	1	1	1	1	1		1
Wounds. F	1			1												
Others of this class. M	316	5	11	12	11	20	31	36	32	35	33	23	22	13	8	29
Others of this class. F	56	6	13	3		2	4	6	3	7	3	2	4		1	8

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

DELAWARE.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	3,075	597	895	133	79	94	139	100	112	123	123	123	116	131	157	750
Males	1,644	346	509	65	35	37	57	60	59	62	68	81	64	88	79	380
Females	1,431	251	386	68	44	57	82	40	53	61	55	42	52	43	78	370
Unknown cause	58	23	27		4	3	3			2	2	1	2	3	2	9
Males	31	16	17		4	1	2					1	1	2	1	2
Females	27	7	10			2	1			2	2		1	1	1	7
1. General diseases. General diseases—A	508	142	249	59	19	15	28	10	10	14	11	16	10	12	9	46
Males	244	68	129	27	5	6	12	4	1	6	7	9	7	7	5	19
Females	264	74	120	32	14	9	16	6	9	8	4	7	3	5	4	27
Measles M	4	2	4													
Measles F	5		3	2												
Scarlet fever M	1		1													
Scarlet fever F	3		1	1	1											
Diphtheria M	61	4	30	24	2	3				1						1
Diphtheria F	50	3	23	19	5	2		1								
Whooping cough M	4	3	4													
Whooping cough F	11	6	9	1			1									
Malarial fever M	9	3	5		1								1		2	
Malarial fever F	10	1	1	1					1	1	1	1	1	1		2
Influenza M	16	3	3										1	1		11
Influenza F	13		1	1									1		3	7
Typhoid fever M	39	1	2	2	2	3	10	3	1	3	5	3	3	1		1
Typhoid fever F	51		2	5	7	5	11	3	5	3	3	3	1	3		
Cholera morbus M	7	3	4	1			1					1				
Cholera morbus F	2	1	1							1						
Colitis M	4	3	3										1			
Colitis F	1															1
Diarrhea M	2										1				1	
Diarrhea F	3		1	1						1						
Dysentery M	11	1	4											4	1	2
Dysentery F	13	1	2			1	1					1				8
Enteritis M	19	11	17								1					1
Enteritis F	21	12	13		1		1							1	1	4
Cholera infantum M	44	30	44													
Cholera infantum F	50	40	50													
Fever M	1											1				
Fever F	1		1													
Cerebro-spinal fever M	7	2	6							1						
Cerebro-spinal fever F	7	5	5				1	1								
Smallpox M																
Smallpox F	1			1												
Erysipelas M	3						1						1			1
Erysipelas F	1											1				
Septicemia M	5		1					1				2				1
Septicemia F	12	2	3			1	1		3	2		1				1
Venereal diseases M	4	1	1									1			1	1
Venereal diseases F	4	2	3					1								
Others of this group M	3									1		1		1		
Others of this group F	5	1	1													4
General diseases—B	70	53	55							2		4	2	1	1	5
Males	44	32	34							1		3		1	1	4
Females	26	21	21							1		1	2			1
Alcoholism M	4											2		1		1
Alcoholism F	2									1			1			
Parasitic diseases M																
Parasitic diseases F																
Lead poison M																
Lead poison F																
Other poisons M	5		1							1		1			1	1
Other poisons F	3											1	1			1
Inanition M	35	32	33													2
Inanition F	21	21	21													
General diseases—C	306	117	125	2				2	2		1	4		1	12	157
Males	151	69	72	2					1		1	3		1	5	66
Females	155	48	53					2	1			1			7	91
Old age M	40														2	38
Old age F	53														3	50
Premature birth M	24	24	24													
Premature birth F	19	19	19													
Malformation M	2	2	2													
Malformation F	1	1	1													
Debility and atrophy M	53	41	44	2					1		1	3		1	3	28
Debility and atrophy F	80	26	31					2	1			1			4	41
Others of this group M	2	2	2													
Others of this group F	2	2	2													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

DELAWARE—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	562	16	33	8	22	28	63	45	50	40	36	34	33	30	30	110
Males	290	10	19	4	6	10	25	24	28	15	20	24	16	20	15	64
Females	272	6	14	4	16	18	38	21	22	25	16	10	17	10	15	46
Anemia M	1	1	1													
Anemia F	5			2			1								1	1
Diabetes M	4								1		1			1		1
Diabetes F	4					1								1	1	1
Rheumatism M	8				1						1	1		1	1	3
Rheumatism F	9		1	2	1		1						1		3	
Scrofula and tabes M	4	2	4													
Scrofula and tabes F	4		1					1				1				1
Hydrocephalus M	4	2	4													
Hydrocephalus F	1	1	1													
Tuberculosis, general M																
Tuberculosis, general F																
Consumption M	198	4	9	4	5	9	23	24	25	14	14	18	9	12	8	24
Consumption F	184	5	10		15	17	34	20	21	23	10	3	3	4	2	22
Cancer M	37	1	1			1			1	1	4	4	1	5	1	18
Cancer F	38									1	5	5	10	2	5	10
Tumor M	4						1						1			2
Tumor F	9						2			1		1			2	3
Dropsy M	29						1		1			1	5	1	5	15
Dropsy F	18		1						1		1		3	3	1	8
Others of this group M	1															1
Others of this group F																
2. Diseases of the nervous system	430	78	131	16	4	12	2	3	3	11	8	16	18	22	33	151
Males	238	47	79	9	2	6	1	3	2	7	6	9	11	15	15	73
Females	192	31	52	7	2	6	1		1	4	2	7	7	7	18	78
Inflammation of the brain M	12	3	10			1										1
Inflammation of the brain F	8	5	7			1										
Meningitis M	37	7	20	3	1	3		1	1	4	1	1	1			1
Meningitis F	36	14	24	4			1			1		2	1	1		2
Apoplexy M	47	1	1							2		3	4	6	3	28
Apoplexy F	47					1				2	2	3	2	2	9	26
Paralysis M	65	1	2	4					1		3		4	4	10	37
Paralysis F	56		2			1				1			2	3	7	40
Paralysis, general (of insane) M																
Paralysis, general (of insane) F																
Tetanus and trismus nascentium M	1	1	1													
Tetanus and trismus nascentium F	1	1	1													
Chorea M																
Chorea F																
Epilepsy M	2	1	2													
Epilepsy F	2	1	1	1		1										
Convulsions M	48	31	39	2			1				1	3		2		
Convulsions F	22	8	15	2	1	1						1			1	1
Mental diseases M	2										1					1
Mental diseases F	1															1
Diseases of the brain M	18	2	4			1		2				2	1	2	1	5
Diseases of the brain F	13	2	2		1	1			1			1	1		1	5
Diseases of the spinal cord M	2				1										1	
Diseases of the spinal cord F	2													1		1
Locomotor ataxia M	8									1			1	1		
Locomotor ataxia F																
Others of this class M	1					1										
Others of this class F	3												1			2
3. Diseases of the circulatory system	255	24	27	8	6	3	5	4	8	5	20	9	19	14	24	105
Males	142	14	16	4	4	1	2	3	5	5	8	5	12	10	15	52
Females	113	10	11	4	2	2	3	1	1		12	4	7	4	9	53
Pericarditis M	1															1
Pericarditis F																
Diseases of the heart M	122	4	5	4	4	1	2	2	5	5	7	4	12	10	15	45
Diseases of the heart F	105	9	10	4	2	2	2	1			11	3	7	3	9	51
Angina pectoris M	5										1					4
Angina pectoris F	5						1					1		1		2
Diseases of the arteries M																
Diseases of the arteries F																
Aneurism M	2							1								1
Aneurism F																
Embolism M	2											1				1
Embolism F	2								1		1					
Others of this class M	10	10	10													
Others of this class F	1	1	1													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

DELAWARE—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	432	102	183	20	6	9	10	10	8	17	13	13	16	16	25	86
Males	237	65	107	10	3	3	5	7	6	7	8	9	7	10	10	45
Females	195	37	76	10	3	6	5	3	2	10	5	4	9	6	15	41
Croup M	18	4	15	3												
Croup F	15	4	12	2												1
Pneumonia M	172	50	76	5	1	3	4	4	6	6	6	6	7	7	7	34
Pneumonia F	132	21	46	7	2	6	2	2	1	10	5	2	7	4	11	27
Laryngitis M																
Laryngitis F																
Bronchitis M	22	10	13				1				1					7
Bronchitis F	26	8	12	1	1		2	1				1	1			7
Pleurisy M	3				1			1						1		
Pleurisy F	1															1
Asthma M	3											1		1		1
Asthma F	5											1	1		3	
Others of this class M	19	1	3	2	1			2		1	1	2		1	3	3
Others of this class F	16	4	5				1		1					2	1	5
5. Diseases of the digestive system.	138	32	44	5	5	5	9		8	8	6	6	7	10	2	23
Males	70	19	24	1	2	1	1		3	4	5	4	4	6		15
Females	68	13	20	4	3	4	8		5	4	1	2	3	4	2	8
Dentition M	4	3	4													
Dentition F	1		1													
Angina M	4	1	3							1						
Angina F	2		1													1
Gastritis M	11	3	3	1	1				1			1				4
Gastritis F	22	5	9	2			1		2	2				2	2	2
Diseases of the stomach M	10	2	3						1			1	2			3
Diseases of the stomach F	2	1	1													1
Obstruction of the bowels M	5		1		1							2		1		1
Obstruction of the bowels F	6	1	1		1	1							1			2
Appendicitis M	4													1		3
Appendicitis F	6				1	1	3			1						
Hernia M	4	2	2											1		1
Hernia F	2												1			1
Other diseases of the bowels M	3	1	1						1		1					
Other diseases of the bowels F	4	1	1		1								1	1		
Jaundice M	4	3	3													1
Jaundice F	1	1	1													
Inflammation and abscess of the liver M	2															2
Inflammation and abscess of the liver F	1		1													
Other diseases of the liver M	10									2	3		2	3		
Other diseases of the liver F	5					1	1					2		1		
Peritonitis M	4	1	1				1			1	1					
Peritonitis F	11	2	2			1	3		3	1	1					
Ascites M	1					1										
Ascites F	1															1
Others of this class M	3	3	3													
Others of this class F	4	2	2	2												
6. Diseases of the urinary system and male organs of generation.	127		3	1	2	5	4	7	4	7	14	7	5	13	8	47
Males	78		2	1	1	2	1	5	2	3	6	4	2	9	6	34
Females	49		1		1	3	3	2	2	4	8	3	3	4	2	13
Bright's disease M	59			1		2	1	2	2	3	5	3	2	7	5	26
Bright's disease F	41					3	2	2	1	4	8	2	3	4	1	11
Calculus, urinary M	3													1		2
Calculus, urinary F	1						1									
Diseases of the kidney M	3		2		1			2			1	1				1
Diseases of the kidney F	4		1												1	2
Diseases of the bladder M	3															3
Diseases of the bladder F																
Others of this class M	5							1						1	1	2
Others of this class F	3				1				1			1				
7. Diseases of the female organs of generation.	6					2					2	1				1
Ovarian tumors	2					2										
Ovarian diseases																
Diseases of the tubes																
Uterine tumors	1										1					
Uterine diseases	1										1					
Others of this class	2											1				1

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

DELAWARE—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	23				1	4	5	4	5	2	2					
Abortion																
Childbirth	13				1	1	2	1	4	2	2					
Puerperal septicemia	6						3	3								
Extra-uterine pregnancy	1								1							
Others of this class	3					3										
9. Diseases of the bones and joints.	4	1	1	1					1	1						
Males	1									1						
Females	3	1	1	1					1							
Diseases of the spine. M																
Diseases of the spine. F	2	1	1	1												
Abscess, lumbar and psoas. M																
Abscess, lumbar and psoas. F																
Diseases of the bones. M																
Diseases of the bones. F																
Diseases of the hip-joint. M																
Diseases of the hip-joint. F																
Others of this class. M	1									1						
Others of this class. F	1								1							
10. Diseases of the skin	11	2	2						1		2	2	1		2	1
Males	6	1	1								1	2	1			1
Females	5	1	1						1		1				2	
Abscess. M	3	1	1									1	1			
Abscess. F	4								1		1				2	
Carbuncle. M	1															1
Carbuncle. F																
Others of this class. M	2										1	1				
Others of this class. F	1	1	1													
11. Diseases of the absorbent system.																
Males																
Females																
Addison's disease. M																
Addison's disease. F																
Diseases of the spleen. M																
Diseases of the spleen. F																
Others of this class. M																
Others of this class. F																
12. Accidents and injuries	145	7	15	13	10	8	10	15	14	14	6	10	3	9	9	9
Males	112	5	9	7	8	7	8	14	11	13	6	8	3	7	6	5
Females	33	2	6	6	2	1	2	1	3	1		2		2	3	4
Burns and scalds. M	6	1	4				1					1				
Burns and scalds. F	16		2	4	1	1	1		2	1		1		2	1	
Drowning. M	20			3	1	2	3	2		1	3	2	1		1	1
Drowning. F	1		1													
Exposure and neglect. M	4	1	1							2			1			
Exposure and neglect. F																
Gunshot wounds. M	6				1			1	1	3						
Gunshot wounds. F	1											1				
Homicide. M	1					1										
Homicide. F																
Infanticide. M																
Infanticide. F																
Injuries by machinery. M																
Injuries by machinery. F																
Railroad accidents. M	22			3	3	1	2	4	4	2	1				2	
Railroad accidents. F	1			1												
Suffocation. M	8	1	1			1				1				1	2	2
Suffocation. F	2		1					1								
Suicide by shooting. M																
Suicide by shooting. F																
Suicide by drowning. M																
Suicide by drowning. F																
Suicide by poison. M																
Suicide by poison. F																
Other suicides. M	8							1	1	1	2	1	1	1		
Other suicides. F	5						1		1							1
Sunstroke. M	1								1							
Sunstroke. F	1			1												
Surgical operations. M																
Surgical operations. F																
Wounds. M	3				1									2		
Wounds. F																
Others of this class. M	33	2	3	1	2	2	2	6	4	3		4		3	1	2
Others of this class. F	8	2	2		1										2	3

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

FLORIDA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	6,482	1,360	2,276	298	199	278	379	333	306	305	261	245	248	232	224	898
Males	3,520	734	1,216	153	118	143	208	162	155	159	147	152	139	119	134	515
Females	2,962	626	1,060	145	81	135	171	171	151	146	114	93	109	113	90	383
Unknown cause	454	195	269	17	14	8	18	13	15	6	12	13	12	8	11	38
Males	224	100	139	9	6	4	11	5	2	3	7	9	3	6	6	14
Females	230	95	130	8	8	4	7	8	13	3	5	4	9	2	5	24
1. General diseases.																
General diseases—A	1,814	405	818	142	81	80	90	74	55	57	57	59	49	38	34	180
Males	961	217	424	70	48	36	51	45	26	32	31	40	26	13	25	94
Females	853	188	394	72	33	44	39	29	29	25	26	19	23	25	9	86
Measles M	27	5	19	3	2			1		1	1					
Measles F	23	2	14	3	2	2					2					
Scarlet fever M	3	1	1	1	1											
Scarlet fever F	5		3	1					1							
Diphtheria M	15		12	2	1											
Diphtheria F	12	2	8	3		1										
Whooping cough M	36	20	33	3												
Whooping cough F	54	30	52	2												
Malarial fever M	202	24	66	18	15	16	21	14	2	2	9	8	8	5	4	14
Malarial fever F	164	16	52	24	9	16	12	7	6	3	7	5	4	4	2	13
Influenza M	133	30	45	3	8	4	4	4	1	2	1	5	5	5	9	37
Influenza F	132	28	41	6		3	5	2	5	7	3	5	3	8	4	39
Typhoid fever M	143	11	38	17	11	9	9	12	11	11	4	11	4		3	3
Typhoid fever F	147	9	37	12	15	16	12	10	9	8	7	3	2	5	3	8
Cholera morbus M	23	5	10	3		1	2				1		2			4
Cholera morbus F	31	4	14	4	1	1	1		1	2	1	1	2	2		1
Colitis M	3	2	3													
Colitis F	8	4	8													
Diarrhea M	32	5	12	2	1		2	1				3			3	8
Diarrhea F	20	2	6	1	1				1		2		2	2		5
Dysentery M	73	21	34	5	3	2	1		1	2	1	3	2	2	3	14
Dysentery F	39	12	18		1	1		4	1		1	1	2	1		9
Enteritis M	67	28	51	4	1			1			2	4		1	1	2
Enteritis F	60	24	43	5	1	1	1			1	1		1	3		3
Cholera infantum M	65	45	65													
Cholera infantum F	58	36	58													
Fever M	27	8	15	4			1		1	2		1			1	2
Fever F	28	12	20	5	1		1						1			
Cerebro-spinal fever M	9	3	4	1	3	1										
Cerebro-spinal fever F	4	1	3		1											
Smallpox M	7		1			1			1	2	1					1
Smallpox F	9	2	1	1				1				1	1			1
Erysipelas M	6	2	2				1		1				1			1
Erysipelas F	5	1	1								1		1			2
Septicemia M	15	4	5				1	2		2	3		1			1
Septicemia F	16	1	3	2		2	1	2	2			1	2			1
Venereal diseases M	9	2	3				1	1	1		1		1			1
Venereal diseases F	10		1				3	1	1	1		2	1			
Others of this group M	66	1	5	4	2	2	8	9	7	8	7	5	2		1	6
Others of this group F	28	2	8	3	1	1	3	2	1	3	1		1			4
General diseases—B	195	126	160	6		2	1	3	4	3	1	4	1	6	2	2
Males	119	82	99	2		2	1	2	4	1		3	1	2		2
Females	76	44	61	4				1		2	1	1		4	2	
Alcoholism M	6								3			1	1			1
Alcoholism F	1														1	
Parasitic diseases M	6	3	6													
Parasitic diseases F	9		7	2												
Lead poison M																
Lead poison F																
Other poisons M	20		8	1		2	1	2	1	1		1		2		1
Other poisons F	11	1	4	2						1		1		2	1	
Inanition M	87	79	85	1								1				
Inanition F	55	43	50					1		1	1			2		
General diseases—C	312	131	145	1	1				2	2		2	4	2	5	148
Males	156	70	78		1				1			1	3		2	70
Females	156	61	67	1					1	2		1	1	2	3	78
Old age M	62														1	61
Old age F	78														3	75
Premature birth M	33	33	33													
Premature birth F	23	23	23													
Malformation M	3	2	3													
Malformation F	4	4	4													
Debility and atrophy M	56	33	40		1				1			1	3		1	9
Debility and atrophy F	46	29	35	1					1	2		1	1	2		3
Others of this group M	2	2	2													
Others of this group F	5	5	5													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

FLORIDA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—Γ	903	24	53	24	25	57	102	96	86	75	67	47	58	54	40	109
Males	468	13	31	12	14	24	56	36	46	41	41	27	28	24	24	64
Females	435	11	32	12	11	33	46	60	40	34	26	20	30	30	16	45
Anemia M	5		1						1					1		2
Anemia F	6	1	1	1		2			1						1	
Diabetes M	3										1					2
Diabetes F	5			1		1								2		1
Rheumatism M	17	1	2	1	1	1	1	1	1				2	2	1	4
Rheumatism F	11			1			2				2	1	1		1	3
Scrofula and tabes M	11	1	3				2	1		1			1	1		2
Scrofula and tabes F	14	3	4		1		1	2					1	2	2	1
Hydrocephalus M	3	2	2				1									
Hydrocephalus F	6	3	6													
Tuberculosis, general M	1												1			
Tuberculosis, general F	1								1							
Consumption M	300	3	9	2	4	18	46	33	40	34	33	19	18	14	17	13
Consumption F	257	4	8	7	7	26	40	49	27	25	14	10	7	10	4	23
Cancer M	28		1							3	1	3	2	1	2	15
Cancer F	55					1		1	4	1	6	5	15	9	5	8
Tumor M	6									1		1	2		1	1
Tumor F	14		2				1	2	1	1	3	1		2		1
Dropsy M	89	2	8	9	9	5	6	1	4	2	6	4	2	5	3	25
Dropsy F	65		11	2	3	3	2	6	6	7	1	2	6	5	3	8
Others of this group M	5	4	5													
Others of this group F	1											1				
2. Diseases of the nervous system	645	171	261	32	16	18	29	20	14	28	16	28	20	25	25	113
Males	363	98	149	18	10	14	16	8	7	16	9	16	8	13	11	68
Females	282	73	112	14	6	4	13	12	7	12	7	12	12	12	14	45
Inflammation of the brain. M	17	3	10	1	1		2			1		1			1	
Inflammation of the brain. F	13	4	6	1	1	1		3			1					
Meningitis M	54	18	32	7	3	4	4	1	1		1	1				
Meningitis F	35	12	29	2			1		1	1	1					
Apoplexy M	50			1		1	3	1		3	3	8	3	6	3	18
Apoplexy F	36	1	2		2		1	1	2	4	1	2	2	2	6	11
Paralysis M	61	1	4	1	1	1				4	2	5	2	3	8	35
Paralysis F	55		4					1		1	2	2	7	6	6	26
Paralysis, general (of insane). M	1									1						
Paralysis, general (of insane). F	1											1				
Tetanus and trismus nascentium. M	48	38	40	1	1	1	1	2		1						1
Tetanus and trismus nascentium. F	52	43	45		2	1	1	1			1	1				
Chorea M																
Chorea F																
Epilepsy M	10	1	1	1	1	2	2	2								1
Epilepsy F	11	1	2			1	3	1	1	1		1				1
Convulsions M	40	29	36	1		1		1					1			
Convulsions F	26	9	18	4			2	2								
Mental diseases M	3									1		1				1
Mental diseases F	5						1		1		1					2
Diseases of the brain. M	67	8	24	4	2	4	4		6	5	2			4	3	11
Diseases of the brain. F	41	3	6	7	1	1	2	2	1	4		5	3	3	2	4
Diseases of the spinal cord. M	4		1		1									1	1	
Diseases of the spinal cord. F																
Locomotor ataxia M	3												1	1		1
Locomotor ataxia F	1								1							
Others of this class M	5		1	1				1			1		1			
Others of this class F	6						2	1		1				1		1
3. Diseases of the circulatory system.	402	15	21	4	9	5	15	14	18	31	32	24	35	27	44	123
Males	222	7	11	3	6	3	6	6	8	12	14	15	19	15	23	81
Females	180	8	10	1	3	2	9	8	10	19	18	9	16	12	21	42
Pericarditis M	1									1						
Pericarditis F																
Diseases of the heart. M	207	6	10	3	6	3	6	6	8	10	13	14	19	13	21	75
Diseases of the heart. F	173	8	10	1	3	2	8	8	10	19	17	7	15	12	21	40
Angina pectoris M	8										1	1			2	4
Angina pectoris F	3											1	1			1
Diseases of the arteries. M	2										1					2
Diseases of the arteries. F	2															1
Aneurism M	3									1				2		
Aneurism F	1											1				
Embolism M																
Embolism F	1						1									
Others of this class M	1	1	1													
Others of this class F																

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

FLORIDA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	598	147	252	28	14	26	34	34	23	14	20	11	27	23	29	63
Males	336	80	142	16	9	11	25	18	14	5	11	6	19	8	18	34
Females	262	67	110	12	5	15	9	16	9	9	9	5	8	15	11	29
Croup M	34	20	31	3												
Croup F	22	15	18	4												
Pneumonia M	224	39	77	9	7	9	24	17	12	5	9	5	13	6	12	19
Pneumonia F	183	37	67	7	4	12	8	13	9	6	7	3	7	13	9	18
Laryngitis M	1	1	1					1								
Laryngitis F	2		2													
Bronchitis M	31	7	16	1		1	1				1		4			7
Bronchitis F	19	7	11		1	1		1			1	1		1	1	1
Pleurisy M	11	2	2	1	2									1	2	3
Pleurisy F	12	1	2	1		1		1		1	1	1	1			3
Asthma M	7		1										1	1	2	2
Asthma F	8		1											1	1	5
Others of this class M	27	11	14	2		1			2		1	1	1		2	3
Others of this class F	16	7	9			1	1	1		2						2
5. Diseases of the digestive system.	383	102	175	17	11	12	11	17	15	22	17	15	16	14	14	27
Males	202	42	78	7	5	9	6	7	8	12	12	9	13	12	10	14
Females	181	60	97	10	6	3	5	10	7	10	5	6	3	2	4	13
Dentition M	21	2	21													
Dentition F	25	16	25													
Angina M	2	1	2													
Angina F	9	1	5	2								1		1		
Gastritis M	24	4	9	1				1			1	1	4	1	2	4
Gastritis F	21	5	10				1	2		2	1	2			1	2
Diseases of the stomach. M	12	2	3	1		1				2	1	1	1	1	1	
Diseases of the stomach. F	5	1	3	2												
Obstruction of the bowels. M	10	2	2	1	2	1	1				1			2		
Obstruction of the bowels. F	8	2	5				1									2
Appendicitis M	8					4	1	1			1	1				
Appendicitis F	2					1					1					
Hernia M	6							1		1			1	1		2
Hernia F	2								1							1
Other diseases of the bowels. M	11	5	6					1	1		1		1	1		
Other diseases of the bowels. F	19	8	9						1	1		1	2		3	2
Jaundice M	7	2	2	1			1			1						2
Jaundice F	11	6	6	1				2	1	1						
Inflammation and abscess of the liver. M	17	1	1	1			1	2	2	1	1	2	2	1	1	2
Inflammation and abscess of the liver. F	10	1	1	1				1	1	2	1	1		1		1
Other diseases of the liver. M	28		3		1	1	1		4	5	4		2	3	2	2
Other diseases of the liver. F	18	2	3	2	3	1	1	2		3	1					2
Peritonitis M	13	2	2	1	2	1	1	1		1	1	3				
Peritonitis F	13	1	3		1	1	1	2	1	1	1					2
Ascites M	8	2	3								1		1	1	1	1
Ascites F	6	1	2	1				1	1				1			
Others of this class M	35	19	24	1		1			1	1		1	1	1	3	1
Others of this class F	32	16	25	1	2		1		1			1				1
6. Diseases of the urinary system and male organs of generation.	174	3	9	5	2	3	5	10	12	13	13	15	7	19	11	50
Males	107	2	5	3	1		1	6	5	7	4	7	5	11	7	45
Females	67	1	4	2	1	3	4	4	7	6	9	8	2	8	4	5
Bright's disease M	60			2	1		1	4	2	3	3	4	4	5	4	27
Bright's disease F	42			1	1	2	2	2	5	5	3	6	1	7	3	4
Calculus, urinary M	6							1				1		1		3
Calculus, urinary F																
Diseases of the kidney. M	19	2	4	1					1	2		2		2	1	6
Diseases of the kidney. F	11	1	4	1			1	1	1		2		1			
Diseases of the bladder. M	8		1											2		5
Diseases of the bladder. F	1					1										
Others of this class M	14							1	2	2	1		1	1	2	4
Others of this class F	13						1	1	1	1	4	2		1	1	1
7. Diseases of the female organs of generation.	21					1	5	1	4	3	3	4				
Ovarian tumors																
Ovarian diseases	1						1									
Diseases of the tubes																
Uterine tumors	1											1				
Uterine diseases	8						8		1	3	1					
Others of this class	11					1	1	1	3		2	3				

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

FLORIDA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	106					20	24	19	20	16	2	2				3
Abortion	5					1	1	1	1	1						
Childbirth	70					13	14	12	15	11	2	2				1
Puerperal septicemia	17					4	5	3	3	2						
Extra-uterine pregnancy	2								1							1
Others of this class	12					2	4	3		2						1
9. Diseases of the bones and joints.	5	2	2	1					1	1						
Males	1									1						
Females	4	2	2	1					1							
Diseases of the spine. M																
Diseases of the spine. F	4	2	2	1					1							
Abscess, lumbar and psoas. M																
Abscess, lumbar and psoas. F																
Diseases of the bones M	1									1						
Diseases of the bones F																
Diseases of the hip-joint. M																
Diseases of the hip-joint. F																
Others of this class M																
Others of this class F																
10. Diseases of the skin	26	8	14		1				1	2	2	2	8	1		
Males	17	5	8		1				1	1	2	1	2	1		
Females	9	3	6							1		1	1			
Abscess M	8	1	2		1				1	1	2		1			
Abscess F	1									1						
Carbuncle M	1											1				
Carbuncle F																
Others of this class M	8	4	6										1	1		
Others of this class F	8	3	6									1	1			
11. Diseases of the absorbent system.	1								1							
Males																
Females	1								1							
Addison's disease M																
Addison's disease F																
Diseases of the spleen M																
Diseases of the spleen F	1								1							
Others of this class M																
Others of this class F																
12. Accidents and injuries	443	31	87	21	25	46	45	32	35	32	19	19	16	15	9	42
Males	344	18	52	13	17	40	35	29	33	28	16	18	12	14	8	29
Females	99	13	35	8	8	6	10	3	2	4	3	1	4	1	1	13
Burns and scalds M	36		23	4		4				1	1	1				2
Burns and scalds F	37	1	15	5	5	1	2		1		1		2			5
Drowning M	53		6	2	6	5	8	4	4	5	2	3	2	2		4
Drowning F	7		2		1					2	1					1
Exposure and neglect M	7	5	5									1		1		
Exposure and neglect F	4	2	3								1					
Gunshot wounds M	74		1		5	9	8	5	17	9	6	3	4		2	4
Gunshot wounds F	10		1				3	1	1	2				1		1
Homicide M	32					4	5	1	5	5	4	1	2	1		4
Homicide F	4					2							1			1
Infanticide M																
Infanticide F																
Injuries by machinery. M	1											1				
Injuries by machinery. F																
Railroad accidents M	28				1	7	2	8	1			4	2	1	1	1
Railroad accidents F	4					2	2									
Suffocation M	9	5	7				1	1								
Suffocation F	4	3	4													
Suicide by shooting M	1													1		
Suicide by shooting F																
Suicide by drowning M	1														1	
Suicide by drowning F																
Suicide by poison M	1													1		
Suicide by poison F	1							1								
Other suicides M	7						2	1		2		1	1			
Other suicides F																
Sunstroke M	2							1	1							
Sunstroke F																
Surgical operations M	1													1		
Surgical operations F																
Wounds M	2						1									1
Wounds F																
Others of this class M	89	8	10	7	5	11	8	7	5	6	3	3	1	6	4	13
Others of this class F	28	7	10	3	2	1	3	1				1	1		1	5

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

GEORGIA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	26,941	5,786	10,006	998	757	1,282	1,771	1,451	1,064	1,126	991	955	1,020	717	966	3,837
Males	13,321	3,035	5,216	482	355	567	826	646	490	492	451	472	512	372	497	1,943
Females	13,620	2,751	4,790	516	402	715	945	805	574	634	540	483	508	345	469	1,894
Unknown cause	2,209	1,178	1,476	47	37	54	68	54	39	45	39	25	47	30	45	203
Males	1,099	602	763	22	18	24	32	23	20	13	16	11	23	14	21	99
Females	1,110	576	713	25	19	30	36	31	19	32	23	14	24	16	24	104
1. General diseases. General diseases—A	6,724	1,409	3,151	392	306	376	422	330	213	202	178	155	161	103	148	587
Males	3,260	714	1,599	191	134	161	221	145	104	97	83	72	80	39	60	274
Females	3,464	695	1,552	201	172	215	201	185	109	105	95	83	81	64	88	313
Measles M	97	27	64	4	6	7	5	5	1	1	2		1			1
Measles F	104	21	61	4		6	10	5	2	4	4	1	2		1	4
Scarlet fever M	26	2	17	5	3			1								
Scarlet fever F	18		7	7	1	2										1
Diphtheria M	60	10	45	9	5	1										
Diphtheria F	73	6	51	12	6	1	1	1					1			
Whooping cough M	100	57	98	1	1											
Whooping cough F	122	64	114	6	2											
Malarial fever M	481	61	151	54	34	33	37	34	24	17	18	14	13	9	9	34
Malarial fever F	530	53	180	44	36	49	43	35	18	24	23	14	15	7	9	33
Influenza M	301	73	112	5	5	9	9	6	4	7	8	6	12	10	16	92
Influenza F	366	51	84	9	7	9	6	13	14	8	11	11	18	15	25	136
Typhoid fever M	756	42	153	57	54	85	127	74	44	49	29	22	23	8	10	26
Typhoid fever F	829	39	144	75	94	110	95	87	40	29	31	27	21	19	18	39
Cholera morbus M	89	30	55	5	1	4	4		2			1	3		1	13
Cholera morbus F	85	27	47	4		2	3	1	2	5	3	4	2	2	5	5
Colitis M	10	5	6				1		2				1			
Colitis F	16	7	13	2									1			
Diarrhea M	123	29	69	3	2	4	2		1	2	2	5		6	8	19
Diarrhea F	109	22	54	1	2	1	6	2	5	5	2	5	4	1	6	15
Dysentery M	372	92	251	19	3	4	6	7	3	8	3	6	12	5	2	43
Dysentery F	409	115	262	13	7	4	8	5	8	8	5	11	8	10	16	44
Enteritis M	177	62	135	4	3	1	2	1	1	6	4	4	6	2	2	6
Enteritis F	189	76	148	4	1	4	2	5	3	3	2	4	2	1	3	7
Cholera infantum M	306	154	306													
Cholera infantum F	274	152	274													
Fever M	141	36	81	12	4	7	9	6	6	1	1	2	1		2	9
Fever F	155	32	61	10	11	17	10	11	3	5	7	1	3	4	3	9
Cerebro-spinal fever M	25	7	9	5	1	1	1			3	1		2			2
Cerebro-spinal fever F	20	4	10	3	1		2	1	1		1				1	
Smallpox M	31	5	6	2		2	4	3	3	1	1	3	1			5
Smallpox F	15	7	7		1	1	1		2	1		2				
Erysipelas M	20	5	8		3	1	1		1			2				4
Erysipelas F	21	3	5	2	2			1		2			1			8
Septicemia M	63	4	10	3	7	2	3	2	2	1	6	3	2	4	7	11
Septicemia F	78	4	12	3	1	6	11	10	9	7	8	2	2	4	1	7
Venereal diseases M	53	9	14				7	4	7	1	7	3	8		2	5
Venereal diseases F	32	3	7	1		3	2	8	1	4	2	1	1			2
Others of this group M	29	4	9	3	2		3	2	3		1	1			1	4
Others of this group F	19	9	11	1			1		1		1			1		8
General diseases—B	362	159	246	17	8	7	7	8	9	11	8	7	6	4	4	20
Males	203	83	131	8	3	6	7	3	3	9	6	5	6	2	3	10
Females	159	76	115	9	5	1		5	6	2	2	1		2	1	10
Alcoholism M	25							1	3	6	5	3	3	1		3
Alcoholism F	3								2		1					
Parasitic diseases M	25	1	19	5			1									
Parasitic diseases F	27	2	19	6	1											1
Lead poison M	2											2				
Lead poison F																
Other poisons M	59	3	23	2	3	6	6	2		3	1	1	3	1	2	6
Other poisons F	43	4	19	3	3	1		5	4	2		1		2	1	2
Inanition M	92	79	89	1											1	1
Inanition F	86	70	77		1						1					7
General diseases—C	1,198	535	588	7	1	4	11	1	8	5	9	13	21	9	22	499
Males	575	300	313	2	1	1	7	1	3	5	5	8	9	3	5	212
Females	623	235	275	5		3	4		5		4	5	12	6	17	287
Old age M	190														3	187
Old age F	269														10	259
Premature birth M	218	218	218													
Premature birth F	170	170	170													
Malformation M	17	15	17													
Malformation F	16	14	15	1												
Debility and atrophy M	131	48	59	2	1	1	7	1	3	5	5	8	9	3	2	25
Debility and atrophy F	161	44	83	4		3	4		5		4	5	12	6	7	28
Others of this group M	19	19	19													
Others of this group F	7	7	7													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

GEORGIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	4,254	92	305	100	105	313	540	473	339	336	287	249	278	166	181	582
Males	1,780	43	172	48	38	96	198	191	130	140	116	97	110	81	87	276
Females	2,474	49	133	52	67	217	342	282	209	196	171	152	168	85	94	306
Anemia M	18	6	6	1	1	1	1	3				1		1	2	1
Anemia F	20	5	5	1			2	2	1	1	1				2	5
Diabetes M	38		1	2	2	2	3		1	3	3	2	2	2	2	13
Diabetes F	11		1			1			1				3			5
Rheumatism M	66	2	5		4	3	4	5	1	1	3	4	4	3	8	21
Rheumatism F	59	1	2	3	1	4	2	4	2	1	2	3	6	3	8	18
Scrofula and tabes M	62	4	20	6	2	4	2	1	3	4	5	4	3	2	2	4
Scrofula and tabes F	59	9	21	1	6	4	6	1	1	4	3	1	4	2	3	2
Hydrocephalus M	21	4	13	3				2		1		1				1
Hydrocephalus F	8	1	3	1	1					1	1	1				
Tuberculosis, general M	7									2	2			1		2
Tuberculosis, general F	10	1	1		1		2	1		2			1		1	1
Consumption M	1,064	15	62	16	14	73	158	169	112	113	82	63	66	33	32	71
Consumption F	1,587	21	56	27	46	188	298	242	159	139	113	84	81	33	29	92
Cancer M	22	1	1	1	1	1	1	2	3	2	3	13	13	11	15	25
Cancer F	281	1	1	1		4	3	11	19	19	24	38	44	27	28	62
Tumor M	28	3	4	3			4		1		4		1	1	2	8
Tumor F	50		5	2	3	3	3	5		3	5	5	5	3	2	6
Dropsy M	374	5	54	15	13	12	25	9	8	14	14	9	20	27	24	130
Dropsy F	384	7	33	16	9	13	26	16	26	26	22	20	24	17	21	115
Others of this group M	10	3	6	1	1				1				1			
Others of this group F	5	3	5													
2. Diseases of the nervous system	2,304	494	728	94	59	62	79	71	50	70	92	104	113	101	154	527
Males	1,202	271	403	48	31	34	42	29	19	29	45	48	63	50	81	280
Females	1,102	223	325	46	28	28	37	42	31	41	47	56	50	51	73	247
Inflammation of the brain M	78	26	47	8	2	3	6		3	2	2	1		1		3
Inflammation of the brain F	60	21	28	3	6	5	2	2	2	4	1	3	1		1	2
Meningitis M	138	48	85	12	9	8	6	3	1	3	1	2	3		1	4
Meningitis F	120	45	75	17	6	3	6	5		3	3		1			1
Apoplexy M	140	3	5				1	5	2	9	13	15	8	13	24	45
Apoplexy F	112		2			2	3	2	6	8	8	13	12	14	14	28
Paralysis M	340	2	8	7	1	4	6	3	4	8	14	15	32	22	40	176
Paralysis F	355	9	14	7	1		8	3	8	5	17	18	24	33	48	169
Paralysis, general (of insane) M	15								1	1	3	4	3	1	1	1
Paralysis, general (of insane) F	1														1	
Tetanus and trismus nascentium M	37	15	19	3	6	1	2	1	1	1			1		1	1
Tetanus and trismus nascentium F	28	19	19	1			1	2	1	2	1				1	
Chorea M	2			2												
Chorea F																
Epilepsy M	73	9	10	2	6	4	14	8	3	3	1	4	2	4	5	7
Epilepsy F	36	6	12	1	2	4	2	4	3	1	2	1	1			3
Convulsions M	136	110	128	2	1	2							1			2
Convulsions F	128	81	103	3	2	6	5	1	3		1				1	3
Mental diseases M	20					1	1	1				1	4	1	2	9
Mental diseases F	28						2	6	2	3	3	2	3		1	6
Diseases of the brain M	194	57	97	12	5	10	4	8	4	2	10	5	7	5	4	19
Diseases of the brain F	160	40	68	14	9	7	5	14	4	5	2	11	3	3	2	13
Diseases of the spinal cord M	3		1				1								1	
Diseases of the spinal cord F	9		1						1	2	2				1	2
Locomotor ataxia M	2														1	1
Locomotor ataxia F																
Others of this class M	24	1	3			1	1				1	1	2	2	1	12
Others of this class F	65	2	3		2	1	3	3	1	8	7	8	5	1	3	20
3. Diseases of the circulatory system	1,433	50	82	26	21	35	49	62	54	100	73	98	117	89	156	471
Males	676	28	46	14	9	18	10	16	25	45	25	47	59	46	87	229
Females	757	22	36	12	12	17	39	46	29	55	48	51	58	43	69	242
Pericarditis M	9		1			1		1		3		1	1			1
Pericarditis F	10				1		1			1		2	2	1		2
Diseases of the heart M	631	24	41	14	9	17	10	15	23	39	23	40	57	41	82	220
Diseases of the heart F	719	20	33	11	11	17	38	44	28	50	46	46	55	40	66	234
Angina pectoris M	16									2				3	4	7
Angina pectoris F	10							1			2	2	1		1	3
Diseases of the arteries M	3											2	1			
Diseases of the arteries F	6		1							1				1	1	2
Aneurism M	10								2	1	2	3		1	1	
Aneurism F	7			1					1	2		1			1	1
Embolism M	2											1		1		
Embolism F	3							1		1				1		
Others of this class M	5	4	4													1
Others of this class F	2	2	2													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

GEORGIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	3,887	1,141	1,936	125	89	164	205	137	131	128	127	106	122	83	115	419
Males	2,080	609	1,025	54	44	100	117	74	71	62	74	67	60	56	56	220
Females	1,807	532	911	71	45	64	88	63	60	66	53	39	62	27	59	199
Croup M	379	254	363	13	1			1								1
Croup F	307	202	290	10	1			2	1					1		2
Pneumonia M	1,400	293	551	37	33	91	108	63	61	57	64	53	47	44	41	150
Pneumonia F	1,198	261	501	54	40	57	75	43	51	56	45	30	49	21	38	138
Laryngitis M	5	2	3						1			1	1			
Laryngitis F	3	2	3													
Bronchitis M	131	41	76	2		3	4	3	5	1	5	3	4	1	4	20
Bronchitis F	143	40	78	4	3	3	4	5	4	2	3		4	1	7	25
Pleurisy M	49		4	1	5	2		1	1	2	1	3	4		4	21
Pleurisy F	48	1	4	1	1	3	4	5	2	2		3	2	2	6	13
Asthma M	42	4	5	1	1	1		2	1		2	3	2	5	5	14
Asthma F	42	1	3				1	3	1	3	3	3	4	2	5	14
Others of this class M	73	15	23		4	3	5	4	2	2	2	4	2	6	2	14
Others of this class F	66	25	32	2		1	4	5	1	3	2	3	3		5	7
5. Diseases of the digestive system.	1,835	478	948	59	36	46	71	64	51	66	66	65	47	46	59	211
Males	931	257	485	31	21	14	29	28	30	25	29	32	30	24	33	120
Females	904	221	463	28	15	32	42	36	21	41	37	33	17	22	26	91
Dentition M	183	69	182													1
Dentition F	210	71	210													
Angina M	28	14	24	1					1			1				1
Angina F	32	4	11	6	2	2		2	1		3	1	2			2
Gastritis M	119	23	48	6		2	2	2	4	4	6	10	7	6	3	19
Gastritis F	109	16	29	5	3	5	7	10	7	7	4	7	3	3	6	13
Diseases of the stomach M	36	6	13	1		2	1	1	1	3	4	1		1	4	4
Diseases of the stomach F	37	10	18	1		1	1	4	2	2		1	1		1	5
Obstruction of the bowels M	24	1	4		1		2	2	1	1	2	2	2		3	4
Obstruction of the bowels F	20		2			2	4	1	1	1	2	2		1		4
Appendicitis M	37	1	2	3	8	3	4	5	2	1	3	1	1	1		3
Appendicitis F	19			2	2	4		3	1	1	2			1	2	1
Hernia M	23	2	3						1	2	3	2	2		2	8
Hernia F	13									2	2	2		1	2	4
Other diseases of the bowels M	78	22	41	2		1	3	3	3	2	1	1	2	2	3	14
Other diseases of the bowels F	56	15	28	1		3	2	1	3	3	3	2		1	1	8
Jaundice M	49	31	36		1		1	1	4	2		1		1	1	1
Jaundice F	41	21	22	1		1	3	3	1	4				1		5
Inflammation and abscess of the liver M	35	2	4	1	2	1	1	2	5	2	1	2	2		4	8
Inflammation and abscess of the liver F	29	4	6		1		1		1	4	2	3	1	2	1	7
Other diseases of the liver M	50	7	10	3	1		2	3	3	2	1	3	3	7	3	9
Other diseases of the liver F	40	6	11	1	1	1	2		1	2	5	2	3	1	3	7
Peritonitis M	46	2	7	5	3	3	6	6	1	1		3	2	1	2	6
Peritonitis F	70	4	8	2	2	9	15	6	1	9	7	4	1	1	1	4
Ascites M	40		1		2	1	4	1	1	3	2	2	1	3	2	16
Ascites F	42		5	2	3	1	1	2	2	3	2	3	2	4	2	10
Others of this class M	183	77	109	0	3	1	3	2	3	2	6	3	8	2	6	26
Others of this class F	186	70	113	7	1	3	6	4		3	5	6	4	6	7	21
6. Diseases of the urinary system and male organs of generation.	607	17	42	13	6	16	26	26	30	36	29	46	42	53	50	192
Males	419	12	26	9	4	8	13	17	13	19	18	31	27	38	40	156
Females	188	5	16	4	2	8	13	9	17	17	11	15	15	15	10	36
Bright's disease M	252			4	3	5	8	12	9	15	14	28	17	29	22	86
Bright's disease F	130			3	1	6	9	7	13	10	9	13	11	11	8	29
Calculus, urinary M	21	1	2	2	1					2		1			2	11
Calculus, urinary F	5	1	3				1							1		
Diseases of the kidney M	59	9	22	3		2	1	3	2			1	3	2	5	15
Diseases of the kidney F	23	2	8		1		3	1	1	1	1		2	1	1	3
Diseases of the bladder M	41					1	1	1		1	1		3	2	6	25
Diseases of the bladder F	4	1	1								1		1			1
Others of this class M	46	2	2				3	1	2	1	3	1	4	5	5	19
Others of this class F	26	1	4	1		2		1	3	6		2	1	2	1	3
7. Diseases of the female organs of generation.	103				4	9	8	7	5	15	16	16	10	5	1	7
Ovarian tumors	7									2		2	1	1		1
Ovarian diseases	5					1	1	1		1				1		
Diseases of the tubes	2					1		1								
Uterine tumors	13								2	3	4	2	1			1
Uterine diseases	24					1	1	2	2	7	2		3	2	1	3
Others of this class	52				4	6	5	3	1	2	10	12	5	1		2

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

GEORGIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	374				2	53	103	74	49	51	22	5				4
Abortion	19					3	2	5	4	3	1					1
Childbirth	242				2	45	62	38	33	39	15	5				3
Puerperal septicemia	87					12	28	27	8	8	3	1				
Extra-uterine pregnancy	4						1	1	1		1					
Others of this class	22					3	10	3	3	1	2					
9. Disease of the bones and joints	61	10	25	7	2	6	3	4	1	2		1	2	2	1	5
Males	32	4	13	4	2	3	2	3		1				1	1	2
Females	29	6	12	3		3	1	1	1	1		1	2	1		3
Disease of the spine M	18	4	10	1	1	2		2		1				1		
Disease of the spine F	20	6	12	2		1	1			1		1	1	1		
Abscess, lumbar and psoas. M																
Abscess, lumbar and psoas. F	1												1			
Diseases of the bones M	7		2	2			1	1							1	
Diseases of the bones F	4					2		1								1
Diseases of the hip-joint. M	1		1													
Diseases of the hip-joint. F	1															1
Others of this class M	6			1	1	1	1									2
Others of this class F	3			1					1							1
10. Diseases of the skin	73	15	24	1	4	4	3	3	5	3	4	3	6	1	5	7
Males	30	7	9	1	3	1	2		3	1	2	1	3		2	2
Females	43	8	15		1	3	1	3	2	2	2	2	3	1	3	5
Abscess M	13	1	1		2	1	1		2	1	1	1	1		1	1
Abscess F	12	3	5					1		1	1	2	1		1	
Carbuncle M	5		1		1						1		1			1
Carbuncle F	12		1			1	1	2		1	1				1	1
Others of this class M	12	6	7	1			1		1				1		1	
Others of this class F	19	5	9		1	2			2				2	1	1	1
11. Diseases of the absorbent system.	11	1	3	1			2			2		1		1		1
Males	7	1	2	1			1			2						1
Females	4		1				1					1		1		
Addison's disease M																
Addison's disease F	1						1									
Diseases of the spleen M	2						1			1						
Diseases of the spleen F																
Others of this class M	5	1	2	1						1						1
Others of this class F	3		1									1		1		
12. Accidents and injuries	1,506	207	452	109	77	123	174	137	80	54	41	60	48	24	25	102
Males	1,027	104	229	49	47	101	145	116	69	44	32	52	42	18	21	62
Females	479	103	223	60	30	22	29	21	11	10	9	8	6	6	4	40
Burns and scalds M	155	13	106	22	8	2	7	3	2			1	3			6
Burns and scalds F	216	8	102	48	14	7	11	6	2	4	3	2	4	2	2	9
Drowning M	66		4	5	4	12	13	10	4	3		2	1	1	3	1
Drowning F	18	1	8		3	1	2	1	1		1			1		
Exposure and neglect M	19	10	11	1					3							4
Exposure and neglect F	26	18	18			2	1								1	4
Gunshot wounds M	181	1	4	5	14	25	39	26	17	12	8	9	8	2	3	9
Gunshot wounds F	27	1	2	2	7	5	4	4	2		1					
Homicide M	98				3	8	23	23	5	8	5	4	11	1		7
Homicide F	11			1	1	2	3	3								1
Infanticide M	3	3	3													
Infanticide F																
Injuries by machinery. M	12					3	2	2	2			1	1			1
Injuries by machinery. F																
Railroad accidents M	82				3	12	20	13	8	8	4	5	3	1	4	1
Railroad accidents F	7			1			1			2					1	2
Suffocation M	59	47	50		1		1	1		1		2			1	2
Suffocation F	53	46	49	1				1								2
Suicide by shooting M	12						3	1			2	2	1	1	1	1
Suicide by shooting F																
Suicide by drowning M																
Suicide by drowning F	1										1					
Suicide by poison M	5						3	2								
Suicide by poison F	3						1	2								
Other suicides M	23					1	3	1	4	3	2	4	1	1	1	2
Other suicides F	4						1		1	1	1					
Sunstroke M	14				1	1	3		4			1	1	1	1	1
Sunstroke F	4	1	1				1									2
Surgical operations M	4	1	2												1	1
Surgical operations F	5	1	1				1		1	1		1				
Wounds M	15	2	2	1		1	2		1	1	3	1				3
Wounds F	2			1		1										
Others of this class M	279	27	47	12	18	36	26	34	19	8	8	20	12	10	6	23
Others of this class F	102	27	42	6	5	4	3	4	4	2	2	5	2	3		20

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

IDAHO.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	1,242	214	361	73	60	57	47	48	53	54	55	48	48	64	59	215
Males	762	121	196	38	26	31	22	27	31	31	33	37	35	48	45	162
Females	480	93	165	35	34	26	25	21	22	23	22	11	13	16	14	53
Unknown cause	108	39	51	5	7	3	3	3	1		2	6		2	5	20
Males	57	23	30	2	3			2			1	4		1	2	12
Females	51	16	21	3	4	3	3	1	1		1	2		1	3	8
1. General diseases.																
General diseases—A	248	62	120	27	22	13	9	9	8	3	4	5	3	8	4	13
Males	129	34	60	14	8	7	2	7	3	3	1	5	2	6	2	9
Females	119	28	60	13	14	6	7	2	5		3		1	2	2	4
Measles M	3			1		1		1								
Measles F	7	2	5		1	1										
Scarlet fever M	10	2	6	2	2											
Scarlet fever F	9	2	6			1	1		1							
Diphtheria M	9		3	4	2											
Diphtheria F	21		4	10	5	1			1							
Whooping cough M	17	8	15	1							1					
Whooping cough F	21	8	17		2	1								1		
Malarial fever M	2		1												1	
Malarial fever F	2		1						1							
Influenza M	6	3	5													1
Influenza F	5		2			1			1						1	
Typhoid fever M	20		1	2	1	4	2	2	2	2		2	1	1		
Typhoid fever F	17		1	3	5	1	3	1	1		1					
Cholera morbus M	12	5	5	3	2									1		1
Cholera morbus F	10	4	5				1				2			1		1
Colitis M																
Colitis F																
Diarrhea M	2	1	1													1
Diarrhea F	2		1													1
Dysentery M	9	1	2	1		1		2								3
Dysentery F	4	1	2					1					1			
Enteritis M	4	2	2									1				1
Enteritis F																
Cholera infantum M	12	8	12													
Cholera infantum F	10	7	10													
Fever M	3							1	1					1		
Fever F	1		1													
Cerebro-spinal fever M	9		1			1				1		2		2	1	1
Cerebro-spinal fever F	3	2	3													
Smallpox M	2	2	2													
Smallpox F	4	1	1												1	2
Erysipelas M	1												1			
Erysipelas F																
Septicemia M	5	1	2		1			1						1		
Septicemia F	3	1	1				2									
Venereal diseases M																
Venereal diseases F																
Others of this group M	3	1	2													1
Others of this group F																
General diseases—B	16	5	7				2	1		1	1		1			3
Males	13	4	5				2			1	1		1			3
Females	3	1	2					1								
Alcoholism M	5									1	1		1			2
Alcoholism F																
Parasitic diseases M	1	1	1													
Parasitic diseases F																
Lead poison M																
Lead poison F																
Other poisons M	4		1				2									1
Other poisons F	3	1	2					1								
Inanition M	3	3	3													
Inanition F																
General diseases—C	74	23	24	1		1			1				2	2	4	39
Males	49	15	16	1		1							1	2	2	26
Females	25	8	8						1				1		2	13
Old age M	21														1	20
Old age F	14														2	12
Premature birth M	9	9	9													
Premature birth F	4	4	4													
Malformation M	3	3	3													
Malformation F																
Debility and atrophy M	14	1	2	1		1							1	2	1	6
Debility and atrophy F	4	1	1						1				1			1
Others of this group M	2	2	2													
Others of this group F	3	3	3													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

IDAHO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	158	2	11	7	9	12	5	12	10	13	11	8	12	11	11	26
Males	86		5	4	1	5	2	5	7	6	5	4	9	8	7	18
Females	72	2	6	3	8	7	3	7	3	7	6	4	3	3	4	8
Anemia M																
Anemia F																
Diabetes M	4							1								3
Diabetes F	2				2											
Rheumatism M	7										1		2	1		2
Rheumatism F	4					1	1									2
Scrofula and tabes M	2		1													1
Scrofula and tabes F																
Hydrocephalus M	3		1	1	1											
Hydrocephalus F	2	1	2													
Tuberculosis, general M	1					1										
Tuberculosis, general F																
Consumption M	43		3	3		3	2	4	9	4	4	4	3	3	1	3
Consumption F	43	1	3	3	4	6	2	7	3	5	2	3	2	1	1	1
Cancer M	18								1	2			2	1	5	7
Cancer F	10									2	2		1	2	2	1
Tumor M	2					1							1			
Tumor F	3				1										1	1
Dropsy M	6													3	1	2
Dropsy F	8		1		1						2	1				3
Others of this group M																
Others of this group F																
2. Diseases of the nervous system	88	17	25	2	2	3	3		3	2	6	1	7	5	4	25
Males	53	6	9	1	1	3	2		3		3	1	4	2	3	21
Females	35	11	16	1	1		1			2	3		3	3	1	4
Inflammation of the brain M	7	3	5			1							1			
Inflammation of the brain F	6	4	5		1											
Meningitis M	2			1		1										
Meningitis F	5	1	3	1			1									
Apoplexy M	8								1							7
Apoplexy F	3									1				2		
Paralysis M	17		1								2		2	2		10
Paralysis F	9		1										2	1	1	4
Paralysis, general (of insane.) M	2											1			1	
Paralysis, general (of insane.) F																
Tetanus and trismus nascentium. M																
Tetanus and trismus nascentium. F																
Chorea M	1															1
Chorea F																
Epilepsy M	3						2									1
Epilepsy F	1	1	1													
Convulsions M	3	2	2						1							
Convulsions F	5	5	5													
Mental diseases M	2					1										1
Mental diseases F																
Diseases of the brain M	7	1	1		1				1				1		2	1
Diseases of the brain F	1		1													
Diseases of the spinal cord. M																
Diseases of the spinal cord. F																
Locomotor ataxia M																
Locomotor ataxia F																
Others of this class M	1										1					
Others of this class F	5									1	3		1			
3. Diseases of the circulatory system.	69	10	11	3	1	4	5	3	2	3	1	4	3	6	9	14
Males	37	3	4	1		2	1		2	2		3	2	4	7	9
Females	32	7	7	2	1	2	4	3		1	1	1	1	2	2	5
Pericarditis M																
Pericarditis F	1														1	
Diseases of the heart M	35	2	3	1		2	1		2	2		3	2	4	6	9
Diseases of the heart F	29	7	7	2	1	2	4	3		1		1	1	1	1	5
Angina pectoris M																
Angina pectoris F																
Diseases of the arteries. M																
Diseases of the arteries. F																
Aneurism M	1														1	
Aneurism F	2										1			1		
Embolism M																
Embolism F																
Others of this class M	1	1	1													
Others of this class F																

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

IDAHO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	217	37	67	10	7	6	7	6	11	9	10	12	10	19	11	32
Males	159	25	43	5	2	4	6	4	8	5	10	11	9	15	11	26
Females	58	12	24	5	5	2	1	2	3	4		1	1	4		6
Croup M	8	2	5	2	1											
Croup F	7	3	6	1												
Pneumonia M	134	22	34	8	1	3	5	4	8	4	10	10	8	12	10	22
Pneumonia F	42	8	15	3	5	1	1	3	3	4		1	1	3		3
Laryngitis M	1													1		
Laryngitis F																
Bronchitis M	4		2				1							1		
Bronchitis F	4	1	2	1										1		
Pleurisy M	1													1		
Pleurisy F	1															1
Asthma M	3														1	2
Asthma F	3					1										2
Others of this class M	8	1	2			1				1		1	1			2
Others of this class F	1		1													
5. Diseases of the digestive system.	73	13	17	6	2	5	2	3	3	5	3	3	2	4	2	16
Males	49	8	10	4	1	4		2		3	1	3	1	4	2	14
Females	24	5	7	2	1	1	2	1	3	2	2		1			2
Dentition M																
Dentition F	1		1													
Angina M																
Angina F	1			1												
Gastritis M	6			2						2						2
Gastritis F	3		1						1		1					
Diseases of the stomach M	8	1	2								1			1		4
Diseases of the stomach F	3	2	2							1						
Obstruction of the bowels M																
Obstruction of the bowels F																
Appendicitis M	6		1	1		3		1								
Appendicitis F	2			1		1										
Hernia M	4	2	2									1		1		
Hernia F																
Other diseases of the bowels M	2				1							1				
Other diseases of the bowels F	3	1	1					1		1						
Jaundice M																
Jaundice F																
Inflammation and abscess of the liver M	4	1	1							1				1	1	
Inflammation and abscess of the liver F	2								1							1
Other diseases of the liver M	3	1	1										1	1	1	4
Other diseases of the liver F	1								1							
Peritonitis M	4			1		1						1				1
Peritonitis F	4				1		2				1					
Ascites M	2															2
Ascites F	1															1
Others of this class M	5	3	3					1								1
Others of this class F	3	2	2										1			
6. Diseases of the urinary system and male organs of generation.	37		2	2					2	3	4	1	3	3	5	12
Males	31		2	1					2	2	3	1	2	2	5	11
Females	6			1						1	1		1	1		1
Bright's disease M	18			1					2	2	2	1	1		3	6
Bright's disease F	6			1						1	1		1	1		1
Calculus, urinary M																
Calculus, urinary F																
Diseases of the kidney M	6		2										1			3
Diseases of the kidney F																
Diseases of the bladder M	7										1			2	2	2
Diseases of the bladder F																
Others of this class M																
Others of this class F																
7. Diseases of the female organs of generation.	5					1			1		2	1				
Ovarian tumors																
Ovarian diseases																
Diseases of the tubes																
Uterine tumors	1										1					
Uterine diseases	1								1							
Others of this class	3					1					1	1				

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

IDAHO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	23					3	4	2	4	6	2	1				1
Abortion	2								1							1
Childbirth	14					2	2	1	3	3	2	1				
Puerperal septicemia	6						2	1		3						
Extra-uterine pregnancy																
Others of this class	1					1										
9. Diseases of the bones and joints.	8	2	4	1	1	1			1							
Males	4	1	3		1											
Females	4	1	1	1		1			1							
Diseases of the spine. M	4	1	3		1											
Diseases of the spine. F	3	1	1	1		1										
Abscess, lumbar and psoas. M																
Abscess, lumbar and psoas. F																
Diseases of the bones. M																
Diseases of the bones. F	1								1							
Diseases of the hip-joint. M																
Diseases of the hip-joint. F																
Others of this class. M																
Others of this class. F																
10. Diseases of the skin	4	1	1					1								2
Males	1															1
Females	3	1	1					1								1
Abscess. M																
Abscess. F	3	1	1					1								1
Carbuncle. M																
Carbuncle. F																
Others of this class. M	1															1
Others of this class. F																
11. Diseases of the absorbent system.	1												1			
Males	1												1			
Females																
Addison's disease. M																
Addison's disease. F																
Diseases of the spleen. M	1												1			
Diseases of the spleen. F																
Others of this class. M																
Others of this class. F																
12. Accidents and injuries	113	3	21	9	9	5	7	8	6	9	9	6	4	4	4	12
Males	93	2	9	5	9	5	7	7	6	9	8	5	3	4	4	12
Females	20	1	12	4				1			1	1	1			
Burns and scalds. M	1				1											
Burns and scalds. F	5		3	2												
Drowning. M	12		3	1	3		1	1				1	1			1
Drowning. F	6		4	1								1				
Exposure and neglect. M	2													1		1
Exposure and neglect. F	1	1	1													
Gunshot wounds. M	13		1		2	2	2	1		3				1	1	
Gunshot wounds. F	1		1													
Homicide. M	1								1							
Homicide. F																
Infanticide. M																
Infanticide. F																
Injuries by machinery. M																
Injuries by machinery. F																
Railroad accidents. M	6						2	2	2							
Railroad accidents. F																
Suffocation. M	2								1							1
Suffocation. F																
Suicide by shooting. M																
Suicide by shooting. F	1							1								
Suicide by drowning. M																
Suicide by drowning. F																
Suicide by poison. M																
Suicide by poison. F																
Other suicides. M	8									1	3		1		1	2
Other suicides. F	1												1			
Sunstroke. M	1													1		
Sunstroke. F																
Surgical operations. M																
Surgical operations. F																
Wounds. M																
Wounds. F																
Others of this class. M	47	2	5	4	3	3	2	3	2	5	5	4	1	1	2	7
Others of this class. F	5		3	1							1					

TABLE S.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ILLINOIS.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	61,229	11,169	18,023	2,385	1,413	2,014	2,705	2,824	2,806	2,942	2,719	2,519	2,655	2,699	2,926	12,599
Males	33,641	6,284	9,751	1,247	730	980	1,367	1,430	1,513	1,639	1,643	1,545	1,620	1,617	1,680	6,879
Females	27,588	4,885	8,272	1,138	683	1,034	1,338	1,394	1,293	1,303	1,076	974	1,035	1,082	1,246	5,720
Unknown cause	1,345	563	670	35	17	20	38	34	27	39	37	29	39	54	51	255
Males	733	309	360	19	6	11	14	13	18	20	23	18	21	33	31	146
Females	612	254	310	16	11	9	24	21	9	19	14	11	18	21	20	109
1. General diseases. General diseases—A	11,584	3,368	6,437	1,033	395	440	413	318	266	263	226	193	195	205	210	990
Males	5,981	1,819	3,310	524	175	203	214	173	144	144	125	119	114	110	112	514
Females	5,603	1,549	3,127	509	220	237	199	145	122	119	101	74	81	95	98	476
Measles M	225	55	176	20	7	5		1	3	2	3	3	1		2	2
Measles F	256	52	189	21	8	6	8	4	7	1	2	2	6	1		1
Scarlet fever M	315	25	205	91	7	7	3	1					1			
Scarlet fever F	328	14	204	98	11	9	1	2	1	1						1
Diphtheria M	717	46	389	248	49	16	7	1	2		1	1	1	1		1
Diphtheria F	787	37	465	226	57	22	6	3	4	2	1				1	
Whooping cough M	228	133	219	5							1	2		1		
Whooping cough F	269	148	256	12												1
Malarial fever M	251	41	84	15	10	16	9	16	7	8	10	8	15	6	14	33
Malarial fever F	246	33	85	27	16	8	9	12	12	4	7	5	6	4	8	43
Influenza M	218	26	37	3		5	5	3	5	5	9	9	3	6	15	113
Influenza F	236	16	24	2	1	4	7	3	7	7	11	4	8	14	19	125
Typhoid fever M	1,052	32	94	64	68	116	151	107	103	86	62	41	33	34	26	67
Typhoid fever F	845	21	91	66	93	142	107	69	43	51	33	27	21	24	21	57
Cholera morbus M	203	56	99	15	6	5	2	5	3	2	4	10	10	6	2	34
Cholera morbus F	164	36	58	10	4	8	7	4	7	8	4	4	6	9	7	28
Colitis M	34	11	18		1			1	1	1	2	1			3	6
Colitis F	23	4	6							1	1	1	2		1	11
Diarrhea M	152	39	64	11	2	2	4	6		3	3	2	3	11	6	35
Diarrhea F	98	30	49	8	3		2		1	1				1	3	30
Dysentery M	200	38	92	4	2	3	7	2	3	5	1	5	3	11	8	53
Dysentery F	157	25	63	7	4	5	3	2	2	1	7	5	4	6	4	44
Enteritis M	925	538	756	17	7	10	6	9	4	7	10	6	13	5	13	62
Enteritis F	826	414	612	17	6	9	14	13	13	9	9	13	12	13	13	73
Cholera infantum M	875	627	874													1
Cholera infantum F	832	584	831													1
Fever M	13	7	8		1			1	1							2
Fever F	21	5	13		1		2	2		1	1					1
Cerebro-spinal fever M	92	26	45	11	3	8	3	9	1	8	2	3		2		2
Cerebro-spinal fever F	85	22	47	8	8	3	2	2	2	2	5		2	1	1	2
Smallpox M	17	6	7				1	1		2		2	2	2		
Smallpox F	8	2	2		1		1		1		2				1	
Erysipelas M	52	16	20	1		2	3	3	3	4	4	5	5	7	7	18
Erysipelas F	90	26	30		2	6	2	7	3	5	5		5	8	5	12
Septicemia M	193	70	44	13	11	6	12	6	6	8	8	11	11	9	11	37
Septicemia F	194	19	35	4	5	13	23	21	16	24	9	7	4	11	6	16
Venereal diseases M	98	57	60	1		1	1		2	5	4	5	10	6	1	2
Venereal diseases F	78	55	57	1		1	4	1	1	1	3	3	1	2	1	2
Others of this group M	91	10	19	5	1	1		1		3	1	4	3	3	4	46
Others of this group F	60	6	10	2		1	1		2		1	3	4	1	7	28
General diseases—B	1,438	924	1,013	11	5	11	21	37	38	64	53	45	34	23	17	66
Males	889	516	567	5	3	7	11	24	30	52	44	41	25	19	14	47
Females	549	408	446	6	2	4	10	13	8	12	9	4	9	4	3	19
Alcoholism M	222			1			5	16	20	44	35	32	23	15	11	20
Alcoholism F	23						1	7		5	3	1	6			
Parasitic diseases M	6		4	1							1					
Parasitic diseases F	5	1	8	1						1						
Lead poison M	2					1			1							
Lead poison F																
Other poisons M	107	9	27	3	2	5	5	8	8	8	8	9	2	8	3	16
Other poisons F	85	8	25	5	2	4	9	6	7	5	5	2	3	3	3	6
Inanition M	552	507	536		1	1	1		1					1		11
Inanition F	436	399	418						1	1	1	1		1		13
General diseases—C	2,921	1,095	1,115	2		2	1	4	3	8	3	2	6	19	41	1,715
Males	1,441	580	592			2	1	4	2	3	3	1	4	8	23	798
Females	1,480	515	523	2					1	5		1	2	11	18	917
Old age M	732														15	717
Old age F	854														13	841
Premature birth M	359	359	359													
Premature birth F	322	322	322													
Malformation M	98	94	96			1								1		
Malformation F	86	85	86													
Debility and atrophy M	200	75	85			1	1	4	2	3	3	1	4	7	8	81
Debility and atrophy F	182	72	79	2					1	5		1	2	11	5	76
Others of this group M	52	52	52													
Others of this group F	36	36	36													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ILLINOIS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	10,974	301	623	161	171	557	1,018	1,081	1,007	947	821	736	750	698	640	1,764
Males	5,627	172	348	79	60	185	471	508	518	494	457	404	429	395	320	959
Females	5,347	129	275	82	111	372	547	573	489	453	364	332	321	303	320	805
Anemia M	68	7	7	1	1	1	1	1	4	2	8	6	7	5	11	13
Anemia F	80	2	6	2	2	3	5	4	7	7	6	5	11	4	3	15
Diabetes M	171	1	5	7	9	7	11	4	7	14	8	8	11	15	13	52
Diabetes F	120	.....	4	3	4	5	8	2	5	6	4	4	13	11	15	36
Rheumatism M	145	2	11	4	4	6	6	4	10	5	6	8	12	7	11	51
Rheumatism F	150	2	9	8	11	5	4	2	7	4	8	7	13	10	10	52
Scrofula and tabes M	89	14	27	5	.....	5	8	4	3	4	3	3	7	4	2	14
Scrofula and tabes F	102	19	32	1	4	10	6	5	8	4	4	8	5	2	2	10
Hydrocephalus M	132	52	100	12	5	3	1	.....	3	3	1	2	1	.....	1	.....
Hydrocephalus F	94	29	64	12	6	1	1	4	.....	2	1	3	.....	.....	.....	.....
Tuberculosis, general M	45	4	8	.....	2	3	2	5	5	5	3	4	2	2	1	3
Tuberculosis, general F	44	3	5	2	3	2	7	7	4	2	1	4	2	2	.....	3
Consumption M	3,607	60	131	35	27	149	427	475	458	418	348	277	245	190	125	302
Consumption F	3,179	56	108	35	71	334	501	523	403	320	210	142	119	99	91	223
Cancer M	938	2	8	2	.....	2	5	8	17	35	54	77	112	139	126	358
Cancer F	1,164	3	8	6	2	2	4	14	34	76	104	131	134	148	164	337
Tumor M	121	8	14	4	1	5	3	2	6	5	10	8	10	16	11	25
Tumor F	151	4	10	5	3	3	7	4	10	20	15	8	11	9	19	27
Dropsy M	244	2	9	4	5	1	6	3	4	3	11	10	20	13	19	136
Dropsy F	230	1	9	6	5	7	4	4	10	10	9	18	13	18	16	101
Others of this group M	67	20	33	5	6	2	1	2	1	.....	5	1	2	4	.....	5
Others of this group F	33	10	20	2	.....	.....	.....	3	1	2	2	2	.....	.....	.....	1
2. Diseases of the nervous system	7,279	1,745	2,591	242	153	151	137	134	211	259	217	251	293	301	398	1,941
Males	4,116	1,020	1,452	117	83	88	74	80	133	159	128	151	173	185	210	1,083
Females	3,163	725	1,139	125	70	63	63	54	78	100	89	100	120	116	188	858
Inflammation of the brain M	247	94	166	11	9	8	6	5	8	2	4	4	6	4	2	12
Inflammation of the brain F	205	76	147	15	11	4	6	4	4	1	3	2	.....	1	1	6
Meningitis M	735	257	465	70	33	29	20	15	14	24	12	12	8	7	6	20
Meningitis F	583	175	364	77	28	16	18	14	20	12	5	7	5	5	3	9
Apoplexy M	737	13	18	2	3	1	7	11	19	26	34	46	51	70	78	371
Apoplexy F	512	4	13	2	2	3	8	7	10	18	25	28	39	41	54	262
Paralysis M	691	8	21	6	3	6	4	10	18	25	20	28	37	42	55	416
Paralysis F	637	4	16	3	3	6	2	8	8	11	20	20	35	36	70	404
Paralysis, general (of insane) M	120	.....	.....	.....	.....	.....	.....	1	16	21	12	23	13	7	10	17
Paralysis, general (of insane) F	50	.....	.....	.....	.....	.....	2	2	7	5	5	3	4	6	4	12
Tetanus and trismus nascentium M	97	35	36	7	15	7	8	3	6	.....	1	3	3	5	2	1
Tetanus and trismus nascentium F	29	17	17	2	1	3	.....	1	.....	1	1	.....	.....	1	1	1
Chorea M	3	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....
Chorea F	11	.....	2	.....	4	2	1	.....	.....	.....	.....	1	.....	.....	1	.....
Epilepsy M	112	8	11	5	3	19	7	6	12	9	9	5	6	2	6	9
Epilepsy F	73	1	3	2	6	6	8	6	5	7	3	3	3	4	4	13
Convulsions M	651	539	627	2	6	2	1	2	1	1	.....	.....	2	.....	1	6
Convulsions F	511	396	477	6	4	4	3	2	2	2	.....	.....	.....	.....	3	8
Mental diseases M	220	.....	.....	.....	.....	3	7	7	12	21	18	7	22	18	21	84
Mental diseases F	146	.....	.....	.....	1	3	1	4	10	22	14	8	7	10	18	48
Diseases of the brain M	335	56	92	11	8	10	9	12	19	17	10	10	15	16	16	90
Diseases of the brain F	254	46	87	15	9	11	5	8	8	8	3	13	15	6	13	53
Diseases of the spinal cord M	68	6	10	3	3	3	2	2	2	7	2	4	5	8	4	13
Diseases of the spinal cord F	40	6	12	2	1	.....	1	.....	.....	3	.....	4	4	1	6	6
Locomotor ataxia M	37	.....	.....	.....	.....	.....	1	1	4	3	3	4	4	4	2	11
Locomotor ataxia F	17	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	3	2	2	5
Others of this class M	63	4	5	.....	.....	.....	1	5	2	3	3	2	1	2	5	33
Others of this class F	95	.....	1	1	.....	5	8	3	4	9	8	9	5	3	8	31
3. Diseases of the circulatory system.	4,468	181	240	115	112	101	125	134	170	185	241	272	318	361	421	1,673
Males	2,430	104	137	55	47	54	56	58	79	103	141	148	180	212	257	903
Females	2,038	77	103	60	65	47	69	76	91	82	100	124	138	149	164	770
Pericarditis M	53	1	2	2	4	4	3	4	2	3	4	4	7	3	1	10
Pericarditis F	37	1	1	5	4	1	1	2	1	.....	3	2	2	3	2	10
Diseases of the heart M	2,091	74	105	53	42	49	52	48	73	89	117	129	152	178	220	784
Diseases of the heart F	1,814	62	87	53	60	42	64	64	81	77	90	104	126	130	147	689
Angina pectoris M	99	.....	.....	.....	1	.....	1	3	.....	5	10	6	13	8	21	31
Angina pectoris F	91	.....	.....	2	1	.....	3	5	4	3	4	13	7	9	8	32
Diseases of the arteries M	96	.....	.....	.....	.....	.....	.....	2	1	2	4	2	.....	9	11	65
Diseases of the arteries F	35	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	2	3	27
Aneurism M	46	.....	.....	.....	.....	1	.....	1	2	4	5	7	7	11	2	6
Aneurism F	18	.....	.....	.....	.....	2	1	2	1	1	2	1	1	1	2	4
Embolism M	19	4	4	.....	.....	.....	.....	.....	1	.....	1	.....	1	3	2	7
Embolism F	25	1	1	.....	.....	2	.....	3	3	1	1	1	2	4	2	5
Others of this class M	26	25	26	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Others of this class F	18	13	14	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	3

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ILLINOIS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	9,948	2,125	3,873	391	144	214	251	281	306	389	384	348	391	445	481	2,050
Males	5,544	1,242	2,154	208	75	124	153	171	174	231	241	228	240	265	257	1,023
Females	4,404	883	1,719	183	69	90	98	110	132	158	143	120	151	180	224	1,027
Croup M	305	93	228	65	6	2	1				1					2
Croup F	258	75	208	42	5	1	2									
Pneumonia M	3,931	721	1,320	105	57	104	136	144	151	202	207	197	191	201	203	713
Pneumonia F	3,011	480	1,005	112	55	73	77	93	111	128	124	101	125	141	171	695
Laryngitis M	26	3	15	5	3				1		1				1	
Laryngitis F	18		12	2					1							3
Bronchitis M	822	351	500	18	4	4	6	8	4	12	11	12	17	26	25	175
Bronchitis F	797	269	412	21	5	8	9	7	9	5	9	15	15	27	36	219
Pleurisy M	90	1	10	2	3	2	3	11	8	6	8	5	7	5	2	18
Pleurisy F	65	3	7	2	1	4	4	5	3	8	3	1	3	2	3	19
Asthma M	97	3	4					1		2	2	3	9	14	10	52
Asthma F	86	1	1	1	1	1				4	3	1	2	4	10	58
Others of this class M	273	65	77	13	2	12	7	7	10	9	11	11	16	19	16	63
Others of this class F	169	55	74	3	2	3	6	5	8	13	4	2	5	5	4	33
5. Diseases of the digestive system.	3,684	591	837	133	151	144	144	167	161	182	219	195	216	235	207	693
Males	2,027	360	495	74	76	78	71	83	81	84	125	111	123	143	120	363
Females	1,657	231	342	59	75	66	73	84	80	98	94	84	93	92	87	330
Dentition M	15	10	15													
Dentition F	19	10	19													
Angina M	47	12	29	7	1	1	1	1	5						1	1
Angina F	39	4	14	11	5	3	1		1			1		1		2
Gastritis M	261	53	80	7	3	5	4	7	7	7	10	19	16	25	17	54
Gastritis F	217	40	55	9	6	6	4	7	2	9	11	11	10	12	14	61
Diseases of the stomach M	222	47	63	9	6	3	7	8	5	8	9	21	10	15	10	50
Diseases of the stomach F	197	27	48	4	7	6	9	10	5	11	7	9	10	10	14	47
Obstruction of the bowels M	140	21	28	8	3	9	6	4	5	3	8	8	10	8	9	31
Obstruction of the bowels F	147	14	20	2	4	4	4	5	10	11	14	11	5	13	7	37
Appendicitis M	297	2	9	21	39	44	36	32	25	24	24	10	6	7	8	12
Appendicitis F	181		7	17	32	27	20	14	14	14	8	7	8	5	1	7
Hernia M	78	13	14		1	1	2	1	1	1	8	8	3	6	4	28
Hernia F	68	4	4					1	1	7	5	5	12	3	9	21
Other diseases of the bowels M	106	26	39	1	3	1	5	3	2	4	4	1	7	7	2	27
Other diseases of the bowels F	69	16	23	1	3	2	1	3	8	2	3	1		2	4	16
Jaundice M	84	57	61	2				1	1		5	1	2	2	4	5
Jaundice F	74	30	39	1			2	3	1	1	1	2	2	2	2	18
Inflammation and abscess of the liver M	95	6	10	3	3		2	4	7	5	9	2	11	9	9	21
Inflammation and abscess of the liver F	94	2	13	2	4		2	5	8	5	4	6	6	9	11	19
Other diseases of the liver M	313	7	10	3	2	2		7	12	18	30	25	41	43	37	83
Other diseases of the liver F	151	4	5	1	1		3	2	7	13	10	17	15	15	12	50
Peritonitis M	147	13	23	9	14	12	6	12	8	9	12	11	9	7	8	12
Peritonitis F	199	8	20	9	10	16	25	28	18	20	17	6	7	9	5	9
Ascites M	23	2	4		1					1	1		2	1	6	7
Ascites F	28	1	2			1			1	1	2	1	2	2	2	14
Others of this class M	199	91	110	4			2	5	3	4	5	5	6	13	10	32
Others of this class F	174	59	73	2	8	1	2	6	4	4	12	7	16	9	6	29
6. Diseases of the urinary system and male organs of generation.	2,674	68	136	57	48	42	83	88	131	129	131	180	172	194	273	1,010
Males	1,714	39	65	30	28	18	37	38	73	56	83	100	113	122	184	757
Females	960	29	71	27	20	24	46	50	58	63	48	80	59	72	89	253
Bright's disease M	1,188			20	22	15	25	33	64	54	68	76	87	95	153	476
Bright's disease F	728			21	15	15	32	37	45	54	42	69	51	63	78	206
Calculus, urinary M	17										1		3	3	3	7
Calculus, urinary F	5	1	1				1					1	1			1
Diseases of the kidney M	209	25	49	2	4	2	5	1	6	5	4	9	6	8	8	100
Diseases of the kidney F	121	21	59	3	4	6	3	1	5		3	3	6	4	6	18
Diseases of the bladder M	118	1	3	1		1	2	2	1	1	2	1	5	4	7	88
Diseases of the bladder F	17	1	1			1	1	1	1	1					1	10
Others of this class M	182	13	13	7	2		5	7	2	6	8	14	12	12	13	86
Others of this class F	89	6	10	3	1	2	9	11	7	8	3	7	1	5	4	18
7. Diseases of the female organs of generation.	247			1		12	33	38	49	38	30	8	14	5	9	15
Ovarian tumors	31			1			2	3	8		3		2	2	3	7
Ovarian diseases	18					2	3	2	4	3	2	1	1			
Diseases of the tubes	57					5	6	13	17	9	7					
Uterine tumors	49						1	4	7	8	11	5	6	1	3	3
Uterine diseases	23						6	4	3	6	2		1			1
Others of this class	69					5	15	12	10	7	5	2	4	2	3	4

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ILLINOIS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	581				2	35	110	159	111	104	48	9	1			2
Abortion	57					2	7	15	10	14	5	1	1			2
Childbirth	209					16	35	51	39	42	21	5				
Puerperal septicemia	240				2	10	50	74	49	36	17	2				
Extra-uterine pregnancy	18						3	7	5	3						
Others of this class	57					7	15	12	8	9	5	1				
9. Diseases of the bones and joints.	178	39	69	15	13	8	10	6	7	6	8	8	7	6	4	11
Males	113	29	45	8	8	5	6	5	4	5	6	6	5		3	7
Females	65	10	24	7	5	3	4	1	3	1	2	2	2	6	1	4
Diseases of the spine. M	68	26	41	5	3	3	2	1	2	3	1	1	1		2	3
Diseases of the spine. F	42	10	21	4	1	2	3	1	2	1	1			4	1	1
Abscess, lumbar and psoas. M	4						1	1		1					1	
Abscess, lumbar and psoas. F																
Diseases of the bones. M	28	3	4	2	4	2	3	2	2		1	2	2			4
Diseases of the bones. F	17		2	3	4	1	1		1		1	1	2			1
Diseases of the hip-joint. M	7			1	1			1		1	2		1			
Diseases of the hip-joint. F	2		1													1
Others of this class. M	6										2	3	1			
Others of this class. F	4											1		2		1
10. Diseases of the skin	143	40	51	2	4	5	3	4	3	10	5	5	6	6	6	33
Males	80	20	27	1	2		3	2		7	1	5	5	5	2	20
Females	63	20	24	1	2	5		2	3	3	4		1	1	4	13
Abscess. M	40	4	10	1	2		2	2		6	1	3	3	4		6
Abscess. F	34	8	11	1	1	4		2	2	2	3			1	1	6
Carbuncle. M	10						1					1	1		1	6
Carbuncle. F	5	1	2							1					1	1
Others of this class. M	30	16	17							1		1	1	1	1	8
Others of this class. F	24	11	11		1	1			1		1		1		2	6
11. Diseases of the absorbent system.	48	2	6	3	3	2	2	4	5	2	3	3	3	3	3	6
Males	29	2	5	2	3	1	1	2	3	1	3	1	2		3	2
Females	19		1	1		1	1	2	2	1		2	1	3		4
Addison's disease. M	8						1	2	1		1	1	1		1	
Addison's disease. F	5							1		1			1	1		1
Diseases of the spleen. M	5	2	3		1				1						1	
Diseases of the spleen. F	7						1	1	1					1		3
Others of this class. M	15		2	2	2	1			1	1	2		1		1	2
Others of this class. F	7		1	1		1			1			2		1		
12. Accidents and injuries	3,717	127	362	184	195	270	316	335	311	322	293	235	210	144	165	375
Males	2,917	72	194	125	164	204	255	269	254	270	263	212	186	120	144	257
Females	800	55	168	59	31	66	61	66	57	52	30	23	24	24	21	118
Burns and scalds. M	127	5	63	11	2	1	5	2	10	6	4	6	3	3	1	10
Burns and scalds. F	188	4	67	36	11	10	9	12	14	6	5	3	1	3	2	9
Drowning. M	272	2	22	22	53	34	17	19	15	14	18	13	9	7	6	23
Drowning. F	36	2	12	2		6	3	3		1	1	1	1	2		4
Exposure and neglect. M	14	8	9						1	1		1				2
Exposure and neglect. F	11	6	7			1							1	1		1
Gunshot wounds. M	145	1	1	8	22	35	20	15	8	9	10	3	2	3	4	5
Gunshot wounds. F	25		2	1	2	3	5	4	3	1	1		1		1	1
Homicide. M	118		1	5	3	5	23	16	17	17	10	6	4	2	4	5
Homicide. F	34		1	4	2	2	5	2	7	2	1	2	1	1		3
Infanticide. M	1	1	1													
Infanticide. F																
Injuries by machinery. M	29					2	5	6	3	4	3	2	2	1		1
Injuries by machinery. F	1										1					
Railroad accidents. M	606	1	2	26	34	47	67	73	58	63	56	48	39	20	28	45
Railroad accidents. F	61		10	7	5	6	3	3	3	3	5	2	4	1		9
Suffocation. M	104	23	28	3	1	4	7	6	7	12	13	8	3	1	6	5
Suffocation. F	44	18	26	2	1	4	3	2	1	2						3
Suicide by shooting. M	151				1	3	12	24	17	20	21	18	16	11	1	8
Suicide by shooting. F	12					3	2		2	1	1			1		2
Suicide by drowning. M	14					1				3	2	5	2		1	
Suicide by drowning. F	4					1	2					1				
Suicide by poison. M	92					2	7	11	11	10	15	7	13	4	7	5
Suicide by poison. F	64				1	16	8	12	9	8	3	2	2	1	2	
Other suicides. M	197					4	6	16	15	15	33	15	23	14	26	30
Other suicides. F	51					6	6	10	1	11		2	2	2	3	8
Sunstroke. M	49				1		4	5	5	3	8	2	7	4	3	6
Sunstroke. F	12	2	3		1		1			1	1		1	1	1	2
Surgical operations. M	19	1	4	2			1	1		2		3	1	1	1	3
Surgical operations. F	35	1	1		1	1	4	7	5	5	3	5	1	1		1
Wounds. M	40		2	2		5	5	4	3	6	3	2	5	2		1
Wounds. F	3						1	1								1
Others of this class. M	939	30	61	46	47	62	76	71	83	85	67	73	57	47	56	108
Others of this class. F	219	22	39	7	7	7	8	10	12	11	8	5	9	10	12	74

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

INDIANA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	33,586	5,850	8,970	1,054	837	1,430	1,669	1,537	1,398	1,335	1,244	1,282	1,260	1,532	1,619	8,419
Males	17,454	3,294	4,898	520	407	652	797	681	663	615	608	658	695	829	883	4,548
Females	16,132	2,556	4,072	534	430	778	872	856	735	720	636	624	565	703	736	3,871
Unknown cause	621	307	340	7	7	13	11	12	16	11	9	16	11	25	22	121
Males	342	180	201	4	3	6	5	7	10	5	2	8	6	14	13	58
Females	279	127	139	3	4	7	6	5	6	6	7	8	5	11	9	63
1. General diseases. General diseases—A	6,303	1,389	2,696	430	292	369	275	242	219	185	181	146	103	162	152	851
Males	3,192	765	1,410	184	115	173	155	124	110	98	87	77	60	90	82	427
Females	3,111	624	1,286	246	177	196	120	118	109	87	94	69	43	72	70	424
Measles M	44	16	31	3	2		3	2	1				1	1		
Measles F	63	12	35	6			6	2	2	2	5		2			3
Scarlet fever M	70	4	42	22	4	1	1									
Scarlet fever F	94	3	57	29	5	3										
Diphtheria M	236	13	115	76	27	11	1		2	1						3
Diphtheria F	287	11	121	103	40	14		1		1	1	1	1	1		3
Whooping cough M	93	68	88	3												2
Whooping cough F	108	68	104	3	1											
Malarial fever M	168	22	49	5	8	14	10	6	6	8	4	5	4	9	5	35
Malarial fever F	172	14	34	8	15	9	7	9	16	5	6	7	3	7	9	37
Influenza M	210	23	31	1	1	2	2	3	2	7	8	8	5	8	11	121
Influenza F	246	13	23	2	1	7	3	7	3	7	11	10	7	9	12	144
Typhoid fever M	766	10	53	42	51	107	114	91	74	62	42	39	15	26	14	36
Typhoid fever F	730	16	67	56	90	140	60	50	57	38	41	29	12	23	18	49
Cholera morbus M	140	43	77	2	5	6	1	1	1	2	2	4	1	5	9	24
Cholera morbus F	132	41	72	6	4	1	5	5	5	1	1	4	2	3	3	20
Colitis M	32	7	24				1						2	1	2	2
Colitis F	28	7	18		2		1						1	2		4
Diarrhea M	151	27	46	3	3		1	2		1	3	4	6	12	11	59
Diarrhea F	63	20	33	1	1		2		1	2	1			1	1	20
Dysentery M	247	47	142	5	1	1	5	1	4	4	5	3	6	7	10	53
Dysentery F	232	33	127	11	2	1	2	4		3	3	3	3	9	12	52
Enteritis M	251	121	181	5	2	3	2	1	6	1	8	4	3	4	7	24
Enteritis F	229	82	144	8		3	2	3	1	5	4	5	4	7	9	34
Cholera infantum M	404	282	404													
Cholera infantum F	358	245	358													
Fever M	8	2	3			1					1		1			2
Fever F	5			2					1							2
Cerebro-spinal fever M	116	32	62	10	4	17	5	5	4	4	2	1			1	1
Cerebro-spinal fever F	76	19	41	7	12	2	4	3	2	1	2	1	1			
Smallpox M	9	2	4			1	1		1					1		1
Smallpox F	10	2	2	1	1			1		1	2				1	1
Erysipelas M	56	16	18	1	1	1		5	2	1	3	1	4	2	3	14
Erysipelas F	45	11	15	1		2	2	2	3		3	1	1	2	1	12
Septicemia M	102	13	21	4	5	5	4	5	5	4	8	4	7	10	7	18
Septicemia F	177	17	20	2	3	14	24	30	17	21	12	6	2	5	3	18
Venereal diseases M	31	11	12			1			2	2	1	3	3	4		3
Venereal diseases F	20	7	9				2		1		1	2	3	1		1
Others of this group M	58	6	7	2	1	2	4	2		1	5	1	2		2	29
Others of this group F	36	3	6					1			1		1	2	1	24
General diseases—B	836	578	623	6	3	8	16	9	17	16	19	15	24	7	11	62
Males	474	310	333	2	1	2	9	5	12	15	18	10	21	6	10	30
Females	362	268	290	4	2	6	7	4	5	1	1	5	3	1	1	32
Alcoholism M	50							3	4	8	7	5	13	4	1	5
Alcoholism F	5										1					4
Parasitic diseases M	5	1	2					1			1					1
Parasitic diseases F	2		2													
Lead poison M	1										1					
Lead poison F																
Other poisons M	73	4	10	1	1	2	9	1	8	5	9	4	8	1	7	6
Other poisons F	48	6	13	3	2	6	6	4	4	1		3	2	1	1	2
Inanition M	345	305	321	1						1		1		1	2	18
Inanition F	307	262	275	1			1		1			2	1			26
General diseases—C	2,340	1,015	1,046	4	1	2	2	5	6	7	6	8	9	15	27	1,202
Males	1,227	574	594	3	1	1			3	1	2	5	2	7	18	590
Females	1,113	441	452	1		1	2	5	3	6	4	3	7	8	9	612
Old age M	482														4	478
Old age F	522														3	519
Premature birth M	404	404	404													
Premature birth F	301	301	301													
Malformation M	68	66	67											1		
Malformation F	54	54	54													
Debility and atrophy M	261	92	111	3	1	1			3	1	2	5	2	6	14	112
Debility and atrophy F	222	73	84	1		1	2	5	3	5	4	3	7	8	6	93
Others of this group M	12	12	12													
Others of this group F	14	13	13							1						

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

INDIANA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	6,657	207	404	86	117	461	681	660	510	436	412	426	374	411	418	1,261
Males	2,949	122	228	42	39	164	277	266	207	183	172	191	171	195	195	619
Females	3,708	85	176	44	78	297	404	394	303	253	240	235	203	216	223	642
Anemia M	35	10	13	1	1		1	1			1	1	2	2	2	10
Anemia F	61	7	8	2	1	3	1	2	2	7	2	4	1	4	5	14
Diabetes M	119		3	4	4	10	3	3	7	3	2	7	3	8	17	45
Diabetes F	78	1	3	2	2	7	2	1	2	4	1	8	2	12	9	18
Rheumatism M	118	2	5	8	8	7	7	6	3	4	5	3	4	9	11	38
Rheumatism F	103	1	8	5	4	10	8	1	2	4	4	6	7	5	9	35
Scrofula and tabes M	66	12	23	4		7	3	3	1	3	1	3	2	4	2	10
Scrofula and tabes F	83	8	19	1	4	7	4	7	9	2		2	4	4	1	19
Hydrocephalus M	93	36	67	9	2	3	2	2	2	3	2					1
Hydrocephalus F	69	21	49	4	5	6		1	2	1					1	
Tuberculosis, general M	30	1	2		1	4	2	3	3	2	3	2	1	4	1	2
Tuberculosis, general F	21		1	1	3		2	4	1	1		3	1			4
Consumption M	1,846	49	94	12	16	130	250	243	180	150	134	131	100	115	82	209
Consumption F	2,386	33	71	25	52	260	378	363	264	190	174	135	89	83	91	211
Cancer M	419		2		1	1		2	6	15	19	28	45	44	54	202
Cancer F	617	3	4		2		3	6	16	31	36	62	75	86	77	219
Tumor M	28		1	1	1		1		3	2	2	3	4	1	4	5
Tumor F	67	2	2				3	2	2	4	3	6	6	5	5	20
Dropsy M	178	5	10	1	4	1	8	3	2	1	3	10	10	8	22	95
Dropsy F	199	2	7	4	5	1	1	7	3	8	9	9	11	16	20	98
Others of this group M	17	7	8	2	1	1						3				2
Others of this group F	24	7	9			3	2			1	1		2	1	1	4
2. Diseases of the nervous system	4,136	769	1,177	125	87	104	101	80	101	112	141	154	148	228	242	1,336
Males	2,273	444	661	65	45	56	51	46	54	59	74	81	77	125	133	746
Females	1,863	325	516	60	42	48	50	34	47	53	67	73	71	103	109	590
Inflammation of the brain M	163	64	114	14	5	4	2	2		1	1	1		5	5	9
Inflammation of the brain F	132	48	94	9	5	1	5	2	2	1	6	1		2		4
Meningitis M	350	117	211	30	14	16	15	9	14	7	5	7	4	4	2	12
Meningitis F	269	86	165	26	15	13	11	4	5	7	5	3	2	3	5	5
Apoplexy M	409	2	2		1	2	3	4	10	12	17	19	22	46	47	224
Apoplexy F	334	5	9	1	4	6	4	4	4	6	11	27	21	27	36	174
Paralysis M	563	4	9	3	3	4	3	5	6	16	19	20	25	34	48	368
Paralysis F	502	6	9	4		8	6	3	8	11	18	16	23	38	53	305
Paralysis, general (of insane) M	25								3	5	5	4	1	2	3	2
Paralysis, general (of insane) F	11				1				1		1	2		1		5
Tetanus and trismus nascentium M	50	19	19	6	9	2	2	5	1	2		1			2	1
Tetanus and trismus nascentium F	17	4	4	2		1	2	1	2	2			2	1		
Chorea M	2		1									1				
Chorea F	5				3	2										
Epilepsy M	69	1	3	1	6	16	11	4	5	5	5	4	1	1		7
Epilepsy F	62	3	6	2	2	5	6	5	10	7	5	2	2	2	3	5
Convulsions M	232	184	211	1	1	1	2	3	1		1	3	4	1		3
Convulsions F	172	118	147	2	3	1	2	6	1		3	2	2	1		2
Mental diseases M	54						4	2	3	2	5	3	2	7	5	21
Mental diseases F	48						4	1	4	5	5	5	6	2	1	15
Diseases of the brain M	260	46	80	7	4	8	8	8	10	7	14	10	10	13	13	68
Diseases of the brain F	189	49	70	12	7	6	4	3	5	7	7	6	11	11	3	37
Diseases of the spinal cord M	38	6	10	2	1	1		1		2	1	3	5	6	2	4
Diseases of the spinal cord F	31	5	10	1		2			3	2		4		2	1	6
Locomotor ataxia M	22				1			2	1		1	2	2	1	3	9
Locomotor ataxia F	13		1						1	1	2			2	2	4
Others of this class M	36	1	1	1		2	1	1				3	1	5	3	18
Others of this class F	78	1	1	1	2	3	6	5	1	4	4	5	2	11	5	28
3. Diseases of the circulatory system	2,458	194	224	30	33	40	52	51	74	75	87	103	143	216	213	1,117
Males	1,367	111	133	18	14	11	23	24	29	34	41	59	73	119	122	667
Females	1,091	83	91	12	19	29	29	27	45	41	46	44	70	97	91	450
Pericarditis M	24	3	3	2		1				1	1	2	2	1	1	10
Pericarditis F	17	1	1		3	1	2	2					2	1	1	4
Diseases of the heart M	1,180	72	90	16	14	9	21	23	28	30	31	54	58	111	108	587
Diseases of the heart F	970	54	62	12	14	27	22	23	40	39	45	41	68	89	81	407
Angina pectoris M	82					1	2	1	1	3	7	3	11	5	8	40
Angina pectoris F	50				1	1	3	2	4	1		3		4	7	24
Diseases of the arteries M	29												1	2	3	23
Diseases of the arteries F	14														1	13
Aneurism M	7										1		1		1	4
Aneurism F	6				1									3	1	1
Embolism M	4										1				1	2
Embolism F	6						2		1	1	1					1
Others of this class M	41	36	40													1
Others of this class F	28	28	28													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

INDIANA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	4,332	847	1,584	183	96	106	121	109	123	146	116	145	155	147	229	1,072
Males	2,219	466	840	92	44	59	61	55	61	80	58	73	102	81	108	505
Females	2,113	381	744	91	52	47	60	54	62	66	58	72	53	66	121	567
Croup M	164	29	126	35	8											
Croup F	154	35	117	32	2	2										1
Pneumonia M	1,518	292	502	44	36	50	53	44	49	71	50	54	79	62	89	335
Pneumonia F	1,401	220	426	41	44	34	49	45	48	52	49	61	41	51	93	367
Laryngitis M	19	2	11	3	1	1						1		1		1
Laryngitis F	20	3	7	4	1	1	1		1					2		3
Bronchitis M	256	90	134	5		1	5	4	3	2	1	5	6	7	5	78
Bronchitis F	295	80	132	7	2	4	2	4	6	5	6	2	4	7	10	104
Pleurisy M	33			1		3		2	2	3	4		1	1	4	12
Pleurisy F	26	1	1	1		1	1	1	3			3	3		2	10
Asthma M	59	2	3	1				2	1		1	1	5	2	2	40
Asthma F	55	2	2		1							1	1	1	6	43
Others of this class M	170	51	64	3	4	4	3	3	6	4	2	12	10	8	8	39
Others of this class F	162	40	59	6	2	5	7	4	4	9	3	5	4	5	10	39
5. Diseases of the digestive system.	2,140	302	458	81	75	90	99	107	78	109	82	83	115	131	124	508
Males	1,077	174	253	51	50	41	44	34	28	31	36	38	63	68	76	264
Females	1,063	128	205	30	25	49	55	73	50	78	46	45	52	63	48	244
Dentition M	13	5	12													1
Dentition F	7	1	7													
Angina M	38	6	15	10	6	2	2								1	2
Angina F	29	2	8	8	5	2	1		1	2			1	1		
Gastritis M	153	27	39	6		1	4	1	4	3	4	2	7	12	20	50
Gastritis F	160	15	25	5	1	5	5	10	6	3	3	5	7	13	5	64
Diseases of the stomach. M	129	19	30	6	2	3	2	5	3	1	3	4	9	7	9	45
Diseases of the stomach. F	123	18	33	1	3	5	6	6	2	9	6	2	7	7	4	32
Obstruction of the bowels. M	91	15	18	5	5	6	3	3	4	4	2	4	6	6	2	23
Obstruction of the bowels. F	73	8	14	2	1	1	1	5	3	3	5	4	7	6	5	16
Appendicitis M	103	1	3	4	23	13	16	10	2	6	1	5	7	2	7	4
Appendicitis F	42	1	2	3	3	8	7	5	2	2	2	2	2	1	1	2
Hernia M	30	3	3	1	1	2	3	1		2	1	1		2	3	10
Hernia F	25	2	2					1		2	2		4	4	3	7
Other diseases of the bowels. M	57	16	21	2	2		2	1	1	1	1	2		4		20
Other diseases of the bowels. F	52	17	25	2			2	2	3	2	2		2	1		11
Jaundice M	48	16	18	4		1	3		1		2		4	3	2	10
Jaundice F	33	16	16			1			2	2	1	1	1		3	6
Inflammation and abscess of the liver. M	64	1	2	2	1	1	2	1	5	4	4	2	7	5	8	20
Inflammation and abscess of the liver. F	69	3	7				3	2	2	10	1	7	4	4	7	22
Other diseases of the liver. M	132	8	9	3		1	1	4	4	3	13	7	10	16	17	44
Other diseases of the liver. F	113	2	3	1		1	2	2	3	7	7	12	9	17	10	39
Peritonitis M	96	5	17	7	10	10	4	7	2	2	5	10	6	6	1	9
Peritonitis F	216	9	17	4	11	26	26	33	24	32	12	8	4	2	4	13
Ascites M	15		1						1	2			1			10
Ascites F	18		1	1	1		2	1			2		2	2		6
Others of this class M	108	52	65	1		1	2	1	1	3		1	6	5	5	16
Others of this class F	103	34	45	3				5	2	4	3	4	2	5	3	26
6. Diseases of the urinary system and male organs of generation.	1,378	44	70	23	18	35	49	40	44	56	57	64	76	107	121	618
Males	860	26	37	9	7	13	16	13	20	18	36	29	40	63	81	478
Females	518	18	33	14	11	22	33	27	24	38	21	35	36	44	40	140
Bright's disease M	551			4	6	9	9	8	16	13	29	23	32	44	58	300
Bright's disease F	377			11	8	17	22	19	17	31	15	31	30	37	30	109
Calculus, urinary M	3							1								2
Calculus, urinary F	1	1	1													
Diseases of the kidney M	81	11	20	4	1	2	3	1	1	1	2	1	1	5	6	32
Diseases of the kidney F	60	9	21	1	2	1	4	1		5	2	1	5	3	3	11
Diseases of the bladder. M	84					1	1	3	1	2	2	2	2	5	8	57
Diseases of the bladder. F	16	1	1	1				1	2			1		2	1	7
Others of this class M	141	15	17	1		1	3		2	2	3	3	5	8	9	87
Others of this class F	64	7	10	1	1	4	7	6	5	2	4	2	1	2	6	13
7. Diseases of the female organs of generation.	131	1	2		3	12	8	18	15	18	10	15	7	7	4	12
Ovarian tumors	23						2	2	1	1	2	3	2	3	2	5
Ovarian diseases	11						2	3	2	1		1		1	1	
Diseases of the tubes	4					1			2	1						
Uterine tumors	24								3	7	5	4		2		3
Uterine diseases	15						3	5	1	4					1	1
Others of this class	54	1	2		3	11	1	8	6	4	3	7	5	1		3

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

INDIANA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	267				1	31	60	71	36	42	22					1
Abortion	26					4	3	5	6	5	1					
Childbirth	75					6	11	17	13	13	14					1
Puerperal septicemia	124					16	38	37	14	13	3					3
Extra-uterine pregnancy	5							1	1	3						
Others of this class	37				1	5	8	10	2	7	4					
9. Diseases of the bones and joints.	111	26	46	4	6	10	8	6	2	3	3	4	2	4	1	12
Males	62	18	28	3	3	5	4	4	2	2	1			1		9
Females	49	8	18	1	3	5	4	2		1	2	4	2	3	1	3
Diseases of the spine. M	36	17	23	1	1	2	1		1	1	1					5
Diseases of the spine. F	32	7	17	1	1	4	2	1		1		1		2		2
Abscess, lumbar and psoas. M	2						2									
Abscess, lumbar and psoas. F	4					1					1	1	1			
Diseases of the bones. M	13		3	1	2	1		2	1							3
Diseases of the bones. F	6	1	1		1		1				1		1			1
Diseases of the hip-joint. M	7			1		2	1	2		1						
Diseases of the hip-joint. F	4				1		1	1				1				
Others of this class. M	4	1	2											1		1
Others of this class. F	3											1		1	1	
10. Diseases of the skin	54	12	19	4	2	1		1	4	3	3	1		4	3	9
Males	35	7	10	3	2	1			2	2	2			4	2	7
Females	19	5	9	1				1	2	1	1	1			1	2
Abscess. M	20	2	3	3	2	1			1	1	1			3		5
Abscess. F	7	2	3	1					1	1	1					
Carbuncle. M	5								1	1				1		2
Carbuncle. F	2											1				1
Others of this class. M	10	5	7								1				2	
Others of this class. F	10	3	6					1	1						1	1
11. Diseases of the absorbent system.	32	2	2	4	1	3		2	1	3	1	2	3	3	2	5
Males	18	1	1	4	1	2				1		1	1	2	2	3
Females	14	1	1			1		2	1	2	1	1	2	1		2
Addison's disease. M	3					1				1						1
Addison's disease. F	4									1	1	1	1			
Diseases of the spleen. M	8			1	1	1						1	1	1	2	
Diseases of the spleen. F	3								1	1						1
Others of this class. M	7	1	1	3										1		2
Others of this class. F	7	1	1			1		2					1	1		1
12. Accidents and injuries	1,790	157	279	67	95	145	186	124	152	113	95	100	90	65	50	229
Males	1,359	96	169	40	82	118	152	103	125	86	79	86	79	54	41	145
Females	431	61	110	27	13	27	34	21	27	27	16	14	11	11	9	84
Burns and scalds. M	80	5	44	3	1	7	5	6	4	1	2		2	1	1	3
Burns and scalds. F	23	2	32	13	4	7	4	5	5	3	4	2		1	1	12
Drowning. M	105		7	15	18	15	15	9	6	2	5	2	2	3	1	5
Drowning. F	22		2	1	8	5	3	2	1	1		3	1			
Exposure and neglect. M	9	2	2									1	1		1	4
Exposure and neglect. F	10	7	9				1									
Gunshot wounds. M	116		3	3	14	21	20	9	7	11	7	5	2	3	3	7
Gunshot wounds. F	18	1	3	4	1	1	3	3		1		1		1		
Homicide. M	37			1	3	2	7	4	5	6	3	2	1	1		2
Homicide. F	6					3	2	1								
Infanticide. M																
Infanticide. F	2	2	2													
Injuries by machinery. M	6		1		1	1						2				1
Injuries by machinery. F	1									1						
Railroad accidents. M	246		1	5	12	17	37	29	37	26	9	16	18	9	8	22
Railroad accidents. F	20		1	2	2	1	2	1	1		1	2	2	1	1	3
Suffocation. M	85	56	62		1	1	3	1	3	3		2	1	1	1	5
Suffocation. F	53	33	36	1	1	1			1	2	3	1				7
Suicide by shooting. M	44					1	6	5	4	5	5	3	8		2	5
Suicide by shooting. F	3						1				1	1				
Suicide by drowning. M	4						1							1		2
Suicide by drowning. F	2							1	1							
Suicide by poison. M	32				1	1	2	4	7	1	3	4	2	1	3	3
Suicide by poison. F	17					5	5	1	2	1	2					1
Other suicides. M	69				2	3	5	4	5	2	6	6	11	9	1	14
Other suicides. F	15						4		3	3		1	2	1		1
Sunstroke. M	14	1	1			1		2	1	2		1	1	1	3	1
Sunstroke. F	2											1				1
Surgical operations. M	12	4	5	1			1	1		1	1			1		1
Surgical operations. F	13						1	2	2	4	1		1			2
Wounds. M	15				1	2	6	1	1		2		1			1
Wounds. F	4	1	1						1						1	1
Others of this class. M	485	28	42	12	28	46	43	28	45	26	36	42	28	23	17	69
Others of this class. F	150	15	24	6	2	4	8	5	10	11	4	2	5	7	5	56

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

INDIAN TERRITORY.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	5,286	1,220	2,467	364	216	305	273	248	206	162	165	176	147	114	128	315
Males	2,795	668	1,298	190	112	155	136	116	106	82	76	100	91	69	85	179
Females	2,491	552	1,169	174	104	150	137	132	100	80	89	76	56	45	43	136
Unknown cause	537	269	368	33	11	15	7	14	12	10	8	10	10	9	7	23
Males	271	157	202	14	7	4	1	4	6	5	4	1	7	6	4	6
Females	266	112	166	19	4	11	6	10	6	5	4	9	3	3	3	17
1. General diseases.																
General diseases—A	1,960	418	1,106	186	90	118	78	78	51	43	32	40	22	22	30	64
Males	1,055	215	581	103	47	63	44	37	34	22	13	23	12	16	19	41
Females	905	203	525	83	43	55	34	41	17	21	19	17	10	6	11	23
Measles M	168	31	107	14	13	9	5	2	5	2	1	4				6
Measles F	174	27	97	16	11	10	10	6	7	7	4	1	1	2	2	
Scarlet fever M	16	2	12	2	2											
Scarlet fever F	10	1	8		1		1									
Diphtheria M	17	3	14	2									1			
Diphtheria F	7		3	3						1						
Whooping cough M	44	24	40	2								1				1
Whooping cough F	69	38	63	4	2											
Malarial fever M	191	23	67	33	9	15	12	13	7	9	5	3	2	6	6	7
Malarial fever F	163	24	71	21	6	15	7	13	3	3	2	5	6	3	1	7
Influenza M	19	2	4			2	1		1		2	2			3	4
Influenza F	17	6	9			2		1			1				2	2
Typhoid fever M	187	14	47	31	12	20	13	15	16	4	2	8	5	4	3	7
Typhoid fever F	134	9	34	19	17	17	9	11	2	6	4	7	1	1	3	3
Cholera morbus M	24	7	18	2			2								2	
Cholera morbus F	24	7	17	1				2		1	1	1				1
Colitis M	2	1	2													
Colitis F	2	1	1													1
Diarrhea M	26	5	18	1	2								1			4
Diarrhea F	21	10	17	2	1										1	
Dysentery M	94	20	66	3	3	2	2	1	1	1		4		4	2	5
Dysentery F	77	20	61	5		2	1	1				1			2	4
Enteritis M	44	10	30	6	1	3	1		1						2	
Enteritis F	37	12	25	2	1	2		1	1	1			2			2
Cholera infantum M	109	49	109													
Cholera infantum F	79	32	79													
Fever M	23	7	16	2	1		2							1		1
Fever F	30	7	21	2	2	1	1	2		1						
Cerebro-spinal fever M	36	8	15	2	2	5	3	2	1	1	2		1		2	
Cerebro-spinal fever F	24	7	14	2	1	1	2	1			1	1				1
Smallpox M	24	3	5	1		4	2	2	2	4			1		2	1
Smallpox F	9			1		2		1	1	1	2	1				
Erysipelas M	9	3	5		1					1		1				1
Erysipelas F	4			2							1					1
Septicemia M	18	1	4	2		3	1	2			1		1	1		3
Septicemia F	21	2	4	2	1	2	3	2	3		3					1
Venereal diseases M	2	1	1													1
Venereal diseases F																
Others of this group M	2	1	1		1											
Others of this group F	3		1	1		1										
General diseases—B	53	25	39	1	1		1		1	2		2	3	1	1	1
Males	31	16	22	1			1		1	2		2	1	1		
Females	22	9	17		1								2		1	1
Alcoholism M	2									1			1			
Alcoholism F																
Parasitic diseases M	3	1	3													
Parasitic diseases F	2		2													
Lead poison M																
Lead poison F																
Other poisons M	13	4	7				1		1	1		2		1		
Other poisons F	7	1	5										1			1
Inanition M	13	11	12	1												
Inanition F	13	8	10		1								1		1	
General diseases—C	121	79	84											1	3	33
Males	66	43	46												2	18
Females	55	36	38											1	1	15
Old age M	16														1	15
Old age F	14															14
Premature birth M	41	41	41													
Premature birth F	29	29	29													
Malformation M	1	1	1													
Malformation F	4	3	4													
Debility and atrophy M	8	1	4												1	3
Debility and atrophy F	6	2	3											1	1	1
Others of this group M																
Others of this group F	2	2	2													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

INDIAN TERRITORY—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	496	26	58	12	12	40	59	55	58	36	33	29	28	16	22	38
Males	227	12	26	4	4	16	30	25	20	15	14	13	16	6	17	21
Females	269	14	32	8	8	24	29	30	38	21	19	16	12	10	5	17
Anemia M																
Anemia F																
Diabetes M	6						1	1	1			1				2
Diabetes F	1															1
Rheumatism M	11			1		2					1	1	1	2	1	2
Rheumatism F	9		1	1					3	1		2		1		
Scrofula and tabes M	14	2	4			2	2	3					1		2	
Scrofula and tabes F	15	2	5	1	1		3	1		1	1		1		1	
Hydrocephalus M	4	2	4													
Hydrocephalus F	5	2	3		1								1			
Tuberculosis, general M																
Tuberculosis, general F																
Consumption M	156	7	15		2	11	24	21	17	14	9	9	14	3	7	10
Consumption F	189	8	16	5	5	23	23	26	29	12	14	9	8	6	3	10
Cancer M	9		1						2	1	1				3	1
Cancer F	19	1	2					1	1	4	2	4	2	1	1	1
Tumor M	3				1	1					1					
Tumor F	1						1									
Dropsy M	24	1	2	3	1		3				2	2		1	4	6
Dropsy F	29	1	5	1		1	2	2	5	3	2	1		2		5
Others of this group M																
Others of this group F	1				1											
2. Diseases of the nervous system	425	95	210	44	32	32	17	12	7	5	7	9	9	6	8	26
Males	223	49	102	21	17	18	9	6	7	4	3	6	6	4	6	14
Females	202	46	108	23	15	14	8	6		1	4	3	3	2	3	12
Inflammation of the brain. M	34	8	20	5	1	4	1		1			1		1		
Inflammation of the brain. F	33	13	22	7	3			1								
Meningitis M	75	13	32	6	9	10	5	2	4	1	2	3		1		
Meningitis F	81	16	41	10	8	10	3	3			2	1		1		2
Apoplexy M	8		1	1		1						1			3	1
Apoplexy F	4				1										1	2
Paralysis M	24	1	2	1	1			2		1			4	1	2	10
Paralysis F	18		1			2	2					1	2	1	2	7
Paralysis, general (of insane). M																
Paralysis, general (of insane). F																
Tetanus and trismus nascentium. M	2	1	2													
Tetanus and trismus nascentium. F	1		1													
Chorea M																
Chorea F																
Epilepsy M	7		1	2	2			1								1
Epilepsy F	1		1													
Convulsions M	13	9	11		1			1								
Convulsions F	11	5	9			1	1									
Mental diseases M	1										1					
Mental diseases F																
Diseases of the brain M	57	16	32	6	3	3	3		2	2		1	1	1	1	2
Diseases of the brain F	50	12	33	4	3	1	2	2		1	2	1	1			
Diseases of the spinal cord. M	1	1	1													
Diseases of the spinal cord. F	1			1												
Locomotor ataxia M																
Locomotor ataxia F																
Others of this class M	1												1			
Others of this class F	2			1												1
3. Diseases of the circulatory system.	121	8	11	8	9	6	6	4	9	3	8	13	11	9	7	22
Males	64	5	7	2	3	3	2	1	6		4	8	6	2	5	15
Females	57	3	4	1	6	3	4	3	3	3	4	5	5	7	2	7
Pericarditis M	2						1	1								
Pericarditis F																
Diseases of the heart M	57	4	6	2	3	3	1		6		4	7	6	2	5	12
Diseases of the heart F	56	3	4	1	6	3	4	3	2	3	4	5	5	7	2	7
Angina pectoris M	4											1				3
Angina pectoris F	1								1							
Diseases of the arteries. M																
Diseases of the arteries. F																
Aneurism M																
Aneurism F																
Embolism M	1	1	1													
Embolism F																
Others of this class M																
Others of this class F																

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

INDIAN TERRITORY—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	860	196	351	37	32	49	35	36	31	28	53	39	43	32	34	60
Males	497	112	191	19	18	28	22	19	19	18	28	29	28	23	20	35
Females	363	84	160	18	14	21	13	17	12	10	25	10	15	9	14	25
Croup M	84	54	80	4												
Croup F	77	49	72	3	1										1	
Pneumonia M	367	50	92	13	17	24	22	19	18	17	26	27	25	23	17	27
Pneumonia F	245	26	69	13	12	19	13	15	9	9	24	8	14	7	12	21
Laryngitis M																
Laryngitis F																
Bronchitis M	23	7	14		1	1			1			1			1	4
Bronchitis F	26	6	13	2		1			2	1	1	1		1	1	3
Pleurisy M	3		1								1				1	
Pleurisy F	2											1		1		
Asthma M	4			1									1			2
Asthma F	3					1			1							1
Others of this class M	16	1	4	1		3				1	1	1	2		1	2
Others of this class F	10	3	6		1			2					1			
5. Diseases of the digestive system.	332	75	178	25	16	9	18	10	5	8	13	14	7	6	7	15
Males	166	44	90	16	8	4	7	5	2	5	4	5	3	4	5	8
Females	166	31	88	9	8	5	11	5	4	3	9	9	4	2	2	7
Dentition M	14	5	14													
Dentition F	9	7	9													
Angina M	9	4	8		1											
Angina F	8	1	5	1												1
Gastritis M	22	4	13	3			1		1			1			1	2
Gastritis F	30	1	16	2		1					8	3	2	1		2
Diseases of the stomach. M	40	14	22	3	1	3	2			2	2	1	2		2	
Diseases of the stomach. F	40	5	23	2	3	1	3	2	1	1	2	2				
Obstruction of the bowels. M	4	1	1	2	1											
Obstruction of the bowels. F																
Appendicitis M	4			1	1	1			1							
Appendicitis F	2				1				1							
Hernia M																
Hernia F																
Other diseases of the bowels. M	21	8	12	1	1			1		1			1	1		3
Other diseases of the bowels. F	24	4	9	2	2	2	1	1	1		2			1		3
Jaundice M	4	2	2		1					1						
Jaundice F	6	2	2			1	3									
Inflammation and abscess of the liver. M	8		1	2	1		1	1				1		1		
Inflammation and abscess of the liver. F	11		2	1			1		1		1	3	1		1	
Other diseases of the liver. M	10	2	3					1		1	2	1				2
Other diseases of the liver. F	4	1	2								1					1
Peritonitis M	3	1	1		1		1									
Peritonitis F	7		1	1	1		1			2					1	
Ascites M	5						2	1						1	1	1
Ascites F	3		1		1		1									
Others of this class M	21	8	13	4				1				1		1	1	
Others of this class F	22	10	17				1	2				1	1			
6. Diseases of the urinary system and male organs of generation.	56	2	4	1	1	2	2	3	3	2	3	4	7	4	3	17
Males	42	1	2			2	2	1	2	1	2	4	6	3	3	14
Females	14	1	2	1	1			2	1	1	1		1	1		3
Bright's disease M	23						1	1	1	1	1	2	4	3	3	6
Bright's disease F	6				1			1	1					1		2
Calculus, urinary M	3															3
Calculus, urinary F																
Diseases of the kidney. M	10	1	2			1			1		1	1	2			2
Diseases of the kidney. F	4	1	2	1						1						
Diseases of the bladder. M	3											1				2
Diseases of the bladder. F																
Others of this class M	3					1	1									1
Others of this class F	4							1			1		1			1
7. Diseases of the female organs of generation.	18	1	1		1	1	3	2	1		2	3			1	3
Ovarian tumors	1						1									
Ovarian diseases	1										1					
Diseases of the tubes																
Uterine tumors																
Uterine diseases	3							1	1						1	
Others of this class	13	1	1		1	1	2	1			1	3				3

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

INDIAN TERRITORY—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	84					10	24	15	16	13	1	1				4
Abortion	5					1	2	2	2	1						
Childbirth	54					5	16	9	11	8	1	1				3
Puerperal septicemia	19					3	5	4	3	3						1
Extra-uterine pregnancy	1									1						
Others of this class	2					1	1									
9. Diseases of the bones and joints.	22	6	10	1	1	2		1	1	1	1			2		2
Males	12	2	5	1		2		1		1	1					1
Females	10	3	5		1				1					2		1
Diseases of the spine. M	8	2	4	1		1					1					1
Diseases of the spine. F	8	2	4		1				1					1		1
Abscess, lumbar and psoas. M																
Abscess, lumbar and psoas. F	1													1		
Diseases of the bones. M	4	1	1			1		1		1						
Diseases of the bones. F																
Diseases of the hip-joint. M																
Diseases of the hip-joint. F																
Others of this class. M																
Others of this class. F	1	1	1													
10. Diseases of the skin	15	8	9				1	1		2		1	1			
Males	10	7	7					1		1			1			
Females	5	1	2				1			1		1				
Abscess. M	4	1	1					1		1			1			
Abscess. F	3						1			1		1				
Carbuncle. M	1	1	1													
Carbuncle. F																
Others of this class. M	5	5	5													
Others of this class. F	2	1	2													
11. Diseases of the absorbent system.	1	1	1													
Males																
Females	1	1	1													
Addison's disease. M																
Addison's disease. F																
Diseases of the spleen. M																
Diseases of the spleen. F	1	1	1													
Others of this class. M																
Others of this class. F																
12. Accidents and injuries	185	11	37	21	10	21	22	17	10	9	4	11	6	6	4	7
Males	131	4	17	9	8	15	18	16	9	8	3	9	5	4	4	6
Females	54	7	20	12	2	6	4	1	1	1	1	2	1	2		1
Burns and scalds. M	11	1	6	2			1			1		1				
Burns and scalds. F	24	2	11	7	1	2			1		1	1				
Drowning. M	8		2		2	2	2									
Drowning. F	2					1	1									
Exposure and neglect. M	1														1	
Exposure and neglect. F	8		2			2		1		1			1	1		
Gunshot wounds. M	37		1	2	3	2	8	8	1	2	1	3	2	1	1	2
Gunshot wounds. F	3			3												
Homicide. M	11					2		2	3	2		1	1			
Homicide. F	1				1											
Infanticide. M																
Infanticide. F																
Injuries by machinery. M	2			1		1										
Injuries by machinery. F	1					1										
Railroad accidents. M	6					2	1		1	1						1
Railroad accidents. F	1															1
Suffocation. M	2	1	2													
Suffocation. F	3	3	3													
Suicide by shooting. M	2													1		1
Suicide by shooting. F																
Suicide by drowning. M																
Suicide by drowning. F																
Suicide by poison. M																
Suicide by poison. F																
Other suicides. M	3						1							1		1
Other suicides. F	1						1									
Sunstroke. M	2						1			1						
Sunstroke. F																
Surgical operations. M	1							1								
Surgical operations. F																
Wounds. M	1		1													
Wounds. F																
Others of this class. M	44	2	5	4	3	6	4	5	4	1	2	4	2	1	2	1
Others of this class. F	10	2	4	2			2					1		1		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

IOWA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	19,573	3,256	4,811	597	471	754	876	851	741	756	692	650	765	859	973	5,777
Males	10,612	1,884	2,738	305	247	333	411	375	335	387	359	361	394	461	520	3,386
Females	8,961	1,372	2,073	292	224	421	465	476	406	369	333	289	371	398	453	2,391
Unknown cause	720	378	414	10	12	9	13	18	9	12	13	16	10	21	19	144
Males	408	237	257	4	6	3	4	5	3	8	7	8	5	10	10	78
Females	312	141	157	6	6	6	9	13	6	4	6	8	5	11	9	66
1. General diseases. General diseases—A	2,866	712	1,296	217	121	144	140	117	96	92	64	49	68	42	64	356
Males	1,499	395	720	100	49	56	76	57	43	52	24	34	28	29	33	198
Females	1,367	317	576	117	72	88	64	60	53	40	40	15	40	13	31	158
Measles M	20	8	11	3	1	2	1		1							1
Measles F	25	12	17	1	1	1	2	1	1		1					
Scarlet fever M	45	4	33	11	1											
Scarlet fever F	54	5	31	15	4	3	1									
Diphtheria M	143	8	71	46	12	5	4	1	1			1	1			1
Diphtheria F	112	6	39	40	20	10			1							2
Whooping cough M	42	32	41	1												
Whooping cough F	61	35	55	2	2											2
Malarial fever M	46	6	14	6		2		1	2	3		1	3	2	3	9
Malarial fever F	38	3	9	1		2	2		4	3	2	1	5	1	1	7
Influenza M	107	14	18	1		2	4	3		3	1	5	1	4	3	62
Influenza F	99	10	18	2	1		1	2	4	1	1	1	4	1	10	53
Typhoid fever M	289	3	22	8	16	28	53	33	29	33	16	13	7	11	3	17
Typhoid fever F	260	5	21	28	27	49	33	21	19	14	12	7	8	6	1	14
Cholera morbus M	127	40	63	9	7	4	2	6	1	1	2	3	4	4	3	18
Cholera morbus F	127	38	59	9	5	4	3	9	1	4	7	3	4	3		16
Colitis M	17	6	10					1	1		1	1	1			2
Colitis F	7	3	6													1
Diarrhea M	55	15	19	3	3			1				1		1	3	24
Diarrhea F	24	4	9	3	1	3					1				2	5
Dysentery M	72	16	37	2			2	2	2		1		1	2	3	20
Dysentery F	78	14	28	2	1		1						7	2	4	33
Enteritis M	71	42	59	3						1			1		2	5
Enteritis F	50	17	29	1		2	1	2	1	1	1	1			3	8
Cholera infantum M	265	167	264													1
Cholera infantum F	206	132	206													
Fever M	5	2	4			1										1
Fever F	1	1	1													
Cerebro-spinal fever M	43	18	29	3	2	5	1		1			2				
Cerebro-spinal fever F	50	12	21	7	5	5	3	2	2		1		1		1	1
Smallpox M	11	2	3			1		4	1					1		1
Smallpox F	6	1	1	1		1	2	1								
Erysipelas M	22	6	5		3	1	2					1	2		1	4
Erysipelas F	28	8	9	1	1		1	1	1	1	1	2	2		4	4
Septicemia M	82	9	9	3	4	4	4	5	4	6	3	5	6	4	7	18
Septicemia F	116	7	13	3	4	6	14	19	18	14	12		6		2	5
Venereal diseases M	8		1				1			2		1			2	1
Venereal diseases F	2							1		1						
Others of this group M	28	2	4	1		1	2			3			1		3	13
Others of this group F	23	4	4	1		1		1	1	1	1		3		3	7
General diseases—B	304	188	217	4	1	2	7	2	7	9	7	9	5	6	6	22
Males	181	106	118	2	1	1	3	1	6	7	6	6	4	6	5	15
Females	123	82	99	2		1	4	1	1	2	1	3	1		1	7
Alcoholism M	25							1		5	5	2	2	4	3	3
Alcoholism F																
Parasitic diseases M	1		1													
Parasitic diseases F	4	1	5								1					
Lead poison M	3								2	1						
Lead poison F																
Other poisons M	44	3	14	2	1	1	3		4	1	1	4	2	2	1	8
Other poisons F	28	2	10	1		1	4	1	1	2		2	1		1	4
Inanition M	108	103	103												1	4
Inanition F	91	79	86	1								1				3
General diseases—C	1,349	375	386	1	1	2	5	3	1	2	4	2	4	6	16	917
Males	701	216	223			1	1		1	1	1	1	1	2	5	464
Females	648	159	163	1	1	1	4	2		1	3	1	3	4	11	453
Old age M	421														2	419
Old age F	441														8	433
Premature birth M	137	137	137													
Premature birth F	93	93	93													
Malformation M	32	31	32													
Malformation F	32	30	32													
Debility and atrophy M	94	31	37			1	1		1	1	1	1	1	2	3	45
Debility and atrophy F	75	29	31	1	1	1	4	2		1	3	1	3	4	3	20
Others of this group M	17	17	17													
Others of this group F	7	7	7													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

IOWA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	3,471	102	189	40	63	246	305	320	237	189	205	194	214	225	225	819
Males	1,575	50	96	23	27	78	101	125	90	84	94	81	101	107	103	465
Females	1,896	52	93	17	36	168	204	195	147	105	111	113	113	118	122	354
Anemia M	19	4	4	1		2				1			1	2	2	6
Anemia F	37	4	4	1	1	4	1	3	4	4	3	2	1	2	3	4
Diabetes M	93	1	6	6	9	3	4	5	4	4	5		2	4	6	35
Diabetes F	57	1	5	2	4	2	2	1	2	1	5	1	7	4	5	16
Rheumatism M	86	2	4	5	8	7	4	4	3		4	2	2	9	4	30
Rheumatism F	55		2	3	4	3	2	1	1	2	2		5	6	4	20
Scrofula and tabes M	30	3	5	2		1	1	4	5		2	1	1	3	1	4
Scrofula and tabes F	25	4	4		2	3	1		4	1	1	2	3			4
Hydrocephalus M	38	13	21	3	1	3	1	1	2	1	1	2			1	1
Hydrocephalus F	31	15	22	2	1	3	1	1								1
Tuberculosis, general M	17			1		1	1	3	1	1	2		2	3	1	1
Tuberculosis, general F	19	1	4			1	2	1	1	1	3			2	1	3
Consumption M	758	23	43	4	6	52	87	102	67	64	61	45	54	32	27	114
Consumption F	1,047	22	44	6	18	147	186	176	117	69	54	53	31	25	31	90
Cancer M	375	1	4			4	1	4	4	11	14	25	32	45	49	182
Cancer F	426	1	2	1	1	2	5	5	7	20	34	38	48	61	61	141
Tumor M	32	1	2	1	1	2	2		2	1	2	2	2	3	2	10
Tumor F	68	2	2	1	1	1	2	3	6	1	6	10	9	7	9	10
Dropsy M	121	2	4		2	2		2	2	1	2	4	4	6	10	82
Dropsy F	119	1	2		3	1	2	4	5	6	3	6	8	3	8	63
Others of this group M	6		3			1					1		1			
Others of this group F	12	1	2	1	1	1						1	1	3		2
2. Diseases of the nervous system	2,566	435	622	70	46	65	56	54	55	81	86	85	126	130	141	949
Males	1,414	257	349	37	24	23	31	28	27	40	51	45	64	70	73	552
Females	1,152	178	273	33	22	42	25	26	28	41	35	40	62	60	68	397
Inflammation of the brain M	104	46	63	6	5	4	3	2	2	2	4	3	2	2	1	4
Inflammation of the brain F	85	37	59	3	4	3	4	2	2	1		1	2		3	1
Meningitis M	166	57	94	19	8	8	7	7	6	6	2	1	2	3	1	2
Meningitis F	120	35	68	14	7	5	5	4	2	3	1	3		3	2	3
Apoplexy M	279		1		1	1	2	5	4	8	14	11	25	23	22	162
Apoplexy F	224	2	9	1	1	3		6	5	12	11	13	17	14	19	113
Paralysis M	384	5	9	3	1	2	6		2	3	7	11	18	19	33	270
Paralysis F	339	4	10	1	1	5	4	7	1	10	7	10	21	27	26	209
Paralysis, general (of insane) M	39							1	1	5	9	4	2	4	1	12
Paralysis, general (of insane) F	18								2		2	3	1	1	1	8
Tetanus and trismus nascentium M	22	6	6	1	3	1	1	1	2	2	1	1	2	1		
Tetanus and trismus nascentium F	16	1	1	4	2	1		2	1						2	3
Chorea M	1						1									
Chorea F	3				1	1										1
Epilepsy M	43	3	4	3	1	5	3	6	1	3	3	1	2	1	3	7
Epilepsy F	36	2	3	4	2	6	4	1	3	2	1	2	4			4
Convulsions M	138	113	131	1	1					1	1	1				2
Convulsions F	104	77	95	3		2	1		1							2
Mental diseases M	32						2	3	1	3	2	2	3	1	3	12
Mental diseases F	46					2	3	1	3	6	5	4	6	4	2	10
Diseases of the brain M	129	22	31	2	2	1	2	3	6	6	7	7	4	10	2	46
Diseases of the brain F	86	17	22	2	2	8	2	2	4	3	5	1	6	4	2	23
Diseases of the spinal cord M	28	3	6	2	2		4					2	1	3	2	6
Diseases of the spinal cord F	19	3	4		2	1					1	1	2	1	1	6
Locomotor ataxia M	9								1				2		2	4
Locomotor ataxia F	5									1		1		2		1
Others of this class M	40	2	4			1			1	1	1	1		3	3	25
Others of this class F	51		2	1		5	2	1	4	3	2	1	3	4	10	13
3. Diseases of the circulatory system	1,849	131	148	23	31	31	39	53	46	64	63	77	100	125	165	884
Males	1,068	82	88	12	14	12	15	21	17	35	29	42	57	58	92	576
Females	781	49	60	11	17	19	24	32	29	29	34	35	43	67	73	308
Pericarditis M	9													1	1	7
Pericarditis F	5		1		1	1		1								1
Diseases of the heart M	959	65	70	11	12	11	15	20	16	35	28	39	48	51	81	522
Diseases of the heart F	730	46	56	11	15	17	20	28	29	26	33	31	41	62	68	293
Angina pectoris M	37				1	1						1	5	3	6	20
Angina pectoris F	23					1		1		2	1	2	2	3	3	8
Diseases of the arteries M	28							1					1	2	2	22
Diseases of the arteries F	6													1	1	4
Aneurism M	9				1				1				2	1	1	3
Aneurism F	7						1	1		1		2			1	1
Embolism M	6		1	1							1		1			2
Embolism F	5						3	1						1		
Others of this class M	20	17	17									2			1	
Others of this class F	5	3	3		1											1

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

IOWA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	2,600	576	963	110	47	60	64	49	68	74	66	68	82	119	122	708
Males	1,425	339	566	47	27	34	38	23	33	46	31	42	36	69	66	367
Females	1,175	237	397	63	20	26	26	26	35	28	35	26	46	50	56	341
Croup M	98	24	80	15	3											
Croup F	64	17	39	22	2						1					
Pneumonia M	1,004	222	359	23	20	29	35	20	29	39	28	37	31	56	46	252
Pneumonia F	822	145	249	31	12	19	21	18	32	24	32	20	40	36	41	247
Laryngitis M	4	2	2	1												1
Laryngitis F	4	1	2		1											1
Bronchitis M	136	52	73	5	2	1	1						2	3	3	46
Bronchitis F	126	42	62	3	1	2	1	1	1		1	3	3	4	4	40
Pleurisy M	27		2			2		2					1	1	3	16
Pleurisy F	24		1	1	2	1						1	1	3		14
Asthma M	40								1		1	2	1	2	12	21
Asthma F	26			1			1	1		2		1	1	2	4	13
Others of this class M	116	39	50	3	2	2	2	1	3	7	2	3	1	7	2	31
Others of this class F	109	32	44	5	2	4	3	6	2	2	1	1	1	5	7	26
5. Diseases of the digestive system.	1,421	231	331	56	55	54	65	63	52	66	68	45	53	73	89	351
Males	749	137	190	31	24	29	36	28	26	27	40	28	26	33	47	184
Females	672	94	141	25	31	25	29	35	26	39	28	17	27	40	42	167
Dentition M	7	3	7													
Dentition F	4	2	4													
Angina M	15	2	8	1	1		1	1				1				2
Angina F	25	6	13	3	4	1		1		1						2
Gastritis M	113	14	23			1	3	1	2	3	4	5	7	10	8	46
Gastritis F	73	7	12	2	2	1	3	4	3	5	1	2	2	3	12	21
Diseases of the stomach M	79	21	25	1	1		1	1	1	4	3	3	3	3	7	26
Diseases of the stomach F	68	9	14			5	2	4		3	4	1	7	5	3	20
Obstruction of the bowels M	49	9	12	2	1	1	4	3	1	2	1	2	1	1	4	14
Obstruction of the bowels F	54	5	12	4	2	2	2	1	2		4		1	3	3	18
Appendicitis M	104		4	16	11	14	14	11	7	4	9	4	2	2	2	4
Appendicitis F	56		2	8	14	7	5	4	3	6			3			4
Hernia M	28	4	5			3					1	1	1	1	4	11
Hernia F	18	5	5									3	1		3	6
Other diseases of the bowels M	52	19	25	3	1	4	2	2	2	1			1	3	1	7
Other diseases of the bowels F	39	10	16	1			2	2	2	1			1	2		12
Jaundice M	24	9	10			1				1			1		2	9
Jaundice F	24	5	7	1			1	1			2	1		4	1	6
Inflammation and abscess of the liver M	33	2	2			1	2	2	2	2	4	2	3	1	2	10
Inflammation and abscess of the liver F	31	2	2			1	2	1	1	1	4	3	6	1		9
Other diseases of the liver M	78	5	7		2			2	4	5	8	6	5	5	7	27
Other diseases of the liver F	81	7	9					4	4	4	1	3	2	10	9	35
Peritonitis M	74	5	10	7	5	4	8	5	7	4	5	2		3	4	10
Peritonitis F	97	1	5	4	9	8	10	11	3	13	11	2	2	1	4	9
Ascites M	12													2	2	8
Ascites F	17						2				1			1	2	11
Others of this class M	81	44	51	1	2		1			1	5	2	2	2	4	10
Others of this class F	85	35	40	2				2	3	5		2	2	10	5	14
6. Diseases of the urinary system and male organs of generation.	871	24	35	9	15	15	20	27	33	26	35	39	42	65	73	437
Males	600	8	14	6	4	8	10	12	14	12	23	26	20	43	49	359
Females	271	16	21	3	11	7	10	15	19	14	12	13	22	22	24	78
Bright's disease M	392			3	4	7	10	8	12	7	20	16	18	32	36	219
Bright's disease F	182			1	10	5	9	8	13	8	9	9	19	19	18	54
Calculus, urinary M	6							1						1		4
Calculus, urinary F	3										1					2
Diseases of the kidney M	76	7	12	1		1			1	1	2	4	1	4	4	45
Diseases of the kidney F	49	11	16	2	1	1		4	3	2		3	1	1	2	13
Diseases of the bladder M	57	1	1					1	1	1		2	1	1	4	45
Diseases of the bladder F	6														2	4
Others of this class M	69		1	2				2		3	1	4		5	5	46
Others of this class F	31	5	5			1	1	3	3	4	2	1	2	2	2	5
7. Diseases of the female organs of generation.	48				1	3	1	8	7	4	8	6	2	1	3	4
Ovarian tumors	7					1				1	1	1			1	2
Ovarian diseases	5					1		2	2			1				
Diseases of the tubes	2								1	1						
Uterine tumors	10								1	1	4	1	1	1	1	
Uterine diseases	6						1	1	1				1		1	1
Others of this class	17				1	1		5	2	1	3	3				1

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

IOWA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	185					15	38	43	40	36	9	2		1		1
Abortion	7					1	2	2	1	1						
Childbirth	97					7	19	15	26	21	6	1		1		1
Puerperal septicemia	55					5	14	17	7	9	2	1				
Extra-uterine pregnancy	7							5	1		1					
Others of this class	19					2	3	4	5	5						
9. Diseases of the bones and joints.	81	29	39	5	5	4	3	3	4		1	5	2		5	5
Males	44	13	18	2	5	4	1	1	2		1	1	1		4	4
Females	37	16	21	3			2	2	2			4	1		1	1
Diseases of the spine. M	24	11	15	1	1	2			1		1	1			1	1
Diseases of the spine. F	27	15	19	3			1		2			2				
Abscess, lumbar and psoas. M	1														1	
Abscess, lumbar and psoas. F																
Diseases of the bones. M	10	1	2		3	1	1		1						1	1
Diseases of the bones. F	5		1				1	1				1			1	
Diseases of the hip-joint. M	6	1	1	1	1			1					1			1
Diseases of the hip-joint. F	3							1				1				1
Others of this class M	3					1									1	1
Others of this class F	2	1	1										1			
10. Diseases of the skin	41	15	16			2	3	1	2	1	1		3		3	9
Males	21	9	9							1	1		1		2	7
Females	20	6	7			2	3	1	2				2		1	2
Abscess M	12	5	5							1	1		1		1	3
Abscess F	14	3	3			2	3		2				1		1	2
Carbuncle M	2	1	1												1	
Carbuncle F	2							1					1			
Others of this class M	7	3	3													4
Others of this class F	4	2	4													
11. Diseases of the absorbent system.	21	1	4				3	1	3	4		2	1			3
Males	12	1	3				2			1		2	1			3
Females	9		1				1	1	3	3						
Addison's disease M	4						1					2	1			
Addison's disease F	3						1		1	1						
Diseases of the spleen M	3		1							1						1
Diseases of the spleen F	1									1						
Others of this class M	5	1	2				1									2
Others of this class F	5		1					1	2	1						
12. Accidents and injuries	1,180	59	151	52	73	102	114	90	81	96	62	51	53	45	42	168
Males	915	34	87	41	66	84	93	74	73	73	51	45	49	34	31	114
Females	265	25	64	11	7	18	21	16	8	23	11	6	4	11	11	54
Burns and scalds M	46	6	32	4	1	1	1	1		3		1				2
Burns and scalds F	45	4	20	2	1	1	4	3		3				1	3	7
Drowning M	99		11	12	21	20	11	7	6	2	4	1	1	1		2
Drowning F	20		6	3	1	2	1			1					1	5
Exposure and neglect M	7	2	2						1	1		1				2
Exposure and neglect F	4	2	2						1	1						
Gunshot wounds M	53		4	3	7	6	3	9	3	5		5	1	2		5
Gunshot wounds F	8		2	1	1		2	1		1						
Homicide M	21				1	1	4	4	4	1			3		2	1
Homicide F	2						2									
Infanticide M																
Infanticide F																
Injuries by machinery. M	2										1			1		
Injuries by machinery. F	1		1													
Railroad accidents M	147			2	9	18	26	15	13	14	8	7	7	5	6	16
Railroad accidents F	6					1	1	1				1		1		1
Suffocation M	28	18	19	1			1	1	1	1	1	1	2			
Suffocation F	14	10	13	1												
Suicide by shooting M	24						5		3	3	4	1	1	2	2	8
Suicide by shooting F	2					1		1								
Suicide by drowning M	5						1				1		2			1
Suicide by drowning F	3					1				1						1
Suicide by poison M	12								2	2	4	1	1	1		1
Suicide by poison F	6					2				2	1	1				
Other suicides M	54				2	2	5	6	6	5	4	3	5	4	4	8
Other suicides F	13				1	4	1	3	1	1	1		1			
Sunstroke M	20			1	1		1	1	1	2	3	2	2	1		5
Sunstroke F	2		1				1									
Surgical operations M	4	1	1												1	2
Surgical operations F	23					1	4	1	1	6	4	1	2	1	1	1
Wounds M	15			2	1	3	1	3	1	1		1		1	1	
Wounds F	1	1	1													
Others of this class M	378	7	18	16	23	33	34	27	32	33	21	21	24	15	15	66
Others of this class F	115	8	18	4	3	5	5	6	5	7	5	3	1	8	6	39

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

KANSAS.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	16,261	2,939	4,809	631	476	627	796	659	593	590	588	598	615	789	789	3,701
Males	8,978	1,653	2,608	335	239	315	383	325	257	309	315	318	346	500	484	2,244
Females	7,283	1,286	2,201	296	237	312	413	334	336	281	273	280	269	289	305	1,457
Unknown cause	897	436	502	21	12	14	24	12	12	17	11	8	15	26	26	197
Males	488	229	263	15	3	6	9	8	2	10	6	4	8	16	13	125
Females	409	207	239	6	9	8	15	4	10	7	5	4	7	10	13	72
1. General diseases. General diseases—A	3,699	928	1,850	256	163	176	165	123	106	89	80	71	80	74	79	387
Males	1,954	511	970	127	70	91	84	68	50	47	47	43	39	50	46	222
Females	1,745	417	880	129	93	85	81	55	56	42	33	28	41	24	33	165
Measles M	109	29	73	7	4	9	3	2	1	2	2	1	2	1		2
Measles F	111	31	68	12	5	8	1	4	6	2			3	1	1	
Scarlet fever M	32	4	19	9	2									1		1
Scarlet fever F	36	6	22	9	3	1				1						
Diphtheria M	128	10	66	43	14		2						1	1		1
Diphtheria F	115	4	49	44	17	2	1	1						1		
Whooping cough M	117	67	110	2	2		1									2
Whooping cough F	126	62	123	2		1										
Malarial fever M	135	16	43	10	3	4	5	8	7	3	7	1	3	7	4	30
Malarial fever F	126	10	38	14	6	2	10	4	8	6	4	4	4	6	5	15
Influenza M	100	13	22	2	1	1			1	1	3	5	1	2	7	54
Influenza F	75	6	12	2	1	2		3	1	1	3	3	3	5	4	35
Typhoid fever M	358	5	23	26	22	58	54	34	22	21	24	19	16	9	7	23
Typhoid fever F	330	12	42	25	45	50	45	18	15	16	7	11	18	2	11	25
Cholera morbus M	117	37	61	6	8	3	5	3	2	2	1	5	3	6	1	11
Cholera morbus F	103	31	50	6	3	2	4	7	2	4		1	3	1	1	19
Colitis M	11	3	9	1								1				
Colitis F	13	3	8									2		1		2
Diarrhea M	73	17	31	1	3			4					1	5	6	22
Diarrhea F	48	7	24	2	1	2			1		1			2	1	14
Dysentery M	120	26	67	8		2	2	3	2	1	1		2	4	4	24
Dysentery F	98	13	57	3	1		1	1			3	1	2	3	6	20
Enteritis M	68	28	44	2	2	4	1			1	1		2	2	2	7
Enteritis F	68	27	49		1	1		1			3	1	1	1	1	9
Cholera infantum M	326	212	326													
Cholera infantum F	277	164	277													
Fever M	21	6	11		2	2	1	1			1		1		1	1
Fever F	20	7	12	1		1	1	2	1							2
Cerebro-spinal fever M	45	14	29	4		4	1	2	1	1	1		1	1		
Cerebro-spinal fever F	37	12	18	6	5		3	3			1					1
Smallpox M	46	2	8	1		1	5	5	5	5	2	5	1	2	2	4
Smallpox F	27	7	10		1	3	3		3	2	1	2				2
Erysipelas M	45	11	12	1		1	1		1	1	2	2	1	5	4	14
Erysipelas F	12	3	5			2				1		1	2		1	
Septicemia M	68	10	14	1	7	2	3	2	3	7	2	3	3	2	5	14
Septicemia F	98	10	11	1	3	7	11	10	18	9	10	2	4		1	11
Venereal diseases M	5							1	1						2	1
Venereal diseases F	4	1	2						1				1			
Others of this group M	30	1	2	3				3	4	2		1	1	2	1	11
Others of this group F	21	1	3	2	1	1	1	1						1	1	10
General diseases—B	266	170	191	5	3	5	3	5	3	7	4	6	8	6	3	17
Males	168	100	114	3	2	3	2	2	1	5	4	4	7	4	3	14
Females	98	70	77	2	1	2	1	3	2	2		2	1	2		3
Alcoholism M	16					1				2	3	1	2	2	1	4
Alcoholism F	1								1							
Parasitic diseases M	1			1												
Parasitic diseases F	3		1	1		1										
Lead poison M	2							1								
Lead poison F	1	1	1										1			
Other poisons M	47	4	17	2	2	2	2	1	1	3		3	4	2	2	6
Other poisons F	16		2	1	1	1	1	3	1	2		1	1	1		1
Inanition M	102	96	97								1					4
Inanition F	77	69	73									1		1		2
General diseases—C	817	230	240		1	3	2	1		2	1	2	1	9	11	544
Males	433	133	137			3	1	1		1				4	5	281
Females	384	97	103		1		1			1	1	2	1	5	6	263
Old age M	253														3	250
Old age F	244														3	241
Premature birth M	83	83	83													
Premature birth F	56	56	56													
Malformation M	25	21	22													
Malformation F	17	14	16		1											1
Debility and atrophy M	68	24	26			3	1	1		1				4	2	30
Debility and atrophy F	57	17	21				1			1	1	2	1	5	3	22
Others of this group M	6	5	6													
Others of this group F	10	10	10													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

KANSAS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	2,566	65	131	30	59	130	242	238	206	154	143	164	136	201	170	562
Males	1,201	37	72	17	21	48	92	93	80	63	53	69	62	109	95	327
Females	1,365	31	59	13	38	82	150	145	126	91	90	95	74	92	75	235
Anemia M	10	2	3					1						2		4
Anemia F	5				1	1		1	1						1	
Diabetes M	51		4	2	5	6			1	1	1	6	2	3	2	18
Diabetes F	33		8	2	2	1	4	1	1		3	1	3	3	3	6
Rheumatism M	51	1	2	5	3	3	1	2	1	1	1	3	2	3	6	18
Rheumatism F	45		2	1	5	3	1	2	1	4	1	2		1	4	18
Scrofula and tabes M	25	6	12					2	2	1				2	1	5
Scrofula and tabes F	25	6	9	1		2	2	2	2	1		1				5
Hydrocephalus M	20	6	11	3		1			1					1		3
Hydrocephalus F	13	3	8	2	1	1								1		
Tuberculosis, general M	9							1			3	1	1	1		2
Tuberculosis, general F	4				1		2		1							
Consumption M	528	18	31	3	10	29	87	85	66	49	34	31	33	51	29	90
Consumption F	786	17	27	3	23	70	131	127	98	61	56	42	29	38	12	74
Cancer M	238		1	2	2	2	1	1	6	8	10	16	18	36	36	99
Cancer F	284	1	2			2	3	6	16	17	21	29	34	36	38	80
Tumor M	19	1	2			4	2			2	1	2			3	3
Tumor F	51		1				3	1	5	4	4	11	1	7	3	11
Dropsy M	142	1	2	2	1	1	1	1	2	1	3	10	6	10	17	85
Dropsy F	113	4	6	2	4	1	4	5	1	4	5	9	7	11	14	40
Others of this group M	8	2	4			2			1						1	
Others of this group F	6		1	2	1	1										1
2. Diseases of the nervous system	1,798	326	534	64	54	40	35	40	34	52	60	64	85	115	129	492
Males	1,038	183	293	33	31	23	20	22	17	39	31	30	51	71	72	305
Females	760	143	241	31	23	17	15	18	17	13	29	34	34	44	57	187
Inflammation of the brain M	112	41	71	8	7	5	1	1		6		3	2	2	1	5
Inflammation of the brain F	83	35	65	5	4		3	2	1				1		1	1
Meningitis M	154	54	101	12	14	3	4	3	1	2	1	2	2	3	1	5
Meningitis F	123	38	75	19	11	4	2	2	3		1	1		2		3
Apoplexy M	148			1	1		1		1	4	7	9	15	21	19	69
Apoplexy F	98				1	1	2	1	2		5	10	9	11	15	41
Paralysis M	281	6	9	4	2	3	1	2	3	5	5	8	16	25	31	167
Paralysis F	197	3	3	1		3	1	1	2	2	9	6	16	12	29	112
Paralysis, general (of insane) M	21							1	1	7	5	1		3	1	2
Paralysis, general (of insane) F	9								1	2		1		2	1	2
Tetanus and trismus nascentium M	16	3	4	1	2	2	1		1	1				1		3
Tetanus and trismus nascentium F	10	5	6	1						1				2		
Chorea M	3										1		1	1		
Chorea F	3	1	1		2											
Epilepsy M	45	1	3	4		5	4	7	3	7	1	1	1	1	2	6
Epilepsy F	32	3	5	2	1	4	3	4	2	1		4	1	2		3
Convulsions M	76	60	67	2	2	2							1	1		1
Convulsions F	73	46	64	1		1	1		1		1		1			3
Mental diseases M	61					1	1	4	3	7	6	4	3	4	6	22
Mental diseases F	44					1	1	3	3	5	8	5	2	3	4	9
Diseases of the brain M	79	16	31		3	2	4	3	4		4	1	4	5	3	15
Diseases of the brain F	46	10	14	2	3	1	2	2	1		3	4	2	3	4	5
Diseases of the spinal cord M	14	1	5	1			2					1	3	1	1	
Diseases of the spinal cord F	13	2	7		1	1				1		1		1		1
Locomotor ataxia M	8												1	1	5	1
Locomotor ataxia F	2							1						1		
Others of this class M	20	1	2				1	1			1		2	2	2	9
Others of this class F	27		1			1		2	1	1	2	2	2	5	3	7
3. Diseases of the circulatory system	1,195	99	114	16	17	22	22	22	37	39	62	77	68	102	119	478
Males	693	58	65	8	8	7	7	9	11	16	30	37	43	68	74	310
Females	502	41	49	8	9	15	15	13	26	23	32	40	25	34	45	168
Pericarditis M	6												2	2		2
Pericarditis F	1					1										
Diseases of the heart M	649	47	54	7	8	7	7	9	11	14	27	35	38	63	71	298
Diseases of the heart F	471	36	44	8	8	13	14	13	23	22	29	38	23	31	40	165
Angina pectoris M	18									3	2	2	3	1	2	6
Angina pectoris F	16				1				2	1	1	2		2	5	2
Diseases of the arteries M	3													1		2
Diseases of the arteries F	2													1		1
Aneurism M	6			1							1			1	1	2
Aneurism F	4								1		1		2			
Embolism M																
Embolism F	3					1	1				1					
Others of this class M	11	11	11													
Others of this class F	5	5	5													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

KANSAS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	2,046	400	795	118	41	55	66	41	45	64	70	74	88	100	98	391
Males	1,153	235	434	56	20	32	37	24	24	40	41	48	51	61	68	217
Females	893	165	361	62	21	23	29	17	21	24	29	26	37	39	30	174
Croup M	129	38	102	26	1											
Croup F	105	19	79	22	8		1									
Pneumonia M	806	150	253	22	16	28	30	23	21	38	32	37	38	49	51	168
Pneumonia F	630	111	225	36	17	21	21	15	18	18	23	21	31	31	25	128
Laryngitis M	3	1	1		1						1					
Laryngitis F	2		1	1												
Bronchitis M	92	28	50	5		2	1		1		3	3	4	2	7	14
Bronchitis F	71	26	43	1		1	1			2		1	1		2	19
Pleurisy M	19		2	1	1		3	1	1				1	3	1	5
Pleurisy F	9		1				1	1			1			1		4
Asthma M	34										4	2	3	5	5	15
Asthma F	33		1			1				1	2	3	3	2	2	18
Others of this class M	70	18	26	2	1	2	3		1	2	1	6	5	2	4	15
Others of this class F	43	9	11	2	1		5	1	3	3	3	1	2	5	1	5
5. Diseases of the digestive system	1,058	181	255	49	54	56	54	39	36	44	48	47	44	59	65	208
Males	560	103	136	29	29	24	29	14	12	19	31	24	19	37	39	118
Females	498	78	119	20	25	32	25	25	24	25	17	23	25	22	26	90
Dentition M	5	3	5													
Dentition F	8	5	8													
Angina M	13		3	6	2			1		1						
Angina F	12		7	2		1			1							1
Gastritis M	64	5	12	1	1	1	3	1		3	5	2	2	2	13	18
Gastritis F	63	10	16	1	2	2	4	2	3	2	2	1	3	6	6	13
Diseases of the stomach M	82	25	29	2	2		1		1	1	5	1	2	5	5	28
Diseases of the stomach F	72	14	20	3	1		2	4	3	6	4		4	3	5	17
Obstruction of the bowels M	42	3	5	2	2	3	2	2			3	4	3	3	5	8
Obstruction of the bowels F	28	2	4		2	4			1	3	2	3	1	3	1	4
Appendicitis M	65			6	14	9	14	4	4	2	2	3	2		2	3
Appendicitis F	44		1	5	6	7	5	6	5			2	2	2	1	2
Hernia M	22	3	3	1		4			1		1	1		4		7
Hernia F	12		1			1						2	2	1	1	4
Other diseases of the bowels M	37	9	14		1		1			2	3		1	4		11
Other diseases of the bowels F	22	9	12		2	1	1			2		1	1			2
Jaundice M	21	12	12	1						1	1		1	1	1	3
Jaundice F	23	8	8		2			1	1	1		1	2		2	5
Inflammation and abscess of the liver M	27		1		1	1	2	1		2	2	4	1	4	2	6
Inflammation and abscess of the liver F	39	3	3		1	1	4	3	1	4	4	4	1	2	3	8
Other diseases of the liver M	46			1	1		1	1	4	4	3	2	3	6	6	14
Other diseases of the liver F	32	1	3		2	2	1		3		1	1	4	2	4	9
Peritonitis M	43	4	6	6	3	5	2	3	2	2	1	2	3	3		5
Peritonitis F	63	3	6	7	5	10	6	7	5	4	3	3	3			4
Ascites M	15		1		1		1				2	1		2		7
Ascites F	20	1	1				1	1	1	2	1	2	1	1		9
Others of this class M	78	39	45	3	1	1	2	1		1	3	4	1	3	5	8
Others of this class F	60	22	29	2	2	3	1	1		1		3	1	2	3	12
6. Diseases of the urinary system and male organs of generation.	575	17	21	6	5	10	15	15	23	26	23	29	39	44	48	271
Males	411	8	11	2	1	4	7	3	7	18	16	20	28	33	38	223
Females	164	9	10	4	4	6	8	12	16	8	7	9	11	11	10	48
Bright's disease M	265			1	1	2	5	1	6	16	9	14	23	26	24	137
Bright's disease F	111			3	4	4	5	9	12	6	7	9	9	7	7	29
Calculus, urinary M	6							1							1	4
Calculus, urinary F	1								1							
Diseases of the kidney M	69	6	9	1		1		1		2	3	2	3	2	6	39
Diseases of the kidney F	25	6	7	1		1	2	2	1	1					2	8
Diseases of the bladder M	30	1	1				1		1			1		3	3	20
Diseases of the bladder F	5	1	1											1		3
Others of this class M	41	1	1			1	1				4	3	2	2	4	23
Others of this class F	22	2	2			1	1	1	2	1			2	3	1	5
7. Diseases of the female organs of generation.	34				1	1	5	1	5	5	4	4	1		1	6
Ovarian tumors	7						2		1			1				3
Ovarian diseases	4								3	1						
Diseases of the tubes	1								1							
Uterine tumors	5										2	1			1	1
Uterine diseases	2						2									
Others of this class	15				1	1	1	1		4	2	2	1			2

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

KANSAS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	166					21	40	31	19	31	16	2	1			5
Abortion	11					2	2	4	1	1	1					
Childbirth	81					12	15	11	7	21	10	1				4
Puerperal septicemia	59					6	17	13	10	8	4		1			
Extra-uterine pregnancy	3							1	1	1						
Others of this class	12					1	6	2			1	1				1
9. Diseases of the bones and joints.	52	17	23	3	3	2	5	2	2	1	1	3	3		1	3
Males	35	11	16	3	3	1	3	1	1	1		2	2		1	1
Females	17	6	7			1	2	1	1		1	1	1			2
Diseases of the spine. M	21	10	14	2	1	1			1				2			
Diseases of the spine. F	10	5	6						1		1	1	1			
Abscess, lumbar and psoas. M																
Abscess, lumbar and psoas. F	1						1									
Diseases of the bones. M	3	1	1		2		2			1		1			1	
Diseases of the bones. F	1															1
Diseases of the hip-joint. M	4		1				1					1				1
Diseases of the hip-joint. F	2	1	1				1									
Others of this class. M	2			1				1								
Others of this class. F	2					1		1								1
10. Diseases of the skin	36	7	13			2	2	2	1	1		3		2	2	9
Males	22	5	8			1		1	1	1		1		1		8
Females	14	2	5			1	2	1				1		1	2	1
Abscess. M	11	2	4			1		1	1							4
Abscess. F	9	1	2				2	1				1		1	2	
Carbuncle. M	4											1		1		2
Carbuncle. F																
Others of this class. M	7	3	4							1						2
Others of this class. F	5	1	3			1										1
11. Diseases of the absorbent system.	13	1	1	1		1	1	1	1			1	2	1	1	2
Males	9	1	1			1	1	1	1				1	1	1	1
Females	4			1								1	1			1
Addison's disease. M	1													1		
Addison's disease. F	1											1				
Diseases of the spleen. M	4					1	1	1							1	
Diseases of the spleen. F	1												1			
Others of this class. M	4	1	1						1				1			1
Others of this class. F	2			1												1
12. Accidents and injuries	1,043	59	139	62	63	89	115	86	63	58	65	44	44	50	36	129
Males	813	39	88	42	51	71	91	78	50	49	56	36	35	45	29	92
Females	230	20	51	20	12	18	24	8	13	9	9	8	9	5	7	37
Burns and scalds. M	29	4	20	5					1	2						1
Burns and scalds. F	44	3	17	8	3	1	6	2	1	3				1	1	1
Drowning. M	85	2	10	9	8	18	13	15	4	1	4				2	1
Drowning. F	11		3		2	4						1			1	
Exposure and neglect. M	9	5	6		1				1							1
Exposure and neglect. F	5	4	4													1
Gunshot wounds. M	93		3	5	5	18	18	10	5	5	6	4	3	4	3	4
Gunshot wounds. F	16			2	4	3	3		2	1						1
Homicide. M	29			1		2	2	5	3	2	4	3	2	1	1	3
Homicide. F	6						1	1		1	1					2
Infanticide. M																
Infanticide. F	1	1	1													
Injuries by machinery. M	2					1				1						
Injuries by machinery. F																
Railroad accidents. M	112		2	3	9	10	19	11	11	6	8	5	4	3	3	18
Railroad accidents. F	7					2	1		1				1		1	1
Suffocation. M	26	12	13		4	1	1	1			1			2		3
Suffocation. F	10	7	8										1			1
Suicide by shooting. M	19				1	1	3	1		5		1	3	1	1	2
Suicide by shooting. F	2								1	1						
Suicide by drowning. M	5														2	3
Suicide by drowning. F	1												1			
Suicide by poison. M	5				1		1	1					1		1	
Suicide by poison. F	6						2				1	1		1	1	
Other suicides. M	70					1	7	5	4	3	9	10	4	12	4	11
Other suicides. F	15					2	5	1	2		1		1	1		2
Sunstroke. M	9		1			1			1			1		1	1	3
Sunstroke. F	2										1				1	
Surgical operations. M	3									1				1		1
Surgical operations. F	14		1				2	2	3	1	2		2	1		
Wounds. M	2								1		1					
Wounds. F																
Others of this class. M	315	16	33	19	22	18	27	29	19	23	23	12	18	20	11	41
Others of this class. F	90	5	17	10	3	5	4	2	3	2	3	6	3	1	2	28

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

KENTUCKY.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	27,091	5,059	8,408	937	759	1,317	1,721	1,460	1,110	1,185	1,044	989	1,023	990	1,097	5,051
Males	13,843	2,809	4,538	448	391	564	768	683	525	558	521	516	549	545	577	2,660
Females	13,248	2,250	3,870	489	368	753	953	777	585	627	523	473	474	445	520	2,391
Unknown cause	1,733	985	1,113	34	23	46	35	33	24	28	31	43	33	36	37	217
Males	906	529	591	18	10	22	15	11	6	15	15	26	15	22	16	124
Females	827	456	522	16	13	24	20	22	18	13	16	17	18	14	21	93
1. General diseases.																
General diseases—A	5,498	985	2,166	355	266	379	380	261	194	187	147	140	139	142	122	620
Males	2,789	540	1,142	178	118	167	187	124	111	83	70	75	67	79	59	329
Females	2,709	445	1,024	177	148	212	193	137	83	104	77	65	72	63	63	291
Measles M	156	37	103	12	7	8	4	4	6	2	2		2		2	4
Measles F	179	47	98	11	13	7	5	9	5	10	1	2	4	3	1	7
Scarlet fever M	21	5	19	1	1											
Scarlet fever F	26	3	13	8	1	2	1				1					
Diphtheria M	95	16	69	19	5								1			1
Diphtheria F	127	12	83	33	7	2	1		1							
Whooping cough M	135	57	126	4	3	1										1
Whooping cough F	144	50	132	7	3	1			1							
Malarial fever M	161	25	57	18	12	12	9	7	3	7	4	7	2	5	1	17
Malarial fever F	183	19	46	14	14	17	13	10	7	7	11	7	9	6	5	17
Influenza M	238	41	58	3	4	1	2	4	4	6	3	5	5	9	9	125
Influenza F	239	23	35	1	4	8	5	7	3	6	5	3	13	8	24	117
Typhoid fever M	847	22	79	69	56	107	145	86	75	46	39	39	27	26	16	37
Typhoid fever F	822	33	93	76	84	147	120	56	42	42	29	31	23	22	16	41
Cholera morbus M	94	23	51	4	2	3	6		1	5	1		2	3	2	14
Cholera morbus F	68	15	26	3	1	3	5	8	4	2	2	1	3	5		5
Colitis M	13	4	6			1				1	1				1	3
Colitis F	11	5	7			1		1		1				1		
Diarrhea M	100	15	38	2	1	3		1			1	1	6	10	4	33
Diarrhea F	95	15	47	3	4	1	1	2	4	3	3		3	3	2	19
Dysentery M	233	38	111	19	9	7	1	1	5	2	8	6	11	7	7	39
Dysentery F	207	21	85	6	7	5	4	7	4	5	9	9	9	3	8	46
Enteritis M	124	55	91	3		1	3		2	2		2	6	1	4	9
Enteritis F	108	38	68	3		3	3	2	2	3	4	1	1	3	3	12
Cholera infantum M	211	133	211													
Cholera infantum F	213	129	213													
Fever M	77	15	36	4	3	3	4	3		3	2	4	1	1	3	10
Fever F	59	8	20	4	1	6	9	4	3	3	4	1	1		1	2
Cerebro-spinal fever M	73	17	35	10	3	7	4	4	2	1	2	2		2		1
Cerebro-spinal fever F	48	9	28	6	5	2	1	1	1	1			2			1
Smallpox M	38	6	7	1	2	5	1	6	4	4	1			3	2	2
Smallpox F	14	3	4				3	3	1			2		1		
Erysipelas M	42	18	21	1		2	3		1	3	2	1	1	3	1	3
Erysipelas F	43	8	11		1		3	1	1	5	3	2	1	3	1	11
Septicemia M	80	7	13	7	8	5	5	5	3	1		4	3	3	7	16
Septicemia F	90	5	10	2	2	5	11	22	4	14	5	5	1	3	2	4
Venereal diseases M	20	5	7						2		3	2		4		2
Venereal diseases F	12	2	3			1	1	1		1			1	1		3
Others of this group M	31	1	4	1	2	1		3	3		1	2		2		12
Others of this group F	21		2		1	1	4	3		1		1	1	1		6
General diseases—B	455	272	330	7	5	5	12	8	12	7	10	5	9	9	6	30
Males	257	146	175	3	4	1	7	6	5	6	7	3	8	8	5	18
Females	198	126	155	4	1	4	5	2	6	1	3	2	1	1	1	12
Alcoholism M	35					1	1	4	4	4	5		2	3	4	6
Alcoholism F	1												1			
Parasitic diseases M	7		6	1												
Parasitic diseases F	6		5	1												
Lead poison M																
Lead poison F																
Other poisons M	42	2	8	1	3		6	1	2	2	1	3	6	4	1	4
Other poisons F	30	2	5	1	1	4	5	2	5	1	2	2		1	1	
Inanition M	173	144	161	1	1			1						1		8
Inanition F	161	124	145	2					1		1					12
General diseases—C	1,332	435	464	2	1	2	4	4	8	6	4	4	7	12	28	786
Males	640	241	251	2	1	1	3	1	5	3	3	2	4	5	8	351
Females	692	194	213			1	1	3	3	3	1	2	3	7	20	435
Old age M	314														5	309
Old age F	385														13	372
Premature birth M	167	167	167													
Premature birth F	117	117	117													
Malformation M	16	15	15				1									
Malformation F	18	18	18													
Debility and atrophy M	137	53	63	2	1	1	2	1	5	3	8	2	4	5	3	42
Debility and atrophy F	164	51	70			1	1	3	8	3	1	2	3	7	7	63
Others of this group M	6	6	6													
Others of this group F	8	8	8													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

KENTUCKY—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	5,523	155	394	106	153	436	725	583	434	422	359	300	312	252	258	789
Males	2,328	66	199	45	67	144	263	222	169	155	142	118	155	129	128	392
Females	3,195	89	195	61	86	292	462	361	265	267	217	182	157	123	130	397
Anemia M	14		2			1			1	2		1	1		1	5
Anemia F	19	1	2			2	1	4	1		6			1		2
Diabetes M	36		1		2	2	4	3		2	3	1	5		3	10
Diabetes F	29	1	2		2	3	1		2	2	1	1	6	3	1	5
Rheumatism M	79		1	1	7	2		1	3	3	4	4	6	7	13	27
Rheumatism F	81			2	3	2	7	5	6	5	2	3	7	2	8	29
Scrofula and tabes M	109	12	37	9	5	5	5	1	3	1	3	9	6	3	6	16
Scrofula and tabes F	91	7	29	6	6	5	4	4	3	7	6	2	2	4	3	10
Hydrocephalus M	58	12	28	4	1		1	1				1				2
Hydrocephalus F	48	11	32	7	1		1	2	1		2	2				
Tuberculosis, general M	10			1	1		1	1		2		1		1	1	1
Tuberculosis, general F	8		1			1	2	1		1				1		1
Consumption M	1,615	31	88	16	39	125	241	211	154	133	120	75	110	81	62	160
Consumption F	2,301	59	104	34	70	268	429	330	226	211	151	108	73	65	64	168
Cancer M	186	2	6	1	1		1		4	6	7	16	14	17	23	90
Cancer F	362	2	3	2		3	5	4	16	26	28	55	47	34	40	99
Tumor M	26	1	3			2	2	1		4	2	3	2	2	1	4
Tumor F	54	5	5			1	2	4	2	5	4	3	8	8	2	15
Dropsy M	205	4	27	13	10	6	8	3	4	2	3	7	11	17	18	76
Dropsy F	197	1	14	10	4	7	10	7	8	9	17	8	14	9	12	68
Others of this group M	10	4	6		1	1								1		1
Others of this group F	5	2	3							1				1		
2. Diseases of the nervous system	2,867	667	1,144	118	72	76	67	85	50	97	80	98	118	111	129	622
Males	1,546	390	647	57	39	34	33	51	26	60	47	49	65	58	63	317
Females	1,321	277	497	61	33	42	34	34	24	37	33	49	53	53	66	305
Inflammation of the brain M	239	77	169	17	9	8	4	6	1	2	6	5	1	1	1	9
Inflammation of the brain F	194	62	132	13	9	10	5	4	2		2	3	3	3	1	7
Meningitis M	325	115	214	27	12	10	10	11	5	11	4	3	8	2	2	6
Meningitis F	250	71	155	25	13	13	8	7	5	2	3	4	4	1	4	6
Apoplexy M	160		2	1		1	6	4	2	7	11	13	22	17	19	55
Apoplexy F	152	3	4		2		3	8	8	7	7	15	12	13	17	66
Paralysis M	290	4	9	1	2	5	2	7	5	9	6	12	16	19	24	173
Paralysis F	298	4	6	5	2	3	5	3	4	8	7	13	19	26	31	166
Paralysis, general (of insane) M	18							1		4	3	4	3	2		1
Paralysis, general (of insane) F	5							1		1	1		1	1		
Tetanus and trismus nascentium M	33	16	17	8	5	4		2		1						1
Tetanus and trismus nascentium F	11	9	9					1						1		
Chorea M	1															1
Chorea F	4		1		1					1						1
Epilepsy M	53	7	8	1	4	3	7	6	5	3	5	1	1	3	4	2
Epilepsy F	46	11	13	2	1	6	6	4		1	2	2		1	3	5
Convulsions M	162	130	150	2	1			1		1		2	1		1	3
Convulsions F	134	91	118	2	1	3		2	1	3						4
Mental diseases M	66						1	6	4	10	6	4	5	5	2	23
Mental diseases F	31						1		2	5	5	3	6	1	2	6
Diseases of the brain M	150	36	68	4	6	3	3	4	2	10	4	4	6	8	5	23
Diseases of the brain F	141	25	55	13	4	6	3	5	4	4	4	6	2	4	4	27
Diseases of the spinal cord M	14	3	7	1						1			1			4
Diseases of the spinal cord F	6	1	2	1							1	1	1			
Locomotor ataxia M	8							2		1	1	1	1		2	
Locomotor ataxia F	3														1	2
Others of this class M	27	2	3					1	2		1			1	3	16
Others of this class F	46		2			1	3	4	3	5	1	2	5	2	8	15
3. Diseases of the circulatory system.	1,449	63	83	18	24	34	63	47	57	76	71	79	91	103	148	555
Males	732	40	53	7	7	15	27	19	23	37	30	44	44	53	78	295
Females	717	23	30	11	17	19	36	28	34	39	41	35	47	50	70	260
Pericarditis M	1															1
Pericarditis F	9	1	1			1	1	1	2		1		1		1	
Diseases of the heart M	671	35	47	6	4	14	26	18	19	34	27	42	38	51	74	271
Diseases of the heart F	659	19	26	11	17	17	30	23	31	36	36	34	45	46	64	243
Angina pectoris M	27					1	1	1	2	3	2	1	4	1	2	9
Angina pectoris F	31					1	3	2		3	3	1	1	3	4	10
Diseases of the arteries M	13													1	1	11
Diseases of the arteries F	5													1	1	3
Aneurism M	10				1				2		1	1	2		1	2
Aneurism F	8						1	1	1		1					4
Embolism M	4			1	2											1
Embolism F	2						1	1								
Others of this class M	6	5	6													
Others of this class F	3	3	3													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

KENTUCKY—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	3,967	1,028	1,841	143	67	123	135	116	111	121	114	129	122	125	153	667
Males	2,146	593	995	65	38	69	72	64	63	67	77	75	72	67	81	341
Females	1,821	435	846	78	29	54	63	52	48	54	37	54	50	58	72	326
Croup M	435	267	407	23	2	1	1									1
Croup F	333	196	319	12		1										1
Pneumonia M	1,314	236	440	35	33	58	56	48	51	51	62	61	58	45	69	247
Pneumonia F	1,113	177	402	49	25	40	50	44	44	41	27	45	33	47	48	218
Laryngitis M	10	1	4		1			2			1				1	1
Laryngitis F	4		2	1		1										
Bronchitis M	207	69	110	4		5	4	7	5	2	4	5	5	9	1	45
Bronchitis F	213	48	94	12	2	7	8	3	2	5	2	5	7	6	9	51
Pleurisy M	28		3	1			3	1	1	4	3		3		2	7
Pleurisy F	26		2			2	2	1	1				2	1	1	14
Asthma M	59	2	3			2				2	4	5	3	8	6	26
Asthma F	57	2	3				1	2		2	2	3	5	1	9	28
Others of this class M	93	18	28	2	2	3	8	6	6	8	3	4	2	5	2	14
Others of this class F	75	12	24	4	2	3	2	2	1	6	6	1	2	3	5	14
5. Diseases of the digestive system.	1,457	274	451	58	49	50	74	71	59	59	66	72	76	69	73	230
Males	748	155	252	25	36	22	28	26	23	23	28	46	39	44	44	112
Females	709	119	199	33	13	28	46	45	36	36	38	26	37	25	29	118
Dentition M	22	7	22													
Dentition F	23	10	23													
Angina M	20	5	14	2			1			1				1		1
Angina F	24	2	14	5	1		1			1			1			1
Gastritis M	94	12	22	2	1	1	3	3	2	1	6	11	8	5	5	24
Gastritis F	92	13	24	5	1	4	1	6	10	6	4	1	5	4	4	17
Diseases of the stomach M	83	18	31	1	6	3	2	2	2	1	1	5	4	5	9	11
Diseases of the stomach F	95	12	23	3	4	4	3	6	1	5	5	7	2	5	5	22
Obstruction of the bowels M	28	4	5		2	6	2	2	2	1	1	1		1		5
Obstruction of the bowels F	29	1	2				5	1	2	2	2	2	2		4	7
Appendicitis M	64	2	2	5	9	5	11	8	5	5	2	4	2	1	2	3
Appendicitis F	28	2	2	7	3	3	6	1	2	2			1		1	
Hernia M	24	2	3		1			2	1		3	1	2		1	10
Hernia F	11	1	1							1	2	1		3		3
Other diseases of the bowels M	72	22	44	3	3		1				1		3	1	3	13
Other diseases of the bowels F	81	16	35	3		1	2	9	6	1		4	2	4	4	10
Jaundice M	48	29	31				1	1	2		2	1	1	3	3	3
Jaundice F	32	13	13	1			4		1	1	2		1	2	1	6
Inflammation and abscess of the liver M	44	4	6		1	1	3	2	1	2	2	7	3	3	2	11
Inflammation and abscess of the liver F	40	5	5			2	2	2	1	1	1	1	6	2	1	16
Other diseases of the liver M	90	13	19	2	2				1	8	5	10	9	13	9	12
Other diseases of the liver F	47	11	11	1	1	1			3	2	4	1	6	1	5	11
Peritonitis M	45	1	4	4	2	6	3	4	5	1	2	3		3	4	4
Peritonitis F	106	5	7	4	3	12	18	16	7	11	13	3	4	2	1	5
Ascites M	19		1	2	4		1				1		1	3	3	3
Ascites F	15		1			1				2		1	2		1	7
Others of this class M	95	36	48	4	5			2	2	3	2	3	6	5	3	12
Others of this class F	86	28	38	4			4	4	3	1	5	5	5	2	2	13
6. Diseases of the urinary system and male organs of generation.	896	16	36	11	6	18	20	35	36	56	53	36	57	73	94	385
Males	590	11	20	3	2	8	6	20	20	18	34	23	37	39	58	302
Females	306	5	16	8	4	10	14	15	16	18	19	13	20	34	36	83
Bright's disease M	378			2	1	4	4	16	11	15	25	16	25	26	44	189
Bright's disease F	213			4	2	5	10	11	13	10	15	10	17	25	31	60
Calculus, urinary M	3	1	1					1			1	1			1	3
Calculus, urinary F																
Diseases of the kidney M	104	4	13	1	1	3		2	4		3	8	4	6	4	60
Diseases of the kidney F	48	5	15	3	1	2	3		1	2	2	3	2	4	2	8
Diseases of the bladder M	37						2	1			1	2	2	2	3	24
Diseases of the bladder F	4													1		3
Others of this class M	63	6	6			1			5	8	4	1	6	5	6	26
Others of this class F	41		1	1	1	3	1	4	2	6	2		1	4	3	12
7. Diseases of the female organs of generation.	70		1			4	8	6	9	6	11	11	2	3	3	6
Ovarian tumors	9		1				1			1		3		2		1
Ovarian diseases	1										1					
Diseases of the tubes																
Uterine tumors	9							1			5		1		1	1
Uterine diseases	10						2	1	3		1					3
Others of this class	41					4	5	4	6	5	4	8	1	1	2	1

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

KENTUCKY—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	214				1	32	43	45	34	34	17	4	1	1		2
Abortion	13				1	2		3	4	2	1					
Childbirth	120					15	23	27	21	22	8	2	1			1
Puerperal septicemia	64					10	16	13	8	8	7	2				
Extra-uterine pregnancy	4							1		2				1		
Others of this class	13					5	4	1	1		1					1
9. Diseases of the bones and joints.	188	63	113	11	10	10	8	5	4	4	3	2	1	3	5	9
Males	114	33	61	10	6	5	6	4	2	3	2	1	1	3	4	6
Females	74	30	52	1	4	5	2	1	2	1	1	1			1	3
Diseases of the spine. M	90	31	55	10	5	3	3	3		1	2			1	3	4
Diseases of the spine. F	65	30	50	1	3	2	2	1	2	1		1			1	1
Abscess, lumbar and psoas. M	1									1						
Abscess, lumbar and psoas. F																
Diseases of the bones. M	15	2	6		1		2	1	1				1		1	2
Diseases of the bones. F	8		2		1	2					1					2
Diseases of the hip-joint. M	7					2			1	1		1		2		
Diseases of the hip-joint. F	1					1										
Others of this class. M	1						1									
Others of this class. F																
10. Diseases of the skin	50	16	24	1		2	2	2	1	1	2	2	2	4	7	6
Males	30	9	14			1	1		1		2		1	3	6	1
Females	26	7	10	1		1	1	2		1		2	1	1	1	5
Abscess. M	12	2	4				1		1					1	4	1
Abscess. F	15	4	5			1	1	1		1		1	1	1	1	2
Carbuncle. M	3										2			1		
Carbuncle. F	4							1				1				2
Others of this class. M	15	7	10			1							1	1	2	
Others of this class. F	7	3	5	1												1
11. Diseases of the absorbent system.	18	1	3	1	1	1		1		1	1	1	1	3		4
Males	10			1	1	1							1	3		3
Females	8	1	3					1		1	1	1				1
Addison's disease. M	4			1									1	2		
Addison's disease. F																
Diseases of the spleen. M	1					1										
Diseases of the spleen. F	4	1	2							1	1					
Others of this class. M	5				1									1		3
Others of this class. F	4		1					1				1				1
12. Accidents and injuries	1,368	99	245	72	81	99	145	158	77	100	75	63	52	44	34	123
Males	1,007	56	138	34	62	74	120	135	70	88	64	54	40	32	27	69
Females	361	43	107	38	19	25	25	23	7	12	11	9	12	12	7	54
Burns and scalds. M	70	6	50	8	4				1	4					1	2
Burns and scalds. F	142	8	57	29	7	9	5	7	1		2	1	2	6	3	13
Drowning. M	84		10	6	13	13	17	8	6	3	1		1	3	2	1
Drowning. F	6		2		1	2										1
Exposure and neglect. M	18	8	9	1	1	1						1	2	1	1	1
Exposure and neglect. F	12	6	8			1	3									
Gunshot wounds. M	195		5	3	11	18	32	34	17	20	20	14	6	7	4	4
Gunshot wounds. F	27		2	1	5	6	6	3		1	1			1		1
Homicide. M	51			1	3	7	8	11	2	5	10	3	1			
Homicide. F	7			1		1	1	1			1	1	1			
Infanticide. M																
Infanticide. F	1	1	1													
Injuries by machinery. M	8					1	1	2		1	1	1	1			
Injuries by machinery. F																
Railroad accidents. M	104		4	3	4	6	13	28	9	10	4	8	2	3	3	7
Railroad accidents. F	9			1			1				2		1	2		2
Suffocation. M	36	23	26		1		2	1	2	2				1		1
Suffocation. F	25	17	19					1	1						1	3
Suicide by shooting. M	22					1	4	2	1	3	3	1	4			3
Suicide by shooting. F	3						1		1	1						
Suicide by drowning. M	5							1					2	2		
Suicide by drowning. F																
Suicide by poison. M	16						1	4	2		3	3			1	2
Suicide by poison. F	6					2	2	2								
Other suicides. M	49			1	1	1	9	5	3	5	6	2	3	2	2	9
Other suicides. F	10					1	3	2		1	1	1				1
Sunstroke. M	9					1			1	2	1		1			3
Sunstroke. F	4	1	1							1		1	1			
Surgical operations. M	5							2			1	2				
Surgical operations. F	14					1	1	2	2	3	1	2	1			1
Wounds. M	16		1	1		1	2	2		7	2					
Wounds. F																
Others of this class. M	319	19	33	10	24	24	31	35	26	26	12	19	17	13	13	36
Others of this class. F	95	10	17	6	6	2	2	5	2	5	5	3	6	3	3	32

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

LOUISIANA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	20,955	3,785	6,530	873	634	1,067	1,468	1,305	1,028	977	904	865	861	713	838	2,892
Males	10,971	2,043	3,417	446	338	509	732	704	577	531	485	471	496	391	423	1,451
Females	9,984	1,742	3,113	427	296	558	736	601	451	446	419	394	365	322	415	1,441
Unknown cause	1,281	523	731	74	37	43	37	42	23	30	24	17	35	20	38	130
Males	626	268	366	34	20	18	12	20	12	15	15	4	16	12	16	66
Females	655	255	365	40	17	25	25	22	11	15	9	13	19	8	22	64
1. General diseases. General diseases—A	6,137	1,252	2,523	410	285	412	488	363	260	218	192	150	154	123	138	421
Males	3,208	653	1,283	207	127	205	275	209	150	125	109	91	95	61	70	201
Females	2,929	599	1,240	203	158	207	213	154	110	93	83	59	59	62	68	220
Measles M	250	63	149	32	7	13	9	6	10	3	7	3	6	1	1	3
Measles F	276	57	150	24	13	16	16	15	6	4	11	2	6	3	1	9
Scarlet fever M	44	5	29	7	3	1	1		1	1					1	
Scarlet fever F	53	6	36	7	4	2			2	1				1		
Diphtheria M	48	8	35	6	4				1						1	1
Diphtheria F	42	11	26	10	1		1	3						1		
Whooping cough M	90	46	85	3		2										
Whooping cough F	90	55	84	1	1			1								3
Malarial fever M	519	54	139	61	34	49	52	24	27	22	19	23	21	13	9	26
Malarial fever F	511	61	155	53	45	52	41	24	24	18	12	12	15	13	11	36
Influenza M	87	17	27		2	4	5	2	3	2			3	3	8	28
Influenza F	104	17	28	4	1	4	8	2	2	2	4		4	5	8	32
Typhoid fever M	528	30	98	46	35	65	83	58	36	27	22	17	15	6	7	13
Typhoid fever F	549	37	112	45	58	86	62	42	34	22	20	15	7	13	14	19
Cholera morbus M	90	20	44	5	6	4	6	2	1	2	3		3	3	4	7
Cholera morbus F	61	10	23	3	4	3	3	1	3	3	2	3	3	2	1	7
Colitis M	5	2	2					1				1				
Colitis F	7	3	4													3
Diarrhea M	179	26	59	6	4	8	3	5	8	8	9	4	8	13	7	37
Diarrhea F	135	23	64	3	1	2	5	4	1	4	3	3	4	7	9	25
Dysentery M	227	38	92	10	6	3	9	13	8	9	8	10	11	5	14	29
Dysentery F	158	14	59	6		3	6	7	8	7	4	6	4	4	12	32
Enteritis M	255	128	192	6	2	3	7	6	3	8	8	2	3	4	5	16
Enteritis F	246	114	178	6	3	4	6	4	1	5	7	3	4	1	2	22
Cholera infantum M	193	141	193													
Cholera infantum F	170	112	170													
Fever M	76	28	48	3	2	1	5	3	1	2		2	1	1	2	5
Fever F	106	39	62	12	7	1	3	4	3	1		3			2	8
Cerebro-spinal fever M	38	9	16	6	3		4			2	1	1	3		1	1
Cerebro-spinal fever F	39	10	23	9	2				1	2		2				
Smallpox M	433	18	39	11	14	40	80	77	40	36	28	23	11	7	7	20
Smallpox F	275	21	49	13	12	30	47	39	17	13	16	6	7	7	4	15
Erysipelas M	23	7	8	1		2	1		2		2		3		1	3
Erysipelas F	8	2	2	1			1				1			1	1	1
Septicemia M	49	6	13	3	2	3	4	6	4	3	2	1	1	1	1	5
Septicemia F	46	1	5	2	1	3	9	5	4	7	1	3	2	3	1	
Venereal diseases M	25	5	9			1	1	2	2	2	3	1	2		1	1
Venereal diseases F	11	4	5				1		2	1				1		1
Others of this group M	49	2	5	1	3	6	5	4	3	3	2	3	4	4		6
Others of this group F	42	2	5	4	5	1	4	3	2	3	2	1	3		2	7
General diseases—B	361	181	246	18		4	6	5	8	12	8	14	6	5	5	24
Males	194	99	126	6		2	3	4	4	10	5	10	6	4	4	10
Females	167	82	120	12		2	3	1	4	2	3	4		1	1	14
Alcoholism M	32	1	1				1	2	3	4	2	6	6	2	1	4
Alcoholism F	14								1	1	1	3			1	7
Parasitic diseases M	16	4	11	4						1						
Parasitic diseases F	27	4	20	7												
Lead poison M																
Lead poison F	2		1						1							
Other poisons M	33	2	9			2	2	2	1	5	2	4		1	2	3
Other poisons F	23	1	7	2		2	3	1	1	1	2	1		1		2
Inanition M	113	92	105	2							1			1	1	3
Inanition F	101	77	92	3					1							5
General diseases—C	1,117	363	400	4		5	4	6	4	8	5	8	17	17	45	594
Males	523	202	221	2		2	1	2	1	3	1	3	8	8	21	250
Females	594	161	179	2		3	3	4	3	5	4	5	9	9	24	344
Old age M	219														9	210
Old age F	303														12	291
Premature birth M	105	105	105													
Premature birth F	79	79	79													
Malformation M	7	7	7													
Malformation F	9	9	9													
Debility and atrophy M	182	80	99	2		2	1	2	1	3	1	3	8	8	12	40
Debility and atrophy F	197	67	85	2		3	3	4	3	5	4	5	9	9	12	53
Others of this group M	10	10	10													
Others of this group F	6	6	6													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

LOUISIANA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	2,896	51	149	57	65	188	361	365	291	255	237	207	167	129	127	298
Males	1,412	25	73	22	33	69	144	171	143	128	117	112	102	70	68	160
Females	1,484	26	76	35	32	119	217	194	148	127	120	95	65	59	59	138
Anemia M	7					2		1	1		2	1				
Anemia F	11		1			3	1			1	1		2			2
Diabetes M	17				1		2	3			1	4	2		2	2
Diabetes F	10			3					1	1		1		2		2
Rheumatism M	38			1	2			1	1			3	4	4	4	18
Rheumatism F	51	1	2	1		2	2	2	8	1	2	5	4	6	1	17
Scrofula and tabes M	25	1	13		4		1			1	1	1	2		1	1
Scrofula and tabes F	24	5	12		3			2	1	2			2	2		
Hydrocephalus M	15	1	9	1		2	1						1		1	
Hydrocephalus F	17	6	14	1		1			1							
Tuberculosis, general M	22		1		1		6	5	3	3	1	1		1		
Tuberculosis, general F	5	1	1					2	1					1		
Consumption M	1,000	13	31	8	17	58	123	152	124	115	103	84	58	38	29	60
Consumption F	1,016	11	28	22	27	105	206	173	124	90	84	55	30	16	15	41
Cancer M	123	4	4		2	1	4	4	4	6	6	7	20	13	14	38
Cancer F	193		2	2		2	2	5	9	18	23	27	17	21	24	41
Tumor M	24	2	3	3	1	2		2	3	1		3	4		1	1
Tumor F	17	1	3				1		1	3	3		3		2	1
Dropsy M	132	2	7	9	5	4	6	8	5	2	3	8	11	14	16	39
Dropsy F	135		11	5	2	6	5	8	7	11	7	7	7	11	14	34
Others of this group M	9	2	5				1		2							1
Others of this group F	5	1	2	1				2								
2. Diseases of the nervous system	1,857	510	736	90	57	70	62	51	52	54	65	73	94	84	77	292
Males	987	288	394	56	43	35	38	26	34	30	33	35	48	40	35	140
Females	870	222	342	34	14	35	24	25	18	24	32	38	46	44	42	152
Inflammation of the brain M	62	24	41	6	4	3	3	1	1		1		1			1
Inflammation of the brain F	45	14	22	2	3	4	2	3	2		1	1	1	2	2	
Meningitis M	143	47	78	10	12	6	11	4	4	7	1	1	3			6
Meningitis F	128	38	85	12	3	5	6	2	2	2	4	2	1	1	1	2
Apoplexy M	138	2	2			4	3	4	6	7	7	10	13	9	15	58
Apoplexy F	162		2			1	4	5	2	8	5	13	20	18	18	66
Paralysis M	100	2	4	1		1	1	2	7	3	7	3	11	12	9	39
Paralysis F	89	1	2			1	2	1		8	7	6	8	11	4	44
Paralysis, general (of insane) M	15							2	2		1	3	4	1		2
Paralysis, general (of insane) F	6								1		1	2	1			1
Tetanus and trismus nascentium M	180	125	130	13	15	5	4	1	5	2	2	1				2
Tetanus and trismus nascentium F	111	84	90	3	2	1	1	2	3		4	1		1	1	2
Chorea M																
Chorea F																
Epilepsy M	33	1	2	4	1	8	3	2	1	2	3	2	1	1		3
Epilepsy F	37	6	7	1	2	7	5	3		2	1	1	3	1	2	2
Convulsions M	93	64	83	6	1		1	1	1							
Convulsions F	100	56	84	4	2	5			1	2		1			1	
Mental diseases M	24			1	1		2	4	2	1	1	1	4	4	1	2
Mental diseases F	26					2		4	3	2		2	4	1	1	7
Diseases of the brain M	161	21	52	14	9	7	8	2	2	7	5	10	5	10	7	23
Diseases of the brain F	132	21	47	11	2	6	3	3	4	4	8	3	6	5	10	20
Diseases of the spinal cord M	14	2	2			1	1		1		3		2	2	1	1
Diseases of the spinal cord F	15	1	1			2	1	2			1	2	1	2		3
Locomotor ataxia M	9								1	1	1	2	3		1	
Locomotor ataxia F	1											1				
Others of this class M	15			1			1	3	1		1	2	1	1	1	3
Others of this class F	18	1	2	1		1				1		3	1	2	2	5
3. Diseases of the circulatory system	1,265	37	45	12	16	22	49	55	66	69	77	89	96	93	145	431
Males	650	21	24	9	12	8	21	33	29	31	38	46	46	44	61	248
Females	615	16	21	3	4	14	28	22	37	38	39	43	50	49	84	183
Pericarditis M	12	1	1	2		1	1	1	1			1	1	1		2
Pericarditis F	7					1	1	1	1					2	1	
Diseases of the heart M	580	9	12	7	12	7	20	26	25	28	36	44	42	42	56	223
Diseases of the heart F	569	11	15	3	4	13	27	19	34	36	37	40	45	44	79	173
Angina pectoris M	9								1			1	1		1	5
Angina pectoris F	12									1	1	1	5	2	1	1
Diseases of the arteries M	25								2		1		1		3	18
Diseases of the arteries F	11									1				1		9
Aneurism M	13							6		3	1		1	1	1	
Aneurism F	8							2	1		1	2			2	
Embolism M																
Embolism F	1								1							
Others of this class M	11	11	11												1	
Others of this class F	7	5	6													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

LOUISIANA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	2,684	557	1,075	90	64	124	165	143	100	110	99	116	101	84	107	306
Males	1,515	319	593	41	35	73	108	95	68	71	57	64	56	51	57	146
Females	1,169	238	482	49	29	51	57	48	32	39	42	52	45	33	50	160
Croup M	112	63	101	10				1								
Croup F	89	49	80	3			1			1		1				3
Pneumonia M	1,111	181	363	27	30	68	94	84	58	59	50	59	44	36	42	97
Pneumonia F	834	135	300	40	25	43	53	40	27	36	35	40	37	28	42	88
Laryngitis M	4	1	2				1			1						
Laryngitis F	2	1	2													
Bronchitis M	169	56	99	1	3		7	5	4	3	1	1	2	9	7	27
Bronchitis F	166	44	84	4	3	5	2	4	1	1	1	7	3	4	6	41
Pleurisy M	41	4	6	2	2	2	4	3	2	5	2	1	3	1	2	6
Pleurisy F	24	3	5					2	1	1	2	1	1	1	1	9
Asthma M	27		1	1					2		3		3	1	4	12
Asthma F	29	2	4	1							3	3	3		1	14
Others of this class M	51	14	21			3	2	2	2	3	1	3	4	4	2	4
Others of this class F	25	4	7	1	1	3	1	2	3		1		1			5
5. Diseases of the digestive system.	1,026	195	365	37	24	35	59	43	40	45	54	55	56	51	41	121
Males	550	104	198	21	15	21	21	29	27	23	27	28	32	30	22	56
Females	476	91	167	16	9	14	38	14	13	22	27	27	24	21	19	65
Dentition M	74	38	74													
Dentition F	56	28	56													
Angina M	17	6	13	2					1							1
Angina F	10	3	7		1		1									1
Gastritis M	33	8	12				3		2	1		3	3	4	2	3
Gastritis F	45	6	9	1		3	4	1	1	3	2	4	3	5	5	4
Diseases of the stomach M	29	2	9	5	1		1	1		2	2	3		1	2	2
Diseases of the stomach F	30	4	7	2		1	4	2	2	2		2	1		2	5
Obstruction of the bowels M	24	3	5		1	1		2	5	1	1	1	1	1	1	4
Obstruction of the bowels F	31	3	8	1	2	2		1	1	1	3	4	4			4
Appendicitis M	24				3	6	2	5	2		1	2	2			1
Appendicitis F	12		1	2	1	2				1	2		2			1
Hernia M	19	1	3			2		1		1		3	1	1	2	3
Hernia F	6		1										1	1		3
Other diseases of the bowels M	42	11	20	2	1	2		3			3	2	2	2		5
Other diseases of the bowels F	33	11	14	1				1		4	1	2	1	2	2	5
Jaundice M	30	7	11	1	1		2	3	2	1		1	2			6
Jaundice F	11	4	6	1			1	1								2
Inflammation and abscess of the liver M	70	5	9	2		4	4	5	8	7	6	3	6	3	6	7
Inflammation and abscess of the liver F	55	1	6		2	3	8	1	4	1	5	10	2	1	1	10
Other diseases of the liver M	79		1	2	4	1	3	4	4	9	8	4	9	13	6	11
Other diseases of the liver F	41	4	7	2			1		1		5	2	4	4	3	12
Peritonitis M	29	3	6	1	2	2	4	4	2	1	1	2	1		1	2
Peritonitis F	60	1	2	3	2	3	15	5	2	8	5		4	4	1	6
Ascites M	24		3	2	1						3		3	4	1	7
Ascites F	24	1	1				3	1	1	1	1	1	1	2	2	10
Others of this class M	56	20	32	4	1	3	2	1	1		2	4	2	1	1	2
Others of this class F	62	25	42	3	1			1	1	1	3	2	1	2	3	2
6. Diseases of the urinary system and male organs of generation.	794	5	23	10	8	20	36	46	40	62	67	73	88	73	76	172
Males	458	3	15	4	4	8	10	24	27	29	38	43	55	45	44	112
Females	336	2	8	6	4	12	26	22	13	33	29	30	33	28	32	60
Bright's disease M	348			2	3	7	7	22	22	23	31	33	48	39	37	74
Bright's disease F	289			4	4	10	18	18	11	26	27	30	29	26	29	57
Calculus, urinary M	9			1							1				2	5
Calculus, urinary F	3									1					1	1
Diseases of the kidney M	34	2	13	1	1		2	1	3		1	1	2	3		6
Diseases of the kidney F	18	2	8	2			3			2			1			2
Diseases of the bladder M	22		1				1		1	1		3	1	1	2	11
Diseases of the bladder F	1									1						
Others of this class M	45	1	1			1		1	1	5	5	6	4	2	3	16
Others of this class F	25					2	5	4	2	3	2		3	2	2	
7. Diseases of the female organs of generation.	74			1	2	5	9	10	4	10	10	11	1	1	5	5
Ovarian tumors	10			1		1	1	1	1		2	1		1		1
Ovarian diseases																
Diseases of the tubes	9						3	3	1	1	1					
Uterine tumors	13							1	1	3	3	1	1		1	2
Uterine diseases	17					1	2	2		3	4	2			3	
Others of this class	25				2	3	3	3	1	3		7			1	2

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

LOUISIANA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	288				4	45	70	66	49	30	13	5	1		1	4
Abortion	10					1	4	2	1	1	1					
Childbirth	175				4	26	41	35	30	20	9	5	1		1	3
Puerperal septicemia	74					13	15	22	14	7	2					1
Extra-uterine pregnancy	2						2									
Others of this class	27					5	8	7	4	2	1					
9. Diseases of the bones and joints.	32	4	9	1	2	3	3	2	1	3	1	3	1	1		2
Males	21	3	6	1	1	2	1	2	1	3		1		1		2
Females	11	1	3		1	1	2				1	2	1			
Diseases of the spine. M	7	3	3					1		2		1				
Diseases of the spine. F	3										1	2				
Abscess, lumbar and psoas. M	3					1				1				1		
Abscess, lumbar and psoas. F																
Diseases of the bones. M	4					1	1		1							1
Diseases of the bones. F	4	1	2				1						1			
Diseases of the hip-joint. M	5		3		1			1								
Diseases of the hip-joint. F	1					1										
Others of this class. M	2			1												1
Others of this class. F	3		1		1		1									
10. Diseases of the skin	45	9	14				1	3	1		2	2	4	2	6	10
Males	32	7	11				1	2			1	2	3	2	2	8
Females	13	2	3					1	1		1		1		4	2
Abscess. M	8	4	6					1				1				
Abscess. F	6	2	2					1	1						2	
Carbuncle. M	13							1			1	1	3	2	1	4
Carbuncle. F	3										1		1		1	
Others of this class. M	11	3	5				1								1	4
Others of this class. F	4		1												1	2
11. Diseases of the absorbent system.	6	2	2			1	1		1	1						
Males	5	2	2			1			1	1						
Females	1						1									
Addison's disease. M																
Addison's disease. F																
Diseases of the spleen. M	1					1										
Diseases of the spleen. F	1						1									
Others of this class. M	4	2	2						1	1						
Others of this class. F																
12. Accidents and injuries	1,092	96	212	69	70	90	117	105	88	70	50	42	40	30	27	82
Males	790	49	105	43	48	65	97	87	80	62	44	32	29	23	23	52
Females	302	47	107	26	22	25	20	18	8	8	6	10	11	7	4	30
Burns and scalds. M	58	5	39	5	2	3				2		2	1	1		3
Burns and scalds. F	105	5	42	16	8	7	7	1	3		3	2	2	2	1	11
Drowning. M	121	3	10	14	20	11	14	10	7	6	6	3	9	1	3	7
Drowning. F	20		4	2	3	5		1	1			2	1			1
Exposure and neglect. M	14	8	10							1	1					2
Exposure and neglect. F	14	8	8				2	1		1	1			1		
Gunshot wounds. M	173			5	12	27	40	29	22	11	10	5	3	4	3	2
Gunshot wounds. F	21	1	1	1	1	4	6	3		2		1	1			1
Homicide. M	48					4	7	10	3	5	5	1	3	3		2
Homicide. F	6		1		1	1	1	1		1						
Infanticide. M	1	1	1													
Infanticide. F																
Injuries by machinery. M	5							2	1		1		1			
Injuries by machinery. F																
Railroad accidents. M	57	1	2	6	1	7	7	5	4	8	4	2	3	2	2	4
Railroad accidents. F	12	1	3	3	1			1				1	1			2
Suffocation. M	31	20	22	2		1	1	1	1					2		1
Suffocation. F	23	15	17		1	1		1								3
Suicide by shooting. M	25						3	3	4	2	2	6	2	2		1
Suicide by shooting. F																
Suicide by drowning. M	4							1				1				2
Suicide by drowning. F	2							1	1							
Suicide by poison. M	11						3	1	6	1						
Suicide by poison. F	3							2					1			
Other suicides. M	15							4	2	2	2		2	1	1	1
Other suicides. F	3							1	1							1
Sunstroke. M	27			1	2		2	1	4	5	1	5	1	2		3
Sunstroke. F	12		1	1	3					2		2	1			2
Surgical operations. M	5								1	2	2					1
Surgical operations. F	6					1	1			1	1		1	1		
Wounds. M	17					1	1	3	2	3		1			1	5
Wounds. F	3							1							1	1
Others of this class. M	177	11	21	10	11	11	19	17	18	14	10	6	4	5	13	18
Others of this class. F	72	17	30	3	4	6	3	4	2	1	1	2	3	3	2	2

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MARYLAND.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	20,422	4,227	6,249	674	433	692	874	867	780	830	805	778	887	866	1,066	4,621
Males	10,526	2,315	3,360	308	204	319	434	428	387	423	443	420	483	465	552	2,300
Females	9,896	1,912	2,889	366	229	373	440	439	393	407	362	358	404	401	514	2,321
Unknown cause	806	254	301	15	12	15	23	17	15	16	18	21	21	20	25	287
Males	393	139	163	6	4	8	7	9	5	7	10	13	11	12	12	126
Females	413	115	138	9	8	7	16	8	10	9	8	8	10	8	13	161
1. General diseases. General diseases—A	3,586	1,209	1,971	284	127	140	145	91	74	80	62	67	65	66	83	331
Males	1,799	620	1,004	125	53	72	78	45	38	45	34	39	36	32	42	156
Females	1,787	589	967	159	74	68	67	46	36	35	28	28	29	34	41	175
Measles M	48	21	41	3	1	1	2									
Measles F	54	13	40	5	1	2	2	3	1							
Scarlet fever M	18	1	11	5	1	1										
Scarlet fever F	21	3	18	1	1		1									
Diphtheria M	260	13	151	76	19	5			1	1	4	1	2			
Diphtheria F	291	13	142	110	29	5	1	1	1					1		1
Whooping cough M	42	18	40	1		1										
Whooping cough F	60	27	58	1		1										
Malarial fever M	69	8	22		4	6	2	1	1	2	3	4	2	2	8	12
Malarial fever F	62	9	20	4		4	7	5	2	3	3	1	2	3	2	6
Influenza M	104	6	14	3		2	6	2	4	4	6	2	3	4	9	40
Influenza F	117	2	9	3		1	3		4	2	2	4	9	5	16	59
Typhoid fever M	288	7	17	10	17	46	50	36	22	22	12	16	12	8	4	16
Typhoid fever F	222	1	7	16	34	34	32	23	13	12	7	10	7	8	6	13
Cholera morbus M	29	5	9	1	1	1	1		1	2	1	1	1	3		7
Cholera morbus F	19	3	4		1			1	1	1		1	1	1	1	7
Colitis M	10	1	3									2	1			4
Colitis F	7	4	6													1
Diarrhea M	76	30	42	7	1	2			1	3			1	1	2	16
Diarrhea F	82	41	52	4						2	1		2	3	3	15
Dysentery M	78	21	37	4			1			2	1	2	2	3	6	20
Dysentery F	87	16	29	4	1	3	1	2	1		3	2	3	3	4	31
Enteritis M	257	175	220	6	4		2			2	1	4	1		3	14
Enteritis F	218	133	171	3	2	3	2		2	4	4	2	1	4	4	16
Cholera infantum M	337	272	337													
Cholera infantum F	358	287	358													
Fever M	2		1													1
Fever F	1							1								
Cerebro-spinal fever M	40	14	23	4	3	2	3		1	1	2				1	
Cerebro-spinal fever F	34	7	18	6	3	3		3								1
Smallpox M																
Smallpox F	1				1											
Erysipelas M	31	5	6				2	2	1	1	2		1	8	1	7
Erysipelas F	22	9	10				1			2	1	1	1	1	1	4
Septicemia M	63	12	15	4	2	4	6	4	4	4		3	4	3	3	7
Septicemia F	82	9	9	2		10	17	7	9	6	5	5	2	2	1	7
Venereal diseases M	23	10	14				1		2	1	1	1			3	
Venereal diseases F	25	12	14		1	1			2	3	2	1			1	
Others of this group M	24	1	1	1		1	2				1	3	1		2	12
Others of this group F	24		2			1						1	1	3	2	14
General diseases—B	370	254	278	5	1	4	8	6	7	15	12	9	8	3	4	10
Males	213	134	148	2		2	5	2	5	14	12	8	6	2	2	5
Females	157	120	130	3	1	2	3	4	2	1		1	2	1	2	5
Alcoholism M	44						3	1	3	9	11	7	4	1	1	4
Alcoholism F	7						1	2	1	1		1				1
Parasitic diseases M	1		1													
Parasitic diseases F	3		3	1												
Lead poison M																
Lead poison F																
Other poisons M	26	2	8	2		2	2	1	2	5	1	1	2			
Other poisons F	20		5	1	1	2	2	2	1				1	1	1	3
Inanition M	142	132	139											1	1	1
Inanition F	127	120	123	1									1		1	1
General diseases—C	1,749	779	843	8	4	2	3	2	2	2	5	1	8	5	26	840
Males	818	429	460	2	1	1	1	1	2		2	1	2	4	6	335
Females	931	350	383	4	3	1	2	1		2	3		6	1	20	505
Old age M	278														3	275
Old age F	466														12	454
Premature birth M	162	162	162													
Premature birth F	135	135	135													
Malformation M	29	27	28				1									
Malformation F	17	16	17													
Debility and atrophy M	317	209	239	2	1	1		1	2		2	1	1	4	3	60
Debility and atrophy F	300	186	218	4	3	1	2	1		2	3		8	1	8	51
Others of this group M	32	31	31										1			
Others of this group F	13	13	13													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MARYLAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued.																
General diseases—D	3,510	115	236	83	81	228	329	346	280	269	260	238	203	207	188	562
Males	1,669	65	135	38	30	78	158	164	128	125	130	108	99	88	89	299
Females	1,841	50	101	45	51	150	171	182	152	144	130	130	104	119	99	263
Anemia M	13	4	4	1				1			1	1	1	2	1	1
Anemia F	23	2	3	1	3	2	2	5	1	2			1	1	1	1
Diabetes M	39		1		1	1	2	2	3	1	5	1	4	1	5	12
Diabetes F	35		1		3		1		3	4	1		1	6	6	9
Rheumatism M	71		3	5	2	2	4	2	2	4	7	3	5	7	4	21
Rheumatism F	58	1	1	3	2	7	1	4	3	2	3	4	2	6	4	16
Scrofula and tabes M	25	10	17		2	1		1		1						3
Scrofula and tabes F	17	1	1			1	3	3	1		1	1		2	1	1
Hydrocephalus M	43	16	33	3	2	1			1				1			2
Hydrocephalus F	36	17	27	9												
Tuberculosis, general M	27		1	3	2	1	7	3	2		1	1	1	3	1	1
Tuberculosis, general F	5	1	3				1	2			1					1
Consumption M	1,133	31	64	22	17	58	138	151	112	109	97	81	59	48	42	125
Consumption F	1,185	21	49	30	42	135	159	163	128	103	95	61	45	52	34	89
Cancer M	208		1	2	2	1	2	2	5	6	12	19	23	21	27	84
Cancer F	340	1	2	1	1	1	2	1	8	24	23	55	41	44	36	101
Tumor M	11	1	1	1		1	1			1	2			2		2
Tumor F	33					2	1		4	2	4	4	1	3	5	7
Dropsy M	86	1	6	1	1	1	2	1	2	3	4	2	4	4	3	47
Dropsy F	91	2	3	1		2		4	2	7	1	5	13	4	12	37
Others of this group M	13	2	4		1	1	2	1			1		1		1	1
Others of this group F	15	4	9				1		2		1			1		1
2. Diseases of the nervous system	2,480	587	802	54	35	36	42	42	47	55	67	94	137	131	177	761
Males	1,331	340	461	25	22	16	22	26	23	27	38	45	63	74	101	388
Females	1,149	247	341	29	13	20	20	16	24	28	29	49	74	57	76	373
Inflammation of the brain M	53	25	39	1	2	1		1		1	1	2	1		1	3
Inflammation of the brain F	36	18	23	3			3		2	1				1	1	2
Meningitis M	169	63	119	12	8	2	5	5	2	4	3	1	1	3	1	3
Meningitis F	143	48	95	13	1	7	6	6	5	2	3	1	2	1		1
Apoplexy M	283	3	3	1		1	3	5	4	8	15	16	24	25	44	134
Apoplexy F	265	2	3					2	6	6	10	20	34	25	24	135
Paralysis M	312	3	5	1	3	1		2	5	4	5	12	16	31	38	189
Paralysis F	312	4	8			3	2	4	4	8	8	14	26	20	38	177
Paralysis, general (of insane) M	17						1			1	3	1	4	2		5
Paralysis, general (of insane) F	8									1					2	5
Tetanus and trismus nascentium M	46	22	23	2	4	3		2	1		2	2	1	1	2	3
Tetanus and trismus nascentium F	18	11	11	1		2	1			1			1	1		
Chorea M	1												1			
Chorea F	2			1											1	
Epilepsy M	26	3	4			2	4	4	2	2		1		1	2	4
Epilepsy F	19	2	3	1	2	3		1	1		1	1	2	2		2
Convulsions M	268	211	255	5	3		1		2					1	1	
Convulsions F	205	156	186	2		3	1	3	1	3	2	2				2
Mental diseases M	51					2	1	1	1	2	4	4	6	4	3	23
Mental diseases F	31					1	1		1	2		5	2		3	16
Diseases of the brain M	79	8	10	3	2	4	7	4	4	4	4	4	7	4	6	16
Diseases of the brain F	79	6	12	5	9	1	4		2	2	5	4	3	4	6	22
Diseases of the spinal cord M	9	1	2					1	1	1					2	2
Diseases of the spinal cord F	8			3	1					1						3
Locomotor ataxia M	9										1	2	2	1		3
Locomotor ataxia F	2														1	1
Others of this class M	8	1	1					1	1					1	1	3
Others of this class F	21						2		2	1		2	4	3		7
3. Diseases of the circulatory system	1,426	75	78	12	25	37	38	32	58	69	63	74	120	119	162	539
Males	718	44	47	4	12	17	11	13	28	35	33	42	62	64	81	269
Females	708	31	31	8	13	20	27	19	30	34	30	32	58	55	81	270
Pericarditis M	3								1							2
Pericarditis F	7			1	1					1	2				1	1
Diseases of the heart M	615	30	32	4	12	17	11	11	25	31	28	35	51	53	67	238
Diseases of the heart F	646	24	24	7	12	20	23	18	28	31	28	31	54	53	75	242
Angina pectoris M	33									1	1	1	4	6	6	14
Angina pectoris F	21						4	1	1	2			4	1	3	5
Diseases of the arteries M	28										1	1	5	2	5	14
Diseases of the arteries F	21													1	1	19
Aneurism M	23							2	2	3	3	5	2	2	3	1
Aneurism F	1															1
Embolism M	1													1		
Embolism F	3											1			1	1
Others of this class M	15	14	15													
Others of this class F	9	7	7						1							1

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MARYLAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	3,026	702	1,300	98	48	60	92	103	91	95	97	108	113	112	150	559
Males	1,601	400	698	46	26	32	46	54	52	56	54	66	69	63	67	272
Females	1,425	302	602	52	22	28	46	49	39	39	43	42	44	49	83	287
Croup M	91	28	83	5	2				1							
Croup F	71	22	53	14	1		2				1					
Pneumonia M	1,144	254	456	32	16	29	37	41	45	48	41	54	55	44	51	195
Pneumonia F	1,023	193	421	32	18	21	41	34	38	32	28	34	37	34	65	188
Laryngitis M	9	1	3	1					1		3	1				
Laryngitis F	2		1					1								
Bronchitis M	205	93	127	5	2		3	5	2	1	3	5	5	6	5	36
Bronchitis F	198	68	101	5	2	2	1	3		2	4	8	3	7	4	61
Pleurisy M	33		1		1	1	2	1	2	2	2		1	3	3	14
Pleurisy F	22			1		1		2			1	2	2	1	5	7
Asthma M	32					1	2	1	1	2		2	1	3	2	17
Asthma F	29						1	2	1	3	4			3	3	12
Others of this class M	87	24	28	3	5	1	2	6		3	5	4	7	7	6	10
Others of this class F	80	19	26		1	4	1	7		2	5	3	2	4	6	19
5. Diseases of the digestive system.	993	140	228	34	34	48	51	56	47	47	45	40	50	56	72	185
Males	495	83	127	15	15	25	21	17	16	22	29	19	27	29	41	92
Females	498	57	101	19	19	23	30	39	31	25	16	21	23	27	31	93
Dentition M	25	11	25													
Dentition F	13	6	13													
Angina M	5	1	2	2				2			1					1
Angina F	5		1	1	2	1										
Gastritis M	88	12	26		1	2	3	3	3	6	6	2	4	3	9	20
Gastritis F	83	10	23	2	1	5	1	3	6	3	2	3	5	5	3	21
Diseases of the stomach M	39	8	13	1				1	1	4	1	4	3	4		7
Diseases of the stomach F	39	5	6	1	1		1	2	3	4	1	4	1	1	4	10
Obstruction of the bowels M	21	6	7	1		2	1	2	1	1	1			2	2	1
Obstruction of the bowels F	34	5	7	1	2	1	3	7		2	1		2	1	1	5
Appendicitis M	51		2	2	8	7	9	1	1	4	4	1	4	3	1	4
Appendicitis F	44			7	6	5	6	6	3	1	3	2	2			3
Hernia M	24	3	3			2			2		1		1	2	3	10
Hernia F	19	2	3								1		2	2	4	7
Other diseases of the bowels M	11	4	4				2		2	1						2
Other diseases of the bowels F	10	4	4	2	1		2						1			
Jaundice M	19	8	8	1			2		2		1		1		2	2
Jaundice F	22	6	7			1		1	1	1			1	3	1	6
Inflammation and abscess of the liver M	21	1	2				1	1		2	4	1	1	2	3	4
Inflammation and abscess of the liver F	16		1						1			3	1	2	3	5
Other diseases of the liver M	65	3	3	1			1	3	1	2	3	9	5	10	9	18
Other diseases of the liver F	39						1	1	1	3	2	5	1	5	8	12
Peritonitis M	52	3	4	5	5	12	1	8	2	1	3	1	3	1	4	6
Peritonitis F	101	1	4	4	6	9	16	18	14	9	4	1	2	3	3	8
Ascites M	11		1								2				1	7
Ascites F	13		1					1						2	3	6
Others of this class M	60	23	27	2	1		1	1		1	2	1	5	2	7	10
Others of this class F	60	18	31	1		1			2	2	2	3	5	3	1	9
6. Diseases of the urinary system and male organs of generation.	1,195	9	23	13	14	27	36	51	48	64	86	69	108	106	133	417
Males	716	6	16	5	5	10	18	24	24	40	48	33	65	67	78	283
Females	479	3	7	8	9	17	18	27	24	24	38	36	43	39	55	134
Bright's disease M	593			3	5	10	16	22	21	35	44	32	52	63	68	222
Bright's disease F	415			7	8	16	16	21	18	20	34	32	41	33	53	116
Calculus, urinary M	6						1	1			1		1	1		1
Calculus, urinary F	1								1							
Diseases of the kidney M	47	3	13						2	3	1	1	5	1	3	18
Diseases of the kidney F	31	3	7		1	1	1	1	2	3	2	1	2	2	1	7
Diseases of the bladder M	27							1			1		3		2	20
Diseases of the bladder F	3											1				2
Others of this class M	43	3	3	2			1		1	2	1		4	2	5	22
Others of this class F	29			1			1	5	3	1	2	2		4	1	9
7. Diseases of the female organs of generation.	39				1		4	3	3	9	6	4	4		2	3
Ovarian tumors	10									2	2	1	3		2	
Ovarian diseases	1								1							
Diseases of the tubes	7						2	3		2						
Uterine tumors	9								1	2	1	2	1			2
Uterine diseases	2									1	1					
Others of this class	10				1		2		1	2	2	1				1

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MARYLAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	154					23	26	23	28	36	15	1	1	1		
Abortion	15					1	3	4	3	4						
Childbirth	83					13	12	13	17	16	9	1	1	1		
Puerperal septicemia	25					3	4	3	5	8	2					
Extra-uterine pregnancy	2									2						
Others of this class	29					6	7	3	3	6	4					
9. Diseases of the bones and joints	46	10	14	2	3	4	4	1	3	2	2	1	2	2	2	4
Males	27	5	8	2	1	3	4	1	2		1	1	1	1	1	1
Females	19	5	6		2	1			1	2	1		1	1	1	3
Diseases of the spine M	13	3	6	2			1		1		1	1		1		
Diseases of the spine F	11	4	4		2	1			1	1			1			1
Abscess, lumbar and psoas. M																
Abscess, lumbar and psoas. F	2										1			1		
Diseases of the bones M	8	2	2		1	1	2	1							1	
Diseases of the bones F	3		1												1	1
Diseases of the hip-joint. M	4					1	1		1							1
Diseases of the hip-joint. F	1	1	1													
Others of this class M	2					1							1			
Others of this class F	2									1						1
10. Diseases of the skin	38	12	16			2	1	1	1	1	2			4	3	7
Males	17	4	7			2	1				1			1	1	4
Females	21	8	9					1	1	1	1			3	2	3
Abscess M	3		1			2	1							1		3
Abscess F	15	6	6					1	1	1	1			3	1	1
Carbuncle M	2		1								1					1
Carbuncle F																
Others of this class M	6	4	5												1	
Others of this class F	6	2	3												1	2
11. Diseases of the absorbent system.	12	1	2	2		1		1	2				1	1	1	1
Males	5	1	2	1		1			1							
Females	7			1				1	1				1	1	1	1
Addison's disease M	1								1							
Addison's disease F																
Diseases of the spleen M																
Diseases of the spleen F	2			1												1
Others of this class M	4	1	2	1		1										
Others of this class F	5							1	1				1	1	1	
12. Accidents and injuries	992	80	157	66	48	65	72	92	74	70	65	51	46	33	38	115
Males	724	45	84	37	35	52	62	72	63	52	51	45	42	28	31	70
Females	268	35	73	29	13	13	10	20	11	18	14	6	4	5	7	45
Burns and scalds M	54	5	32	7	3			1	1	1	3		1	1		4
Burns and scalds F	85	2	26	21	5	8	3	3	1	2	4	2	1	1	1	7
Drowning M	116		2	8	14	17	14	9	11	6	10	7	3	1	4	10
Drowning F	10				1	1	1	2	1	2		1			1	
Exposure and neglect M	6	2	2								2					2
Exposure and neglect F	5	4	4													1
Gunshot wounds M	41		2	3	4	11	2	8	6		2	1				2
Gunshot wounds F	9		1	1	1		1	3	1	1						
Homicide M	21					3	2	3	3	2		4		1	2	1
Homicide F	3					1		1			1					
Infanticide M	1	1	1													
Infanticide F																
Injuries by machinery. M																
Injuries by machinery. F	1								1							
Railroad accidents M	81			9	3	3	13	13	5	5	6	5	8	3	4	4
Railroad accidents F	10		1	1	3	1					1		2			1
Suffocation M	25	16	17			1	1	2		1	1		1			1
Suffocation F	25	16	19	1		1	1		1							2
Suicide by shooting M	17						1	1	3	2	2	4	1	1	2	
Suicide by shooting F																
Suicide by drowning M	2								1			1				
Suicide by drowning F	1															1
Suicide by poison M	16							3	2	3	1	2	3			2
Suicide by poison F	4						1	3								
Other suicides M	40					3		5	2	9	5	4	4	2	3	3
Other suicides F	11					1	1	1		3	3			1		1
Sunstroke M	17	3	3				2		2	3	1		1	1	2	2
Sunstroke F	6	2	2								1				1	2
Surgical operations M	3															3
Surgical operations F	7							2	2	1	1					1
Wounds M	20					4	2	2	2	2	1	4	1		1	1
Wounds F	1			1												
Others of this class M	264	18	25	10	11	10	25	25	25	18	17	13	19	18	13	35
Others of this class F	90	11	20	4	2		2	5	4	9	3	3	1	3	4	29

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MINNESOTA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	17,005	3,569	5,059	624	471	634	813	770	769	732	712	594	660	633	724	3,810
Males	9,354	1,998	2,787	346	213	311	391	381	415	393	399	350	390	386	415	2,177
Females	7,651	1,571	2,272	278	258	323	422	389	354	339	313	244	270	247	309	1,633
Unknown cause	788	504	551	16	10	11	10	11	9	13	10	11	14	11	16	95
Males	442	292	321	7	2	3	4	6	4	4	6	5	7	5	11	57
Females	346	212	230	9	8	8	6	5	5	9	4	6	7	6	5	38
1. General diseases.																
General diseases—A	2,592	816	1,352	239	124	99	112	96	84	80	43	39	42	36	38	208
Males	1,362	442	722	121	49	51	50	52	55	39	23	22	23	28	21	106
Females	1,230	374	630	118	75	48	62	44	29	41	20	17	19	8	17	102
Measles M	43	10	32	2	3	3	1	1						1		
Measles F	36	16	30	2		3					1					
Scarlet fever M	50	6	36	8	2	1				1	1					1
Scarlet fever F	42	3	23	11	3	4										1
Diphtheria M	185	8	87	63	20	9	4							2		
Diphtheria F	172	4	63	54	36	10	3	2		1	1	1	1			
Whooping cough M	70	55	69	1												
Whooping cough F	94	60	90	4												
Malarial fever M	3							1						1	1	
Malarial fever F	6	2	2			1			1		1				1	
Influenza M	72	16	18	2		2	1	3	1	1	1	1	3		3	36
Influenza F	80	11	15	5	3	1	4		1	3	2	2	1		6	37
Typhoid fever M	233	5	16	13	11	25	32	36	37	27	11	9	4	6	1	5
Typhoid fever F	153	3	13	14	16	19	31	15	8	8	6	7	7	6	1	5
Cholera morbus M	103	36	49	8	0		4	1	4		2	1	4	5	4	15
Cholera morbus F	109	26	47	12	5	3	8	7	1	7	1	1	3	1	2	16
Colitis M	5	1	3				1							1		
Colitis F	3	1	2													1
Diarrhea M	50	24	32	5				1	1	1		1			2	7
Diarrhea F	33	10	21	4	1			1	1	1			1		1	2
Dysentery M	28	7	13	3				1	1			1		1	2	6
Dysentery F	19	5	10													9
Enteritis M	98	59	81	6						1			1	2	1	6
Enteritis F	102	56	75	2		1	2	2	4	2	1		1	1	3	8
Cholera infantum M	205	161	205													
Cholera infantum F	172	130	172													
Fever M	9	3	7									1				1
Fever F	6	4	4	1	1											
Cerebro-spinal fever M	45	12	25	4	3	4	3	2	2	1					1	
Cerebro-spinal fever F	38	10	23	3	4	4	1	1		1				1		
Smallpox M	7						3	1	1					2		
Smallpox F	15	2	4	1	2		1	3		1		3				
Erysipelas M	35	9	10					3		3	2	2	2	3	2	8
Erysipelas F	35	15	16			2	1	2	1	1			1			11
Septicemia M	78	12	18	6	2	6	1	2	7	4	5	4	9	4	3	7
Septicemia F	87	9	12	4	3		16	11	10	15	5	2	2	2	2	3
Venereal diseases M	18	14	15						1			1				1
Venereal diseases F	8	3	4						1			1	1			1
Others of this group M	25	4	6		2	1					1	1			1	13
Others of this group F	20	4	4	1	1				1	1	2		1		1	8
General diseases—B	429	308	326	5	1	2	7	7	8	9	11	12	7	5	8	21
Males	269	183	191	4		2	4	5	6	6	11	11	6	5	4	14
Females	160	125	135	1	1		3	2	2	3		1	1		4	7
Alcoholism M	45							1	4	4	9	8	6	4	3	6
Alcoholism F	1									1						
Parasitic diseases M																
Parasitic diseases F	1	1	1													
Lead poison M																
Lead poison F																
Other poisons M	33	2	7	3		2	4	3	2	1	2	3		1	1	4
Other poisons F	27	2	11	1	1		2	2	2	2		1			3	2
Inanition M	191	181	184	1				1		1						4
Inanition F	131	122	123				1						1		1	5
General diseases—C	1,278	389	401	1		2	1		2		8		3	4	11	850
Males	653	209	215			1			2		1		2	2	3	427
Females	625	180	186	1		1	1				2		1	2	8	423
Old age M	416														2	414
Old age F	416														6	410
Premature birth M	104	104	104													
Premature birth F	83	83	83													
Malformation M	21	20	21													
Malformation F	28	26	28													
Debility and atrophy M	98	71	76			1			2		1		2	2	1	13
Debility and atrophy F	91	64	68	1		1	1				2		1	2	2	13
Others of this group M	14	14	14													
Others of this group F	7	7	7													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MINNESOTA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	3,216	118	228	63	83	218	309	301	267	234	246	171	200	184	190	522
Males	1,569	67	128	33	26	84	140	120	125	113	131	91	98	95	102	283
Females	1,647	51	100	30	57	134	169	181	142	121	115	80	102	89	88	239
Anemia M	26	5	6	1	1	1	1			2	3		3	2	1	5
Anemia F	29	2	3		1		2	3		3	2	4	3	3	2	3
Diabetes M	75	1	5	5	2	3	3	2	7	4	5	3	6	5	4	21
Diabetes F	50	1	2	1	4	3	1	3	3	4	3		6	2	5	13
Rheumatism M	52		5	4	4	1	3	1			5	6	5	6	2	10
Rheumatism F	35	1	1	5	1	2	1	1	1		3	3	2	1	2	12
Scrofula and tabes M	14		2	2	1	1	4	3	1							
Scrofula and tabes F	16	1	2	1	2		4	2		1			1	1	1	1
Hydrocephalus M	60	20	40	4	3	5	3	1	1	1		1	1			
Hydrocephalus F	48	15	34	5	2	4	1	2								
Tuberculosis, general M	30	2	2	3		4	2	3	4	1	2	5		2	1	1
Tuberculosis, general F	23	2	5	2	1	2	3	1	3	2	1	1	1	1		
Consumption M	878	30	52	12	11	66	119	104	106	87	92	51	38	34	38	68
Consumption F	966	22	39	13	43	120	153	157	129	86	61	38	38	27	22	40
Cancer M	320	4	5				3	4	5	14	23	23	38	39	49	116
Cancer F	339	1	2	1		3	4	9	4	21	34	26	41	43	38	113
Tumor M	34	2	5		2	1		2	1	3	1		2	3	4	9
Tumor F	40	2	4	1				2	2	3	9	3	2	3	5	6
Dropsy M	69	1	1	2	1	1	1			1		1	4	4	3	50
Dropsy F	90		2		1			1		1	1	5	8	7	13	51
Others of this group M	11	2	4		1	1	1					1				3
Others of this group F	11	4	6	1	2						1			1		
2. Diseases of the nervous system	1,857	458	671	75	49	38	39	42	46	47	50	74	82	82	91	471
Males	1,052	263	375	50	22	19	24	25	23	29	32	44	44	37	49	279
Females	805	195	296	25	27	19	15	17	23	18	18	30	38	45	42	192
Inflammation of the brain M	81	25	46	11	1	2	4	1	3	2	2	2	3	2		2
Inflammation of the brain F	53	18	32	4	4	6	1	2	1			1			1	1
Meningitis M	183	56	109	21	5	4	7	5	6	2	7	2	3	3		6
Meningitis F	134	50	88	13	11	1	5	4	4		1	1		2	3	1
Apoplexy M	206	2	5	1	1	1	1	2	1	6	11	13	13	13	22	116
Apoplexy F	180	2	4	1	3	2	1	2	4	6	5	13	17	24	20	78
Paralysis M	180	3	4	1	2		1	3	2	9	6	10	8	7	17	110
Paralysis F	143	3	6	1		1			2	4	2	8	7	17	12	83
Paralysis, general (of insane) M	10								1	1		2	2	1		3
Paralysis, general (of insane) F	6									2	1		2		1	
Tetanus and trismus nascentium M	26	3	4	4	4	3	3	4				1		1	1	1
Tetanus and trismus nascentium F	12	3	5	2	3	2										
Chorea M																
Chorea F	1														1	
Epilepsy M	49	9	13	2	5	5	3	5	5	1	1	1	2		1	4
Epilepsy F	34	8	10		2	3	4	3	2	1		2	1		2	4
Convulsions M	177	144	169	6					1			1				
Convulsions F	146	102	132	1	1			2	3	2	3	1				1
Mental diseases M	13						2	1	1			2	1		2	4
Mental diseases F	19						1	2	1	1	1	1	5			7
Diseases of the brain M	80	17	20	2		1	2	2		6	2	7	6	7	4	21
Diseases of the brain F	53	9	18	3	3	3	1	1	5	2	1	1	3	2		10
Diseases of the spinal cord M	17	2	3	2				1	1	1			3	1	1	4
Diseases of the spinal cord F	4						1		1			1				1
Locomotor ataxia M	10								1	1		2	2	1	1	2
Locomotor ataxia F	2										1					1
Others of this class M	20	2	2			3	1	1	1		3	1	1	1		6
Others of this class F	18		1			1	1	1			3	1	3		2	5
3. Diseases of the circulatory system	1,270	89	107	22	37	34	37	28	48	54	62	56	74	83	115	513
Males	722	54	62	10	9	18	13	13	21	31	31	30	45	57	73	309
Females	548	35	45	12	28	16	24	15	27	23	31	26	29	26	42	204
Pericarditis M	11		2	2	1					2	1		2	1		
Pericarditis F	6			1		1	2				2					
Diseases of the heart M	669	44	50	8	8	18	13	13	20	29	26	29	41	52	67	295
Diseases of the heart F	513	30	40	10	28	15	21	14	24	22	27	26	27	25	40	194
Angina pectoris M	9										1			2	2	4
Angina pectoris F	11								1	1					2	7
Diseases of the arteries M	12													1	3	8
Diseases of the arteries F	1															1
Aneurism M	11								1		3	1	2	1	1	2
Aneurism F	4												2	1		1
Embolism M																
Embolism F	7						1	1	2		2					1
Others of this class M	10	10	10													
Others of this class F	6	5	5	1												

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MINNESOTA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	2,078	471	809	78	36	53	59	52	65	66	77	68	73	67	98	477
Males	1,153	262	432	42	16	25	38	33	42	39	47	49	46	45	46	253
Females	925	209	377	36	20	28	21	19	23	27	30	19	27	22	52	224
Croup M	68	23	54	12	1	1										
Croup F	63	19	53	9	1											
Pneumonia M	781	160	273	23	13	20	33	30	36	30	39	40	33	28	28	155
Pneumonia F	598	118	222	20	11	21	14	15	23	20	19	15	18	14	41	145
Laryngitis M	9	2	4	2								1	1		1	
Laryngitis F	6		3	1	1		1									
Bronchitis M	141	50	70	2			2			4	1	2	4	5	4	47
Bronchitis F	133	44	66	2	4	2	3	1			2		1	3	4	45
Pleurisy M	19	1	1	1	1	1		1	2	2				1	1	8
Pleurisy F	19	1	3	3			1	3		1	1	1		1		5
Asthma M	44					1				1		1	5	7	4	25
Asthma F	23	2	2								2		3		4	12
Others of this class M	91	26	30	2	1	2	3	2	4	2	7	5	3	4	8	18
Others of this class F	83	25	28	1	3	5	2			6	6	3	5	4	8	17
5. Diseases of the digestive system.	1,249	301	389	43	66	60	70	52	50	47	54	56	40	54	55	213
Males	692	159	211	24	12	32	31	24	24	30	33	32	27	30	33	119
Females	557	142	178	19	24	28	39	28	26	17	21	24	13	24	22	94
Dentition M	15	9	15													
Dentition F	9	4	9													
Angina M	17	2	6	2	3	2	1	1	1							1
Angina F	8	3	3	1	1		1		1			1				
Gastritis M	72	8	16	3	1		1	1	1	3	1	4	6	5	5	25
Gastritis F	65	8	11	1	1	2	2	4	1	1	4	1	2	3	3	29
Diseases of the stomach. M	51	11	15			1		1	3	1	8	5	2	4	3	13
Diseases of the stomach. F	39	7	8	1	1		2	1	1	1	1	3	1	2	3	14
Obstruction of the bowels. M	49	9	12		2	4	3			3	5	4	8	1	2	10
Obstruction of the bowels. F	36	8	11	3		1	1	1	1	1	3	1	2	2	3	6
Appendicitis M	105	1	2	12	17	17	10	10	7	4	4	8	2	3		9
Appendicitis F	52		3	4	10	10	7	5	6	1		2		2		1
Hernia M	20	3	4			1	1	1			1	2	1		4	5
Hernia F	19	2	2				1	1	1	1	1		1	1	1	9
Other diseases of the bowels. M	24	7	11	1		1	2	1		1	2		1		1	3
Other diseases of the bowels. F	17	8	9			1	1	2		1	1				1	1
Jaundice M	17	7	7		1		1				1	1		2		4
Jaundice F	14	12	12											1	1	
Inflammation and abscess of the liver. M	19						2	3	3	3	1			1	2	4
Inflammation and abscess of the liver. F	16	1	2					1	2	1	2	1		3	1	3
Other diseases of the liver. M	68	2	2	1	2		1	1	1	6	3	1	9	10	7	24
Other diseases of the liver. F	39	1	2				1		1		2	6	3	2	4	18
Peritonitis M	90	5	11	5	16	6	8	5	6	4	10	4	1	3	1	10
Peritonitis F	118	1	6	7	10	12	22	11	12	8	5	8	2	5	3	7
Ascites M	5									1			1		1	2
Ascites F	5					1							1			3
Others of this class M	140	95	110				1		2	4	2	3	1	1	7	9
Others of this class F	120	87	100	2	1	1	1	2		2	2	1	1	2	2	3
6. Diseases of the urinary system and male organs of generation.	833	23	37	11	14	18	33	39	41	43	46	50	68	59	63	311
Males	528	13	20	6	7	6	17	20	17	24	20	25	45	37	45	239
Females	305	10	17	5	7	12	16	19	24	19	26	25	23	22	18	72
Bright's disease M	351			5	6	4	14	15	14	17	16	17	36	31	28	148
Bright's disease F	228			4	6	9	13	14	17	16	22	18	21	20	14	54
Calculus, urinary M	2														1	1
Calculus, urinary F																
Diseases of the kidney. M	66	12	18	1	1	2	2	2		1	2	3	1	3	5	25
Diseases of the kidney. F	36	6	13	1	1		1	2			2	6		1	1	8
Diseases of the bladder. M	47									1	1	2	3	1	5	34
Diseases of the bladder. F	7	2	2			1				1						3
Others of this class M	62	1	2				1	3	3	5	1	3	5	2	6	31
Others of this class F	34	2	2			2	2	3	7	2	2	1	2	1	3	7
7. Diseases of the female organs of generation.	55	1	1			3	3	6	3	9	12	3	2	8	3	7
Ovarian tumors	7											1	1	1		2
Ovarian diseases	1										1					
Diseases of the tubes	7					1	1	2	1	1	1					
Uterine tumors	12									1	4			2	1	4
Uterine diseases	8									2		1				
Others of this class	25	1	1			2	2	4	2	3	6	1	1		2	1

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MINNESOTA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	200					12	38	43	40	36	26	1	1			[illegible]
Abortion	10						3	3	2		2					
Childbirth	104					5	14	17	22	24	18		1			3
Puerperal septicemia	66					4	15	18	13	9	6	1				
Extra-uterine pregnancy	1									1						
Others of this class	19					3	6	5	3	2						
9. Diseases of the bones and joints.	45	8	14	5	3	2	2	3	2	4	2	2	3	1	2	
Males	31	4	9	4	3	1	2	3	2	1	1	1	2	1	1	
Females	14	4	5	1		1				3	1	1	1		1	
Diseases of the spine. M	21	4	8	3	1	1	2	1		1	1	1	1		1	
Diseases of the spine. F	9	3	3			1				2	1	1			1	
Abscess, lumbar and psoas. M	2								1				1			
Abscess, lumbar and psoas. F																
Diseases of the bones. M	4				1			1	1					1		
Diseases of the bones. F	3		1	1									1			
Diseases of the hip-joint. M	2			1				1								
Diseases of the hip-joint. F	1									1						
Others of this class. M	2		1		1											
Others of this class. F	1	1	1													
10. Diseases of the skin	35	12	13				4	2		2	3	2	2	2		5
Males	22	7	8					2		1	3	2	1	2		3
Females	13	5	5				4			1			1			2
Abscess. M	[illegible]	4	4					2			1			1		1
Abscess. F	7	3	3				2			1						1
Carbuncle. M	4									1		1	1	1		
Carbuncle. F																
Others of this class. M	[illegible]	3	4								2	1				2
Others of this class. F	6	2	2				2						1			1
11. Diseases of the absorbent system.	14	1	[illegible]	1	2		1	1	3			2	1			
Males	9	1	3	1	1			1	2			1				
Females	5				1		1		1			1	1			
Addison's disease. M	3							1	1			1				
Addison's disease. F																
Diseases of the spleen. M	2				1				1							
Diseases of the spleen. F	2				1								1			
Others of this class. M	4	1	3	1												
Others of this class. F	[illegible]						1		1			1				
12. Accidents and injuries	1,066	70	157	65	46	82	88	87	101	88	67	47	48	42	34	114
Males	850	42	90	44	36	69	68	77	92	76	60	37	44	42	27	88
Females	216	28	67	21	10	13	20	10	9	12	7	10	4		7	26
Burns and scalds. M	46	3	22	3		3	5		2		2	1	1	1	2	4
Burns and scalds. F	54		23	14	2	2	1	2	1	2		1			1	5
Drowning. M	105		13	14	10	23	11	11	5	8	2	1	1	1	1	4
Drowning. F	14		7	2	1	1	2					1				
Exposure and neglect. M	13	3	6		1			2	1	1			1			1
Exposure and neglect. F	9	7	7		1					1						
Gunshot wounds. M	50		1	4	7	15	4	7	3	5		1	1			2
Gunshot wounds. F	10		1	1	1	3	3		1							
Homicide. M	20		1	2		1	2	2	[illegible]	[illegible]	1			2		3
Homicide. F	2								1	1						
Infanticide. M																
Infanticide. F	1	1	1													
Injuries by machinery. M	7					2			2	2					1	
Injuries by machinery. F																
Railroad accidents. M	109			7		2	7	17	21	14	15	2	5	6	2	11
Railroad accidents. F	6		1					1	1		1	1				1
Suffocation. M	33	19	21		1			3	1	2	1				2	2
Suffocation. F	16	10	12	1			2			1						
Suicide by shooting. M	26					1	1	2	4	3	2	1	5	3	1	3
Suicide by shooting. F																
Suicide by drowning. M	5								1		1			1	1	1
Suicide by drowning. F																
Suicide by poison. M	16						2	1	1	2	2	1	2	1	2	2
Suicide by poison. F	10					3		1	1	1		2			1	1
Other suicides. M	52					4	1	4	6	5	5	7	8	2	4	[illegible]
Other suicides. F	13						3	1	2	2	2	2	1			
Sunstroke. M	3											1		1		1
Sunstroke. F																
Surgical operations. M	6				1	1	1						1		1	1
Surgical operations. F	[illegible]					1		1		1		2	1		2	
Wounds. M	12		1		1		2	2	2	3		1				
Wounds. F																
Others of this class. M	347	17	25	14	15	17	32	26	40	28	29	21	19	24	10	47
Others of this class. F	73	10	15	[illegible]	5	3	[illegible]	4	2	3	4	1	2		3	19

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MISSISSIPPI.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	20,251	3,542	6,483	1,029	827	1,363	1,539	1,236	932	774	750	650	693	550	703	2,722
Males	10,299	1,906	3,446	517	422	638	774	574	426	373	352	309	358	283	365	1,462
Females	9,952	1,636	3,037	512	405	725	765	662	506	401	398	341	335	267	338	1,260
Unknown cause	1,989	870	1,193	91	63	71	70	56	37	36	40	39	36	34	39	184
Males	1,010	470	649	52	34	30	29	15	13	15	14	16	16	15	18	94
Females	979	400	544	39	29	41	41	41	24	21	26	23	20	19	21	90
1. General diseases. General diseases—A	6,416	1,107	2,456	505	371	493	506	364	270	198	192	119	161	98	137	546
Males	3,299	596	1,300	238	175	222	277	195	140	104	104	56	84	49	73	282
Females	3,117	511	1,156	267	196	271	229	169	130	94	88	63	77	49	64	264
Measles M	459	151	302	33	30	19	27	6	7	9	6	5	6	1	2	6
Measles F	491	124	274	30	28	42	14	13	27	15	15	8	6		6	13
Scarlet fever M	21	7	15	5					1							
Scarlet fever F	23	2	10	11	2											
Diphtheria M	42	13	31	5	3			1		2						
Diphtheria F	43	10	25	12	3	1				1			1			
Whooping cough M	91	47	85	4		1	1									
Whooping cough F	84	46	77	6				1								
Malarial fever M	498	50	148	56	35	43	47	37	21	16	21	7	17	9	11	30
Malarial fever F	485	51	138	59	41	43	37	38	13	9	21	8	12	11	12	43
Influenza M	304	82	109	10	7	6	8	10	5	4	5	3	10	13	13	101
Influenza F	283	43	75	12	10	10	11	8	11	7	10	7	13	7	15	87
Typhoid fever M	667	38	141	57	57	83	93	67	45	29	22	13	18	6	7	29
Typhoid fever F	703	34	140	71	78	110	89	48	42	25	16	20	17	13	9	25
Cholera morbus M	56	9	29	4	2		2	2	4	1	1			2	4	5
Cholera morbus F	58	12	26	2	2	1	2	2	2	2	1	1		3	3	11
Colitis M	5	1	2				1						1			1
Colitis F	5	1	3							1						1
Diarrhea M	104	13	39	12	1	2	2	2	2	2	1	4	4	1	6	26
Diarrhea F	110	26	56	16	2	3	1	3	6	2		2	3	2	1	13
Dysentery M	213	43	122	3	8	5	10	1	3	1	6	3	10	8	6	27
Dysentery F	167	27	81	11	3	3	9	2	2	5	6	3	5	4	7	26
Enteritis M	86	21	51	8	6	3	5	3		2		3				5
Enteritis F	82	25	46	7	3	3	2	4	1	1	3	2	1	3	1	5
Cholera infantum M	94	52	94													
Cholera infantum F	76	44	76													
Fever M	68	24	41	7	1	5	3	3	1	2	1	1			1	3
Fever F	76	18	39	7	5	3	2	3	2	1	1	1	3			9
Cerebro-spinal fever M	20	2	9	3	1		2	3					1		1	
Cerebro-spinal fever F	15	3	6	2	1	2	1	1					2			
Smallpox M	471	29	56	29	17	49	67	56	47	31	36	14	13	6	15	35
Smallpox F	311	26	55	17	14	40	47	36	16	17	14	9	13	6	5	22
Erysipelas M	14	2	3	1	1	1	1	1	1				1			4
Erysipelas F	15	11	12			1										2
Septicemia M	38	2	5	1	6	2	4	1	3	2	2		1	1	4	6
Septicemia F	51	4	8	1	3	5	11	8	3	4	1	2			1	4
Venereal diseases M	22	8	8			1	3	2		3	2	1	1		1	
Venereal diseases F	14	2	4				1	1	3	3					1	1
Others of this group M	26	2	10			2	1	1			1	2	1	2	2	4
Others of this group F	25	2	5	3	1	4	2	1	2	1			1		3	2
General diseases—B	128	43	83	7	5	1	3	7	4			4	6	2	1	5
Males	69	23	42	3	3		2	3	4			4	2	2	1	3
Females	59	20	41	4	2	1	1	4					4			2
Alcoholism M	6						1	1	1			1	1	1		
Alcoholism F																
Parasitic diseases M	21	5	18	2	1											
Parasitic diseases F	26	4	22	3	1											
Lead poison M																
Lead poison F																
Other poisons M	23	1	6	1	2		1	2	3			3	1	1	1	2
Other poisons F	14		1	1		1	1	4					4			2
Inanition M	19	17	18													1
Inanition F	19	16	18		1											
General diseases—C	525	137	145	4	2	2			1	1	2	2	2	7	8	349
Males	238	74	77	4	2	2					2	1	1	3	2	144
Females	287	63	68						1	1		1	1	4	6	205
Old age M	131														1	130
Old age F	198														6	192
Premature birth M	54	54	54													
Premature birth F	43	43	43													
Malformation M	15	12	12	3												
Malformation F	11	9	11													
Debility and atrophy M	33	3	6	1	2	2					2	1	1	3	1	14
Debility and atrophy F	30	6	9						1	1		1	1	4		13
Others of this group M	5	5	5													
Others of this group F	5	5	5													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MISSISSIPPI—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued.																
General diseases—D	3,161	70	222	78	102	298	397	374	272	208	190	193	159	138	139	391
Males	1,357	34	118	38	42	108	172	135	100	90	72	75	74	56	68	209
Females	1,804	36	104	40	60	190	225	239	172	118	118	118	85	82	71	182
Anemia M	2		1	1												
Anemia F	5				1				1			2			1	
Diabetes M	15		1		1	1		1	1		2	1		1		6
Diabetes F	3		1					1					1			
Rheumatism M	69			2	6	1	6	3	3	2	1	8	9	7	2	19
Rheumatism F	55	2	3	1			4	4	4	4	1	3	1	5	3	22
Scrofula and tabes M	73	11	26	5	5	7	4	4	5	2	1	2	4	1	3	4
Scrofula and tabes F	58	9	20	6	5	3	2	2	3	2	3	1	3	2	1	5
Hydrocephalus M	8	1	4			1				1		1		1		
Hydrocephalus F	3	1	1			1				1						
Tuberculosis, general M	1															1
Tuberculosis, general F																
Consumption M	878	16	55	14	23	86	149	115	82	78	55	50	42	28	33	68
Consumption F	1,251	21	54	21	44	175	192	211	132	87	87	67	45	42	31	63
Cancer M	84	2	3			1	2	1	2	2	8	8	8	3	13	33
Cancer F	174	1	3	2	3		5	6	13	11	16	21	18	23	14	39
Tumor M	14	1	2	3	2		1			1	1		1		1	2
Tumor F	39	1	1				3	4	3	2	3	7	3	2	7	4
Dropsy M	212	3	26	13	5	11	10	10	7	4	4	5	10	15	16	76
Dropsy F	215		20	10	7	11	19	11	16	11	8	17	14	8	14	49
Others of this group M	1							1								
Others of this group F	1	1	1													
2. Diseases of the nervous system	1,270	269	458	109	66	72	55	39	17	24	27	37	56	36	44	230
Males	666	152	245	56	29	45	31	18	5	11	15	14	32	17	23	125
Females	604	117	213	53	37	27	24	21	12	13	12	23	24	19	21	105
Inflammation of the brain M	77	11	32	12	1	7	5	4	1	2	2	1	3	3		4
Inflammation of the brain F	63	9	24	8	6	5	4	2	1	2	1	3	2	2		3
Meningitis M	115	20	50	17	12	18	4	5	1	2	1		3			2
Meningitis F	96	19	40	17	12	8	4	1	2	1	3	1		2	2	3
Apoplexy M	47						2				2	5	6	7	5	17
Apoplexy F	47		2	2		1	3			2	1	4	7	4	3	18
Paralysis M	122	2	7	1	1	1	1	1		3	2	5	9	5	13	73
Paralysis F	114		2	1	3	1	4	7	3	4	4	8	8	6	6	57
Paralysis, general (of insane) M	2										1		1			
Paralysis, general (of insane) F	3									1	1			1		
Tetanus and trismus nascentium M	14	6	9	1	1			1								2
Tetanus and trismus nascentium F	8	5	6		1								1			
Chorea M	1				1											
Chorea F	2				1	1										
Epilepsy M	39	3	5	3	6	6	7	4	1		3		1			3
Epilepsy F	32	7	13			2	2	2	4	1	1	2		1	1	3
Convulsions M	106	83	96	8				1								1
Convulsions F	82	57	66	6	2	1		4					1			2
Mental diseases M	10						1			2	1	1				5
Mental diseases F	2															2
Diseases of the brain M	117	26	44	13	7	13	11	1	1	1	3	2	5	1	2	13
Diseases of the brain F	133	19	58	18	12	7	3	3	2	1	1	4	3	3	7	11
Diseases of the spinal cord M	2			1									1			
Diseases of the spinal cord F	2	1	1							1						
Locomotor ataxia M	3												1	1		1
Locomotor ataxia F																
Others of this class M	11	1	2					1	1	1			2			4
Others of this class F	20		1	1		1	4	2				1	2		2	6
3. Diseases of the circulatory system.	895	23	34	12	13	22	42	40	36	43	57	64	71	49	103	309
Males	401	12	17	7	7	11	9	14	11	15	13	28	29	21	51	168
Females	494	11	17	5	6	11	33	26	25	28	44	36	42	28	52	141
Pericarditis M	3						1			1						1
Pericarditis F	4				1		1				1					1
Diseases of the heart M	394	12	17	7	7	11	8	14	11	14	12	27	28	21	51	166
Diseases of the heart F	482	11	17	5	5	11	31	25	23	28	42	36	41	28	52	138
Angina pectoris M	3										1	1	1			
Angina pectoris F	4								1				1			2
Diseases of the arteries M																
Diseases of the arteries F																
Aneurism M	1															1
Aneurism F	3							1	1		1					
Embolism M																
Embolism F	1						1									
Others of this class M																
Others of this class F																

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MISSISSIPPI—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	2,955	666	1,138	90	98	175	188	135	110	114	135	97	104	94	120	357
Males	1,611	368	610	47	57	105	101	69	63	57	72	54	61	53	62	200
Females	1,344	298	528	43	41	70	87	66	47	57	63	43	43	41	58	157
Croup M	205	139	196	7	2											
Croup F	204	143	197	6	1											
Pneumonia M	1,223	184	337	36	44	100	97	63	61	55	67	46	52	48	53	164
Pneumonia F	945	124	264	27	34	65	77	61	42	51	56	34	38	38	43	115
Laryngitis M	1															1
Laryngitis F	3			1				1			1					
Bronchitis M	103	39	63	2	4	1	2	3	1	1	2	4	2	4	1	13
Bronchitis F	102	27	51	5	6		5	1	2	2	2	4	1	1	4	18
Pleurisy M	19	1	1		3	1	1	2	1				1		3	6
Pleurisy F	29	1	2			1			1	3	1	4	1		6	10
Asthma M	31		5		2						2	3	5		3	11
Asthma F	25	1	3	1		1	1	2			1	1	2	1	3	9
Others of this class M	29	5	8	2	2	3	1	1		1	1	1	1	1	2	5
Others of this class F	36	2	11	3		3	4	1	2	1	2		1	1	2	5
5. Diseases of the digestive system.	968	193	398	41	23	38	51	39	33	28	33	34	39	39	45	127
Males	525	100	215	20	15	20	25	19	15	13	19	15	18	27	26	78
Females	443	93	183	21	8	18	26	20	18	15	14	19	21	12	19	49
Dentition M	57	19	57													
Dentition F	50	21	50													
Angina M	20	6	10	2			1	1		1			1	2		2
Angina F	8		4	2			1	1								
Gastritis M	50	6	13	3			6	3	2			2	2	2	7	10
Gastritis F	57	4	11		2	1	5	2	2	2	5	4	3	4	5	11
Diseases of the stomach M	52	6	20	5	4	2	2	2	4		2	1	1		1	8
Diseases of the stomach F	58	5	22	8	2	4		2	3	2	3	1	1	1	3	6
Obstruction of the bowels M	9	1	2			2			1			1		1		2
Obstruction of the bowels F	8					1	1	2				1	2		1	
Appendicitis M	29		2	1	2	4	3	2	2	1	4	2		1	2	3
Appendicitis F	9					2	3	1		1		1				1
Hernia M	21	1	1				2		1	2	1			2	1	11
Hernia F	4				1				1	1						1
Other diseases of the bowels M	60	8	24	2	2	2	3	3		4		1	2	4	4	9
Other diseases of the bowels F	47	9	20	4		1	2	2		1		1	1	2	3	10
Jaundice M	13	9	9		1			1		1						1
Jaundice F	18	7	8		1	2	1	1	1	1		1				2
Inflammation and abscess of the liver M	35		2	1		1	1	1			2	2	4	5	6	10
Inflammation and abscess of the liver F	26	2	5			2	2	3	2		2	2	2	1		5
Other diseases of the liver M	45	2	8		1	4	2		2	1	4	2	2	6	4	9
Other diseases of the liver F	27	2	3	1			2		3	3	1	2	3	1	4	4
Peritonitis M	20	1	2	2		1	3	2	1	1	1	1	1	1	1	3
Peritonitis F	24	3	4		1	3	4	4	2	2			2	1		1
Ascites M	17		1			2	1	2		1	3		3			4
Ascites F	17		3	2		2	1		1	1	2		8	1		1
Others of this class M	97	41	64	4	5	2	1	2	2	1	2	3	2	3		6
Others of this class F	90	40	53	4	1		4	2	3	1	1	6	4	1	3	7
6. Diseases of the urinary system and male organs of generation.	432	9	23	10	18	27	32	24	22	17	11	22	28	27	38	133
Males	317	5	16	9	10	17	21	13	14	11	8	16	22	22	28	110
Females	115	4	7	1	8	10	11	11	8	6	3	6	6	5	10	23
Bright's disease M	167			4	4	9	13	6	9	6	8	12	11	19	17	49
Bright's disease F	71			1	2	6	8	6	7	3	2	4	5	4	5	18
Calculus, urinary M	20		1	1					1	1		1	1	1	3	10
Calculus, urinary F	1															1
Diseases of the kidney M	53	2	10	2	2		8		1				5	2	2	25
Diseases of the kidney F	21	2	4			2	1	3		2		1	1	1	3	8
Diseases of the bladder M	25	1	1				1		1			2	3		3	14
Diseases of the bladder F	3	2	2									1				
Others of this class M	52	2	4	2	4	8	4	7	2	4		1	1		3	12
Others of this class F	19		1		6	2	2	2	1	1	1				2	1
7. Diseases of the female organs of generation.	51				2	3	1	5	10	9	7	3	5	2	1	3
Ovarian tumors	2								1							1
Ovarian diseases	3								1	1						1
Diseases of the tubes																
Uterine tumors	3								1	1				1		
Uterine diseases	11					1		1	3	3			1		1	1
Others of this class	32				2	2	1	4	4	4	7	3	4	1		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MISSISSIPPI—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	259				2	51	61	46	46	26	20	2	1		1	[illegible]
Abortion	19					5	4	4	4		2					
Childbirth	187				2	35	48	31	32	20	14	1	1		1	2
Puerperal septicemia	40					7	6	11	6	5	3	1				1
Extra-uterine pregnancy																
Others of this class	13					4	3		4	1	1					
9. Diseases of the bones and joints.	45	5	9	5	5	5	2	2	2	2	1	3	2	1	1	5
Males	24	2	3	5	4	3		1	1	1	1	2	2	1		
Females	21	[illegible]	6		1	2	2	1	1	1		1			1	5
Diseases of the spine. M	8	1	1	4	[illegible]											
Diseases of the spine. F	13	2	4		1	1	2	1				1				3
Abscess, lumbar and psoas. M																
Abscess, lumbar and psoas. F																
Diseases of the bones. M	4		1			1			1			1				
Diseases of the bones. F	[illegible]					1			1	1						
Diseases of the hip-joint. M	[illegible]				1			1								
Diseases of the hip-joint. F	1	1	1													
Others of this class. M	10	1	1	1		2				1	1	1	2	1		
Others of this class. F	4		1												1	2
10. Diseases of the skin	42	5	10			1	2	4	2	4	2	3	3	1	2	8
Males	24	3	5				2	3	1	3		2	2	1		5
Females	18	2	5			1		1	1	1	2	1	1		2	3
Abscess. M	9						2	1	1	1		2		1		1
Abscess. F	6		1							1	1				1	2
Carbuncle. M	5	1	1					2					1			1
Carbuncle. F	2										1				1	
Others of this class. M	10	2	4							2			1			3
Others of this class. F	10	2	[illegible]			1		1	1			1	1			1
11. Diseases of the absorbent system.	9						2		1	1		3			2	
Males	7						1		1	1		[illegible]			1	
Females	2						1								1	
Addison's disease. M																
Addison's disease. F																
Diseases of the spleen. M	5						1		1	1		1			1	
Diseases of the spleen. F	2						1								1	
Others of this class. M	2											2				
Others of this class. F																
12. Accidents and injuries	1,106	145	314	77	57	104	127	101	69	63	33	25	20	22	22	72
Males	751	67	149	38	44	75	104	89	58	52	32	23	15	16	12	44
Females	355	78	165	39	13	29	23	12	11	11	1	2	5	6	10	28
Burns and scalds. M	85	[illegible]	55	12	3	2	2	1	1					1	1	7
Burns and scalds. F	157	10	75	27	4	11	11	4	6	3		1	3	[illegible]	3	7
Drowning. M	55		2	4	11	11	7	11	2	3	1	1	1			1
Drowning. F	[illegible]		1		1	1	1	1				1		1		1
Exposure and neglect. M	20	11	17									1				2
Exposure and neglect. F	27	17	21	2			2									2
Gunshot wounds. M	166		5	3	11	20	32	35	17	12	6	10	4	4		7
Gunshot wounds. F	19	1	2	1	3	7	1	2	1					1		1
Homicide. M	75		1	2	1	8	16	10	13	12	4	3	2		2	1
Homicide. F	11			1		2	3	1	2	1	1					
Infanticide. M	1	1	1													
Infanticide. F	1	1	1													
Injuries by machinery. M	12					2	1	1	3	2		2		1		
Injuries by machinery. F																
Railroad accidents. M	53				3	7	10	7	7	5	7		1	2	2	2
Railroad accidents. F	4		1				1			1					1	
Suffocation. M	34	30	31	1			1		1							
Suffocation. F	37	31	34	1	1										1	
Suicide by shooting. M	7					1	1		1	1	1	1				1
Suicide by shooting. F	1					1										
Suicide by drowning. M																
Suicide by drowning. F	2					1				1						
Suicide by poison. M	2				1							1				
Suicide by poison. F																
Other suicides. M	9						1		3	1	1		1		1	1
Other suicides. F																
Sunstroke. M	8						1	2		2		1	1		1	
Sunstroke. F	2			1									1			
Surgical operations. M	4						1		1	1				1		
Surgical operations. F	1									1						
Wounds. M	12			[illegible]			2	3			1	1			2	1
Wounds. F	[illegible]	2	2													
Others of this class. M	208	22	37	14	14	24	29	19	9	13	11	2	5	7	[illegible]	21
Others of this class. F	[illegible]	16	28	6	4	6	4	4	2	[illegible]			1	2	5	17

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MISSOURI.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	38,084	6,806	11,472	1,494	1,058	1,650	2,133	1,906	1,768	1,719	1,545	1,523	1,557	1,700	1,726	6,833
Males	20,480	3,742	6,128	763	527	775	1,032	968	883	922	833	897	914	972	1,003	3,863
Females	17,604	3,064	5,344	731	531	875	1,101	938	885	797	712	626	643	728	723	2,970
Unknown cause	1,382	748	896	35	24	25	26	18	22	18	35	26	21	28	29	179
Males	747	420	497	21	12	13	11	5	9	11	16	12	11	15	15	99
Females	635	328	399	14	12	12	15	13	13	7	19	14	10	13	14	80
1. General diseases.																
General diseases—A	8,040	1,698	3,686	633	409	449	428	317	256	245	201	195	179	182	172	688
Males	4,149	908	1,923	315	191	206	231	172	124	125	109	110	98	93	87	365
Females	3,891	790	1,763	318	218	243	197	145	132	120	92	85	81	89	85	323
Measles M	253	47	138	26	19	21	11	10	4	6	5	3	2	1	1	5
Measles F	241	40	127	22	12	20	8	9	14	5	8	4	4	4	1	8
Scarlet fever M	65	9	37	25	1											2
Scarlet fever F	69	5	47	10	7		1	1	1						1	1
Diphtheria M	260	17	152	76	21	2			1				2	2		4
Diphtheria F	234	14	128	78	18	5		3	1			1				
Whooping cough M	167	93	160	7												
Whooping cough F	213	99	192	18	3											
Malarial fever M	494	63	144	57	30	26	26	27	23	19	25	19	17	13	12	56
Malarial fever F	471	64	162	59	31	33	32	12	22	15	10	15	10	13	11	46
Influenza M	166	25	38	5	2	3	5	3	1	3	3	5	9	5	13	69
Influenza F	189	23	34		3	9	3	2	6	5	12	6	12	11	15	71
Typhoid fever M	926	27	102	69	81	110	148	95	66	53	39	41	26	29	15	52
Typhoid fever F	864	24	109	66	107	147	104	62	44	42	25	32	29	24	20	53
Cholera morbus M	144	40	74	3	2	9	6	3	3	3	5	5	5	6	6	14
Cholera morbus F	127	41	70	6	3	9	4	3	4	4	5	2	3	2	4	8
Colitis M	29	8	17								3	4	1	1		3
Colitis F	19	1	11				2			1	1				1	3
Diarrhea M	142	28	64	3	1	2		1	2	3		1	6	12	10	37
Diarrhea F	110	28	56	11	1	1		1		2	1	3	1	5	6	22
Dysentery M	198	36	125	5	1	3	4	2	2	3	2	3	4	3	7	34
Dysentery F	192	37	114	1	1		2	2	4	4	1	3	8	4	9	39
Enteritis M	341	159	238	7	9	4	5	6	4	10	6	9	3	9	8	23
Enteritis F	309	118	181	10	9	4	6	14	7	10	5	6	7	6	9	35
Cholera infantum M	462	258	462													
Cholera infantum F	393	212	393													
Fever M	33	5	9	2	2	3	5	4	1	2			2	1		2
Fever F	29	7	13	5	1	1	2	2		1	1	1				2
Cerebro-spinal fever M	144	30	73	17	13	11	3	3	5	3	4	3	2	2		5
Cerebro-spinal fever F	117	22	51	23	13	7	3	6	4	2	1	1		2	1	3
Smallpox M	43	7	10	1		1	7	7	3	6	1	1	2	1	1	2
Smallpox F	23	7	8	1		2	3	2		2	3	1				1
Erysipelas M	61	22	25	3	3	3	1	1	1	2	4	2	2	2		12
Erysipelas F	59	25	28	2			1	1	2	1	3	4	2	8	1	6
Septicemia M	135	18	28	6	4	6	5	8	7	7	8	9	7	3	9	28
Septicemia F	175	11	21	4	7	5	25	24	18	25	13	6	1	9	3	11
Venereal diseases M	31	8	9	1	1	2	2	1	1	3	1	3	4	1	1	1
Venereal diseases F	16	8	9		1			1	1		2		1			1
Others of this group M	55	7	18	2	1		3	1		2	2	1	4	1	4	16
Others of this group F	41	4	9	2	1		1		4	1	1			1	3	18
General diseases—B	861	604	666	12	1	11	19	20	19	22	11	16	11	17	11	25
Males	480	314	347	5		3	8	12	14	16	8	14	9	14	9	21
Females	381	290	319	7	1	8	11	8	5	6	3	2	2	3	2	4
Alcoholism M	48						1	7	7	2	7	7	5	6	4	2
Alcoholism F	5						1	1		2		1				
Parasitic diseases M	6		5	1												
Parasitic diseases F	12		7	4						1						
Lead poison M	5							1	1	1		1				1
Lead poison F																
Other poisons M	85	4	19	2		3	7	4	6	12	1	5	4	5	5	12
Other poisons F	60	8	15	2	1	8	10	7	5	3	3	1		2		3
Inanition M	336	310	323	2						1		1		3		6
Inanition F	304	284	297	1									2	1	2	1
General diseases—C	2,035	794	848	6	5	2	3	5	3	7	4	5	11	21	44	1,071
Males	1,053	451	476	3	4	2	1	2		5	3	1	6	10	24	516
Females	982	343	372	3	1		2	3	3	2	1	4	5	11	20	555
Old age M	500														13	487
Old age F	538														14	524
Premature birth M	236	236	236													
Premature birth F	187	187	187													
Malformation M	37	35	35	1	1											
Malformation F	29	27	29													
Debility and atrophy M	268	168	193	2	3	2	1	2		5	3	1	6	10	11	29
Debility and atrophy F	213	114	141	3	1		2	3	3	2	1	4	5	11	6	31
Others of this group M	12	12	12													
Others of this group F	15	15	15													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MISSOURI—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	6,147	159	352	95	106	434	712	639	595	473	403	359	354	378	339	908
Males	2,934	77	175	41	41	159	272	304	275	230	198	185	177	193	195	489
Females	3,213	82	177	54	65	275	440	335	320	243	205	174	177	185	144	419
Anemia M	27	8	11	2	1	1		1		2	2		5		1	1
Anemia F	51	11	14	2	1	3	6	5	4	2	4	1	1	2	2	4
Diabetes M	72	1	2	1	2	5	5	5	1	6	5		6	5	4	25
Diabetes F	49	1	2		2	4	2	2	2	3	2	3	3	8	5	11
Rheumatism M	109	1	5	6	11	5	5	2	3	6	4	6	5	12	11	28
Rheumatism F	87		4	5	3	6	3	4	1	8	2	5	6	5	5	25
Scrofula and tabes M	45	6	16	2	2	2	7		2	1	2	3	2	1	3	2
Scrofula and tabes F	48	7	12	5	2		6	5	5	1	2	4	2		1	3
Hydrocephalus M	57	18	40	8		3	1	2	1		1					1
Hydrocephalus F	52	19	38	5	1	2	1	1	3				1			
Tuberculosis, general M	11		1			1		2	1			4	2			
Tuberculosis, general F	5		1				1		1	1			1			
Consumption M	1,967	29	61	16	20	133	230	282	245	202	151	134	114	108	94	177
Consumption F	2,140	39	80	23	44	254	405	302	267	179	138	81	90	73	56	148
Cancer M	374	1	4	2	2	3	10	2	10	9	17	22	32	53	55	153
Cancer F	534		6	1	1	1	4	9	26	36	47	66	52	75	56	152
Tumor M	42	3	7		1	1	5	2	1	1	5	4		1	2	12
Tumor F	69	2	7	2		2	3	1	4	2	4	6	9	10	5	14
Dropsy M	211	5	17	3	2	2	8	6	11	3	11	12	10	13	25	89
Dropsy F	162		6	8	5	3	5	5	7	11	6	8	12	11	14	61
Others of this group M	19	5	11	1		3	1	1					1			1
Others of this group F	16	3	7	1	1		4	1						1		1
2. Diseases of the nervous system	4,130	889	1,503	183	130	127	96	102	114	118	131	130	182	210	211	893
Males	2,256	485	780	100	63	60	52	49	65	67	69	75	110	115	130	521
Females	1,874	404	723	83	67	67	44	53	49	51	62	55	72	95	81	372
Inflammation of the brain M	239	76	152	19	7	9	12	4	4	7	2	3	6	4	5	5
Inflammation of the brain F	210	67	137	14	9	13	7	6	3	3	2	2	3		2	9
Meningitis M	433	129	239	55	25	21	10	12	14	8	10	7	10	7	4	11
Meningitis F	394	91	237	37	31	21	12	15	8	8	3	5	2	5	1	9
Apoplexy M	309	2	3			3	7	5	9	13	17	14	28	38	40	132
Apoplexy F	239	1	6	1	2	8	4	6	5	6	16	15	22	25	23	100
Paralysis M	461	5	12	1	1	5	2	5	8	14	15	21	30	36	48	263
Paralysis F	363	4	12	2	3	3	7	3	10	8	20	9	30	32	36	188
Paralysis, general (of insane) M	28									1	4	7	4	6	2	4
Paralysis, general (of insane) F	5										1	1	1	1		1
Tetanus and trismus nascentium M	55	38	40		5	3	1	2				1	1			2
Tetanus and trismus nascentium F	45	36	36	1		1	1	1	2	1		1				1
Chorea M	4	1	1		1											2
Chorea F	5	1	2		2							1				
Epilepsy M	66	3	4	1	9	6	5	9	4	7	3	3	3	3	1	8
Epilepsy F	52	12	12		2	5	5	3	3	6	5	2	2	3	2	2
Convulsions M	217	165	204	3	3	1	1	2	1		1		1			
Convulsions F	193	135	176	6		4	1	2	1	2						1
Mental diseases M	37				1			2	2	6	2	2	2	2	3	15
Mental diseases F	50						1	2	7	5	4	7	4	9	2	9
Diseases of the brain M	309	59	105	15	7	6	14	5	20	9	11	14	19	11	19	54
Diseases of the brain F	222	46	87	15	15	9	5	9	6	6	7	5	6	10	9	33
Diseases of the spinal cord M	44	6	16	4	4	4		3	2	1	3	2	2		1	2
Diseases of the spinal cord F	45	10	16	5	2	2		2	1	4	2	5		1	1	4
Locomotor ataxia M	19		1						1	1			3	5	3	5
Locomotor ataxia F	2												1	1		
Others of this class M	35	1	3	2		2					1	1	1	3	4	18
Others of this class F	49	1	2	2	1	1	1	4	3	2	2	2	1	8	5	15
3. Diseases of the circulatory system	2,306	133	164	43	54	44	66	91	91	119	123	144	162	202	211	792
Males	1,268	75	90	22	24	15	28	46	43	61	60	79	97	120	116	467
Females	1,038	58	74	21	30	29	38	45	48	58	63	65	65	82	95	325
Pericarditis M	17		1				3	2	2	1	1		1		2	4
Pericarditis F	21		1		3	1	1	1	2	3	1	2	2	2	1	1
Diseases of the heart M	1,128	43	55	21	22	14	24	43	39	52	51	71	90	111	104	431
Diseases of the heart F	933	28	42	21	25	26	34	42	43	52	59	56	63	76	91	303
Angina pectoris M	38				1			1	2	2	3	5	2	4	4	14
Angina pectoris F	29				1	2	1	1	2	2	2	2		2	3	11
Diseases of the arteries M	18									1		1		3	2	11
Diseases of the arteries F	8										1	1				6
Aneurism M	24					1	1			5	5	2	2	1	4	3
Aneurism F	10				1		2			1		3		1		2
Embolism M	9			1	1								2	1		4
Embolism F	5							1	1					1		2
Others of this class M	34	32	34													
Others of this class F	32	30	31									1				

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MISSOURI—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	6,359	1,163	2,256	270	108	211	274	245	212	256	264	279	252	319	331	1,082
Males	3,557	652	1,225	131	48	122	161	146	117	152	171	175	161	194	177	577
Females	2,802	511	1,031	139	60	89	113	99	95	104	93	104	91	125	154	505
Croup M	331	132	300	30	1											
Croup F	299	121	256	39	1						1		2			
Pneumonia M	2,539	346	655	78	42	111	149	125	99	133	152	156	135	145	140	419
Pneumonia F	1,903	266	552	81	50	79	94	77	78	91	81	90	70	103	120	337
Laryngitis M	16		7	4		1					1	1	1	1		
Laryngitis F	13	2	9	1			1		1						1	
Bronchitis M	359	138	203	11	1	2	3	9	4	6	5	5	7	17	14	72
Bronchitis F	354	90	173	6	5	4	9	9	7	4	2	4	8	8	16	99
Pleurisy M	49		3	1		1	2	4	3	5	1	2	2	6	6	13
Pleurisy F	34		2	2	1	1	3	4	1	1	3	2	1	2	2	9
Asthma M	78		1	1	1	2			1		2	8	7	11	9	40
Asthma F	66	3	5	1			1	3		1	2	1	5	6	14	27
Others of this class M	185	36	56	6	3	5	7	8	10	8	10	8	9	14	8	33
Others of this class F	133	29	34	9	3	5	5	6	8	7	4	7	5	6	1	33
5. Diseases of the digestive system.	2,479	421	684	96	92	98	123	119	125	107	113	131	132	119	140	400
Males	1,299	242	377	51	52	52	54	44	48	47	58	72	73	64	74	233
Females	1,180	179	307	45	40	46	69	75	77	60	55	59	59	55	66	167
Dentition M	42	21	42													
Dentition F	36	21	36													
Angina M	30	1	17	7	1		2				1					2
Angina F	40	6	19	8	5	1		2		1	1			2		1
Gastritis M	178	28	43	8	5	2	4	5	6	5	8	15	13	8	13	43
Gastritis F	191	21	48	5	2	3	5	7	13	18	8	4	16	9	14	39
Diseases of the stomach M	166	35	64	6	4	2	5	2	3	2	7	7	11	5	11	39
Diseases of the stomach F	145	26	41	6	3	3	9	6	7	6	3	9	9	4	8	31
Obstruction of the bowels M	62	9	15	5	4	4	5	2	1	3		4	3	4	4	8
Obstruction of the bowels F	68	6	11	1	2	1	6	3	4	4	4	5	5	5	6	11
Appendicitis M	133	2	2	5	22	25	21	12	6	7	10	7	5	2	5	4
Appendicitis F	71		1	9	12	10	8	10	5	4	1	4	1	3	2	1
Hernia M	53	2	5				3	1		4	2	5	3	1	2	27
Hernia F	33	3	6			2			1	1	2	4	1	3	2	11
Other diseases of the bowels M	97	26	43	3	1	7	5	4	4	3		1	5	4	7	10
Other diseases of the bowels F	74	15	35	1	6			4	3	1	3	2	2	4	1	12
Jaundice M	53	30	31	2	1				1	2		2	2	2		10
Jaundice F	40	20	21		1		1		4	2	2	2	2	1		4
Inflammation and abscess of the liver M	80	7	8	3	1	1	1	4	4	3	6	8	7	6	6	22
Inflammation and abscess of the liver F	60	1	4		2	6	4	2	5	1	2	3	2	5	7	17
Other diseases of the liver M	154	7	8	1	2	1	1	5	11	10	13	12	13	22	18	37
Other diseases of the liver F	79	5	6			1	2	2	3	2	7	7	9	10	9	21
Peritonitis M	83	11	14	7	7	9	3	7	7	3	6	3	5	2	1	9
Peritonitis F	205	1	10	9	5	18	30	35	31	18	18	13	5	2	3	8
Ascites M	34	1	3		4			1	1	1	2	3	2	5	3	9
Ascites F	28	1	2	3		1	2	1		2	2	1	3	1	5	5
Others of this class M	134	62	82	4		1	4	1	4	4	3	5	6	3	4	13
Others of this class F	110	53	67	3	2		2	3	1		2	5	4	6	9	6
6. Diseases of the urinary system and male organs of generation.	1,608	25	58	30	18	27	51	55	67	98	87	105	131	120	166	595
Males	1,086	18	36	20	9	12	29	30	37	58	49	78	83	81	114	450
Females	522	7	22	10	9	15	22	25	30	40	38	27	48	39	52	145
Bright's disease M	700			18	5	8	19	23	26	41	37	61	56	59	83	264
Bright's disease F	358			8	6	9	16	18	20	26	31	20	38	27	43	96
Calculus, urinary M	5						1									4
Calculus, urinary F	5						1		1		1		1			1
Diseases of the kidney M	156	16	30	2		3	2	1	4	7	4	6	10	4	12	71
Diseases of the kidney F	59	3	16	1	2	2	1	2	2	4		3	2	5		19
Diseases of the bladder M	59						3	1	1			1	2	3	9	39
Diseases of the bladder F	9	3	3							3						3
Others of this class M	166	2	6		4	1	4	5	6	10	8	10	15	15	10	72
Others of this class F	91	1	3	1	1	4	4	5	7	7	6	4	7	7	9	26
7. Diseases of the female organs of generation.	123	2	2		1	13	12	19	17	15	16	6	10	5	3	4
Ovarian tumors	17					2	1	1	3	2	1	1	3		1	2
Ovarian diseases	3							1		1	1					
Diseases of the tubes	13					1	2	4	1	1	1	1				
Uterine tumors	24					1	1	1	3	6	3	1	4	4		
Uterine diseases	15					2	1	4	1	2	3	1			1	
Others of this class	51	2	2		1	7	7	8	9	1	7	2	8	1	1	2

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MISSOURI—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	355				2	39	85	80	60	54	32	3				
Abortion	14						3	3	4	3	1					
Childbirth	160				2	23	38	33	22	22	19	1				
Puerperal septicemia	144					13	32	31	29	27	11	1				
Extra-uterine pregnancy	3						1		1	1						
Others of this class	34					3	11	13	4	1	1	1				
9. Diseases of the bones and joints	177	43	88	13	15	6	8	6	5	7	3	4	6	1	7	8
Males	102	23	42	7	10	4	5	3	3	6	2	2	4	1	7	6
Females	75	20	46	6	5	2	3	3	2	1	1	2	2			2
Diseases of the spine. M	76	21	39	6	8	2	3		2	5	2		2	1	2	4
Diseases of the spine. F	62	20	43	5	3	2	2	2	2			1	1			1
Abscess, lumbar and psoas. M	6							2	1	1		1				1
Abscess, lumbar and psoas. F	3				1			1					1			
Diseases of the bones M	13	1	2		2	2						1	2		3	1
Diseases of the bones F	7		2		1		1			1		1				1
Diseases of the hip-joint. M	5	1	1	1			2	1								
Diseases of the hip-joint. F	2		1	1												
Others of this class. M	2														2	
Others of this class. F	1										1					
10. Diseases of the skin	83	27	33	3	1	1	1	3	2	5	5	5	3	6	3	12
Males	46	13	15	2		1	1	3		2	4	2	3	2	3	8
Females	37	14	18	1	1				2	3	1	3		4		4
Abscess. M	20	3	3	1		1		2		1	4	1	3		1	3
Abscess. F	16	5	6	1						2		2		2		3
Carbuncle. M	12			1				1		1		1		2	2	4
Carbuncle. F	4				1				1	1				1		
Others of this class. M	14	10	12				1									1
Others of this class. F	17	9	12						1		1	1		1		1
11. Diseases of the absorbent system.	27	1	5	1		1	4	1	3	3	1	1	1	2	1	3
Males	12		2				1		3					2	1	3
Females	15	1	3	1		1	3	1		3	1	1	1			
Addison's disease. M	2								2							
Addison's disease. F	2					1	1									
Diseases of the spleen. M	4						1		1					1		1
Diseases of the spleen. F	7		1				1			3	1		1			
Others of this class. M	6		2											1	1	2
Others of this class. F	6	1	2	1			1	1				1				
12. Accidents and injuries	1,972	99	231	74	92	162	225	186	177	172	116	114	102	90	58	173
Males	1,491	64	143	45	73	126	178	152	145	142	86	92	82	68	51	108
Females	481	35	88	29	19	36	47	34	32	30	30	22	20	22	7	65
Burns and scalds. M	75	6	45	2	5	3	4	2	3	3	2	2		1	2	1
Burns and scalds. F	83	2	28	10	1	4	6	4	6	4	2	2	1	4	2	9
Drowning. M	99	1	5	9	10	14	11	8	7	10	4	5	6	3	1	6
Drowning. F	9		2		1	1	1	1	1	1				1		
Exposure and neglect. M	11	5	6				1	1	1	1			1			
Exposure and neglect. F	5	3	4													1
Gunshot wounds. M	142	1	2	3	13	15	36	20	14	13	2	9	3	5	2	4
Gunshot wounds. F	20		1	3	2	4	5		1	3						1
Homicide. M	104			1	2	9	15	24	13	17	6	5	4	5	2	1
Homicide. F	7					1	1	1	1			3				
Infanticide. M																
Infanticide. F																
Injuries by machinery. M	6						1	1	3	1	2					
Injuries by machinery. F																
Railroad accidents. M	174		3	3	5	20	26	27	29	16	9	9	9	4	6	11
Railroad accidents. F	14		2			2	2	1		1	1		2	1		2
Suffocation. M	38	21	23		1	3	1	1	2	2	2		1	1		1
Suffocation. F	21	16	16		1		2		1							1
Suicide by shooting. M	36					2	6	2	2	7	3	2	1	2	5	4
Suicide by shooting. F	6				1	1	3	1								
Suicide by drowning. M	5									1			1	2		1
Suicide by drowning. F	1								1							
Suicide by poison. M	17					1	2	2	3	3		2	2		1	1
Suicide by poison. F	9					2	3	1	2			1				
Other suicides. M	132					3	12	9	18	16	12	15	16	17	7	7
Other suicides. F	48					7	5	6	6	2	8	1	2	5	1	5
Sunstroke. M	24		1	1		1			1	2	2	4	4	2		6
Sunstroke. F	5											1		2	1	1
Surgical operations. M	18						8	3	2	2	1	1	2	2		2
Surgical operations. F	51				1		10	5	5	8	6	6	5	4		1
Wounds. M	15		1			3	4	1	3	1	2					
Wounds. F	2		1		1											
Others of this class. M	593	30	57	26	37	52	56	51	44	47	39	38	32	24	27	63
Others of this class. F	200	14	34	16	11	14	9	14	8	11	13	8	10	5	8	44

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MONTANA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	2,188	306	512	84	38	76	119	120	154	180	133	138	112	102	78	342
Males	1,387	178	279	34	25	36	66	69	92	131	96	98	83	76	59	243
Females	801	128	233	50	13	40	53	51	62	49	37	40	29	26	19	99
Unknown cause	101	44	54	1	2	6	3	3	4	2	1	3	1	2	1	18
Males	53	22	24	1	2	4	2	1	1	2	1		1	1	1	12
Females	48	22	30			2	1	2	3			3		1		6
1. General diseases. General diseases—A	326	86	167	30	7	12	15	12	13	15	12	10	6	2	3	22
Males	166	45	80	12	3	7	6	6	7	9	10	5	3	2	2	14
Females	160	41	87	18	4	5	9	6	6	6	2	5	3		1	8
Measles M	5	1	5	2				1								
Measles F	9	2	9													
Scarlet fever M	13		9	3	1											
Scarlet fever F	13		9	3	1											
Diphtheria M	5	1	2	2			1									
Diphtheria F	19	2	9	8	1		1									
Whooping cough M	9	5	9													
Whooping cough F	10	3	9	1												
Malarial fever M	4	1	1	1							1					1
Malarial fever F	1						1									
Influenza M	10							1	3		1	1		1		3
Influenza F	7									3						4
Typhoid fever M	29	2	3	1	1	4	3	3	3	2	2	1	1		2	3
Typhoid fever F	13	1	3	2	1	2		2		1	1		1			
Cholera morbus M	14	3	12	1												1
Cholera morbus F	10	3	5		1	1	2					1				
Colitis M																
Colitis F	1								1							
Diarrhea M	9	4	5	1												3
Diarrhea F	11	2	7	2		1										1
Dysentery M	2		1						1							
Dysentery F	2		2													
Enteritis M	7	4	5													1
Enteritis F	5	3	3						1	1						
Cholera infantum M	22	15	22													
Cholera infantum F	25	21	25													
Fever M	2									1	1					
Fever F																
Cerebro-spinal fever M	13	2	3	1	1	1				1	4	1		1		
Cerebro-spinal fever F	9	2	4	2					1		1		1			
Smallpox M	3					2										1
Smallpox F	1						1									
Erysipelas M	2	1	1				1									
Erysipelas F	2	1	1					1								
Septicemia M	8									3	1	1	2			1
Septicemia F	19					1	4	3	3	1		3	1		1	2
Venereal diseases M	4						1	1		2						
Venereal diseases F																
Others of this group M	2	1	1									1				
Others of this group F	2	1	1									1				1
General diseases—B	66	18	19	1		1	2	4	3	12	3	7	4	1	1	8
Males	46	12	13	1				1	1	9	2	7	3	1	1	7
Females	20	6	6			1	2	3	2	3	1		1			1
Alcoholism M	22								1	7	2	4	1	1	1	5
Alcoholism F	6					1		3		1						1
Parasitic diseases M																
Parasitic diseases F																
Lead poison M	1												1			
Lead poison F	1												1			
Other poisons M	12	1	2	1				1		2		3	1			2
Other poisons F	7						2		2	2	1					
Inanition M	11	11	11													
Inanition F	6	6	6													
General diseases—C	101	43	45	1					2	1	2	1	1	2	2	44
Males	61	26	28	1					1	1	1	1	1	2	2	23
Females	40	17	17						1		1					21
Old age M	21														2	19
Old age F	15															15
Premature birth M	16	16	16													
Premature birth F	11	11	11													
Malformation M	1	1	1													
Malformation F	1	1	1													
Debility and atrophy M	19	5	7	1					1	1	1	1	1	2		4
Debility and atrophy F	13	5	5						1		1					6
Others of this group M	4	4	4													
Others of this group F																

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MONTANA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	282	6	16	6	11	22	15	13	23	30	23	28	17	21	16	41
Males	163	5	11	1	7	8	5	8	10	16	13	17	15	16	11	25
Females	119	1	5	5	4	14	10	5	13	14	10	11	2	5	5	16
Anemia M																
Anemia F	1									1						
Diabetes M	8				2							1	1	2		2
Diabetes F	4					1						2				1
Rheumatism M	8		1	1						1	1	1				
Rheumatism F	3				1			1			1					
Scrofula and tabes M	1															1
Scrofula and tabes F	4									1	1			1		1
Hydrocephalus M	3	1	1					1								1
Hydrocephalus F																
Tuberculosis, general M	2		1							1						
Tuberculosis, general F																
Consumption M	97	2	6		5	6	5	5	10	12	6	6	10	11	4	10
Consumption F	67	1	5	3	3	13	9	4	10	5	6	1	1	2	1	4
Cancer M	25									1	4	3	1	3	5	8
Cancer F	30						1		2	6	2	7	1	1	2	8
Tumor M	3	1	1							1						1
Tumor F	3									1				1	1	
Dropsy M	14	1	1			2		1			1	2	3		2	2
Dropsy F	7			2					1			1			1	2
Others of this group M	2										1	1				
Others of this group F																
2. Diseases of the nervous system	211	41	59	10	2	8	6	7	11	14	14	16	10	9	12	33
Males	145	26	38	6	1	4	4	5	7	12	10	10	4	7	8	29
Females	66	15	21	4	1	4	2	2	4	2	4	6	6	2	4	4
Inflammation of the brain M	14	3	7	1	1		1		1		1		1	1		
Inflammation of the brain F	3	2	2	1												
Meningitis M	21	8	12	4		1	1			1				1		1
Meningitis F	12	7	12	3	1					2	1	1	1		1	
Apoplexy M	24						2		1	2	1	3	1	1	4	9
Apoplexy F	13	1	2			2		1				1	2	2	1	1
Paralysis M	17										2	2		2	1	10
Paralysis F	10							1	2		2	1	2		1	1
Paralysis, general (of insane) M	1								1							
Paralysis, general (of insane) F																
Tetanus and trismus nascentium M	1							1								
Tetanus and trismus nascentium F																
Chorea M																
Chorea F																
Epilepsy M	6					1		1		1		1				2
Epilepsy F	5					1	2		1		1					
Convulsions M	17	14	16	1												
Convulsions F	5	5	5													
Mental diseases M	17							1	2	4	3	3	1		1	2
Mental diseases F	3												1			2
Diseases of the brain M	22	1	3			2		2	2	3	1	1		2	2	4
Diseases of the brain F	4					1			1			1			1	
Diseases of the spinal cord M																
Diseases of the spinal cord F																
Locomotor ataxia M	2												1			1
Locomotor ataxia F																
Others of this class M	3									1	2					
Others of this class F	1											1				
3. Diseases of the circulatory system.	122	6	6	5	3	4	7	7	6	13	12	6	10	6	6	31
Males	76	3	3	3	3	3	2	3	2	5	6	4	9	5	6	22
Females	46	3	3	2		1	5	4	4	8	6	2	1	1		9
Pericarditis M	1														1	
Pericarditis F																
Diseases of the heart M	68	2	2	3	3	3	2	2	2	5	5	3	8	4	5	21
Diseases of the heart F	44	2	2	2		1	5	4	4	8	5	2	1	1		9
Angina pectoris M	1															1
Angina pectoris F	1										1					
Diseases of the arteries M	2							1					1			
Diseases of the arteries F																
Aneurism M	2											1		1		
Aneurism F																
Embolism M	1										1					
Embolism F																
Others of this class M	1	1	1													
Others of this class F	1	1	1													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MONTANA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	493	39	94	16	6	1	27	27	40	40	35	43	37	34	22	71
Males	348	25	50	4	3	1	21	23	31	35	27	35	29	23	16	50
Females	145	14	44	12	3		6	4	9	5	8	8	8	11	6	21
Croup M	11	1	11													
Croup F	16	4	14	2												
Pneumonia M	302	17	29	4	2	1	20	21	29	34	26	29	28	21	15	43
Pneumonia F	105	5	21	9	3		6	4	9	4	7	7	8	8	4	15
Laryngitis M	1		1													
Laryngitis F																
Bronchitis M	19	5	7		1				1	1		4		2		3
Bronchitis F	15	4	7							1				2	1	4
Pleurisy M	2						1	1								
Pleurisy F	2										1				1	1
Asthma M	5											1			1	3
Asthma F	4	1	1									1		1		1
Others of this class M	8	2	2					1	1		1	1	1			1
Others of this class F	2		1	1												
5. Diseases of the digestive system.	120	16	33	2		7	9	8	6	10	7	7	9	5	5	12
Males	63	10	19	1		3	1	3	2	6	5	5	6	3	3	6
Females	57	6	14	1		4	8	5	4	4	2	2	3	2	2	6
Dentition M	2	1	2													
Dentition F	3	3	3													
Angina M	1	1	1													
Angina F	1						1									
Gastritis M	6	1	1								1		3	1		
Gastritis F	9	2	4					1	1	1				1		1
Diseases of the stomach M	4		2							1		1				
Diseases of the stomach F	7						2	2	1			1		1		
Obstruction of the bowels M	6		1			1					1		1	1		1
Obstruction of the bowels F	4		1				1					1			1	
Appendicitis M	6		1	1		1				3						
Appendicitis F	8		1	1		4	2									
Hernia M	6	1	1					1		1		1				2
Hernia F	2												2			
Other diseases of the bowels M	5	2	2					1					2			
Other diseases of the bowels F	2		1													1
Jaundice M	1		1													
Jaundice F																
Inflammation and abscess of the liver M	5	1	1			1		1			1	1				
Inflammation and abscess of the liver F	2														1	1
Other diseases of the liver M	5										1	1			1	2
Other diseases of the liver F																
Peritonitis M	8	1	1				1		2	1	1	1		1		
Peritonitis F	14	1	2				2	1	2	3	1		1			2
Ascites M	1															1
Ascites F	3		1					1								1
Others of this class M	7	2	5												2	
Others of this class F	2		1								1					
6. Diseases of the urinary system and male organs of generation.	61		1	2	1	1	1	2	6	2	4	4	5	5	4	23
Males	46		1				1		5	2	2	3	5	3	4	20
Females	15			2	1	1		2	1		2	1		2		3
Bright's disease M	35								5	2	2	3	5	2	4	12
Bright's disease F	12			1	1	1		2			1	1		2		3
Calculus, urinary M																
Calculus, urinary F																
Diseases of the kidney M	7		1				1							1		4
Diseases of the kidney F																
Diseases of the bladder M	1															1
Diseases of the bladder F																
Others of this class M	3															3
Others of this class F	3			1					1		1					
7. Diseases of the female organs of generation.	6					1		2	2	1						
Ovarian tumors	1									1						
Ovarian diseases																
Diseases of the tubes	1								1							
Uterine tumors																
Uterine diseases	1					1										
Others of this class	3							2	1							

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MONTANA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	33					7	5	10	5	3	1	2				
Abortion	2					1	1									
Childbirth	16					3	2	5	3	2		1				
Puerperal septicemia	10					3		4		1	1	1				
Extra-uterine pregnancy	2						2									
Others of this class	3							1	2							
9. Diseases of the bones and joints.	4			1							1				1	1
Males	2										1				1	
Females	2			1												1
Diseases of the spine. M	1										1					
Diseases of the spine. F	1															1
Abscess, lumbar and psoas. M																
Abscess, lumbar and psoas. F																
Diseases of the bones. M																
Diseases of the bones. F	1			1												
Diseases of the hip-joint. M	1														1	
Diseases of the hip-joint. F																
Others of this class. M																
Others of this class. F																
10. Diseases of the skin	7			1			1			2	1					2
Males	5						1			1	1					2
Females	2			1						1						
Abscess. M	4						1			1	1					1
Abscess. F	2			1						1						
Carbuncle. M																
Carbuncle. F																
Others of this class. M	1															1
Others of this class. F																
11. Diseases of the absorbent system.	1								1							
Males																
Females	1								1							
Addison's disease. M																
Addison's disease. F																
Diseases of the spleen. M																
Diseases of the spleen. F																
Others of this class. M																
Others of this class. F	1								1							
12. Accidents and injuries	254	7	18	8	6	6	28	25	32	35	17	11	12	15	5	36
Males	213	4	12	4	6	6	23	19	25	33	17	11	7	13	4	33
Females	41	3	6	4			5	6	7	2			5	2	1	3
Burns and scalds. M	6		2						1		2					1
Burns and scalds. F	5		2	2										1		
Drowning. M	12		3				1		1	2		2				3
Drowning. F	2								2							
Exposure and neglect. M	4	2	3													1
Exposure and neglect. F	1	1	1													
Gunshot wounds. M	16			1	1	2	2	2	3	3						2
Gunshot wounds. F	2			1									1			
Homicide. M	13							1	4	2		1			1	4
Homicide. F	4			1			1	1								1
Infanticide. M																
Infanticide. F																
Injuries by machinery. M																
Injuries by machinery. F																
Railroad accidents. M	23		1	3	2		3		1	2			1	1	1	8
Railroad accidents. F																
Suffocation. M	1	1	1													
Suffocation. F	1	1	1													
Suicide by shooting. M	6								1		2	1		2		
Suicide by shooting. F	1							1								
Suicide by drowning. M																
Suicide by drowning. F																
Suicide by poison. M	3						1	1			1					
Suicide by poison. F	5						1	1	3							
Other suicides. M	14								1	6	3		1	2		1
Other suicides. F	3						1	1		1						
Sunstroke. M	1															1
Sunstroke. F																
Surgical operations. M																
Surgical operations. F	7						2	1	2				2			
Wounds. M	1						1									
Wounds. F																
Others of this class. M	113	1	2		3	4	15	15	13	18	9	7	5	8	2	12
Others of this class. F	10	1	[illegible]					1		1			2	1	1	2

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEBRASKA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	8,264	1,642	2,599	322	237	318	363	337	358	350	349	294	359	341	421	1,616
Males	4,480	929	1,406	173	124	170	165	170	161	163	180	163	212	188	259	946
Females	3,784	713	1,193	149	113	148	198	167	197	187	169	131	147	153	162	670
Unknown cause	458	246	282	10	8	5	10	11	8	9	14	11	8	14	12	61
Males	255	148	164	7	2	4	2	6	3	2	6	6	2	7	6	38
Females	203	98	118	3	1	1	8	5	5	7	8	5	6	7	6	23
1. General diseases. General diseases—A	1,631	430	855	138	69	78	64	55	55	34	37	28	36	20	45	117
Males	827	215	430	68	31	38	31	26	19	14	20	22	21	10	28	69
Females	804	215	425	70	38	40	33	29	36	20	17	6	15	10	17	48
Measles M	30	7	19	4	1	1	2		1						1	1
Measles F	20	8	18	1		1										
Scarlet fever M	43	4	31	10	1		1									
Scarlet fever F	40	3	22	8	5	3		2								
Diphtheria M	83	6	34	30	9	5	1	3			1					
Diphtheria F	79	4	29	30	9	5	2	2	1							1
Whooping cough M	47	32	46	1												
Whooping cough F	58	30	55	3												
Malarial fever M	16	1	5	2	1	2			1		1	1	1			2
Malarial fever F	16	3	4	1	1	2	2			2	2				1	1
Influenza M	64	10	18			1	2	2			3	2	4	1	6	25
Influenza F	58	11	15	1		3	1	4	1	1	1	1	1	2	3	24
Typhoid fever M	145	3	10	5	10	22	21	16	14	8	10	8	6	2	7	5
Typhoid fever F	115	1	10	10	14	21	16	8	13	3	4	2	4	4	1	5
Cholera morbus M	61	24	39	2	4	1	1	2			2		2	1	2	5
Cholera morbus F	60	14	25	3	4	2	1	1	5	4	4	2	2		2	5
Colitis M	5	1	3	1												1
Colitis F	5	3	4						1							
Diarrhea M	32	6	12	4	2		1	1				1		2	3	6
Diarrhea F	22	4	11	4							1			1	3	2
Dysentery M	35	2	18	3		2	1			1	2		8		2	3
Dysentery F	37	10	22	2	1					1	2	1	1		2	5
Enteritis M	24	13	18	1						1			1			3
Enteritis F	23	9	14	1	1			1	1				1	1		3
Cholera infantum M	149	85	149													
Cholera infantum F	165	100	165													
Fever M	4	4	4													
Fever F	9	2	7	1							1					
Cerebro-spinal fever M	19	8	13	1	1	1				1		1				1
Cerebro-spinal fever F	17	4	10	3		3	1									
Smallpox M	4					1	1			1					1	
Smallpox F	1	1	1													
Erysipelas M	15	4	5									3		1	2	4
Erysipelas F	10	2	5		2										2	1
Septicemia M	35	2	4	3	2	2		1	2	2		5	4	2	1	7
Septicemia F	55	2	2	2			10	9	14	9	2		4	2	1	
Venereal diseases M	5							1	1		1	1				1
Venereal diseases F	4	1	1					1					2			
Others of this group M	11	2	2											1	3	5
Others of this group F	10	3	5		1			1							2	1
General diseases—B	146	60	91	4	1	2	6	4	4	10	3	5	3	3	1	9
Males	90	41	51	3	1		2	2	4	7	3	5	2	3	1	6
Females	56	25	40	1		2	4	2		3			1			3
Alcoholism M	14								2	3	1	2	1	2		3
Alcoholism F	2									1						1
Parasitic diseases M																
Parasitic diseases F																
Lead poison M	3									2				1		
Lead poison F																
Other poisons M	31	3	11	2	1		2	2	2	2	2	3	1		1	2
Other poisons F	20		8	1		1	4	2		2			1			1
Inanition M	42	38	40	1												1
Inanition F	34	25	32			1										1
General diseases—C	445	163	170	1				2				1	1	1	4	265
Males	221	101	103	1								1			2	114
Females	224	62	67					2					1	1	2	151
Old age M	111														1	110
Old age F	150														2	148
Premature birth M	61	61	61													
Premature birth F	34	34	34													
Malformation M	14	13	13	1												
Malformation F	6	5	6													
Debility and atrophy M	33	25	27									1			1	4
Debility and atrophy F	30	18	23					2					1	1		3
Others of this group M	2	2	2													
Others of this group F	4	4	4													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEBRASKA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	1,206	33	68	19	36	68	97	100	98	87	86	68	90	75	75	239
Male	574	21	34	13	15	31	37	44	41	41	39	32	42	33	39	133
Female	632	12	34	6	21	37	60	56	57	46	47	36	48	42	36	106
Anemia M	9	1	1			1						2		1	1	3
Anemia F	8	4	4		1									1	1	1
Diabetes M	43			4	2	3	2	1	1	4		1	2	3	5	15
Diabetes F	19		3	1	1	2	1		2	2	1	2	1		1	2
Rheumatism M	26	1	1	2	4	2		1	2		1	1	1		2	9
Rheumatism F	26	1	3	1	5	1	1	2	1	3	1	1	2	1	2	2
Scrofula and tabes M	11	1	1					2	1	1	1		1		1	3
Scrofula and tabes F	14		1	1	2			3	1	1	2		1	1		1
Hydrocephalus M	17	7	11	2	2	2										
Hydrocephalus F	8	1	6		1		1									
Tuberculosis, general M	11		2			1	1		3		1	1	1			1
Tuberculosis, general F	1											1				
Consumption M	265	4	10	3	5	19	33	39	27	24	28	12	15	11	12	27
Consumption F	327	4	12	1	9	31	53	48	41	30	26	9	11	13	12	31
Cancer M	118	2	2			1		1	4	9	7	12	12	12	15	43
Cancer F	142	1	1				3	1	2	6	14	18	25	17	12	39
Tumor M	12	3	4						1	1			2	1		3
Tumor F	33		2	2		2		1	2	1	3	1	4	4	4	7
Dropsy M	59	1	1		2	2	1		2	2	1	3	8	5	3	29
Dropsy F	51		1		2	1	1	1	3	3		4	4	4	4	23
Others of this group M	3	1	1	2												
Others of this group F	3	1	1						1					1		
2. Diseases of the nervous system	965	207	308	29	22	19	21	20	23	33	42	32	51	52	64	249
Males	552	114	167	16	13	10	10	14	10	15	24	19	31	29	35	159
Females	413	93	141	13	9	9	11	6	13	18	18	13	20	23	29	90
Inflammation of the brain. M	47	17	30	3	1	3	1		1		2	1		1	1	3
Inflammation of the brain. F	49	17	31	3	2		3	2		1	2	2		1	1	1
Meningitis M	75	23	47	7	4	3	5	2		2	1		2			2
Meningitis F	63	21	40	7	1	1	2	1	2	3	2	1			1	2
Apoplexy M	88	1	1					2	1	1	5	4	7	12	14	41
Apoplexy F	56	2	2	1		1				2	2	3	7	8	7	23
Paralysis M	131	2	2		3		1	1	3	5	4	7	9	7	10	79
Paralysis F	98		1		2		1		3	4	4	3	0	7	14	53
Paralysis, general (of insane). M	34				1			1	4	2	6	2	6	1	4	7
Paralysis, general (of insane). F	11								1		2	1	2		3	2
Tetanus and trismus nascentium. M	11	6	6		2		1						2			
Tetanus and trismus nascentium. F	5	1	1	1						1	2					
Chorea M																
Chorea F	2				1		1									
Epilepsy M	14	4	5	1			1	3		1	1	1	1			
Epilepsy F	16	4	5	1		1	2	2		1			1	1	1	1
Convulsions M	64	54	62			1		1								
Convulsions F	42	36	42													
Mental diseases M	9							1			1			1		6
Mental diseases F	10					1		1	1		3	2	1			1
Diseases of the brain M	50	7	12	4	1	1	1	1	1	4	3	2	3	2	4	11
Diseases of the brain F	37	7	13		3	5	1		5	3	1			3		8
Diseases of the spinal cord. M	11		1	1	1	2		1				1			1	3
Diseases of the spinal cord. F	6	2	2							1			1		1	1
Locomotor ataxia M	6										1			2	1	2
Locomotor ataxia F	5		1										2	1	1	
Others of this class M	12		1					1				1	1	3		5
Others of this class F	13	3	3				1		1	2		1		2		3
3. Diseases of the circulatory system.	612	60	71	12	16	16	20	19	24	29	24	42	42	41	73	183
Males	345	38	44	7	5	7	3	10	13	12	11	17	31	26	45	114
Females	267	22	27	5	11	9	17	9	11	17	13	25	11	15	28	69
Pericarditis M	1												1			
Pericarditis F	3		1				1					1				
Diseases of the heart M	319	28	34	7	5	7	3	7	13	11	11	16	27	24	45	109
Diseases of the heart F	247	19	23	5	11	9	14	8	11	16	13	23	10	13	25	66
Angina pectoris M	10							3					1	1		5
Angina pectoris F	8							1				1	1	1	2	2
Diseases of the arteries. M																
Diseases of the arteries. F	1															1
Aneurism M	3									1			1	1		
Aneurism F	4						2							1	1	
Embolism M	1											1				
Embolism F	1									1						
Others of this class M	11	10	10										1			
Others of this class F	3	3	3													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEBRASKA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	1,113	256	467	44	17	40	34	28	27	30	43	35	40	48	56	209
Males	614	151	260	21	9	23	17	12	15	14	19	20	25	28	32	119
Females	499	105	207	23	8	17	17	11	12	16	24	15	15	20	24	90
Croup M	36	19	33	3												
Croup F	30	11	24	5	1											
Pneumonia M	459	92	173	15	8	20	15	10	13	12	17	17	21	20	27	91
Pneumonia F	364	71	144	16	6	15	14	10	10	14	19	14	10	14	16	62
Laryngitis M																
Laryngitis F																
Bronchitis M	51	21	28	1			1	1			1			3	4	12
Bronchitis F	48	17	27				1				1			5	4	10
Pleurisy M	8		2	1						1				2		2
Pleurisy F	12			1				1	1	1	1		1			6
Asthma M	16	2	2				1					2	1	2	1	7
Asthma F	14				1		1				1		1		3	7
Others of this class M	44	17	22	1	1	3		1	2	1	1	1	3	1		7
Others of this class F	31	6	12	1		2	1		1	1	2	1	3	1	1	5
5. Diseases of the digestive system.	602	107	148	21	32	30	25	33	31	35	19	25	36	35	34	98
Males	332	65	86	10	16	17	12	15	13	15	8	15	23	23	21	58
Females	270	42	62	11	16	13	13	18	18	20	11	10	13	12	13	40
Dentition M	2	1	2													
Dentition F	4	3	4													
Angina M	5	1	2		1				2							
Angina F	12	1	4	4	1			1		2						
Gastritis M	35	4	9	3					2			3	3	2	2	11
Gastritis F	26	2	4		1	2	1		2	1	1		1	2	1	10
Diseases of the stomach. M	26	3	4	1		1	1		1	1	1	1	3	1	4	7
Diseases of the stomach. F	30	5	6		1	1	2	1	2		3		1	4	1	8
Obstruction of the bowels. M	24	5	7	2			1		1	2	1	1		1	1	7
Obstruction of the bowels. F	12	3	4				1		1	1	2			1		2
Appendicitis M	56	1	2	1	11	10	6	7	1	4	1	2	4	2	2	3
Appendicitis F	37	1	1	5	7	6	4	7	1	3		1	1		1	
Hernia M	13	1	1			1								2	2	7
Hernia F	7								1	3					2	1
Other diseases of the bowels. M	18	6	8		1	1			2	1	1			1		3
Other diseases of the bowels. F	19	6	8		2			1	1	2		1	1			3
Jaundice M	11	3	3	1						1			1	4	1	
Jaundice F	7	3	4										2	1		
Inflammation and abscess of the liver. M	7		1										2	2	1	1
Inflammation and abscess of the liver. F	8	1	2		1				1	2					1	1
Other diseases of the liver. M	38	2	2				1	1	3	2	1	5	8	1	5	14
Other diseases of the liver. F	25	1	2		1	1			1		2	2	1	4	4	7
Peritonitis M	34	2	2	1	3	3	3	6	1	3	1	1	3	4	2	1
Peritonitis F	45	1	2	2	2	2	5	8	7	5	2	3	5		1	1
Ascites M	5												2			3
Ascites F	7										1				1	5
Others of this class M	58	36	43	1		1		1		1	2	2	2	3	1	1
Others of this class F	31	15	21			1			1	1		3	1		1	2
6. Diseases of the urinary system and male organs of generation.	324	12	15	4	3	5	10	10	11	16	26	20	20	29	32	123
Males	226	9	10	1	2	3	5	7	5	10	18	8	13	17	29	98
Females	98	3	5	3	1	2	5	3	6	6	8	12	7	12	3	25
Bright's disease M	151			1	2	1	2	7	4	9	15	7	12	13	20	58
Bright's disease F	61			3	1	1	3	1	3	4	5	9	5	10	3	13
Calculus, urinary M	3								1							2
Calculus, urinary F	1											1				
Diseases of the kidney. M	32	6	7			1	2					1	1		5	15
Diseases of the kidney. F	27	2	4			1	2		3	2	1	2	2	2		8
Diseases of the bladder. M	15						1							2	2	10
Diseases of the bladder. F																
Others of this class M	25	3	3			1				1	3			2	2	13
Others of this class F	9	1	1					2			2					4
7. Diseases of the female organs of generation.	27					1	5		4	5	3	4	2	1		2
Ovarian tumors	4						1		1	1						1
Ovarian diseases	2										1			1		
Diseases of the tubes	4						1			1	1	1				
Uterine tumors	7								1	2		2	1			1
Uterine diseases																
Others of this class	10					1	3		2	1	1	1	1			

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEBRASKA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	93					3	18	19	23	18	12					
Abortion	6							2	2	2						
Childbirth	53					1	10	8	12	14	8					
Puerperal septicemia	25					1	7	7	6	1	3					
Extra-uterine pregnancy	4						1		3							
Others of this class	5					1		2		1	1					
9. Diseases of the bones and joints.	29	11	15	1	1	1	2	1		1			2	1		4
Males	12	2	5			1	2	1		1				1		1
Females	17	9	10	1	1								2			3
Diseases of the spine. M	8	2	5				1	1								1
Diseases of the spine. F	14	8	9										2			3
Abscess, lumbar and psoas. M																
Abscess, lumbar and psoas. F																
Diseases of the bones. M	3					1				1				1		
Diseases of the bones. F	3	1	1	1	1											
Diseases of the hip-joint. M																
Diseases of the hip-joint. F																
Others of this class. M	1						1									
Others of this class. F																
10. Diseases of the skin	14	5	6			1	1				1		2		1	2
Males	6	1	2										1		1	2
Females	8	4	4			1	1				1		1			
Abscess. M	4		1										1		1	1
Abscess. F	5	2	2			1	1						1			
Carbuncle. M	1															1
Carbuncle. F																
Others of this class. M	1	1	1													
Others of this class. F	3	2	2								1					
11. Diseases of the absorbent system.	13		4					1			2	1		2	2	1
Males	7		3								1	1			1	1
Females	6		1					1			1			2	1	
Addison's disease. M	2										1					1
Addison's disease. F	1										1					
Diseases of the spleen. M	4		3									1				
Diseases of the spleen. F	2		1											1		
Others of this class. M	1														1	
Others of this class. F	3							1						1	1	
12. Accidents and injuries	586	46	99	39	37	49	50	39	50	43	37	22	26	19	22	54
Males	419	23	47	26	30	36	44	33	38	32	31	17	21	11	19	34
Females	167	23	52	13	7	13	6	6	12	11	6	5	5	8	3	20
Burns and scalds. M	21	3	17	1	2						1					
Burns and scalds. F	33		15	7		1	1	1	3	2	1	1	1			
Drowning. M	35	1	2	3	9	7	4	1	4	1	1		1		2	
Drowning. F	10		4	1	1	2			1	1						
Exposure and neglect. M	9	7	9													
Exposure and neglect. F	14	8	10	2												2
Gunshot wounds. M	38	1	3		4	9	11	5	2	2	1	2			1	
Gunshot wounds. F	1					1										
Homicide. M	6						1		1	3	1					
Homicide. F	3					1				1						1
Infanticide. M	1	1	1													
Infanticide. F																
Injuries by machinery. M	3							2			1					
Injuries by machinery. F																
Railroad accidents. M	50			4	1	5	11	3	8	2	3	5	2	1	2	3
Railroad accidents. F	5						1			1		1	1			1
Suffocation. M	8	4	4		1	1	1	1								
Suffocation. F	3	2	3													
Suicide by shooting. M	13						1	1	3	2	2		2		1	1
Suicide by shooting. F																
Suicide by drowning. M																
Suicide by drowning. F	2							1					1			
Suicide by poison. M	9							1		2	4	1	1			
Suicide by poison. F	7					3	2			1				1		
Other suicides. M	28					8	2	6	5		1	2	2	3		4
Other suicides. F	10				1	2			2	1		1		2		1
Sunstroke. M	3										1					2
Sunstroke. F	2	1	1												1	
Surgical operations. M	11	2	2	1				2		3					2	1
Surgical operations. F	15	1	1	1	1		2		3	1	2			3		1
Wounds. M	7			1				3								3
Wounds. F																
Others of this class. M	177	4	9	16	13	11	13	10	15	17	15	7	13	7	11	20
Others of this class. F	62	11	18	2	4	3		4	3	3	3	2	2	2	2	14

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEVADA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	438	46	79	10	12	7	27	20	16	10	26	17	32	30	39	113
Males	290	23	42	3	6	5	11	9	10	7	20	13	28	23	26	87
Females	148	23	37	7	6	2	16	11	6	3	6	4	4	7	13	26
Unknown cause	24	4	5	1				3	2	1	4	1		1		6
Males	15	1	2	1				1	1	1	3	1				5
Females	9	3	3					2	1		1			1		1
1. General diseases. General diseases—A	78	19	35	6	6	1	5	3		2	2		4	1	2	11
Males	43	11	20	2	3		1	1		2	1		4	1	1	7
Females	35	8	15	4	3	1	4	2			1				1	4
Measles M	3		3													
Measles F	2	1	2													
Scarlet fever M																
Scarlet fever F	2		1	1												
Diphtheria M																
Diphtheria F																
Whooping cough M	1	1	1													
Whooping cough F	6	4	6													
Malarial fever M	7		2		1					1			2		1	
Malarial fever F	3				1			1			1					
Influenza M	7	1	1				1							1		4
Influenza F	3														1	2
Typhoid fever M	2			1						1						
Typhoid fever F	10		2	2	1	1	3	1								
Cholera morbus M	7	2	3		1						1					2
Cholera morbus F	3	1	1													2
Colitis M																
Colitis F																
Diarrhea M	3	1	3													
Diarrhea F																
Dysentery M	4	2	3										1			
Dysentery F	2	1	2													
Enteritis M																
Enteritis F																
Cholera infantum M	3	3	3													
Cholera infantum F	1	1	1													
Fever M																
Fever F																
Cerebro-spinal fever M	1				1											
Cerebro-spinal fever F	2			1	1											
Smallpox M																
Smallpox F																
Erysipelas M	1	1	1													
Erysipelas F																
Septicemia M	3			1									1			1
Septicemia F	1						1									
Venereal diseases M	1							1								
Venereal diseases F																
Others of this group M																
Others of this group F																
General diseases—B	8	1	1						1							6
Males	7	1	1						1							5
Females	1															1
Alcoholism M	1															1
Alcoholism F	1															1
Parasitic diseases M																
Parasitic diseases F																
Lead poison M																
Lead poison F																
Other poisons M	2								1							1
Other poisons F																
Inanition M	4	1	1													3
Inanition F																
General diseases—C	22	1	1							1				1		19
Males	16	1	1											1		14
Females	6									1						5
Old age M	14															14
Old age F	4															4
Premature birth M	1	1	1													
Premature birth F																
Malformation M																
Malformation F																
Debility and atrophy M	1															
Debility and atrophy F	2									1				1		1
Others of this group M																
Others of this group F																

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEVADA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued.																
General diseases—D	88	1	1	2	1	1	7	2	4	1	6	7	11	14	8	23
Males	62						2		3	1	6	3	10	11	6	20
Females	26	1	1	2	1	1	5	2	1			4	1	3	2	3
Anemia M																
Anemia F																
Diabetes M	3								1							2
Diabetes F	2											1		1		
Rheumatism M	1												1			
Rheumatism F	1															1
Scrofula and tabes M																
Scrofula and tabes F																
Hydrocephalus M																
Hydrocephalus F																
Tuberculosis, general M																
Tuberculosis, general F																
Consumption M	45						2		1	1	5	2	7	9	5	13
Consumption F	11				1	1	5	2	1						1	
Cancer M	6												2	1		3
Cancer F	8											3	1	2		2
Tumor M	2										1				1	
Tumor F																
Dropsy M	5								1			1		1		2
Dropsy F	3			2											1	
Others of this group M																
Others of this group F	1	1	1													
2. Diseases of the nervous system	43	7	11				1	3		1	2	4	5		8	8
Males	27	3	6							1	1	4	4		4	7
Females	16	4	5				1	3			1		1		4	1
Inflammation of the brain. M	2		2													
Inflammation of the brain. F																
Meningitis M	1		1													
Meningitis F	2	2	2													
Apoplexy M	5									1			1		1	2
Apoplexy F	2										1		1			
Paralysis M	7											1	1		3	2
Paralysis F	3														2	1
Paralysis, general (of insane). M																
Paralysis, general (of insane). F	2														2	
Tetanus and trismus nascentium. M																
Tetanus and trismus nascentium. F																
Chorea M																
Chorea F																
Epilepsy M	3										1					2
Epilepsy F	1							1								
Convulsions M	4	2	3									1	1			
Convulsions F	4	1	1				1	2								
Mental diseases M	2												1			1
Mental diseases F																
Diseases of the brain M	2	1	1									1				
Diseases of the brain F	2	1	2													
Diseases of the spinal cord. M	1											1				
Diseases of the spinal cord. F																
Locomotor ataxia M																
Locomotor ataxia F																
Others of this class M																
Others of this class F																
3. Diseases of the circulatory system.	26	1	1		2		1		3		5	1		4	3	6
Males	20	1	1		1				1		4	1		4	3	5
Females	6				1		1		2		1					1
Pericarditis M																
Pericarditis F																
Diseases of the heart M	19	1	1		1						4	1		4	3	5
Diseases of the heart F	6				1		1		2		1					1
Angina pectoris M	1								1							
Angina pectoris F																
Diseases of the arteries. M																
Diseases of the arteries. F																
Aneurism M																
Aneurism F																
Embolism M																
Embolism F																
Others of this class M																
Others of this class F																

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEVADA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	67	10	19		1	1	4	1	5	1	2	2	4	6	8	13
Males	39	4	8		1	1	3	1	4		1	2	3	4	6	5
Females	28	6	11				1		1	1	1		1	2	2	8
Croup M	1		1													
Croup F	4	3	4													
Pneumonia M	35	3	6		1	1	3	1	4		1	2	3	3	5	5
Pneumonia F	20	3	6				1		1	1	1		1	1	2	6
Laryngitis M																
Laryngitis F																
Bronchitis M	2	1	1												1	
Bronchitis F	2		1													1
Pleurisy M																
Pleurisy F	2													1		1
Asthma M	1													1		
Asthma F																
Others of this class M																
Others of this class F																
5. Diseases of the digestive system.	25	1	3	1	1		2	4		1	1	1	1		3	7
Males	13		1				1	3				1	1			6
Females	12	1	2	1	1		1	1		1	1				3	1
Dentition M	1		1													
Dentition F																
Angina M																
Angina F	1	1	1													
Gastritis M	2							1								1
Gastritis F	1							1								
Diseases of the stomach. M																
Diseases of the stomach. F	3		1												2	
Obstruction of the bowels. M	2											1				1
Obstruction of the bowels. F																
Appendicitis M	2							1					1			
Appendicitis F	1				1											
Hernia M	3															3
Hernia F	1															1
Other diseases of the bowels. M																
Other diseases of the bowels. F																
Jaundice M																
Jaundice F																
Inflammation and abscess of the liver. M																
Inflammation and abscess of the liver. F	1			1												
Other diseases of the liver. M	1															1
Other diseases of the liver. F	1														1	
Peritonitis M	2						1	1								
Peritonitis F	3						1			1	1					
Ascites M																
Ascites F																
Others of this class M																
Others of this class F																
6. Diseases of the urinary system and male organs of generation.	12						1						2	1	2	6
Males	8												1		2	5
Females	4						1						1	1		1
Bright's disease M	4														1	3
Bright's disease F	4						1						1	1		1
Calculus, urinary M																
Calculus, urinary F																
Diseases of the kidney. M	2														1	1
Diseases of the kidney. F																
Diseases of the bladder. M	1															1
Diseases of the bladder. F																
Others of this class M	1												1			
Others of this class F																
7. Diseases of the female organs of generation.	1								1							
Ovarian tumors																
Ovarian diseases																
Diseases of the tubes																
Uterine tumors																
Uterine diseases																
Others of this class	1								1							

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEVADA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	3						2	1								
Abortion																
Childbirth	1						1									
Puerperal septicemia																
Extra-uterine pregnancy	1						1									
Others of this class	1							1								
9. Diseases of the bones and joints.	1	1	1													
Males	1	1	1													
Females																
Diseases of the spine. M	1	1	1													
Diseases of the spine. F																
Abscess, lumbar and psoas. M																
Abscess, lumbar and psoas. F																
Diseases of the bones. M																
Diseases of the bones. F																
Diseases of the hip-joint. M																
Diseases of the hip-joint. F																
Others of this class M																
Others of this class F																
10. Diseases of the skin	2										1				1	
Males	2										1				1	
Females																
Abscess M	1										1					
Abscess F																
Carbuncle M	1														1	
Carbuncle F																
Others of this class M																
Others of this class F																
11. Diseases of the absorbent system.																
Males																
Females																
Addison's disease M																
Addison's disease F																
Diseases of the spleen M																
Diseases of the spleen F																
Others of this class M																
Others of this class F																
12. Accidents and injuries	38		1		1	4	4	3		2	3	1	5	2	4	8
Males	37		1		1	4	4	3		2	3	1	5	2	3	8
Females	1														1	
Burns and scalds M	1															1
Burns and scalds F	1														1	
Drowning M	1		1													
Drowning F																
Exposure and neglect M	2															2
Exposure and neglect F																
Gunshot wounds M	2					1								1		
Gunshot wounds F																
Homicide M																
Homicide F																
Infanticide M																
Infanticide F																
Injuries by machinery. M																
Injuries by machinery. F																
Railroad accidents M	3						1								2	
Railroad accidents F																
Suffocation M																
Suffocation F																
Suicide by shooting M																
Suicide by shooting F																
Suicide by drowning M																
Suicide by drowning F																
Suicide by poison M	1														1	
Suicide by poison F																
Other suicides M	5						1	2		1	1		1	1		1
Other suicides F																
Sunstroke M																
Sunstroke F																
Surgical operations M																
Surgical operations F																
Wounds M																
Wounds F																
Others of this class M	19				1	3	2	1		1	2	1	4			4
Others of this class F																

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW MEXICO.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	2,674	562	1,112	202	95	108	112	112	99	106	84	72	73	84	90	325
Males	1,455	326	601	96	43	37	46	61	54	56	46	44	46	54	57	214
Females	1,219	236	511	106	52	71	66	51	45	50	38	28	27	30	33	111
Unknown cause	404	146	207	20	15	13	13	7	7	18	11	10	7	13	12	51
Males	231	90	121	12	4	4	6	4	1	13	8	6	4	6	9	33
Females	173	56	86	8	11	9	7	3	6	5	3	4	3	7	3	18
1. General diseases. General diseases—A	997	259	595	138	43	30	22	21	16	18	8	11	12	10	20	53
Males	489	141	307	64	20	11	8	9	8	5	1	4	6	6	10	30
Females	508	118	288	74	23	19	14	12	8	13	7	7	6	4	10	23
Measles M	41	13	32	6	2											1
Measles F	30	11	20	2	2		2			1	1	1				1
Scarlet fever M	21	7	14	2	1		1	1		1						1
Scarlet fever F	23	5	17	1	1		1			1					1	1
Diphtheria M	29	8	20	6		1										2
Diphtheria F	27	5	14	6	4					1	1				1	
Whooping cough M	13	10	12	1												
Whooping cough F	16	9	15	1												
Malarial fever M	41	8	19	4		3	1		1	1		1	2	1	2	6
Malarial fever F	48	14	24	6		1	5			1	1			1	2	7
Influenza M	15	5	7	3					1						2	2
Influenza F	11	1	3	2					1				1			4
Typhoid fever M	47	11	22	3	4	2	1	1	1	1		2	1	1	1	5
Typhoid fever F	55	5	19	6	2	4	4	3	1	6	1	3	1	1	2	2
Cholera morbus M	10	2	4	2									1		1	2
Cholera morbus F	9	1	3						1	1	1		1		1	1
Colitis M																
Colitis F																
Diarrhea M	15	6	9	2									1	2		1
Diarrhea F	4	1	4													
Dysentery M																
Dysentery F	2											1		1		
Enteritis M	6	4	5					1								
Enteritis F	4	1	2	1				1								
Cholera infantum M	13	8	13													
Cholera infantum F	15	10	15													
Fever M	92	30	64	7	2	2		3		1		1	1	2	2	7
Fever F	102	24	57	11	3	3	1	7	1	1	2	2	3	1	3	7
Cerebro-spinal fever M	1														1	
Cerebro-spinal fever F	2	1	1					1								
Smallpox M	133	25	81	28	11	2	5	1	1	1						3
Smallpox F	154	26	89	38	11	11	1		4							
Erysipelas M	3	2	2						1							
Erysipelas F	2	1	1							1						
Septicemia M	5							2	1		1				1	
Septicemia F																
Venereal diseases M	2	1	2													
Venereal diseases F	1	1	1													
Others of this group M	2	1	1			1										
Others of this group F	3	2	3													
General diseases—B	20	10	12			3			1	1		1				2
Males	14	7	9			1			1	1		1				1
Females	6	3	3			2										1
Alcoholism M	2								1	1						
Alcoholism F																
Parasitic diseases M																
Parasitic diseases F																
Lead poison M																
Lead poison F																
Other poisons M	6	1	3			1						1				1
Other poisons F	3	1	1			2										
Inanition M	6	6	6													
Inanition F	3	3	2													1
General diseases—C	49	7	8											1	1	39
Males	30	5	6													24
Females	19	2	2											1	1	15
Old age M	23															23
Old age F	16														1	15
Premature birth M	3	2	2													
Premature birth F	1	1	1													
Malformation M																
Malformation F																
Debility and atrophy M	4	2	3													1
Debility and atrophy F	2	1	1											1		
Others of this group M	1	1	1													
Others of this group F																

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW MEXICO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued.																
General diseases—D	281	5	15	7	7	17	20	27	32	24	17	15	21	14	18	47
Males	154	2	8	4	2	6	7	15	21	13	9	9	13	6	11	30
Females	127	3	7	3	5	11	13	12	11	11	8	6	8	8	7	17
Anemia M																
Anemia F																
Diabetes M	1								1							
Diabetes F	1														1	
Rheumatism M	11		1	1	1			2		1		2		1	1	1
Rheumatism F	5						1	1				1				2
Scrofula and tabes M	3		1					1					1			
Scrofula and tabes F																
Hydrocephalus M	2		1					1								
Hydrocephalus F																
Tuberculosis, general M																
Tuberculosis, general F	1					1										
Consumption M	84	1	2	1	1	5	6	11	17	11	6	3	6	1		14
Consumption F	68		2	1	4	3	12	9	8	5	4	4	3	3		4
Cancer M	16								1		1	2	3	1	5	3
Cancer F	15	3	4			1			1	3	1	1	1		1	2
Tumor M	9	1	3	2											1	3
Tumor F	7			1	1			1			1		1			2
Dropsy M	28					1	1		2	1	2	2	3	3	4	9
Dropsy F	30		1	1				1	2	3	2		3	5	5	7
Others of this group M																
Others of this group F																
2. Diseases of the nervous system	125	29	63	8	1	1	1	1	1	1	7	1	7	3	6	24
Males	74	18	36	3	1		1		1	1	3	1	5	2	4	16
Females	51	11	27	5		1		1			4		2	1	2	8
Inflammation of the brain. M	18	7	14	1	1		1						1			
Inflammation of the brain. F	21	8	13	3							1				1	3
Meningitis M	6	1	5	1												
Meningitis F	6		6													
Apoplexy M	6	1	1								1		1			3
Apoplexy F	3										1					2
Paralysis M	30	2	6						1	1	1	1	3	2	4	11
Paralysis F	10		2	1							2		2		1	2
Paralysis, general (of insane). M																
Paralysis, general (of insane). F																
Tetanus and trismus nascentium. M																
Tetanus and trismus nascentium. F																
Chorea M																
Chorea F																
Epilepsy M	1		1													
Epilepsy F	3	2	2			1										
Convulsions M	5	3	4	1												
Convulsions F	3	1	3													
Mental diseases M																
Mental diseases F	1							1								
Diseases of the brain. M	7	4	5								1					1
Diseases of the brain. F	2		1	1												
Diseases of the spinal cord. M																
Diseases of the spinal cord. F																
Locomotor ataxia M																
Locomotor ataxia F																
Others of this class M	1															1
Others of this class F	2													1		1
3. Diseases of the circulatory system.	70	4	7	2	4	2	1	5	1	6	1	4	4	7	5	21
Males	41	3	3		1		1	5	1	3	1	3	2	4	4	13
Females	29	1	4	2	3	2				3		1	2	3	1	8
Pericarditis M																
Pericarditis F	1	1	1													
Diseases of the heart. M	39	3	3		1		1	4	1	2	1	3	2	4	4	12
Diseases of the heart. F	28		3	2	3	2				3		1	2	3	1	8
Angina pectoris M	1							1								
Angina pectoris F																
Diseases of the arteries. M																
Diseases of the arteries. F																
Aneurism M	1															1
Aneurism F																
Embolism M																
Embolism F																
Others of this class M																
Others of this class F																

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW MEXICO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	338	72	153	16	12	11	18	13	13	15	7	8	12	15	13	32
Males	191	43	84	7	6	4	10	8	8	9	2	5	10	12	6	20
Females	147	29	69	9	6	7	8	5	5	6	5	3	2	3	7	12
Croup M	21	4	18	2	1											
Croup F	24	4	17	6	1											
Pneumonia M	129	26	47	4	3	4	10	6	6	9	1	4	7	9	4	15
Pneumonia F	103	21	45	2	5	7	7	5	4	6	3	3	2	2	6	6
Laryngitis M																
Laryngitis F																
Bronchitis M	13	8	11		1									1		
Bronchitis F	4			1												3
Pleurisy M	10		1						1				2	2	1	3
Pleurisy F	4	1	1												1	2
Asthma M	6	2	3					1	1							1
Asthma F	2	1	1								1					
Others of this class M	12	3	4	1	1			1			1	1	1		1	1
Others of this class F	10	2	5				1		1		1			1		1
5. Diseases of the digestive system.	128	21	31	5	2	5	6	4	4	5	13	6	5	9	7	26
Males	79	13	19	3	1	3	3	2	1	1	9	1	1	8	7	20
Females	49	8	12	2	1	2	3	2	3	4	4	5	4	1		6
Dentition M	1	1	1													
Dentition F																
Angina M	4	1	3	1												
Angina F	2	1	1	1												
Gastritis M	12	3	3	1							2			1		5
Gastritis F	6	1	2				1			2						1
Diseases of the stomach. M	11	3	3					1			1		1	1	2	2
Diseases of the stomach. F	1															1
Obstruction of the bowels. M																
Obstruction of the bowels. F	1	1	1													
Appendicitis M																
Appendicitis F																
Hernia M	1		1													
Hernia F	2	1	2													
Other diseases of the bowels. M	13	2	4			1	2		1	1				1	1	2
Other diseases of the bowels. F	7	2	2	1	1	1					1					1
Jaundice M	1										1					
Jaundice F	2															2
Inflammation and abscess of the liver. M	11				1						2	1		3	2	2
Inflammation and abscess of the liver. F	9		1				1		1		2	2	2			
Other diseases of the liver. M	7	1	1			1	1							2		2
Other diseases of the liver. F	2											1	1			
Peritonitis M	1															1
Peritonitis F	5	1	1					2	1	1						
Ascites M	11			1				1			2				2	5
Ascites F	8					1			1	1		2	1	1		1
Others of this class M	6	2	3			1					1					1
Others of this class F	4	1	2				1				1					
6. Diseases of the urinary system and male organs of generation	39		1	1		2	3	3		3	3	3		4	4	12
Males	30					1	1	2		2	2	3		4	4	11
Females	9		1	1		1	2	1		1	1					1
Bright's disease M	17					1	1			2	2	2		3	1	5
Bright's disease F	5					1	1			1	1					1
Calculus, urinary M																
Calculus, urinary F																
Diseases of the kidney. M	5							2				1		1		2
Diseases of the kidney. F	3		1	1				1								
Diseases of the bladder. M	3														1	2
Diseases of the bladder. F																
Others of this class M	4														2	2
Others of this class F	1						1									
7. Diseases of the female organs of generation.	3						1	1		1						
Ovarian tumors																
Ovarian diseases																
Diseases of the tubes																
Uterine tumors	2						1	1								
Uterine diseases	1									1						
Others of this class																

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW MEXICO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	65				1	13	14	13	9	6	6	2		1		
Abortion	8					2	3	1	2							
Childbirth	48				1	10	10	10	8	4	5	1		1		
Puerperal septicemia	8					1	1	2	1	2	1					
Extra-uterine pregnancy																
Others of this class	1											1				
9. Diseases of the bones and joints.	5	1	2				1								1	1
Males	2						1									1
Females	3	1	2												1	
Diseases of the spine M	2						1									1
Diseases of the spine F	3	1	2												1	
Abscess, lumbar and psoas. M																
Abscess, lumbar and psoas. F																
Diseases of the bones. M																
Diseases of the bones. F																
Diseases of the hip-joint. M																
Diseases of the hip-joint. F																
Others of this class. M																
Others of this class. F																
10. Diseases of the skin	11	4	6			2										3
Males	7	3	4													3
Females	4	1	2			2										
Abscess M																
Abscess F	1					1										
Carbuncle M																
Carbuncle F	1	1	1													
Others of this class. M	7	3	4													3
Others of this class. F	2		1			1										
11. Diseases of the absorbent system.																
Males																
Females																
Addison's disease M																
Addison's disease F																
Diseases of the spleen M																
Diseases of the spleen F																
Others of this class. M																
Others of this class. F																
12. Accidents and injuries	139	4	12	5	10	9	12	17	15	8	11	11	5	7	3	14
Males	113	1	4	3	8	7	8	16	12	8	11	11	5	6	2	12
Females	26	3	8	2	2	2	4	1	3					1	1	2
Burns and scalds M	2		1					1								
Burns and scalds F	4		3				1									
Drowning M	2		1													1
Drowning F	4		1	2											1	
Exposure and neglect M																
Exposure and neglect F	1	1	1													
Gunshot wounds M	18			1	1	1		2	5	2	3	3				
Gunshot wounds F	1						1									
Homicide M	5				1			2	2			1				
Homicide F	2					1										1
Infanticide M																
Infanticide F																
Injuries by machinery. M																
Injuries by machinery. F																
Railroad accidents M	12				1	1	2	4		2		1				1
Railroad accidents F																
Suffocation M																
Suffocation F																
Suicide by shooting M	2											1		1		
Suicide by shooting F																
Suicide by drowning M																
Suicide by drowning F	1													1		
Suicide by poison M	1					1										
Suicide by poison F																
Other suicides M	3									1			1		1	3
Other suicides F																
Sunstroke M																
Sunstroke F																
Surgical operations M	1															1
Surgical operations F	1						1									
Wounds M	3						1							1		1
Wounds F																
Others of this class M	60	1	2	2	5	4	5	7	5	3	8	5	4	4	1	5
Others of this class F	12	2	3		2	1	1	1	3							1

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NORTH CAROLINA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	21,068	4,200	7,219	754	642	1,039	1,335	945	802	789	746	692	777	643	765	3,920
Males	10,427	2,310	3,869	344	297	465	622	414	345	332	330	351	396	332	383	1,947
Females	10,641	1,890	3,350	410	345	574	713	531	457	457	416	341	381	311	382	1,973
Unknown cause	2,105	1,130	1,389	48	31	40	50	28	32	27	33	28	51	35	32	281
Males	1,076	619	764	19	15	12	18	8	12	8	13	14	26	14	15	138
Females	1,029	511	625	29	16	28	32	20	20	19	20	14	25	21	17	143
1. General diseases.																
General diseases—A	5,173	1,111	2,353	278	225	312	335	186	138	130	130	117	120	95	116	638
Males	2,529	597	1,225	122	98	142	189	94	63	57	57	62	55	39	50	276
Females	2,644	514	1,128	156	127	170	146	92	75	73	73	55	65	56	66	362
Measles M	115	33	77	7	5	9	7	1		2	2	2	2	1		
Measles F	108	28	57	7	11	13	7	3	3	1	3	2			1	
Scarlet fever M	14	4	12		1		1									
Scarlet fever F	10	1	8		1											1
Diphtheria M	43	3	22	13	1	1	3		1							2
Diphtheria F	77	14	49	18	6	2		1					1			
Whooping cough M	134	86	128	4	1	1										
Whooping cough F	136	68	126	7	3											
Malarial fever M	247	28	88	24	17	21	15	10	7	5	6	15	7	4	7	21
Malarial fever F	280	25	95	31	16	21	16	14	12	9	8	11	9	7	5	26
Influenza M	350	65	99	7	6	5	10	5	5	7	4	5	11	13	14	156
Influenza F	449	64	105	8	3	7	3	5	9	8	15	11	20	23	25	207
Typhoid fever M	637	27	87	33	51	84	132	64	34	31	37	24	18	5	10	27
Typhoid fever F	613	22	65	52	70	110	90	44	24	33	23	19	22	14	14	33
Cholera morbus M	68	14	36	2	2	3	1	3	3	1		2	1	1	5	8
Cholera morbus F	56	13	34	4		1		1	2	1	1			1	2	9
Colitis M	14	4	12									1				1
Colitis F	20	6	14	1									1			4
Diarrhea M	126	49	87	7	1		1	2	2	1			2	5	4	14
Diarrhea F	131	34	72	8	1	1	1	2	3	4	5	1	2	3	7	21
Dysentery M	271	83	208	7	7	5	2	2	2	1		3	6	2	3	23
Dysentery F	243	60	157	11	3		7	1	5	5	4	2	5	5	5	33
Enteritis M	77	34	64	2	1	1	1		1		1			1	1	4
Enteritis F	73	18	56	1			4	4	1	2	1		1			3
Cholera infantum M	216	121	216													
Cholera infantum F	223	122	223													
Fever M	61	15	36	4	1	1	5	3	2	4	1	1		1		2
Fever F	62	16	24	4	5	4	6	2	3	1	1	2	2	1	1	6
Cerebro-spinal fever M	25	10	14	5		2	2		1	1						
Cerebro-spinal fever F	21	7	14	1	1	2		1		1						1
Smallpox M	28	8	12		1	1	4	1	1	2	1	1	2			2
Smallpox F	23	1	2	1	2	3	1	3		1	2	2	1		2	3
Erysipelas M	32	7	11	2			3	1	1		1	3	2	2	1	5
Erysipelas F	31	9	15	1	2	3				1	2	1		1		5
Septicemia M	43		7	2	3	5	1	2	1	1	1	2	4	3	5	6
Septicemia F	66	4	8	1	2	2	8	10	9	6	7	3	1	1	2	6
Venereal diseases M	12	3	5			2	1		2					1		1
Venereal diseases F	8	1	1			1	1		3		1				1	
Others of this group M	16	3	4	3		1				1	3					4
Others of this group F	14	1	3		1		2	1	1			1			1	4
General diseases—B	183	48	98	14	4	7	6	13	6	3	8	4	5	1	5	9
Males	116	24	58	8	3	6	4	7	4	3	6	4	5		4	4
Females	67	24	40	6	1	1	2	6	2		2			1	1	5
Alcoholism M	29			2			2	4	1	2	5	3	5		2	3
Alcoholism F	2								1		1					
Parasitic diseases M	23	1	17	5	1											
Parasitic diseases F	19	1	13	5		1										
Lead poison M	2					1		1								
Lead poison F																
Other poisons M	31		13	1	2	5	2	2	3	1	1	1				
Other poisons F	13		3	1	1		1	3	1							
Inanition M	31	23	28												1	2
Inanition F	33	23	24				1	3			1			1	2	1
General diseases—C	703	228	252	3		2	1	2	3	2	2		2	5	13	416
Males	337	125	137				1							2	4	193
Females	366	103	115	3		2		2	3	2	2		2	3	9	223
Old age M	182														1	181
Old age F	211														5	206
Premature birth M	76	76	76													
Premature birth F	68	68	68													
Malformation M	16	16	16													
Malformation F	11	8	11													
Debility and atrophy M	54	24	36				1									
Debility and atrophy F	72	23	32	3		2		2	3	2	2		2	2	3	12
Others of this group M	9	9	9											3	4	17
Others of this group F	4	4	4													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NORTH CAROLINA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued.																
General diseases—D	3,660	109	275	78	120	249	448	343	276	257	233	215	213	162	167	624
Males	1,508	56	134	33	43	86	177	133	106	94	85	90	83	73	71	300
Females	2,152	53	141	45	77	163	271	210	170	163	148	125	130	89	96	324
Anemia M	7	2	2			2					1	2				
Anemia F	12	2	4		1		3	3	1							
Diabetes M	37		1	3	1	3	3	3		1	3	3		3	4	9
Diabetes F	18		2	1	3			2		2	1	2	3	1	1	
Rheumatism M	61	3	4	1	2	7	4	2	2	5	4	6	2	2	1	19
Rheumatism F	50	1	2		1	4	3	1	4	2	2		7	3	5	16
Scrofula and tabes M	72	6	19	2	3	2	4	5	6	4	5	1	2	4	5	10
Scrofula and tabes F	100	8	26	7	5	3	6	4	11	6	3	5	5	1	6	12
Hydrocephalus M	12	5	9		1		2									
Hydrocephalus F	14	10	12					1	1							
Tuberculosis, general M	2		1				1									
Tuberculosis, general F	2		1							1						
Consumption M	976	30	61	12	24	65	157	115	89	75	60	68	56	42	39	113
Consumption F	1,374	21	63	22	57	141	238	178	128	113	95	58	64	46	43	128
Cancer M	103		1	1		2	1	1	3	5	7	4	6	9	10	53
Cancer F	247	1	4	1		1	2	3	5	19	26	34	36	23	18	75
Tumor M	14	2	3	1	1			3						1		5
Tumor F	46	2	4	2		1	2	3	5		6	5	4	2	4	8
Dropsy M	221	7	31	13	11	5	5	3	6	4	5	6	17	12	12	91
Dropsy F	280	4	16	12	10	12	16	15	15	20	15	21	11	13	19	85
Others of this group M	3	1	2					1								
Others of this group F	9	4	7			1	1									
2. Diseases of the nervous system	1,793	352	589	64	53	57	42	55	51	45	51	56	65	59	104	492
Males	918	202	327	36	28	29	18	28	19	21	25	30	32	39	49	237
Females	875	150	262	28	25	28	24	27	32	24	26	26	33	30	55	255
Inflammation of the brain. M	82	22	40	5	6	7	3	3		3		4	2	3	2	4
Inflammation of the brain. F	68	22	34	9	2	4	2	1	1	4	2	2	2	1	1	3
Meningitis M	174	57	120	15	9	7	2	4	5	3	3	1				5
Meningitis F	146	45	104	8	12	5	4	3	3	1	2	2		1		1
Apoplexy M	95	2	2	2		2	1	2	2	3	5	4	5	13	7	47
Apoplexy F	92			2	1	4	1		8	4	6	5	6	7	10	38
Paralysis M	253	5	6	4	3	1	3	2		4	6	14	17	13	31	149
Paralysis F	299	5	13	2	1	2	1	7	5	7	8	12	13	13	34	181
Paralysis, general (of insane). M	2										1					1
Paralysis, general (of insane). F																
Tetanus and trismus nascentium. M	29	19	20	4	1	1							1	1	1	
Tetanus and trismus nascentium. F	17	14	17													
Chorea M																
Chorea F	1					1										
Epilepsy M	66	16	20	1	6	6	3	8	6	2	4	3			1	6
Epilepsy F	54	10	14	1	6	3	5	6	8	6	1	1		1	2	5
Convulsions M	75	56	60	1	2				1	1						1
Convulsions F	82	42	59	2		2	8	2	2		2		1			4
Mental diseases M	25					1	2	2	1	1	1	1	1	6	1	8
Mental diseases F	18						1	2	4		1	2	2	1		5
Diseases of the brain. M	92	20	45	4	1	3	3	6	3	3	4	1	5	1	3	10
Diseases of the brain. F	59	10	18	3	3	5	2	4	2				3	3	4	12
Diseases of the spinal cord. M	5						1		1			1		1		1
Diseases of the spinal cord. F																
Locomotor ataxia M	4													1	2	1
Locomotor ataxia F																
Others of this class M	16	5	5			1		1		1	1	1	1		1	4
Others of this class F	39	2	3	1		2		2	4	2	4	2	6	3	4	6
3. Diseases of the circulatory system.	1,184	37	56	18	18	33	45	30	42	58	45	56	81	79	97	526
Males	581	20	33	12	6	12	19	7	15	20	14	30	44	42	47	280
Females	603	17	23	6	12	21	26	23	27	38	31	26	37	37	50	246
Pericarditis M	4							1					1		2	
Pericarditis F	2					1						1				
Diseases of the heart. M	558	19	32	12	6	12	19	6	15	20	14	28	41	42	44	267
Diseases of the heart. F	577	15	21	6	12	20	25	22	25	37	28	23	37	36	48	237
Angina pectoris M	12											1			1	10
Angina pectoris F	16							1	1		2	2		1	2	7
Diseases of the arteries. M	1												1			
Diseases of the arteries. F	1															1
Aneurism M	5											1	1			3
Aneurism F	3								1		1					1
Embolism M																
Embolism F	2						1			1						
Others of this class M	1	1	1													
Others of this class F	2	2	2													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NORTH CAROLINA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	3,171	729	1,324	116	78	156	165	115	91	94	134	107	114	104	105	468
Males	1,721	413	723	54	35	83	98	65	45	52	80	62	65	66	63	230
Females	1,450	316	601	62	43	73	67	50	46	42	54	45	49	38	42	238
Croup M	276	176	264	10	1		1									
Croup F	227	147	214	10					1							2
Pneumonia M	1,169	181	340	33	27	77	89	59	39	46	72	54	55	51	53	174
Pneumonia F	958	122	269	39	39	65	56	44	39	38	44	34	45	30	36	180
Laryngitis M	6		5											1		
Laryngitis F	3	1	1	2												
Bronchitis M	133	46	92	5	3	2		2	1	1	1	3	4	3	3	13
Bronchitis F	157	39	96	9	1	3	5	2	2	1	5	2	2	3	3	23
Pleurisy M	53	1	3	2	2	2	4	2	2	1	2	2	1	3	4	23
Pleurisy F	40		2		1	2	2	2	2	2	4		1	2	1	19
Asthma M	35	4	7	1					1	1	2		2	2	3	16
Asthma F	26		1			1	2		1	1		5	1	2	2	9
Others of this class M	49	5	12	3	2	2	4	2	2	3	3	3	3	6		4
Others of this class F	39	7	18	2	2	2	2	2	1		1	4				5
5. Diseases of the digestive system.	1,191	291	511	45	43	35	59	47	38	40	30	35	47	50	55	156
Males	611	154	263	29	24	13	24	22	28	16	13	20	27	24	28	80
Females	580	137	248	16	19	22	35	25	10	24	17	15	20	26	27	76
Dentition M	53	18	53													
Dentition F	39	13	39													
Angina M	12	3	8	1												3
Angina F	10	5	7	2				1								
Gastritis M	72	10	19	3	3	1	5	1	5	2	3	6	6	3	4	11
Gastritis F	92	8	24		3	2	3	8	5	11	8	2	3	7	5	16
Diseases of the stomach. M	27	2	7	2	3	1		1	2		2		1	3	3	2
Diseases of the stomach. F	28	3	10	2		1	2	1				2	1	1	5	3
Obstruction of the bowels. M	22	3	6	5	2	1		2	1		1				1	3
Obstruction of the bowels. F	15		1		2		3	2		1	1	2	1		1	1
Appendicitis M	32			1	3	3	5	6	3	2			1	1		4
Appendicitis F	20		3	1	4	4	1			1				3	2	1
Hernia M	25		1	1				1	2	1		2		2	4	11
Hernia F	5											2	1			2
Other diseases of the bowels. M	77	22	48	7	2		2	1	1	3		2	1	3	1	6
Other diseases of the bowels. F	72	25	44	2	2	2	1	3		1			1	1	2	13
Jaundice M	30	18	19	2		1	2		1	1			3	1		
Jaundice F	40	15	16		1	4	5	2		1	2		1		1	7
Inflammation and abscess of the liver. M	36	5	6		1	1	1	4	2		4	3	5	2	5	2
Inflammation and abscess of the liver. F	24		4		1	1	1			1	2	2	1	3	2	6
Other diseases of the liver. M	44	8	14		2	1	1	1	1	2	1	4		3	3	11
Other diseases of the liver. F	46	3	9	2	2	1	4	2		2	3	2	4	4	3	8
Peritonitis M	15	1	1		1	4	1		4	1	1					2
Peritonitis F	28	1	2	4	2	4	7	2	2	2	1			1		1
Ascites M	23	1	3	1	4								2	2	2	9
Ascites F	28		1		1	1	3	2	1	1		1	2	2	2	11
Others of this class M	143	63	78	6	3		4	5	6	4	1	3	8	4	5	16
Others of this class F	133	64	88	3	1	2	5	2	2	3	5	2	5	4	4	7
6. Diseases of the urinary system and male organs of generation.	454	13	35	6	6	10	16	12	14	31	23	24	34	21	37	185
Males	300	6	18	4	3	6	8	4	7	12	11	14	22	14	30	147
Females	154	7	17	2	3	4	8	8	7	19	12	10	12	7	7	38
Bright's disease M	149			2	3	5	6	2	3	10	8	6	15	9	20	60
Bright's disease F	94			1	3	3	7	3	4	11	10	7	10	5	7	23
Calculus, urinary M	39	2	4	1		1						2		2	3	26
Calculus, urinary F	4	1	1							1						2
Diseases of the kidney. M	62	4	13	1			1	1	3	1	3	4	6	2	6	21
Diseases of the kidney. F	35	5	13	1			1	3	2	4	1	1	1			8
Diseases of the bladder. M	25						1						1		1	22
Diseases of the bladder. F	3	1	1							1			1			
Others of this class M	25		1					1	1	1		2		1		18
Others of this class F	18		2			1		2	1	2	1	2		2		5
7. Diseases of the female organs of generation.	64					1	12	8	4	6	7	11	3	1	3	8
Ovarian tumors	7						1			1	2	1				2
Ovarian diseases																
Diseases of the tubes	1						1									
Uterine tumors	5							1			1	1			1	1
Uterine diseases	25					1	6	1	1	3	2	3	1		2	5
Others of this class	26						4	6	3	2	2	6	2	1		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NORTH CAROLINA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	269					35	73	49	48	36	13	6	1			8
Abortion	12					1	1	2	5	1	2					
Childbirth	167					22	47	27	26	23	10	5	1			6
Puerperal septicemia	62					5	17	17	11	9	1	1				1
Extra-uterine pregnancy	2								1	1						
Others of this class	26					7	8	3	5	2						1
9. Diseases of the bones and joints.	58	8	19	1	4	5	2	4	4	2	3	4	3	1	2	4
Males	25	4	10		2	2		2		1	1	2	1		1	3
Females	33	4	9	1	2	3	2	2	4	1	2	2	2	1	1	1
Diseases of the spine. M	16	2	8		1	2				1		2	1			1
Diseases of the spine. F	25	4	9	1	2	1	2	1	2	1	1	2	1	1	1	
Abscess, lumbar and psoas. M	2							1								1
Abscess, lumbar and psoas. F																
Diseases of the bones. M	3	1	1		1			1								
Diseases of the bones. F	3										1		1			1
Diseases of the hip-joint. M	1										1					
Diseases of the hip-joint. F	3							1	2							
Others of this class. M	3	1	1												1	1
Others of this class. F	2					2										
10. Diseases of the skin	61	19	26	2	3	2	1	1	3	5	1	2		1	2	12
Males	33	13	19		2		1	1	2	2		2				4
Females	28	6	7	2	1	2			1	3	1			1	2	8
Abscess. M	14	7	7		1		1		2	2		1				
Abscess. F	10	2	3	1					1	2	1				1	1
Carbuncle. M	3	1	1		1											1
Carbuncle. F	4									1					1	2
Others of this class. M	16	5	11					1				1				3
Others of this class. F	14	4	4	1	1	2								1		5
11. Diseases of the absorbent system.	10			1	1	3				1	1	2				1
Males	4			1	1	1					1					
Females	6					2				1		2				1
Addison's disease. M	1										1					
Addison's disease. F	1					1										
Diseases of the spleen. M	1			1												
Diseases of the spleen. F																
Others of this class. M	2				1	1										
Others of this class. F	5					1				1		2				1
12. Accidents and injuries	989	125	292	80	56	92	80	52	52	52	32	25	38	19	27	92
Males	668	77	158	26	37	73	65	43	44	46	24	21	36	19	21	55
Females	321	48	134	54	19	19	15	9	8	6	8	4	2		6	37
Burns and scalds. M	109	8	71	7	4	3	3	3	1	2	3		1		2	9
Burns and scalds. F	172	6	77	53	13	6	4	4	1	1	2		1		2	8
Drowning. M	72		7	6	7	15	7	3	5	5	5	4	2	1	2	3
Drowning. F	9		2		1	3		1								2
Exposure and neglect. M	22	13	16			2	1				1		1			1
Exposure and neglect. F	17	10	15					1								1
Gunshot wounds. M	60			3	7	12	9	5	10	6	2	5	4	1	1	4
Gunshot wounds. F	6				1	4						1				
Homicide. M	43					6	5	6	7	11	3	1		2	2	
Homicide. F	5					1	1			1	1					1
Infanticide. M																
Infanticide. F	1	1	1													
Injuries by machinery. M	13			1	2	1	1	3	1	2			2			
Injuries by machinery. F																
Railroad accidents. M	53			1	4	8	14	7	7	4	3	1	1	2	1	10
Railroad accidents. F	3				1							1				1
Suffocation. M	40	38	38	1	1											
Suffocation. F	15	11	13													2
Suicide by shooting. M	5					1	1	1			1					1
Suicide by shooting. F																
Suicide by drowning. M	1														1	
Suicide by drowning. F	1															1
Suicide by poison. M	4										1		2			1
Suicide by poison. F	2						2									
Other suicides. M	11							2	1	1		1	3	1	1	1
Other suicides. F	3										2		1			
Sunstroke. M	10					1		2	1			1	1		1	3
Sunstroke. F	1						1									
Surgical operations. M									1							1
Surgical operations. F	2															
Wounds. M	11			1		1	4					1		1	1	2
Wounds. F	1															1
Others of this class. M	195	18	26	6	12	23	20	11	11	15	5	7	19	11	9	20
Others of this class. F	83	20	26	1	3	5	7	3	6	4	3	2			4	19

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NORTH DAKOTA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	2,287	506	823	152	99	106	124	98	106	113	96	83	70	56	67	294
Males	1,159	272	426	62	43	52	63	47	42	55	52	47	37	31	34	168
Females	1,128	234	397	90	56	54	61	51	64	58	44	36	33	25	33	126
Unknown cause	252	114	149	17	7	7	8	1	2	4	4	5	6	2	8	32
Males	126	65	87	6	1	5	5				8	4	1	1	2	11
Females	126	49	62	11	6	2	3	1	2	4	1	1	5	1	6	21
1. General diseases.																
General diseases—A	447	113	223	72	29	17	20	10	11	16	12	1	5	3	8	20
Males	210	61	110	21	15	9	11	9	4	8	6	1	2		5	9
Females	237	52	113	51	14	8	9	1	7	8	6		3	3	3	11
Measles M	5		2	1	1			1								
Measles F	11	3	7	3						1						
Scarlet fever M	9	1	5	3	1											
Scarlet fever F	8	1	4	4												
Diphtheria M	41	4	22	9	6	3	1									
Diphtheria F	79	3	33	32	9	2	2									1
Whooping cough M	11	7	10	1												
Whooping cough F	14	8	13	1												
Malarial fever M	3	1	2													1
Malarial fever F	1								1							
Influenza M	12	2	4							1			1		3	3
Influenza F	13	2	3	1		1					2		1	1	1	3
Typhoid fever M	39		1	3	4	5	5	5	3	4	3	1	1		1	3
Typhoid fever F	26	1	5	5	4	1	3		2	1				2		3
Cholera morbus M	17	7	9	1	1		1			1	2				1	1
Cholera morbus F	18	6	9	1		2				2	2				1	1
Colitis M																
Colitis F																
Diarrhea M	13	10	12	1												
Diarrhea F	9	4	5	3	1											
Dysentery M	4	1	2				1	1								
Dysentery F	2												2			
Enteritis M	6	3	5													1
Enteritis F	6	3	3			1				1						1
Cholera infantum M	24	19	24													
Cholera infantum F	26	20	26													
Fever M	4	1	3	1												
Fever F	3		3													
Cerebro-spinal fever M	2		1	1												
Cerebro-spinal fever F																
Smallpox M	3		2			1										
Smallpox F	1	1	1													
Erysipelas M	1	1	1													
Erysipelas F																
Septicemia M	12	4	4		2		1	1	1	2	1					
Septicemia F	19		1	1		1	3	1	4	3	2				1	2
Venereal diseases M																
Venereal diseases F																
Others of this group M	4		1				2	1								
Others of this group F	1						1									
General diseases—B	31	16	23			1				2		1	1	1		1
Males	24	10	16			1				2		1	1	1		1
Females	7	6	7													
Alcoholism M	3	1	1							1				1		
Alcoholism F																
Parasitic diseases M	2		1										1			
Parasitic diseases F	1	1	1													
Lead poison M	1	1	1													
Lead poison F																
Other poisons M	3		4			1				2		1				
Other poisons F	1		1													
Inanition M	10	8	9													1
Inanition F	5	5	5													
General diseases—C	86	37	37						1							48
Males	45	19	19													26
Females	41	18	18						1							22
Old age M	25															25
Old age F	21															21
Premature birth M	13	13	13													
Premature birth F	12	12	12													
Malformation M	3	3	3													
Malformation F	1	1	1													
Debility and atrophy M	3	2	2													1
Debility and atrophy F	6	4	4						1							1
Others of this group M	1	1	1													
Others of this group F	1	1	1													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NORTH DAKOTA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	381	14	35	6	17	35	48	26	37	36	29	28	20	11	17	36
Males	177	6	16	3	5	15	19	10	21	18	12	14	10	5	11	18
Females	204	8	19	3	12	20	29	16	16	18	17	14	10	6	6	18
Anemia M	1														1	
Anemia F	2							1		1						
Diabetes M	6					1	1		1		1				1	1
Diabetes F	6		1			1								2		2
Rheumatism M	10		1		1					2		2			3	1
Rheumatism F	7				1			1		2	1	1				1
Scrofula and tabes M	6				1			1	1		1	1				1
Scrofula and tabes F	4	1	1		1	1					1					
Hydrocephalus M	4	1	4													
Hydrocephalus F	7	1	5	1		1										
Tuberculosis, general M	3						1					1				1
Tuberculosis, general F	2		1				1									
Consumption M	106	5	10	2	2	13	17	8	15	15	8	6	4	1	1	4
Consumption F	140	6	10	2	9	17	28	14	14	13	12	8	5	3	2	3
Cancer M	29							1	3		2	3	5	4	3	8
Cancer F	21				1					2	3	4	2		2	7
Tumor M	5				1	1						1			2	
Tumor F	5											1	1	1	2	1
Dropsy M	6		1	1					1				1			2
Dropsy F	7								1				2			4
Others of this group M	1									1						
Others of this group F	2		1						1							
2. Diseases of the nervous system	238	76	114	11	13	8	8	10	10	6	7	10	7	6	4	24
Males	132	39	59	4	7	2	7	3	4	4	4	8	4	3	1	22
Females	106	37	55	7	6	6	1	7	6	2	3	2	3	3	3	2
Inflammation of the brain M	22	8	15	1	3		1	1								1
Inflammation of the brain F	20	5	11	3	1	3					1				1	
Meningitis M	20	6	10	2	1	1	1				1	2	1			1
Meningitis F	16	6	11	2	1	1				1						
Apoplexy M	19		1		1		1	1	1	2	1	1	1			9
Apoplexy F	7	2	2		1				1	1				2		
Paralysis M	12		1		1		1		3			1				5
Paralysis F	15		1	1	1		1	2	2		1	1	1		2	2
Paralysis, general (of insane) M	1												1			
Paralysis, general (of insane) F																
Tetanus and trismus nascentium M	2	1	1													1
Tetanus and trismus nascentium F																
Chorea M	1			1												
Chorea F																
Epilepsy M	6		1		1	1				1		1		1		
Epilepsy F	8	1	2			2		1	2			1				
Convulsions M	30	23	28									1				1
Convulsions F	30	22	25	1	1			2	1							
Mental diseases M	10						2	1		1	2	1		2		1
Mental diseases F	4							1			1		2			
Diseases of the brain M	5	1	2				1					1	1			
Diseases of the brain F	5	1	2		1			1						1		
Diseases of the spinal cord M	1															1
Diseases of the spinal cord F	1		1													
Locomotor ataxia M	1															1
Locomotor ataxia F																
Others of this class M	2														1	1
Others of this class F																
3. Diseases of the circulatory system	116	9	18	3	6	4	4	5	6	5	7	8	8	9	6	27
Males	54	5	10	2	2	2	2	3	2	1	4	2	5	4	2	13
Females	62	4	8	1	4	2	2	2	4	4	3	6	3	5	4	14
Pericarditis M																
Pericarditis F																
Diseases of the heart M	53	5	10	2	1	2	2	3	2	1	4	2	5	4	2	13
Diseases of the heart F	61	4	8	1	4	2	2	2	4	4	3	6	3	5	4	13
Angina pectoris M	1				1											
Angina pectoris F																
Diseases of the arteries M																
Diseases of the arteries F																
Aneurism M																
Aneurism F	1															1
Embolism M																
Embolism F																
Others of this class M																
Others of this class F																

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NORTH DAKOTA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	307	60	126	19	9	6	11	11	10	9	7	8	10	14	10	57
Males	152	30	56	11	3	1	7	5	4	7	3	6	4	9	4	32
Females	155	30	70	8	6	5	4	6	6	2	4	2	6	5	6	25
Croup M	18	6	14	4												
Croup F	11	2	8	2	1											
Pneumonia M	100	16	27	6	3	1	7	5	3	7	2	4	3	5	2	25
Pneumonia F	112	19	48	5	4	4	2	6	3	2	3	2	5	4	6	18
Laryngitis M																
Laryngitis F	3	1	2	1												
Bronchitis M	13	6	11											1		1
Bronchitis F	10	4	8													2
Pleurisy M	6	1	2								1			2		1
Pleurisy F	2	1	1				1									
Asthma M	6								1				1	1	1	2
Asthma F	6										1			1		4
Others of this class M	9	1	2	1								2			1	3
Others of this class F	11	3	3		1	1	1		3				1			1
5. Diseases of the digestive system.	180	52	70	8	5	15	6	9	8	10	10	6	6	8	5	19
Males	106	32	41	5	2	9	2	5	2	4	6	4	6	3	3	14
Females	74	20	29	3	3	6	4	4	6	6	4	2			2	5
Dentition M	2	2	2													
Dentition F	4	2	4													
Angina M	3	1	2	1												
Angina F	3		1	1		1										
Gastritis M	10	1	2	1						2	1		1	1		2
Gastritis F	4	2	2	1							1					
Diseases of the stomach. M	5			1		1							1			2
Diseases of the stomach. F	4		2					1				1				
Obstruction of the bowels. M	7	1	3		1	1		1			1					
Obstruction of the bowels. F	6		1	1	1	1						1			1	
Appendicitis M	15	1	1	1		5		1	1	2	1		1		1	1
Appendicitis F	10				2	3	2		1	1						1
Hernia M	8	1	1									1		1		5
Hernia F																
Other diseases of the bowels. M	8	6	7						1							
Other diseases of the bowels. F	2	1	1							1						
Jaundice M	5	4	4		1											
Jaundice F	8	1	1				1								1	
Inflammation and abscess of the liver. M	2										1			1		
Inflammation and abscess of the liver. F	4		1			1		1	1							
Other diseases of the liver. M	11	1	1			1		1				2	2		2	2
Other diseases of the liver. F	7	2	3							3						1
Peritonitis M	8	1	1	1		1	2	1			1	1				
Peritonitis F	11	2	2				1	2	3		2					1
Ascites M	1															1
Ascites F	2									1	1					
Others of this class M	21	13	17					1			1		1			1
Others of this class F	14	10	11				1		1							2
6. Diseases of the urinary system and male organs of generation	56	2	2	4	1	1	1	4	1	4	4	3	5	2	6	18
Males	33			2		1		2	1	2	2	1	2	1	4	15
Females	23	2	2	2	1		1	2		2	2	2	3	1	2	3
Bright's disease M	23					1		2	1		2	1	2	1	2	11
Bright's disease F	14			1				2		2	1	2	2	1	2	1
Calculus, urinary M	1															1
Calculus, urinary F	1												1			
Diseases of the kidney. M	5			1						1					2	1
Diseases of the kidney. F	5	1	1		1		1									2
Diseases of the bladder. M	1															1
Diseases of the bladder. F	1	1	1													
Others of this class M	3			1						1						1
Others of this class F	2			1							1					
7. Diseases of the female organs of generation.	7						1		1	1		3		1		
Ovarian tumors	2											2				
Ovarian diseases																
Diseases of the tubes	1						1									
Uterine tumors	1													1		
Uterine diseases																
Others of this class	3								1	1		1				

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NORTH DAKOTA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	44					2	4	10	13	10	3	2				
Abortion	1								1							
Childbirth	33					1	3	7	8	10	2	2				
Puerperal septicemia	5						1		3		1					
Extra-uterine pregnancy	2							2								
Others of this class	3					1		1	1							
9. Diseases of the bones and joints	8	3	3	1	1						1	1			1	
Males	5	1	1	1	1						1				1	
Females	3	2	2									1				
Diseases of the spine. M	2	1	1	1												
Diseases of the spine. F	3	2	2									1				
Abscess, lumbar and psoas. M																
Abscess, lumbar and psoas. F																
Diseases of the bones. M	2										1				1	
Diseases of the bones. F																
Diseases of the hip-joint. M	1				1											
Diseases of the hip-joint. F																
Others of this class. M																
Others of this class. F																
10. Diseases of the skin	6		1	1			1		1			1				1
Males																
Females	6		1	1			1		1			1				1
Abscess. M																
Abscess. F	4			1			1		1							1
Carbuncle. M																
Carbuncle. F																
Others of this class. M																
Others of this class. F	2		1									1				
11. Diseases of the absorbent system.	1									1						
Males																
Females	1									1						
Addison's disease. M																
Addison's disease. F																
Diseases of the spleen. M																
Diseases of the spleen. F																
Others of this class. M																
Others of this class. F	1									1						
12. Accidents and injuries	127	10	22	10	11	10	12	12	5	8	12	6	2	4	2	11
Males	95	4	11	7	7	7	10	10	4	8	11	6	2	4	1	7
Females	32	6	11	3	4	3	2	2	1		1				1	4
Burns and scalds. M	4		3				1									
Burns and scalds. F	6			2		1	1		1							1
Drowning. M	2		1	1	2		4				1					
Drowning. F	1		1													
Exposure and neglect. M	1	1	1													
Exposure and neglect. F	5	4	4			1										
Gunshot wounds. M	5				1	2	2									
Gunshot wounds. F	1				1											
Homicide. M	4							2	1							1
Homicide. F																
Infanticide. M																
Infanticide. F																
Injuries by machinery. M																
Injuries by machinery. F																
Railroad accidents. M	5							2	1					1		1
Railroad accidents. F																
Suffocation. M	1					1										
Suffocation. F	1	1	1													
Suicide by shooting. M	1									1						
Suicide by shooting. F																
Suicide by drowning. M																
Suicide by drowning. F																
Suicide by poison. M																
Suicide by poison. F																
Other suicides. M	15						1	2	1		5	3	1			2
Other suicides. F	1					1										
Sunstroke. M																
Sunstroke. F																
Surgical operations. M	1															1
Surgical operations. F																
Wounds. M	1					1										
Wounds. F																
Others of this class. M	48	3	6	6	4	3	2	4	1	7	5	3	1	3	1	2
Others of this class. F	17	1	5	1	3		1	2			1				1	3

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

OHIO.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	53,362	8,819	13,358	1,583	1,034	1,733	2,419	2,388	2,189	2,227	2,133	2,124	2,259	2,529	2,796	14,590
Males	28,648	4,913	7,295	834	507	806	1,211	1,137	1,068	1,182	1,180	1,188	1,237	1.418	1,629	7,956
Females	24,714	3,906	6,063	749	527	927	1,208	1,251	1,121	1,045	953	936	1,022	1,111	1,167	6,634
Unknown cause	1,269	523	580	21	9	23	28	30	27	27	35	31	41	54	44	319
Males	653	280	312	10	4	7	12	10	12	15	14	15	17	26	26	173
Females	616	243	268	11	5	16	16	20	15	12	21	16	24	28	18	146
1. General diseases. General diseases—A	8,449	2,165	3,821	568	281	405	394	379	310	250	215	161	189	181	198	1,097
Males	4,360	1,198	2,026	253	135	190	211	186	160	125	113	85	93	99	111	573
Females	4,089	967	1,795	315	146	215	183	193	150	125	102	76	96	82	87	524
Measles M	81	29	61	5	8	3	5	1		1			1			1
Measles F	85	19	57	11	1	1	4		1	5	2		2			1
Scarlet fever M	166	9	106	44	9	4		1	1		1					
Scarlet fever F	168	12	93	50	15	3	3	1			1		1			1
Diphtheria M	323	28	176	90	29	12	6	2	3	2	1					2
Diphtheria F	375	14	158	146	36	11	5	2	4	6	2	2	1		1	1
Whooping cough M	184	103	174	6	1	2										1
Whooping cough F	217	107	207	6	2	1										1
Malarial fever M	91	12	19	5	1	7	11	2	3	5	5	5	5	7	2	14
Malarial fever F	65	5	12	3	1	5	6	3	5	4	6	2	2	4	2	10
Influenza M	277	21	25	2	4	2	2	7	15	7	8	8	11	12	16	158
Influenza F	328	15	28	5	3	3	3	11	11	9	4	6	10	9	18	208
Typhoid fever M	962	6	40	46	60	127	151	133	100	73	64	37	29	25	30	47
Typhoid fever F	833	11	47	53	63	164	105	108	63	44	40	29	39	21	13	44
Cholera morbus M	191	54	97	6	6	4	4	3	5	4	3	4	6	4	8	37
Cholera morbus F	166	39	73	3	6	5	12	5	4	7	4	1	2	4	9	31
Colitis M	34	18	28						1	1		1	1	1		1
Colitis F	25	7	16	2				1	1			1			2	2
Diarrhea M	156	31	43	1		1	2	3		3	2	2	5	14	14	66
Diarrhea F	115	32	45	5	1		8	2	2	1	2	4	4	5	7	34
Dysentery M	201	28	93	5	1	4	5	4	2	1	1	4	4	6	8	63
Dysentery F	198	21	76	3	1		2	1	6		3	7	4	8	9	78
Enteritis M	416	252	336	5	1	5	3	4	5		5	1	5	8	7	30
Enteritis F	376	188	280	4	1	1	5	9	5	6	8	6	4	8	7	32
Cholera infantum M	685	517	685													
Cholera infantum F	575	427	575													
Fever M	7	3	5					2								
Fever F	8	2	4					2			1		1			
Cerebro-spinal fever M	136	38	73	20	10	7	4	10	3	2	2	1	2		1	1
Cerebro-spinal fever F	113	27	62	16	8	7	4	4	1	5		2	1	1	1	1
Smallpox M	18	6	7			1	3	1	2	1		2				1
Smallpox F	17	3	4	1	1	1	2	1	1	3			2	1		
Erysipelas M	78	11	12	2	3	2		3	7	3	4	4	4	6	3	25
Erysipelas F	62	12	13	1	1	3		3	3		1	3	9	2	4	19
Septicemia M	208	16	27	12	5	9	11	8	10	15	12	8	11	11	12	56
Septicemia F	258	16	30	6	4	9	26	37	37	33	22	8	7	10	7	22
Venereal diseases M	40	13	14					1	1	5	4	4	4	1	3	3
Venereal diseases F	23	7	9				1	2	2		4	2	1		2	
Others of this group M	106	3	5	4	1		4	1	2	2	1	4	4	4	7	67
Others of this group F	82	3	6		2	1	2	1	4	2	2	3	6	9	5	39
General diseases—B	1,140	779	845	13	6	9	12	20	28	29	27	18	27	24	13	69
Males	689	442	474	7	3	5	7	10	21	22	21	17	21	19	13	49
Females	451	337	371	6	3	4	5	10	7	7	6	1	6	5		20
Alcoholism M	108			1	1		2	5	14	12	11	12	13	13	5	18
Alcoholism F	11							1	1	4	2		2			1
Parasitic diseases M	3		2	1												
Parasitic diseases F	4		3	1												
Lead poison M	8		1				1	1					1	1		3
Lead poison F																
Other poisons M	80	6	19	3	1	4	3	4	5	9	10	4	4	4	2	8
Other poisons F	51	5	14	1	1	4	3	8	5	3	4		1	3		4
Inanition M	490	436	452	2	1	1	1		2	1		1	3	1	5	20
Inanition F	385	332	354	4	2		2	1	1			1	3	2		15
General diseases—C	3,827	1,287	1,352	5	11	8	26	24	25	22	29	17	22	42	74	2,170
Males	1,906	691	719	2	4	5	12	9	13	12	11	13	10	24	34	1,038
Females	1,921	596	633	3	7	3	14	15	12	10	18	4	12	18	40	1,132
Old age M	921														10	911
Old age F	1,037														17	1,020
Premature birth M	382	382	382													
Premature birth F	295	295	295													
Malformation M	55	50	51		2				1							1
Malformation F	55	50	52		1	1							1			
Debility and atrophy M	503	214	241	2	2	5	12	9	12	12	11	13	10	24	24	126
Debility and atrophy F	504	222	257	3	6	2	14	15	12	9	18	4	11	18	23	112
Others of this group M	45	45	45													
Others of this group F	30	29	29							1						

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

OHIO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued.																
General diseases—D	9,791	228	450	121	153	561	959	864	795	722	667	648	603	652	615	1,981
Males	4,665	121	238	59	51	210	416	377	364	353	327	311	289	337	308	1,025
Females	5,126	107	212	62	102	351	543	487	431	369	340	337	314	315	307	956
Anemia M	63	6	11	1	1	1	1	.....	4	1	4	5	5	8	7	14
Anemia F	57	8	10	3	.....	5	2	3	2	2	5	5	3	2	4	10
Diabetes M	158	2	5	6	6	7	3	6	6	12	9	5	11	17	13	52
Diabetes F	108	.....	1	5	2	4	9	9	8	3	5	5	8	19	14	16
Rheumatism M	160	.....	4	5	7	6	8	5	7	9	7	10	8	17	11	56
Rheumatism F	147	1	4	4	12	8	9	4	2	4	8	5	12	8	18	49
Scrofula and tabes M	95	15	29	4	.....	5	12	4	4	7	.....	3	5	3	6	12
Scrofula and tabes F	105	9	20	5	2	10	7	11	4	6	6	2	4	8	6	14
Hydrocephalus M	75	29	48	10	2	6	2	1	2	1	.....	1	.....	.....	.....	2
Hydrocephalus F	82	26	54	11	2	3	6	.....	3	1	.....	1	.....	1	.....	.....
Tuberculosis, general M	19	.....	2	2	.....	1	.....	3	.....	2	3	.....	2	1	.....	3
Tuberculosis, general F	35	1	1	1	3	3	4	2	5	.....	2	1	4	1	4	4
Consumption M	2,874	54	114	19	32	170	378	348	315	288	249	214	151	155	119	322
Consumption F	2,915	50	98	19	70	304	486	435	356	272	192	142	114	87	90	250
Cancer M	775	.....	1	3	.....	4	7	7	18	21	32	55	87	99	111	330
Cancer F	1,168	1	1	3	2	3	7	15	36	64	89	147	129	154	124	394
Tumor M	82	3	5	3	1	2	1	2	5	4	7	8	5	5	9	25
Tumor F	144	1	5	4	1	3	6	3	7	10	24	15	14	13	14	25
Dropsy M	338	5	9	5	2	5	3	1	2	8	14	7	13	30	32	206
Dropsy F	339	5	9	3	6	7	6	5	7	6	8	13	25	22	33	189
Others of this group M	26	7	10	1	.....	2	1	.....	1	.....	2	3	1	2	.....	3
Others of this group F	26	4	9	4	2	.....	1	.....	1	1	1	1	1	.....	.....	5
2. Diseases of the nervous system	7,735	1,575	2,311	204	145	138	156	155	142	184	231	269	344	391	465	2,600
Males	4,319	894	1,286	126	74	72	93	87	73	108	151	155	186	218	288	1,402
Females	3,416	681	1,025	78	71	66	63	68	69	76	80	114	158	173	177	1,198
Inflammation of the brain M	235	88	153	16	10	7	7	5	4	6	4	1	1	3	4	14
Inflammation of the brain F	176	59	112	6	8	5	2	8	4	7	2	2	5	2	1	12
Meningitis M	665	209	382	60	31	28	34	24	13	19	16	13	14	7	7	17
Meningitis F	524	155	328	41	33	20	18	14	7	10	7	11	10	5	3	17
Apoplexy M	897	15	19	5	4	2	10	13	17	21	38	47	74	81	129	437
Apoplexy F	626	7	10	2	2	3	3	8	12	16	21	42	65	67	58	307
Paralysis M	995	8	14	6	2	4	4	5	11	15	37	35	39	60	87	676
Paralysis F	944	4	9	5	5	6	8	7	5	10	19	30	42	61	64	672
Paralysis, general (of insane) M	51	.....	.....	.....	.....	.....	.....	.....	1	6	10	10	4	6	6	8
Paralysis, general (of insane) F	21	.....	.....	.....	.....	.....	1	.....	1	2	5	.....	1	1	.....	10
Tetanus and trismus nascentium M	67	14	17	11	12	8	4	3	2	2	3	1	1	.....	.....	3
Tetanus and trismus nascentium F	19	9	10	.....	.....	1	1	.....	1	1	.....	1	2	2	.....	.....
Chorea M	3	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chorea F	13	.....	.....	1	3	4	2	.....	.....	.....	.....	1	.....	.....	.....	2
Epilepsy M	118	8	10	4	4	7	16	16	5	10	6	7	2	11	6	14
Epilepsy F	79	8	8	5	6	7	9	7	5	7	3	4	2	.....	2	14
Convulsions M	593	469	566	13	4	.....	1	1	1	.....	.....	.....	3	.....	.....	4
Convulsions F	492	384	462	8	2	1	1	4	8	.....	.....	1	.....	1	.....	4
Mental diseases M	131	.....	.....	.....	.....	.....	3	5	8	8	7	11	8	16	13	52
Mental diseases F	101	.....	.....	.....	.....	1	4	5	6	7	7	7	7	8	12	37
Diseases of the brain M	392	67	98	9	5	13	9	11	9	16	17	15	24	26	26	114
Diseases of the brain F	237	48	68	7	8	11	11	9	8	6	9	5	12	9	11	63
Diseases of the spinal cord M	57	14	22	1	1	.....	1	3	.....	1	4	4	2	1	2	15
Diseases of the spinal cord F	43	3	12	3	1	3	.....	1	1	.....	.....	.....	4	3	2	13
Locomotor ataxia M	31	.....	.....	.....	.....	.....	2	1	.....	1	4	6	6	.....	1	10
Locomotor ataxia F	11	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	3	5	.....
Others of this class M	84	2	5	1	1	.....	2	.....	2	3	5	5	8	7	7	38
Others of this class F	130	4	6	.....	2	4	3	5	11	9	6	9	8	11	9	47
3. Diseases of the circulatory system	4,631	253	291	60	74	73	85	98	120	188	179	203	304	396	442	2,118
Males	2,601	144	166	33	32	27	43	46	58	86	96	98	152	227	270	1,267
Females	2,030	109	125	27	42	46	42	52	62	102	83	105	152	169	172	851
Pericarditis M	16	.....	.....	1	1	1	2	.....	.....	1	1	.....	1	4	3	1
Pericarditis F	18	.....	1	.....	3	3	1	.....	1	1	1	2	.....	.....	.....	5
Diseases of the heart M	2,354	102	123	30	29	26	38	41	52	78	82	94	140	199	244	1,178
Diseases of the heart F	1,856	86	99	26	39	43	39	46	52	95	76	96	142	157	164	782
Angina pectoris M	118	.....	.....	1	.....	.....	2	1	2	4	8	2	7	18	18	55
Angina pectoris F	74	.....	.....	.....	.....	.....	2	3	6	4	3	6	8	9	7	26
Diseases of the arteries M	36	1	1	.....	.....	.....	.....	.....	.....	1	1	.....	2	4	4	23
Diseases of the arteries F	30	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	27
Aneurism M	26	.....	.....	.....	2	.....	1	3	3	2	4	2	1	2	1	5
Aneurism F	15	.....	.....	1	.....	.....	.....	3	2	1	2	1	1	.....	.....	4
Embolism M	10	3	4	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	4
Embolism F	12	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	1	1	7
Others of this class M	41	38	38	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1
Others of this class F	25	23	25	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

OHIO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	6,901	1,247	2,490	290	117	139	167	184	189	204	212	227	210	252	342	1,878
Males	3,667	732	1,395	157	49	71	80	88	97	120	120	123	130	140	189	908
Females	3,234	515	1,095	133	68	68	87	96	92	84	92	104	80	112	153	970
Croup M	316	51	257	52	5										1	1
Croup F	238	28	177	45	9	2	1		1					1	2	
Pneumonia M	2,431	475	838	88	39	57	64	69	88	82	102	102	92	102	135	573
Pneumonia F	2,175	344	697	68	46	52	59	73	72	68	67	79	55	74	109	656
Laryngitis M	27	5	13	3				1	2	1	1	2	2			2
Laryngitis F	27	3	15	5		1	1	1		1	1	1				1
Bronchitis M	445	132	195	8	2	5	4	6	2	10	6	5	12	13	14	163
Bronchitis F	444	96	146	11	5	5	9	6	5	2	9	7	8	18	26	187
Pleurisy M	73	2	5		1	3	3	5		9	3	6	3	4	6	24
Pleurisy F	61			2	1	1	7	3	2	4	1	7		4	3	26
Asthma M	133	8	11	2		2		1		3	1	3	12	9	13	76
Asthma F	91		3	1			1	2	3	1	3	1	5	7	6	58
Others of this class M	242	59	76	4	2	4	9	5	5	15	7	5	9	12	20	69
Others of this class F	198	44	57	1	7	7	9	11	9	8	11	9	12	8	7	42
5. Diseases of the digestive system.	3,372	492	674	102	79	125	159	171	163	168	161	165	183	216	213	793
Males	1,721	269	369	57	41	61	67	67	62	75	85	102	98	99	121	417
Females	1,651	223	305	45	38	64	92	104	101	93	76	63	85	117	92	376
Dentition M	23	13	23													
Dentition F	20	12	20													
Angina M	29	5	13	6		2		4	1				1			2
Angina F	34	4	14	3	4	1		1	1				2	3	2	3
Gastritis M	245	33	44	3			3	6	7	11	13	14	22	20	20	82
Gastritis F	252	28	42	6	2	8	5	16	11	12	5	12	11	19	16	87
Diseases of the stomach M	153	16	22	1		1	1	5	2	6	11	9	11	13	15	56
Diseases of the stomach F	126	18	23	2		2	7	7	3	5	5	5	8	12	5	42
Obstruction of the bowels M	97	15	24	1	4	4	4	7	1	6	4	5	7	4	5	21
Obstruction of the bowels F	135	9	13	6	1	2	5	8	8	10	5	6	7	14	8	42
Appendicitis M	183		5	17	17	21	26	22	17	15	9	10	3	6	7	8
Appendicitis F	98		1	11	7	14	12	12	12	7	10	3		1	1	7
Hernia M	81	5	6	4	1		5	2	3	6	3	2	3	7	8	31
Hernia F	47	2	2		1			1	2	2	4	2	9	7	2	15
Other diseases of the bowels M	95	34	49	4	1	4	2	2	1		1	5	4	2	4	16
Other diseases of the bowels F	81	19	30	1	3	4	3	3	2	3	2	2	4	4	3	17
Jaundice M	56	24	26	1				3	1	1	1	4	3	1	2	13
Jaundice F	67	24	27	1	1		1	2	2	1	2	1	4	6	2	17
Inflammation and abscess of the liver M	68	3	3			1		3	5	2	7	9	2	7	6	23
Inflammation and abscess of the liver F	71	4	9	1		2	6		2	6	7	4	3	10	7	14
Other diseases of the liver M	251	12	19		1	3	4	4	7	12	17	26	24	21	27	86
Other diseases of the liver F	168	8	9	4	2	2	4	1	5	6	9	10	16	23	23	54
Peritonitis M	197	8	20	15	15	25	17	7	15	13	10	11	8	6	9	26
Peritonitis F	327	8	17	8	15	27	46	49	47	31	20	12	7	8	8	32
Ascites M	52		2	1			2		1	1	5	5	5	7	3	20
Ascites F	50	2	2	1	2	1	1	1		3	2	1	4	3	6	23
Others of this class M	191	101	113	4	2		3	2	1	2	4	2	5	5	15	33
Others of this class F	175	85	96	1		1	2	3	6	7	5	5	10	7	9	23
6. Diseases of the urinary system and male organs of generation.	2,366	39	65	36	12	31	48	70	85	98	123	156	165	168	246	1,063
Males	1,571	21	39	20	5	14	27	33	34	45	66	97	107	115	162	807
Females	795	18	26	16	7	17	21	37	51	53	57	59	58	53	84	256
Bright's disease M	988			14	2	12	23	28	29	38	43	70	88	82	104	455
Bright's disease F	551			11	7	12	15	23	36	36	42	36	44	41	66	182
Calculus, urinary M	10	1	1	1					1			1			3	3
Calculus, urinary F	4											1				3
Diseases of the kidney M	186	12	23	3	1		8	1	1	2	10	11	3	14	17	97
Diseases of the kidney F	90	15	22	3		2	2	2	3	4	4	8	5	3	6	25
Diseases of the bladder M	172	1	2		1			2	1	1	1	3	4	8	20	129
Diseases of the bladder F	21										2	1		2	2	14
Others of this class M	215	7	13	2	1	2	1	2	2	4	12	12	12	11	18	123
Others of this class F	129	8	4	2		3	4	12	12	13	9	13	8	7	10	32
7. Diseases of the female organs of generation.	161				2	7	15	23	22	15	21	18	13	8	5	12
Ovarian tumors	29				1	1		3	3	2	5	4	5	1	1	3
Ovarian diseases	8							1	1	5				1		
Diseases of the tubes	23					2	6	8	3	3						1
Uterine tumors	34					1	1	2	5	1	8	6	3	1	2	4
Uterine diseases	13							4	3		1	1		2	1	1
Others of this class	54				1	3	8	5	7	4	7	7	5	3	1	3

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

OHIO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	364				1	30	75	96	70	58	24	4	1	1		4
Abortion	22						4	8	2	7						1
Childbirth	154					8	31	39	33	25	12	3		1		2
Puerperal septicemia	134				1	17	32	34	23	18	7	1	1			
Extra-uterine pregnancy	6							2	1	2						1
Others of this class	48					5	8	13	11	6	5					
9. Diseases of the bones and joints	191	44	70	16	8	7	11	8	4	7	7	6	4	8	11	24
Males	92	18	34	9	2	2	4	4		4	5	1	2	5	6	14
Females	99	26	36	7	6	5	7	4	4	3	2	5	2	3	5	10
Diseases of the spine. M.	65	17	32	6		2	1	3		2	3		1	2	4	9
Diseases of the spine. F.	70	26	36	4	3	2	5	2	1	2	1	3	1	2	3	5
Abscess, lumbar and psoas. M.	3									1					1	1
Abscess, lumbar and psoas. F.	1															1
Diseases of the bones. M.	14	1	2	2	1		2			1	1			2	1	2
Diseases of the bones. F.	15			2		1	2	1	2			1	1	1	1	3
Diseases of the hip-joint. M.	4			1	1			1			1					
Diseases of the hip-joint. F.	7				2	2		1	1	1						
Others of this class M.	6						1					1	1	1		2
Others of this class F.	6			1	1						1	1			1	1
10. Diseases of the skin	105	25	31	3	3	1	4	4	8	3	5	4	2	5	5	32
Males	55	15	18	1	1	1	1	1	1		4	2	1	4	3	17
Females	50	10	13	2	2		3	3	2	3	1	2	1	1	2	15
Abscess M.	25	6	7	1			1	1			3	1	1	1		9
Abscess F.	28	4	5	2	2		1	3	1	2		2	1	1	1	7
Carbuncle M.	13	1	1			1			1		1	1		2	2	4
Carbuncle F.	7						1				1				1	4
Others of this class M.	17	8	10		1									1	1	4
Others of this class F.	15	6	8				1		1	1						4
11. Diseases of the absorbent system.	29	4	4	2	1		4	2		3	2	3	2	1	1	4
Males	17	4	4				2	2		1	2	2	1		1	2
Females	12			2	1		2			2		1	1	1		2
Addison's disease M.	2						1									1
Addison's disease F.	2									1			1			
Diseases of the spleen M.	7	1	1					1			2	1			1	1
Diseases of the spleen F.	2				1											1
Others of this class M.	8	3	3				1	1		1		1	1			
Others of this class F.	5			2			2			1		1		1		1
12. Accidents and injuries	3,031	158	374	142	132	176	276	260	206	249	195	194	149	130	122	426
Males	2,332	84	215	100	106	141	236	217	173	216	165	167	130	105	97	264
Females	699	74	159	42	26	35	40	43	33	33	30	27	19	25	25	162
Burns and scalds M.	127	9	74	10	4	2	5	5	6	4	6	3	2	1	1	4
Burns and scalds F.	162	4	56	13	12	13	10	6	1	6	5	7		4	6	23
Drowning M.	198		13	27	30	29	16	14	15	12	8	5	3	8	5	13
Drowning F.	33	2	10	5		3	4	1	2	1			1	2	1	3
Exposure and neglect M.	14	5	6			1	1	1			1					4
Exposure and neglect F.	6			1		1	1							1		2
Gunshot wounds M.	109	1	1	6	13	27	14	9	6	7	5	7	3	2	5	1
Gunshot wounds F.	16		2		4				4	1	1	1	1	1		1
Homicide M.	49		1		2	1	9	6	3	4		8	5	3	3	4
Homicide F.	17		1				3	4	3	1	2	1		1		1
Infanticide M.																
Infanticide F.	2	2	2													
Injuries by machinery. M.	5					1	1	1	1				1			
Injuries by machinery. F.	1			1												
Railroad accidents M.	510		7	16	22	27	62	66	51	61	35	33	38	28	20	44
Railroad accidents F.	48		5	9	1	3	4	2	1	1	4	2	1	4		11
Suffocation M.	69	32	36	2	1	1	5	2	3	4	4	2		1	1	7
Suffocation F.	50	33	37		1			1					1	3	3	4
Suicide by shooting M.	30						13	9	10	11	12	6	7	2	2	8
Suicide by shooting F.	6						1	1	1	1		2				
Suicide by drowning M.	9						2		1	1			1	2	1	1
Suicide by drowning F.	9						2	2					2	1	1	1
Suicide by poison M.	49					2	3	8	6	4	6	6	5	4	4	1
Suicide by poison F.	25					7	3	5		3	4		1			2
Other suicides M.	150				1	1	10	9	8	22	12	20	10	14	13	30
Other suicides F.	39					4	4	5	6	2	3		1	5	1	8
Sunstroke M.	24	3	5	1				1		3		2	4	2	1	5
Sunstroke F.	8	1	2		1							1	1		1	2
Surgical operations M.	12	1	2			1	1	3	1		1			1	1	1
Surgical operations F.	22	1	2				1	3	5	5	2	2	1		1	
Wounds M.	51		4	1	1		5	10	4	3	2	7	5	3		6
Wounds F.	2			1	1											
Others of this class M.	876	33	66	37	32	48	89	73	58	80	70	68	46	34	40	135
Others of this class F.	253	31	42	12	6	4	7	13	10	12	9	11	9	3	11	104

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

OKLAHOMA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	3,181	744	1,319	182	120	157	170	132	101	121	112	101	99	124	91	352
Males	1,741	421	714	95	67	82	89	58	47	60	54	55	59	79	52	230
Females	1,440	323	605	87	53	75	81	74	54	61	58	46	40	45	39	122
Unknown cause	271	143	182	7	8	5	8	3	3	2		5	6	5	5	28
Males	133	74	90	4	3	2	2	1				2	5		5	19
Females	138	69	92	3	5	3	6	2	3	3		3	1	5	3	9
1. General diseases.																
General diseases—A	941	242	524	79	52	52	44	28	16	26	22	22	19	15	11	31
Males	524	135	283	42	28	30	30	17	10	13	10	14	11	9	5	22
Females	417	107	241	37	24	22	14	11	6	13	12	8	8	6	6	9
Measles M	33	10	24	2	2	1	2	1			1					
Measles F	15	1	6	4	1	1	1	1							1	
Scarlet fever M	4		3		1											
Scarlet fever F	7	1	3	4												
Diphtheria M	24	3	8	9	6	1										
Diphtheria F	22	3	11	7	4											
Whooping cough M	19	10	17		2											
Whooping cough F	31	17	30	1												
Malarial fever M	75	18	31	4	5	4	5	2	4		3	4	3	2		8
Malarial fever F	59	6	21	7	3	7	2	2		4	4	3	2	1	2	1
Influenza M	14	5	6	3						1		1			1	2
Influenza F	9	3	4			1	1							1		2
Typhoid fever M	126	12	24	13	9	20	18	11	4	9	4	7	2	3		2
Typhoid fever F	75	7	17	6	12	12	4	5	3	4	5	2	1	3		1
Cholera morbus M	25	10	17			1	1	1		1			1	1		2
Cholera morbus F	26	9	17	2	3						1					3
Colitis M	4	1	4													
Colitis F																
Diarrhea M	23	5	15	4		1						1			1	1
Diarrhea F	14	5	11	1	1											1
Dysentery M	39	8	32	4										1	1	1
Dysentery F	29	8	19	3					1			2	2		2	
Enteritis M	8		3		2		1						1	1		
Enteritis F	7	4	6												1	
Cholera infantum M	75	40	75													
Cholera infantum F	70	28	70													
Fever M	9	2	9													
Fever F	15	2	8	1			3			1			1	1		
Cerebro-spinal fever M	11	3	6		1	2				1						1
Cerebro-spinal fever F	10	2	6	1				1	1	1						
Smallpox M	16	6	6	1			3	1	1		2		1			1
Smallpox F	8	5	5						1	1			1			
Erysipelas M	3	1	1						1				1			
Erysipelas F	7	5	5				1					1				
Septicemia M	10		1	1						1		1	1	1	1	3
Septicemia F	10		1			1	2	2			2		1			1
Venereal diseases M	4			1				1					1		1	
Venereal diseases F	1									1						
Others of this group M	2	1	1													1
Others of this group F	2	1	1							1						
General diseases—B	19	7	10		1		1	1		1	1			1	1	2
Males	11	4	6		1		1				1					2
Females	8	3	4					1		1				1	1	
Alcoholism M	2										1					1
Alcoholism F																
Parasitic diseases M																
Parasitic diseases F	1													1		
Lead poison M																
Lead poison F																
Other poisons M	4		1		1		1									1
Other poisons F	3							1		1					1	
Inanition M	5	4	5													
Inanition F	4	3	4													
General diseases—C	124	67	69	1										1	2	51
Males	73	43	45												1	27
Females	51	24	24	1										1	1	24
Old age M	25															25
Old age F	24															24
Premature birth M	32	32	32													
Premature birth F	18	18	18													
Malformation M	9	9	9													
Malformation F	4	3	3	1												
Debility and atrophy M	6	1	3												1	2
Debility and atrophy F	5	3	3											1	1	
Others of this group M	1	1	1													
Others of this group F																

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

OKLAHOMA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	437	13	37	13	19	36	46	33	31	32	28	26	19	36	22	59
Males	211	5	17	4	10	15	24	11	10	17	10	12	8	22	12	39
Females	226	8	20	9	9	21	22	22	21	15	18	14	11	14	10	20
Anemia M	1				1											
Anemia F	1	1	1													
Diabetes M	6			1				1	1	1	1				1	
Diabetes F	1						1									
Rheumatism M	11			1	1	1					1	2		1	2	2
Rheumatism F	5				1									1	1	3
Scrofula and tabes M	10	2	4		1	1			1					1		2
Scrofula and tabes F	5		2	1	2											
Hydrocephalus M	2	1	1	1												
Hydrocephalus F	3	2	3													
Tuberculosis, general M																
Tuberculosis, general F	2		1								1					
Consumption M	131	1	10	1	7	12	22	9	6	15	5	5	4	15	6	14
Consumption F	157	4	9	5	6	21	20	21	20	12	9	12	2	7	4	9
Cancer M	23						1	1	1		3	3	1	1		12
Cancer F	26		1						1		6	1	6	5	2	4
Tumor M	1					1										
Tumor F	4	1	1							1	1					1
Dropsy M	25		1				1		1	1		2	3	4	3	9
Dropsy F	21		1	3			1	1		2	1	1	3	1	3	4
Others of this group M	1	1	1													
Others of this group F	1		1													
2. Diseases of the nervous system	301	80	143	17	12	10	8	9	9	7	8	10	3	14	6	45
Males	175	45	76	12	7	7	4	4	7	4	5	5	3	11	3	27
Females	126	35	67	5	5	3	4	5	2	3	3	5		3	3	18
Inflammation of the brain M	30	10	18	3	1	2	1		1	1		1	1		1	
Inflammation of the brain F	10	6	10													
Meningitis M	43	18	32	3		2	1	1	1	1		1				1
Meningitis F	42	14	33	4	2			1			1					1
Apoplexy M	7								1	1				3		2
Apoplexy F	6	1	2			1						1			1	1
Paralysis M	25			1			1				1	1	1	1	2	17
Paralysis F	22									1	1	4		2	1	13
Paralysis, general (of insane) M	6										3			1		2
Paralysis, general (of insane) F	1			1												
Tetanus and trismus nascentium M																
Tetanus and trismus nascentium F																
Chorea M																
Chorea F																
Epilepsy M	11			1	2	2		2	2	1		1				
Epilepsy F	8	2	2		1	1	2	2								
Convulsions M	14	11	13		1											
Convulsions F	11	7	9								1					1
Mental diseases M	8					1		1	1					1		4
Mental diseases F	6							2		2				1		1
Diseases of the brain M	24	6	11	3	2		1		1		1		1	4		
Diseases of the brain F	18	5	10		2	1	2		2							1
Diseases of the spinal cord M	4		2	1	1											
Diseases of the spinal cord F	1		1													
Locomotor ataxia M																
Locomotor ataxia F	1														1	
Others of this class M	3											1		1		1
Others of this class F																
3. Diseases of the circulatory system.	146	12	16	2	4	7	5	11	5	7	9	5	11	13	11	43
Males	86	9	11		2	1	2	4	3	5	4	1	5	9	7	32
Females	60	3	5	2	2	6	3	7	2	2	2	4	6	4	4	11
Pericarditis M																
Pericarditis F																
Diseases of the heart M	83	9	11		2	1	2	4	3	5	4	1	5	8	6	31
Diseases of the heart F	57	3	5	2	2	5	2	6	2	2	2	4	6	4	4	11
Angina pectoris M	2														1	1
Angina pectoris F	2					1	1									
Diseases of the arteries M																
Diseases of the arteries F																
Aneurism M	1													1		
Aneurism F	1							1								
Embolism M																
Embolism F																
Others of this class M																
Others of this class F																

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

OKLAHOMA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	439	102	199	33	11	14	16	13	16	13	20	14	18	19	12	41
Males	247	55	106	17	6	11	13	5	7	8	13	7	11	12	7	24
Females	192	47	93	16	5	3	3	8	9	5	7	7	7	7	5	17
Croup M	36	14	31	5												
Croup F	30	14	26	4												
Pneumonia M	180	31	63	12	5	8	11	5	7	8	11	5	8	8	6	23
Pneumonia F	133	26	52	12	5	2	3	7	9	3	7	6	6	4	4	13
Laryngitis M	2	1	1									1				
Laryngitis F																
Bronchitis M	14	7	8				1					1	2	2		
Bronchitis F	16	5	10			1		1		1				2		1
Pleurisy M	1															1
Pleurisy F																
Asthma M	2	1	1								1					
Asthma F	5									1			1	1		2
Others of this class M	12	1	2		1	3	1				1		1	2	1	
Others of this class F	8	2	5									1			1	1
5. Diseases of the digestive system.	206	55	88	13	8	9	8	11	5	5	10	6	6	10	8	19
Males	116	35	48	7	6	5	4	4	3	1	5	6	8	8	4	12
Females	90	20	40	6	2	4	4	7	2	4	5		3	2	4	7
Dentition M	6	4	6													
Dentition F	3		3													
Angina M	3		1	1												1
Angina F	11	2	7	3		1										
Gastritis M	16	4	6	1							1	2	1	3		2
Gastritis F	11	1	2		1		1	4		1					2	
Diseases of the stomach M	21	3	6	2			2	2	1		2	3		1	1	1
Diseases of the stomach F	21	6	10	2		2			1	2			1			3
Obstruction of the bowels M	2	1	1		1											
Obstruction of the bowels F	3	1	3													
Appendicitis M	8	1	1		3	1	1	2								
Appendicitis F	2			1							1					
Hernia M	3	2	2													1
Hernia F	1													1		
Other diseases of the bowels M	11	2	5			1					1		1	1		2
Other diseases of the bowels F	6	1	3										1		1	1
Jaundice M	9	6	6			1								2		
Jaundice F	4	2	2				1									1
Inflammation and abscess of the liver M	5	1	1						2							2
Inflammation and abscess of the liver F	5	1	3				1		1		1					
Other diseases of the liver M	11	2	3	1	1	1					1	1	1		1	1
Other diseases of the liver F	5		1				1	1			1			1		
Peritonitis M	2			1												1
Peritonitis F	5							2		1					1	1
Ascites M	2														1	1
Ascites F	2				1								1			
Others of this class M	17	9	10	1	1	1	1			1				1	1	
Others of this class F	11	6	7			1					2					1
6. Diseases of the urinary system and male organs of generation.	65	7	7		1	3	2	6		3	1	4	4	8	5	21
Males	45	4	4		1		1	3		1		3	3	6	4	19
Females	20	3	3			3	1	3		2	1	1	1	2	1	2
Bright's disease M	28				1			2		1		2	2	4	4	12
Bright's disease F	15					3	1	3		1	1	1	1	2	1	1
Calculus, urinary M	1															1
Calculus, urinary F																
Diseases of the kidney M	8	2	2									1	1	1		3
Diseases of the kidney F	4	3	3													1
Diseases of the bladder M	4	1	1				1	1								1
Diseases of the bladder F																
Others of this class M	4	1	1											1		2
Others of this class F	1									1						
7. Diseases of the female organs of generation.	13					1	1	1	1	1	3	3	1		1	
Ovarian tumors	1														1	
Ovarian diseases																
Diseases of the tubes																
Uterine tumors	3						1	1					1			
Uterine diseases																
Others of this class	9					1			1	1	3	3				

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

OKLAHOMA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	56					6	18	6	7	10	7	1				1
Abortion	1					1										
Childbirth	37					1	10	5	6	7	7					1
Puerperal septicemia	14					4	7		1	2						
Extra-uterine pregnancy																
Others of this class	4						1	1		1		1				
9. Diseases of the bones and joints.	9	2	5	2		1		1								
Males	6	1	3	2				1								
Females	3	1	2			1										
Diseases of the spine. M	4	1	3	1												
Diseases of the spine. F	3	1	2			1										
Abscess, lumbar and psoas. M																
Abscess, lumbar and psoas. F																
Diseases of the bones. M	1			1												
Diseases of the bones. F																
Diseases of the hip-joint. M																
Diseases of the hip-joint. F																
Others of this class M	1							1								
Others of this class F																
10. Diseases of the skin	7	1	3	2						1						1
Males	6	1	2	2						1						1
Females	1		1													
Abscess M	3			2						1						
Abscess F																
Carbuncle M	1															1
Carbuncle F																
Others of this class M	2	1	2													
Others of this class F	1		1													
11. Diseases of the absorbent system.	1												1			
Males																
Females	1												1			
Addison's disease M																
Addison's disease F																
Diseases of the spleen M																
Diseases of the spleen F	1												1			
Others of this class M																
Others of this class F																
12. Accidents and injuries	146	13	36	13	4	13	13	9	8	12	6	5	11	2	4	10
Males	108	10	23	5	3	11	8	8	7	10	6	5	10	2	4	6
Females	38	3	13	8	1	2	5	1	1	2			1			4
Burns and scalds M	5		5													
Burns and scalds F	8	1	5	2									1			
Drowning M	9		1	2	1	1	1		1	1	1					
Drowning F	4		2	1	1											
Exposure and neglect M	1	1	1													
Exposure and neglect F																
Gunshot wounds M	19		1	1		5	2	1	2	1	2	1	2		1	
Gunshot wounds F	4		1	1			1			1						
Homicide M	3							1		2						
Homicide F																
Infanticide M																
Infanticide F																
Injuries by machinery. M	1			1												
Injuries by machinery. F																
Railroad accidents M	6				1		3	1					1			
Railroad accidents F																
Suffocation M	5	5	5													
Suffocation F																
Suicide by shooting M	3									1	1					1
Suicide by shooting F	2						2									
Suicide by drowning M																
Suicide by drowning F	1						1									
Suicide by poison M	2							1						1		
Suicide by poison F	1								1							
Other suicides M	4							1	1	2						
Other suicides F																
Sunstroke M	1															1
Sunstroke F																
Surgical operations M																
Surgical operations F																
Wounds M	2								1							1
Wounds F																
Others of this class M	47	4	10	1	1	5	2	3	2	3	2	4	7	1	3	3
Others of this class F	18	2	5	4		2	1	1		1						4

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

OREGON.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	3,396	372	623	137	119	161	180	160	153	180	163	149	176	154	191	850
Males	2,019	215	353	71	64	77	88	87	82	106	101	96	108	96	124	566
Females	1,377	157	270	66	55	84	92	73	71	74	62	53	68	58	67	284
Unknown cause	108	52	61	1	5	3		1	1	1		4	2	1	7	21
Males	61	31	37		3							1	1		7	12
Females	47	21	24	1	2	3		1	1	1		3	1	1		9
1. General diseases. General diseases—A	538	125	221	43	24	26	22	25	14	17	13	7	19	12	11	84
Males	304	73	132	17	14	10	8	15	9	6	6	5	14	8	9	51
Females	234	52	89	26	10	16	14	10	5	11	7	2	5	4	2	33
Measles M	9	4	6	2		1										
Measles F	5		1	2		1					1					
Scarlet fever M	4		1	1		1			1							
Scarlet fever F	6		4	1					1							
Diphtheria M	12		4	5	2	1										
Diphtheria F	17		4	9	1	2		1								
Whooping cough M	15	13	15													
Whooping cough F	17	10	17													
Malarial fever M	11	1	3	1				1		1		1		1		3
Malarial fever F	12	4	4	1		1		1			1	1	1			2
Influenza M	39	2	3		1					1	1		3	2	5	23
Influenza F	27	1	4	1	1	2								2	1	16
Typhoid fever M	55	1	7	6	6	6	4	7	6	4	2	1	3	1		2
Typhoid fever F	51		8	7	5	7	7	7	2	3	2	1	2			2
Cholera morbus M	20	5	14					2						2	1	1
Cholera morbus F	12	5	5	1						3			1	1		1
Colitis M	4	1	3					1								
Colitis F	3	1	2								1					
Diarrhea M	11	4	8													3
Diarrhea F	5	2	2		1											2
Dysentery M	13	4	6	1			2						1			3
Dysentery F	4	2	2													2
Enteritis M	27	12	19	1	2							2	2			1
Enteritis F	18	10	12		1									1	1	3
Cholera infantum M	31	21	31													
Cholera infantum F	20	14	20													
Fever M	4	1	2		1											1
Fever F	3		1				1									1
Cerebro-spinal fever M	5	1	4			1										
Cerebro-spinal fever F	9	1	3	4		1	1									
Smallpox M	9	1	1					2	2		2		1			1
Smallpox F	3								1		1		1			
Erysipelas M	8	1	1				1					1			1	4
Erysipelas F																
Septicemia M	16		3		2			1			1		4	2	1	2
Septicemia F	18	1	1		1	2	5	1	1	5	1					1
Venereal diseases M	1														1	
Venereal diseases F	1	1	1													
Others of this group M	10	1	1				1	1								7
Others of this group F	3															3
General diseases—B	46	17	21	2				1	3	3	2	3	4	1		6
Males	28	8	9	1					1	2	2	2	4	1		6
Females	18	9	12	1				1	2	1		1				
Alcoholism M	4									2			1			1
Alcoholism F	1								1							
Parasitic diseases M																
Parasitic diseases F																
Lead poison M																
Lead poison F																
Other poisons M	13	1	2	1					1		2	1	3	1		2
Other poisons F	7		3	1				1	1	1						
Inanition M	11	7	7									1				3
Inanition F	10	9	9									1				
General diseases—C	134	31	32	1										2	5	94
Males	84	24	24												3	57
Females	50	7	8	1										2	2	37
Old age M	58														2	56
Old age F	38														2	36
Premature birth M	14	14	14													
Premature birth F	2	2	2													
Malformation M	3	3	3													
Malformation F	2	2	2													
Debility and atrophy M	7	5	5												1	1
Debility and atrophy F	6	1	2	1										2		1
Others of this group M	2	2	2													
Others of this group F	2	2	2													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

OREGON—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	734	9	36	18	27	59	69	59	61	65	46	48	45	43	40	118
Males	368	5	17	9	13	22	30	30	27	37	28	25	23	21	17	69
Females	366	4	19	9	14	37	39	29	34	28	18	23	22	22	23	49
Anemia M	7		1				1						1		1	3
Anemia F	3											1	1			1
Diabetes M	19			1	1	1		3	1			1	1	1	1	8
Diabetes F	12				1	1		1					1	3	2	3
Rheumatism M	6					1				1		1			1	2
Rheumatism F	10		1				1			2		2	1		1	2
Scrofula and tabes M	8		1	1	1	1	1				1					2
Scrofula and tabes F	6		2	1		1										2
Hydrocephalus M	10	2	5	1	3			1								
Hydrocephalus F	10	2	5	1	1	1	1					1				
Tuberculosis, general M	3								2						1	
Tuberculosis, general F	4		1			1			1		1					
Consumption M	219	2	7	5	6	17	25	21	19	28	22	16	16	8	6	23
Consumption F	214	1	7	7	12	32	36	24	31	20	7	12	11	6	2	7
Cancer M	53			1	1	1		4	3	6	4	6	3	7	4	18
Cancer F	85		1					3	1	4	8	7	8	13	13	27
Tumor M	8	1	3								1	1	1		1	1
Tumor F	10	1	1				1	1			2				2	3
Dropsy M	26				1	1	1		1	2			1	5	2	12
Dropsy F	11					1			1	2					3	4
Others of this group M	4						2	1	1							
Others of this group F	1		1													
2. Diseases of the nervous system	401	32	64	11	16	9	9	6	6	19	15	19	29	16	29	153
Males	234	18	32	5	9	7	5	3	3	16	11	10	14	11	13	95
Females	167	14	32	6	7	2	4	3	3	3	4	9	15	5	16	58
Inflammation of the brain M	7	3	3	1	2				1							
Inflammation of the brain F	11	1	5	1	2		1	1				1				
Meningitis M	39	5	17	1	5	5	2			2	1	3	1			2
Meningitis F	28	6	16	3	3	2					1	1			2	
Apoplexy M	62	2	2						1	6	1	2	5	7	6	31
Apoplexy F	33		1				1	1			2	4	7	2	5	9
Paralysis M	65	2	2							1	2	3	3	2	2	50
Paralysis F	54								1			1	2	3	7	40
Paralysis, general (of insane) M	11									4		1	1	1		4
Paralysis, general (of insane) F																
Tetanus and trismus nascentium M																
Tetanus and trismus nascentium F	1	1	1													
Chorea M																
Chorea F	1			1												
Epilepsy M	5					1				1	2		1			
Epilepsy F	2						1		1							
Convulsions M	7	4	6								1					
Convulsions F	5	4	5													
Mental diseases M	9						1	1	1	1		1			1	3
Mental diseases F	6							1			1		1			3
Diseases of the brain M	19	1	1	1	2	1	1	1		1	2		1	1	4	3
Diseases of the brain F	20	2	4	1	2				1	2		1	4		1	4
Diseases of the spinal cord M	3			2							1					1
Diseases of the spinal cord F	2									1						1
Locomotor ataxia M	4							1			1		1			
Locomotor ataxia F																
Others of this class M	3	1	1				1									1
Others of this class F	4						1					1	1			1
3. Diseases of the circulatory system.	333	12	18	4	6	8	9	14	19	19	15	15	16	29	39	122
Males	219	7	10	1	1	3	5	5	10	10	10	13	8	20	31	92
Females	114	5	8	3	5	5	4	9	9	9	5	2	8	9	8	30
Pericarditis M	1									1						
Pericarditis F	3				1	1					1					
Diseases of the heart M	204	6	9	1	1	3	5	4	10	9	10	12	8	20	28	84
Diseases of the heart F	101	4	7	3	4	3	3	7	9	7	4	2	8	8	8	28
Angina pectoris M	10							1							2	6
Angina pectoris F	5					1	1	1						1		1
Diseases of the arteries M	2											1				1
Diseases of the arteries F																
Aneurism M	1							1		2						1
Aneurism F	4															1
Embolism M																
Embolism F																
Others of this class M	1	1	1													
Others of this class F	1	1	1													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

OREGON—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	390	45	85	16	10	12	12	13	10	17	27	24	21	20	21	102
Males	252	21	44	9	6	5	7	8	8	9	19	18	18	14	18	69
Females	138	24	41	7	4	7	5	5	2	8	8	6	3	6	3	33
Croup M	9	2	5	2	1											1
Croup F	9	5	7	2												
Pneumonia M	204	16	32	4	5	4	6	5	8	6	19	18	17	13	15	52
Pneumonia F	101	14	25	4	3	6	3	5	1	7	6	6	3	3	3	26
Laryngitis M	3	1	2					1								
Laryngitis F																
Bronchitis M	18	2	5	1				3						1	1	8
Bronchitis F	10	2	4				1		1		1			1		2
Pleurisy M	3									1					1	1
Pleurisy F																
Asthma M	3															3
Asthma F	3					1										2
Others of this class M	12			2		1	1			2			1		1	4
Others of this class F	15	3	5	1	1		1			1	1			2		3
5. Diseases of the digestive system.	247	32	43	12	15	23	14	13	13	6	14	8	10	11	9	56
Males	142	18	23	6	7	14	10	7	6	6	6	5	6	4	5	37
Females	105	14	20	6	8	9	4	6	7		8	3	4	7	4	19
Dentition M																
Dentition F																
Angina M	1	1	1													
Angina F	5	1	2	1		2										
Gastritis M	18	4	4	1					1			1	3	1		7
Gastritis F	14	3	4	1		1		1	1		1				1	4
Diseases of the stomach M	15	2	3											2		10
Diseases of the stomach F	12								1		1	1		2	2	5
Obstruction of the bowels M	14					4					2	2			1	5
Obstruction of the bowels F	9	1	2			1		1			1		2	1		1
Appendicitis M	32			3	5	5	7	4	1	4	1		1			
Appendicitis F	14		1	4	5	2	1	1								
Hernia M	5								1						2	2
Hernia F	7	1	1										2	2		2
Other diseases of the bowels M	7	2	3								1					3
Other diseases of the bowels F	3	1	2											1		
Jaundice M	3	2	2					1								
Jaundice F	6	5	5													1
Inflammation and abscess of the liver M	9			1	1		1		1	1			2			2
Inflammation and abscess of the liver F	2														1	1
Other diseases of the liver M	4											1		1		2
Other diseases of the liver F	5								1			1		1		2
Peritonitis M	20	3	3	1	1	4	2	1	2	1	1	1			1	2
Peritonitis F	17				2	3	3	1	3		4					1
Ascites M	3							1			1					1
Ascites F	1							1								
Others of this class M	11	4	7												1	3
Others of this class F	10	2	3		1			1	1		1	1				2
6. Diseases of the urinary system and male organs of generation.	126	5	5	3	2	2	6	2	3	4	7	3	12	5	17	55
Males	95	3	3	3	1	1	1	1	2	2	4	2	5	5	14	51
Females	31	2	2		1	1	5	1	1	2	3	1	7		3	4
Bright's disease M	60			2	1	1	1		2	2	4	2	3	4	10	28
Bright's disease F	24				1	1	3	1		2	3	1	5		3	4
Calculus, urinary M																
Calculus, urinary F																
Diseases of the kidney M	10	3	3					1							2	4
Diseases of the kidney F	3	1	1										2			
Diseases of the bladder M	7												1	1	1	4
Diseases of the bladder F	1	1	1													
Others of this class M	18			1									1		1	15
Others of this class F	3						2		1							
7. Diseases of the female organs of generation.	13	1	1			1	2	2	4		1	1	1			
Ovarian tumors	3								1			1	1			
Ovarian diseases	1	1	1													
Diseases of the tubes	2						1	1								
Uterine tumors	1							1								
Uterine diseases																
Others of this class	6					1	1		3		1					

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

OREGON—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	25					1	8	8	2	7	3	1				
Abortion	4						1			3						
Childbirth	11					1	1	3		2	3	1				
Puerperal septicemia	7						4		2	1						
Extra-uterine pregnancy																
Others of this class	3						2			1						
9. Diseases of the bones and joints.	24	1	3	4		2		1		2		1	3	2	4	2
Males	16	1	2	3		2		1		2		1	2	1	1	1
Females	8		1	1									1	1	3	1
Diseases of the spine. M	8	1	2					1		1			2	1	1	
Diseases of the spine. F	4		1											1	2	
Abscess, lumbar and psoas. M																
Abscess, lumbar and psoas. F																
Diseases of the bones M	2			1								1				
Diseases of the bones F	2												1		1	
Diseases of the hip-joint. M	5			2		2				1						
Diseases of the hip-joint. F	1			1												
Others of this class M	1															1
Others of this class F	1															1
10. Diseases of the skin	8	1	5													3
Males	5	1	3													2
Females	3	2	2													1
Abscess M	3		2													1
Abscess F	2	2	2													
Carbuncle M																
Carbuncle F																
Others of this class M	2	1	1													1
Others of this class F	1															1
11. Diseases of the absorbent system.	5				1				1		2					1
Males	3								1		1					1
Females	2				1						1					
Addison's disease M																
Addison's disease F																
Diseases of the spleen M	2										1					1
Diseases of the spleen F																
Others of this class M	1								1							
Others of this class F	2				1						1					
12. Accidents and injuries	264	7	28	22	13	15	29	20	16	20	18	15	14	12	9	33
Males	208	5	17	17	10	13	22	17	15	16	14	14	13	11	6	23
Females	56	2	11	5	3	2	7	3	1	4	4	1	1	1	3	10
Burns and scalds M	8		7	1												
Burns and scalds F	9		4	2											1	2
Drowning M	47		2	5	7	3	7	2	4	3	3	2	2	2	1	4
Drowning F	8		2	1	1	1				1						
Exposure and neglect M																
Exposure and neglect F	1	1	1													
Gunshot wounds M	23			1		3	3	3		5	1	1	1	1	1	3
Gunshot wounds F	1										1					
Homicide M	5										1			1	1	2
Homicide F	2						1									1
Infanticide M																
Infanticide F																
Injuries by machinery. M	1									1						
Injuries by machinery. F																
Railroad accidents M	22			2	1	3	3	3	3	1	2	1	1			2
Railroad accidents F	1				1											
Suffocation M	2	2	2													
Suffocation F	3		1	1		1										
Suicide by shooting M	7						1	1		2	2					1
Suicide by shooting F																
Suicide by drowning M																
Suicide by drowning F	1							1								
Suicide by poison M	4												1	2		1
Suicide by poison F	6				1		1		1	1		1		1		
Other suicides M	9						1		2	1	1	1		2		1
Other suicides F	7						3	1		1	1		1			
Sunstroke M	1														1	
Sunstroke F																
Surgical operations M	1														1	
Surgical operations F	2						1				1					
Wounds M	5	1	1					1	2							1
Wounds F																
Others of this class M	73	2	5	5	2	4	7	7	4	3	4	9	8	3	1	8
Others of this class F	17	1	3	1			1	1		1	1				2	7

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

PENNSYLVANIA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	90,199	18,409	29,049	3,290	1,861	2,641	3,737	3,808	3,632	3,639	3,521	3,518	3,762	3,933	4,363	19,445
Males	49,150	10,427	16,080	1,700	993	1,414	2,059	2,100	1,963	2,014	1,969	2,066	2,170	2,258	2,360	10,004
Females	41,049	7,982	12,969	1,590	868	1,227	1,678	1,708	1,669	1,625	1,552	1,452	1,592	1,675	2,003	9,441
Unknown cause	1,870	844	975	30	27	26	38	31	36	44	41	44	48	57	70	403
Males	1,019	470	537	17	14	14	13	17	18	24	18	28	17	34	41	227
Females	851	374	438	13	13	12	25	14	18	20	23	16	31	23	29	176
1. General diseases. General diseases—A	16,321	4,439	8,699	1,496	554	593	743	600	415	373	325	282	277	239	283	1,442
Males	8,573	2,450	4,638	709	252	308	423	358	225	192	170	163	151	127	137	720
Females	7,748	1,989	4,061	787	302	285	320	242	190	181	155	119	126	112	146	722
Measles M	416	100	347	42	9	5	5	3		1		2				2
Measles F	399	84	329	32	9	11	5	1	4	5	2				1	
Scarlet fever M	444	51	281	113	28	9	6	3	1		2				1	
Scarlet fever F	450	37	273	111	42	11	4	4	3	2						
Diphtheria M	1,394	100	875	357	98	28	17	4	3	1	1	1	1		3	5
Diphtheria F	1,411	66	743	472	112	33	16	15	4	3	1	4	1		1	6
Whooping cough M	333	196	319	10	1		1							1		1
Whooping cough F	369	191	346	16	2	1	1	1		1			1			
Malarial fever M	75	8	14	4		7	5	9	10	3	3	3		3	2	12
Malarial fever F	65	5	14	2	1	1	4	9	6	4	3	1	3	2	1	14
Influenza M	454	42	62	9	2	7	12	11	13	11	20	20	15	27	31	214
Influenza F	524	37	62	6	3	5	16	11	10	15	14	19	16	26	43	278
Typhoid fever M	1,617	13	77	92	74	207	316	271	147	118	86	69	57	34	21	48
Typhoid fever F	1,162	14	69	77	103	177	203	115	92	75	68	43	51	30	23	36
Cholera morbus M	322	106	177	22	5	7	3	4	4	8	5	12	10	10	6	49
Cholera morbus F	316	78	158	13	7	8	7	6	7	8	9	8	8	16	9	52
Colitis M	53	30	39		1			2	1		1	1	1		1	6
Colitis F	45	23	31		2			2	1	1	4			2		2
Diarrhea M	291	93	142	13	4	3	3	4	4	2		7	10	10	14	75
Diarrhea F	226	73	114	16	3	1	2	5	3	6	2	4	6	7	9	48
Dysentery M	227	37	84	6	1	4	6	4	8	5	4	7	9	5	12	72
Dysentery F	228	36	76	3	1	2		5	4	5	7	6	6	7	12	94
Enteritis M	791	502	661	10	2	3	5	10	7	11	8	11	5	7	10	41
Enteritis F	707	384	531	16	4	5	7	7	10	7	7	4	10	7	16	76
Cholera infantum M	1,350	1,053	1,350													
Cholera infantum F	1,153	864	1,153													
Fever M	10	3	7				1		1		1					
Fever F	6			1		1		1	1		1				1	
Cerebro-spinal fever M	149	28	79	20	11	11	11	4	3	3	3	2	1			1
Cerebro-spinal fever F	101	25	58	9	5	10	8	2	2	2	1	1	1			2
Smallpox M	12	2	2		1	4	3		1				1			
Smallpox F	9	1	3	1		1	3				1					
Erysipelas M	145	36	44		4	1	5	4	9	4	5	10	9	5	5	37
Erysipelas F	102	29	34		1	1	3	1	3	6	8	8	6	4	7	20
Septicemia M	262	24	38	9	9	8	18	15	11	17	16	17	19	17	16	52
Septicemia F	318	22	35	8	6	16	37	52	34	36	25	15	11	6	14	23
Venereal diseases M	46	18	22			2	1	4	1	3	5	1		3	3	1
Venereal diseases F	25	15	17		1			1	3	1		1				1
Others of this group M	182	8	18	2	2	2	5	5	1	5	7		13	5	12	104
Others of this group F	132	5	15	4		1	4	4	3	4	2	5	6	5	9	70
General diseases—B	1,686	1,062	1,172	10	3	17	30	34	58	74	53	58	49	39	27	62
Males	1,000	575	630	3	2	8	18	25	45	58	41	43	39	33	20	35
Females	686	487	542	7	1	9	12	9	13	16	12	15	10	6	7	27
Alcoholism M	220		2	1		1	5	17	25	42	25	31	25	21	14	11
Alcoholism F	36						2	2	3	7	11	6	1	1	1	2
Parasitic diseases M	5		4	1												
Parasitic diseases F	6		3	2									1			
Lead poison M	13	1	1			1	1		2	5		1			1	1
Lead poison F	5	4	4	1												
Other poisons M	124	5	21		1	6	9	7	17	11	14	9	10	10	3	5
Other poisons F	81	2	18	1	1	9	10	6	7	6		5	7	1	3	7
Inanition M	638	569	602	1	1		3	1	1		2	2	4	2	2	17
Inanition F	558	481	517	3				1	3	3	1	4	1	4	3	18
General diseases—C	7,070	3,561	3,836	13	11	8	10	8	9	14	11	22	20	42	101	2,965
Males	3,536	2,008	2,157	5	7	3	4	3	5	9	4	11	9	19	36	1,264
Females	3,534	1,553	1,679	8	4	5	6	5	4	5	7	11	11	23	65	1,701
Old age M	1,151														14	1,137
Old age F	1,559														31	1,528
Premature birth M	859	859	859													
Premature birth F	637	637	637													
Malformation M	128	125	127		1											
Malformation F	93	90	92					1								
Debility and atrophy M	1,328	954	1,101	5	6	3	4	3	5	9	4	11	9	19	22	127
Debility and atrophy F	1,198	779	903	8	4	5	6	4	4	5	7	11	11	23	34	173
Others of this group M	70	70	70													
Others of this group F	47	47	47													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

PENNSYLVANIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	13,388	397	750	195	232	658	1,142	1,249	1,064	1,036	962	934	919	849	892	2,506
Males	6,466	241	432	108	87	266	538	576	510	504	469	459	446	410	423	1,238
Females	6,922	156	318	87	145	392	604	673	554	532	493	475	473	439	469	1,268
Anemia M	79	11	15	3	3	1	3	4	1	3	1	5	5	7	9	19
Anemia F	96	7	12	.....	3	8	11	7	3	5	11	8	7	3	5	13
Diabetes M	228	2	6	8	8	9	8	8	13	11	11	15	13	17	22	79
Diabetes F	199	.....	1	5	11	6	6	10	5	13	7	7	19	24	32	53
Rheumatism M	199	4	9	12	14	13	10	14	5	8	13	14	10	13	13	53
Rheumatism F	189	8	11	14	11	7	6	5	9	11	6	12	16	9	15	57
Scrofula and tabes M	95	16	31	3	1	3	4	10	8	5	5	6	8	6	5	5
Scrofula and tabes F	93	8	14	6	2	6	3	8	7	15	7	7	5	2	1	10
Hydrocephalus M	171	73	128	15	7	4	2	4	3	1	5	1	.....	1	.....	.....
Hydrocephalus F	122	44	86	13	3	8	3	2	1	1	2	.....	.....	1	1	1
Tuberculosis, general M	27	1	4	.....	2	4	4	4	4	1	.....	4	.....	.....	.....	.....
Tuberculosis, general F	41	1	5	1	1	3	2	4	7	4	3	5	4	1	1	.....
Consumption M	4,007	91	168	44	40	213	488	502	439	428	353	307	267	215	182	361
Consumption F	3,784	74	140	31	100	335	553	608	450	360	270	197	160	139	133	308
Cancer M	963	4	7	.....	3	3	8	16	23	33	52	72	106	104	136	400
Cancer F	1,644	1	5	1	2	4	6	14	44	94	144	194	217	208	206	505
Tumor M	122	5	12	5	2	7	4	3	9	4	11	8	10	13	11	23
Tumor F	195	2	10	2	4	5	4	7	11	20	19	20	16	15	14	48
Dropsy M	513	13	20	12	6	5	5	9	4	10	13	26	31	33	43	296
Dropsy F	520	7	14	13	6	7	9	7	16	8	22	23	26	35	61	273
Others of this group M	62	21	32	6	1	4	2	2	1	2	5	1	1	1	2	2
Others of this group F	39	10	20	1	2	3	1	1	1	1	2	2	3	2	.....	.....
2. Diseases of the nervous system	12,405	3,001	4,388	321	176	201	180	175	240	306	368	443	523	621	742	3,721
Males	6,903	1,749	2,517	192	105	101	90	89	149	180	229	253	304	348	391	1,955
Females	5,502	1,252	1,871	129	71	100	90	86	91	126	139	190	219	273	351	1,766
Inflammation of the brain M	265	100	171	28	9	10	3	2	4	2	6	7	2	2	4	15
Inflammation of the brain F	179	54	108	21	5	10	4	3	1	4	2	2	4	5	1	9
Meningitis M	929	294	598	88	41	37	24	22	23	23	16	14	12	7	5	19
Meningitis F	684	220	464	51	33	31	16	18	7	11	12	7	11	.....	6	17
Apoplexy M	1,632	16	21	3	2	7	15	13	29	40	68	78	116	171	185	884
Apoplexy F	1,403	12	16	2	3	5	10	10	9	24	46	85	94	141	163	795
Paralysis M	1,165	14	21	9	3	2	3	7	26	28	35	47	71	83	104	726
Paralysis F	1,074	9	17	3	3	9	5	5	13	16	18	37	40	81	121	706
Paralysis, general (of insane) M	104	.....	.....	1	.....	.....	.....	2	6	13	21	13	16	10	10	12
Paralysis, general (of insane) F	23	.....	.....	.....	.....	.....	.....	1	2	.....	6	1	.....	1	1	11
Tetanus and trismus nascentium M	135	29	34	12	29	11	7	6	6	2	6	5	5	1	6	5
Tetanus and trismus nascentium F	33	9	11	.....	.....	5	4	3	1	4	3	.....	1	1	.....	.....
Chorea M	7	.....	.....	2	.....	.....	.....	1	1	.....	.....	2	.....	1	.....	.....
Chorea F	9	.....	.....	1	.....	4	2	1	.....	.....	.....	.....	1	.....	.....	.....
Epilepsy M	152	16	18	3	5	13	13	16	15	11	4	9	13	4	11	17
Epilepsy F	101	9	13	4	6	5	10	9	8	11	5	3	8	4	4	11
Convulsions M	1,529	1,163	1,462	26	9	4	2	4	3	4	2	2	1	1	2	7
Convulsions F	1,198	842	1,086	28	4	11	13	12	8	11	5	2	3	.....	2	13
Mental diseases M	186	.....	.....	.....	.....	5	4	2	10	17	24	19	18	16	18	53
Mental diseases F	160	.....	.....	1	2	3	6	7	9	10	17	16	14	13	16	46
Diseases of the brain M	539	107	178	14	5	8	16	5	17	30	29	34	29	23	25	123
Diseases of the brain F	419	82	137	9	11	13	11	9	13	24	13	21	22	11	19	106
Diseases of the spinal cord M	77	5	7	5	2	3	3	2	3	1	6	3	5	9	7	21
Diseases of the spinal cord F	53	5	8	5	1	2	2	.....	5	2	3	4	5	7	2	7
Locomotor ataxia M	71	.....	.....	.....	.....	.....	.....	1	2	5	8	12	5	9	6	23
Locomotor ataxia F	20	.....	.....	.....	.....	.....	1	1	.....	3	.....	3	4	5	.....	8
Others of this class M	112	5	7	1	.....	1	.....	3	4	4	4	8	11	11	8	50
Others of this class F	146	10	11	4	3	2	6	7	15	6	9	9	12	4	16	42
3. Diseases of the circulatory system.	7,291	647	739	125	161	140	190	192	234	273	375	366	473	602	682	2,739
Males	4,021	390	443	57	72	69	87	89	115	146	203	197	268	352	374	1,549
Females	3,270	257	296	68	89	71	103	103	119	127	172	169	205	250	308	1,190
Pericarditis M	39	.....	1	2	8	3	3	3	1	3	3	.....	2	2	1	7
Pericarditis F	38	1	4	2	4	3	1	2	2	2	2	4	.....	2	2	8
Diseases of the heart M	3,556	264	311	55	62	64	78	82	110	129	186	178	237	316	338	1,410
Diseases of the heart F	2,932	185	219	65	83	67	92	90	112	116	156	148	186	234	290	1,074
Angina pectoris M	147	.....	.....	.....	.....	1	2	2	.....	4	6	9	14	20	18	71
Angina pectoris F	120	.....	.....	1	2	.....	6	4	2	5	7	11	8	12	11	51
Diseases of the arteries M	76	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	6	8	11	49
Diseases of the arteries F	55	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	5	.....	3	44
Aneurism M	58	.....	.....	.....	.....	.....	2	2	4	10	7	7	7	8	5	8
Aneurism F	24	.....	.....	.....	.....	.....	1	4	1	1	4	3	1	1	2	6
Embolism M	13	2	2	.....	.....	1	2	.....	.....	.....	1	1	1	.....	1	4
Embolism F	23	.....	1	.....	.....	.....	3	2	1	.....	3	2	5	1	.....	5
Others of this class M	132	124	129	.....	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Others of this class F	78	71	72	.....	.....	1	.....	1	.....	2	.....	.....	.....	.....	.....	2

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

PENNSYLVANIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	14,129	3,252	6,421	609	169	272	341	391	394	446	398	430	529	526	648	2,555
Males	7,763	1,850	3,577	325	88	133	190	234	222	280	246	300	314	303	363	1,188
Females	6,366	1,402	2,844	284	81	139	151	157	172	166	152	130	215	223	285	1,367
Croup M	581	92	457	114	6	1	.....	1	.....	1	.....	.....	.....	.....	.....	1
Croup F	483	64	369	103	3	1	.....	1	.....	1	1	.....	.....	.....	.....	4
Pneumonia M	5,352	1,264	2,362	167	63	112	159	196	187	233	189	243	235	217	248	741
Pneumonia F	4,455	982	1,900	139	66	115	114	120	140	131	127	102	162	171	213	955
Laryngitis M	47	4	23	3	3	.....	.....	.....	4	3	1	.....	2	2	2	4
Laryngitis F	29	4	16	3	2	1	1	1	1	.....	.....	.....	1	.....	.....	3
Bronchitis M	797	333	500	18	6	4	6	9	2	6	10	11	21	16	30	158
Bronchitis F	716	251	394	16	4	9	7	6	9	8	4	11	18	20	26	184
Pleurisy M	177	7	21	9	2	7	7	4	10	9	18	10	7	10	16	47
Pleurisy F	138	3	13	8	3	3	10	11	6	5	8	4	10	5	6	46
Asthma M	308	4	5	1	1	3	2	4	4	7	10	18	29	36	45	143
Asthma F	130	4	5	2	.....	1	2	3	2	7	3	5	9	12	19	60
Others of this class M	501	146	209	13	7	6	16	20	15	21	18	18	20	22	22	94
Others of this class F	415	94	147	13	3	9	17	15	14	14	9	8	15	15	21	115
5. Diseases of the digestive system.	4,812	788	1,099	120	165	174	213	228	253	250	254	243	253	303	298	959
Males	2,583	472	623	70	101	103	115	112	113	120	142	132	145	173	158	476
Females	2,229	316	476	50	64	71	98	116	140	130	112	111	108	130	140	483
Dentition M	59	40	59	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dentition F	68	37	68	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Angina M	49	9	22	4	5	1	4	2	2	.....	2	1	2	.....	.....	4
Angina F	50	8	15	12	5	3	3	1	1	.....	2	1	.....	3	.....	4
Gastritis M	421	74	103	15	7	11	8	8	11	12	20	17	19	40	34	116
Gastritis F	429	43	88	10	2	5	15	17	17	15	21	20	28	22	30	139
Diseases of the stomach M	194	30	38	4	1	1	5	4	5	8	11	9	13	19	19	57
Diseases of the stomach F	116	15	20	2	1	6	5	5	4	7	4	5	5	6	13	33
Obstruction of the bowels M	160	31	40	7	6	6	14	13	5	4	5	6	7	9	10	28
Obstruction of the bowels F	151	17	24	1	.....	6	7	15	7	6	13	10	6	9	15	32
Appendicitis M	287	1	5	14	45	42	41	35	31	13	12	13	12	9	4	11
Appendicitis F	126	1	3	9	25	14	13	10	11	10	6	4	6	4	4	7
Hernia M	90	13	15	.....	2	1	1	5	4	8	4	2	9	5	6	28
Hernia F	92	5	6	.....	.....	.....	.....	.....	5	4	3	12	9	7	12	34
Other diseases of the bowels M	105	33	40	1	1	2	5	4	2	3	4	3	7	8	2	23
Other diseases of the bowels F	98	28	38	1	2	4	2	7	4	2	6	2	2	6	4	18
Jaundice M	128	76	77	2	.....	.....	1	.....	3	2	2	3	3	9	3	23
Jaundice F	109	35	42	2	.....	.....	.....	.....	5	4	3	4	2	10	9	28
Inflammation and abscess of the liver M	101	10	11	2	6	1	2	2	4	8	8	10	6	10	9	22
Inflammation and abscess of the liver F	93	3	5	1	.....	3	1	3	4	5	5	7	10	11	10	28
Other diseases of the liver M	397	12	14	.....	1	3	3	9	21	37	42	46	41	43	40	97
Other diseases of the liver F	220	16	24	2	1	.....	1	5	8	13	14	18	18	25	23	68
Peritonitis M	308	21	43	17	25	34	27	23	23	17	18	18	14	12	14	23
Peritonitis F	431	19	34	7	24	30	49	49	67	60	28	21	13	15	11	23
Ascites M	43	1	1	.....	2	.....	2	1	.....	1	2	3	1	4	6	20
Ascites F	49	.....	2	.....	2	.....	.....	1	2	.....	1	2	1	4	2	32
Others of this class M	241	121	155	4	.....	1	2	6	2	7	12	1	11	5	11	24
Others of this class F	197	89	107	3	2	.....	2	3	5	4	6	5	8	8	7	37
6. Diseases of the urinary system and male organs of generation.	4,170	68	158	70	70	62	120	163	209	202	252	307	335	380	386	1,456
Males	2,476	47	90	36	29	27	56	85	100	95	130	176	208	248	238	958
Females	1,694	21	68	34	41	35	64	78	109	107	122	131	127	132	148	498
Bright's disease M	1,582	.....	.....	29	18	22	42	53	72	71	83	131	149	184	158	570
Bright's disease F	1,192	.....	.....	25	33	25	44	52	76	70	93	98	92	99	113	372
Calculus, urinary M	18	3	3	.....	1	.....	1	1	.....	1	1	1	.....	1	1	7
Calculus, urinary F	3	1	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Diseases of the kidney M	254	29	65	2	1	2	6	8	5	4	10	9	6	10	21	105
Diseases of the kidney F	145	17	58	3	1	5	2	1	7	4	3	5	10	8	5	33
Diseases of the bladder M	129	2	6	.....	.....	.....	.....	2	.....	3	3	4	8	3	9	91
Diseases of the bladder F	28	1	2	1	.....	.....	.....	2	1	3	.....	1	1	3	2	12
Others of this class M	493	13	16	5	9	3	7	21	23	16	33	31	45	50	49	185
Others of this class F	326	2	7	5	7	5	18	23	25	30	25	26	24	22	28	81
7. Diseases of the female organs of generation.	208	1	2	.....	2	7	13	26	25	26	32	18	20	11	11	15
Ovarian tumors	46	.....	.....	.....	.....	1	1	5	4	5	7	6	5	4	2	6
Ovarian diseases	13	.....	.....	.....	.....	.....	1	.....	2	2	2	2	1	1	.....	2
Diseases of the tubes	20	.....	.....	.....	.....	2	3	5	4	6	.....	.....	.....	.....	.....	.....
Uterine tumors	45	.....	.....	.....	1	.....	.....	3	1	4	9	6	6	2	9	4
Uterine diseases	13	.....	.....	.....	.....	.....	3	2	3	2	.....	.....	1	.....	.....	2
Others of this class	71	1	2	.....	1	4	5	11	11	7	14	4	7	4	.....	1

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

PENNSYLVANIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	639					41	112	126	152	121	71	12	1			3
Abortion	25						9	9	6	1						
Childbirth	306					12	44	52	73	67	48	8	1			1
Puerperal septicemia	195					9	40	42	47	42	12	2				1
Extra-uterine pregnancy	23					1	1	9	9	2	1					
Others of this class	90					19	18	14	17	9	10	2				1
9. Diseases of the bones and joints.	229	43	64	22	15	23	9	13	12	9	5	8	8	8	6	27
Males	121	20	33	12	8	14	5	11	7	5	1	4	4	1	2	14
Females	108	23	31	10	7	9	4	2	5	4	4	4	4	7	4	13
Diseases of the spine. M	57	19	24	4	1	7	2	7	1	1	1	1	1	1		6
Diseases of the spine. F	60	17	24	8	3	5	4	1	2	2	2	2	2	8	3	4
Abscess, lumbar and psoas. M	4		1				1		1							1
Abscess, lumbar and psoas. F	3	1	1	1									1			
Diseases of the bones. M	27	1	4	2	2	3	1	3	2	2		1	3		1	3
Diseases of the bones. F	20	4	4	2	2	2			1	2	1	1			1	4
Diseases of the hip-joint. M	19		2	5	4	3		1	1	2		1				
Diseases of the hip-joint. F	12	1	2	3	2	1		1	1		1		1			
Others of this class. M	14		2	1	1	1	1		2			1			1	4
Others of this class. F	13			1		1			1			1		4		5
10. Diseases of the skin	175	55	70	5	7	2	3	6	4	2	5	4	11	18	8	30
Males	97	30	37	2	4	1	2		1	2	3	3	6	12	6	18
Females	78	25	33	3	3	1	1	6	3		2	1	5	6	2	12
Abscess. M	49	11	17	2	3	1	2		1	1	1	3	6	4	2	6
Abscess. F	37	6	8	3	1	1	1	5	3		2	1	2	3	1	6
Carbuncle. M	16				1					1	1			6	3	4
Carbuncle. F	7												3	2	1	1
Others of this class. M	32	19	20								1			2	1	8
Others of this class. F	34	19	25		2			1						1		5
11. Diseases of the absorbent system.	61	5	8	4	4	2	3	7	3	4	1	4	3	4	7	7
Males	36	4	7	2	2	2		3	2	2	1	2	2	2	4	5
Females	25	1	1	2	2		3	4	1	2		2	1	2	3	2
Addison's disease. M	8			1	1	1				2		1		1	1	
Addison's disease. F	5				1			2	1							1
Diseases of the spleen. M	9							2					1		2	4
Diseases of the spleen. F	7			1				2		1		1	1	1		
Others of this class. M	19	4	7	1	1	1		1	2		1	1	1	1	1	1
Others of this class. F	13	1	1	1	1		3			1		1		1	3	1
12. Accidents and injuries	5,745	246	668	270	265	415	590	559	524	459	368	343	293	234	202	555
Males	4,556	121	359	162	222	365	518	498	451	397	312	295	257	196	167	357
Females	1,189	125	309	108	43	50	72	61	73	62	56	48	36	38	35	198
Burns and scalds. M	277	12	134	21	6	6	16	19	16	12	7	11	7	5	4	13
Burns and scalds. F	364	14	134	54	23	19	20	16	28	13	6	6	8	7	7	23
Drowning. M	310	2	22	34	59	34	18	19	16	20	14	19	13	12	12	18
Drowning. F	37	2	10	3	3	4		2	5	1	4	1	1		1	1
Exposure and neglect. M	26	7	9	2				1	2		3	3		1	3	2
Exposure and neglect. F	25	13	16		1				1	1				1		5
Gunshot wounds. M	127		1	6	13	17	27	16	7	5	8	5	9	3	3	6
Gunshot wounds. F	17			5	1	1	1	2	1	3	1	1				1
Homicide. M	63		1	1	2	5	12	11	6	9	6	2	5		2	1
Homicide. F	14		1	1			3		1	2	2	2	1			1
Infanticide. M	1	1	1													
Infanticide. F	3	3	3													
Injuries by machinery. M	65		1	1	1	7	13	11	8	7	5	3	4			1
Injuries by machinery. F	2						1	1								
Railroad accidents. M	1,037	2	20	34	45	92	152	150	130	87	80	62	48	37	33	67
Railroad accidents. F	73		4	15	4	4	9	3	3	6	4	2		2	2	15
Suffocation. M	93	39	49	2		3	6	1	4	4	3	2	2		3	14
Suffocation. F	54	38	44			1		1		2		1	1	1	1	2
Suicide by shooting. M	82				1	1	11	7	5	12	8	11	7	5	1	12
Suicide by shooting. F	9					1	2		1		1	2	2			
Suicide by drowning. M	10						1	1	1		1		1	1	1	3
Suicide by drowning. F	4					2	1	1								
Suicide by poison. M	32						3	3	3	5	5	8	2	1	1	1
Suicide by poison. F	24					2	4	6	1	4	2	1			2	2
Other suicides. M	201					4	17	11	17	20	18	21	25	22	19	27
Other suicides. F	41					6	4	4	2	5	7	6	5			2
Sunstroke. M	52	4	9	3		1	5	3	4	7	3	3	4	2	1	7
Sunstroke. F	38	7	12	1			1	1	2		1	1	2	4	3	10
Surgical operations. M	22	2	5	2		3	1	2	2	1			2	2	1	1
Surgical operations. F	30		1	1			3	5	5	2	5	3	1	1		3
Wounds. M	88		2	1	4	13	10	9	11	8	4	5	7	3	7	4
Wounds. F	6	2	2	1					1	1					1	
Others of this class. M	2,070	52	105	55	91	179	226	234	218	199	144	140	121	102	76	180
Others of this class. F	448	46	82	27	11	10	23	19	21	22	23	22	15	22	18	133

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

SOUTH CAROLINA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	17,166	3,477	6,198	722	554	943	1,177	920	676	718	661	571	636	490	599	2,301
Males	8,461	1,824	3,256	364	259	417	505	420	272	302	315	291	344	261	292	1,163
Females	8,705	1,653	2,942	358	295	526	672	500	404	416	346	280	292	229	307	1,138
Unknown cause	1,304	690	859	44	28	26	40	37	27	22	27	12	26	21	28	107
Males	672	363	465	30	13	12	15	13	10	7	8	5	16	10	15	53
Females	632	327	394	14	15	14	25	24	17	15	19	7	10	11	13	54
1. General diseases. General diseases—A	4,665	1,041	2,221	285	198	249	292	200	157	159	122	104	106	91	100	381
Males	2,320	543	1,148	148	85	103	140	93	68	71	61	60	56	46	53	188
Females	2,345	498	1,073	137	113	146	152	107	89	88	61	44	50	45	47	193
Measles M	54	13	29	5	4	2	3	1	1	1	1	2	2	1		1
Measles F	48	10	24	3	1	3	1	2	1	7	1		2		1	2
Scarlet fever M	14	4	5	3			1		1					2	2	
Scarlet fever F	13	2	4	3	1	2			1	1	1					
Diphtheria M	45	7	34	9	2											
Diphtheria F	38	3	27	7	2	1		1								
Whooping cough M	81	42	78	3												
Whooping cough F	95	43	90	4										1		
Malarial fever M	358	48	130	34	18	21	29	21	13	16	12	11	11	10	11	21
Malarial fever F	391	37	138	40	23	27	35	23	11	20	9	13	7	11	9	25
Influenza M	249	67	106	11	1	6	2	5	7	4	9	5	9	8	11	65
Influenza F	243	45	72	5	8	11	5	10	8	9	5	4	9	11	10	76
Typhoid fever M	446	15	64	41	37	56	77	39	28	26	26	13	10	6	4	19
Typhoid fever F	524	17	71	37	61	80	80	38	37	31	26	11	13	11	10	18
Cholera morbus M	44	12	23	2	3		2	1		4		3	1	1	1	3
Cholera morbus F	43	13	27	1		1		4	2	1		1			1	5
Colitis M	9	1	3					1								
Colitis F	9	5	8						1							
Diarrhea M	104	30	63	6		1	1	2	1			3	1	3	3	20
Diarrhea F	53	18	32	3					1		3	2	3	2	1	6
Dysentery M	296	84	210	11	2	1	1	5	1	7	4	13	4	3	6	28
Dysentery F	282	90	201	11	4	2	3	3	5	2	2	5	6	3	5	30
Enteritis M	129	51	104	4		2	1	2	2	2	1	1	2	1	1	6
Enteritis F	104	47	84	4			3	3	1	2		2	1	1		3
Cholera infantum M	186	108	186													
Cholera infantum F	161	101	161													
Fever M	143	38	72	13	7	8	9	4	1	6	1	2	3	3	6	5
Fever F	165	49	89	10	6	10	7	4	7	10	2	1	2	2	3	12
Cerebro-spinal fever M	21	3	5	4	3	1	2	1	2			2			1	
Cerebro-spinal fever F	21	2	9	4	3	1	2	1			1					
Smallpox M	43	6	8		1		3	2	6	3	5	2	5	2	2	4
Smallpox F	42	2	7	1	1	2	3	4	7	1	5	2	3	2	3	1
Erysipelas M	12		3	1	1		3	1					1	1		1
Erysipelas F	8	1	2			1								1	1	3
Septicemia M	41	6	7		2	3	2	3	2		2	2	4	3	3	8
Septicemia F	61	4	12	3	1	2	8	13	2	2	3	1	3		3	5
Venereal diseases M	29	6	10		2	2	1	4	3	1			1	1	2	2
Venereal diseases F	21	4	8				3		4	1	2	1				2
Others of this group M	16	2	5	1	2		3	1		1		1	1	1		2
Others of this group F	23	5	7	1	2	3	2	1	1	1	1	1	1			2
General diseases—B	172	55	123	19		1	3	2	2	4	2	4	1	4	1	6
Males	94	28	67	9			2		2	4	1	3		3		3
Females	78	27	56	10		1	1	2			1	1	1	1	1	3
Alcoholism M	12						1		1	2	1	3		3		1
Alcoholism F	1														1	
Parasitic diseases M	27	2	22	5												
Parasitic diseases F	23	1	20	3												
Lead poison M																
Lead poison F																
Other poisons M	23	1	16	3					1	2						1
Other poisons F	21	1	7	5		1		2			1	1	1	1		2
Inanition M	32	25	29	1			1									1
Inanition F	33	25	29	2			1									1
General diseases—C	649	303	359				2	2	1		1		2	4	8	270
Males	322	167	199				1	1			1		1	1	1	117
Females	327	136	160				1	1	1				1	3	7	153
Old age M	107															107
Old age F	154														5	149
Premature birth M	78	78	78													
Premature birth F	71	71	71													
Malformation M	42	40	42													
Malformation F	38	37	38													
Debility and atrophy M	89	43	73				1	1			1		1	1	1	10
Debility and atrophy F	55	19	42				1	1	1				1	3	2	4
Others of this group M	6	6	6													
Others of this group F	9	9	9													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

SOUTH CAROLINA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	3,159	83	270	118	112	296	428	354	243	223	215	156	163	118	138	325
Males	1,322	36	122	55	53	110	151	147	91	87	88	71	72	54	58	163
Females	1,837	47	148	63	59	186	277	207	152	136	127	85	91	64	80	162
Anemia M	5		2				2	1								
Anemia F	7	1	1			2	3					1				
Diabetes M	17		1		1	1		1			2	1	1	1	1	7
Diabetes F	25		2		3	1	2		1	1	2	1	2	1	4	5
Rheumatism M	36		2		2	6		1	3	1	2	1	3	1	1	12
Rheumatism F	24	3	5	1	1	1	3			1		1			1	10
Scrofula and tabes M	42	2	12	11	3	3	1	1	2	2	1			3	1	2
Scrofula and tabes F	47	4	12	4	5	3	1	2	3	3	3	2	2	2	2	3
Hydrocephalus M	18	9	13	2	1				1	1						
Hydrocephalus F	18	9	16			1					1					
Tuberculosis, general M	16		1			2	2	3	1	1	3		1			2
Tuberculosis, general F	11				1		2	2	4					1	1	
Consumption M	895	21	52	26	33	91	140	133	74	76	67	58	43	28	33	41
Consumption F	1,238	22	78	38	36	162	239	186	109	104	83	42	54	28	32	47
Cancer M	50	1	3		1		1		1	3	1	4	5	4	7	20
Cancer F	181		1		2	1	3	6	8	17	19	20	23	18	23	40
Tumor M	18	1	2	1		2		1	3		2	1	4			2
Tumor F	42	2	3		2	2	2	3	5		3	4	2	2	7	7
Dropsy M	221	2	31	15	11	5	5	6	6	2	10	6	15	17	15	77
Dropsy F	240	4	27	20	9	13	22	8	21	10	16	14	8	12	10	50
Others of this group M	4		3							1						
Others of this group F	4	2	3						1							
2. Diseases of the nervous system	1,356	310	446	47	30	44	41	35	31	47	52	65	71	65	76	306
Males	686	152	221	25	10	28	21	21	14	29	31	26	34	36	37	153
Females	670	158	225	22	20	16	20	14	17	18	21	39	37	29	39	153
Inflammation of the brain M	55	10	24	7	1	6	5	2	1	2			1	3	1	2
Inflammation of the brain F	55	19	30	7	3	1	2	2	1	2	1	3	1			2
Meningitis M	64	17	35	7	4	7	4	2	1	1		1		1		1
Meningitis F	48	6	25	7	7	1	2	1	1		1		2		1	
Apoplexy M	96		2			2	1	2		5	5	12	12	10	10	35
Apoplexy F	94	1	4		1	1	2	2	2	2	4	11	11	12	14	28
Paralysis M	180	1	5	3	1	4		3	3	5	9	7	10	16	19	95
Paralysis F	183	1	4	2	1	2	1	1	1	5	8	12	17	11	20	98
Paralysis, general (of insane) M	13								5		2	2	1	1		2
Paralysis, general (of insane) F	3								1			1	1			
Tetanus and trismus nascentium M	46	40	40		1	1		2			1	1				
Tetanus and trismus nascentium F	53	45	46		1	2	2		2							
Chorea M																
Chorea F	1				1											
Epilepsy M	30	2	7			3	4	3	2	2	3	1		1		4
Epilepsy F	28	4	9		3	2	2	1	1	1	2	1		1		5
Convulsions M	94	67	84	5	1	2					1					1
Convulsions F	104	75	93	2	1	3	2	2					1			
Mental diseases M	14				1	1	2	2		2			2		3	1
Mental diseases F	21						2			5	3	5	2	3		1
Diseases of the brain M	68	12	22	1	1	1	5	3	2	7	7	1	7	2	3	6
Diseases of the brain F	58	6	13	4	1	4	3	5	7	2	1	4		2	3	9
Diseases of the spinal cord M	8	1	1	1				1		2	1		1	1		
Diseases of the spinal cord F	2				1							1				
Locomotor ataxia M	1															1
Locomotor ataxia F																
Others of this class M	17	1	1	1		1		1		3	2	1		1	1	5
Others of this class F	20	1	1				2		1	1	1	1	2		1	10
3. Diseases of the circulatory system.	885	28	37	11	12	23	29	32	34	49	68	59	78	55	82	316
Males	431	18	20	6	7	12	7	14	16	18	35	23	44	32	39	158
Females	454	10	17	5	5	11	22	18	18	31	33	36	34	23	43	158
Pericarditis M	5	2	2						1						1	1
Pericarditis F	2									1						1
Diseases of the heart M	407	12	14	6	7	9	7	14	15	17	32	21	44	32	37	152
Diseases of the heart F	436	9	16	5	5	10	21	17	16	30	32	35	33	23	43	150
Angina pectoris M	7					2					1					4
Angina pectoris F	5															5
Diseases of the arteries M	2														1	1
Diseases of the arteries F	1										1					
Aneurism M	5					1					2	2				
Aneurism F	5					1			1			1	1			1
Embolism M	1									1						
Embolism F	3						1	1	1							
Others of this class M	4	4	4													
Others of this class F	2	1	1													1

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

SOUTH CAROLINA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	1,926	527	900	71	49	106	101	64	49	78	44	58	70	42	58	236
Males	1,034	290	496	37	19	54	59	36	22	36	28	29	44	28	27	119
Females	892	237	404	34	30	52	42	28	27	42	16	29	26	14	31	117
Croup M	98	58	91	4	1		1	1								
Croup F	116	80	109	4	1	2										
Pneumonia M	725	174	307	26	15	51	51	31	20	30	25	23	31	20	18	77
Pneumonia F	599	119	240	26	24	41	33	25	22	33	12	21	17	12	20	73
Laryngitis M	3		1			1	1									
Laryngitis F	4		1	1	1											1
Bronchitis M	87	43	70	2	1	2	3						1	1	2	5
Bronchitis F	73	25	36	2		4		1	2	2		2	4	1	2	17
Pleurisy M	54	3	7	3	2		2	3	2	3	1	3	7	4	5	22
Pleurisy F	43	1	1	1	1	2	4			4	3	4	3	1	5	14
Asthma M	24	1	1	2								3	3	3	1	11
Asthma F	24	1	4		1			1	1	1		2	1		2	11
Others of this class M	33	11	19				1	1		3	2		2		1	4
Others of this class F	33	11	13		2	3	5	1	2	2	1		1		2	1
5. Diseases of the digestive system.	1,075	288	589	40	37	29	31	31	23	30	26	34	39	30	31	105
Males	571	150	315	19	20	18	18	17	3	13	13	22	27	17	16	53
Females	504	138	274	21	17	11	13	14	20	17	13	12	12	13	15	52
Dentition M	120	42	120													
Dentition F	120	46	120													
Angina M	10	4	9	1												
Angina F	5		4	1												
Gastritis M	55	7	21	4	2	1	3	1		2	1	2	8		3	7
Gastritis F	54	7	16	2	2	3	2	2		2		3	3	2	5	12
Diseases of the stomach M	16	5	9			1	1	1				1		1	1	1
Diseases of the stomach F	22	5	8	2	2			2		3					1	4
Obstruction of the bowels M	16	5	7			2		1	1	2						3
Obstruction of the bowels F	11		2		1		1			1	3		2	1		
Appendicitis M	26				4	4	1	4		2	5	2	1		1	2
Appendicitis F	14	1	1		3	1		1	4	2			1	1		
Hernia M	20	5	5						1		1	1		3		9
Hernia F	3								1		1			1		
Other diseases of the bowels M	44	13	28	2	3		3		1	1		2		4		
Other diseases of the bowels F	42	13	23	3	2	3	2	1		1			1	2	1	3
Jaundice M	39	18	21	5		1		3		1			3	2	2	3
Jaundice F	33	14	16	1	1	1	2	2	1	2		1			2	4
Inflammation and abscess of the liver M	20	2	4	1	1	1				2	1		3		1	6
Inflammation and abscess of the liver F	16	2	3		1				2	1		4		1		4
Other diseases of the liver M	29	1	5	1			1	1		1	2	5	2	1	2	8
Other diseases of the liver F	18	1	3	3						2	2		2	3		3
Peritonitis M	21	1	4	2	1	2	2	2		1	1	4		1		1
Peritonitis F	29	5	7			1	5	4	7	1		1	1		1	1
Ascites M	26		4	1	2		4	1					1	3	3	7
Ascites F	27	1	3	5		1			2		1	1	2	1	2	9
Others of this class M	129	46	78	4	7	6	3	3		1	2	5	9	2	3	6
Others of this class F	110	43	68	4	5	1	1	2	3	2	6	2		1	3	12
6. Diseases of the urinary system and male organs of generation.	572	5	34	9	15	19	35	18	19	29	47	40	48	38	58	163
Males	337	4	23	4	7	11	16	8	4	13	23	27	30	21	35	115
Females	235	1	11	5	8	8	19	10	15	16	24	13	18	17	23	48
Bright's disease M	237			2	6	8	10	6	2	13	17	25	28	17	29	74
Bright's disease F	188			5	6	4	15	8	15	13	22	13	16	15	17	39
Calculus, urinary M	6			1											1	4
Calculus, urinary F	1															1
Diseases of the kidney M	55	3	22		1	3	2		2		4		1	2	2	16
Diseases of the kidney F	24	1	11		1	2	2	1						2	1	4
Diseases of the bladder M	18						2	1			1				1	13
Diseases of the bladder F	5										1				3	1
Others of this class M	21	1	1	1			2	1			1	2	1	2	2	8
Others of this class F	17				1	2	2	1		3	1		2		2	3
7. Diseases of the female organs of generation.	55				1	3	4	7	5	11	2	10	4	1	1	6
Ovarian tumors	3							1		2						
Ovarian diseases																
Diseases of the tubes																
Uterine tumors	7						1			2		1	1	1		1
Uterine diseases	24					2	1	5	4	3	1	2	3			3
Others of this class	21				1	1	2	1	1	4	1	7			1	2

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

SOUTH CAROLINA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	290				3	60	82	53	29	33	22	4	1	1		2
Abortion	8					2	1	2		2	1					
Childbirth	193				3	41	44	34	24	22	17	4	1	1		2
Puerperal septicemia	56					11	23	8	4	8	2					
Extra-uterine pregnancy																
Others of this class	33					6	14	9	1	1	2					
9. Diseases of the bones and joints.	25	4	9	5	3	1		1	1		2			1	1	1
Males	17	3	6	4	3	1					1				1	1
Females	8	1	3	1				1	1		1			1		
Diseases of the spine. M	10	3	5	2	2						1					
Diseases of the spine. F	3	1	2					1								
Abscess, lumbar and psoas. M																
Abscess, lumbar and psoas. F																
Diseases of the bones. M	5			2	1										1	1
Diseases of the bones. F	3			1							1			1		
Diseases of the hip-joint. M																
Diseases of the hip-joint. F																
Others of this class. M	2		1			1										
Others of this class. F	2		1						1							
10. Diseases of the skin	50	12	20	1	3	1		1	2	3	3	2	4	2	2	6
Males	29	8	15		2			1		1	1	2	1	1	1	4
Females	21	4	5	1	1	1			2	2	2		3	1	1	2
Abscess. M	13		3		2			1		1		1	1	1	1	2
Abscess. F	13	2	2	1		1			2	2	1		2		1	1
Carbuncle. M	1															1
Carbuncle. F	3										1		1			1
Others of this class. M	15	8	12								1	1				1
Others of this class. F	5	2	3		1									1		
11. Diseases of the absorbent system.	4						1		1				2			
Males	3						1		1				1			
Females	1												1			
Addison's disease. M																
Addison's disease. F																
Diseases of the spleen. M																
Diseases of the spleen. F																
Others of this class. M	3						1		1				1			
Others of this class. F	1												1			
12. Accidents and injuries	979	131	331	72	63	85	88	83	52	30	28	23	21	17	15	71
Males	623	62	159	27	40	68	74	69	41	23	24	23	18	12	9	36
Females	356	69	172	45	23	17	14	14	11	7	4		3	5	6	35
Burns and scalds. M	102	12	80	9	2	1	1		1	2					1	5
Burns and scalds. F	182	8	97	34	11	11	4	3	2		1		1	1	3	14
Drowning. M	60	1	8	2	8	6	11	7	4	3	4		3		1	3
Drowning. F	14			2	1	1	1	1	5		2					1
Exposure and neglect. M	21	14	17			1		1	1					1		
Exposure and neglect. F	38	25	29	2		2		2	1	1						1
Gunshot wounds. M	120		7	5	12	24	24	15	10	4	5	5	3		1	4
Gunshot wounds. F	14	1	2	2	4		2	2		1					1	
Homicide. M	41				2	3	10	14	2	3	3	1	1		1	1
Homicide. F	7					1	3	1		1						1
Infanticide. M																
Infanticide. F																
Injuries by machinery. M	6				2	1							2			1
Injuries by machinery. F																
Railroad accidents. M	61		1	1	5	8	10	10	9	2	1	3	3	1	1	6
Railroad accidents. F	3			1	1			1								
Suffocation. M	13	12	13													
Suffocation. F	21	18	19		1				1							
Suicide by shooting. M	6						1	1	1		1	2				
Suicide by shooting. F	1									1						
Suicide by drowning. M	1															1
Suicide by drowning. F																
Suicide by poison. M	4						1		1			1		1		
Suicide by poison. F																
Other suicides. M	6				1		1	1			1	1	1			
Other suicides. F	1					1										
Sunstroke. M	10	1	1			1			2	1			2	1		2
Sunstroke. F	1							1								
Surgical operations. M	3										1		1			
Surgical operations. F	2			1						1						
Wounds. M	7				1	1		1				1		1	1	1
Wounds. F	3	3	3													
Others of this class. M	163	22	32	9	7	22	15	19	10	8	8	3	2	7	3	12
Others of this class. F	69	14	22	3	5	1	4	3	2	2	1		2	4	2	18

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

SOUTH DAKOTA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	3,088	616	1,024	197	126	158	161	120	105	103	134	111	86	126	120	517
Males	1,654	360	574	93	53	77	77	59	46	46	63	61	50	77	71	307
Females	1,434	256	450	104	73	81	84	61	59	57	71	50	36	49	49	210
Unknown cause	284	104	156	25	8	6	7		10	4	10	8	5	4	3	38
Males	143	61	84	10	4	2	2		6	2	5	5	3	3	2	15
Females	141	43	72	15	4	4	5		4	2	5	3	2	1	1	23
1. General diseases. General diseases—A	560	152	290	71	26	31	23	11	14	19	12	6	9	5	9	34
Males	286	82	154	30	6	14	11	6	6	8	4	4	7	2	7	27
Females	274	70	136	41	20	17	12	5	8	11	8	2	2	3	2	7
Measles M	19	6	15	3			1									
Measles F	20	4	12	4	2		1	1								
Scarlet fever M	11	2	7	1	1		1									1
Scarlet fever F	10		5	2		2									1	
Diphtheria M	41	3	18	15	3	3	2									
Diphtheria F	48	5	16	16	10	5		1								
Whooping cough M	25	14	24	1												
Whooping cough F	28	14	23	3		2										
Malarial fever M																
Malarial fever F	1	1	2													
Influenza M	14	4	6					1							1	6
Influenza F	12	3	7	1						1				1		2
Typhoid fever M	38	1	2	2	2	6	4	3	5	4	2	1	2		3	2
Typhoid fever F	35	1	2	5	5	6	4	1	1	4	4	1		1		
Cholera morbus M	34	11	21	2		2			1	1	1		2		1	3
Cholera morbus F	30	8	14	6	1	2	3	1	1	2						
Colitis M	2	1	1	1												
Colitis F	1									1						
Diarrhea M	14	6	7	1			1									5
Diarrhea F	11	4	8	1	1											1
Dysentery M	9	3	5					1					1			2
Dysentery F	8	2	5	1			1									1
Enteritis M	5	2	4							1						
Enteritis F	4	3	3													1
Cholera infantum M	32	22	32													
Cholera infantum F	26	17	26													
Fever M	3	3	3													
Fever F	8	5	8													
Cerebro-spinal fever M	5	1	2	2			1									
Cerebro-spinal fever F	5		2	1					1	1						
Smallpox M	1	1	1													
Smallpox F																
Erysipelas M	6	1	2							1		1				2
Erysipelas F	6	2	2								1	1	1			1
Septicemia M	20	1	3	2		2		1		1	1	1	1	2	2	4
Septicemia F	17			1	1		1	1	4	2	3		1	1	1	1
Venereal diseases M	1		1													
Venereal diseases F	1	1	1													
Others of this group M	6					1	1					1	1			2
Others of this group F	2						2									
General diseases—B	42	19	23	3	2	1	2	1		1	3	1			2	3
Males	29	13	16	3	2	1		1		1	2	1			1	1
Females	13	6	7				2				1				1	2
Alcoholism M	5		1					1			2	1				
Alcoholism F																
Parasitic diseases M																
Parasitic diseases F	1	1	1													
Lead poison M																
Lead poison F																
Other poisons M	11	1	2	2	2	1				1					1	1
Other poisons F	7		1				2				1				1	2
Inanition M	13	12	13													
Inanition F	5	5	5													
General diseases—C	140	42	44		1						1		1	1	5	87
Males	71	22	23								1			1	1	45
Females	69	20	21		1								1		4	42
Old age M	43															43
Old age F	44														3	41
Premature birth M	14	14	14													
Premature birth F	9	9	9													
Malformation M	4	2	3													
Malformation F	1	1	1													1
Debility and atrophy M	8	4	4								1			1	1	1
Debility and atrophy F	13	5	9		1								1		1	1
Others of this group M	2	2	2													
Others of this group F	2	2	2													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

SOUTH DAKOTA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	628	22	70	32	41	67	66	49	33	30	32	29	24	41	33	81
Males	285	12	36	15	10	26	29	22	17	13	14	11	10	18	17	47
Females	343	10	34	17	31	41	37	27	16	17	18	18	14	23	16	34
Anemia M	3		2					1								
Anemia F																
Diabetes M	13		1	3	1	2	1			1		1			1	2
Diabetes F	9			1	2					1	1	1		1	1	1
Rheumatism M	14			2	1	1	1	1		1					2	5
Rheumatism F	7					3								1		3
Scrofula and tabes M	3		1		1	1		2	2					1		
Scrofula and tabes F	5		3				2									
Hydrocephalus M	5	2	5													
Hydrocephalus F	8	1	5		2										1	
Tuberculosis, general M	1						1									
Tuberculosis, general F	1				1											
Consumption M	181	7	23	10	6	21	26	18	15	9	8	6	4	8	9	18
Consumption F	244	9	25	15	24	38	33	24	15	13	15	7	8	10	4	13
Cancer M	34					1				1	4	3	5	7	2	11
Cancer F	43							1	1	2	2	7	5	8	6	11
Tumor M	4	1	1		1						1				1	
Tumor F	6			1				2		1				1		1
Dropsy M	20	1	1							1	1	1	1	2	2	11
Dropsy F	19				2		2					3	1	2	4	5
Others of this group M	2	1	2													
Others of this group F	1		1													
2. Diseases of the nervous system	273	70	111	11	4	4	5	5	4	5	12	13	11	17	20	51
Males	162	48	71	7	2	1	3	3	2	1	8	8	3	11	13	29
Females	111	22	40	4	2	3	2	2	2	4	4	5	8	6	7	22
Inflammation of the brain M	17	3	10	1		1	1		1			1				2
Inflammation of the brain F	7	3	5	1									1			
Meningitis M	25	11	17	2			1			1		1	1		1	1
Meningitis F	15	2	9	1	1			2	1							1
Apoplexy M	23			1				1			1	1	1	2	6	10
Apoplexy F	14									1	1		1	2		9
Paralysis M	25							1			2	3	1	3	3	12
Paralysis F	24		2		1					1	2	1	3	3	4	7
Paralysis, general (of insane) M	2											1			1	
Paralysis, general (of insane) F	1															1
Tetanus and trismus nascentium M	2			1							1					
Tetanus and trismus nascentium F																
Chorea M																
Chorea F																
Epilepsy M	7	3	4	1					1							1
Epilepsy F	6	2	3				1					1				1
Convulsions M	35	29	34											1		
Convulsions F	22	14	19				1					1				1
Mental diseases M	6										3			1		2
Mental diseases F	1														1	
Diseases of the brain M	13	1	4	1	2		1	1			1			2	1	
Diseases of the brain F	10		1	2		1			1	2			2		1	
Diseases of the spinal cord M																
Diseases of the spinal cord F	1	1	1													
Locomotor ataxia M	2											1			1	
Locomotor ataxia F	1															1
Others of this class M	5	2	2											2		1
Others of this class F	9					2					1	2	1	1	1	1
3. Diseases of the circulatory system	174	12	15	6	3	3	3	9	6	7	8	11	8	13	14	68
Males	106	9	10	2	1	3	2	4	3	4	3	5	6	9	9	45
Females	68	3	5	4	2		1	5	3	3	5	6	2	4	5	23
Pericarditis M	2				1											1
Pericarditis F																
Diseases of the heart M	101	8	9	2		3	2	4	3	4	3	5	6	8	9	43
Diseases of the heart F	65	3	4	4	2		1	5	3	3	5	6	1	4	5	22
Angina pectoris M	1													1		
Angina pectoris F	1												1			
Diseases of the arteries M																
Diseases of the arteries F																
Aneurism M	1															1
Aneurism F																
Embolism M																
Embolism F	1															1
Others of this class M	1	1	1													
Others of this class F	1		1													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

SOUTH DAKOTA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	390	91	167	26	10	14	14	10	5	9	14	14	9	22	17	59
Males	233	53	99	12	5	11	8	6	2	7	10	11	6	17	9	29
Females	157	38	68	14	4	3	6	4	3	2	4	3	3	5	8	30
Croup M	23	9	20	2	1											
Croup F	16	8	13	1					1							1
Pneumonia M	168	34	63	9	5	11	7	4	1	6	7	9	5	15	8	18
Pneumonia F	112	25	44	9	3	3	6	4	1	2	4	1	3	3	6	23
Laryngitis M	2		1						1							
Laryngitis F	1			1												
Bronchitis M	14	3	7				1				1					5
Bronchitis F	8	1	5	1	1									1		
Pleurisy M	4							1				1			1	1
Pleurisy F	1			1												
Asthma M	8	1	1					1			1			2		3
Asthma F	8		1						1			1				5
Others of this class M	14	6	7	1						1	1	1	1			2
Others of this class F	11	4	5	1								1		1	2	1
5. Diseases of the digestive system.	192	70	90	10	5	8	10	6	8	2	12	4	2	10	2	23
Males	98	38	51	5	3	3	6	4	2		4	2	1	5	1	11
Females	94	32	39	5	2	5	4	2	6	2	8	2	1	5	1	12
Dentition M	5	5	8													
Dentition F	5	4	5													
Angina M	2		1	1												
Angina F	2			1					1							
Gastritis M	10	3	4									1	1	2	1	1
Gastritis F	13	2	3	1			1	1				1		2		4
Diseases of the stomach M	7	3	4					1			1					1
Diseases of the stomach F	9	4	4	1		1	1							1		1
Obstruction of the bowels M	7	1	2	1	2		1				1					
Obstruction of the bowels F	1							1								
Appendicitis M	11			2	1	1	3	1	1					2		
Appendicitis F	4			1	1	2										
Hernia M	4							1						1		2
Hernia F	8	1	1						1	1	3			1		1
Other diseases of the bowels M	7	3	3				1	1								2
Other diseases of the bowels F	3	1	2													1
Jaundice M	1						1									
Jaundice F	1	1	1													
Inflammation and abscess of the liver. M	3		1									1				1
Inflammation and abscess of the liver. F	5					1					1				1	2
Other diseases of the liver. M	1										1					
Other diseases of the liver. F	2										1			1		
Peritonitis M	5		2			2					1					
Peritonitis F	15		2	1	1	1	2		3	1	2					2
Ascites M	2															2
Ascites F	3	1	1									1				1
Others of this class M	30	23	26	1					1							2
Others of this class F	23	18	20						1		1		1			
6. Diseases of the urinary system and male organs of generation.	106	9	10	1	3	3	5	3	3	7	6	8	7	6	9	35
Males	75	8	8	1	2	1	3	1	2	3	3	5	5	4	6	31
Females	31	1	2		1	2	2	2	1	4	3	3	2	2	3	4
Bright's disease M	45				1	1	2	1	1	3	3	2	4	3	5	19
Bright's disease F	18				1	1	2	1		3	1	1	1	2	2	3
Calculus, urinary M	1			1												
Calculus, urinary F																
Diseases of the kidney. M	18	8	8									2		1	1	6
Diseases of the kidney. F	9	1	1			1			1		2	1	1		1	1
Diseases of the bladder. M	4															4
Diseases of the bladder. F																
Others of this class M	7				1		1		1			1	1			2
Others of this class F	4		1					1		1		1				
7. Diseases of the female organs of generation.	10							2			4	3	1			
Ovarian tumors	1											1				
Ovarian diseases																
Diseases of the tubes																
Uterine tumors																
Uterine diseases																
Others of this class	9							2			4	2	1			

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

SOUTH DAKOTA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	52					3	11	11	14	9	3	1				
Abortion	1						1									
Childbirth	33					1	7	6	10	7	1	1				
Puerperal septicemia	15					1	3	4	3	2	2					
Extra-uterine pregnancy																
Others of this class	3					1		1	1							
9. Diseases of the bones and joints	10	2	3	2	1	1	2			1						
Males	6	2	2	1		1	2									
Females	4		1	1	1					1						
Diseases of the spine M	1						1									
Diseases of the spine F	3		1	1						1						
Abscess, lumbar and psoas. M																
Abscess, lumbar and psoas. F																
Diseases of the bones M	4	1	1	1		1	1									
Diseases of the bones F	1				1											
Diseases of the hip-joint. M																
Diseases of the hip-joint. F																
Others of this class M	1	1	1													
Others of this class F																
10. Diseases of the skin	11	2	4	1		1				1	1		1			2
Males	6	1	1	1		1				1			1			1
Females	5	1	3								1					1
Abscess M	5	1	1	1		1				1			1			
Abscess F	4	1	2								1					1
Carbuncle M																
Carbuncle F																
Others of this class M	1															1
Others of this class F	1		1													
11. Diseases of the absorbent system.	4										1	1	1			1
Males	2											1	1			
Females	2										1					1
Addison's disease M																
Addison's disease F																
Diseases of the spleen M	1											1				
Diseases of the spleen F	1										1					
Others of this class M	1												1			
Others of this class F	1															1
12. Accidents and injuries	212	21	41	9	22	16	13	13	8	8	15	12	7	7	6	35
Males	152	11	19	6	17	13	11	12	6	6	9	8	7	7	5	26
Females	60	10	22	3	5	3	2	1	2	2	6	4			1	9
Burns and scalds M	6	1	5													1
Burns and scalds F	10		5			1			1	1		1			1	
Drowning M	16		2	1	4	5	1	1			1				1	
Drowning F	5		2		2				1							
Exposure and neglect M	2	2	2													
Exposure and neglect F	4	3	4													
Gunshot wounds M	12			1	4	2	2	1		2						
Gunshot wounds F	1		1													
Homicide M																
Homicide F																
Infanticide M																
Infanticide F																
Injuries by machinery. M	2						1		1							
Injuries by machinery. F																
Railroad accidents M	7						1		1		1			1		3
Railroad accidents F	1							1								
Suffocation M	4	4	4													
Suffocation F	5	4	4													1
Suicide by shooting M	8					1	1	1			1		1		1	2
Suicide by shooting F																
Suicide by drowning M																
Suicide by drowning F																
Suicide by poison M	2						1				1					
Suicide by poison F	1															1
Other suicides M	8					1	1		2			1		1	1	1
Other suicides F																
Sunstroke M	4		1									1				2
Sunstroke F																
Surgical operations M																
Surgical operations F	1										1					
Wounds M																
Wounds F																
Others of this class M	81	4	5	4	9	4	8	9	2	4	5	6	6	5	2	17
Others of this class F	32	3	6	3	3	2	2			1	5	3				7

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

TENNESSEE.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29.	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	30,572	5,546	9,729	1,285	1,018	1,734	2,061	1,743	1,236	1,233	1,121	1,106	1,232	1,050	1,131	4,893
Males	15,354	2,977	5,156	607	452	794	981	787	577	568	546	577	648	566	575	2,520
Females	15,218	2,569	4,573	678	566	940	1,080	956	659	665	575	529	584	484	556	2,373
Unknown cause	2,279	1,139	1,423	71	37	59	66	59	40	37	45	46	37	42	45	272
Males	1,180	622	766	38	19	25	26	23	19	14	19	21	19	28	23	140
Females	1,099	517	657	33	18	34	40	36	21	23	26	25	18	14	22	132
1. General diseases. General diseases—A	7,879	1,316	3,077	524	363	517	505	358	249	249	217	213	234	175	199	999
Males	3,977	700	1,598	237	149	240	292	188	116	140	114	121	118	98	93	473
Females	3,902	616	1,479	287	214	277	213	170	133	109	103	92	116	77	106	526
Measles M	394	93	257	34	20	24	22	2	6	5	3	6	4	1	3	7
Measles F	400	84	211	41	22	28	18	14	14	12	13	9	7	2	3	6
Scarlet fever M	17	2	14	1				1				1				
Scarlet fever F	20	4	9	8		2	1									
Diphtheria M	89	11	60	24		1	2				1					1
Diphtheria F	109	10	68	30	8		1	1					1			
Whooping cough M	183	95	173	5	4	1										
Whooping cough F	242	120	227	12	2	1										
Malarial fever M	505	47	128	56	36	31	48	31	25	23	27	25	16	19	8	32
Malarial fever F	482	39	128	58	40	40	31	29	19	18	20	16	12	12	14	45
Influenza M	494	79	104	9	4	9	9	5	4	12	8	15	18	24	24	249
Influenza F	555	51	76	12	7	11	17	18	10	11	10	14	24	24	34	287
Typhoid fever M	879	35	106	60	52	134	164	101	50	55	27	39	25	19	10	37
Typhoid fever F	830	24	98	76	103	158	98	59	47	37	27	20	27	15	19	46
Cholera morbus M	91	26	53	4	2	1	2	3	2	2	2	2	4	1	1	12
Cholera morbus F	78	16	46	2	1	3	5	2	2		1	2	7	2		7
Colitis M	30	9	17	1				1		1	3	1		2	3	1
Colitis F	27	10	15	1	1			1					3	1	2	3
Diarrhea M	164	23	62	4	3	1	2	2	1	5	6	5	16	4	13	40
Diarrhea F	147	26	69	8	1	3	4	1	4	4	4	5	4		10	30
Dysentery M	341	47	166	16	7	7	9	12	5	11	13	11	14	10	15	45
Dysentery F	322	37	130	18	7	7	6	10	12	6	11	8	17	8	14	68
Enteritis M	155	48	103	6	3	3	3	3	3	4	1	4	2	2	5	13
Enteritis F	145	52	95	6	6	3	1	3	4	2	2	2	7	4	2	8
Cholera infantum M	247	128	247													
Cholera infantum F	206	97	206													
Fever M	73	13	27	6	5	9	7	1	3	2	3	2	2			6
Fever F	80	9	23	6	8	5	8	9	3	2	2	6	2	2	2	2
Cerebro-spinal fever M	62	13	38	4	4	3	3	4		2			1	1		2
Cerebro-spinal fever F	40	12	31	1	1		1	4				1		1		
Smallpox M	62	5	5		3	8	10	5	6	5	4	2	5	2	3	4
Smallpox F	32	5	8	2	1	2	5	1	2	1	1	1	2	2	1	3
Erysipelas M	32	11	13		1		1	2	1	3	1	1		1		8
Erysipelas F	47	7	15	2	3	1	5	2	2	2	3	1	1	1		8
Septicemia M	103	7	15	5	4	6	3	9	4	8	10	4	8	9	7	10
Septicemia F	94	7	14	2	1	7	9	12	11	11	7	6	2	3	2	7
Venereal diseases M	34	6	6			2	6	5	2	1	4	2	2	1		3
Venereal diseases F	29	5	5	1		5	3	4	2	2		1			2	3
Others of this group M	22	2	4	1	1		1	1	4	1	1	1	1	2	1	3
Others of this group F	17	1	4	1	2	1	1		1	1	2				1	3
General diseases—B	332	173	220	8		7	19	7	11	8	9	8	10	6	7	12
Males	204	102	123	5		4	12	4	7	7	9	7	9	5	5	7
Females	128	71	97	3		3	7	3	4	1		1	1	1	2	5
Alcoholism M	38						2	1	3	4	7	6	4	4	5	2
Alcoholism F	1															1
Parasitic diseases M	13	1	11	2												
Parasitic diseases F	17	2	14	3												
Lead poison M	2											1	1			
Lead poison F																
Other poisons M	43	5	8	3		4	9	8	4	3	2		4	1		2
Other poisons F	31		8			3	7	2	4	1			1	1	2	2
Inanition M	108	96	104				1									3
Inanition F	79	69	75					1				1				2
General diseases—C	995	356	390	4	1	4	1	4		1	7	6	3	3	9	562
Males	458	184	203	3		2	1	1			2	3		3	4	236
Females	537	172	187	1	1	2		3		1	5	3	3		5	326
Old age M	218														3	215
Old age F	307														3	304
Premature birth M	129	129	129													
Premature birth F	120	120	120													
Malformation M	24	21	24													
Malformation F	15	14	15													
Debility and atrophy M	77	24	40	3		2	1	1			2	3		3	1	21
Debility and atrophy F	88	31	45	1	1	2		3		1	5	3	3		2	22
Others of this group M	10	10	10													
Others of this group F	7	7	7													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

TENNESSEE—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	6,256	157	462	195	254	561	806	692	461	410	389	320	336	287	270	813
Males	2,545	78	235	81	87	206	304	245	171	140	151	117	160	126	115	407
Females	3,711	79	227	114	167	355	502	447	290	270	238	203	176	161	155	406
Anemia M	15	1	2	2	1	1		1	1	1		1		1		4
Anemia F	17	4	4	1	2	1	1	1	1		1		1	1		3
Diabetes M	36		3	1		3	2	1	1		3	1	4	2		15
Diabetes F	16		3	1	1	1	1	2	1		2	1		1	1	1
Rheumatism M	117		3	3	10	12	4	5	2	5	8	3	7	6	3	45
Rheumatism F	78	1	1	2	2	5	5	5		2	2	5	4	6	4	35
Scrofula and tabes M	145	19	44	16	9	17	11	6	3	6	6	6	4	3	4	10
Scrofula and tabes F	209	16	61	23	17	14	23	11	5	6	4	6	10	8	6	15
Hydrocephalus M	39	8	21	9	5	1					1		1			1
Hydrocephalus F	22	8	11	3	2			1	1	1	2			1		
Tuberculosis, general M	10					1	2	1			3			1	1	1
Tuberculosis, general F	8			1			1	1		1				1	1	2
Consumption M	1,736	41	119	36	53	169	271	219	153	114	108	91	109	85	63	146
Consumption F	2,715	45	116	72	126	317	452	398	258	212	179	134	99	83	87	182
Cancer M	143		3				3	7	2	2	11	7	14	11	17	66
Cancer F	304				2	3	7	9	9	24	28	35	41	31	33	82
Tumor M	25	1	6	3			2		1	1	2	1	1	1	3	4
Tumor F	41	1	2		2	2	2	2	1	3	4	4	2	7	5	5
Dropsy M	268	5	27	10	8	2	9	5	7	10	9	7	20	15	24	115
Dropsy F	293	1	21	11	13	12	10	17	14	21	16	18	19	22	18	81
Others of this group M	11	3	7	1	1				1					1		
Others of this group F	8	3	8													
2. Diseases of the nervous system	2,514	555	973	137	100	96	60	66	55	59	67	80	82	84	104	551
Males	1,364	301	546	77	51	54	25	29	33	29	41	41	40	47	57	294
Females	1,150	254	427	60	49	42	35	37	22	30	26	39	42	37	47	257
Inflammation of the brain M	150	52	101	13	5	4	5	3	2		2	2	2	1		8
Inflammation of the brain F	106	37	65	3	6	9	4	2	3	1		5	3	1	2	2
Meningitis M	311	82	182	33	16	22	6	6	12	4	3	8	3	4	3	9
Meningitis F	284	84	166	26	27	14	8	9	4	5	5	4	3	5	2	6
Apoplexy M	143	1	1	2	3	3	3	9	2	2	13	9	14	12	18	52
Apoplexy F	84	3	4				2	4	2	7	3	5	8	5	11	32
Paralysis M	248	1	11	1	3	5	4		7	5	8	4	9	15	17	159
Paralysis F	248	3	7	2	3	1	5	1	2	4	5	8	12	16	19	163
Paralysis, general (of insane) M	20							1			4	1	3	1	3	7
Paralysis, general (of insane) F	8								1		1		2		1	3
Tetanus and trismus nascentium M	31	14	17		3	4			1	2		1		1		2
Tetanus and trismus nascentium F	16	9	9	2	2			1	1					1		
Chorea M	3			2							1					
Chorea F	4			1	1					1						1
Epilepsy M	58	11	16	2	5	7		6	4	2	3	3		2	1	7
Epilepsy F	29	4	4	2		5	3	2	1	2	2	1	1			4
Convulsions M	124	94	116	4	2											2
Convulsions F	116	74	95	3	1	5	2	4	1	2	1	1			1	
Mental diseases M	15					1		1		3	1		1	2	2	4
Mental diseases F	16						1		1	2	2	4		1	2	3
Diseases of the brain M	215	45	96	18	11	8	6	2	5	7	5	9	4	7	9	28
Diseases of the brain F	169	37	69	21	8	4	7	7	3	4	4	5	7	3	3	24
Diseases of the spinal cord M	10		3		2					2		1	1			1
Diseases of the spinal cord F	11	2	6			2								2		1
Locomotor ataxia M	3										1	1	1			
Locomotor ataxia F	2								1				1			
Others of this class M	33	1	3	2			1	1		2		1	2	2	4	15
Others of this class F	57	1	2		1	2	3	7	2	2	3	4	5	2	6	18
3. Diseases of the circulatory system	1,318	72	92	13	15	29	43	44	54	72	66	78	116	100	136	460
Males	714	42	56	5	8	17	21	21	25	33	25	48	62	57	81	255
Females	604	30	36	8	7	12	22	23	29	39	41	30	54	43	55	205
Pericarditis M	5		1								2	1		1		
Pericarditis F	4						1		1							2
Diseases of the heart M	673	34	47	5	8	17	21	20	21	30	23	44	59	52	77	249
Diseases of the heart F	572	26	42	8	7	12	20	23	27	38	39	30	50	38	53	195
Angina pectoris M	22								3	3		2	3	4	3	4
Angina pectoris F	12								1				2	4	2	3
Diseases of the arteries M	1															1
Diseases of the arteries F	1															1
Aneurism M	3							1				1			1	
Aneurism F	6						1				1		2			2
Embolism M	2								1							1
Embolism F	5									1	1			1		2
Others of this class M	8	3	3													
Others of this class F	4	4	4													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

TENNESSEE—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	4,898	1,301	2,135	177	109	199	236	191	151	167	154	176	219	173	187	624
Males	2,640	689	1,113	83	53	104	142	112	90	94	105	107	125	92	96	324
Females	2,258	612	1,022	94	56	95	94	79	61	73	49	69	94	81	91	300
Croup M	510	342	488	18	3											1
Croup F	448	297	424	22								1				1
Pneumonia M	1,762	259	479	56	41	92	127	98	80	82	96	93	109	71	85	253
Pneumonia F	1,423	235	456	58	49	81	71	65	48	61	44	59	79	64	66	222
Laryngitis M	2	1	2			1						1		1		1
Laryngitis F	4		1	1		1										1
Bronchitis M	203	71	117	6	3	3	6	7	2	6	2	4	9	7	4	27
Bronchitis F	230	65	114	9	5	5	6	8	4	1		5	7	5	14	47
Pleurisy M	35				1	2	3	2	1	2	3		2	2	3	14
Pleurisy F	27	1	4			2	1		2	1		1	1	2	3	10
Asthma M	21	1	2		1					3		2		6	2	5
Asthma F	32		2		1		2	2	2	2	1	1	3	3	3	10
Others of this class M	103	15	25	3	4	6	6	5	7	1	4	7	5	5	2	23
Others of this class F	94	14	21	4	1	6	14	4	5	8	4	2	4	7	5	9
5. Diseases of the digestive system.	1,633	282	560	61	40	71	83	84	60	66	56	68	83	83	86	227
Males	830	145	300	37	18	37	36	44	30	25	23	38	40	46	41	118
Females	803	137	260	24	22	34	47	40	30	41	33	30	43	42	45	112
Dentition M	57	18	57													
Dentition F	43	14	43													
Angina M	25	6	14	2			1		1		1		1		1	4
Angina F	24	2	11	6	1		1		1		1			1		2
Gastritis M	91	14	31	5		4		3	5	4	4	1	3	10	6	15
Gastritis F	115	18	33	2	3	4	7	11	3	4	8	3	8	8	5	16
Diseases of the stomach. M	95	18	41	7	3	4	3	3	2	5	3	3	2	5	3	11
Diseases of the stomach. F	118	23	39	2	7	4	8	4	4	6	2	5	8	5	5	19
Obstruction of the bowels. M	26	5	7			3	3	1	1			4	2		2	3
Obstruction of the bowels. F	22	3	4	1	1	2	2	1	1		1	1	2	1	1	4
Appendicitis M	49		1	4	5	5	5	14	3	2	2	3		2		3
Appendicitis F	21		1	3	1	1	2	4	1	1	3	1			2	1
Hernia M	17	2	4	1	1	1	1			1			2		3	3
Hernia F	9		1						2	1		1	1	2		1
Other diseases of the bowels. M	100	23	42	3		5	6	3	4	2	3	1	3	5	7	16
Other diseases of the bowels. F	73	13	28	2	1	4	3	2	2	4	2	2	4	2	5	12
Jaundice M	47	27	31	2			1						3	6		4
Jaundice F	38	13	15				2		1	2	1	1	2	2	4	8
Inflammation and abscess of the liver. M	50	2	8	2		1	5	3	3	3	2	3	7	3	4	6
Inflammation and abscess of the liver. F	42	2	6	3		2	1	2	2	5	2	3	1	3	2	10
Other diseases of the liver. M	76	3	8	3	1	1	1	3	5	5	2	12	8	5	9	13
Other diseases of the liver. F	56	5	9	2		2	1	3	2	4	2	5	8	4	3	6
Peritonitis M	46		2	5	3	5	7	9	3	1		2	1	2	2	4
Peritonitis F	64	2	4	1	3	7	12	11	4	6	3	3	2	3	2	3
Ascites M	38	1	6		1	1		1	2			4	4	3	2	14
Ascites F	51	1	4		1	3	3	1	2	5	2	3	1	4	4	18
Others of this class M	113	26	48	3	4	7	3	4	1	2	5	5	4	5	2	19
Others of this class F	127	41	62	2	4	5	5	1	5	3	6	2	6	7	7	12
6. Diseases of the urinary system and male organs of generation.	612	13	26	10	9	11	12	38	31	31	34	32	50	56	51	221
Males	408	9	16	4	4	7	7	12	20	18	19	21	35	41	35	169
Females	204	4	10	6	5	4	5	26	11	13	15	11	15	15	16	52
Bright's disease M	222			3	3	6	3	4	8	14	13	15	25	29	17	82
Bright's disease F	113			3	3	2		9	8	6	9	7	10	8	10	38
Calculus, urinary M	12	1	1				1								1	9
Calculus, urinary F	6							1				1		1	1	2
Diseases of the kidney. M	84	3	10				1	3	4	2	2	1	5	8	10	38
Diseases of the kidney. F	43	4	9	1	1		3	6	1	3	4	1	1	1	4	8
Diseases of the bladder. M	18						1				1	1		1	2	12
Diseases of the bladder. F	8					2	1	1						3	1	
Others of this class M	72	5	5	1	1	1	1	5	8	2	3	4	5	8	5	28
Others of this class F	34		1	2	1		1	9	2	4	2	2	4	2		4
7. Diseases of the female organs of generation.	99				1	11	8	16	10	14	9	10	8	4	4	4
Ovarian tumors	10					1		2	1	2	1	1			1	1
Ovarian diseases	1							1								
Diseases of the tubes	5					1		1	3							
Uterine tumors	10						1	1			3	2	2	1		
Uterine diseases	16					2	2	3	2	4		1	1		1	
Others of this class	57				1	7	5	8	4	8	5	6	5	3	2	3

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

TENNESSEE—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	285				2	41	77	56	39	38	22	4	1	1		4
Abortion	15					1	4	4	4	1						1
Childbirth	153				2	18	54	27	23	26	17	2		1		3
Puerperal septicemia	89					14	30	20	11	6	5	2	1			
Extra-uterine pregnancy	1							1								
Others of this class	27					8	9	4	1	5						
9. Diseases of the bones and joints.	134	36	73	10	13	8	4	2	2		1	4	1	4	3	9
Males	69	19	36	4	9	3	2		1			3	1	2	3	5
Females	65	17	37	6	4	5	2	2	1		1	1		2		4
Diseases of the spine. M	53	17	33	3	6	2	1		1			2	1	1	1	2
Diseases of the spine. F	51	15	34	5	1	4	1	1			1			1		3
Abscess, lumbar and psoas. M																
Abscess, lumbar and psoas. F	1			1												
Diseases of the bones. M	7	2	2		1							1			1	2
Diseases of the bones. F	7	1	2		1		1		1					1		1
Diseases of the hip-joint. M	1				1											
Diseases of the hip-joint. F	4	1	1		2			1								
Others of this class. M	8		1	1	1	1	1							1	1	1
Others of this class. F	2					1						1				
10. Diseases of the skin	57	17	25	2	2		2	4	1	2		2	2	1	1	13
Males	37	10	15	1	1		2	2	1	2		2		1	1	9
Females	20	7	10	1	1			2					2			4
Abscess. M	15	5	7		1		1	1	1	1						3
Abscess. F	10	3	5	1	1			1								2
Carbuncle. M	6						1	1				1			1	2
Carbuncle. F	2							1					1			
Others of this class. M	16	5	8	1						1		1		1		4
Others of this class. F	8	4	5										1			2
11. Diseases of the absorbent system.	16	2	2	1	1	2		2		2	1		3	1		1
Males	7	2	2	1	1			1		1			1			
Females	9					2		1		1	1		2	1		1
Addison's disease. M	1												1			
Addison's disease. F	3									1	1			1		
Diseases of the spleen. M	2	2	2													
Diseases of the spleen. F	1							1								
Other of this class. M	4			1	1			1		1						
Other of this class. F	5					2							2			1
12. Accidents and injuries	1,265	127	271	72	71	118	139	120	72	77	44	59	47	25	29	121
Males	921	74	147	31	52	95	111	105	64	65	38	48	38	20	21	86
Female	344	53	124	41	19	23	28	15	8	12	6	11	9	5	8	35
Burns and scalds. M	83	6	61	9	1			4			1		2			5
Burns and scalds. F	143	7	62	26	12	8	10	3		3	1	3	5	2	2	6
Drowning. M	43		2	3	6	7	7	4	1	2	1		5	2	1	2
Drowning. F	11		3	1	1	1	3	1		1						
Exposure and neglect. M	21	14	14				1					3	1		1	1
Exposure and neglect. F	14	6	8			1		1	1							3
Gunshot wounds. M	150			2	10	27	26	30	17	13	5	9	4	2	1	4
Gunshot wounds. F	20		1	3		4	6	1	4		1					
Homicide. M	78			1	2	8	16	14	7	8	5	7	8			7
Homicide. F	14			1		4	3	4	1					1		
Infanticide. M	1	1	1													
Infanticide. F	1	1	1													
Injuries by machinery. M	5					2	1					1			1	
Injuries by machinery. F	1			1												
Railroad accidents. M	107		1		4	11	24	18	12	7	4	4	6	4	3	9
Railroad accidents. F	9			1	1			1		1		1			2	2
Suffocation. M	37	31	32				1	1	1	1	1					
Suffocation. F	31	26	29									1				1
Suicide by shooting. M	8					1			2	1	1				1	2
Suicide by shooting. F	1						1									
Suicide by drowning. M	1															1
Suicide by drowning. F																
Suicide by poison. M	10							2	1	2	2				2	1
Suicide by poison. F	3							1			1		1			
Other suicides. M	31					3		4	5	3	2	4	4	1		5
Other suicides. F	3									2		1				
Sunstroke. M	7	1	1		1			1				1	1			2
Sunstroke. F	2	1	2													
Surgical operations. M	3		1							1				1		
Surgical operations. F	6						2			2		1		1		
Wounds. M	13		1	1			1	2	2			2		2		2
Wounds. F																
Others of this class. M	328	21	33	15	28	36	34	25	16	27	16	17	12	8	11	45
Others of this class. F	85	12	18	8	5	5	3	3	2	8	3	4	3	1	4	23

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

TEXAS.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	34,160	7,604	13,885	1,794	1,192	1,615	2,011	1,742	1,410	1,269	1,207	1,152	1,142	877	978	3,883
Males	18,045	4,086	7,396	887	586	802	991	783	651	634	623	687	682	515	588	2,220
Females	16,115	3,518	6,492	907	606	813	1,020	959	759	635	584	465	460	362	390	1,663
Unknown cause	2,941	1,328	1,847	151	81	74	92	88	60	65	53	49	51	38	53	239
Males	1,592	729	1,025	74	44	36	46	42	23	26	25	25	27	19	27	153
Females	1,349	599	822	77	37	38	46	46	37	39	28	24	24	19	26	86
1. General diseases. General diseases—A	10,971	2,621	6,022	865	495	560	554	409	311	251	210	212	182	140	152	608
Males	5,493	1,347	3,075	397	222	274	301	179	138	114	109	126	99	65	86	308
Females	5,478	1,274	2,947	468	273	286	253	230	173	137	101	86	83	75	66	300
Measles M	646	144	419	61	29	29	37	17	11	11	6	9	10	1		6
Measles F	766	149	433	61	36	38	33	36	29	29	15	15	11	9	1	20
Scarlet fever M	309	54	220	60	16	5	4	2						1		1
Scarlet fever F	398	51	255	84	26	16	5	3	3	3	1		1	1		
Diphtheria M	171	37	131	28	4	3	1				2					2
Diphtheria F	174	25	118	39	5	2		4		1	1	2	1			1
Whooping cough M	259	167	244	10	4											1
Whooping cough F	317	186	306	7	2	1		1								
Malarial fever M	667	106	273	71	42	51	43	28	19	21	13	18	17	14	9	48
Malarial fever F	664	126	294	76	49	38	44	30	19	12	15	19	12	16	9	31
Influenza M	212	43	63	1		5	8	5	7	4	7	8	6	9	16	76
Influenza F	185	23	31	4	2	3	5	9	4	4	8	6	11	6	13	79
Typhoid fever M	1,014	79	204	66	65	129	159	94	62	49	44	45	24	18	16	39
Typhoid fever F	1,000	72	235	87	110	132	115	80	50	46	26	21	16	19	13	50
Cholera morbus M	196	67	135	6	10	5	3	2	3	1	4	3	4		8	12
Cholera morbus F	165	49	100	11	7	3	3	8	4	2	7	3	4	3	2	8
Colitis M	41	14	36						1		2					2
Colitis F	16	7	13				1							1	1	
Diarrhea M	175	58	106	6	5	2		3	2	3	1	3	7	4	3	30
Diarrhea F	151	46	89	7	2		2	3	4		5	1	6	3	5	24
Dysentery M	447	85	279	21	6	7	6	5	9	6	7	16	10	8	16	51
Dysentery F	347	85	214	18	2	6	3	9	5	3	5	7	4	8	9	54
Enteritis M	368	146	289	17	11	6	8	2	4	1	4	5	5	3	3	10
Enteritis F	373	139	268	30	11	7	6	5	7	9	1	5	2	3	6	13
Cholera infantum M	424	217	424													
Cholera infantum F	377	193	377													
Fever M	193	57	131	25	3	5	7	5	2	3	2	1	2		1	5
Fever F	154	57	96	14	5	7	3	8	5	6	2	1	1	1	1	4
Cerebro-spinal fever M	39	8	18	5	6	4		2	1	1	1			1		
Cerebro-spinal fever F	43	12	26	3	5	2	2	1	1	1	1		1			
Smallpox M	95	13	22	3	7	10	13	7	10	5	9	1	3	1		4
Smallpox F	51	12	19	6	2	2	6	1	1	3	2	1	1	1		6
Erysipelas M	56	20	29	1		3	2	2	2	3	1	3	1	1	2	5
Erysipelas F	45	21	25	2	2	3		4	3			1	2		1	2
Septicemia M	104	22	24	7	7	7	7	1	4	3	5	9	7	3	11	9
Septicemia F	189	16	27	10	5	24	23	25	32	16	10	4	5	1	2	5
Venereal diseases M	21	3	4		2	1	1	3	1	1	1		2	1		4
Venereal diseases F	11		1	1	1	1	2	1	1	1			1	1		
Others of this group M	56	7	24	9	5	2	2	1		2		5	1		1	5
Others of this group F	52	5	20	8	1	1		2	5	1	2		4	2	3	3
General diseases—B	558	303	398	15	6	7	11	16	16	13	15	18	17	8	4	14
Males	320	156	209	6	2	3	7	7	12	10	14	14	16	6	4	10
Females	238	147	189	9	4	4	4	9	4	3	1	4	1	2		4
Alcoholism M	38							1	5	6	9	5	5	1	3	3
Alcoholism F	2					1							1			
Parasitic diseases M	9		7	1			1									
Parasitic diseases F	10	2	4	2	1						1	1		1		
Lead poison M	4		1				1			1				1		
Lead poison F																
Other poisons M	92	5	30	5	2	3	4	6	7	3	5	9	11	4	1	2
Other poisons F	56	2	19	6	3	3	4	9	3	3		3		1		2
Inanition M	177	150	171				1									5
Inanition F	170	143	166	1					1							2
General diseases—C	1,337	627	659		2	1	2	4	8	1	3	2	12	7	22	619
Males	679	346	360		2	1		1	1		1	1	3	2	12	295
Females	658	281	299				2	3	2	1	2	1	9	5	10	324
Old age M	283														9	274
Old age F	307														8	299
Premature birth M	283	283	283													
Premature birth F	214	214	214													
Malformation M	28	27	28													
Malformation F	32	31	32													
Debility and atrophy M	78	29	42		2	1		1	1		1	1	3	2	3	21
Debility and atrophy F	97	28	45				2	3	2	1	2	1	9	5	2	25
Others of this group M	7	7	7													
Others of this group F	8	8	8													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

TEXAS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	4,339	108	278	74	96	265	536	490	403	351	319	284	274	189	203	577
Males	2,060	55	150	36	37	113	221	205	188	161	132	153	126	98	106	334
Females	2,279	53	128	38	59	152	315	285	215	190	187	131	148	91	97	243
Anemia M	6	1	2				1							1		2
Anemia F	15	1	1		1		7	3	1				1			1
Diabetes M	50	1	5	1	2	3	3	2	2	2		2	2	4	3	19
Diabetes F	29		4	5	1		1	1	1	1	1	4	5		1	4
Rheumatism M	77	2	8	5	3	8	7		4	5	2	3	2	4	11	20
Rheumatism F	71	1	7	3	6	5	3	3	2	2	1		5	5	4	25
Scrofula and tabes M	56	8	24	3	1	1	6	2	1	2		4	2	2	3	5
Scrofula and tabes F	43	7	16	2	1	2	3	4	3	3	1	2		2	1	3
Hydrocephalus M	28	9	20		4	2	2									
Hydrocephalus F	26	14	21	2	1			2								
Tuberculosis, general M	9	1	2						2	2	1					2
Tuberculosis, general F	5	1	1					1		1	1					2
Consumption M	1,393	23	54	8	15	83	192	191	168	127	111	118	89	59	50	128
Consumption F	1,558	18	45	15	42	128	281	245	180	149	124	86	81	41	41	100
Cancer M	197	1	2	3	3	2	3	6	7	10	11	18	16	18	20	78
Cancer F	281	3	4	3	1		10	11	14	21	35	23	42	27	28	62
Tumor M	41	2	7	3	1	3			1	2	3	2	4	3	5	7
Tumor F	50	3	4		3	5	2	5	3	4	7	4	4	3	3	3
Dropsy M	196	4	22	13	8	11	7	4	2	11	2	6	11	7	19	73
Dropsy F	196	3	22	8	3	12	8	9	11	9	17	12	10	13	19	43
Others of this group M	7	2	4						1		2					
Others of this group F	4	2	3					1								
2. Diseases of the nervous system	2,741	722	1,191	195	116	107	87	72	77	74	71	90	102	85	89	385
Males	1,480	389	645	102	58	56	45	35	33	41	43	45	67	48	57	205
Females	1,261	333	546	93	58	51	42	37	44	33	28	45	35	37	32	180
Inflammation of the brain M	103	34	63	11	7	3	4	5	1		1	2	2	2		2
Inflammation of the brain F	98	34	66	7	4	5	3	2		3	2	2	1			3
Meningitis M	296	80	168	37	20	15	12	7	6	9	4	3	6		1	8
Meningitis F	227	71	136	32	15	9	7	1	7	4	4	6	1	1	1	3
Apoplexy M	138	1	3	2	3	2	2	1	3	6	9	12	18	14	12	51
Apoplexy F	102	1	3	4	2	1	3	3	8	2	5	10	7	9	4	41
Paralysis M	225	8	21	3	2	7	3	3	2	7	8	10	17	13	31	98
Paralysis F	198	2	5	8	3	6	4	3	4	6	5	11	14	15	16	98
Paralysis, general (of insane) M	11						1		3			4	1			2
Paralysis, general (of insane) F	4							1						1	1	1
Tetanus and trismus nascentium M	80	44	49	8	5	1	5	2	4	2	2	1		1		
Tetanus and trismus nascentium F	56	33	34	7	6	2	2	1	2		1					1
Chorea M																
Chorea F	3					3										
Epilepsy M	54	9	13	2	2	10	3	3	2	2	5	1	2	3	1	5
Epilepsy F	56	13	16	2	7	8	4	2	3	6		3	1	1		3
Convulsions M	134	105	128	1			1			2						2
Convulsions F	147	100	120	5	1	7	6	2	3		1					2
Mental diseases M	43						3	3	2	5	4	3	7	5	2	9
Mental diseases F	32					1	3	8	3	1		7		2	2	5
Diseases of the brain M	352	103	193	36	18	14	10	9	8	7	6	4	9	9	8	21
Diseases of the brain F	289	74	159	26	18	8	9	11	8	8	7	1	8	6	4	16
Diseases of the spinal cord M	12	1	2	1		2		1		1	1	2	1			1
Diseases of the spinal cord F	7	4	6		1											
Locomotor ataxia M	5								1			2	1		1	
Locomotor ataxia F																
Others of this class M	27	4	5	1	1	2	1	1	1		3	1	3	1	1	6
Others of this class F	42	1	1	2	1	1	1	3	6	3	3	5	3	2	4	7
3. Diseases of the circulatory system	1,339	83	115	15	23	38	57	66	75	66	84	74	120	96	118	392
Males	710	42	64	8	11	15	18	26	30	26	42	38	69	58	67	238
Females	629	41	51	7	12	23	39	40	45	40	42	36	51	38	51	154
Pericarditis M	9					2	1			1	2			2		1
Pericarditis F	6		1		1	1						1		1	1	
Diseases of the heart M	664	37	58	7	11	13	16	26	27	21	39	37	65	53	64	227
Diseases of the heart F	590	37	46	7	9	22	36	38	42	40	38	34	49	35	48	146
Angina pectoris M	16									3	1		2	2	3	5
Angina pectoris F	17				1		2	1			2	1	1		1	8
Diseases of the arteries M	3													1		2
Diseases of the arteries F	1													1		
Aneurism M	8								3	1		1	2			1
Aneurism F	8				1		1	1	2		1		1	1		
Embolism M	4			1			1									2
Embolism F	3								1		1				1	
Others of this class M	6	5	6													
Others of this class F	4	4	4													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

TEXAS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	4,274	1,065	1,921	183	132	182	208	195	150	151	162	170	154	125	127	414
Males	2,450	614	1,080	108	65	105	121	99	68	82	97	124	111	79	77	234
Females	1,824	451	841	75	67	77	87	96	82	69	65	46	43	46	50	180
Croup M	384	206	354	24	2											4
Croup F	265	143	247	13	1				2	1		1				
Pneumonia M	1,650	284	512	69	60	97	108	89	64	72	89	106	95	55	62	172
Pneumonia F	1,182	204	410	40	57	63	72	82	68	56	54	40	37	35	41	127
Laryngitis M	7		5	1							1					
Laryngitis F	3		2	1												
Bronchitis M	242	102	170	5		3	6	1	1	4	3	3	8	11	4	23
Bronchitis F	235	85	148	17	7	4	6	4	3	5	3	1	1	5	3	28
Pleurisy M	28	1	4	2	1	1	2	4		1		2	2	1	1	7
Pleurisy F	19	2	3			3	2	4	2		1					4
Asthma M	40		1	1					1			2	3	6	6	20
Asthma F	40	2	4				2	2		2	3	2	1	2	6	16
Others of this class M	99	21	34	6	2	4	5	5	2	5	4	11	3	6	4	8
Others of this class F	80	15	27	4	2	7	5	4	7	5	4	2	4	4		5
5. Diseases of the digestive system.	2,304	484	942	129	101	121	106	83	80	86	88	101	91	71	79	226
Males	1,289	260	505	65	50	68	62	48	49	53	42	63	58	47	48	131
Females	1,015	224	437	64	51	53	44	35	31	33	46	38	33	24	31	95
Dentition M	70	23	70													
Dentition F	49	19	49													
Angina M	73	16	55	9		1	2		1	1	1	1	1			1
Angina F	69	14	43	11	5	2	1	1	1			3	1			1
Gastritis M	119	21	42	5	2	1	6	2	5	3	6	5	9	6	6	21
Gastritis F	118	21	51	1	3		5	3	4	4	3	9	6	4	6	19
Diseases of the stomach M	164	32	76	18	7	2	4	6	3	6	6	5	8	6	4	13
Diseases of the stomach F	150	27	62	19	9	7	6	5	2	2	6	6	3	3	5	15
Obstruction of the bowels M	52	13	22	1	2	2	5	2	4	4	1		2	2	1	4
Obstruction of the bowels F	30	6	9	3	1	1	1	2	2	3	5	1			1	1
Appendicitis M	89	1	2	5	12	17	14	8	8	5	3	5	2	3	1	4
Appendicitis F	44		2	2	11	9	3	1	2	3	4	2	2	1		2
Hernia M	17	1	2				2	1		2		2		2		6
Hernia F	9	2	2								2	1		1	1	2
Other diseases of the bowels M	115	32	60	6	3	6	2	1	3	4	1	3	2	3	5	16
Other diseases of the bowels F	112	25	58	7	4	2	6	6	5	3	3	2	1	2	3	10
Jaundice M	157	38	45	7	7	25	9	13	10	9	6	10	4	5	1	6
Jaundice F	87	28	33	9	7	12	4	4	1		3	2	6	1	1	4
Inflammation and abscess of the liver M	98	8	15	3	1	5	6	6	4	8	3	11	9	8	6	13
Inflammation and abscess of the liver F	61	7	17	2	4	2	4	1	2	3	3	2	2	4	5	10
Other diseases of the liver M	94	11	19	1			3	1	2	5	8	9	13	7	8	18
Other diseases of the liver F	40	5	10	2			1	2	1	3	2	3	4	2	3	7
Peritonitis M	51	8	7	6	6	4	7	3	1	2	2	5	3	1	1	3
Peritonitis F	71	3	6	4	2	14	8	8	7	7	8	3	1	2		1
Ascites M	27		3	1				1	1	1	1	2	1	2	5	9
Ascites F	26	2	2		2			1	2	1	3		1	1	3	8
Others of this class M	163	61	87	3	10	5	2	4	7	3	4	5	4	2	10	17
Others of this class F	149	65	93	4	3	4	5	1	2	4	4	4	6	1	3	15
6. Diseases of the urinary system and male organs of generation.	758	28	51	16	12	19	34	33	38	37	51	42	53	62	75	235
Males	536	13	28	8	3	9	16	16	22	25	33	24	38	57	60	197
Females	222	15	23	8	9	10	18	17	16	12	18	18	15	5	15	38
Bright's disease M	307			6		6	8	13	10	16	23	17	29	41	44	94
Bright's disease F	141			5	7	5	12	12	9	8	14	11	13	4	14	27
Calculus, urinary M	15		1										1	2	3	8
Calculus, urinary F	4	1	2								1				1	
Diseases of the kidney M	109	9	23	2	3	3	3	2	6	4	8	5	2	5	7	36
Diseases of the kidney F	45	12	19	2	1	2	2		3	2	2	3	1			8
Diseases of the bladder M	44								1	2	1		2	2	4	32
Diseases of the bladder F	2							1						1		
Others of this class M	61	4	4				5	1	5	3	1	2	4	7	2	27
Others of this class F	30	2	2	1	1	3	4	4	4	2	1	4	1			3
7. Diseases of the female organs of generation.	124				2	13	10	16	15	17	13	23	5	6	1	3
Ovarian tumors	17					1	2	2	4	4	2	1	1			
Ovarian diseases	3						1							2		
Diseases of the tubes	8						1	2	1	2	1		1			
Uterine tumors	14						1		2	1	2	7		1		
Uterine diseases	29				1	4	1	5	2	5	1	7	1			2
Others of this class	53				1	8	4	7	6	5	7	8	2	3	1	1

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

TEXAS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	459				1	63	116	115	77	45	30	7				5
Abortion	18						8	1	4	3	1	1				
Childbirth	271				1	40	62	68	47	29	19	2				3
Puerperal septicemia	144					18	39	39	23	11	9	3				2
Extra-uterine pregnancy	1								1							
Others of this class	25					5	7	7	2	2	1	1				
9. Diseases of the bones and joints	88	22	39	11	7	5	3	3	2	2	3	3	1	2	5	2
Males	51	10	21	6	3	2	1	3	1	2	3	2	1		4	2
Females	37	12	18	5	4	3	2		1			1		2	1	
Diseases of the spine. M	27	9	15	5	1	1		2	1			1			1	
Diseases of the spine. F	22	10	13	3		2						1		2	1	
Abscess, lumbar and psoas. M	2			1						1						
Abscess, lumbar and psoas. F	1		1													
Diseases of the bones. M	14	1	5		1		1	1		1	1	1	1		1	1
Diseases of the bones. F	6		2		3				1							
Diseases of the hip-joint. M	2					1					1					
Diseases of the hip-joint. F	4			2		1	1									
Others of this class. M	6		1		1						1				2	1
Others of this class. F	4	2	2		1		1									
10. Diseases of the skin	79	15	21	4	3	2	1	6	4	3	3	2	5	6	3	13
Males	46	10	15	3		1		2	3	3		1	5	5		8
Females	33	5	6	1	3	1	1	4	1		3	1	3	1	3	5
Abscess. M	23	3	4	2		1		2	2	2			5	2		3
Abscess. F	22	4	5		3	1		3	1		2	1	2	1	1	2
Carbuncle. M	8	1	1							1				2		4
Carbuncle. F	3										1				1	
Others of this class. M	15	6	10	1					1			1		1		1
Others of this class. F	9	1	1	1			1	1					1		1	3
11. Diseases of the absorbent system.	17	1	4		3	1		2	1		2	2		1		1
Males	8	1	3		2			1				2				
Females	9		1		1	1		1	1		2			1		1
Addison's disease. M	1											1				
Addison's disease. F																
Diseases of the spleen. M	4		2					1				1				
Diseases of the spleen. F	1					1		1	1		1			1		1
Others of this class. M	3	1	1		2											
Others of this class. F	3		1		1						1					
12. Accidents and injuries	1,831	197	400	136	112	157	194	144	98	107	100	73	72	41	47	150
Males	1,331	114	216	74	87	119	153	119	83	91	82	69	62	31	40	105
Females	500	83	184	62	25	38	41	25	15	16	18	4	10	10	7	45
Burns and scalds. M	94	15	71	5	4		2	1	2	1		1	1		1	5
Burns and scalds. F	177	5	66	35	11	15	14	5	6	3	6	2	1		2	11
Drowning. M	121	2	16	17	18	19	14	12	3	4	5	1	2	2	2	6
Drowning. F	28		4	7	4	5	2	3		1			1		1	
Exposure and neglect. M	15	12	12												1	2
Exposure and neglect. F	19	10	15	1						1	1			1		
Gunshot wounds. M	236		3	14	11	26	36	37	23	27	13	16	8	6	4	12
Gunshot wounds. F	28	1	3	4	2	2	8	3	3	1	2					
Homicide. M	98				1	6	16	18	10	8	12	8	10	4	1	4
Homicide. F	15		2			1	3	2			1	1	1	1		3
Infanticide. M																
Infanticide. F	2	2	2													
Injuries by machinery. M	20			2	1	3	3	1	4	1	1		2			2
Injuries by machinery. F																
Railroad accidents. M	123	1	1	6	9	12	24	9	11	10	10	8	7	4	5	7
Railroad accidents. F	10			3		1	1				1				1	3
Suffocation. M	49	44	45			1								1	1	1
Suffocation. F	42	32	36	1	2	1	1				1					
Suicide by shooting. M	32					3	6	5		2	4	3	5	1	2	1
Suicide by shooting. F	4						1	1		1	1					
Suicide by drowning. M	3					1									2	
Suicide by drowning. F																
Suicide by poison. M	29					2	6	1	6	2	3	4	5			
Suicide by poison. F	6					3	1			1				1		
Other suicides. M	52					3	3	3	4	6	3	4	4	2	5	10
Other suicides. F	6					3		1			1			1		
Sunstroke. M	28		3			1	3		1	4	2	2	4	2	1	5
Sunstroke. F	7	2	3		1								1			2
Surgical operations. M	8	1	1	1		1				1				1		3
Surgical operations. F	12							5	1	3	1		1	1		
Wounds. M	22			1	2	4	4			2	1		1	1	2	4
Wounds. F	4		1				1									2
Others of this class. M	401	39	64	28	41	37	36	32	19	23	23	22	13	7	13	43
Others of this class. F	140	31	52	11	5	7	9	5	5	5	3	1	5	5	3	42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

UTAH.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	3,079	580	934	145	92	142	158	171	131	157	136	103	92	107	115	596
Males	1,821	324	508	64	52	88	86	108	89	105	94	64	64	74	78	347
Females	1,258	256	426	81	40	54	72	63	42	52	42	39	28	33	37	249
Unknown cause	125	53	65	9	3	6	3	4	2	3	5	3	4	2	3	13
Males	67	29	35	4	2	1	1		2	3	4		2	2	2	9
Females	58	24	30	5	1	5	2	4			1	3	2		1	4
1. General diseases. General diseases—A	520	142	297	48	18	13	18	20	14	13	7	6	3	12	6	45
Males	246	66	142	21	8	6	7	10	5	4	2	4	2	5	3	27
Females	274	76	155	27	10	7	11	10	9	9	5	2	1	7	3	18
Measles M	6	2	6													
Measles F	9	2	8	1												
Scarlet fever M	31	2	21	6	4											
Scarlet fever F	31	3	21	8		1			1							
Diphtheria M	15	1	10	3	1				1							
Diphtheria F	11		6	3	2											
Whooping cough M	30	20	30													
Whooping cough F	31	18	30	1												
Malarial fever M	1			1												
Malarial fever F	5	2	2				2									
Influenza M	12	3	4									1	1		1	5
Influenza F	23	3	5	2				1	2		2	1			1	8
Typhoid fever M	38	1	5	4	1	3	4	9	3		2	1		1		5
Typhoid fever F	35	1	5	7	4	3	5	3	2	1	2	1	1	1		
Cholera morbus M	17	4	8	2	1	1	1							1		3
Cholera morbus F	28	6	11	2	4	1	1	1	2		1			2		3
Colitis M	2	1	1							1						
Colitis F	2	1	2													
Diarrhea M	11	1	3	1												7
Diarrhea F	9	1	2					1								3
Dysentery M	3		2							1						
Dysentery F	5	1	3											1	1	
Enteritis M	9	5	7										1			1
Enteritis F	6	4	6													
Cholera infantum M	29	15	29													
Cholera infantum F	35	20	35													
Fever M																
Fever F																
Cerebro-spinal fever M	16	7	12		1				1	1					1	
Cerebro-spinal fever F	18	5	6	2			1	4	1	1				2	1	
Smallpox M	3	1	1			1	1									
Smallpox F																
Erysipelas M	5	1	1					1						1		2
Erysipelas F	6	5	5											1		
Septicemia M	15	1	1	4		1	1			1		1		2	1	3
Septicemia F	16	3	4	1		2	2		1	6						
Venereal diseases M																
Venereal diseases F																
Others of this group M	3	1	1									1				1
Others of this group F	7	1	3							1						3
General diseases—B	42	13	17	2					3	2	2	2	3	6	2	3
Males	31	8	9	2					3	2	2	2	2	6	2	1
Females	11	5	8										1			2
Alcoholism M	7										1			4	1	1
Alcoholism F																
Parasitic diseases M																
Parasitic diseases F																
Lead poison M	2								1					1		
Lead poison F																
Other poisons M	13			2					2	2	1	2	2	1	1	
Other poisons F	2		1										1			
Inanition M	9	8	9													
Inanition F	9	5	7													2
General diseases—C	250	96	97					2			1	1	3	3	1	142
Males	116	52	53					1					1	2	1	58
Females	134	44	44					1			1	1	2	1		84
Old age M	55														1	54
Old age F	72															72
Premature birth M	36	36	36													
Premature birth F	38	38	38													
Malformation M	3	3	3													
Malformation F	2	2	2													
Debility and atrophy M	17	8	9					1					1	2		4
Debility and atrophy F	20	2	2					1			1	1	2	1		12
Others of this group M	5	5	5													
Others of this group F	2	2	2													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

UTAH—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	300	14	19	6	6	12	19	26	17	31	14	18	16	27	24	65
Males	170	8	10	2	1	5	9	10	11	20	9	11	14	18	15	35
Females	130	6	9	4	5	7	10	16	6	11	5	7	2	9	9	30
Anemia M	4	1	1							1	1					1
Anemia F	4	1	2				1				1					
Diabetes M	11			1							1		1	1	3	4
Diabetes F	3				1	1										1
Rheumatism M	11	1	2	1		2	1		1	1				1		2
Rheumatism F	11		1	2	2	1			1	1						3
Scrofula and tabes M																
Scrofula and tabes F	1								1							
Hydrocephalus M	6	6	6													
Hydrocephalus F	2	2	2													
Tuberculosis, general M	1					1										
Tuberculosis, general F	1	1	1													
Consumption M	89					2	8	10	9	16	7	9	8	8	4	8
Consumption F	54	1	2	2	2	4	6	10	3	7	3	3		2	2	8
Cancer M	36									1		2	5	6	7	15
Cancer F	32							4		2	1	3	2	7	4	9
Tumor M	3		1											1		1
Tumor F	3	1	1									1				1
Dropsy M	8				1				1	1				1		4
Dropsy F	15						3	1		1					3	7
Others of this group M	1														1	
Others of this group F	4					1		1	1							1
2. Diseases of the nervous system	299	78	114	14	6	17	9	10	7	9	10	7	8	9	11	68
Males	174	56	75	7	3	9	6	6	5	4	5	4	2	6	7	35
Females	125	22	39	7	3	8	3	4	2	5	5	3	6	3	4	33
Inflammation of the brain M	15	4	7	1	1	2			1		1			1		1
Inflammation of the brain F	8	2	2	2	1	2	1									
Meningitis M	34	15	25	3	1		1	1	1							2
Meningitis F	25	5	18	3		1		1		1						1
Apoplexy M	31	1	1	1		1	3	1		1	1	3	2	1	4	12
Apoplexy F	16								1		2	2		1	2	8
Paralysis M	27			2	1	1			1	2	1			1	1	17
Paralysis F	30				1		2			2	1	1	4	1	2	16
Paralysis, general (of insane) M	2														1	1
Paralysis, general (of insane) F	2															2
Tetanus and trismus nascentium M	4	2	2			1		1								
Tetanus and trismus nascentium F																
Chorea M																
Chorea F	1					1										
Epilepsy M	9	2	2			3		2			1					1
Epilepsy F	6			1		1		1	1		1					1
Convulsions M	37	32	36				1									
Convulsions F	20	13	16	1				1		1						1
Mental diseases M	5						1	1	1		1					1
Mental diseases F	1												1			
Diseases of the brain M	6		1			1			1	1		1			1	
Diseases of the brain F	9	2	3					1		1	1					3
Diseases of the spinal cord M	1		1													
Diseases of the spinal cord F	1				1											
Locomotor ataxia M																
Locomotor ataxia F	1												1			
Others of this class M	3													3		
Others of this class F	5					3								1		1
3. Diseases of the circulatory system	233	18	20	18	16	16	16	15	9	15	7	12	8	11	18	52
Males	115	13	13	2	7	10	4	10	3	5	3	4	2	8	12	32
Females	118	5	7	16	9	6	12	5	6	10	4	8	6	3	6	20
Pericarditis M																
Pericarditis F	3			2		1										
Diseases of the heart M	107	12	12	2	7	10	4	10	3	5	2	3	1	8	10	30
Diseases of the heart F	107	3	5	14	8	5	12	4	5	9	4	8	6	3	5	19
Angina pectoris M	7										1	1	1		2	2
Angina pectoris F	2								1	1						
Diseases of the arteries M																
Diseases of the arteries F	2				1										1	
Aneurism M																
Aneurism F																
Embolism M																
Embolism F	1							1								
Others of this class M	1	1	1													
Others of this class F	3	2	2													1

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

UTAH—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	476	122	219	21	9	19	17	9	12	13	12	7	16	11	21	90
Males	280	64	118	9	8	11	8	6	8	11	8	4	12	7	16	54
Females	196	58	101	12	1	8	9	3	4	2	4	3	4	4	5	36
Croup M	12	2	11	1												
Croup F	9	2	6	3												
Pneumonia M	205	47	85	6	5	10	8	4	8	11	6	2	11	7	11	31
Pneumonia F	142	43	74	8	1	3	7	2	3	2	3	3	4	3	4	25
Laryngitis M	1			1												
Laryngitis F	1					1										
Bronchitis M	25	8	14	1	1										2	7
Bronchitis F	26	13	19								1					6
Pleurisy M	3														1	2
Pleurisy F	4		1	1			1	1								
Asthma M	15							1			1	2	1		1	9
Asthma F	5														1	4
Others of this class M	19	7	8		2	1		1			1				1	5
Others of this class F	9		1			4	1		1					1		1
5. Diseases of the digestive system.	216	29	46	13	14	11	18	11	12	11	10	8	9	9	14	30
Males	135	18	29	6	5	5	11	5	8	11	6	5	6	6	10	22
Females	81	11	17	7	9	6	7	6	4		4	3	3	3	4	8
Dentition M	7	3	7													
Dentition F																
Angina M	2		1							1						
Angina F	1		1													
Gastritis M	14	1	5	1					1	1	1	2		1	1	1
Gastritis F	10		1	1	1		2						1		1	3
Diseases of the stomach M	9	1	1					1		1	1	1		1		3
Diseases of the stomach F	2	1	1												1	
Obstruction of the bowels M	8	1	1				1				2		1			3
Obstruction of the bowels F	4	1	1	1											1	1
Appendicitis M	27		1	3	3	3	5	3	4	1				1	1	2
Appendicitis F	15	1	2	2	4	2	2	1			1	1				
Hernia M	9	2	8				1						1	1		3
Hernia F	3										1		1	1		
Other diseases of the bowels M	7	1	1							1			1			4
Other diseases of the bowels F	5	2	2		1			1				1				
Jaundice M	6	4	4											1	1	
Jaundice F	5	2	3					1								1
Inflammation and abscess of the liver M	4						1			3						
Inflammation and abscess of the liver F	2													2		
Other diseases of the liver M	12										1	2	2	1	4	1
Other diseases of the liver F	3										1				1	1
Peritonitis M	21	1	1	2	2	2	3		3	3	1				2	2
Peritonitis F	20		1	2	3	4	2	3	3		1					1
Ascites M	3	1	1												1	1
Ascites F	3			1			1		1							
Others of this class M	6	3	3					1								2
Others of this class F	8	4	5									1	1			1
6. Diseases of the urinary system and male organs of generation.	129	1	1	2	6	3	5	6	7	13	9	6	9	10	6	46
Males	84	1	1	1	5	2	1	2	4	6	4	2	9	7	4	36
Females	45			1	1	1	4	4	3	7	5	4		3	2	10
Bright's disease M	57			1	5	2	1	1	3	8	4	2	6	6	3	20
Bright's disease F	37			1			3	3	1	7	5	4		2	2	9
Calculus, urinary M	2															2
Calculus, urinary F																
Diseases of the kidney M	8	1	1						1				2	1		3
Diseases of the kidney F	5				1				2					1		1
Diseases of the bladder M	9									2			1			6
Diseases of the bladder F																
Others of this class M	8							1		1					1	5
Others of this class F	3					1	1	1								
7. Diseases of the female organs of generation.	8						1			1	1	2			1	1
Ovarian tumors	1															1
Ovarian diseases																
Diseases of the tubes	1										1					
Uterine tumors	1											1				
Uterine diseases																
Others of this class	5						1			1		2			1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

UTAH—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	40					3	9	8	6	5	7	2				
Abortion																
Childbirth	19					3	2	2	3	3	5	1				
Puerperal septicemia	10						3	3	2	1	1					
Extra-uterine pregnancy																
Others of this class	11						4	3	1	1	1	1				
9. Diseases of the bones and joints.	14	7	9	2						1				1		1
Males	8	4	6	1										1		
Females	6	3	3	1						1						1
Diseases of the spine. M	8	4	6	1										1		
Diseases of the spine. F	5	3	3	1						1						
Abscess, lumbar and psoas. M																
Abscess, lumbar and psoas. F																
Diseases of the bones M																
Diseases of the bones F																
Diseases of the hip-joint. M																
Diseases of the hip-joint. F																
Others of this class M																
Others of this class F	1															1
10. Diseases of the skin	4										1		1	1	1	
Males	3										1		1	1		
Females	1														1	
Abscess M	3										1		1	1		
Abscess F																
Carbuncle M																
Carbuncle F																
Others of this class M																
Others of this class F	1														1	
11. Diseases of the absorbent system.	1							1								
Males																
Females	1							1								
Addison's disease M																
Addison's disease F	1							1								
Diseases of the spleen M																
Diseases of the spleen F																
Others of this class M																
Others of this class F																
12. Accidents and injuries	422	7	30	10	14	42	43	59	42	40	50	28	12	5	7	40
Males	392	5	17	9	13	39	39	58	40	39	50	28	11	5	6	38
Females	30	2	13	1	1	3	4	1	2	1			1		1	2
Burns and scalds M	2		2													
Burns and scalds F	4		3			1										
Drowning M	17		8	3			2				3		1			
Drowning F	4		4													
Exposure and neglect M	1															1
Exposure and neglect F																
Gunshot wounds M	10				1	3		3		2	1					
Gunshot wounds F																
Homicide M	9			1			2	1		1	2			1	1	
Homicide F	1			1												
Infanticide M																
Infanticide F																
Injuries by machinery. M																
Injuries by machinery. F																
Railroad accidents M	26				1	2	2		4	3	8	4	1		1	
Railroad accidents F	1								1							
Suffocation M	6	1	1					1	1			2		1		
Suffocation F	2	1	1			1										
Suicide by shooting. M	4										2	1	1			
Suicide by shooting. F																
Suicide by drowning. M																
Suicide by drowning. F																
Suicide by poison M	3								1	2						
Suicide by poison F	1												1			
Other suicides M	11					1	1	1	1		1	1	1			4
Other suicides F																
Sunstroke M	2			1							1					
Sunstroke F																
Surgical operations M	1										1					
Surgical operations F	2	1	1				1									
Wounds M	1						1									
Wounds F																
Others of this class M	299	4	6	4	11	33	31	52	33	31	31	20	7	3	4	33
Others of this class F	15		4		1	1	3	1	1	1					1	2

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

VIRGINIA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	25,252	4,921	7,748	943	639	1,189	1,565	1,147	1,004	943	953	879	1,009	920	1,163	5,150
Males	13,112	2,717	4,184	472	294	573	811	529	473	444	457	463	544	489	608	2,771
Females	12,140	2,204	3,564	471	345	616	754	618	531	499	496	416	465	431	555	2,379
Unknown cause	2,049	1,080	1,282	49	24	37	48	35	38	32	43	48	42	33	58	280
Males	1,064	583	680	31	12	21	23	14	22	15	20	23	21	17	21	144
Females	985	497	602	18	12	16	25	21	16	17	23	25	21	16	37	136
1. General diseases. General diseases—A	5,274	1,234	2,264	382	215	290	292	226	148	121	107	121	114	103	124	767
Males	2,750	701	1,235	189	87	133	166	112	71	66	59	80	53	55	60	384
Females	2,524	533	1,029	193	128	157	126	114	77	55	48	41	61	48	64	383
Measles M	148	47	108	13	5	9	7	2	1	1		1				1
Measles F	149	37	71	16	14	12	4	10	4	1	3		2	6		6
Scarlet fever M	27	8	19	4	2		1			1						
Scarlet fever F	26	3	12	4	3	2	2	1	1	1						
Diphtheria M	125	9	71	41	7	3	1	1		1						
Diphtheria F	150	8	70	52	22	2			1			1	1		1	
Whooping cough M	139	66	122	16	1											
Whooping cough F	153	66	138	12	2	1										
Malarial fever M	201	33	72	21	10	12	19	8	5	8	5	10	5	5	2	19
Malarial fever F	208	19	61	28	14	22	12	14	7	3	5	7	3	5	7	20
Influenza M	357	51	77	7	4	8	5	8	4	12	7	12	7	7	16	183
Influenza F	397	45	65	8	6	14	9	8	7	12	7	8	15	16	23	199
Typhoid fever M	497	13	44	41	32	76	88	62	35	22	18	28	9	11	9	22
Typhoid fever F	417	13	40	33	46	79	67	43	18	16	15	10	12	7	6	25
Cholera morbus M	51	17	27	4	5	2		1		1	2			2	2	5
Cholera morbus F	54	11	27	2	2		2	2	1	2		1	3		2	10
Colitis M	21	4	11	1				1	1	1				1	1	4
Colitis F	15	5	10						1						3	1
Diarrhea M	123	37	61	9	2		3	1	3		1	3	6	4	8	22
Diarrhea F	118	28	45	7	6	1		4	7	3	3	3	5	3	7	24
Dysentery M	239	70	139	15	6	2	5	1	1	5	2	4	8	10	12	29
Dysentery F	187	40	84	9	3	6	3	5	2	3	1	4	8	7	7	45
Enteritis M	109	54	78	1		4	1	1		1	4	5	3	1	2	8
Enteritis F	95	36	63	1		2	3	3	2	3	1	3	4		3	7
Cholera infantum M	313	229	313													
Cholera infantum F	257	173	257													
Fever M	37	9	19	2	2	2	4	1	2		1	2		1		1
Fever F	38	8	18	5	1	4	3		1	1		1	2	1		1
Cerebro-spinal fever M	43	12	20	7	6	1	1	3	3					1		1
Cerebro-spinal fever F	39	8	19	7	2	2	2	2	2	1	2					
Smallpox M	178	15	18	2	4	8	19	15	12	10	15	7	12	3	1	52
Smallpox F	85	9	16	5	3	1	10	7	12	2	5	2	1	1		20
Erysipelas M	28	7	10	1		2		2	1			1	1	4	1	5
Erysipelas F	20	4	4			1		2			1		2		1	9
Septicemia M	63	7	10	3		3	10	3	2	3	3	5	1	4	2	14
Septicemia F	79	11	18	3	3	5	7	9	7	6	4	1	2	2	3	9
Venereal diseases M	22	10	10				1	2	1		1	2			1	4
Venereal diseases F	16	4	5			1	2	3	4	1						
Others of this group M	29	3	8	1	1	1	1						1	1	3	14
Others of this group F	21	5	6	1	1	2		1			1		1		1	7
General diseases—B	279	119	165	11	4	8	8	9	13	9	9	8	10	7	7	11
Males	166	61	91	3	2	1	4	7	13	6	7	8	6	5	5	8
Females	113	58	74	8	2	7	4	2		3	2		4	2	2	3
Alcoholism M	41						2	6	7	3	2	6	4	3	3	5
Alcoholism F	5		1							1	1		1		1	
Parasitic diseases M	17	1	14	1		1										1
Parasitic diseases F	19	1	11	7		1										
Lead poison M																
Lead poison F																
Other poisons M	34	2	12	2	2		2	1	5	2	3	1		1	2	1
Other poisons F	25	4	7	1	1	3	4	2		2	1		2		1	1
Inanition M	74	58	65						1	1	2	1	2	1		1
Inanition F	64	53	55		1	3							1	2		2
General diseases—C	1,339	454	501	7	2	4	3	3	8	3	2	8	11	9	27	751
Males	685	265	292	2	2	2	2	1	2	1		3	5	5	12	356
Females	654	189	209	5		2	1	2	6	2	2	5	6	4	15	395
Old age M	338														6	332
Old age F	375														10	365
Premature birth M	132	132	132													
Premature birth F	96	96	96													
Malformation M	21	20	21													
Malformation F	16	14	16													
Debility and atrophy M	187	106	132	2	2	2	2	1	2	1		3	5	5	6	24
Debility and atrophy F	160	72	90	5		2	1	2	6	2	2	5	6	4	5	30
Others of this group M	7	7	7													
Others of this group F	7	7	7													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

VIRGINIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	4,714	120	313	95	137	385	615	434	360	318	302	227	253	233	250	792
Males	2,086	70	163	44	55	144	266	183	145	146	109	96	109	111	116	399
Females	2,628	50	150	51	82	241	349	251	215	172	193	131	144	122	134	393
Anemia M	11		2	2		1			2		1			1	1	1
Anemia F	10		3			2		1			1	1				2
Diabetes M	45		5	2	3	5	4	5	2	3		4	3		1	8
Diabetes F	21			1	1	3	3	1		1	2	2	1	1	1	4
Rheumatism M	82	3	4	3	2	4	2	5	4		1	1	3	6	6	41
Rheumatism F	88	1	2	2	6	5	4	4	5	6	3	4	5	3	9	30
Scrofula and tabes M	78	9	26	5	6	7	7	3	3	3	2	2	1	1	4	8
Scrofula and tabes F	69	7	15	12	11	6	6	4	3	1	3			1	2	5
Hydrocephalus M	29	17	20	2	1	2		1				1				2
Hydrocephalus F	14	2	11	1				1	1							
Tuberculosis, general M	2						1	1								
Tuberculosis, general F	4				1				3							
Consumption M	1,402	37	81	19	33	118	241	159	125	124	77	64	78	70	58	155
Consumption F	1,821	36	94	30	54	207	320	223	177	127	139	85	81	60	58	166
Cancer M	156				2	2	1	2	4	6	13	13	10	15	21	67
Cancer F	305		1			4	4	5	15	25	31	26	33	36	43	82
Tumor M	12	2	3					1					2	4		2
Tumor F	60		1	1	1		2	3	2	6	1	6	6	8	4	19
Dropsy M	252	2	14	11	8	5	8	6	5	10	13	11	12	13	23	113
Dropsy F	229	4	17	4	8	14	10	8	9	6	13	7	18	13	17	85
Others of this group M	17		8				2				2			1	2	2
Others of this group F	7		6					1								
2. Diseases of the nervous system	2,620	561	799	97	52	70	73	54	52	65	97	106	129	147	176	703
Males	1,430	325	454	53	25	27	44	24	31	36	50	57	76	87	86	380
Females	1,190	236	345	44	27	43	29	30	21	29	47	49	53	60	90	323
Inflammation of the brain M	101	32	54	12	8	6	5	1	3	1	1	1	2		1	5
Inflammation of the brain F	90	30	51	10	4	6		4	3	1	2			2	1	6
Meningitis M	225	71	132	20	11	9	16	6	7	4	8	1	1	1	1	8
Meningitis F	189	51	99	21	11	17	10	5	4	2	5	3	3	1	2	6
Apoplexy M	197							3	5	9	8	18	30	22	20	82
Apoplexy F	186	1	1				5	6	3	9	13	20	16	18	26	69
Paralysis M	398	2	4	4	1	2	5	2	2	6	15	17	28	44	45	223
Paralysis F	362	2	3	5	1	3	3	3	2	7	16	19	23	29	50	198
Paralysis, general (of insane) M	18							1	2	1	3	4		3	2	2
Paralysis, general (of insane) F	4													1	1	2
Tetanus and trismus nascentium M	48	30	30	6	2	2		1	2				1	2	1	1
Tetanus and trismus nascentium F	18	14	14			1		1	1	1						
Chorea M	1							1								
Chorea F																
Epilepsy M	48	7	8	2		2	8	3	4	4	6	4		1	2	4
Epilepsy F	23	4	6	1	2	4	1	3		1		1	1		1	2
Convulsions M	191	156	187	1	1		1						1			
Convulsions F	164	118	141	4	2	6	3	3		2	1				1	1
Mental diseases M	28						1		1	3	1	4	3	3	2	10
Mental diseases F	32				1	1	1	1		3	4	1	2	1	1	16
Diseases of the brain M	134	24	35	7	1	5	6	6	5	4	8	5	6	7	9	30
Diseases of the brain F	85	15	27	3	5	5	5	4	4	2	2	3	1	4	5	15
Diseases of the spinal cord M	10	3	4	1		1							1			3
Diseases of the spinal cord F	8		2		1				1	1			1			2
Locomotor ataxia M	7									1				2	1	3
Locomotor ataxia F	3												2			1
Others of this class M	24				1		2			3		3	2	2	2	9
Others of this class F	26	1	1				1		8		4	2	4	4	2	5
3. Diseases of the circulatory system.	1,539	66	90	20	28	23	48	52	71	76	92	90	118	116	156	559
Males	822	34	48	9	15	13	28	21	30	37	38	47	68	63	87	318
Females	717	32	42	11	13	10	20	31	41	39	54	43	50	53	69	241
Pericarditis M	2					1					1					
Pericarditis F	1		1													
Diseases of the heart M	778	30	44	9	15	12	27	21	29	33	37	45	65	62	81	298
Diseases of the heart F	681	26	35	11	13	10	18	29	38	37	54	40	49	51	65	231
Angina pectoris M	26						1		1	3		1	2	1	5	12
Angina pectoris F	17						1	1	1			2	1	1	4	5
Diseases of the arteries M	5															5
Diseases of the arteries F	3							1								2
Aneurism M	6									1		1	1		1	2
Aneurism F	4								2	1						1
Embolism M	1															1
Embolism F	5						1			1		1		1		1
Others of this class M	4	4	4													
Others of this class F	6	6	6													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

VIRGINIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	3,560	797	1,386	130	65	141	166	122	125	116	127	113	140	120	173	636
Males	1,950	423	738	73	37	95	108	59	61	53	85	56	77	58	96	354
Females	1,610	374	648	57	28	46	58	63	64	63	42	57	63	62	77	282
Croup M	200	103	184	14	2											
Croup F	162	86	148	10	2				1						1	
Pneumonia M	1,366	245	426	48	29	86	96	43	50	46	73	42	68	38	70	251
Pneumonia F	1,063	209	366	38	20	43	43	57	52	40	32	46	42	48	57	179
Laryngitis M	7		1				1	2						1	1	1
Laryngitis F	7		2	2	1						1					1
Bronchitis M	166	56	98	7	1	3	3	3	1	1		2	3	7	5	32
Bronchitis F	195	68	114	4	1	1	3	2	3	5	1	3	5	2	4	47
Pleurisy M	48		3	2	1	2	3	1	4	1	2	2	2	4	3	18
Pleurisy F	37	1	1	2	1		3		2	2	1	1	5	1	4	13
Asthma M	48		2			1	1	2	1		2		1	4	5	29
Asthma F	61		2					2	4	7	1	5	4	6	8	22
Others of this class M	115	19	24	2	4	3	4	8	5	5	8	10	3	4	12	23
Others of this class F	85	10	15	1	3	2	9	2	2	9	6	2	6	5	3	20
5. Diseases of the digestive system.	1,426	342	571	47	37	49	68	42	44	46	51	56	68	49	71	227
Males	715	177	295	20	19	23	24	14	23	17	24	28	38	24	41	125
Females	711	165	276	27	18	26	44	28	21	29	27	28	30	25	30	102
Dentition M	108	52	108													
Dentition F	92	37	92													
Angina M	14	1	4	1	3		1								1	4
Angina F	14	2	9	3									1			1
Gastritis M	89	11	24	2	2	1	1	1	5	1	4	5	6	7	5	25
Gastritis F	119	14	26	10		2	8	9	7	4	2	8	4	6	8	25
Diseases of the stomach M	27	4	9			1			1	1		3	6		1	5
Diseases of the stomach F	37	3	5	1	1	1	4	1	1	4	1	1	2	3	2	10
Obstruction of the bowels M	24	2	3	2	2	1	1	1		1		4	1	2		6
Obstruction of the bowels F	29	8	9		1		1	2	1	2	1	1	1	2	2	6
Appendicitis M	50	1	6	2	4	11	7	3	2	2	2	1	1	2	3	4
Appendicitis F	30	2	3	2	4	4	4	2	1	3	2	4	1			
Hernia M	36	4	5		1		1		1		5		2	3	4	14
Hernia F	8	2	2								1	2	2			1
Other diseases of the bowels M	55	17	28	2	2	2	1		1	1	1		1	1	1	14
Other diseases of the bowels F	45	15	23	2	3				1		2	1	2	1	1	9
Jaundice M	29	17	21		1						2		2	1	2	
Jaundice F	27	13	15				3	1				1		1		6
Inflammation and abscess of the liver M	45	2	5	1			3	5	6	4	2	4	1	1	4	9
Inflammation and abscess of the liver F	33	1	2	1			1	1		3	4		3	3	7	8
Other diseases of the liver M	70	5	8	1		3	4		3	3	4	3	11	1	11	18
Other diseases of the liver F	45	8	4		2	1	2	1	3	3	1	3	4	2	3	16
Peritonitis M	44	5	6	3	4	4	4		3	2	1	4	2	2	4	5
Peritonitis F	77	2	5	2	5	14	15	9	4	6	7	2	2	3		3
Ascites M	20	1	2	4					1			1	1	1	1	9
Ascites F	27	1	1	1	1	2	4	2	2		1	2	1	1	2	7
Others of this class M	104	53	66	2			1	4		2	3	3	4	3	4	12
Others of this class F	128	62	80	5	1	2	2		1	4	5	3	7	2	5	10
6. Diseases of the urinary system and male organs of generation.	735	11	34	8	10	12	27	22	28	33	40	35	69	67	77	273
Males	479	7	16	5	3	5	10	9	15	13	25	24	45	44	54	211
Females	256	4	18	3	7	7	17	13	13	20	15	11	24	23	23	62
Bright's disease M	304			8	3	4	7	7	12	11	18	19	33	30	43	114
Bright's disease F	188			8	6	5	12	10	9	14	10	9	21	21	21	47
Calculus, urinary M	12			1									1	1	1	8
Calculus, urinary F	2															2
Diseases of the kidney M	81	5	14			1	1	1		2	4	2	5	8	5	38
Diseases of the kidney F	42	4	18			1	4	2	3	1	3		1	1	1	7
Diseases of the bladder M	37	1	1	1			1		1		1	1	2	5	1	23
Diseases of the bladder F	8						1	1		1		2		1	1	1
Others of this class M	45	1	1				1	1	2		2	2	4		4	28
Others of this class F	16				1	1			1	4	2		2			5
7. Diseases of the female organs of generation.	64				1	4	7	4	5	8	7	7	5	3	5	8
Ovarian tumors	10					2		1		2	1	1	1	1	1	
Ovarian diseases	2				1				1							
Diseases of the tubes	1						1									
Uterine tumors	8									2	2	1		1	2	
Uterine diseases	17						2	1	2	2	2		1		1	6
Others of this class	26					2	4	2	2	2	2	5	3	1	1	2

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

VIRGINIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	256				4	30	52	44	40	49	27	6	1	1		2
Abortion	11					2	1	3	1	1	2					1
Childbirth	162				3	18	35	25	26	34	15	4	1	1		
Puerperal septicemia	57				1	6	7	14	12	10	4	2				1
Extra-uterine pregnancy	2								1		1					
Others of this class	24					4	9	2		4	5					
9. Diseases of the bones and joints.	84	10	33	7	6	5	4	3	4	3	3	4	1	1	3	7
Males	47	5	20	1	4	3	3	2	1	1	3	3	1	1		4
Females	37	5	13	6	2	2	1	1	3	2		1			3	3
Diseases of the spine. M	33	4	18	1	3	3	2	2		1			1			2
Diseases of the spine. F	25	3	9	3	2	2	1		2	2					2	2
Abscess, lumbar and psoas. M	3						1		1			1				
Abscess, lumbar and psoas. F	2							1				1				
Diseases of the bones. M	3										2					1
Diseases of the bones. F	7	1	3	2					1						1	
Diseases of the hip-joint. M	1				1											
Diseases of the hip-joint. F																
Others of this class. M	7	1	2								1	2		1		1
Others of this class. F	3	1	1	1												1
10. Diseases of the skin	59	17	26	1	1	2	3		1	1	4	4	5	2	1	3
Males	28	7	11			2	3			1	2	1	4		1	3
Females	31	10	15	1	1				1		2	3	1	2		5
Abscess. M	10	1	4				2					1	1		1	1
Abscess. F	11	3	3	1	1						2	1	1	1		1
Carbuncle. M	4						1						1			2
Carbuncle. F	6	1	2									2				2
Others of this class. M	14	3	7			2				1	2		2			
Others of this class. F	14	3	10						1					1		2
11. Diseases of the absorbent system.	10		2							1	1	2	1	1	1	1
Males	2		1									1				
Females	8		1							1	1	1	1	1	1	1
Addison's disease. M																
Addison's disease. F																
Diseases of the spleen. M																
Diseases of the spleen. F	1													1		
Others of this class. M	2		1									1				
Others of this class. F	7		1							1	1	1	1		1	1
12. Accidents and injuries	1,244	110	282	59	53	129	151	97	67	62	41	44	42	28	34	125
Males	888	59	140	42	33	104	130	83	59	52	35	36	41	19	29	85
Females	356	51	142	47	20	25	21	14	8	10	6	8	1	9	5	40
Burns and scalds. M	104	6	62	13	6	1	4	2	2	2	1	2	1			8
Burns and scalds. F	167	2	64	37	15	7	7	4	4	6		4	1	3	1	14
Drowning. M	97	1	10	4	12	20	15	9	4	4	2	5	3	3	1	5
Drowning. F	13		5	2		5	1									
Exposure and neglect. M	38	17	23	1		1		2					1	1	2	7
Exposure and neglect. F	28	18	23			1	2	1								1
Gunshot wounds. M	84	1	3	1	6	15	18	11	7	5	5	5		3	2	3
Gunshot wounds. F	5					2	1							1		1
Homicide. M	47				1	3	9	6	4	6	2	2	5		2	7
Homicide. F	10		2				2	2		1						3
Infanticide. M																
Infanticide. F	1	1	1													
Injuries by machinery. M	17				1	2	7		3	2	1					1
Injuries by machinery. F	1				1											
Railroad accidents. M	127			6	1	19	30	24	13	8	6	7	5	2	3	3
Railroad accidents. F	5				1		1	1			2					
Suffocation. M	22	15	15			1	1	1		1					1	2
Suffocation. F	25	18	21			1	1				1					1
Suicide by shooting. M	16					1	3	1		4		1	1	1		4
Suicide by shooting. F																
Suicide by drowning. M	2								1		1					
Suicide by drowning. F																
Suicide by poison. M	2												1		1	
Suicide by poison. F	2					1			1							
Other suicides. M	8					1		2	1	1	2		1			
Other suicides. F	4						1					1			1	1
Sunstroke. M	22	2	3	1	1		5	1	1			1	3	1	1	4
Sunstroke. F	8		2			1			2		1	1			1	
Surgical operations. M	5										1				1	3
Surgical operations. F	4					1	2								1	
Wounds. M	14			1		4		1					2		3	3
Wounds. F	1			1												
Others of this class. M	283	17	24	15	5	36	38	23	23	19	14	13	18	8	12	35
Others of this class. F	82	12	24	7	3	6	3	6	1	3	2	2		5	1	19

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WASHINGTON.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	4,910	629	1,050	177	154	214	293	251	261	349	312	284	270	239	245	811
Males	3,148	379	609	113	72	104	166	145	166	239	218	215	194	174	185	548
Females	1,762	250	441	64	82	110	127	106	95	110	94	69	76	65	60	263
Unknown cause	163	53	70	2	3	2	3	9	4	7	5	6	8	8	6	30
Males	103	31	37	1	1	2	2	6	3	5	3	5	6	6	5	21
Females	60	22	33	1	2		1	3	1	2	2	1	2	2	1	9
1. General diseases. General diseases—A	787	163	327	63	44	44	54	38	33	29	24	19	15	19	13	65
Males	455	92	181	39	22	24	30	20	20	19	18	14	10	10	9	39
Females	332	71	146	24	22	20	24	18	13	10	6	5	5	9	4	26
Measles M	6	3	5				1									
Measles F	5	1	2		1	1										1
Scarlet fever M	31	1	14	10	3	2							1			1
Scarlet fever F	22	2	13	7	1		1									
Diphtheria M	53	3	21	17	9	6										
Diphtheria F	45	3	15	10	12	2	1	1	2	1	1					
Whooping cough M	19	17	19													
Whooping cough F	15	11	13		1		1									
Malarial fever M	5						1		1						1	2
Malarial fever F	8	1	3				1	1		1				1		1
Influenza M	27	4	5	2			1			1	2	1		1		14
Influenza F	26	2	5				1							3	1	16
Typhoid fever M	107		8	4	4	11	21	14	10	9	8	7	2	4	2	3
Typhoid fever F	64	3	8	2	4	12	9	6	5	3	3	3	3	2	1	3
Cholera morbus M	25	8	13	2	3	1					1	1		2		2
Cholera morbus F	20	2	11	1	1	1	2		1				1	1		1
Colitis M	2		2													
Colitis F	1	1	1													
Diarrhea M	17	6	12				1								1	3
Diarrhea F	3	2	3													
Dysentery M	21	4	8			2		2	1	3			2	1	1	1
Dysentery F	11	3	6	1						1	1	1				1
Enteritis M	17	7	12	1	1			1	1	1						
Enteritis F	19	9	17	1										1		
Cholera infantum M	42	28	42													
Cholera infantum F	42	26	42													
Fever M	5	1	2						2			1				
Fever F	6		1		1		1		1						1	1
Cerebro-spinal fever M	10	1	6	2						1		1				
Cerebro-spinal fever F	6	1	1	1	1	1	2									
Smallpox M	13	1	2			1	3	1	1		1	1	1		1	1
Smallpox F	4					1	2						1			
Erysipelas M	11	2	3									1	1	1	1	4
Erysipelas F	1															1
Septicemia M	29	3	4	1	2		2	3	3	4	3		1		1	6
Septicemia F	31	3	4	1		2	3	10	4	3	1	1			1	1
Venereal diseases M	5	3	3										1		1	
Venereal diseases F	1									1						
Others of this group M	10					1			1		3	1	1	1		2
Others of this group F	2		1											1		
General diseases—B	123	63	69			1	1	1	8	10	5	6	3	10	3	6
Males	89	42	47			1		1	5	7	4	6	3	8	2	5
Females	34	21	22				1		3	3	1			2	1	1
Alcoholism M	25								2	5	3	4	2	7	1	1
Alcoholism F	1									1						
Parasitic diseases M																
Parasitic diseases F																
Lead poison M	1											1				
Lead poison F																
Other poisons M	19	2	6			1		1	3	1	1	1		1	1	3
Other poisons F	9		1				1		2	2	1			1	1	
Inanition M	44	40	41							1			1			1
Inanition F	24	21	21						1					1		1
General diseases—C	250	96	101					1	1			2	3	2	6	134
Males	159	59	62					1	1			2	3	2	4	84
Females	91	37	39												2	50
Old age M	81														3	78
Old age F	49														1	48
Premature birth M	39	39	39													
Premature birth F	16	16	16													
Malformation M	6	5	6													
Malformation F	12	12	12													
Debility and atrophy M	29	11	13					1	1			2	3	2	1	6
Debility and atrophy F	12	7	9												1	2
Others of this group M	4	4	4													
Others of this group F	2	2	2													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WASHINGTON—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	925	24	69	22	31	64	82	72	58	88	84	65	62	53	57	118
Males	500	15	41	13	13	16	28	38	32	47	46	41	38	39	36	72
Females	425	9	28	9	18	48	54	34	26	41	38	24	24	14	21	46
Anemia M	6	1	1		1					1		1			2	
Anemia F	6		1	1			1	1			1					1
Diabetes M	20		1	1		1		2		3	1	2	2		3	4
Diabetes F	10		1	1	1					1		1		1	1	3
Rheumatism M	14		1		2				2	2	1	1	1		1	3
Rheumatism F	6				2						2		1			1
Scrofula and tabes M	5		1	3		1										
Scrofula and tabes F	8	2	4				2				1				1	
Hydrocephalus M	19	7	11	5					2			1				
Hydrocephalus F	11	1	6	2		3										
Tuberculosis, general M	2									1				1		
Tuberculosis, general F	3					1	1			1						
Consumption M	298	6	20	4	10	11	25	33	26	35	37	24	22	17	11	23
Consumption F	265	5	13	4	15	40	50	33	23	27	16	11	11	5	3	14
Cancer M	97		1				1	3	2	3	7	9	11	18	14	28
Cancer F	88			1		1			1	11	16	11	11	6	11	19
Tumor M	10		1			1				1				1	3	3
Tumor F	11		1						1	1	2	1		1	3	1
Dropsy M	23		3				1					3	2	1	2	11
Dropsy F	15		1			2			1				1	1	2	7
Others of this group M	6	1	1			2	1			1				1		
Others of this group F	2	1	1			1										
2. Diseases of the nervous system	497	75	120	15	14	14	13	11	20	22	30	31	40	35	33	99
Males	321	49	72	10	4	7	10	5	12	13	21	22	27	21	28	69
Females	176	26	48	5	10	7	3	6	8	9	9	9	13	14	5	30
Inflammation of the brain M	18	6	11						1			1		2		3
Inflammation of the brain F	7	3	5		1	1										
Meningitis M	54	12	27	9	3	6	1	1	1	1	2		1			2
Meningitis F	41	9	20	4	4	4	2	1	1	2	1	1				1
Apoplexy M	67	1	1				1		4	2	3	3	9	7	13	24
Apoplexy F	25				2				1	2	1	1	2	4	3	9
Paralysis M	65		1				1	2	2	2	4	4	6	7	10	26
Paralysis F	34	1	2					1		1		5	5	5	1	14
Paralysis, general (of insane) M	14						1		1	1	4	5		1		1
Paralysis, general (of insane) F																
Tetanus and trismus nascentium M	1			1												
Tetanus and trismus nascentium F																
Chorea M																
Chorea F	1				1											
Epilepsy M	7				1		3			1					1	1
Epilepsy F	4					1	1		2							
Convulsions M	24	20	21						1			1				1
Convulsions F	18	11	16					1	1							
Mental diseases M	27							1	1	2	6	5	6	1	1	4
Mental diseases F	18							1	3	4	6	1	2	1		
Diseases of the brain M	35	9	10			1	3	1		3		2	4	2	3	6
Diseases of the brain F	19	2	5	1	2			1			1		3	2		4
Diseases of the spinal cord M	5	1	1						1		2		1			
Diseases of the spinal cord F	3												1	1	1	
Locomotor ataxia M	3									1		1		1		
Locomotor ataxia F																
Others of this class M	1															1
Others of this class F	6					1		1				1		1		2
3. Diseases of the circulatory system	435	20	27	8	7	9	18	14	11	32	23	46	37	39	42	122
Males	292	13	19	5	1	3	9	7	3	24	15	39	25	33	31	78
Females	143	7	8	3	6	6	9	7	8	8	8	7	12	6	11	44
Pericarditis M	1														1	
Pericarditis F	1	1	1													
Diseases of the heart M	274	12	18	5	1	3	8	7	3	23	15	35	23	31	28	74
Diseases of the heart F	135	5	6	3	[illegible]	6	6	7	8	8	8	7	12	5	9	44
Angina pectoris M	7						1					2		2		2
Angina pectoris F	4						1							1	2	
Diseases of the arteries M																
Diseases of the arteries F										1		2	2		2	2
Aneurism M	9						1									
Aneurism F	1															
Embolism M																
Embolism F	1						1									
Others of this class M	1	1	1													
Others of this class F	1	1	1													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WASHINGTON—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	547	87	151	16	18	20	25	15	24	36	40	37	35	25	25	80
Males	361	49	84	9	7	11	19	12	20	27	32	26	30	18	16	50
Females	186	38	67	7	11	9	6	3	4	9	8	11	5	7	9	30
Croup M	21	9	16	4												1
Croup F	24	5	16	5	3											
Pneumonia M	269	27	49	5	7	10	18	11	14	22	27	25	21	15	10	35
Pneumonia F	110	17	29	1	6	9	6	3	4	5	5	9	5	6	5	17
Laryngitis M	2	1	2													
Laryngitis F	2		1	1												
Bronchitis M	25	6	11						1		2		2	1	2	6
Bronchitis F	25	10	15							1	2	1			2	4
Pleurisy M	11						1		1		2	1	3	1	1	1
Pleurisy F	6	1	1		2					1				1		1
Asthma M	5								1	1			1		1	1
Asthma F	7										1				1	5
Others of this class M	28	6	6			1		1	3	4	1		3	1	2	6
Others of this class F	12	5	5							2		1			1	3
5. Diseases of the digestive system	287	32	55	19	13	11	20	20	17	18	18	17	14	15	18	32
Males	160	18	30	9	7	6	9	7	7	10	13	9	7	11	17	18
Females	127	14	25	10	6	5	11	13	10	8	5	8	7	4	1	14
Dentition M	2		2													
Dentition F																
Angina M	5		2	2			1									
Angina F	7		4	2					1							
Gastritis M	14	1	2							2			1	2	5	2
Gastritis F	20	3	5			1		3	1					2	1	7
Diseases of the stomach M	8		2						1	1		1			1	2
Diseases of the stomach F	7	2	2				2			1		1				1
Obstruction of the bowels M	17	3	4	1		1	1	1	1	2		1	2	2		1
Obstruction of the bowels F	3						1	1		2	2	2				
Appendicitis M	34		1	2	6	4	5	4	2	3	3	2	1		1	
Appendicitis F	17		1	5	4	1		3	1				1	1		
Hernia M	9	3	3											2		4
Hernia F	3	1	2										1			
Other diseases of the bowels M	11	3	5	2					1			1			1	1
Other diseases of the bowels F	3	1	3													
Jaundice M	6	3	3								1				2	
Jaundice F	4	2	2				1						1			
Inflammation and abscess of the liver M	4										1				3	
Inflammation and abscess of the liver F																
Other diseases of the liver M	24	1	1							2	4	2	3	4	2	6
Other diseases of the liver F	7							1			1	1	2			2
Peritonitis M	17			2	1	1	2	2	2		3	1		1	1	1
Peritonitis F	38	2	3	3	2	3	7	5	4	3	1	3	2			2
Ascites M	2														1	1
Ascites F	3								1					1		1
Others of this class M	7	4	5								1	1				
Others of this class F	10	3	3						2	2	1	1				1
6. Diseases of the urinary system and male organs of generation.	206	5	11	4	2	4	5	4	9	25	15	10	20	16	15	66
Males	155	5	8	4	2			2	3	15	12	8	16	12	14	59
Females	51		3			4	5	2	6	10	3	2	4	4	1	7
Bright's disease M	104			3	2			2	2	13	8	7	11	10	12	34
Bright's disease F	36					2	3	2	4	8	2	1	4	4	1	5
Calculus, urinary M																
Calculus, urinary F																
Diseases of the kidney M	15	2	4	1						1		1		1		7
Diseases of the kidney F	4		3									1				
Diseases of the bladder M	14									1	4		2			7
Diseases of the bladder F	1						1									
Others of this class M	22	3	4						1				3	1	2	11
Others of this class F	10					2	1		2	2	1					2
7. Diseases of the female organs of generation.	10					1	1			1	2		2	3		
Ovarian tumors	3												1	2		
Ovarian diseases	2									1	1					
Diseases of the tubes																
Uterine tumors	2										1			1		
Uterine diseases	1						1									
Others of this class	2					1							1			

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WASHINGTON—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	49					7	7	16	10	3	5	1				
Abortion	4						1	3								
Childbirth	23					4	3	7	4	2	3					
Puerperal septicemia	18					3	2	4	5	1	2	1				
Extra-uterine pregnancy																
Others of this class	4						1	2	1							
9. Diseases of the bones and joints.	18	2	4		1	2	3		1	1	4		1			1
Males	12	1	2			2	1		1	1	3		1			1
Females	6	1	2		1		2				1					
Diseases of the spine. M	5	1	2			1	1			1						
Diseases of the spine. F	5	1	2		1		2									
Abscess, lumbar and psoas M	2								1							1
Abscess, lumbar and psoas F																
Diseases of the bones. M	4										3		1			
Diseases of the bones. F																
Diseases of the hip-joint. M	1					1										
Diseases of the hip-joint. F																
Others of this class. M																
Others of this class. F	1										1					
10. Diseases of the skin	11	3	3				1	1		2						4
Males	8	3	3				1			1						3
Females	3							1		1						1
Abscess M	5	1	1				1			1						2
Abscess F	2							1		1						
Carbuncle M																
Carbuncle F	1															1
Others of this class. M	3	2	2													1
Others of this class. F																
11. Diseases of the absorbent system.	4										3				1	
Males	4										3				1	
Females																
Addison's disease M	3										2				1	
Addison's disease F																
Diseases of the spleen M																
Diseases of the spleen F																
Others of this class. M	1										1					
Others of this class. F																
12. Accidents and injuries	598	6	43	28	21	35	60	49	65	75	54	44	30	14	26	54
Males	529	2	23	23	15	32	57	46	59	70	48	43	28	14	22	49
Females	69	4	20	5	6	3	3	3	6	5	6	1	2		4	5
Burns and scalds M	16		8	1	1			1		2		1				2
Burns and scalds F	14		7	4	2										1	
Drowning M	88		11	6	1	9	14	5	11	10	5	4	1	3	2	6
Drowning F	9		5	1		1	1								1	
Exposure and neglect M	4	1	1							1					1	1
Exposure and neglect F	1		1													
Gunshot wounds M	52			1	7	7	10	5	5	3	4	4	1		2	3
Gunshot wounds F																
Homicide M	16			1					4	2	2	1	2	1	3	
Homicide F	6					1		1	3	1						
Infanticide M																
Infanticide F																
Injuries by machinery. M	2												1		1	
Injuries by machinery. F																
Railroad accidents M	49			3			8	6	5	9	6	3	1	1	2	5
Railroad accidents F	1															1
Suffocation M	3				1		1		2		1	2				2
Suffocation F	2	2	2													
Suicide by shooting M	13						5		2	1		1	3			1
Suicide by shooting F																
Suicide by drowning M	8					1							1			1
Suicide by drowning F	1								1							
Suicide by poison M	10						2		2	2	2		1		1	
Suicide by poison F	3				1					1						1
Other suicides M	32					1	1	3	4	3	3	4	2	4	1	6
Other suicides F	7						1	1	1	1	1	1	1			
Sunstroke M	1												1			
Sunstroke F																
Surgical operations M	4			1			1			1					1	
Surgical operations F	7						1	1	1	2	1		1			
Wounds M	26			1		1	1	2	7	3	1	3	1		2	3
Wounds F																
Others of this class M	204	1	3	9	5	13	14	24	17	33	24	20	13	5	5	19
Others of this class F	18	2	5		2	1					4				2	3

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WEST VIRGINIA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	9,588	1,956	3,187	373	267	509	601	480	368	324	353	302	300	349	309	1,866
Males	5,046	1,098	1,738	183	128	261	279	243	189	165	171	164	154	183	168	1,020
Females	4,542	858	1,449	190	139	248	322	237	179	159	182	138	146	166	141	846
Unknown cause	671	441	493	5	11	7	10	5	10	16	11	6	10	8	7	72
Males	367	248	276	2	5	5	3	4	7	8	4	2	5	5	5	36
Females	304	193	217	3	6	2	7	1	3	8	7	4	5	3	2	36
1. General diseases. General diseases—A	2,130	445	946	138	84	148	112	89	64	71	69	58	46	43	26	236
Males	1,113	253	493	65	37	79	64	54	41	40	35	33	24	18	11	119
Females	1,017	192	453	73	47	69	48	35	23	31	34	25	22	25	15	117
Measles M	112	42	79	4	3	5	5	5	2	1	2	1	2			3
Measles F	116	27	67	8	3	6	6	2	3	5	3	6	3	1	1	2
Scarlet fever M	28	5	21	4	1	1										1
Scarlet fever F	32	7	20	9	1	1	1									
Diphtheria M	69	8	35	19	9	3		2		1						
Diphtheria F	93	5	52	22	11	2	1	1			1		1			2
Whooping cough M	73	39	65	4	1	3										
Whooping cough F	79	34	70	7	1											1
Malarial fever M	15	3	8	1	1	1		1			1			1		1
Malarial fever F	19	2	5	4		1		1	1	2	1	1				3
Influenza M	87	10	12	2			1	1		4	6	2	2	4	2	51
Influenza F	99	10	15		2	2	2	2	2	2	3	1	4	5	5	53
Typhoid fever M	342	8	30	16	16	53	50	39	30	24	19	22	16	7	5	15
Typhoid fever F	244	2	12	19	23	49	31	20	14	13	13	12	12	8	5	13
Cholera morbus M	30	7	17	1		1				1	1	1	1	2		5
Cholera morbus F	25	6	10	1		1		2		1	1			6	1	2
Colitis M	1														1	
Colitis F	2	1	1											1		
Diarrhea M	38	6	12	1	1	1		1	1	1	1	1	2	1		15
Diarrhea F	28	4	15		1			1				1				10
Dysentery M	71	13	37	8	3	2	2		1			2			1	15
Dysentery F	55	7	28			3				2	2	1	1		2	16
Enteritis M	21	8	17								1					3
Enteritis F	18	6	9			1								1	1	6
Cholera infantum M	134	91	134													
Cholera infantum F	120	58	120													
Fever M	15		3	2		4	1	2	1			1				1
Fever F	15	3	6	1		1	2	1		1	1	1		1		
Cerebro-spinal fever M	15	2	6	1	1	4		1	2							
Cerebro-spinal fever F	10	4	8		1						1					
Smallpox M	3						1				1			1		
Smallpox F	1				1											
Erysipelas M	14	7	8	2					1		2					1
Erysipelas F	13	4	5			1				2	1	1				3
Septicemia M	24	1	4		1		4	1	2	4			1	1	2	4
Septicemia F	31	2	8	2	2	1	3	4	3	3	3		1	1		
Venereal diseases M	9	3	3						1	4		1				
Venereal diseases F																
Others of this group M	12		2			1		1			1	2		1		4
Others of this group F	17		2		1		2	1			4	1				6
General diseases—B	91	33	53	1	1	3	2	5	4	8	3	4	3		1	3
Males	64	22	33			1	2	5	4	7	3	4	3			2
Females	27	11	20	1	1	2				1					1	1
Alcoholism M	16							2	1	4	3	3	2			1
Alcoholism F																
Parasitic diseases M	5		4			1										
Parasitic diseases F	8		7		1											
Lead poison M	1							1								
Lead poison F																
Other poisons M	19	2	6				2	2	3	3		1	1			1
Other poisons F	8	1	2	1		2				1					1	1
Inanition M	23	20	23													
Inanition F	11	10	11													
General diseases—C	388	176	182		1	1				2	2			1	4	195
Males	206	105	108			1					1				2	94
Females	182	71	74		1					2	1			1	2	101
Old age M	90														1	89
Old age F	94														1	93
Premature birth M	71	71	71													
Premature birth F	43	43	43													
Malformation M	13	13	13													
Malformation F	9	7	8		1											
Debility and atrophy M	26	15	18			1					1				1	5
Debility and atrophy F	27	12	14							2	1			1	1	8
Others of this group M	6	6	6													
Others of this group F	9	9	9													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WEST VIRGINIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	1,850	53	111	31	52	149	260	189	143	105	107	101	100	99	84	319
Males	763	16	44	13	18	50	89	71	59	47	44	48	43	47	44	146
Females	1,087	37	67	18	34	99	171	118	84	58	63	53	57	52	40	173
Anemia M	8				1						1			1	2	3
Anemia F	8			1			2	3					1			1
Diabetes M	14					3		1	1	2	3	2		1	1	
Diabetes F	9			1	2		1						1		1	3
Rheumatism M	32		1	1	2		2	1	1	4	1	2	1	3	1	12
Rheumatism F	35			2	5	1	2	2		1	2	2	1	3	4	10
Scrofula and tabes M	22	1	5	1			2	2	2	1	3		2	1	2	1
Scrofula and tabes F	33	7	11	3	4	1	3	2	3			1			1	4
Hydrocephalus M	7	1	4				2									1
Hydrocephalus F	7	4	6		1											
Tuberculosis, general M	1						1									
Tuberculosis, general F	1	1	1													
Consumption M	503	8	23	4	10	44	81	64	52	36	32	38	22	24	23	50
Consumption F	770	23	37	9	17	93	153	108	76	54	45	32	36	26	14	70
Cancer M	73			1	2	1	1	1	1	2	1	5	11	11	6	30
Cancer F	115	1	3			2	1	1	2	2	8	15	13	17	12	39
Tumor M	16	4	6	2	1				1		1		2	2		1
Tumor F	13	1	2				2			1	2	1		2		3
Dropsy M	83		2	4	2	2		2	1	2	2	1	5	4	9	47
Dropsy F	93		5	2	4	2	7	2	3		6	2	5	4	8	43
Others of this group M	4	2	3													1
Others of this group F	3		2		1											
2. Diseases of the nervous system	1,037	214	374	43	22	30	24	26	18	25	33	23	25	51	43	300
Males	558	121	192	23	13	23	13	14	13	16	19	10	16	26	21	159
Females	479	93	182	20	9	7	11	12	5	9	14	13	9	25	22	141
Inflammation of the brain M	73	25	44	7	5	4	2	2		2	2			1		4
Inflammation of the brain F	77	29	64	3			2	1			1	1		1	1	3
Meningitis M	96	36	66	7	3	3	2	2	4	2	2	1	2			2
Meningitis F	87	29	59	9	5	1	4	3			2	1	1		2	
Apoplexy M	57	2	2			1	2	2	2			4	5	7	2	30
Apoplexy F	39	1	1				1	1	1	1	2	2	4	2	4	20
Paralysis M	135			1	1	1		1	1	5	5	2	4	11	10	93
Paralysis F	143	1	3	1		2	1	1		2	5	2	1	16	10	99
Paralysis, general (of insane) M	2											1	1			
Paralysis, general (of insane) F	2													1		1
Tetanus and trismus nascentium M	3					2		1								
Tetanus and trismus nascentium F	2			2												
Chorea M	1		1													
Chorea F	4				1	2						1				
Epilepsy M	29	8	8	1	1	6	1	2	3	2	3	1				1
Epilepsy F	22	3	6	2	2	1	1	1	1			1	1	2		4
Convulsions M	49	34	42	3									1			3
Convulsions F	34	20	31	1	1				1							
Mental diseases M	37					3	2	3	1	3	4		1	4	5	11
Mental diseases F	14						2		2	2	2		1	1	2	2
Diseases of the brain M	43	10	20	3	3	1	3	1	1		2	1	1	2	1	4
Diseases of the brain F	20	2	5					4			1	1	1	1	1	6
Diseases of the spinal cord M	11	6	8								1		1			1
Diseases of the spinal cord F	15	6	11	2		1										1
Locomotor ataxia M	3									1						2
Locomotor ataxia F																
Others of this class M	19		1	1		2	1		1	1				1	3	8
Others of this class F	20	2	2					1		4	1	4		1	2	5
3. Diseases of the circulatory system	517	40	46	4	8	13	21	19	23	15	20	21	37	34	48	208
Males	274	20	21	2	3	7	7	6	11	8	7	16	16	14	29	127
Females	243	20	25	2	5	6	14	13	12	7	13	5	21	20	19	81
Pericarditis M	3						1		1							1
Pericarditis F	1			1												
Diseases of the heart M	255	19	20	2	3	7	4	5	10	8	6	16	16	11	28	119
Diseases of the heart F	224	17	22	1	5	6	11	11	10	7	13	5	20	19	19	75
Angina pectoris M	7						1							3	1	2
Angina pectoris F	12						2	2	1				1	1		5
Diseases of the arteries M	2															2
Diseases of the arteries F																
Aneurism M	4						1	1								2
Aneurism F	3						1		1							1
Embolism M	1										1					
Embolism F																
Others of this class M	2	1	1													1
Others of this class F	3	3	3													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WEST VIRGINIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	1,260	368	643	73	32	41	35	29	25	25	24	24	25	37	32	215
Males	687	206	369	34	18	22	13	16	13	12	11	16	9	28	14	112
Females	573	162	274	39	14	19	22	13	12	13	13	8	16	9	18	108
Croup M	186	100	171	13	2											
Croup F	140	75	125	13	1	1										
Pneumonia M	402	90	172	20	12	20	12	11	11	11	8	15	8	21	9	72
Pneumonia F	320	66	119	23	10	12	14	10	10	11	8	7	11	5	11	69
Laryngitis M																
Laryngitis F	2			1			1									
Bronchitis M	37	11	16	1	1			2	1	1				2		13
Bronchitis F	45	14	21	1		1	1	1			1		2	2	2	13
Pleurisy M	18						1	1	1		1			2		12
Pleurisy F	14					1	3	1			3	1	2			3
Asthma M	17		1		1									2	3	10
Asthma F	17		1				1						1	1	1	12
Others of this class M	27	5	9		2	2		2			2	1	1	1	2	5
Others of this class F	35	7	8	1	3	4	2	1	2	2	1			1	4	6
5. Diseases of the digestive system.	530	89	137	23	9	16	25	18	13	14	31	27	29	33	34	121
Males	295	50	83	12	4	8	11	9	5	7	19	11	18	16	19	73
Females	235	39	54	11	5	8	14	9	8	7	12	16	11	17	15	48
Dentition M	7	2	7													
Dentition F	4	3	4													
Angina M	3	1	1								1				1	
Angina F	2		1					1								
Gastritis M	66	6	13	2		1	4	2	2	1	8	1	4	8	6	19
Gastritis F	48	9	12	4	1	1	4	1	1	1	3	2	2	5	3	8
Diseases of the stomach M	34	2	4	1	1	1	1	2			3	1	2		4	14
Diseases of the stomach F	39	4	8	1		4	3	1		1	3	2	2	6	2	6
Obstruction of the bowels M	16	4	5	2		1	1	1		1	1		1			3
Obstruction of the bowels F	9	1	2	1	1		1					1			2	1
Appendicitis M	15	1	2	1	2	2		1		3	1		1		1	1
Appendicitis F	5			2	1	1	1									
Hernia M	8	1	2								1					5
Hernia F	8	1	1									1		1	1	4
Other diseases of the bowels M	27	7	16	1	1	1	1			1		1	1		1	8
Other diseases of the bowels F	22	5	8	2			1		2			1		1	1	6
Jaundice M	15	6	6	1										2		6
Jaundice F	7	3	3								1		1	1		1
Inflammation and abscess of the liver M	19	2	2	1			1	1	2		2	2		3	1	4
Inflammation and abscess of the liver F	13		1			1		1		1		1	1		1	6
Other diseases of the liver M	32	3	6			1	1	1	1		4	3	4	2	2	7
Other diseases of the liver F	19	1	1			1	1		2				4	2	3	5
Peritonitis M	12		1	1		1	1	1		1			2		2	2
Peritonitis F	17	1	1		1		3	4	2	1	2	2		1		
Ascites M	12	1	1	1			1				2	2	1			4
Ascites F	17							1	1	1	1	4			1	8
Others of this class M	29	14	17	1							1	1	2	1	1	5
Others of this class F	25	11	12	1	1					2	2	2	1		1	8
6. Diseases of the urinary system and male organs of generation.	281	10	17	5	8	10	8	7	10	8	13	12	14	24	17	127
Males	200	5	10	2	3	5	6	4	6	4	6	7	9	18	13	107
Females	81	5	7	4	5	5	2	3	4	4	7	5	5	6	4	20
Bright's disease M	115			1	2	5	4	2	2	4	4	5	6	12	8	60
Bright's disease F	57			3	4	3	2	3	3	4	8	4	4	4	4	16
Calculus, urinary M	6						1		1		1	1			1	1
Calculus, urinary F																
Diseases of the kidney M	46	4	8	1	1		1	2	1				2	3	3	24
Diseases of the kidney F	15	2	4		1	1			1		3	1	1	1		2
Diseases of the bladder M	16										1	1	1		1	12
Diseases of the bladder F																
Others of this class M	17	1	2						2					3		10
Others of this class F	9	3	3	1		1					1			1		2
7. Diseases of the female organs of generation.	28				1	3	5	3	4	3	2	3		1	1	2
Ovarian tumors																
Ovarian diseases	1														1	
Diseases of the tubes	2								2							
Uterine tumors	6						2	1			2	1				
Uterine diseases	6					1	1		1	1				1		1
Others of this class	13				1	2	2	2	1	2		2				1

Table 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WEST VIRGINIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	102					14	18	26	21	8	12	3				
Abortion	6					1	1	1	2	1						
Childbirth	49					8	8	9	10	5	7	2				
Puerperal septicemia	33					4	5	12	7	2	2	1				
Extra-uterine pregnancy	3							2			1					
Others of this class	11					1	4	2	2		2					
9. Diseases of the bones and joints.	80	39	56	5	2	2	2		2	2		2		2		5
Males	45	22	32	3	2	1			2			1		1		3
Females	35	17	24	2		1	2			2		1		1		2
Diseases of the spine. M	39	20	30	3	1	1						1				3
Diseases of the spine. F	33	17	24	1		1	2			2		1		1		1
Abscess, lumbar and psoas. M	1								1							
Abscess, lumbar and psoas. F																
Diseases of the bones. M	4	1	1		1				1					1		
Diseases of the bones. F	1															1
Diseases of the hip-joint. M																
Diseases of the hip-joint. F	1			1												
Others of this class. M	1	1	1													
Others of this class. F																
10. Diseases of the skin	21	8	11	1				1			1	1		2	1	3
Males	14	4	8	1				1			1	1			1	1
Females	7	2	3											2		2
Abscess. M	6	1	1	1				1			1				1	1
Abscess. F	4	1	1											1		2
Carbuncle. M	2	1	1									1				
Carbuncle. F																
Others of this class. M	6	2	6													
Others of this class. F	3	1	2											1		
11. Diseases of the absorbent system.	5	1	1								1	1		1	1	
Males	3	1	1									1			1	
Females	2										1			1		
Addison's disease. M																
Addison's disease. F																
Diseases of the spleen. M																
Diseases of the spleen. F	1										1					
Others of this class. M	3	1	1									1			1	
Others of this class. F	1													1		
12. Accidents and injuries	597	41	117	43	36	72	79	63	31	22	24	16	11	13	10	60
Males	457	25	68	26	25	59	71	59	28	16	21	14	11	10	8	41
Females	140	16	49	17	11	13	8	4	3	6	3	2		3	2	19
Burns and scalds. M	32	1	23	5							1	1				2
Burns and scalds. F	61	2	24	13	5	6	1		2	1	1	1		1		6
Drowning. M	25		3	4	4	6	4	2		1	1					
Drowning. F	10		3	2	1	3				1						
Exposure and neglect. M	5	5	5													
Exposure and neglect. F	5	2	2			1	1	1								
Gunshot wounds. M	42		1	1	5	9	7	5	5	2	3	1		1		2
Gunshot wounds. F	4					3				1						
Homicide. M	15					1	3	2	3		1	1			1	3
Homicide. F	2										1					1
Infanticide. M																
Infanticide. F																
Injuries by machinery. M	5					1					2		1	1		
Injuries by machinery. F																
Railroad accidents. M	98	3	5	4	3	13	24	12	5	6	8	3	1	1	3	10
Railroad accidents. F	5		1		2		1							1		
Suffocation. M	12	8	9					1		1						1
Suffocation. F	7	5	7													
Suicide by shooting. M	3						2				1					
Suicide by shooting. F																
Suicide by drowning. M	1										1					
Suicide by drowning. F	2							1			1					
Suicide by poison. M	2					1							1			
Suicide by poison. F	1						1									
Other suicides. M	10					2		2	1			3	2			
Other suicides. F	2						1								1	
Sunstroke. M	3														1	2
Sunstroke. F																
Surgical operations. M										1						
Surgical operations. F	1															
Wounds. M	10		1	1			2	2			1			1	1	1
Wounds. F	1															1
Others of this class. M	194	8	21	11	13	26	29	33	14	6	2	5	6	5	2	20
Others of this class. F	39	7	12	2	3		3	2	1	2		1		1	1	11

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WISCONSIN.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	24,928	5,213	7,241	824	546	732	1,060	958	848	937	936	802	894	999	1,122	7,029
Males	13,815	2,950	4,009	433	274	341	503	481	455	489	534	476	534	604	624	4,058
Females	11,113	2,263	3,232	391	272	391	557	477	393	448	402	326	360	395	498	2,971
Unknown cause	916	366	426	26	20	9	20	30	21	22	26	20	26	25	31	214
Males	499	210	242	14	12	3	7	12	10	9	15	8	18	12	22	115
Females	417	156	184	12	8	6	13	18	11	13	11	12	8	13	9	99
1. General diseases.																
General diseases—A	3,523	1,300	1,998	265	127	99	122	97	73	83	52	48	47	39	84	389
Males	1,835	706	1,049	144	55	49	65	55	36	34	27	20	25	30	39	207
Females	1,688	594	949	121	72	50	57	42	37	49	25	28	22	9	45	182
Measles M	38	9	28	3	3		1			1						2
Measles F	65	15	41	9	1	8	2	2							1	1
Scarlet fever M	105	9	66	31	4	1		2			1					
Scarlet fever F	95	8	60	21	7		1	3		2						1
Diphtheria M	185	8	81	65	18	9	4	3	2	1						2
Diphtheria F	167	8	60	57	34	5	5	3						1		1
Whooping cough M	96	73	92	3	1											
Whooping cough F	122	78	113	6	2											1
Malarial fever M	22	4	4		2	2	3	2	1			1	1	1		5
Malarial fever F	15	1	2		1	1	2	1		2		1			2	3
Influenza M	98	12	18	4				1	2		3	2	2	2	3	61
Influenza F	143	16	24	2	1		2	2	3	2	4	4	7	3	7	82
Typhoid fever M	220		8	7	11	25	42	38	22	21	12	6	7	7	7	7
Typhoid fever F	145	4	15	9	15	25	23	11	8	16	5	5	5	1	5	2
Cholera morbus M	133	49	71	10	5	6	2	1	2	1	1	3	3	3	3	17
Cholera morbus F	114	30	45	6	5	3	5	2	5	5	5	2	2	1	3	25
Colitis M	12	7	8												1	3
Colitis F	7	1	2	1					1		1	1				1
Diarrhea M	93	39	53	3	1								1	4	2	29
Diarrhea F	60	33	42	2	2			1		1		1			5	6
Dysentery M	56	19	30	1	1		1			1	1		1	1	6	13
Dysentery F	60	16	33	1							1	2	1	1	4	17
Enteritis M	225	147	177	5		2	1	2	1	2	2	3	2	2	4	22
Enteritis F	184	109	141	2	3		4		3	4	1	3	1	1	7	14
Cholera infantum M	357	292	357													
Cholera infantum F	318	234	318													
Fever M	6	2	3						1							2
Fever F	12	4	4			1	1	2	2	1			1			
Cerebro-spinal fever M	25	2	12	6	3		1		1			1				1
Cerebro-spinal fever F	15	4	9	2	1			1	1	1						
Smallpox M	3	1	2							1						
Smallpox F	4	1	1							1			2			
Erysipelas M	28	9	11		1	1		1	1				2	3	1	7
Erysipelas F	22	7	7			2				1		1			3	8
Septicemia M	104	18	22	6	4	2	8	4	3	5	7	4	5	6	6	22
Septicemia F	104	13	18	1		4	11	14	14	12	8	6	3		7	6
Venereal diseases M	6	5	5							1						
Venereal diseases F	12	10	10									1				1
Others of this group M	23	1	1		1	1	2	1					1	1	1	14
Others of this group F	24	2	4	2			1			1		1		1	1	13
General diseases—B	514	344	369	5	7	5	7	7	9	8	23	17	14	7	7	34
Males	297	190	203	2	1	2	3	2	5	5	19	12	12	6	5	20
Females	217	154	166	3	1	3	4	5	4	3	4	5	2	1	2	14
Alcoholism M	49								2	2	16	7	10	4	1	7
Alcoholism F	10		1				1		2		2	2				2
Parasitic diseases M	1															1
Parasitic diseases F	1			1												
Lead poison M	1											1				
Lead poison F																
Other poisons M	41		6	2	1	2	3	2	3	3	2	3	2	2	3	7
Other poisons F	32	1	5	1	1	3	1	5	2	3	2	2		1		6
Inanition M	205	190	197								1	1			1	5
Inanition F	174	153	160	1			2					1	2		2	5
General diseases—C	2,362	737	757	2	2	4	10	9	8	10	18	11	21	24	34	1,452
Males	1,257	422	432		2	3	6	4	4	7	8	7	12	13	13	746
Females	1,105	315	325	2		1	4	5	4	3	10	4	9	11	21	706
Old age M	665														2	663
Old age F	651														8	643
Premature birth M	247	247	247													
Premature birth F	179	179	179													
Malformation M	35	33	33			1										1
Malformation F	32	31	32													
Debility and atrophy M	274	107	117		2	2	6	4	4	7	8	7	12	13	10	82
Debility and atrophy F	213	75	84	2		1	4	5	4	3	10	4	9	11	13	63
Others of this group M	36	35	35												1	
Others of this group F	30	30	30													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WISCONSIN—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	4,286	106	220	56	89	246	381	372	258	287	292	263	249	304	283	986
Males	2,067	59	125	25	32	89	141	162	126	138	147	127	122	158	141	534
Females	2,219	47	95	31	57	157	240	210	132	149	145	136	127	146	142	452
Anemia M	31	5	5	2		2	1	2	1	1		3	3	1	2	8
Anemia F	24	2	5		1				2	2	1	1	2		3	7
Diabetes M	83			2	3	7	6	3	2	1	6	4	9	6	8	26
Diabetes F	66	1	5	7	4	2	1	8	2	1	3	2	5	10	8	13
Rheumatism M	101	2	4	6	6	6	4	5	3	5	3	4	3	4	9	39
Rheumatism F	51		2	2	2	6	2	1	3	2	1	2	1	3	3	21
Scrofula and tabes M	17	3	8	1	1								2	1	1	3
Scrofula and tabes F	15		1			2			4	1	1	1	1		2	2
Hydrocephalus M	34	10	25	2	1			1	1	1	1	1				1
Hydrocephalus F	34	18	27	3		1	1			1						1
Tuberculosis, general M	5		1			1		1						2		
Tuberculosis, general F	6	1	1		1		2	1								1
Consumption M	1,087	22	53	7	16	69	120	140	110	115	97	65	60	75	38	122
Consumption F	1,263	19	42	17	44	138	229	187	105	120	90	59	47	46	26	113
Cancer M	466	1	3	2	1	1	2	6	5	9	27	38	34	54	58	226
Cancer F	514	1	1			3		5	11	17	33	53	55	59	82	190
Tumor M	53	4	6		1	1	3		2	2	6	2	4	5	9	12
Tumor F	67				1	1	1	2	5	4	7	4	7	10	7	18
Dropsy M	167	2	6	1	1	2	4	3	2	4	6	9	6	10	16	97
Dropsy F	164		4	1	4	4	2	6		1	4	14	9	17	14	84
Others of this group M	23	10	14	2	2		1	1			1	1	1			
Others of this group F	15	5	7	1			2							1	2	2
2. Diseases of the nervous system	3,212	888	1,218	103	47	54	81	62	71	59	91	75	104	133	153	961
Males	1,827	509	682	51	20	23	45	34	48	33	52	50	60	93	92	544
Females	1,385	379	536	52	27	31	36	28	23	26	39	25	44	40	61	417
Inflammation of the brain M	99	18	37	8	1	1	6	1	5	4	1	5	4	5	1	20
Inflammation of the brain F	52	13	24	5	4	1	2	2	3		4		1	1	1	4
Meningitis M	244	82	140	22	7	7	12	4	7	8	8	5	5	3	5	10
Meningitis F	205	55	120	27	11	14	7	9	2	1	5	4	1	1		8
Apoplexy M	403	5	5	2		1	8	6	10	9	11	17	19	31	43	241
Apoplexy F	276	4	6	2	1	1	2	2	4	6	8	7	25	14	20	178
Paralysis M	320	7	12	4	2	3	2	3	6	2	18	14	10	33	26	185
Paralysis F	247	2	5	4	1	3	5	6	4	5	7	7	2	11	24	163
Paralysis, general (of insane) M	3										1					2
Paralysis, general (of insane) F	4									1				1	1	1
Tetanus and trismus nascentium M	18	5	6	1	1	2	2	3	1	1	1					
Tetanus and trismus nascentium F	10	7	7	1			1				1					
Chorea M																
Chorea F	1		1													
Epilepsy M	52	8	8	4	2	2	7	6	5	1	2	2	2	2	2	7
Epilepsy F	30	4	4		4	3	2	2		4	2	2		2	3	2
Convulsions M	465	370	444	5	3		1	3	2	2	1			2		2
Convulsions F	369	276	341	7	2	1	6	3	2	1	2				1	3
Mental diseases M	44							5	2		1	3	8	3	4	18
Mental diseases F	59			1			3	3	3	5	6	1	8	3	3	28
Diseases of the brain M	115	11	23	4	3	5	1	2	6	2	7	1	7	7	6	41
Diseases of the brain F	82	16	23	2	2	5	5		3	1	4	2	4	2	5	24
Diseases of the spinal cord M	35	3	6	1	1		4	1	2	1	1	1	2	5	2	8
Diseases of the spinal cord F	16	1	4	1		1	1		2	1			1	1	1	3
Locomotor ataxia M	13					1			2	2			2	1	2	3
Locomotor ataxia F	3											1	1		1	
Others of this class M	16		1			1	2			1		2		1	1	7
Others of this class F	31	1	1	2	2	2	2	1		1		1	6	4	1	8
3. Diseases of the circulatory system	2,262	97	129	46	40	49	56	54	54	88	97	90	128	136	196	1,099
Males	1,303	60	83	17	24	21	19	28	20	45	49	58	75	76	110	678
Females	959	37	46	29	16	28	37	26	34	43	48	32	53	60	86	421
Pericarditis M	7					1						1	1	1		3
Pericarditis F	6			2			1				1				2	
Diseases of the heart M	1,202	53	75	16	23	20	19	27	17	44	44	55	67	70	97	628
Diseases of the heart F	903	34	43	27	15	27	34	24	32	40	44	30	50	59	82	396
Angina pectoris M	40			1				1	2		2	1	5	4	5	19
Angina pectoris F	18					1	1	1		1		1	2		1	10
Diseases of the arteries M	37										1	1	1		7	27
Diseases of the arteries F	8													1		7
Aneurism M	7								1	1	2		1		1	1
Aneurism F	5								1			1				3
Embolism M	3	1	1		1									1		
Embolism F	14						1	1	1	2	3		1		1	4
Others of this class M	7	6	7													
Others of this class F	5	3	3		1											1

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WISCONSIN—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	3,184	845	1,319	124	54	58	84	72	83	90	84	100	100	90	131	795
Males	1,766	482	731	65	23	25	47	41	43	51	57	70	68	48	69	428
Females	1,418	363	588	59	31	33	37	31	40	39	27	30	32	42	62	367
Croup M	86	25	66	17	1	1	1									
Croup F	73	21	58	12	1					1			1			
Pneumonia M	1,161	286	453	38	18	22	40	39	37	44	45	50	53	34	42	246
Pneumonia F	861	191	329	31	24	26	28	24	31	27	21	22	24	27	41	206
Laryngitis M	12	5	6	2						1		1	1			1
Laryngitis F	14	1	8	2	1	1										2
Bronchitis M	284	126	154	7	2	1	3		2	2		5	4	4	11	89
Bronchitis F	294	116	148	9	1		2	2	2	1	2	3	4	8	10	102
Pleurisy M	34	2	7		2			1	1	1	5	2	1		3	11
Pleurisy F	24	1	3	1	3	3			2	2	2	2	1		1	4
Asthma M	77	3	4				1			1		2	4	4	10	51
Asthma F	50			1			3	2	1	2	2	1	1	5	5	27
Others of this class M	112	37	41	1		1	2	1	3	2	7	10	5	6	3	80
Others of this class F	102	33	42	3	1	3	4	3	4	6		2	1	2	5	26
5. Diseases of the digestive system.	1,636	393	488	69	74	63	71	56	60	74	73	40	54	89	75	350
Males	904	233	276	34	35	30	36	27	28	42	36	19	28	62	34	217
Females	732	160	212	35	39	33	35	29	32	32	37	21	26	27	41	133
Dentition M	21	18	21													
Dentition F	13	8	13													
Angina M	13	3	4	1	2	2	3	1								
Angina F	11	2	2	4	2	1		1	1							
Gastritis M	122	24	33	2	2		1	1	1	4	3	3	4	11	5	52
Gastritis F	109	19	32	5	2	1		2	4	3	6	1	5	7	5	36
Diseases of the stomach M	71	7	7		1	3		1	1	3	3	2	4	8	7	31
Diseases of the stomach F	45	9	9				3	2	2	4	4		1	3	5	12
Obstruction of the bowels M	60	9	11	2	2	2	3	1	4	5	2	1	2	4	2	19
Obstruction of the bowels F	53	3	5	2	4	1	2	3	2	1	6	1	2	5	5	14
Appendicitis M	140	1	3	11	19	14	17	11	12	17	15		2	4	4	11
Appendicitis F	77		2	12	23	12	7	5	2	2	6	2		1	1	2
Hernia M	29	4	4				1		2				1	2	3	16
Hernia F	25	1	1			1			1	1	1	2	4	1	2	11
Other diseases of the bowels M	34	14	17	1	1	2	1	2		2	1			1	1	5
Other diseases of the bowels F	25	12	14				1	1	1			1				7
Jaundice M	32	16	17			1		1					2	7		4
Jaundice F	18	6	8	1					1	2				2	3	1
Inflammation and abscess of the liver M	20	2	2	2			3		2			2		3		6
Inflammation and abscess of the liver F	13	1	1							1	1		2		1	7
Other diseases of the liver M	79	4	5				1	1		4	6	6	7	12	8	29
Other diseases of the liver F	56	3	4	1			3		2	2	2	6	6	3	10	17
Peritonitis M	108	7	18	14	8	6	6	7	3	6	3	5	3	6	2	21
Peritonitis F	145	9	18	10	7	17	17	15	14	14	9	4	1	2	5	12
Ascites M	7	1	1								2		1			3
Ascites F	6								1		1	2	1		1	
Others of this class M	168	123	133	1				1	3	1	1		2	4	2	20
Others of this class F	136	87	103		1		2		1	2	1	2	4	3	3	14
6. Diseases of the urinary system and male organs of generation.	874	15	46	23	10	12	21	28	28	43	36	32	49	68	50	428
Males	603	7	20	16	6	6	8	13	16	20	19	16	31	49	39	344
Females	271	8	26	7	4	6	13	15	12	23	17	16	18	19	11	84
Bright's disease M	387			15	4	3	7	7	10	17	18	14	27	32	31	202
Bright's disease F	188			5	4	6	7	11	11	15	12	13	15	14	8	67
Calculus, urinary M	4															4
Calculus, urinary F	2							1						1		
Diseases of the kidney M	70	2	15	1	2	2	1	3	2	1		1	2	6	2	32
Diseases of the kidney F	53	7	23	1			3	2	1	4	1	3	2	3	1	9
Diseases of the bladder M	78	2	2			1			2	1				8	4	60
Diseases of the bladder F	9	1	2					1			2			1	1	2
Others of this class M	64	3	3					3	2	1	1	1	2	3	2	46
Others of this class F	19		1	1			3			4	2		1		1	6
7. Diseases of the female organs of generation.	44					3	1	9	4	9	5	2	4	4	2	1
Ovarian tumors	5							1			2		1		1	
Ovarian diseases																
Diseases of the tubes	5						1	1	2			1				
Uterine tumors	10							1		4	1		2	1	1	
Uterine diseases	9					1		2		1		1	1	2		1
Others of this class	15					2		4	2	4	2			1		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WISCONSIN—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	190				1	13	44	36	39	35	17	2				3
Abortion	17					1	3	4	6	3						
Childbirth	107					8	22	20	20	21	12	1				3
Puerperal septicemia	48				1	1	12	10	9	11	4					
Extra-uterine pregnancy	1								1							
Others of this class	17					3	7	2	3		1	1				
9. Diseases of the bones and joints.	65	12	18	8	1	1	2	2	1	5	2	5	4	5	3	8
Males	37	6	11	3	1	1	1			2	2	5	2	3	3	3
Females	28	6	7	5			1	2	1	3			2	2		5
Diseases of the spine. M	21	4	7	2						1	2	4	1		1	3
Diseases of the spine. F	18	5	5	4				2	1	2			1	1		2
Abscess, lumbar and psoas. M																
Abscess, lumbar and psoas. F																
Diseases of the bones. M	14	1	3	1	1	1	1			1			1	3	2	
Diseases of the bones. F	3						1						1	1		
Diseases of the hip-joint. M	1	1	1													
Diseases of the hip-joint. F	3	1	2							1						
Others of this class M	1											1				
Others of this class F	4			1												3
10. Diseases of the skin	64	20	24	1	2	1	1	2	1	2		1	2	3	3	21
Males	34	9	10		2	1				1		1	2	1	3	13
Females	30	11	14	1			1	2	1	1				2		8
Abscess M	18	4	5		1	1							2	1	1	7
Abscess F	17	6	7	1			1	2		1				1		4
Carbuncle M	2				1										1	
Carbuncle F																
Others of this class M	14	5	5							1		1			1	6
Others of this class F	13	5	7						1					1		4
11. Diseases of the absorbent system.	22	2	5			1	1	2	2		2		2	3	2	2
Males	13	1	3			1		2	2					2	1	2
Females	9	1	2				1				2		2	1	1	
Addison's disease M	4					1		2							1	
Addison's disease F	1						1									
Diseases of the spleen M	4	1	2						1					1		
Diseases of the spleen F																
Others of this class M	5		1						1					1		2
Others of this class F	8	1	2								2		2	1	1	
12. Accidents and injuries	1,774	88	224	96	77	114	158	120	136	122	118	96	90	69	68	286
Males	1,373	56	142	62	61	87	125	101	117	102	103	83	79	51	53	207
Females	401	32	82	34	16	27	33	19	19	20	15	13	11	18	15	79
Burns and scalds M	49	1	28	4		1	1	2	2	3	1		2		2	3
Burns and scalds F	74	2	34	17	5		2	1	1	4		2	2	3	1	2
Drowning M	172		9	25	32	22	20	10	5	9	12	6	3	3	3	13
Drowning F	20		6	2		2	1	2	1		1		2			3
Exposure and neglect M	16	4	7										1	2	2	4
Exposure and neglect F	16	6	8			2	1	1						2		2
Gunshot wounds M	53		3	4	3	7	7	4	4	7	5	2	1	2	1	3
Gunshot wounds F	5			1		1	1			2						
Homicide M	19					2	3	1	2		5		1	4		1
Homicide F	5							1	1			1			1	1
Infanticide M	1	1	1													
Infanticide F																
Injuries by machinery. M	6					3	1		1							1
Injuries by machinery. F																
Railroad accidents M	211		4	1	1	17	31	17	30	18	15	14	19	12	9	23
Railroad accidents F	8			1	1	1						2		2		1
Suffocation M	50	26	28	1	2	2	2			1	4			1	1	8
Suffocation F	27	13	16	2	2	1				1	1		1			3
Suicide by shooting M	29						1		5	1	5	6	1		2	8
Suicide by shooting F	3								1					2		
Suicide by drowning M	9							1		2	1		2			3
Suicide by drowning F	4									2	1				1	
Suicide by poison M	7								1	1	1	1	2			1
Suicide by poison F	10					3	3	2	2							
Other suicides M	83						4	5	13	9	8	10	7	1	7	19
Other suicides F	23					1	4	2	5	1	1	1	1	1	3	3
Sunstroke M	14	2	3					2	1		2		1	1		4
Sunstroke F	1												1			
Surgical operations M	9	1	1			1	1	1			1		1	1		2
Surgical operations F	15			2		1	4		2	1	1	1	1	1		1
Wounds M	22		2	1		2	2	3	1	2	3	1			1	4
Wounds F	3	1	2													1
Others of this class M	623	21	56	26	23	30	52	55	52	49	40	43	28	24	25	110
Others of this class F	187	10	16	9	8	15	17	10	6	9	10	6	3	7	9	62

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WYOMING.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	767	142	232	53	37	34	37	53	46	61	26	36	30	20	26	76
Males	452	76	124	27	21	25	19	34	39	33	20	25	19	13	14	39
Females	315	66	108	26	16	9	18	19	7	28	6	11	11	7	12	37
Unknown cause	27	10	11	1	1		4	1		3	2		2			2
Males	15	6	7		1		3	1			2		1			
Females	12	4	4	1			1			3			1			2
1. General diseases.																
General diseases—A	142	30	66	20	13	7	2	7	7	4	2	7	2	2		3
Males	73	15	34	8	8	5		4	5	3	1	2	1	2		
Females	69	15	32	12	5	2	2	3	2	1	1	5	1			3
Measles M	10	2	6	1	1	1		1								
Measles F	10	3	6	1			1	1				1				
Scarlet fever M	7		2	2	3											
Scarlet fever F	3		1	2												
Diphtheria M	9	1	4	3	2											
Diphtheria F	14	2	4	4	4	1		1								
Whooping cough M	2	1	2													
Whooping cough F	2	1	2													
Malarial fever M																
Malarial fever F																
Influenza M	9	1	5		1						1			2		
Influenza F	11	1	5	2			1	1								2
Typhoid fever M	10		2	1	1	3		1	1	1						
Typhoid fever F	6		1	1	1	1			1				1			
Cholera morbus M	8	3	5	1		1							1			
Cholera morbus F	4	2	2							1		1				
Colitis M																
Colitis F																
Diarrhea M	1	1	1													
Diarrhea F	1		1													
Dysentery M	3							1	1	1						
Dysentery F	1		1													
Enteritis M	1											1				
Enteritis F	1		1													
Cholera infantum M	4	4	4													
Cholera infantum F	7	5	7													
Fever M																
Fever F	1			1												
Cerebro-spinal fever M																
Cerebro-spinal fever F	3		1	1								1				
Smallpox M	3	1	2					1								
Smallpox F																
Erysipelas M	2	1	1							1						
Erysipelas F																
Septicemia M	2								1			1				
Septicemia F	3										1	1				1
Venereal diseases M	2								2							
Venereal diseases F	2								1			1				
Others of this group M																
Others of this group F																
General diseases—B	20	7	10				1	2		2	1		2			2
Males	12	3	5				1			1	1		2			2
Females	8	4	5					2		1						
Alcoholism M	4									1			2			1
Alcoholism F																
Parasitic diseases M																
Parasitic diseases F																
Lead poison M																
Lead poison F																
Other poisons M	3		1				1				1					
Other poisons F	4		1					2		1						
Inanition M	5	3	4													1
Inanition F	4	4	4													
General diseases—C	20	3	3					1	1			1			1	12
Males	11							1	1						1	8
Females	9	3	3									1				5
Old age M	8														1	7
Old age F	5															5
Premature birth M																
Premature birth F	2	2	2													
Malformation M																
Malformation F	1	1	1													
Debility and atrophy M	3							1	1							1
Debility and atrophy F	1											1				
Others of this group M																
Others of this group F																

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WYOMING—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	114	6	13	13	5	6	7	7	6	8	3	13	6	5	10	12
Males	54	4	7	7	1	1	3	3	4	2	2	8	4	3	5	4
Females	60	2	6	6	4	5	4	4	2	6	1	5	2	2	5	8
Anemia M	1												1			
Anemia F	2									1			1			
Diabetes M	1			1												
Diabetes F																
Rheumatism M																
Rheumatism F	3												1	1	1	
Scrofula and tabes M	14	4	7	5								1			1	
Scrofula and tabes F	13	3	5	5	1	1						1				
Hydrocephalus M																
Hydrocephalus F																
Tuberculosis, general M																
Tuberculosis, general F																
Consumption M	24			1		1	3	3	3	2	1	3	1	2	1	3
Consumption F	27		1	1	3	4	3	4	2	3	1	1			1	3
Cancer M	9								1		1	2	2	1	1	1
Cancer F	7									1		1			3	2
Tumor M	1				1											
Tumor F	2									1				1		
Dropsy M	4											2			2	
Dropsy F	6						1					2				3
Others of this group M																
Others of this group F																
2. Diseases of the nervous system	55	19	27	1		1	1	1	2	3			7	1	2	9
Males	28	9	11	1					2	2			4	1	1	6
Females	27	10	16			1	1	1		1			3		1	3
Inflammation of the brain M	5	2	2						1	2						
Inflammation of the brain F	2		1										1			
Meningitis M	4	1	2	1									1			
Meningitis F	7	2	4					1		1			1			
Apoplexy M	4												1	1		2
Apoplexy F	3					1	1									1
Paralysis M	5												1		1	3
Paralysis F	5	1	1										1		1	2
Paralysis, general (of insane) M																
Paralysis, general (of insane) F																
Tetanus and trismus nascentium M																
Tetanus and trismus nascentium F																
Chorea M																
Chorea F																
Epilepsy M																
Epilepsy F																
Convulsions M	6	5	6													
Convulsions F	7	5	7													
Mental diseases M	1												1			
Mental diseases F																
Diseases of the brain M	2								1							1
Diseases of the brain F	2	2	2													
Diseases of the spinal cord M																
Diseases of the spinal cord F	1		1													
Locomotor ataxia M																
Locomotor ataxia F																
Others of this class M	1	1	1													
Others of this class F																
3. Diseases of the circulatory system	41	6	9	5	2		1	2	3	2		1	1	1	4	10
Males	26	4	6	2	1		1	2	3	1		1	1	1	2	5
Females	15	2	3	3	1					1					2	5
Pericarditis M																
Pericarditis F																
Diseases of the heart M	25	4	6	2	1		1	2	3	1		1	1	1	1	5
Diseases of the heart F	14	2	3	3	1										2	5
Angina pectoris M	1														1	
Angina pectoris F	1									1						
Diseases of the arteries M																
Diseases of the arteries F																
Aneurism M																
Aneurism F																
Embolism M																
Embolism F																
Others of this class M																
Others of this class F																

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WYOMING—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	159	47	69	7	2	5	2	[illegible]	14	15	8	6	6	4	2	10
Males	109	29	41	5		5	1	[illegible]	12	9	8	6	5	2	2	4
Females	50	18	28	[illegible]	2		1		2	6			1	2		6
Croup M	4	2	4													
Croup F	1	1	1													
Pneumonia M	82	17	23	3		4	1	9	9	[illegible]	8	6	4	2	[illegible]	[illegible]
Pneumonia F	27	5	9	2	1		1		2	6				2		4
Laryngitis M	1					1										
Laryngitis F																
Bronchitis M	16	9	13	2												1
Bronchitis F	17	9	15										1			1
Pleurisy M	1												1			
Pleurisy F																
Asthma M	1															1
Asthma F	1															1
Others of this class M	4	1	1						3							
Others of this class F	4	3	3		1											
5. Diseases of the digestive system	47	8	11	3	5	3	3	2	1	3	3	1	1	4	3	4
Males	19	3	3	1	3	3		1	1	1	1	1		2	1	1
Females	28	5	8	2	2		3	1		2	2		1	2	2	3
Dentition M																
Dentition F																
Angina M																
Angina F																
Gastritis M	1									1						
Gastritis F	4						1	1							2	
Diseases of the stomach M	1													1		
Diseases of the stomach F																
Obstruction of the bowels M	4				1	2		1								
Obstruction of the bowels F	3			1			1									1
Appendicitis M	3				1	1						1				
Appendicitis F	5			1	1					1	1			1		
Hernia M																
Hernia F	1													1		
Other diseases of the bowels M	4	3	3								1					
Other diseases of the bowels F	2	2	2													
Jaundice M																
Jaundice F	1		1													
Inflammation and abscess of the liver M	1				1											
Inflammation and abscess of the liver F	1										1					
Other diseases of the liver M	3								1					1	1	
Other diseases of the liver F	1	1	1													
Peritonitis M	1			1												
Peritonitis F	6	1	2		1		1			1						1
Ascites M	1															1
Ascites F	2												1			1
Others of this class M																
Others of this class F	2	1	2													
6. Diseases of the urinary system and male organs of generation.	12	3	[illegible]		2								1	1	[illegible]	1
Males	4	1	2		1										1	
Females	8	2	2		1								1	1	2	1
Bright's disease M	2				1										1	
Bright's disease F	6				1								1	1	2	1
Calculus, urinary M																
Calculus, urinary F																
Diseases of the kidney M	1	1	1													
Diseases of the kidney F	2	2	2													
Diseases of the bladder M																
Diseases of the bladder F																
Others of this class M	1		1													
Others of this class F																
7. Diseases of the female organs of generation.																
Ovarian tumors																
Ovarian diseases																
Diseases of the tubes																
Uterine tumors																
Uterine diseases																
Others of this class																

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WYOMING—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	19					1	6	6		5	1					
Abortion	2									2						
Childbirth	12					1	5	3		3						
Puerperal septicemia	4						1	2			1					
Extra-uterine pregnancy																
Others of this class	1							1								
9. Diseases of the bones and joints.	3	1	2	1												
Males	3	1	2	1												
Females																
Diseases of the spine M	2	1	2													
Diseases of the spine F																
Abscess, lumbar and psoas. M																
Abscess, lumbar and psoas. F																
Diseases of the bones. M																
Diseases of the bones. F																
Diseases of the hip-joint. M	1			1												
Diseases of the hip-joint. F																
Others of this class M																
Others of this class F																
10. Diseases of the skin	2		1				1									
Males	2		1				1									
Females																
Abscess M	2		1				1									
Abscess F																
Carbuncle M																
Carbuncle F																
Others of this class M																
Others of this class F																
11. Diseases of the absorbent system.																
Males																
Females																
Addison's disease M																
Addison's disease F																
Diseases of the spleen M																
Diseases of the spleen F																
Others of this class M																
Others of this class F																
12. Accidents and injuries	106	2	6	2	7	11	9	15	12	16	6	7	2	2	1	10
Males	96	1	5	2	6	11	9	13	11	14	5	7	1	2	1	9
Females	10	1	1		1			2	1	2	1		1			1
Burns and scalds M	3		2					1								
Burns and scalds F	1												1			
Drowning M	4		1			1		2								
Drowning F	1				1											
Exposure and neglect M	4				2							2				
Exposure and neglect F	1	1	1													
Gunshot wounds M	10				2	2	1	2		1	1					1
Gunshot wounds F																
Homicide M	3		1							1	1					
Homicide F																
Infanticide M	1	1	1													
Infanticide F																
Injuries by machinery. M																
Injuries by machinery. F																
Railroad accidents M	22			1		4	6	3	2	2	1	1				2
Railroad accidents F																
Suffocation M																
Suffocation F																
Suicide by shooting M																
Suicide by shooting F																
Suicide by drowning M																
Suicide by drowning F																
Suicide by poison M	3										1	1			1	
Suicide by poison F	2								1							1
Other suicides M	1															1
Other suicides F	1									1						
Sunstroke M																
Sunstroke F																
Surgical operations M																
Surgical operations F																
Wounds M																
Wounds F																
Others of this class M	45			1	2	4	2	5	9	10	1	3	1	2		5
Others of this class F	4							2		1	1					

TABLE 9.

DEATHS IN THE UNITED STATES, DURING THE CENSUS YEAR ENDING MAY 31, 1900, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY COLOR AND RACE.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

WHITE.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	892,092	170,665	49,212	22,890	14,648	10,493	267,908	30,272	19,160	28,877	39,519	39,927
2	Males	477,080	95,344	26,033	11,938	7,458	5,340	146,113	15,570	9,780	14,242	19,661	20,008
3	Females	415,012	75,321	23,179	10,952	7,190	5,153	121,795	14,702	9,380	14,635	19,858	19,919
4	Unknown cause	28,159	13,480	1,449	656	412	314	16,311	846	496	559	628	586
5	Males	15,068	7,459	768	335	220	161	8,943	445	247	283	273	249
6	Females	13,091	6,021	681	321	192	153	7,368	401	249	276	355	337
	1. General diseases.												
7	General diseases—A	175,356	48,323	21,078	9,421	6,165	4,557	89,544	12,697	6,088	7,112	7,523	6,025
8	Males	90,128	26,126	10,974	4,752	3,012	2,268	47,132	6,121	2,755	3,389	4,077	3,204
9	Females	85,228	22,197	10,104	4,669	3,153	2,289	42,412	6,576	3,333	3,723	3,446	2,821
10	Measles M	4,946	1,232	1 263	566	275	175	3,511	599	182	185	189	98
	Measles F	5,267	1,100	1,138	569	313	174	3,294	438	198	242	178	161
11	Scarlet fever M	3,008	296	427	452	450	332	1,957	763	138	53	32	20
	Scarlet fever F	3,061	227	396	441	443	368	1,875	799	187	79	36	23
12	Diphtheria M	7,746	587	1,061	1,120	1,011	851	4,630	2,144	535	182	82	35
	Diphtheria F	8,065	454	966	1,045	1,020	886	4,371	2,482	694	210	83	62
13	Whooping cough M	3,657	2,221	764	274	133	83	3,475	111	21	10	3	.....
	Whooping cough F	4,261	2,289	978	441	203	110	4,021	164	27	12	2	4
14	Malarial fever M	4,749	598	334	180	138	126	1,376	424	271	335	356	278
	Malarial fever F	4,536	542	358	199	162	134	1,395	470	259	308	309	240
15	Influenza M	6,283	754	165	69	44	26	1,058	97	55	82	125	112
	Influenza F	7,504	543	135	82	45	39	844	105	74	115	127	173
16	Typhoid fever M	15,606	392	341	240	223	194	1,390	905	899	1,900	2,565	1,951
	Typhoid fever F	13,242	384	341	268	266	156	1,415	1,001	1,339	2,124	1,768	1,160
17	Cholera morbus M	2,970	886	341	206	75	43	1,551	164	106	72	70	50
	Cholera morbus F	2,718	684	310	159	71	38	1,262	133	78	81	89	87
18	Colitis M	720	304	121	39	27	7	498	13	2	3	7	10
	Colitis F	589	232	106	29	9	2	378	11	3	3	11	6
19	Diarrhea M	3,601	1,171	394	134	28	20	1,747	141	47	25	35	46
	Diarrhea F	2,852	951	348	110	36	13	1,458	145	50	19	27	40
20	Dysentery M	4,809	899	993	359	159	90	2,500	202	75	67	101	82
	Dysentery F	4,433	775	772	316	120	72	2,055	142	52	46	56	77
21	Enteritis M	9,370	5,598	1,387	354	125	94	7,558	191	76	77	72	87
	Enteritis F	8,529	4,476	1,240	311	140	97	6,264	192	67	68	93	123
22	Cholera infantum M	12,544	9,189	2,763	424	114	47	12,537	.....	.....	.....	.....	.....
	Cholera infantum F	10,933	7,829	2,490	434	116	58	10,927	.....	.....	.....	.....	.....
23	Fever M	767	216	126	42	26	17	427	55	27	32	36	31
	Fever F	742	197	101	33	30	20	371	60	22	42	37	43
24	Cerebro-spinal fever M	2,145	565	306	153	101	79	1,204	247	130	144	84	76
	Cerebro-spinal fever F	1,705	447	231	124	100	56	958	210	140	90	63	56
25	Smallpox M	802	113	34	35	21	28	231	49	29	50	91	72
	Smallpox F	564	94	43	23	27	14	201	73	34	42	53	31
26	Erysipelas M	1,502	411	44	19	11	6	491	22	23	31	33	54
	Erysipelas F	1,206	379	48	11	9	5	452	17	16	37	30	41
27	Septicemia M	2,716	306	54	43	28	34	465	134	111	104	144	128
	Septicemia F	3,371	265	63	45	33	31	437	93	69	179	439	447
28	Venereal diseases M	603	290	19	8	5	1	323	1	2	9	5	25
	Venereal diseases F	427	248	11	8	5	1	273	4	4	8	11	12
29	Others of this group M	1,584	98	37	35	18	15	203	59	26	28	47	49
	Others of this group F	1,223	81	29	21	15	15	161	37	20	18	34	35
30	General diseases—B	16,167	9,241	595	255	158	78	10,327	159	73	164	333	465
31	Males	9,917	5,120	327	141	83	50	5,721	84	42	70	178	292
32	Females	6,250	4,121	268	114	75	28	4,606	75	31	94	155	173
33	Alcoholism M	2,284	.....	1	.....	.....	2	3	5	1	2	39	153
	Alcoholism F	403	.....	.....	1	1	1	3	.....	.....	3	18	50
34	Parasitic diseases M	113	12	22	22	16	11	83	16	2	2	1	1
	Parasitic diseases F	112	13	24	18	23	8	86	16	1	1	.....	.....
35	Lead poison M	80	2	1	1	.....	.....	4	.....	.....	2	3	6
	Lead poison F	24	6	1	1	.....	.....	8	1	.....	.....	.....	1
36	Other poisons M	1,875	91	135	83	42	19	370	49	31	60	128	123
	Other poisons F	1,120	70	77	64	30	14	255	40	22	86	125	114
37	Inanition M	5,565	5,015	168	35	25	18	5,261	14	8	4	7	9
	Inanition F	4,591	4,032	166	30	21	5	4,254	18	8	4	12	8
38	General diseases—C	58,739	26,775	958	206	72	51	28,062	93	60	57	104	112
39	Males	29,990	15,128	464	108	46	24	15,770	46	32	38	46	40
40	Females	28,749	11,647	494	98	26	27	12,292	47	28	19	58	72
41	Old age M	12,008	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Old age F	14,088	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
42	Premature birth M	7,634	7,634	.....	.....	.....	.....	7,634	.....	.....	.....	.....	.....
	Premature birth F	5,701	5,701	.....	.....	.....	.....	5,701	.....	.....	.....	.....	.....
43	Malformation M	1,371	1,320	16	6	3	.....	1,345	5	5	3	1	.....
	Malformation F	1,142	1,090	23	6	5	2	1,126	5	5	1	1	1
44	Debility and atrophy M	8,130	5,331	448	102	42	24	5,947	41	27	35	45	40
	Debility and atrophy F	7,232	4,273	471	92	21	25	4,882	42	23	18	57	71
45	Others of this group M	847	843	.....	.....	1	.....	844	.....	.....	.....	.....	.....
	Others of this group F	586	583	.....	.....	.....	.....	583	.....	.....	.....	.....	.....

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900.

WHITE.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
37,276	38,074	35,880	34,948	37,241	39,141	43,455	48,329	49,179	43,207	31,289	15,969	5,298	1,709	5,434	1
19,142	20,229	19,673	19,813	20,975	21,791	23,748	26,411	26,599	23,090	16,223	7,822	2,250	658	3,282	2
18,134	17,845	16,207	15,135	16,266	17,350	19,707	21,918	22,580	20,117	15,066	8,147	3,048	1,051	2,152	3
537	599	611	582	635	691	741	894	909	819	596	304	115	53	647	4
235	274	305	307	336	384	413	501	497	473	333	148	54	19	349	5
302	325	306	275	299	307	328	393	412	346	263	156	61	34	298	6
4,892	4,461	3,823	3,493	3,417	3,309	3,716	4,335	4,529	4,177	3,201	1,645	500	164	705	7
2,501	2,293	1,970	1,987	1,826	1,746	1,820	2,125	2,181	2,018	1,552	797	198	56	380	8
2,391	2,168	1,853	1,506	1,591	1,563	1,896	2,210	2,348	2,159	1,649	848	302	108	325	9
75	60	57	64	49	11	14	14	7	12	5	2	.....	.....	12	10
162	150	127	80	77	46	25	28	22	13	8	4	1	.....	13	
14	6	7	1	2	1	1	1	2	.....	1	1	1	.....	7	11
19	17	6	1	2	1	4	2	2	.....	2	1	.....	.....	5	
35	18	11	12	14	10	5	6	3	3	4	4	1	.....	12	12
40	27	16	17	16	9	9	5	5	5	1	1	.....	.....	12	
2	2	5	4	.....	3	2	1	3	2	5	.....	1	.....	9	13
6	2	3	.....	1	.....	.....	1	2	1	3	.....	1	.....	11	
199	179	179	197	163	164	121	132	127	127	54	31	6	1	29	14
215	151	161	146	129	118	132	143	139	94	63	31	2	6	25	
137	151	197	215	223	272	385	551	721	715	673	355	107	21	31	15
173	177	211	200	310	359	561	705	910	947	802	424	176	68	43	
1,431	1,160	839	719	511	377	285	223	183	117	42	22	5	1	81	16
886	739	578	466	431	351	280	257	186	99	57	20	1	2	82	
48	50	56	78	92	100	99	116	113	93	58	28	9	4	13	17
78	92	79	52	70	90	86	109	106	98	71	31	13	3	10	
8	7	20	18	20	11	20	19	22	20	11	6	2	.....	3	18
13	11	13	13	15	10	22	27	18	15	9	6	3	.....	2	
36	46	34	60	98	155	177	229	216	202	154	75	16	10	52	19
43	44	39	45	55	76	112	128	171	147	118	78	19	8	30	
91	85	94	113	142	123	186	214	217	208	172	84	15	7	31	20
73	75	108	106	119	130	196	280	287	291	181	103	35	7	14	
68	85	96	109	102	111	135	160	140	141	88	43	5	4	22	21
108	117	114	112	109	124	176	239	220	199	116	60	10	6	12	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	22
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	
22	16	15	19	9	9	11	14	14	9	11	2	.....	.....	8	23
23	19	21	15	17	6	9	14	12	7	10	4	2	.....	8	
44	54	40	34	19	22	15	8	8	6	4	.....	1	.....	5	24
37	33	29	25	17	13	9	8	8	6	3	.....	1	.....	4	
49	54	38	39	32	25	12	9	5	5	2	.....	.....	.....	10	25
23	22	22	17	11	8	9	5	4	1	.....	1	.....	.....	7	
59	59	72	72	76	105	73	100	76	72	50	23	5	1	5	26
32	58	48	44	56	60	69	63	61	54	41	16	5	1	5	
125	181	134	148	183	164	172	182	110	109	71	27	3	.....	21	27
410	384	223	119	95	107	91	71	77	51	34	13	9	.....	23	
28	37	31	30	30	27	23	10	5	7	.....	.....	.....	.....	10	28
19	19	24	17	8	4	7	7	4	1	.....	.....	.....	.....	5	
30	43	45	55	61	56	84	136	209	170	149	94	21	7	12	29
31	31	31	31	53	51	99	123	114	130	130	55	24	7	8	
611	730	589	576	495	409	294	283	187	170	72	51	10	6	163	30
445	570	479	465	399	321	227	205	117	112	41	30	5	2	112	31
166	160	110	111	96	88	67	78	70	58	31	21	5	4	51	32
267	392	321	292	264	195	114	111	43	34	6	4	.....	.....	38	33
51	70	62	46	32	21	15	12	6	4	1	1	.....	.....	8	
.....	.....	2	1	1	1	.....	1	1	.....	1	.....	.....	.....	.....	34
.....	2	2	1	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	
11	15	6	11	8	4	3	3	2	2	.....	.....	.....	.....	.....	35
4	2	.....	.....	1	3	1	.....	2	.....	.....	.....	.....	1	.....	
161	157	142	150	113	103	89	65	43	45	12	6	.....	1	27	36
99	78	38	47	47	42	30	38	26	16	9	.....	1	.....	7	
6	6	8	11	13	18	21	25	28	31	22	20	5	1	47	37
12	8	8	17	15	22	21	27	35	38	21	20	4	3	36	
123	135	144	140	213	348	728	1,536	3,665	5,775	7,911	5,679	2,601	965	288	38
62	59	66	75	99	157	322	712	1,748	2,698	3,776	2,630	1,097	370	147	39
61	76	78	65	114	191	406	824	1,917	3,077	4,135	3,049	1,504	595	141	40
.....	.....	.....	.....	.....	.....	149	471	1,475	2,387	3,534	2,501	1,057	361	73	41
.....	.....	.....	.....	.....	.....	236	591	1,646	2,775	3,855	2,904	1,440	566	75	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	42
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9	43
1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	
.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
61	59	66	75	98	155	172	241	273	310	242	129	40	9	65	44
61	75	78	65	113	190	170	232	270	302	280	145	64	29	65	
.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	45
.....	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

WHITE—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		146,124	4,378	2,209	1,113	697	502	8,899	1,923	2,322	7,471	13,312	14,190
2	Males		70,135	2,387	1,176	598	354	270	4,785	985	907	2,841	5,722	6,515
3	Females		75,989	1,991	1,033	515	343	232	4,114	938	1,415	4,630	7,590	7,675
4	Anemia	M	910	131	26	7	9	6	179	28	16	25	28	29
		F	1,223	112	28	11	13	8	172	22	27	71	92	83
5	Diabetes	M	2,571	15	18	16	14	13	76	90	114	133	108	106
		F	1,955	9	15	13	21	8	66	66	94	73	78	76
6	Rheumatism	M	2,257	31	19	15	10	21	96	115	135	125	88	89
		F	2,035	27	11	15	8	17	78	98	121	102	85	69
7	Scrofula and tabes	M	1,214	232	112	52	20	18	434	46	16	56	70	61
		F	1,286	176	101	39	18	18	352	35	40	72	94	90
8	Hydrocephalus	M	2,179	792	432	207	112	74	1,617	205	66	55	44	32
		F	1,786	655	345	156	114	68	1,338	174	62	62	33	31
9	Tuberculosis, general	M	614	39	23	13	9	10	94	25	14	33	46	79
		F	536	50	22	6	8	4	90	22	31	32	60	51
10	Consumption	M	43,670	824	410	194	109	87	1,624	271	378	2,233	5,122	5,898
		F	44,003	742	393	179	108	67	1,489	362	877	4,026	6,871	6,846
11	Cancer	M	11,072	32	12	16	8	10	78	29	29	43	69	126
		F	16,900	32	11	14	8	9	74	30	25	45	87	232
12	Tumor	M	1,203	64	16	24	18	8	130	44	23	44	43	37
		F	1,906	42	19	18	15	9	103	27	28	42	63	74
13	Dropsy	M	3,919	63	61	34	32	17	207	107	96	69	83	45
		F	3,919	45	51	42	19	13	170	83	90	86	103	104
14	Others of this group	M	526	164	47	20	13	6	250	25	20	25	21	13
		F	440	101	37	22	11	11	182	19	20	19	24	19
15	2. Diseases of the nervous system		106,616	21,252	6,120	2,675	1,644	1,129	32,820	3,296	2,006	2,089	1,985	2,113
16	Males		58,522	12,251	3,249	1,414	861	589	18,364	1,796	1,079	1,128	1,040	1,121
17	Females		48,094	9,001	2,871	1,261	783	540	14,456	1,500	927	961	945	992
18	Inflammation of the brain	M	3,068	1,056	450	214	115	73	1,908	224	113	100	90	55
		F	2,403	817	387	150	95	75	1,524	168	104	100	77	64
19	Meningitis	M	9,985	3,375	1,528	684	424	270	6,281	895	409	381	288	258
		F	7,978	2,526	1,322	637	383	281	5,149	762	410	274	224	200
20	Apoplexy	M	13,618	157	30	14	10	11	222	34	26	58	103	161
		F	11,818	124	37	19	17	4	201	29	35	68	90	122
21	Paralysis	M	10,786	121	43	28	23	15	230	71	51	64	54	94
		F	9,620	84	42	35	23	17	201	64	34	66	91	91
22	Paralysis, general (of insane)	M	874	.....	.....	.....	.....	.....	.....	1	2	1	3	20
		F	332	.....	.....	.....	.....	.....	.....	1	1	.....	3	9
23	Tetanus and trismus nascentium	M	1,152	447	13	8	14	9	491	98	172	81	53	45
		F	482	279	4	2	4	6	295	30	19	16	16	14
24	Chorea	M	60	3	.....	3	3	1	10	9	2	7	3	2
		F	110	3	1	1	2	3	10	6	31	31	7	1
25	Epilepsy	M	1,625	153	23	10	11	5	202	53	86	184	142	164
		F	1,197	136	19	16	9	7	187	46	61	106	115	108
26	Convulsions	M	7,360	5,743	736	270	129	78	6,956	122	45	16	21	22
		F	5,891	4,171	679	240	135	64	5,289	118	33	60	65	82
27	Mental diseases	M	1,777	.....	.....	.....	.....	.....	.....	3	3	19	62	76
		F	1,574	.....	.....	.....	.....	.....	.....	2	5	21	55	74
28	Diseases of the brain	M	5,905	1,064	377	157	112	114	1,824	238	141	165	171	161
		F	4,456	755	328	144	103	69	1,399	224	156	155	133	132
29	Diseases of the spinal cord	M	835	93	38	20	13	12	176	33	22	27	27	25
		F	669	73	40	15	10	10	148	31	22	19	12	15
30	Locomotor ataxia	M	528	1	.....	2	.....	.....	3	.....	2	2	5	9
		F	170	.....	1	1	.....	.....	2	1	.....	.....	3	2
31	Others of this class	M	949	38	11	4	7	1	61	15	5	23	18	29
		F	1,394	33	11	1	2	4	51	18	16	45	54	78
32	3. Diseases of the circulatory system		68,416	3,998	255	167	150	201	4,771	1,101	1,259	1,368	1,666	1,827
33	Males		37,206	2,309	139	95	88	109	2,740	532	524	617	701	819
34	Females		31,210	1,689	116	72	62	92	2,031	569	735	751	965	1,008
35	Pericarditis	M	402	11	3	1	4	3	22	18	30	20	21	18
		F	376	11	2	2	4	9	28	25	31	31	22	14
36	Diseases of the heart	M	33,157	1,617	129	90	77	100	2,013	501	479	575	651	745
		F	28,377	1,236	109	68	56	78	1,547	534	687	697	861	917
37	Angina pectoris	M	1,543	.....	.....	.....	.....	.....	.....	3	4	10	14	29
		F	1,114	.....	.....	.....	.....	.....	.....	5	9	13	46	35
38	Diseases of the arteries	M	773	2	.....	.....	.....	.....	2	1	.....	1	.....	5
		F	432	1	1	.....	.....	.....	2	.....	1	.....	1	2
39	Aneurism	M	445	.....	.....	.....	.....	.....	.....	2	6	2	12	18
		F	195	.....	.....	.....	.....	.....	.....	2	5	4	10	14
40	Embolism	M	181	18	.....	1	1	1	21	5	3	3	3	3
		F	237	2	.....	1	.....	1	4	1	.....	5	23	22
41	Others of this class	M	705	661	7	3	6	5	682	2	2	.....	.....	1
		F	479	439	4	1	2	4	450	2	2	1	2	4

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

WHITE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
12,652	11,557	10,431	9,664	9,501	9,312	9,011	8,756	7,282	5,046	2,644	1,016	230	70	835	1
6,109	5,697	5,148	4,753	4,677	4,501	4,405	4,391	3,734	2,548	1,356	511	98	27	425	2
6,543	5,860	5,283	4,911	4,824	4,811	4,606	4,365	3,548	2,498	1,288	505	132	43	410	3
29	30	50	53	76	74	80	82	44	49	26	5	.....	1	5	4
71	80	82	73	91	82	77	72	60	39	15	6	2	.....	6	
113	108	146	145	181	181	250	283	244	173	80	23	6	.....	11	5
63	81	90	107	179	237	241	204	155	86	41	9	3	1	5	
83	101	92	123	115	177	171	208	215	160	106	37	3	3	15	6
74	92	84	98	136	134	166	212	187	154	85	42	9	1	8	
58	49	49	50	52	57	64	61	41	22	15	1	1	2	9	7
98	65	58	59	66	54	50	46	44	30	18	7	1	.....	7	
46	30	23	21	10	5	5	5	3	4	1	.....	.....	.....	7	8
23	15	14	8	6	6	4	2	4	2	.....	.....	.....	.....	2	
51	52	45	47	40	34	15	19	12	7	1	.....	.....	.....	.....	9
54	37	29	35	22	18	17	15	7	7	3	3	.....	.....	3	
5,383	4,835	3,920	3,170	2,730	2,285	1,797	1,543	1,158	687	261	86	17	4	268	10
5,386	4,269	3,122	2,260	1,881	1,618	1,414	1,293	1,005	641	276	103	22	7	235	
213	342	591	859	1,146	1,325	1,538	1,570	1,364	937	493	198	49	11	62	11
507	943	1,426	1,873	2,026	2,192	2,069	1,917	1,475	1,051	557	212	59	14	86	
55	55	86	91	93	102	108	109	88	55	28	5	1	.....	6	12
109	134	190	170	161	182	185	163	136	83	31	12	1	1	11	
63	79	116	174	218	244	365	495	552	445	341	153	21	5	41	13
130	130	172	209	243	272	370	422	463	402	260	110	35	19	46	
15	16	30	20	16	17	12	16	13	9	4	2	.....	1	1	14
28	14	16	19	13	16	13	19	12	3	2	1	.....	.....	1	
2,350	2,909	3,300	3,943	4,704	5,522	6,672	8,141	8,722	7,704	5,048	2,086	540	120	546	15
1,323	1,691	1,926	2,194	2,599	3,078	3,587	4,523	4,712	4,074	2,668	1,009	224	45	341	16
1,027	1,218	1,374	1,749	2,105	2,444	3,085	3,618	4,010	3,630	2,380	1,077	316	75	205	17
59	60	56	59	57	54	40	55	53	32	24	14	2	.....	13	18
46	36	44	36	35	33	27	31	23	25	15	6	4	1	4	
226	243	179	185	157	114	76	90	76	56	23	9	4	.....	35	19
153	126	129	129	80	76	75	59	48	37	26	7	8	.....	11	
255	368	560	717	1,020	1,322	1,612	1,937	1,964	1,626	1,062	390	80	13	88	20
173	265	427	686	911	1,113	1,376	1,567	1,703	1,464	948	434	131	36	39	
172	275	354	441	566	772	1,010	1,487	1,759	1,635	1,121	438	93	25	74	21
118	165	247	329	488	673	964	1,262	1,547	1,549	1,029	487	128	31	56	
68	109	136	139	97	77	68	51	41	22	13	10	2	.....	14	22
26	23	36	18	25	24	30	38	39	31	14	6	3	.....	5	
48	20	26	26	23	23	16	10	11	5	.....	1	.....	.....	3	23
17	17	18	5	5	13	9	3	2	2	1	.....	.....	.....	.....	
3	.....	3	3	6	2	2	2	2	1	1	.....	1	.....	1	24
.....	1	.....	5	2	1	4	4	1	3	2	1	.....	.....	.....	
115	122	94	81	58	58	65	52	50	46	24	9	2	.....	18	25
81	98	54	63	50	42	50	34	41	25	14	4	4	.....	14	
21	23	11	19	20	11	8	8	16	5	6	1	1	1	27	26
60	49	28	15	8	8	11	14	9	6	8	1	2	.....	25	
88	134	132	116	132	144	154	204	171	164	101	37	11	.....	26	27
97	133	128	121	124	108	143	137	132	129	93	37	16	1	18	
203	233	241	237	278	289	319	355	373	327	220	77	19	4	30	28
140	165	143	184	207	172	207	277	265	234	158	62	19	5	19	
18	39	50	49	72	62	63	76	40	36	16	2	.....	.....	2	29
25	36	28	40	43	54	50	47	44	30	16	3	3	.....	3	
20	34	38	67	60	70	69	71	39	24	10	1	.....	.....	4	30
4	14	10	15	20	28	25	15	14	8	6	2	.....	.....	1	
27	31	46	55	53	80	85	125	117	95	47	20	9	2	6	31
87	90	82	103	107	99	114	130	142	87	50	27	3	1	10	
2,178	2,701	3,003	3,375	4,495	5,375	6,736	7,924	8,016	6,493	3,793	1,536	353	76	370	32
1,020	1,328	1,472	1,795	2,507	3,064	3,842	4,535	4,637	3,751	2,098	803	165	34	222	33
1,158	1,373	1,531	1,580	1,988	2,311	2,894	3,389	3,379	2,742	1,695	733	188	42	148	34
17	30	24	15	32	32	22	33	24	24	7	3	2	.....	2	35
25	16	24	20	14	22	23	32	16	11	14	4	2	.....	2	
933	1,174	1,311	1,621	2,233	2,739	3,444	4,084	4,246	3,407	1,888	729	150	30	204	36
1,041	1,277	1,417	1,438	1,855	2,121	2,684	3,114	3,113	2,529	1,531	677	165	36	136	
36	60	60	81	140	158	234	244	187	155	85	25	2	.....	7	37
44	50	48	86	81	108	127	154	135	86	65	14	5	.....	3	
2	6	10	15	32	63	84	118	134	132	103	45	11	4	5	38
2	3	4	5	12	26	35	54	86	78	68	30	15	5	3	
25	52	49	49	53	56	42	31	24	17	3	.....	.....	.....	4	39
19	10	17	18	13	14	13	15	12	15	7	4	1	1	1	
6	6	8	12	14	16	12	23	22	14	9	1	.....	.....	.....	40
25	16	20	12	11	20	12	17	16	20	7	4	.....	.....	2	
1	.....	1	2	3	.....	4	2	.....	2	3	.....	.....	.....	.....	41
2	1	1	1	2	.....	.....	3	1	3	3	.....	.....	.....	1	

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

WHITE—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	133,392	29,730	12,519	6,050	3,484	2,206	53,989	4,832	1,985	3,027	3,744	3,894
2	Males	72,187	16,916	6,788	3,202	1,799	1,103	29,808	2,473	971	1,693	2,155	2,182
3	Females	61,205	12,814	5,731	2,848	1,685	1,103	24,181	2,359	1,014	1,334	1,589	1,712
4	Croup M	5,830	2,267	965	814	615	395	5,056	684	51	9	6	3
	Croup F	4,804	1,821	746	637	523	345	4,072	620	49	9	1	1
5	Pneumonia M	49,727	9,582	4,502	1,893	939	537	17,453	1,407	768	1,457	1,875	1,865
	Pneumonia F	41,186	7,118	3,849	1,731	887	565	14,150	1,365	809	1,091	1,250	1,400
6	Laryngitis M	434	68	54	32	42	28	224	70	16	3	5	5
	Laryngitis F	378	50	59	35	48	24	216	62	12	10	7	11
7	Bronchitis M	9,056	3,653	1,030	345	134	99	5,261	164	50	59	81	96
	Bronchitis F	9,191	2,875	889	351	161	110	4,386	175	58	83	115	101
8	Pleurisy M	1,337	44	48	31	23	11	157	40	32	56	60	71
	Pleurisy F	1,024	28	29	23	10	10	100	44	21	33	62	58
9	Asthma M	1,430	48	8	3	2	3	64	11	3	15	10	14
	Asthma F	1,064	33	8	1	3	2	47	10	5	7	16	21
10	Others of this class M	4,373	1,254	181	84	44	30	1,593	97	51	94	118	128
	Others of this class F	3,558	889	151	70	53	47	1,210	83	60	101	130	120
11	5. Diseases of the digestive system	52,979	8,743	2,430	953	603	489	13,218	1,910	1,789	2,023	2,388	2,517
12	Males	27,639	4,937	1,264	485	298	246	7,230	999	995	1,048	1,123	1,106
13	Females	25,340	3,806	1,166	468	305	243	5,988	911	794	975	1,265	1,411
14	Dentition M	712	383	295	23	7	2	710	.....	.....	.....	.....	.....
	Dentition F	676	353	287	31	3	2	676	.....	.....	.....	.....	.....
15	Angina M	596	98	66	58	47	36	305	89	32	16	24	15
	Angina F	618	85	63	50	43	48	289	133	53	24	11	16
16	Gastritis M	3,769	645	195	70	46	30	986	103	36	45	78	84
	Gastritis F	3,967	513	213	88	51	34	899	96	51	72	128	183
17	Diseases of the stomach M	2,523	378	140	60	36	36	650	96	60	48	57	79
	Diseases of the stomach F	2,261	311	117	56	33	34	551	94	52	74	108	108
18	Obstruction of the bowels M	1,778	329	40	38	22	16	445	86	63	84	75	87
	Obstruction of the bowels F	1,733	193	32	23	39	13	300	59	39	47	62	90
19	Appendicitis M	3,125	20	9	12	22	25	88	210	427	445	441	343
	Appendicitis F	1,733	10	12	11	10	15	58	181	275	265	194	176
20	Hernia M	960	109	14	.....	3	2	128	10	9	25	25	26
	Hernia F	781	41	6	1	1	3	52	4	1	5	2	5
21	Other diseases of the bowels M	1,494	427	159	47	23	14	670	48	29	43	49	36
	Other diseases of the bowels F	1,220	326	123	42	22	9	522	35	29	29	27	57
22	Jaundice M	1,201	595	19	11	5	2	632	29	12	31	26	31
	Jaundice F	988	371	9	18	6	9	413	23	16	19	31	28
23	Inflammation and abscess of the liver. M	1,326	77	16	12	6	10	121	29	26	22	51	68
	Inflammation and abscess of the liver. F	1,213	64	22	13	11	10	120	18	19	30	48	51
24	Other diseases of the liver M	3,955	143	28	21	7	8	207	27	28	24	46	92
	Other diseases of the liver F	2,477	114	20	15	4	7	160	26	20	16	41	68
25	Peritonitis M	2,604	187	63	53	31	28	362	201	217	235	210	190
	Peritonitis F	4,232	148	57	46	36	29	316	175	201	354	550	562
26	Ascites M	437	12	11	6	2	4	35	7	19	4	8	9
	Ascites F	494	11	5	3	3	2	25	9	11	13	16	14
27	Others of this class M	3,159	1,534	209	74	41	33	1,891	64	37	26	33	46
	Others of this class F	2,947	1,266	199	71	43	28	1,607	58	27	27	47	52
28	6. Diseases of the urinary system and male organs of generation.	41,156	804	239	198	190	159	1,590	611	521	703	1,253	1,567
29	Males	25,552	486	127	94	108	82	897	334	246	320	559	721
30	Females	15,604	318	112	104	82	77	693	277	275	383	694	846
31	Bright's disease M	17,481	.....	.....	.....	.....	.....	.....	253	179	248	427	561
	Bright's disease F	12,041	.....	.....	.....	.....	.....	.....	220	224	285	524	616
32	Calculus, urinary M	237	7	1	1	1	1	11	6	3	3	8	7
	Calculus, urinary F	75	10	.....	.....	2	.....	12	.....	.....	.....	4	3
33	Diseases of the kidney M	2,625	328	111	87	95	70	691	36	24	34	45	49
	Diseases of the kidney F	1,445	233	99	90	73	71	566	26	20	33	48	50
34	Diseases of the bladder M	2,037	17	5	.....	.....	3	25	4	6	6	15	20
	Diseases of the bladder F	266	14	.....	2	.....	1	17	2	.....	3	5	9
35	Others of this class M	3,172	134	10	6	12	8	170	35	34	29	64	84
	Others of this class F	1,777	61	13	12	7	5	98	29	31	62	113	168
36	7. Diseases of the female organs of generation.	2,661	11	2	.....	1	2	16	2	18	117	259	340
37	Ovarian tumors	439	.....	1	.....	.....	.....	1	2	.....	7	25	35
38	Ovarian diseases	135	1	.....	.....	.....	.....	1	.....	.....	4	16	22
39	Diseases of the tubes	306	1	.....	.....	.....	.....	1	.....	.....	18	45	72
40	Uterine tumors	569	.....	.....	.....	.....	1	1	.....	1	4	15	24
41	Uterine diseases	278	.....	.....	.....	.....	.....	.....	.....	1	17	39	51
42	Others of this class	934	9	1	.....	1	1	12	.....	16	67	119	136

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

WHITE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4,049	4,575	4,570	4,707	5,128	5,468	6,319	6,999	7,081	5,975	3,970	1,845	512	147	576	1
2,226	2,702	2,780	2,887	3,006	3,021	3,264	3,494	3,417	2,873	1,820	823	180	56	356	2
1,823	1,873	1,790	1,820	2,122	2,447	3,055	3,505	3,664	3,102	2,150	1,022	332	91	220	3
1	3	1	.....	.....	.....	2	1	2	.....	2	1	.....	1	7	4
7	4	4	2	5	3	4	4	1	1	3	.....	.....	.....	6	
1,922	2,327	2,365	2,405	2,426	2,260	2,426	2,473	2,314	1,887	1,157	513	107	34	286	5
1,492	1,545	1,461	1,457	1,653	1,874	2,261	2,478	2,455	2,039	1,386	632	190	43	155	
14	7	16	13	13	9	12	7	4	6	6	2	.....	.....	2	6
13	5	4	1	3	8	4	2	7	7	3	1	.....	.....	2	
72	94	105	133	186	294	304	428	525	531	394	194	52	16	17	7
106	85	109	153	197	289	405	589	712	671	499	291	108	39	20	
70	79	83	74	76	79	94	97	106	91	43	19	2	1	7	8
56	56	57	52	51	46	68	79	90	68	45	17	8	1	3	
17	24	40	70	107	139	182	207	223	152	96	35	6	2	13	9
21	28	32	38	68	72	136	149	152	131	78	30	9	3	11	
130	168	170	192	198	240	244	281	243	206	122	59	13	2	24	10
128	150	123	117	145	155	177	204	238	185	136	51	17	5	23	
2,282	2,509	2,643	2,554	2,733	2,960	3,073	3,226	2,887	2,216	1,196	498	120	22	215	11
1,021	1,147	1,403	1,404	1,477	1,637	1,681	1,677	1,501	1,163	614	238	55	12	108	12
1,261	1,362	1,240	1,150	1,256	1,323	1,392	1,549	1,386	1,053	582	260	65	10	107	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
22	7	12	10	10	5	10	12	11	7	7	.....	1	.....	1	15
15	8	1	11	10	13	2	1	5	5	4	2	.....	.....	2	
107	119	158	188	222	264	290	306	313	251	139	48	14	6	12	16
141	183	167	155	212	230	280	317	319	253	174	72	21	2	12	
64	90	129	143	150	173	178	196	162	141	66	25	2	2	12	17
87	119	82	100	116	121	142	151	158	105	53	25	8	.....	7	
63	68	63	86	97	91	89	104	117	97	32	19	6	.....	6	18
72	87	118	98	94	118	114	136	116	90	49	25	4	2	13	
231	208	187	147	102	79	71	50	46	28	13	2	.....	.....	7	19
119	105	81	72	48	44	32	32	18	17	9	.....	.....	1	6	
27	41	41	47	44	76	81	88	94	101	61	24	5	1	6	20
24	40	54	65	84	82	86	94	84	54	21	20	1	.....	3	
40	40	42	30	53	70	54	68	80	62	46	21	7	.....	6	21
48	48	38	33	33	41	42	61	55	52	28	21	5	4	12	
29	25	27	30	37	63	41	48	55	42	27	11	2	.....	3	22
29	27	24	27	44	50	48	68	58	34	26	11	5	.....	7	
85	85	100	103	123	101	118	96	84	63	34	8	2	1	6	23
54	73	80	93	81	96	110	118	97	70	37	13	2	.....	3	
155	262	362	370	405	462	459	448	304	201	65	21	6	1	10	24
102	158	181	196	242	249	263	256	234	158	72	25	1	.....	9	
147	141	165	145	96	119	103	83	78	50	29	12	3	.....	18	25
497	429	296	170	133	129	109	115	85	54	17	14	5	.....	21	
7	8	30	23	25	33	42	52	48	41	26	16	1	.....	8	26
16	20	25	29	27	35	42	52	56	52	30	13	2	.....	7	
44	53	87	82	113	101	145	126	109	79	69	31	6	1	16	27
57	65	88	101	132	115	122	140	101	109	62	19	11	1	5	
1,732	2,136	2,333	2,521	3,079	3,464	4,019	4,394	4,410	3,572	1,985	861	159	46	200	28
860	1,056	1,298	1,424	1,872	2,180	2,598	2,979	3,122	2,641	1,521	652	111	26	135	29
872	1,080	1,035	1,097	1,207	1,284	1,421	1,415	1,288	931	464	209	48	20	65	30
681	860	1,044	1,149	1,513	1,724	1,977	2,092	2,013	1,569	770	280	42	9	90	31
665	840	847	919	1,028	1,089	1,208	1,156	1,072	737	361	163	32	15	40	
5	5	9	7	13	18	22	32	36	23	19	7	3	.....	.....	32
4	2	6	1	5	1	5	7	7	5	6	1	.....	1	.....	
62	56	78	81	99	116	166	237	270	287	178	82	16	3	15	33
59	64	59	61	65	56	55	90	65	65	37	12	5	2	7	
16	22	32	38	64	94	172	281	404	363	276	161	22	7	9	34
5	16	5	6	7	25	30	23	36	38	18	13	7	1	.....	
96	113	135	149	183	228	261	337	399	399	278	122	28	7	21	35
139	158	118	105	102	113	123	139	108	86	42	20	4	1	18	
333	337	344	279	184	117	105	81	55	39	16	6	3	2	8	36
38	41	50	53	46	32	30	33	20	14	6	1	1	1	3	37
29	22	13	10	3	7	2	4	2	.....	.....	.....	.....	.....	.....	38
63	56	31	12	4	1	.....	1	2	.....	.....	.....	.....	.....	.....	39
39	72	115	83	70	42	42	26	17	12	4	1	.....	.....	1	40
41	40	19	16	9	7	11	7	8	5	4	.....	1	.....	2	41
123	106	116	105	52	28	20	10	6	8	2	4	1	1	2	42

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

WHITE—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	7,816								9	660	1,700	1,818
2	Abortion	464									30	86	120
3	Childbirth	3,290								3	277	628	665
4	Puerperal septicemia	2,824								5	222	692	735
5	Extra-uterine pregnancy	172									2	24	50
6	Others of this class	1,066								1	129	270	248
7	9. Diseases of the bones and joints	2,760	595	189	102	63	67	1,016	214	184	171	137	99
8	Males	1,565	317	103	58	38	44	560	118	114	102	84	62
9	Females	1,195	278	86	44	25	23	456	96	70	69	53	37
10	Diseases of the spine M	880	272	82	52	27	26	459	71	51	44	34	21
	F	751	241	77	35	22	17	392	54	31	36	30	15
11	Abscess, lumbar and psoas M	55	2	1				3		3		11	8
	F	30	2		1			3	2	1	1	2	2
12	Diseases of the bones M	367	33	14	4	6	13	70	20	32	32	24	22
	F	211	19	8	3	3	5	38	21	23	15	13	9
13	Diseases of the hip-joint M	136	4	1		4	3	12	21	22	20	9	10
	F	72	8	1	3		1	13	13	9	11	4	6
14	Others of this class M	127	6	5	2	1	2	16	6	8	6	6	1
	F	131	8		2			10	6	6	5	4	5
15	10. Diseases of the skin	1,855	522	93	36	18	13	682	48	32	37	55	55
16	Males	1,033	281	49	22	7	7	366	27	16	17	23	26
17	Females	822	241	44	14	11	6	316	21	16	20	32	29
18	Abscess M	490	96	22	10	4	6	138	23	13	13	16	19
	F	416	96	15	6	5	3	125	18	12	13	24	21
19	Carbuncle M	168	8	1	1			10	1	2	2	4	4
	F	74	3		3			6		1	1	3	4
20	Others of this class M	375	177	26	11	3	1	218	3	1	2	3	3
	F	332	142	29	5	6	3	185	3	3	6	5	4
21	11. Diseases of the absorbent system	678	52	25	9	9	7	102	27	22	21	35	40
22	Males	370	36	15	5	9	4	69	19	14	13	15	21
23	Females	308	16	10	4		3	33	8	8	8	20	19
24	Addison's disease M	93							2	2	4	4	7
	F	78								1	3	6	5
25	Diseases of the spleen M	94	8	3		5	1	17	3	3	4	4	6
	F	71	4	2	1		2	9	2	2		7	4
26	Others of this class M	183	28	12	5	4	3	52	14	9	5	7	8
	F	159	12	8	3		1	24	6	5	5	7	10
27	12. Accidents and injuries	49,218	2,761	1,051	1,049	982	718	6,561	2,513	2,296	3,298	4,397	4,279
28	Males	37,768	1,591	590	629	535	383	3,728	1,591	1,838	2,683	3,665	3,650
29	Females	11,450	1,170	461	420	447	335	2,833	922	458	615	732	629
30	Burns and scalds M	2,067	132	278	359	288	137	1,194	155	57	41	72	72
	F	2,918	95	224	251	291	228	1,089	495	166	141	134	124
31	Drowning M	4,151	24	101	77	54	56	312	447	547	482	442	338
	F	569	14	66	37	22	13	152	57	46	74	33	25
32	Exposure and neglect M	334	133	13	5	1	4	156	3	7	3	8	5
	F	229	126	10	7	3	3	149	3	2	8	10	4
33	Gunshot wounds M	2,506	7	6	10	10	14	47	83	226	390	371	305
	F	335	5	4	8	9	5	31	41	38	47	56	23
34	Homicide M	1,042			3	1	6	10	18	22	57	145	161
	F	203		1	4	3	3	11	12	6	20	29	24
35	Infanticide M	15	15					15					
	F	21	21					21					
36	Injuries by machinery M	280		1		1		2	6	7	41	42	36
	F	12	1		1			2	3	1	1	1	1
37	Railroad accidents M	5,867	10	11	20	14	24	79	199	241	446	802	760
	F	505	4	9	10	12	12	47	61	32	40	42	23
38	Suffocation M	1,208	648	29	19	8	10	714	17	25	30	47	40
	F	720	464	34	15	10	10	533	23	4	14	11	17
39	Suicide by shooting M	1,162								3	19	121	119
	F	99								1	11	22	10
40	Suicide by drowning M	155									4	9	9
	F	82									6	11	11
41	Suicide by poison M	743								2	22	68	81
	F	443								6	70	82	64
42	Other suicides M	2,144							1	8	57	123	156
	F	518								5	41	64	60
43	Sunstroke M	447	45	10	3	1	3	62	13	6	11	28	28
	F	166	36	10	5	3	2	56	4	3	4	6	4
44	Surgical operations M	220	16	4	3		3	26	10	1	12	15	23
	F	432	7		2	1	1	11	5	5	11	59	57
45	Wounds M	617	4	4	4	12	4	28	21	17	59	72	76
	F	51	6	2	1	1		10	8	3	2	2	3
46	Others of this class M	14,810	557	133	126	145	122	1,083	618	669	1,009	1,300	1,441
	F	4,147	391	101	79	92	58	721	210	140	125	170	179

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

WHITE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,489	1,291	678	90	13	6	1	1	.....	5	.....	.....	.....	.....	55	1
96	90	33	1	1	1	.....	.....	.....	1	.....	.....	.....	.....	5	2
630	617	377	51	7	5	.....	.....	.....	1	.....	.....	.....	.....	29	3
551	397	177	26	5	.....	1	.....	.....	3	.....	.....	.....	.....	10	4
44	38	11	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	5
168	149	80	11	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	9	6
94	109	94	101	97	84	87	88	87	53	26	14	3	.....	2	7
45	66	62	54	54	39	56	58	40	35	10	8	2	.....	1	8
49	43	32	47	43	45	31	35	47	18	16	6	1	.....	1	9
11	29	25	18	19	17	21	18	15	17	6	4	.....	.....	.....	10
21	29	12	26	20	22	18	15	12	10	3	3	1	.....	1	
6	6	.....	3	2	1	4	2	3	2	.....	.....	.....	.....	1	11
2	1	2	3	5	3	.....	.....	3	.....	.....	.....	.....	.....	.....	
17	18	17	17	20	12	19	20	9	11	4	3	.....	.....	.....	12
16	5	9	9	11	6	5	6	13	2	8	2	.....	.....	.....	
8	6	10	4	5	4	1	2	1	1	.....	.....	.....	.....	.....	13
4	5	.....	1	1	.....	.....	1	2	.....	2	.....	.....	.....	.....	
3	7	10	12	8	5	11	11	12	4	.....	1	2	.....	.....	14
6	3	9	6	6	14	8	13	17	6	3	1	.....	.....	.....	
57	72	75	76	87	96	98	112	92	79	61	23	5	1	12	15
22	40	39	45	56	62	54	71	58	49	40	13	2	.....	7	16
35	32	36	31	31	34	44	41	34	30	21	10	3	1	5	17
14	27	27	20	36	31	23	28	25	15	15	3	1	.....	3	18
22	22	20	16	13	19	22	26	12	13	9	4	2	.....	3	
5	7	6	14	12	21	20	20	16	12	9	2	.....	.....	1	19
1	2	8	5	9	5	8	8	9	3	5	.....	.....	.....	1	
3	6	6	11	8	10	11	23	17	22	16	8	1	.....	3	20
12	8	8	10	9	10	14	12	13	14	7	6	1	1	1	
49	44	53	50	44	48	48	37	30	17	7	.....	.....	.....	4	21
27	21	27	29	21	22	28	19	13	7	3	.....	.....	.....	2	22
22	23	26	21	23	23	20	18	17	10	4	.....	.....	.....	2	23
6	9	10	13	10	9	9	3	2	2	.....	.....	.....	.....	1	24
6	9	8	4	9	9	6	5	2	3	1	.....	.....	.....	1	
8	6	7	7	4	3	10	6	3	2	1	.....	.....	.....	.....	25
8	7	7	2	6	5	2	4	3	2	1	.....	.....	.....	.....	
13	6	10	9	7	10	9	10	8	3	2	.....	.....	.....	1	26
8	7	11	15	8	12	12	9	12	5	2	.....	.....	.....	1	
3,848	3,909	3,189	2,797	2,416	1,932	1,807	1,522	1,227	1,067	763	405	147	37	808	27
3,246	3,285	2,698	2,394	2,046	1,579	1,451	1,126	822	648	391	160	59	11	697	28
602	624	491	403	370	353	356	396	405	419	372	245	88	26	111	29
76	68	64	50	41	29	34	25	20	22	21	3	.....	1	22	30
120	109	71	64	52	50	65	49	58	53	42	19	6	.....	11	
267	283	246	171	139	123	91	72	46	30	9	3	2	1	100	31
33	29	18	16	17	12	12	14	8	10	1	.....	.....	.....	12	
12	12	12	19	11	11	16	15	8	14	7	7	1	.....	7	32
4	6	3	2	1	7	2	5	2	8	4	3	3	.....	3	
219	227	161	131	93	74	64	24	15	10	4	3	2	.....	57	33
24	28	12	10	7	6	2	2	.....	2	1	.....	.....	.....	5	
143	137	81	72	60	40	39	12	15	4	3	1	.....	.....	22	34
24	21	17	11	7	4	1	4	2	3	2	.....	.....	.....	5	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
34	33	23	16	18	5	6	7	1	2	.....	.....	.....	.....	1	36
1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
666	585	426	368	337	229	218	116	91	71	42	13	.....	2	176	37
26	24	29	27	26	24	18	25	24	20	6	1	1	.....	9	
43	55	44	31	20	23	28	26	12	15	4	3	1	.....	30	38
9	12	5	8	6	10	10	7	9	7	5	1	.....	.....	29	
122	149	145	124	108	73	53	45	32	19	7	2	.....	.....	21	39
15	11	7	11	3	4	.....	1	1	1	.....	1	.....	.....	.....	
12	12	13	11	21	14	14	11	5	14	4	.....	.....	.....	2	40
7	7	5	5	9	7	6	2	4	2	.....	.....	.....	.....	.....	
86	79	92	76	79	39	46	31	21	8	2	1	.....	.....	10	41
49	50	35	24	14	14	10	7	8	3	1	.....	1	.....	5	
193	215	233	243	213	185	162	129	91	63	28	5	3	.....	36	42
52	58	55	40	34	30	21	26	11	6	7	3	1	.....	4	
31	42	33	32	37	28	21	23	24	17	4	2	2	.....	3	43
2	6	8	7	11	7	14	9	13	9	3	.....	.....	.....	.....	
11	17	14	12	11	18	16	17	7	2	4	.....	.....	.....	4	44
55	63	51	32	30	20	13	9	3	3	1	1	.....	.....	3	
59	55	38	42	36	28	30	18	11	6	4	.....	1	.....	16	45
2	2	1	2	.....	2	3	3	3	1	1	1	1	.....	1	
1,272	1,316	1,073	996	822	660	613	555	423	351	248	117	47	7	190	46
179	197	173	144	153	156	179	233	259	291	298	215	75	26	24	

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

TOTAL COLORED.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	147,002	28,660	10,667	5,246	2,990	2,061	49,624	6,476	5,340	9,232	11,485	8,766
2	Males	74,531	15,329	5,566	2,720	1,484	1,000	26,099	3,090	2,416	4,087	5,591	4,165
3	Females	72,471	13,331	5,101	2,526	1,506	1,061	23,525	3,386	2,924	5,145	5,894	4,601
4	Unknown cause	12,380	5,518	931	470	221	179	7,319	456	324	394	452	366
5	Males	6,250	2,962	492	264	117	83	3,918	226	142	159	196	148
6	Females	6,130	2,556	439	206	104	96	3,401	230	182	235	256	218
	1. General diseases.												
7	General diseases—A	34,463	7,433	4,305	2,028	1,112	812	15,690	2,538	1,841	2,359	2,337	1,635
8	Males	17,576	3,918	2,216	1,018	527	403	8,082	1,234	830	1,093	1,261	827
9	Females	16,887	3,515	2,089	1,010	585	409	7,608	1,304	1,011	1,266	1,076	808
10	Measles M	1,285	360	229	122	84	47	842	142	74	73	59	21
	Measles F	1,368	320	238	119	90	51	818	131	97	109	63	44
11	Scarlet fever M	127	29	20	14	8	2	73	19	11	5	5	2
	Scarlet fever F	137	19	21	14	11	6	71	22	10	14	7	2
12	Diphtheria M	324	61	46	48	37	21	213	66	28	7	4	.....
	Diphtheria F	340	37	31	41	27	34	170	106	35	10	8	6
13	Whooping cough M	944	467	245	98	53	24	887	43	5	5	1	.....
	Whooping cough F	1,096	510	279	117	69	39	1,014	58	14	8	1	1
14	Malarial fever M	2,748	312	286	165	100	89	952	286	181	223	233	148
	Malarial fever F	2,841	293	259	181	116	86	935	307	214	282	219	170
15	Influenza M	1,435	312	104	47	22	22	507	48	24	48	46	45
	Influenza F	1,423	272	100	44	25	15	456	40	40	59	53	42
16	Typhoid fever M	3,275	172	181	115	81	63	612	321	313	461	500	290
	Typhoid fever F	3,256	141	164	124	75	81	585	345	433	546	397	242
17	Cholera morbus M	400	107	60	32	11	12	222	21	20	14	15	11
	Cholera morbus F	321	60	35	28	14	8	145	24	13	10	12	14
18	Colitis M	50	19	6	3	.....	1	29	.....	.....	1	1	3
	Colitis F	62	23	12	6	.....	1	42	1	2	.....	.....	2
19	Diarrhea M	671	185	126	56	18	13	398	41	13	15	11	11
	Diarrhea F	586	168	116	46	22	7	359	36	9	8	9	14
20	Dysentery M	1,303	314	267	111	42	36	770	68	28	26	38	31
	Dysentery F	1,165	263	260	101	37	14	675	52	14	21	35	27
21	Enteritis M	888	381	178	57	24	20	660	32	21	13	17	13
	Enteritis F	870	353	156	63	25	10	607	42	17	22	25	24
22	Cholera infantum M	1,118	733	305	61	11	8	1,118	.....	.....	.....	.....	.....
	Cholera infantum F	981	638	264	55	13	11	981	.....	.....	.....	.....	.....
23	Fever M	625	167	89	46	24	22	348	53	20	31	43	18
	Fever F	683	184	81	35	33	19	352	59	44	38	40	31
24	Cerebro-spinal fever M	177	46	8	9	4	7	74	23	18	14	12	10
	Cerebro-spinal fever F	147	28	13	7	8	5	61	25	18	12	7	12
25	Smallpox M	1,314	106	26	19	4	10	165	48	43	117	190	158
	Smallpox F	804	86	32	13	12	14	157	32	30	75	112	85
26	Erysipelas M	80	11	2	1	1	.....	15	2	4	4	8	4
	Erysipelas F	73	20	3	.....	.....	1	24	4	4	3	5	4
27	Septicemia M	317	35	10	8	1	2	56	9	17	17	30	24
	Septicemia F	372	23	7	7	4	1	42	11	11	33	51	62
28	Venereal diseases M	331	79	14	4	2	.....	99	4	8	11	36	32
	Venereal diseases F	230	58	13	6	3	2	82	1	.....	12	28	22
29	Others of this group M	164	22	14	2	.....	4	42	8	7	8	12	6
	Others of this group F	132	19	5	3	1	4	32	8	6	9	9	4
30	General diseases—B	2,080	1,090	182	140	68	50	1,530	109	16	33	51	52
31	Males	1,131	589	91	70	38	29	817	46	6	17	33	25
32	Females	949	501	91	70	30	21	713	63	10	16	18	27
33	Alcoholism M	104	2	.....	.....	.....	.....	2	1	.....	2	7	11
	Alcoholism F	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
34	Parasitic diseases M	152	17	34	31	20	20	122	25	.....	.....	2	.....
	Parasitic diseases F	174	15	39	37	20	12	123	42	4	2	.....	1
35	Lead poison M	5	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....
	Lead poison F	4	1	.....	.....	.....	1	2	.....	.....	.....	.....	.....
36	Other poisons M	227	20	21	23	16	6	86	13	6	14	23	14
	Other poisons F	168	8	17	18	3	6	52	15	4	11	17	20
37	Inanition M	643	550	36	16	2	2	606	7	.....	.....	1	.....
	Inanition F	583	477	35	15	7	2	536	6	2	3	1	1
38	General diseases—C	6,745	2,659	211	81	34	10	2,995	26	11	22	19	15
39	Males	3,240	1,425	104	42	18	4	1,593	10	6	8	10	7
40	Females	3,505	1,234	107	39	16	6	1,402	16	5	14	9	8
41	Old age M	1,354	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Old age F	1,772	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
42	Premature birth M	756	756	.....	.....	.....	.....	756	.....	.....	.....	.....	.....
	Premature birth F	629	629	.....	.....	.....	.....	629	.....	.....	.....	.....	.....
43	Malformation M	107	94	3	3	1	2	103	3	.....	.....	1	.....
	Malformation F	85	80	2	1	1	1	85	.....	.....	.....	.....	.....
44	Debility and atrophy M	967	519	101	39	17	2	678	7	6	8	9	7
	Debility and atrophy F	953	460	105	38	15	5	623	16	5	14	9	8
45	Others of this group M	56	56	.....	.....	.....	.....	56	.....	.....	.....	.....	.....
	Others of this group F	66	65	.....	.....	.....	.....	65	.....	.....	.....	.....	.....

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

TOTAL COLORED.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
6,581	6,293	5,559	5,253	5,425	4,028	4,723	3,861	3,894	2,832	2,497	1,278	837	1,012	2,006	1
3,207	3,067	2,755	2,716	2,940	2,233	2,521	2,152	2,162	1,537	1,302	635	366	387	1,103	2
3,374	3,226	2,804	2,537	2,485	1,795	2,202	1,709	1,732	1,295	1,195	643	471	625	903	3
248	249	262	237	287	208	283	252	186	182	175	77	57	64	302	4
106	102	121	109	144	101	139	115	101	95	97	35	20	25	151	5
142	147	141	128	143	107	144	137	85	87	78	42	37	39	151	6
1,096	939	811	741	761	541	680	529	545	383	343	176	95	91	332	7
546	465	452	407	409	270	372	282	305	223	173	90	42	35	178	8
550	474	359	334	352	271	308	247	240	160	170	86	53	56	154	9
11	13	8	9	9	4	3	4	1	4	1	.....	.....	.....	7	10
32	16	12	11	7	5	6	1	2	1	2	2	.....	1	8	
3	2	.....	.....	.....	3	3	1	.....	.....	.....	.....	.....	.....	.....	11
3	4	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	1	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	1	12
1	3	.....	1	2	1	1	.....	.....	.....	1	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	13
1	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	
115	83	85	75	77	50	67	46	43	30	16	11	5	3	19	14
75	90	89	73	74	61	64	53	40	23	14	10	5	9	34	
19	32	35	35	40	47	82	76	95	82	74	44	20	21	15	15
43	40	35	40	62	58	66	64	81	63	79	34	27	27	14	
147	128	106	109	73	44	46	22	33	18	15	9	2	1	25	16
157	129	90	73	50	44	54	24	29	7	11	5	5	3	27	
6	10	10	7	13	5	15	5	8	4	3	2	2	1	6	17
16	14	8	6	11	8	9	9	7	4	5	2	.....	.....	4	
2	1	3	2	1	1	1	3	1	1	.....	.....	.....	.....	.....	18
1	1	.....	.....	1	3	2	1	.....	3	2	.....	.....	.....	1	
8	9	9	15	23	17	21	23	16	15	6	4	2	1	13	19
19	12	18	10	17	10	14	13	12	7	5	3	3	4	4	
27	32	20	38	42	28	37	30	35	25	12	3	2	4	7	20
28	26	16	32	37	18	38	33	37	23	22	8	7	5	11	
12	15	12	18	16	11	11	11	10	1	6	2	2	1	4	21
14	18	10	14	17	11	5	11	9	6	4	4	1	.....	9	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	22
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
10	19	8	8	17	6	11	7	7	4	8	2	2	.....	3	23
20	19	7	11	8	9	11	4	4	9	5	9	1	1	1	
5	3	5	4	5	1	2	1	.....	.....	.....	.....	.....	.....	.....	24
5	2	2	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	1	
125	85	88	42	48	24	36	20	37	14	10	3	2	1	58	25
66	45	40	28	34	17	15	19	9	4	5	1	1	2	27	
6	2	5	3	5	1	3	6	4	3	3	.....	1	.....	1	26
.....	3	1	4	2	3	2	2	2	2	6	1	.....	.....	1	
18	13	26	13	15	12	17	12	7	11	7	5	1	2	5	27
32	32	17	20	15	8	13	1	4	2	5	6	1	2	4	
23	15	26	22	15	8	11	11	4	3	1	.....	.....	.....	7	28
29	18	7	8	8	3	3	1	1	.....	3	.....	.....	.....	4	
8	3	5	7	9	8	5	4	3	8	11	5	1	.....	4	29
8	2	3	3	7	9	4	11	3	5	1	1	2	2	3	
31	29	35	32	33	20	24	12	8	17	8	3	4	5	28	30
22	24	23	23	22	13	15	8	[illegible]	10	3	.....	2	2	17	31
9	5	12	9	11	7	9	4	5	7	5	3	2	3	11	32
7	11	13	9	12	7	7	3	1	5	.....	.....	.....	.....	6	33
1	1	3	2	2	.....	3	.....	2	2	.....	1	.....	.....	1	
.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	34
.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	
14	11	8	11	7	3	5	5	.....	2	1	.....	.....	1	3	36
6	4	8	7	6	4	5	1	3	.....	.....	.....	1	1	3	
1	1	1	2	1	3	3	.....	2	3	2	.....	1	1	8	37
2	.....	1	.....	2	1	1	3	.....	5	5	1	1	2	7	
18	17	17	29	62	59	162	186	474	472	657	411	387	573	133	38
3	9	7	13	24	31	65	101	224	212	311	185	167	198	56	39
15	8	10	16	38	28	97	85	250	260	346	226	220	375	77	40
.....	.....	.....	.....	.....	.....	42	75	197	189	291	174	156	193	37	41
.....	.....	.....	.....	.....	.....	67	65	219	243	325	215	207	366	65	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	42
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	43
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	9	7	13	24	31	23	26	27	23	20	11	11	5	19	44
15	7	10	16	38	28	30	20	31	17	21	11	13	9	12	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	45
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

COLORED—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		29,948	793	682	486	321	202	2,484	1,063	1,341	3,176	4,453	3,416
2	Males		13,465	401	361	260	165	101	1,288	453	477	1,175	1,907	1,389
3	Females		16,483	392	321	226	156	101	1,196	610	864	2,001	2,546	2,027
4	Anemia	M	38	7	2	1	1	.....	11	1	2	2	2	2
		F	64	9	3	3	1	.....	16	3	4	5	6	7
5	Diabetes	M	79	.....	4	2	.....	.....	8	.....	5	.....	1	6
		F	67	.....	.....	1	1	.....	2	3	2	3	1	1
6	Rheumatism	M	412	7	3	3	5	.....	18	12	18	20	18	15
		F	363	10	2	3	3	1	19	13	18	22	18	15
7	Scrofula and tabes	M	493	48	42	31	25	14	160	67	42	35	43	30
		F	496	45	41	25	23	13	147	77	61	43	35	24
8	Hydrocephalus	M	177	62	34	16	10	3	125	15	8	7	6	2
		F	160	52	31	13	14	6	116	12	5	9	2	5
9	Tuberculosis, general	M	98	3	2	3	2	.....	10	3	6	9	23	9
		F	61	3	4	3	.....	.....	10	4	4	7	8	6
10	Consumption	M	9,956	218	194	132	80	62	686	254	341	1,041	1,717	1,256
		F	12,121	227	171	117	78	62	655	400	714	1,804	2,321	1,811
11	Cancer	M	364	4	.....	.....	2	.....	6	4	6	5	13	8
		F	1,139	2	1	2	.....	.....	5	3	5	13	33	40
12	Tumor	M	102	6	3	2	1	2	14	4	6	6	4	6
		F	216	8	.....	1	8	.....	12	2	3	9	14	17
13	Dropsy	M	1,681	29	63	59	37	18	206	89	42	48	80	53
		F	1,745	21	54	51	27	17	170	90	48	86	107	100
14	Others of this group	M	65	17	14	11	2	2	46	4	1	2	.....	2
		F	51	15	14	7	6	2	44	3	.....	.....	1	1
15	2. Diseases of the nervous system		10,963	2,903	658	310	202	170	4,243	524	377	416	388	329
16	Males		5,667	1,632	363	169	100	78	2,342	278	190	199	214	166
17	Females		5,296	1,271	295	141	102	92	1,901	246	187	217	174	163
18	Inflammation of the brain	M	425	87	50	29	12	17	195	53	23	35	31	14
		F	345	64	29	19	17	11	140	48	32	23	14	14
19	Meningitis	M	802	198	102	53	38	23	414	88	66	61	48	29
		F	658	134	94	49	32	32	341	83	56	46	36	21
20	Apoplexy	M	694	6	2	3	1	1	13	4	3	9	22	24
		F	771	7	5	1	2	2	17	6	7	6	12	25
21	Paralysis	M	1,014	12	11	8	9	4	44	24	10	16	20	16
		F	1,142	13	11	2	2	2	30	13	14	21	21	24
22	Paralysis, general (of insane)	M	73	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2
		F	24	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
23	Tetanus and trismus nascentium	M	364	238	5	.....	1	3	247	18	23	11	9	14
		F	261	198	8	1	1	.....	208	3	8	9	6	6
24	Chorea	M	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1
		F	6	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....
25	Epilepsy	M	290	41	8	5	5	1	60	17	20	30	35	26
		F	214	33	7	6	5	3	54	6	17	31	16	12
26	Convulsions	M	1,188	919	121	46	16	14	1,116	26	12	5	2	3
		F	1,066	725	104	45	32	21	927	28	9	30	21	12
27	Mental diseases	M	133	.....	.....	.....	.....	.....	.....	.....	3	6	10	9
		F	133	.....	.....	.....	.....	.....	.....	.....	1	4	9	15
28	Diseases of the brain	M	574	117	61	25	17	15	235	44	25	25	27	21
		F	534	89	33	16	10	20	168	55	37	37	24	28
29	Diseases of the spinal cord	M	35	4	1	.....	.....	.....	5	3	4	1	1	1
		F	38	1	4	1	1	.....	7	2	2	5	3	1
30	Locomotor ataxia	M	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
31	Others of this class	M	63	10	2	.....	1	.....	13	1	.....	.....	5	6
		F	99	7	.....	1	.....	1	9	1	2	4	11	3
32	3. Diseases of the circulatory system		7,375	174	51	27	20	18	290	83	119	167	343	324
33	Males		3,598	95	31	10	12	11	159	33	55	80	129	148
34	Females		3,777	79	20	17	8	7	131	50	64	87	214	176
35	Pericarditis	M	55	1	2	.....	.....	.....	3	2	1	5	6	6
		F	43	.....	.....	.....	1	1	2	2	4	1	4	2
36	Diseases of the heart	M	3,343	72	28	10	12	11	133	30	51	71	121	136
		F	3,562	66	20	17	7	6	116	47	60	88	203	157
37	Angina pectoris	M	52	.....	.....	.....	.....	.....	.....	1	.....	3	1	1
		F	76	.....	.....	.....	.....	.....	.....	.....	.....	1	2	9
38	Diseases of the arteries	M	44	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	Aneurism	M	70	.....	.....	.....	.....	.....	.....	.....	1	1	.....	5
		F	44	.....	.....	.....	.....	.....	.....	1	.....	1	2	6
40	Embolism	M	11	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....
		F	16	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2
41	Others of this class	M	23	22	1	.....	.....	.....	23	.....	.....	.....	.....	.....
		F	17	13	.....	.....	.....	.....	13	.....	.....	.....	.....	.....

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

COLORED—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,401	2,149	1,778	1,552	1,410	951	944	759	683	399	316	127	61	61	424	1
1,030	985	773	734	712	524	484	428	371	215	180	63	31	34	212	2
1,371	1,164	1,005	818	698	427	460	331	312	184	136	64	30	27	212	3
2	2	2	3	2	1	2	...	3	...	1	...	...	...	...	4
1	2	5	3	3	1	2	2	1	...	...	...	...	1	1	
3	7	5	5	8	7	9	2	4	4	...	...	3	2	1	5
2	3	6	4	7	9	6	5	3	4	3	3	...	...	...	
17	13	22	27	37	27	28	26	40	29	20	9	5	6	5	6
16	20	20	23	20	20	31	17	32	22	15	7	4	6	5	
17	20	6	17	10	7	10	8	6	4	2	...	1	...	8	7
14	21	14	10	14	5	8	4	3	5	2	...	...	2	7	
5	1	4	1	1	1	...	...	1	...	...	...	...	...	...	8
2	2	3	3	...	...	...	1	...	...	...	...	...	...	...	
9	11	3	3	3	3	1	4	...	...	1	...	...	...	...	9
8	3	2	2	1	1	2	...	1	1	...	...	...	...	1	
902	851	627	566	486	323	269	210	133	68	47	13	8	7	151	10
1,134	878	707	460	368	198	172	147	100	63	31	12	2	5	139	
16	19	24	38	42	39	34	37	24	18	9	5	3	2	12	11
66	113	133	173	153	96	105	56	49	31	23	13	8	3	18	
7	8	10	4	11	4	3	6	2	3	2	1	...	1	...	12
14	15	21	28	20	11	20	7	9	6	1	2	...	...	5	
50	52	66	70	112	112	128	135	158	88	96	35	11	16	34	13
114	107	93	111	112	85	114	92	114	52	61	27	16	10	36	
2	1	3	...	...	...	...	...	...	1	2	...	...	...	1	14
...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	
272	312	354	442	546	423	510	441	447	341	237	116	59	50	136	15
137	157	176	198	273	213	244	217	216	164	104	56	21	20	82	16
135	155	178	244	273	210	266	224	231	177	133	60	38	30	54	17
11	8	8	9	8	7	6	3	5	4	...	2	...	...	3	18
8	11	6	11	9	6	6	6	4	3	2	1	...	...	1	
24	17	9	6	12	4	4	6	3	4	1	...	...	...	6	19
14	10	7	6	7	3	9	3	5	3	...	1	...	3	4	
15	30	43	68	88	68	80	66	58	39	30	15	9	3	7	20
25	44	43	82	91	80	85	65	66	47	25	18	11	4	12	
17	46	47	53	99	72	108	101	120	88	56	33	10	12	22	21
25	34	59	85	103	84	118	116	126	100	82	32	25	16	14	
11	4	12	7	12	8	4	4	3	1	...	1	...	...	3	22
4	1	2	6	6	2	1	...	...	...	...	...	...	...	...	
6	7	3	4	4	3	5	4	...	3	...	...	...	...	3	23
6	3	2	1	3	2	1	...	2	...	...	...	...	1	...	
...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	24
...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	
18	8	15	10	6	11	7	6	7	3	2	1	...	1	4	25
8	15	9	7	11	5	4	2	4	2	2	1	...	3	5	
3	1	4	2	3	...	...	...	1	...	1	...	...	...	9	26
7	2	4	2	5	1	4	2	1	3	...	...	...	...	8	
8	13	8	6	11	12	10	7	8	5	3	3	1	...	10	27
14	6	21	13	8	3	5	7	10	6	3	3	1	1	8	
20	17	22	26	24	19	13	13	7	12	8	1	1	1	13	28
20	16	18	20	13	18	25	19	10	5	12	3	1	...	5	
3	3	2	3	1	1	3	1	...	1	1	...	...	1	...	29
1	5	2	2	1	2	...	1	...	1	1	...	...	...	2	
...	...	...	3	2	2	1	...	...	...	...	...	...	...	1	30
...	...	...	...	2	1	...	...	...	...	...	...	...	1	...	
1	3	3	1	3	6	3	6	4	3	2	...	...	2	1	31
3	7	5	8	14	3	8	3	3	7	5	1	...	1	...	
410	525	585	591	663	559	687	551	501	370	245	117	59	52	134	32
183	244	266	278	319	293	352	289	259	204	139	52	25	16	75	33
227	281	319	313	344	266	335	262	242	166	106	65	34	36	59	34
3	5	3	2	7	3	2	4	1	2	...	...	...	...	...	35
3	2	5	4	2	5	2	2	2	...	1	...	...	...	...	
166	222	238	259	299	281	335	269	244	193	136	50	23	15	71	36
214	269	294	296	328	250	322	250	230	155	101	62	32	34	59	
2	5	7	3	5	4	4	4	5	4	1	...	...	...	2	37
3	2	9	7	9	4	8	7	4	3	1	1	1	...	...	
1	...	4	3	4	3	3	8	6	4	2	2	2	1	1	38
...	1	2	1	1	1	...	1	3	2	2	2	1	2	...	
9	10	14	11	3	2	8	3	1	1	...	...	...	...	1	39
4	5	8	5	2	4	2	1	2	1	...	...	...	...	...	
2	2	...	...	1	...	...	1	2	...	...	...	...	...	...	40
2	1	1	...	2	2	...	1	1	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	41
1	1	...	...	...	...	1	...	...	...	1	...	...	...	...	

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

TOTAL COLORED—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		20,643	5,111	2,131	1,037	517	286	9,082	721	570	1,043	1,363	952
2	Males		11,485	2,757	1,096	539	262	146	4,800	343	282	578	817	573
3	Females		9,158	2,354	1,035	498	255	140	4,282	378	288	465	546	379
4	Croup	M	978	693	127	66	36	17	939	30	3	.....	1	3
		F	872	633	99	52	33	13	830	23	7	2	1	2
5	Pneumonia	M	8,613	1,561	747	377	181	113	2,979	264	230	528	750	503
		F	6,445	1,301	698	348	182	95	2,624	286	235	398	451	309
6	Laryngitis	M	33	8	4	2	2	2	18	1	.....	2	1	3
		F	15	2	2	1	1	.....	6	1	1	1	1	.....
7	Bronchitis	M	975	390	184	74	35	11	694	28	15	15	24	18
		F	1,001	337	198	79	21	24	659	49	23	30	25	22
8	Pleurisy	M	242	6	2	5	3	.....	16	7	9	9	16	16
		F	203	10	8	3	3	.....	24	3	5	8	18	19
9	Asthma	M	249	8	7	6	1	.....	22	4	4	1	2	7
		F	263	5	6	5	4	1	21	3	2	2	8	9
10	Others of this class	M	395	91	25	9	4	3	132	9	21	23	23	23
		F	359	66	24	10	11	7	118	13	15	24	42	18
11	5. Diseases of the digestive system		7,250	1,712	1,104	292	130	81	3,319	284	179	278	404	320
12	Males		3,818	912	591	147	68	41	1,759	149	88	124	183	151
13	Females		3,432	800	513	145	62	40	1,560	135	91	154	221	169
14	Dentition	M	657	232	370	45	9	1	657	.....	.....	.....	.....	.....
		F	598	223	312	56	6	1	598	.....	.....	.....	.....	.....
15	Angina	M	107	40	12	9	8	7	76	9	1	.....	2	2
		F	91	17	9	10	3	3	42	10	3	4	2	4
16	Gastritis	M	283	47	27	10	6	3	93	12	4	3	9	11
		F	323	43	25	6	10	4	88	20	3	17	18	24
17	Diseases of the stomach	M	176	29	9	4	4	3	49	11	5	7	9	7
		F	182	32	16	10	3	3	64	13	11	6	8	13
18	Obstruction of the bowels	M	116	11	1	2	.....	1	15	4	5	10	9	9
		F	118	8	2	.....	1	2	13	2	1	8	15	14
19	Appendicitis	M	157	2	1	1	1	1	6	5	12	21	27	22
		F	96	4	1	.....	.....	1	6	9	5	17	10	9
20	Hernia	M	197	23	3	4	2	.....	32	1	2	5	7	4
		F	41	[illegible]	.....	1	.....	.....	7	.....	1	1	.....	.....
21	Other diseases of the bowels	M	316	86	43	20	8	1	158	13	11	12	16	10
		F	272	69	35	12	11	3	130	14	13	17	15	7
22	Jaundice	M	157	81	9	3	1	2	96	8	4	5	6	9
		F	139	72	5	1	.....	1	79	4	2	8	11	7
23	Inflammation and abscess of the liver.	M	224	14	4	6	1	4	29	8	5	7	23	17
		F	150	7	5	5	3	3	23	2	6	5	18	9
24	Other diseases of the liver	M	271	13	7	6	8	4	38	12	5	10	15	13
		F	148	11	7	4	4	.....	26	7	3	5	11	2
25	Peritonitis	M	241	16	7	6	3	2	34	24	11	24	30	19
		F	424	14	6	3	3	3	29	13	21	47	87	56
26	Ascites	M	191	4	4	4	4	7	23	10	8	4	13	7
		F	183	5	4	4	4	2	19	11	7	10	14	11
27	Others of this class	M	725	314	94	27	13	5	453	32	15	16	17	21
		F	667	289	86	33	14	14	436	30	15	9	12	13
28	6. Diseases of the urinary system and male organs of generation.		3,785	64	54	38	17	20	193	66	62	102	186	187
29	Males		2,317	32	32	23	11	13	111	34	27	47	86	101
30	Females		1,468	32	22	15	6	7	82	32	35	55	100	86
31	Bright's disease	M	1,516	.....	.....	.....	.....	.....	.....	22	18	33	59	78
		F	1,132	.....	.....	.....	.....	.....	.....	24	30	42	78	62
32	Calculus, urinary	M	105	5	1	1	.....	.....	7	3	2	1	.....	1
		F	14	2	.....	2	1	.....	5	.....	.....	.....	1	.....
33	Diseases of the kidney	M	322	17	29	22	9	13	90	6	4	5	10	7
		F	162	22	18	12	5	7	64	5	3	4	9	8
34	Diseases of the bladder	M	135	1	2	.....	1	.....	4	.....	.....	.....	9	2
		F	25	4	.....	.....	.....	.....	4	.....	.....	2	1	2
35	Others of this class	M	239	9	.....	.....	1	.....	10	3	3	8	8	13
		F	135	4	4	1	.....	.....	9	3	2	7	11	14
36	7. Diseases of the female organs of generation.		592	3	.....	.....	.....	.....	3	.....	17	57	69	70
37	Ovarian tumors		39	.....	.....	.....	.....	.....	.....	.....	1	6	4	2
38	Ovarian diseases		10	.....	.....	.....	.....	.....	.....	.....	1	1	1	2
39	Diseases of the tubes		46	.....	.....	.....	.....	.....	.....	.....	.....	3	13	12
40	Uterine tumors		88	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	9
41	Uterine diseases		128	.....	.....	.....	.....	.....	.....	.....	2	13	17	15
42	Others of this class		281	3	.....	.....	.....	.....	3	.....	13	34	32	30

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

TOTAL COLORED—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
755	785	710	668	761	565	657	509	505	326	257	122	54	56	182	1
478	437	423	406	474	351	363	300	314	180	135	73	23	24	111	2
277	348	287	262	287	214	294	209	191	146	122	49	31	32	71	3
...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	4
...	1	1	2	...	1	...	...	...	...	...	...	...	...	2	
411	383	373	340	397	271	294	227	253	142	95	54	17	18	84	5
240	277	232	198	224	161	217	147	134	102	87	30	22	20	51	
1	...	1	2	...	2	...	2	...	...	...	...	...	...	...	6
1	...	1	...	...	...	1	...	1	...	...	1	...	...	...	
12	14	16	23	25	19	7	16	19	6	9	4	2	...	9	7
13	17	8	19	17	13	23	18	16	20	11	8	...	3	7	
18	14	5	12	14	17	19	19	16	12	10	6	2	1	4	8
5	14	6	15	15	11	19	6	10	9	5	3	4	1	3	
11	4	13	12	19	29	25	25	22	14	15	7	2	4	7	9
5	19	18	19	20	18	26	27	25	10	14	4	4	7	2	
25	22	15	17	18	13	18	11	4	6	6	2	...	1	6	10
13	20	21	9	11	10	8	11	5	5	5	3	1	1	5	
267	262	247	273	274	242	235	201	154	101	80	38	16	16	60	11
132	119	112	154	156	139	138	121	96	69	51	21	8	11	37	12
135	143	135	119	118	103	97	80	58	32	29	17	8	5	23	13
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	14
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
2	3	2	1	2	1	...	1	3	1	...	...	...	1	...	15
2	...	3	4	3	3	1	2	2	1	4	1	...	...	...	
13	10	12	18	26	18	14	14	9	7	5	1	1	1	2	16
18	17	14	18	20	19	16	10	5	3	5	3	2	1	2	
7	13	5	9	9	9	7	7	8	5	4	4	...	1	...	17
6	9	9	7	5	5	5	8	5	1	1	2	1	...	3	
9	4	5	8	3	11	8	3	6	2	1	...	...	...	4	18
8	6	11	9	6	8	4	5	4	1	...	2	...	...	1	
14	9	10	4	4	7	5	6	1	2	1	...	...	...	1	19
8	7	4	4	5	4	4	3	1	...	...	...	...	...	...	
9	6	11	14	9	15	14	12	16	12	9	7	2	3	7	20
1	1	4	4	6	5	3	4	...	2	...	...	1	...	1	
9	10	6	10	8	10	10	6	7	10	5	2	1	...	2	21
10	9	3	8	5	8	6	4	10	4	5	...	1	2	1	
5	2	2	2	8	4	2	2	...	1	...	1	...	...	...	22
3	7	4	2	2	1	2	2	3	1	...	...	...	...	1	
14	11	13	19	17	12	20	8	8	3	4	...	...	1	5	23
9	9	13	10	6	6	11	9	4	4	3	2	...	...	1	
18	18	16	28	22	17	16	19	5	6	4	...	1	...	8	24
10	5	15	13	14	10	7	6	5	4	1	3	...	...	1	
17	11	8	17	9	5	10	10	6	3	1	...	...	...	2	25
38	49	31	16	14	6	8	3	2	...	...	...	...	...	4	
4	5	8	5	15	14	14	16	11	12	10	4	2	3	3	26
9	10	7	7	14	13	10	9	14	8	6	1	...	1	2	
11	17	14	19	24	16	18	17	16	5	7	2	1	1	8	27
13	14	17	17	18	15	20	15	3	3	4	3	3	1	6	
199	247	271	325	348	284	346	289	280	157	99	59	21	15	49	28
93	133	147	189	225	177	232	217	210	119	71	38	17	13	30	29
106	114	124	136	123	107	114	72	70	38	28	21	4	2	19	30
60	105	121	150	171	130	158	133	124	66	33	21	8	4	16	31
86	83	105	116	102	90	101	61	58	32	22	20	4	2	14	
...	8	...	4	1	5	12	21	14	11	7	4	4	2	8	32
...	1	1	...	...	2	...	1	1	2	...	...	...	...	...	
10	9	11	11	22	23	27	26	16	22	12	2	4	1	4	33
11	8	6	4	7	6	8	5	7	3	3	1	...	...	...	
2	4	2	8	11	5	16	11	32	10	5	6	...	4	4	34
1	3	2	4	1	1	1	1	1	1	...	...	...	...	...	
15	12	13	16	20	14	19	26	24	10	14	5	1	2	3	35
8	19	10	12	13	8	4	4	3	...	3	...	...	...	5	
60	69	67	76	31	15	16	18	6	6	...	...	...	...	12	36
7	6	1	8	2	1	...	1	...	...	...	...	...	...	...	37
2	1	1	...	1	...	...	...	...	...	...	...	...	...	...	38
9	5	2	2	...	...	...	...	...	...	...	...	...	...	...	39
11	13	16	18	6	4	3	3	1	...	...	...	...	...	2	40
10	19	10	6	7	3	9	4	2	4	...	...	...	...	7	41
21	25	37	42	15	7	4	10	3	2	...	...	...	...	8	42

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

TOTAL COLORED—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	1,883								23	381	485	329
2	Abortion	114								1	21	27	30
3	Childbirth	1,237								19	238	296	207
4	Puerperal septicemia	383								2	77	118	73
5	Extra-uterine pregnancy	16										3	3
6	Others of this class	133								1	45	41	16
7	9. Diseases of the bones and joints	261	28	15	19	8	8	78	24	17	20	18	15
8	Males	152	16	10	9	3	3	41	14	12	14	9	11
9	Females	109	12	5	10	5	5	37	10	5	6	9	4
10	Diseases of the spine M	78	10	6	9	1	3	29	9	8	7	2	8
	Diseases of the spine F	62	10	3	8	4	2	27	5	4	3	5	2
11	Abscess, lumbar and psoas M	3							1		1	1	
	Abscess, lumbar and psoas F	5							2			1	
12	Diseases of the bones M	28	3	2		1		6	2	2	3	1	
	Diseases of the bones F	19		2	1		2	5			1	2	
13	Diseases of the hip-joint M	13								2		3	2
	Diseases of the hip-joint F	10							2	1	2		1
14	Others of this class M	25	3	2		1		6	2		3	2	1
	Others of this class F	13	2		1	1	1	5	1			1	1
15	10. Diseases of the skin	303	59	25	6	8	2	100	4	13	10	9	18
16	Males	171	37	14	4	5	2	62	3	8	4	9	10
17	Females	132	22	11	2	3		38	1	5	6		8
18	Abscess M	92	15	6		2	1	24	2	6	3	7	6
	Abscess F	55	8			1		9	1	1	2		6
19	Carbuncle M	12								2			2
	Carbuncle F	14	1					1					1
20	Others of this class M	67	22	8	4	3	1	38	1		1	2	2
	Others of this class F	63	13	11	2	2		28		4	4		1
21	11. Diseases of the absorbent system	36	4	1				5	1		4	3	3
22	Males	15	2					2			2	1	1
23	Females	21	2	1				3	1		2	2	2
24	Addison's disease M	1											
	Addison's disease F	1											
25	Diseases of the spleen M	4										1	1
	Diseases of the spleen F	5									1		2
26	Others of this class M	10	2					2			2		
	Others of this class F	15	2	1				3	1		1	2	
27	12. Accidents and injuries	8,295	1,109	317	312	332	223	2,293	577	430	770	905	735
28	Males	5,646	551	165	165	158	86	1,125	267	293	587	736	608
29	Females	2,649	558	152	147	174	137	1,168	310	137	183	169	127
30	Burns and scalds M	683	54	99	122	126	54	455	84	17	12	15	7
	Burns and scalds F	1,104	46	88	113	144	113	504	234	63	56	42	23
31	Drowning M	572	5	10	12	6	8	41	54	73	56	76	63
	Drowning F	95		7	4	6	1	18	14	11	14	9	6
32	Exposure and neglect M	166	91	12	4	1	3	111	3	2	5	1	4
	Exposure and neglect F	193	113	13	6	5	4	141	5	1	7	7	5
33	Gunshot wounds M	1,065	1	4	4	5	4	18	31	75	163	225	185
	Gunshot wounds F	154	4	3	2	2	3	14	9	20	33	30	22
34	Homicide M	491			1			1	4	13	53	103	95
	Homicide F	93			3			3	3	3	12	22	19
35	Infanticide M	8	8					8					
	Infanticide F	3	3					3					
36	Injuries by machinery M	40							1	3	5	9	2
	Injuries by machinery F	1									1		
37	Railroad accidents M	509	3		1	1	1	6	12	27	73	97	70
	Railroad accidents F	49	1			1	1	3	3	4	5	5	6
38	Suffocation M	246	199	10	3	1		213	2		4	4	1
	Suffocation F	274	226	13	3	2	3	247	3	7	2	2	1
39	Suicide by shooting M	28									4	6	5
	Suicide by shooting F	4									1	1	1
40	Suicide by drowning M	2											
	Suicide by drowning F	2										1	
41	Suicide by poison M	18								1		5	2
	Suicide by poison F	21									7	9	3
42	Other suicides M	61								2	1	6	9
	Other suicides F	16									3	3	4
43	Sunstroke M	88	3	1	1	1	1	7	1	2	4	5	5
	Sunstroke F	30	5			1		6	2	4		1	1
44	Surgical operations M	21								1		1	1
	Surgical operations F	31									2	4	6
45	Wounds M	73	1					1	4	1	6	13	7
	Wounds F	11	4					4	1		1	2	1
46	Others of this class M	1,575	186	29	17	17	15	264	71	76	171	170	152
	Others of this class F	568	156	28	16	13	12	225	36	24	39	31	29

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

TOTAL COLORED—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
256	232	105	31	4	3	3	2	1						28	1
16	10	6	1											2	2
177	174	71	23	4	2	3	1	1						21	3
46	39	20	4				1							3	4
6	3				1										5
11	6	8	3											2	6
14	12	11	11	6	8	11	4	6	2		1	1	1	1	7
7	9	6	8	3	5	3	2	4	1		1		1	1	8
7	3	5	3	3	3	8	2	2	1			1			9
2	3	2	4	1	1		1							1	10
4	2	2	1	2	2	3									
2	1			1	1										11
		1		1											
3	2	1	1		1	1	1	3	1						12
	1	1	1		1	4	1	1	1						
	3	1	1			1									13
2		1	1												
		2	2	1	2	1		1			1		1		14
1						1	1	1				1			
14	22	16	13	19	12	15	9	8	4	5	4	2	3	3	15
8	11	9	8	11	6	4	5	3	3	1	2	1		3	16
6	11	7	5	8	6	11	4	5	1	4	2	1	3		17
8	8	5	7	6	3	1	2		1	1		1		1	18
3	8	5	4	3	3	4	2	2		2					
		2	1	1			1	2						1	19
	2	1	1	2		3		1		1			1		
	3	2		4	3	3	2	1	2		2			1	20
3	1	1		3	3	4	2	2	1	1	2	1	2		
3	3	1	5	5	2		1								21
2	1		3	1	1		1								22
1	2	1	2	4	1										23
					1										24
	1														
	1		1												25
	1				1										
2			2	1			1								26
1		1	2	4											
537	441	289	227	215	136	150	98	90	72	75	27	21	25	182	27
460	371	240	186	167	109	110	66	56	42	37	19	9	8	150	28
77	70	49	41	48	27	40	32	34	30	28	8	12	17	32	29
9	9	7	2	6	5	5	5	8	3	10	8	3	4	9	30
22	11	10	11	13	13	15	15	14	17	13	2	6	9	11	
35	36	26	16	17	8	9	2	2	2	1	1			24	31
8	2	3	3	1	2	2	1							1	
4	2	1	3	4	2	6	4	2	4	3		2	1	2	32
2	5	2		2	3	1	1	3	2	3	1			2	
130	80	39	44	17	6	10	3	3	2	2		1		31	33
7	6	3	1	3	2	1					1			2	
58	54	38	18	21	5	3	3	3	1	1				17	34
5	8	4	3	1	1					1				8	
															35
6	4	3	2	2	1		2								36
55	44	28	11	16	9	15	10	9	3	5	1		1	17	37
2	3	4	2	5		3			1	2			1		
2	2	2	3	1	5	2			2					3	38
2		2		2		1	1		2	1				1	
1	3	3	2	1	2						1				39
	1														
	1							1							40
1															
5		2	1	2											41
	1			1											
10	6	9	5	4	3	2	1	1	1					1	42
2	1	1		1							1				
11	13	3	6	9	4	3	2	5		1	1	1	1	4	43
2	3	2	2	3		1	1	1						1	
1	5	3		1	3		1	1		1				2	44
7	5	3	2		1					1					
10	4	4	5	2	2	3	1		2	1	3			4	45
1						1									
123	108	72	68	64	54	52	32	21	22	12	4	2	1	36	46
16	24	15	17	16	5	15	13	16	8	17	3	6	7	6	

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

INDIANS.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		4,801	718	437	226	163	112	1,656	418	292	328	284	199
2	Males		2,377	393	201	107	78	54	833	180	138	127	147	105
3	Females		2,424	325	236	119	85	58	823	238	154	201	137	94
4	Unknown cause		960	187	97	52	26	25	387	84	64	38	39	27
5	Males		460	105	42	24	13	14	198	30	28	13	13	13
6	Females		500	82	55	28	13	11	189	54	36	25	26	14
	1. General diseases.													
7	General diseases—A		1,095	228	192	79	61	38	598	126	56	58	26	24
8	Males		554	123	89	39	27	20	298	60	31	23	12	14
9	Females		541	105	103	40	34	18	300	66	25	35	14	10
10	Measles	M	111	21	15	12	4	6	58	24	14	4	1	2
		F	111	14	16	6	12	4	52	20	10	6	6	
11	Scarlet fever	M	4	2					2	1	1			
		F	5	1		1			2	1	1	1		
12	Diphtheria	M	6	1	2		1		4	1		1		
		F	6	2		2	1		5			1		
13	Whooping cough	M	57	25	16	4	5	1	51	3	1			
		F	75	23	23	9	3	5	63	7	2	2		
14	Malarial fever	M	56	5	6	1	4	2	18	11	2	4		1
		F	58	7	8	5		1	21	6	3	2	3	3
15	Influenza	M	48	3	5	3	1	4	16	1	2	3	2	
		F	39	6		1	4	2	13	4	1	2	2	1
16	Typhoid fever	M	49	3	5	4	2		14	5	4	4	2	5
		F	39	1	5	3	2	1	12	8	2	11		1
17	Cholera morbus	M	21	5	2	2	1	1	12	2	2			
		F	18	4	1	2	1		8	2	2			1
18	Colitis	M												
		F	3	1					1					
19	Diarrhea	M	33	16	6	3	1	2	28	2				
		F	28	9	8	3	3		23	4	1			
20	Dysentery	M	39	5	13	5	1	1	25	2	2		2	2
		F	35	8	11	2	4		25	4		1		
21	Enteritis	M	20	9	3		3		15	2	1			
		F	12	3	3				6	1	1	2		
22	Cholera infantum	M	22	13	6	3			22					
		F	34	16	15			3	34					
23	Fever	M	35	9	6	2	3	2	22	4	2		2	
		F	43	6	12	4	3	2	27	2	2	3	1	1
24	Cerebro-spinal fever	M	15	4			1	1	6			3	1	2
		F	11	2	1	1	1		5	4		1		1
25	Smallpox	M	14	2					2			3	1	
		F	11							2		1	2	
26	Erysipelas	M	4		1				1					
		F												
27	Septicemia	M	10		1				1	1				1
		F	6	1					1	1		1		1
28	Venereal diseases	M	10		1				1	1		1	1	1
		F	5	1					1					1
29	Others of this group	M												
		F	2			1			1			1		
30	General diseases—B		49	21	2	1			24	3	2		2	
31	Males		28	13	1				14	2	1		1	
32	Females		21	8	1	1			10	1	1		1	
33	Alcoholism	M	5	1					1					
		F	3											
34	Parasitic diseases	M	2	1					1					
		F	2							1				
35	Lead poison	M												
		F												
36	Other poisons	M	10	2					2	2	1		1	
		F	5										1	
37	Inanition	M	11	9	1				10					
		F	11	8	1	1			10		1			
38	General diseases—C		159	19		2	2		23				1	
39	Males		70	10		2	2		14				1	
40	Females		89	9					9					
41	Old age	M	47											
		F	68											
42	Premature birth	M	7	7					7					
		F	5	5					5					
43	Malformation	M	1				1		1					
		F	1	1					1					
44	Debility and atrophy	M	14	2		2	1		5				1	
		F	13	1					1					
45	Others of this group	M	1	1					1					
		F	2	2					2					

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

INDIANS.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
197	146	180	133	136	119	134	126	109	83	83	31	33	30	84	1
102	50	94	69	74	66	76	67	53	39	39	15	15	8	50	2
95	96	86	64	62	53	58	59	56	44	44	16	18	22	34	3
26	33	37	25	23	25	30	29	17	22	16	7	7	4	20	4
14	21	23	14	14	12	17	12	5	6	10	3	2	1	11	5
12	12	14	11	9	13	13	17	12	16	6	4	5	3	9	6
23	21	23	16	29	13	19	19	10	9	11	1	1	1	11	7
12	7	15	7	22	9	10	11	4	4	7		1		7	8
11	14	8	9	7	4	9	8	6	5	4	1		1	4	9
	1	1					2							4	10
5	3	1	3	1		2				1				1	
															11
															12
														2	13
					1										
1	3	3	1	5	1	2	1		1	2					14
	3	4	1	1		4	3	2						2	
1		2	1	1	2	3	3	2	3	4		1		1	15
		1	1	1	1	1	1	2	4	2			1	1	
6		2		2	3			1		1					16
2	2								1						
	1	1		2		1									17
		1	1		1		2								
															18
					1		1								
				2			1								19
1			1	1	2	1									20
	2			2		1									
				1				1							21
	1										1				
															22
		1	2	1	1										23
1	1	1		1		1		1		1					
		2				1									24
2	1	2	1	1		1									25
	1		2	1			1	1							
			1	1			1								26
		1		4			2								27
1			1												
1	1			1		1	1								28
2	1														
															29
1	2	1	1	2	3	2	1		1		1			3	30
	2		1	1	1		1		1					3	31
1		1		1	2	2					1				32
					1				1					2	33
				1		1					1				
				1											34
					1										
															35
	2		1				1								36
1		1			1	1									
														1	37
1				2	2	8	8	22	13	24	14	13	17	11	38
					2	3	5	11	4	8	7	6	6	3	39
						5	3	11	9	16	7	7	11	8	40
1				2											
						8	5	10	2	8	7	4	5	3	41
						3	3	9	8	14	6	7	11	7	
															42
															43
					2			1	2			2	1		44
1				2		2		2	1	2	1			1	
															45

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

INDIANS—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		1,187	38	32	32	24	22	148	93	115	170	147	88
2	Males		560	20	14	16	14	10	74	38	41	62	81	47
3	Females		627	18	18	16	10	12	74	60	74	108	66	41
4	Anemia	M	1								1			
		F												
5	Diabetes	M	2											
		F												
6	Rheumatism	M	7											1
		F	18								1	1		1
7	Scrofula and tabes	M	43	6	1	3	4		14	10	3	2	1	3
		F	37	3	3	3	2	1	12	7	5	2	3	
8	Hydrocephalus	M	5	2	1		1		4	1				
		F	12	1	4	2	1	2	10	1		1		
9	Tuberculosis, general	M												
		F	2									2		
10	Consumption	M	472	9	11	13	9	9	51	25	34	60	77	43
		F	526	11	10	11	7	9	48	47	67	101	62	39
11	Cancer	M	6	1					1					
		F	13										1	
12	Tumor	M	6					1	1		2			
		F	6	1					1	1				
13	Dropsy	M	18	2	1				3	2	1		3	
		F	12	1	1				2	4	1	1		1
14	Others of this group	M												
		F	1	1					1					
15	2. Diseases of the nervous system		192	47	21	16	6	9	99	19	11	5	13	4
16	Males		108	33	9	7	2	2	53	9	7	3	10	3
17	Females		84	14	12	9	4	7	46	10	4	2	3	1
18	Inflammation of the brain	M	10	2		1	1	1	5	2			2	
		F	14	3	3	1		2	9	4	1			
19	Meningitis	M	29	7	5	3			15	2	1	2	6	1
		F	24	3	4	4	3	3	17	4	1		1	
20	Apoplexy	M	5										1	
		F	5											
21	Paralysis	M	13			1			1	2	1			1
		F	10		1	1			2			1		
22	Paralysis, general (of insane)	M	1											
		F												
23	Tetanus and trismus nascentium	M	1					1	1					
		F												
24	Chorea	M												
		F	1								1			
25	Epilepsy	M	8	1			1		2	1	3	1		1
		F	7	2		1	1		4				1	
26	Convulsions	M	24	19	3	1			23					
		F	12	5	2	2		2	11				1	
27	Mental diseases	M	1											
		F	2											
28	Diseases of the brain	M	12	4	1	1			6	2	2		1	
		F	8	1	2				3	2	1	1		1
29	Diseases of the spinal cord	M												
		F												
30	Locomotor ataxia	M	2											
		F												
31	Others of this class	M	1											
		F	1											
32	3. Diseases of the circulatory system		78	2	1		2		5	4	1	5	4	2
33	Males		43	1	1		2		4	2	1	3	2	2
34	Females		35	1					1	2		2	2	
35	Pericarditis	M	2										1	1
		F												
36	Diseases of the heart	M	38		1		2		3	2	1	3	1	1
		F	33	1					1	2		2	2	
37	Angina pectoris	M	2											
		F	1											
38	Diseases of the arteries	M												
		F												
39	Aneurism	M												
		F	1											
40	Embolism	M												
		F												
41	Others of this class	M	1	1					1					
		F												

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

INDIANS—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
76	50	55	51	37	31	28	27	23	10	11	3	3	1	15	1
43	28	21	24	14	16	20	15	13	4	4	2	2		11	2
33	22	34	27	23	15	8	12	10	6	7	1	1	1	4	3
															4
					1			1							5
				1		2		2							6
1	2	[illegible]	3	1	2	1		1	1	1				1	
2	1		2		1	1	1	1						1	7
	1	2	1	1				1						1	
															8
															9
41	27	17	19	12	13	16	13	6	3	3	2	1		9	10
31	19	28	18	17	11	6	12	6	4	5	1	1		3	
		1	2					1				1			11
1		1	4	4	1								1		
		2								1					12
			1			1		1	1						
		1	1	1	1	1	1	2	1						13
					1			1		1					
															14
4	1	3	2	4	2	5	4	3	3	2	1		1	6	15
2	1	3	1	2	1	2	3	2	2	1				3	16
2			1	2	1	3	1	1	1	1	1		1	3	17
									1						18
	1		1												19
					1										
		1				1	[illegible]	1							20
						1	1			1				2	
		2		1		1	1	1	1	1					21
				1		2		1	1		1		1		
1															22
															23
															24
															25
			1											1	
														1	26
1															27
[illegible]															
														1	28
															29
				1	1										30
														1	31
				1											
9	3	[illegible]	6	[illegible]	4	4	7	4	4	3		1			32
5	1	4	2	3	2	3	4	2	1	1		1			33
4	2	2	4	3	2	1	3	2	3	2					34
															35
5	1	3	2	3	1	3	4	2	1	1		1			36
4	2	2	4	3	1	1	2	2	3	2					
		1			1										37
							1								
															38
															39
					1										
															40
															41

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

INDIANS—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	566	113	70	30	28	13	254	46	23	21	12	20
2	Males	285	58	35	12	12	7	124	19	16	10	7	10
3	Females	281	55	35	18	16	6	130	27	7	11	5	10
4	Croup M	33	15	10	4	2		31	2				
	Croup F	36	16	9	4	3		32	2	2			
5	Pneumonia M	215	32	20	6	9	6	73	14	16	7	6	9
	Pneumonia F	194	23	23	9	11	3	69	22	4	10	5	10
6	Laryngitis M	4	2					2					
	Laryngitis F												
7	Bronchitis M	23	9	5	1	1	1	17	3		1		
	Bronchitis F	38	15	3	4	2	3	27	1				
8	Pleurisy M	5			1			1				1	1
	Pleurisy F	4								1			
9	Asthma M	2											
	Asthma F	3							1				
10	Others of this class M	3									2		
	Others of this class F	6	1		1			2	1		1		
11	5. Diseases of the digestive system	159	39	16	9	4	1	69	15	5	4	8	5
12	Males	83	19	10	5	1		35	11	2	1	4	2
13	Females	76	20	6	4	3	1	34	4	3	3	4	3
14	Dentition M	1	1					1					
	Dentition F	3	2	1				3					
15	Angina M	4	2		1			3	1				
	Angina F	1			1			1					
16	Gastritis M	10	2	1	1			4	3				
	Gastritis F	11		1		1		2	1		1		2
17	Diseases of the stomach M	9	3					3	1			2	
	Diseases of the stomach F	14	3	2		1		6	1		1	2	
18	Obstruction of the bowels M	3			1			1	1	1			
	Obstruction of the bowels F												
19	Appendicitis M	3									1		
	Appendicitis F												
20	Hernia M	3		1				1					
	Hernia F	2											
21	Other diseases of the bowels M	11	2	2	1			5				1	1
	Other diseases of the bowels F	5	1	2				3			1		
22	Jaundice M	1								1			
	Jaundice F	2										1	
23	Inflammation and abscess of the liver. M	3	1					1					1
	Inflammation and abscess of the liver. F	5			2			2					
24	Other diseases of the liver M	4											
	Other diseases of the liver F												
25	Peritonitis M	8	2			1		3	2				
	Peritonitis F	9					1	1	2	2			
26	Ascites M	3										1	
	Ascites F	2								1			
27	Others of this class M	20	6	6	1			13	3				
	Others of this class F	22	14		1	1		16				1	1
28	6. Diseases of the urinary system and male organs of generation.	43		1				1	1	3	5		2
29	Males	34								3	1		2
30	Females	9		1				1	1		2		
31	Bright's disease M	22								2			1
	Bright's disease F	6									2		
32	Calculus, urinary M	2											
	Calculus, urinary F												
33	Diseases of the kidney M	2											
	Diseases of the kidney F	2							1				
34	Diseases of the bladder M	3											
	Diseases of the bladder F												
35	Others of this class M	5								1	1		1
	Others of this class F	1		1				1					
36	7. Diseases of the female organs of generation.	5	1					1					1
37	Ovarian tumors												
38	Ovarian diseases												
39	Diseases of the tubes												
40	Uterine tumors	1											
41	Uterine diseases												
42	Others of this class	4	1					1					1

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

INDIANS—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
16	12	26	13	16	26	16	11	17	12	10	1	4	3	7	1
8	7	13	10	6	13	8	6	8	9	4		2	1	4	2
8	5	13	3	10	13	8	5	9	3	6	1	2	2	3	3
															4
7	5	12	8	6	12	8	5	8	9	3		2	1	4	5
8	4	13	3	10	9	7	3	6	2	4	1	2	1	1	
		1	1												6
	1				1										7
	1				1		1	2	1	2				2	
			1				1								8
1					1	1		1							
										1					9
					1		1								
	1														10
					1								1		
9	2	6	4	5	5	4	5	3	4	1		1		4	11
6	1	2	3	1	4		2	2	3					4	12
3	1	4	1	4	1	4	3	1	1	1		1			13
															14
															15
1			1		1										16
				1	1	1				1		1			
		1			1			1							17
1		1	1				1								
															18
2															19
														2	20
							1		1						
			1	1			1	1							21
1															
						1									22
			1												23
				1		1	1								
					1		1		1					1	24
1	1								1						25
	1	2						1							
									1					1	26
				1											
2		1			1										27
1		1		1		1									
1	2	2	3	4	1	6	6	2	2	2	1	1			28
1	2	2	2	4	1	4	4	2	2	2	1	1			29
			1			2	2								30
	1	2		3	1	3	4	2	1	2					31
			1			1	2								
						1			1						32
			1								1				33
						1									
1	1		1												34
				1								1			35
1		2													36
															37
															38
															39
		1													40
															41
1		1													42

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

INDIANS—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	66									11	12	10
2	Abortion	4									2	1	1
3	Childbirth	50									6	9	6
4	Puerperal septicemia	11									3	1	3
5	Extra-uterine pregnancy												
6	Others of this class	1										1	
7	9. Diseases of the bones and joints	14			1	1		2	5		1	2	1
8	Males	7							1		1	1	1
9	Females	7			1	1		2	4			1	
10	Diseases of the spine M	1											1
	Diseases of the spine F	5			1	1		2	3				
11	Abscess, lumbar and psoas M												
	Abscess, lumbar and psoas F	1										1	
12	Diseases of the bones M	3							1		1	1	
	Diseases of the bones F												
13	Diseases of the hip-joint M	2											
	Diseases of the hip-joint F	1							1				
14	Others of this class M	1											
	Others of this class F												
15	10. Diseases of the skin	7	2					2					
16	Males	5	1					1					
17	Females	2	1					1					
18	Abscess M	3											
	Abscess F	2	1					1					
19	Carbuncle M												
	Carbuncle F												
20	Others of this class M	2	1					1					
	Others of this class F												
21	11. Diseases of the absorbent system	2										1	
22	Males												
23	Females	2										1	
24	Addison's disease M												
	Addison's disease F												
25	Diseases of the spleen M												
	Diseases of the spleen F												
26	Others of this class M												
	Others of this class F	2										1	
27	12. Accidents and injuries	219	21	5	4	9	4	43	17	12	12	17	15
28	Males	140	10		2	5	1	18	5	8	10	15	11
29	Females	79	11	5	2	4	3	25	9	4	2	2	4
30	Burns and scalds M	5			1	2		3				1	
	Burns and scalds F	15		1		1	1	3	6	1			
31	Drowning M	13			1	1		2	3	1	1		1
	Drowning F	4			1			1		2			
32	Exposure and neglect M	14	5				1	6		2			
	Exposure and neglect F	17	7	1		3	1	12	1				1
33	Gunshot wounds M	16							1	1	1	1	3
	Gunshot wounds F												
34	Homicide M	12									1	1	1
	Homicide F	2											
35	Infanticide M												
	Infanticide F												
36	Injuries by machinery M	1									1		
	Injuries by machinery F												
37	Railroad accidents M	16										3	2
	Railroad accidents F	4											1
38	Suffocation M	1	1					1					
	Suffocation F												
39	Suicide by shooting M	5									1	1	1
	Suicide by shooting F	1											1
40	Suicide by drowning M												
	Suicide by drowning F												
41	Suicide by poison M												
	Suicide by poison F												
42	Other suicides M	4										2	
	Other suicides F	3										2	
43	Sunstroke M	1				1		1					
	Sunstroke F												
44	Surgical operations M												
	Surgical operations F												
45	Wounds M	3									1		
	Wounds F												
46	Others of this class M	49	4			1		5	4	4	4	6	3
	Others of this class F	33	4	3	1		1	9	2	1	2		1

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

INDIANS—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
14	9	5	3				1							1	1
															2
13	9	4	2											1	3
1		1	1				1								4
															5
															6
	1				1	1									7
	1				1	1									8
															9
															10
															11
															12
	1					1									13
					1										14
	1	2					1				1				15
	1	1					1				1				16
		1													17
	1	1					1								18
		1													
															19
											1				20
1															21
															22
1															23
															24
															25
															26
1															
15	9	12	9	8	6	11	7	8	3	3	1	2	3	6	27
11	8	10	5	7	4	8	3	4	3	2	1			4	28
4	1	2	4	1	2	3	4	4		1		2	3	2	29
														1	30
1		1	1			1						1			
1	2	1			1										31
						1									
1	1					2	1			1					32
					2		1								
2	2					2		1						2	33
2	1	1	2	1	1				1						34
1		1													
															35
															36
	2	4		1		1	1	1	1				1		37
1			1												
															38
				1							1				39
															40
															41
1		1													42
				1											
															43
															44
				1		1									45
4		3	3	3	2	2	1	2	1	1				1	46
1	1		2			1	3	4		1		1	2	2	

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

CHINESE.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	1,150	48	11	7	8	7	81	18	10	12	40	57
2	Males	1,045	25	8	5	3	4	45	8	5	7	36	49
3	Females	105	23	3	2	5	3	36	10	4	5	4	8
4	Unknown cause	58	2					2		2			2
5	Males	55	1					1		1			2
6	Females	3	1					1		1			
	1. General diseases.												
7	General diseases—A	75	8	1	1		2	12	2		2	4	3
8	Males	62	1	1			1	3				4	3
9	Females	13	7		1		1	9	2		2		
10	Measles M												
	Measles F												
11	Scarlet fever M												
	Scarlet fever F												
12	Diphtheria M												
	Diphtheria F	3			1			1	2				
13	Whooping cough M	1		1				1					
	Whooping cough F	2	1				1	2					
14	Malarial fever M	2											
	Malarial fever F												
15	Influenza M												
	Influenza F												
16	Typhoid fever M	15					1	1				1	1
	Typhoid fever F												
17	Cholera morbus M	4											
	Cholera morbus F												
18	Colitis M												
	Colitis F												
19	Diarrhea M	1	1					1					
	Diarrhea F												
20	Dysentery M	6										2	1
	Dysentery F	1	1					1					
21	Enteritis M	14											
	Enteritis F												
22	Cholera infantum M												
	Cholera infantum F	1	1					1					
23	Fever M	11										1	
	Fever F	3	1					1			2		
24	Cerebro-spinal fever M												
	Cerebro-spinal fever F												
25	Smallpox M												
	Smallpox F												
26	Erysipelas M	1											
	Erysipelas F	1	1					1					
27	Septicemia M	2											
	Septicemia F	2	2					2					
28	Venereal diseases M	3											1
	Venereal diseases F												
29	Others of this group M	2											
	Others of this group F												
30	General diseases—B	9	3					3					
31	Males	9	3					3					
32	Females												
33	Alcoholism M	1											
	Alcoholism F												
34	Parasitic diseases M												
	Parasitic diseases F												
35	Lead poison M												
	Lead poison F												
36	Other poisons M	4											
	Other poisons F												
37	Inanition M	4	3					3					
	Inanition F												
38	General diseases—C	32	5					5				1	
39	Males	24	2					2				1	
40	Females	8	3					3					
41	Old age M	15											
	Old age F	4											
42	Premature birth M												
	Premature birth F	1	1					1					
43	Malformation M	1	1					1					
	Malformation F	1	1					1					
44	Debility and atrophy M	8	1					1				1	
	Debility and atrophy F	2	1					1					
45	Others of this group M												
	Others of this group F												

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

CHINESE.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
81	134	159	175	148	81	63	44	17	7	4	2			17	1
74	127	156	172	141	80	59	43	16	7	2	2			15	2
7	7	3	3	7	1	4	1	1		2				2	3
	3	7	7	9	9	5	5	1						6	4
	3	7	7	9	9	5	5	1						5	5
														1	6
4	8	11	8	11	5	2	2	1							7
4	8	11	8	11	5	2	2	1							8
															9
															10
															11
															12
															13
	1		1												14
															15
2	2	3	1		3		1								16
1		1		2											17
															18
															19
			1			1		1							20
1	2	2	4	3	1		1								21
															22
	2	2	1	4	1										23
															24
															25
				1											26
		1				1									27
	1	1													28
		1		1											29
		1		3		1								1	30
		1		3		1								1	31
															32
				1											33
															34
															35
		1		2		1									36
														1	37
		1	1	1	2	3	8	3	3	2	2				38
		1	1		2	3	7	2	3		2				39
				1			1	1		2					40
						3	5	2	3		2				41
							1	1		2					
															42
															43
		1	1		2		2								44
				1											
															45

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

CHINESE—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.												
1	General diseases—D	417	2	1	1		1	5	5	1	2	16	30
2	Males	398	1	1	1			3	3	1	1	15	27
3	Females	19	1				1	2	2		1	1	3
4	Anemia M												
	Anemia F												
5	Diabetes M	2											
	Diabetes F												
6	Rheumatism M	1											
	Rheumatism F												
7	Scrofula and tabes M	1								1			
	Scrofula and tabes F	1					1	1					
8	Hydrocephalus M	1		1				1					
	Hydrocephalus F	1	1					1					
9	Tuberculosis, general M	1			1			1					
	Tuberculosis, general F												
10	Consumption M	353	1					1	1		1	15	25
	Consumption F	15							2		1	1	3
11	Cancer M	21							1				1
	Cancer F	2											
12	Tumor M	4											
	Tumor F												
13	Dropsy M	8											
	Dropsy F												
14	Others of this group M	4							1				1
	Others of this group F												
15	2. Diseases of the nervous system	42	6	1		1		8		1	1	1	2
16	Males	36	3	1				4			1	1	2
17	Females	6	3			1		4		1			
18	Inflammation of the brain M												
	Inflammation of the brain F												
19	Meningitis M	5	2	1				3					1
	Meningitis F	4	2			1		3		1			
20	Apoplexy M	16										1	
	Apoplexy F	1											
21	Paralysis M	3											
	Paralysis F	1	1					1					
22	Paralysis, general (of insane) M	1											
	Paralysis, general (of insane) F												
23	Tetanus and trismus nascentium M												
	Tetanus and trismus nascentium F												
24	Chorea M												
	Chorea F												
25	Epilepsy M	1											
	Epilepsy F												
26	Convulsions M	2	1					1					
	Convulsions F												
27	Mental diseases M	1									1		
	Mental diseases F												
28	Diseases of the brain M	2											
	Diseases of the brain F												
29	Diseases of the spinal cord M												
	Diseases of the spinal cord F												
30	Locomotor ataxia M	2											
	Locomotor ataxia F												
31	Others of this class M	3											1
	Others of this class F												
32	3. Diseases of the circulatory system	105					1	1		1	2		4
33	Males	99					1	1		1	1		4
34	Females	6									1		
35	Pericarditis M	1											
	Pericarditis F												
36	Diseases of the heart M	93					1	1		1	1		4
	Diseases of the heart F	5									1		
37	Angina pectoris M	1											
	Angina pectoris F												
38	Diseases of the arteries M												
	Diseases of the arteries F												
39	Aneurism M	4											
	Aneurism F	1											
40	Embolism M												
	Embolism F												
41	Others of this class M												
	Others of this class F												

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

CHINESE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
36	62	71	69	51	21	22	18	5	1					2	1
33	60	71	68	49	21	20	18	5	1					2	2
3	2		1	2		2									3
															4
			1	1											5
	1														6
															7
															8
1						1									9
30	56	67	62	42	16	17	15	3	1					1	10
3	1		1	1		2									
2		2	4	1	4	1	3	1						1	11
	1			1											
	3			1											12
			1	4	1	1		1							13
		2													14
3	1	6	9	3	2	2	1			1				1	15
3	1	6	9	3	2	1	1			1				1	16
						1									17
															18
1															19
1		2	5	3	2	1				1					20
						1									
		1	1				1								21
			1												22
															23
															24
		1													25
		1													26
															27
1			1												28
															29
			1											1	30
	1	1													31
7	16	16	12	19	7	13	3	2		1				1	32
7	15	14	12	18	7	12	3	2		1				1	33
	1	2		1		1									34
				1											35
7	15	12	12	17	7	2	3	2		1				1	36
	1	1		1		1									
		1													37
															38
		1				3									39
		1													
															40
															41

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

CHINESE—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	185	21	7	5	7	2	42	8	4	2	12	6
2	Males	157	14	5	4	3	2	28	4	3	2	11	4
3	Females	28	7	2	1	4		14	4	1		1	2
4	Croup M												
	Croup F												
5	Pneumonia M	130	12	3	4	3	2	24	3	3	1	10	4
	Pneumonia F	25	7	2	1	4		14	4	1		1	2
6	Laryngitis M												
	Laryngitis F												
7	Bronchitis M	12	2	1				3	1				
	Bronchitis F	2											
8	Pleurisy M	8									1	1	
	Pleurisy F												
9	Asthma M	1											
	Asthma F												
10	Others of this class M	6		1				1					
	Others of this class F	1											
11	5. Diseases of the digestive system	58		1			1	2			1	3	1
12	Males	51									1	2	
13	Females	7		1			1	2				1	1
14	Dentition M												
	Dentition F												
15	Angina M	1											
	Angina F												
16	Gastritis M	7											
	Gastritis F	2										1	
17	Diseases of the stomach M	1											
	Diseases of the stomach F												
18	Obstruction of the bowels M	2											
	Obstruction of the bowels F												
19	Appendicitis M	3										1	
	Appendicitis F												
20	Hernia M	3											
	Hernia F												
21	Other diseases of the bowels M												
	Other diseases of the bowels F												
22	Jaundice M	1											
	Jaundice F												
23	Inflammation and abscess of the liver. M	6										1	
	Inflammation and abscess of the liver. F	1											1
24	Other diseases of the liver M	20											
	Other diseases of the liver F												
25	Peritonitis M	7									1		
	Peritonitis F	2		1				1					
26	Ascites M												
	Ascites F												
27	Others of this class M												
	Others of this class F	2					1	1					
28	6. Diseases of the urinary system and male organs of generation.	75							1	1			2
29	Males	70							1				1
30	Females	5								1			1
31	Bright's disease M	64							1				1
	Bright's disease F	4											1
32	Calculus, urinary M												
	Calculus, urinary F												
33	Diseases of the kidney M	5											
	Diseases of the kidney F	1								1			
34	Diseases of the bladder M	1											
	Diseases of the bladder F												
35	Others of this class M												
	Others of this class F												
36	7. Diseases of the female organs of generation.	1									1		
37	Ovarian tumors												
38	Ovarian diseases												
39	Diseases of the tubes												
40	Uterine tumors												
41	Uterine diseases												
42	Others of this class	1									1		

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

CHINESE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
14	14	17	23	18	16	6	2	1							1
13	12	17	22	17	15	6	2	1							2
1	2		1	1	1										3
															4
11	10	15	16	13	13	5	1	1							5
1	1		1												
															6
	1	2	3	1	1										7
				1	1										
1	1		2	1	1										8
						1									9
1			1	2			1								10
	1														
2	7	8	14	9	6	2	1	1	1						11
2	7	7	14	7	6	2	1	1	1						12
		1		2											13
															14
		1													15
1	1	2	2					1							16
				1											
	1														17
					2										18
		1				1									19
					1		1		1						20
															21
				1											22
		1	3	1											23
	4	2	6	5	3										24
1	1		3			1									25
		1													
															26
															27
				1											
4	8	9	18	13	8	5	4	1						1	28
3	7	9	17	13	8	5	4	1						1	29
1	1		1												30
3	6	7	17	11	7	5	4	1						1	31
1	1		1												
															32
	1	2		1	1										33
				1											34
															35
															36
															37
															38
															39
															40
															41
															42

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

CHINESE—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	3											1
2	Abortion												
3	Childbirth	1											1
4	Puerperal septicemia	2											
5	Extra-uterine pregnancy												
6	Others of this class												
7	9. Diseases of the bones and joints	1											
8	Males	1											
9	Females												
10	Diseases of the spine M												
	F												
11	Abscess, lumbar and psoas M												
	F												
12	Diseases of the bones M	1											
	F												
13	Diseases of the hip-joint M												
	F												
14	Others of this class M												
	F												
15	10. Diseases of the skin	2											
16	Males	2											
17	Females												
18	Abscess M	1											
	F												
19	Carbuncle M	1											
	F												
20	Others of this class M												
	F												
21	11. Diseases of the absorbent system												
22	Males												
23	Females												
24	Addison's disease M												
	F												
25	Diseases of the spleen M												
	F												
26	Others of this class M												
	F												
27	12. Accidents and injuries	87	1					1	2		1	3	6
28	Males	81									1	2	6
29	Females	6	1					1	2			1	
30	Burns and scalds M	3											
	F	2							1			1	
31	Drowning M	8										1	1
	F												
32	Exposure and neglect M	2											
	F												
33	Gunshot wounds M	3										1	
	F												
34	Homicide M	19											
	F	1											
35	Infanticide M												
	F												
36	Injuries by machinery M	1											1
	F												
37	Railroad accidents M	2									1		
	F												
38	Suffocation M	4											
	F												
39	Suicide by shooting M	3											
	F												
40	Suicide by drowning M												
	F												
41	Suicide by poison M	4											1
	F												
42	Other suicides M	15											3
	F	1											
43	Sunstroke M												
	F	1	1					1					
44	Surgical operations M												
	F												
45	Wounds M												
	F												
46	Others of this class M	17											
	F	1							1				

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

CHINESE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1	1														1
															2
															3
1	1														4
															5
															6
	1														7
	1														8
															9
															10
															11
	1														12
															13
															14
			1			1									15
			1			1									16
															17
						1									18
			1												19
															20
															21
															22
															23
															24
															25
															26
10	13	12	13	11	5	1		2	2					5	27
9	13	12	13	11	5	1		2	2					4	28
1														1	29
			1		2										30
1	2	1	1	1											31
			1											1	32
1			1												33
5	5	3	2	2										2	34
														1	
															35
															36
	1														37
		1	1		2										38
	1	1	1												39
															40
1				2											41
	2	4	1	2		1		1	1						42
1															43
															44
															45
1	2	2	4	4	1			1	1					1	46

TABLE 10.

DEATHS IN THE REGISTRATION AREA, DURING THE CENSUS YEAR ENDING MAY 31, 1900, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY COLOR AND RACE.

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

WHITE.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		475,640	94,269	23,747	10,986	7,276	5,153	141,431	13,969	7,666	11,763	18,689	21,436
2	Males		253,491	52,972	12,593	5,746	3,708	2,596	77,615	7,205	3,931	5,931	9,443	11,112
3	Females		222,149	41,297	11,154	5,240	3,568	2,557	63,816	6,764	3,735	5,832	9,246	10,324
4	Unknown cause		4,106	1,375	120	54	45	27	1,621	90	60	75	97	128
5	Males		2,286	786	65	27	25	14	917	44	26	38	46	63
6	Females		1,820	589	55	27	20	13	704	46	34	37	51	65
	1. General diseases.													
7	General diseases—A		81,864	27,470	9,204	4,352	3,111	2,300	46,437	5,684	1,928	1,997	2,615	2,342
8	Males		42,252	14,965	4,762	2,202	1,564	1,134	24,627	2,739	883	982	1,412	1,273
9	Females		39,612	12,505	4,442	2,150	1,547	1,166	21,810	2,945	1,045	1,015	1,203	1,069
10	Measles	M	1,785	477	600	259	119	74	1,529	133	29	14	28	13
		F	1,828	420	592	260	119	73	1,464	166	48	33	23	21
11	Scarlet fever	M	1,672	111	215	265	285	177	1,053	456	77	29	19	13
		F	1,623	73	190	256	257	217	993	461	79	32	20	12
12	Diphtheria	M	4,893	335	730	780	688	582	3,115	1,316	259	70	39	23
		F	5,044	247	688	735	694	587	2,951	1,516	314	95	52	32
13	Whooping cough	M	1,566	937	354	130	60	29	1,510	32	2	2	2	.....
		F	1,762	912	420	184	98	47	1,661	65	8	4	1	2
14	Malarial fever	M	931	85	36	20	23	20	184	37	23	49	77	66
		F	847	71	35	34	24	16	180	62	25	41	71	47
15	Influenza	M	2,782	234	49	19	23	10	335	39	18	38	58	58
		F	3,715	193	47	32	17	18	307	37	29	45	60	87
16	Typhoid fever	M	5,157	42	30	35	45	53	205	248	257	568	888	774
		F	3,771	33	38	42	55	39	207	238	332	553	590	428
17	Cholera morbus	M	846	184	60	67	28	8	347	43	28	12	21	17
		F	818	155	60	59	18	8	300	28	22	26	21	19
18	Colitis	M	456	229	55	16	16	3	319	10	2	2	4	8
		F	402	176	59	16	6	1	258	6	3	3	6	6
19	Diarrhea	M	1,777	750	144	42	9	11	956	55	11	10	17	17
		F	1,556	640	124	28	8	5	805	55	20	6	10	20
20	Dysentery	M	1,341	212	140	60	38	26	476	46	19	18	40	37
		F	1,374	195	98	43	31	13	380	23	9	8	20	22
21	Enteritis	M	7,388	4,775	1,020	229	84	56	6,164	106	40	36	44	63
		F	6,746	3,780	943	208	86	63	5,080	108	39	37	61	88
22	Cholera infantum	M	6,983	5,652	1,088	156	55	26	6,977	.....	.....	.....	.....	.....
		F	6,005	4,804	978	144	47	27	6,000	.....	.....	.....	.....	.....
23	Fever	M	46	13	3	1	.....	1	18	2	1	1	2	1
		F	38	13	2	2	1	1	19	2	2	1	3	3
24	Cerebro-spinal fever	M	1,074	286	173	79	64	35	637	128	64	58	45	34
		F	861	217	107	70	54	31	479	106	73	51	27	26
25	Smallpox	M	152	10	3	6	2	1	22	2	2	9	22	13
		F	88	7	8	3	3	.....	21	9	8	5	17	7
26	Erysipelas	M	822	215	17	3	4	3	242	5	7	15	15	31
		F	607	198	17	6	4	2	227	3	4	10	16	22
27	Septicemia	M	1,230	128	21	15	12	13	189	55	31	36	71	64
		F	1,443	116	19	13	17	12	177	44	21	54	182	196
28	Venereal diseases	M	419	254	13	3	3	1	274	1	2	3	2	13
		F	334	225	9	6	3	1	244	1	2	5	10	11
29	Others of this group	M	932	36	11	17	6	5	75	25	11	15	18	28
		F	750	30	8	9	5	5	57	15	7	6	13	20
30	General diseases—B		10,917	6,438	321	95	70	28	6,952	62	24	87	210	351
31	Males		6,661	3,540	184	52	34	20	3,830	31	14	31	108	221
32	Females		4,256	2,898	137	43	36	8	3,122	31	10	56	102	130
33	Alcoholism	M	1,652	.....	.....	.....	.....	.....	.....	1	1	.....	27	125
		F	359	.....	.....	1	.....	.....	1	.....	.....	1	14	48
34	Parasitic diseases	M	18	3	6	2	.....	1	12	1	.....	.....	.....	.....
		F	16	2	2	2	8	.....	14	2	.....	.....	.....	.....
35	Lead poison	M	44	1	.....	1	.....	.....	2	.....	.....	.....	2	2
		F	23	5	1	1	.....	.....	7	1	.....	.....	.....	1
36	Other poisons	M	1,097	40	55	31	17	9	152	19	8	28	76	89
		F	620	23	25	19	14	6	87	14	5	51	80	75
37	Inanition	M	3,850	3,496	123	18	17	10	3,664	10	5	3	3	5
		F	3,238	2,868	109	20	14	2	3,013	14	5	4	8	6
38	General diseases—C		38,220	19,808	755	154	49	43	20,809	62	32	31	57	59
39	Males		19,273	11,215	370	85	34	20	11,724	32	16	19	24	23
40	Females		18,947	8,593	385	69	15	23	9,085	30	16	12	33	46
41	Old age	M	6,356	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	8,399	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
42	Premature birth	M	5,182	5,182	.....	.....	.....	.....	5,182	.....	.....	.....	.....	.....
		F	3,835	3,835	.....	.....	.....	.....	3,835	.....	.....	.....	.....	.....
43	Malformation	M	888	862	7	5	1	.....	875	3	2	1	.....	.....
		F	714	692	11	2	1	1	707	2	2	.....	1	.....
44	Debility and atrophy	M	6,238	4,564	363	80	32	20	5,059	29	14	18	24	23
		F	5,573	3,642	374	67	14	22	4,119	28	14	12	32	46
45	Others of this group	M	609	607	.....	.....	1	.....	608	.....	.....	.....	.....	.....
		F	426	424	.....	.....	.....	.....	424	.....	.....	.....	.....	.....

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900.

WHITE.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
21,230	22,250	20,334	20,124	21,372	22,733	24,867	26,742	26,515	23,293	16,893	8,722	3,050	903	1,658	1
11,446	12,395	11,586	11,485	12,017	12,439	13,135	13,883	13,594	11,759	8,125	3,927	1,159	304	1,000	2
9,784	9,855	8,748	8,639	9,355	10,294	11,732	12,859	12,921	11,534	8,768	4,795	1,891	599	658	3
120	169	162	168	164	194	196	199	193	154	111	51	18	1	135	4
66	96	99	106	88	115	119	118	106	76	54	22	9	1	77	5
54	73	63	62	76	79	77	81	87	78	57	29	9	.....	58	6
2,037	1,852	1,535	1,421	1,428	1,531	1,804	2,086	2,207	2,025	1,604	823	264	71	173	7
1,094	1,006	834	805	774	788	859	965	1,025	890	710	365	98	29	99	8
943	846	701	616	654	743	945	1,121	1,182	1,135	894	458	171	42	74	9
11	7	3	2	7	1	2	2	1	3	.....	.....	.....	.....	.....	10
18	18	9	10	2	7	.....	2	1	1	2	1	.....	.....	2	
10	5	5	1	.....	.....	1	.....	1	.....	.....	1	.....	.....	1	11
8	7	5	1	1	.....	.....	1	1	.....	1	.....	.....	.....	1	
25	11	1	11	7	5	3	2	1	.....	1	.....	1	.....	3	12
24	14	7	8	10	5	5	2	2	3	1	.....	.....	.....	2	
2	2	3	1	.....	1	2	.....	1	.....	1	.....	1	.....	4	13
5	2	3	.....	1	.....	.....	1	.....	.....	1	.....	1	.....	7	
47	51	46	57	38	47	42	47	43	39	19	10	2	.....	7	14
58	33	30	29	31	33	41	44	50	29	27	12	.....	1	3	
86	82	116	108	111	136	212	254	327	307	294	150	42	8	8	15
90	87	108	114	160	201	320	385	441	490	410	217	96	20	11	
610	483	302	239	184	137	105	62	49	18	5	5	.....	.....	18	16
335	262	203	134	122	104	86	71	58	21	12	4	.....	.....	11	
20	17	27	36	37	38	34	47	48	35	18	11	3	3	4	17
24	34	25	18	31	32	41	42	50	41	35	17	8	2	2	
5	6	13	9	9	8	8	11	13	15	7	4	2	.....	1	18
8	8	8	10	11	5	15	20	12	9	6	4	3	.....	1	
17	23	21	21	42	72	76	98	110	97	73	34	10	6	11	19
24	21	18	23	25	45	61	74	89	100	87	45	15	5	8	
39	41	35	42	50	37	79	87	88	73	75	38	7	4	10	20
29	29	39	51	43	69	83	131	134	137	89	56	16	3	8	
47	63	59	76	70	86	102	109	107	101	65	34	5	4	7	21
81	81	84	85	91	95	130	195	175	153	98	47	9	5	4	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	22
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	
.....	.....	4	4	3	.....	1	4	.....	1	1	1	.....	.....	.....	23
3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	1	.....	.....	
17	22	16	17	9	8	6	5	4	2	1	.....	.....	.....	1	24
19	17	19	19	5	7	3	2	4	2	1	.....	1	.....	.....	
14	20	8	13	10	10	2	1	1	2	.....	.....	.....	.....	1	25
6	6	2	2	8	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	
39	40	51	41	52	63	46	53	44	39	24	8	4	1	2	26
12	39	21	17	29	33	44	32	35	30	21	7	3	1	1	
73	88	80	76	90	85	68	90	48	44	30	8	.....	.....	4	27
172	155	93	62	51	63	44	32	36	27	13	8	4	.....	8	
15	20	18	14	15	15	11	4	3	4	.....	.....	.....	.....	5	28
10	13	14	9	3	2	1	2	3	1	.....	.....	.....	.....	3	
17	25	26	37	40	39	59	89	136	110	96	61	16	8	6	29
17	20	13	23	35	40	71	85	90	90	90	37	14	5	2	
456	568	432	401	339	279	189	184	112	104	43	26	5	5	88	30
340	443	342	316	265	207	143	133	70	64	22	17	3	1	60	31
116	125	90	85	74	72	46	51	42	40	21	9	2	4	28	32
219	314	230	211	184	128	68	75	23	18	4	4	.....	.....	20	33
44	65	58	43	30	21	15	8	4	3	1	.....	.....	.....	8	
.....	.....	1	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
5	11	4	6	4	1	3	3	.....	1	.....	.....	.....	.....	.....	35
4	2	.....	.....	1	3	1	.....	2	.....	.....	.....	.....	1	.....	
113	113	101	93	64	67	60	39	29	25	7	4	.....	.....	10	36
62	53	27	30	34	31	15	25	11	10	9	.....	.....	.....	1	
3	5	6	5	12	10	12	15	18	20	11	9	3	1	30	37
6	5	5	12	9	17	15	18	25	27	11	9	2	3	24	
74	90	84	77	122	222	465	978	2,152	3,253	4,344	3,159	1,507	530	103	38
36	40	37	38	55	90	199	433	963	1,473	1,946	1,340	561	173	51	39
38	50	47	39	67	132	266	545	1,189	1,780	2,398	1,819	946	357	52	40
.....	.....	.....	.....	.....	.....	87	294	823	1,311	1,831	1,283	540	170	17	41
.....	.....	.....	.....	.....	.....	160	388	1,005	1,607	2,230	1,730	912	341	26	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	42
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	43
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	
35	40	37	38	55	90	112	139	140	161	115	57	21	3	28	44
38	50	47	39	67	131	106	156	183	173	168	89	34	16	25	
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	45
.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

WHITE—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		79,166	2,590	1,236	606	421	283	5,136	1,020	1,058	3,653	6,930	8,063
2	Males		39,403	1,441	655	335	201	149	2,781	509	401	1,519	3,310	4,034
3	Females		39,763	1,149	581	271	220	134	2,355	511	657	2,134	3,620	4,029
4	Anemia	M	599	73	15	4	5	2	99	16	8	12	22	21
		F	849	70	22	9	11	6	118	10	14	48	61	47
5	Diabetes	M	1,384	7	5	5	2	5	24	33	56	56	50	65
		F	1,261	4	4	2	9	3	22	32	41	31	47	44
6	Rheumatism	M	890	10	6	6	5	6	33	49	40	35	32	44
		F	907	16	6	4	5	4	35	45	48	47	35	33
7	Scrofula and tabes	M	429	123	31	11	2	3	170	18	2	18	29	26
		F	479	83	26	15	4	7	135	10	11	36	35	35
8	Hydrocephalus	M	1,652	586	336	166	89	63	1,240	156	47	35	31	24
		F	1,350	480	285	122	95	58	1,040	130	37	41	22	21
9	Tuberculosis, general	M	455	37	19	12	7	9	84	24	12	22	36	60
		F	388	43	16	4	6	4	73	16	24	26	41	35
10	Consumption	M	25,948	442	207	101	67	47	864	153	190	1,278	3,017	3,686
		F	21,874	348	182	88	70	37	725	217	429	1,839	3,278	3,617
11	Cancer	M	6,233	6	4	3	2	4	19	8	9	15	41	63
		F	10,524	9	1	1	3	1	15	12	12	16	39	137
12	Tumor	M	673	17	5	10	10	4	46	19	11	23	27	29
		F	936	14	6	9	9	5	43	12	14	21	32	34
13	Dropsy	M	798	20	5	2	4	1	32	16	13	11	14	9
		F	885	10	5	2	1	2	20	14	15	18	16	11
14	Others of this group	M	342	120	22	15	8	5	170	17	13	14	11	7
		F	310	72	28	15	7	7	129	13	12	11	14	15
15	2. Diseases of the nervous system		58,876	11,943	3,125	1,355	805	549	17,777	1,412	834	810	883	1,124
16	Males		31,788	6,904	1,693	728	416	278	10,019	771	464	447	460	602
17	Females		27,088	5,039	1,432	627	389	271	7,758	641	370	363	423	522
18	Inflammation of the brain	M	577	157	70	46	14	12	299	42	14	16	17	9
		F	435	104	45	28	15	12	204	23	22	16	18	20
19	Meningitis	M	5,825	2,043	931	422	247	148	3,791	459	185	161	147	166
		F	4,627	1,551	773	365	232	164	3,085	409	198	120	116	113
20	Apoplexy	M	9,473	120	24	7	8	8	167	18	15	35	57	115
		F	8,944	91	20	10	9	4	134	16	16	32	51	85
21	Paralysis	M	4,327	48	9	10	11	4	82	26	19	21	19	41
		F	4,028	32	19	11	7	7	76	17	8	25	35	47
22	Paralysis, general (of insane)	M	396							1	2	1	1	13
		F	168										1	5
23	Tetanus and trismus nascentium	M	706	290	5	5	7	6	313	53	115	46	30	27
		F	266	173	4		2	2	181	4	8	6	9	4
24	Chorea	M	32			1	2	1	4	3	1	6	2	1
		F	53	2	1	1		2	6	3	13	14	4	
25	Epilepsy	M	637	39	10	4	2	2	57	18	29	65	44	60
		F	511	32	6	7	5	1	51	20	28	39	35	51
26	Convulsions	M	4,796	3,736	502	185	84	53	4,560	75	25	6	13	13
		F	3,821	2,729	454	158	91	52	3,484	77	14	21	29	50
27	Mental diseases	M	938							2	2	5	32	33
		F	945								3	9	26	39
28	Diseases of the brain	M	2,823	427	130	39	35	33	664	61	50	59	74	92
		F	2,201	295	101	40	24	22	482	52	50	57	69	58
29	Diseases of the spinal cord	M	488	35	11	5	5	10	66	8	4	18	12	14
		F	409	20	7	7	4	4	42	15	5	8	8	14
30	Locomotor ataxia	M	366	1		1			2		1	1	3	4
		F	119							1			2	
31	Others of this class	M	404	8	1	3	1	1	14	5	2	7	9	14
		F	561	10	2			1	13	4	5	16	20	36
32	3. Diseases of the circulatory system		40,574	2,175	110	81	87	109	2,562	682	767	793	960	1,118
33	Males		21,510	1,255	60	48	48	51	1,462	318	294	369	414	530
34	Females		19,064	920	50	33	39	58	1,100	364	473	424	546	588
35	Pericarditis	M	301	8	3		4	2	17	16	26	23	16	17
		F	297	10	1	2	3	8	24	18	22	24	17	10
36	Diseases of the heart	M	18,583	732	52	44	39	45	913	296	262	337	380	473
		F	17,012	581	46	29	35	46	737	339	442	387	486	524
37	Angina pectoris	M	1,027							2	1	6	7	21
		F	742							3	5	7	25	24
38	Diseases of the arteries	M	617	2					2	1		1		2
		F	382	1	1				2		1		1	2
39	Aneurism	M	316								3		8	13
		F	97							2	2	1	1	5
40	Embolism	M	140	13		1		1	15	2	1	2	3	3
		F	179	2		1		1	4	1		4	14	19
41	Others of this class	M	526	499	5	3	5	3	515	1	1			1
		F	355	326	2	1	1	3	333	1	1	1	2	4

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

WHITE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
7,582	7,012	5,995	5,532	5,315	5,126	4,771	4,418	3,331	2,343	1,150	421	100	21	189	1
4,017	3,747	3,179	2,865	2,684	2,463	2,260	2,083	1,600	1,112	521	178	44	9	87	2
3,565	3,265	2,816	2,667	2,631	2,663	2,511	2,335	1,731	1,231	629	243	56	12	102	3
19	23	39	34	56	56	54	54	29	30	19	5	.....	1	2	4
52	60	53	53	65	69	57	58	40	26	10	4	2	.....	2	
67	64	95	85	122	113	156	156	113	82	35	6	3	.....	3	5
32	51	57	74	122	159	179	152	115	68	24	6	2	.....	3	
44	44	39	54	53	83	69	81	75	57	37	12	1	1	7	6
44	39	44	50	60	54	77	91	70	65	42	20	5	.....	3	
19	24	14	19	7	18	19	22	14	4	4	.....	.....	1	1	7
41	26	24	26	26	15	17	15	8	9	9	.....	.....	.....	1	
36	21	19	15	10	5	4	1	1	2	1	.....	.....	.....	4	8
13	12	10	8	4	4	.....	1	4	2	.....	.....	.....	.....	1	
42	38	27	36	29	14	9	10	5	6	1	.....	.....	.....	.....	9
40	26	23	27	14	10	10	12	2	4	2	1	.....	.....	2	
3,611	3,254	2,488	1,968	1,575	1,227	949	714	489	294	100	28	6	1	56	10
2,916	2,337	1,558	1,080	909	779	655	586	418	289	120	54	10	3	55	
121	209	355	524	725	813	858	872	711	514	237	92	30	4	13	11
315	610	915	1,196	1,286	1,410	1,329	1,204	889	627	333	118	28	6	27	
32	35	51	68	59	65	51	62	49	28	16	2	.....	.....	.....	12
56	71	86	87	85	91	88	82	63	41	19	8	.....	.....	3	
17	23	33	49	38	58	82	102	106	89	69	32	4	.....	1	13
30	20	33	53	51	63	89	122	115	97	69	32	9	3	5	
9	12	19	13	10	11	9	9	8	6	2	1	.....	1	.....	14
26	13	13	13	9	9	10	12	7	3	1	.....	.....	.....	.....	
1,315	1,739	1,875	2,358	2,807	3,311	4,041	4,670	4,870	4,394	2,883	1,190	338	77	168	15
764	1,011	1,110	1,294	1,530	1,800	2,097	2,449	2,533	2,231	1,431	524	121	27	103	16
551	728	765	1,064	1,277	1,511	1,944	2,221	2,337	2,163	1,452	666	217	50	65	17
16	20	19	11	19	13	14	17	24	13	10	4	.....	.....	.....	18
17	10	17	14	16	14	5	14	8	7	5	1	1	.....	3	
133	142	109	129	97	71	53	63	44	39	13	9	2	.....	12	19
89	77	66	83	50	45	47	48	32	20	17	5	3	.....	4	
191	259	405	503	729	936	1,133	1,306	1,340	1,146	754	260	57	9	38	20
116	196	308	513	688	867	1,073	1,207	1,263	1,119	741	357	111	30	21	
99	166	192	227	268	335	413	528	647	624	408	151	32	14	15	21
53	82	100	155	188	277	413	522	631	644	455	202	68	14	16	
35	47	57	56	38	36	34	26	17	15	8	6	2	.....	1	22
13	12	17	4	13	13	13	21	22	18	11	3	2	.....	.....	
29	11	16	17	15	13	5	5	6	3	.....	.....	.....	.....	2	23
11	10	10	8	2	7	8	1	1	1	.....	.....	.....	.....	.....	
3	.....	1	1	4	.....	1	2	1	1	.....	.....	1	.....	.....	24
.....	.....	.....	2	2	1	3	2	.....	2	1	.....	.....	.....	.....	
46	68	44	37	22	24	31	22	28	22	10	6	2	.....	2	25
32	48	30	32	28	20	34	20	18	14	7	2	2	.....	.....	
10	13	3	13	11	3	7	7	13	4	4	1	1	.....	14	26
37	29	17	7	6	5	10	10	5	5	2	1	2	.....	10	
51	74	59	50	53	70	91	127	99	91	59	28	7	.....	5	27
50	69	62	64	64	63	102	93	92	96	67	32	12	1	1	
110	139	120	133	155	165	183	199	209	193	138	52	15	3	9	28
77	115	78	110	116	101	140	181	167	165	108	51	13	4	7	
14	30	37	34	51	38	44	52	28	26	10	1	.....	.....	1	29
15	31	20	25	34	43	36	37	34	25	12	2	2	.....	1	
13	23	26	54	43	60	46	41	25	18	4	1	.....	.....	1	30
2	9	6	12	15	19	16	12	10	8	5	2	.....	.....	.....	
14	19	22	29	25	36	42	54	52	36	13	5	2	1	3	31
39	40	34	40	55	36	44	53	54	39	21	8	1	1	2	
1,377	1,715	1,902	2,175	2,806	3,354	4,048	4,552	4,602	3,706	2,170	902	206	45	132	32
982	900	987	1,133	1,539	1,875	2,240	2,490	2,520	2,027	1,124	444	78	14	70	33
695	815	915	1,042	1,267	1,479	1,808	2,062	2,082	1,679	1,046	458	128	31	62	34
15	22	20	11	25	23	16	21	14	14	4	.....	.....	.....	1	35
23	13	20	15	10	18	19	25	13	10	10	3	2	.....	1	
612	777	863	1,006	1,344	1,632	1,945	2,204	2,244	1,791	971	389	69	13	62	36
615	749	841	935	1,172	1,340	1,660	1,861	1,889	1,521	915	411	105	26	57	
27	45	51	55	94	106	170	135	125	101	57	19	1	.....	4	37
27	35	27	61	59	77	81	105	79	57	51	13	5	.....	1	
2	5	8	13	26	57	68	99	106	98	83	35	8	1	2	38
1	3	4	5	11	21	34	49	81	63	58	26	15	5	.....	
19	45	40	38	35	45	27	16	15	10	1	.....	.....	.....	1	39
7	7	9	14	5	8	6	10	5	8	5	1	1	.....	.....	
6	6	4	10	13	12	11	15	16	13	7	1	.....	.....	.....	40
20	8	13	11	8	15	8	11	15	17	5	4	.....	.....	2	
1	.....	1	.....	2	.....	3	.....	.....	.....	1	.....	.....	.....	.....	41
2	.....	1	1	2	.....	.....	1	.....	3	2	.....	.....	.....	1	

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

WHITE—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		74,471	16,644	7,541	3,388	1,878	1,153	30,604	2,396	730	1,153	1,754	2,134
2	Males		39,589	9,532	4,111	1,770	947	565	16,925	1,221	344	633	999	1,231
3	Females		34,882	7,112	3,430	1,618	931	588	13,679	1,175	386	520	755	903
4	Croup	M	1,461	197	305	298	223	141	1,164	272	11	3	3	2
		F	1,251	145	246	217	202	135	945	273	19	3	1	.....
5	Pneumonia	M	27,461	5,664	2,919	1,140	558	308	10,589	715	260	510	834	1,042
		F	23,467	4,229	2,442	1,072	539	331	8,613	689	292	398	566	708
6	Laryngitis	M	310	46	46	24	34	19	169	52	9	1	4	2
		F	266	32	44	28	39	18	161	42	6	5	4	8
7	Bronchitis	M	6,373	2,738	716	236	91	67	3,848	101	32	34	42	56
		F	6,569	2,098	596	253	104	69	3,120	98	26	49	65	63
8	Pleurisy	M	751	26	38	20	17	8	109	26	14	40	42	43
		F	575	18	22	16	7	7	70	28	10	17	45	37
9	Asthma	M	580	24	2	.....	1	.....	27	7	1	8	8	7
		F	510	16	2	.....	1	.....	19	5	2	1	7	9
10	Others of this class	M	2,653	837	85	52	23	22	1,019	48	17	37	66	79
		F	2,244	574	78	32	39	28	751	40	31	47	67	78
11	5. Diseases of the digestive system		26,623	3,650	719	302	201	180	5,052	784	815	990	1,262	1,469
12	Males		13,601	2,094	370	159	92	89	2,804	405	456	504	552	629
13	Females		13,022	1,556	349	143	109	91	2,248	379	359	486	710	840
14	Dentition	M	292	183	100	6	1	2	292	.....	.....	.....	.....	.....
		F	270	169	94	4	1	2	270	.....	.....	.....	.....	.....
15	Angina	M	189	20	23	16	14	7	80	30	9	4	13	6
		F	170	13	16	14	7	14	64	39	18	4	6	7
16	Gastritis	M	1,897	375	71	19	20	8	493	30	13	20	26	51
		F	2,123	277	87	31	29	18	442	37	15	23	60	81
17	Diseases of the stomach	M	782	61	9	3	3	6	82	7	5	10	14	30
		F	630	40	11	3	.....	4	58	5	3	18	38	38
18	Obstruction of the bowels	M	1,084	212	20	16	7	10	265	48	29	40	41	59
		F	1,130	123	14	11	17	7	172	36	15	24	37	64
19	Appendicitis	M	1,723	8	5	4	10	12	39	107	231	239	236	193
		F	1,021	6	5	5	4	7	27	97	141	148	116	124
20	Hernia	M	523	58	5	.....	.....	1	64	3	5	13	11	15
		F	480	17	2	.....	.....	2	21	4	.....	2	1	2
21	Other diseases of the bowels	M	361	99	14	4	2	1	120	5	5	10	13	15
		F	341	78	13	2	4	2	99	6	7	13	9	24
22	Jaundice	M	497	272	3	7	2	1	285	4	2	4	4	12
		F	441	176	3	8	1	5	193	5	3	4	5	7
23	Inflammation and abscess of the liver.	M	618	33	5	2	2	7	49	10	8	7	24	35
		F	563	26	1	1	6	3	37	7	12	8	19	26
24	Other diseases of the liver	M	2,588	35	4	6	1	1	47	7	10	10	25	60
		F	1,563	31	7	5	2	2	47	9	6	7	24	45
25	Peritonitis	M	1,695	127	35	42	17	16	237	130	133	141	133	133
		F	2,924	91	36	28	21	17	193	113	128	224	387	387
26	Ascites	M	70	2	1	.....	.....	.....	3	1	3	1	1	1
		F	106	3	.....	.....	.....	.....	3	.....	.....	1	.....	6
27	Others of this class	M	1,282	609	75	34	13	17	748	23	3	5	11	19
		F	1,260	506	60	31	17	8	622	21	11	10	13	29
28	6. Diseases of the urinary system and male organs of generation.		27,507	471	137	124	128	115	975	412	301	420	826	1,137
29	Males		16,088	286	68	55	71	61	541	221	143	192	357	525
30	Females		11,419	185	69	69	57	54	434	191	158	228	469	612
31	Bright's disease	M	11,541	.....	.....	.....	.....	.....	.....	187	114	165	291	415
		F	9,156	.....	.....	.....	.....	.....	.....	169	143	186	370	453
32	Calculus, urinary	M	96	2	.....	.....	.....	.....	2	.....	2	2	5	2
		F	36	6	.....	.....	.....	.....	6	.....	.....	.....	2	2
33	Diseases of the kidney	M	1,012	189	61	54	63	54	421	11	4	8	15	27
		F	721	137	61	58	51	51	358	4	2	9	18	25
34	Diseases of the bladder	M	1,242	9	1	.....	.....	1	11	3	5	4	8	15
		F	171	5	.....	2	.....	.....	7	1	.....	.....	2	6
35	Others of this class	M	2,197	86	6	1	8	6	107	20	18	13	40	66
		F	1,335	37	8	9	6	3	63	17	13	33	77	126
36	7. Diseases of the female organs of generation.		1,636	8	1	.....	1	1	11	1	6	54	166	227
37	Ovarian tumors		268	.....	.....	.....	.....	.....	.....	1	.....	5	14	26
38	Ovarian diseases		92	.....	.....	.....	.....	.....	.....	.....	.....	1	12	16
39	Diseases of the tubes		270	.....	.....	.....	.....	.....	.....	.....	.....	16	41	64
40	Uterine tumors		427	.....	.....	.....	.....	1	1	.....	1	2	7	18
41	Uterine diseases		111	.....	.....	.....	.....	.....	.....	.....	.....	11	21	26
42	Others of this class		468	8	1	.....	1	.....	10	.....	5	19	71	77

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

WHITE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,291	2,687	2,496	2,598	2,957	3,242	3,699	4,103	4,103	3,417	2,390	1,125	348	93	151	1
1,304	1,637	1,549	1,579	1,685	1,714	1,786	1,899	1,872	1,522	997	466	119	28	79	2
987	1,050	947	1,019	1,272	1,528	1,913	2,204	2,231	1,895	1,393	659	229	65	72	3
.....	1	1	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	1	4
1	2	1	1	1	2	.....	.....	1	.....	.....	.....	.....	.....	1	
1,105	1,380	1,280	1,309	1,343	1,255	1,314	1,306	1,249	964	600	269	66	15	56	5
793	858	757	785	960	1,143	1,381	1,494	1,445	1,181	838	368	123	31	44	
10	6	11	9	10	6	7	5	2	3	4	.....	.....	.....	.....	6
8	4	2	1	3	7	3	1	4	5	1	1	.....	.....	.....	
44	64	75	81	116	208	212	284	361	350	272	138	39	11	5	7
59	55	62	108	138	212	308	448	512	483	395	228	89	29	12	
50	62	54	49	46	45	38	42	37	30	15	7	1	.....	1	8
43	37	35	33	28	24	39	30	39	32	17	8	2	.....	1	
8	14	19	30	46	58	76	89	75	49	35	14	8	1	5	9
9	10	15	17	40	35	68	90	67	65	35	13	3	.....	.....	
87	110	109	101	124	142	138	172	148	126	70	38	10	1	11	10
64	84	75	74	102	105	114	141	163	129	107	41	12	5	14	
1,386	1,534	1,598	1,523	1,570	1,667	1,677	1,694	1,473	1,130	584	257	73	11	74	11
621	703	856	848	845	918	893	849	721	557	264	112	31	5	28	12
765	831	742	675	725	749	784	845	752	573	320	145	42	6	46	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
11	2	5	4	5	2	4	2	5	3	4	.....	.....	.....	.....	15
5	1	4	5	4	4	1	3	.....	3	1	1	.....	.....	.....	
62	73	88	99	112	141	139	160	147	120	76	31	10	3	3	16
60	110	95	85	120	127	159	167	194	150	119	45	18	1	6	
34	48	56	79	70	77	71	68	53	49	14	10	.....	.....	5	17
43	45	20	51	51	40	54	49	54	32	15	11	3	.....	2	
48	44	35	59	67	63	49	67	68	65	17	12	4	.....	4	18
50	62	80	73	61	82	71	99	77	60	35	20	1	2	8	
153	124	113	86	62	45	32	25	21	9	6	1	.....	.....	1	19
78	71	49	45	30	23	20	23	9	9	7	.....	.....	1	3	
18	27	27	31	27	44	45	41	54	52	28	13	3	1	1	20
14	28	35	32	49	50	63	62	52	36	16	11	1	.....	1	
14	12	17	12	18	22	18	21	26	17	11	1	3	.....	1	21
19	21	17	11	8	18	11	24	20	16	4	9	1	1	3	
11	4	10	12	14	25	22	24	26	19	11	5	1	.....	2	22
12	12	8	15	18	23	24	34	38	19	10	4	3	.....	4	
42	47	50	48	66	42	58	48	42	25	15	1	1	.....	.....	23
22	32	45	18	40	56	55	54	46	36	20	7	2	.....	1	
109	191	285	279	290	320	316	278	181	126	35	14	4	1	.....	24
74	114	140	141	172	158	161	163	134	104	41	17	1	.....	5	
100	99	122	99	61	86	67	56	40	29	13	7	3	.....	6	25
351	302	210	124	101	99	90	80	67	40	12	8	5	.....	8	
.....	5	7	5	5	5	8	8	8	4	4	1	.....	.....	.....	26
3	2	5	7	4	10	13	18	12	11	7	1	1	.....	2	
19	27	41	35	48	46	64	51	50	39	30	16	2	.....	5	27
25	31	34	48	67	59	62	69	49	57	33	11	6	1	2	
1,271	1,594	1,738	1,885	2,238	2,489	2,759	2,804	2,652	2,088	1,184	528	102	27	77	28
620	788	956	1,037	1,332	1,487	1,666	1,767	1,693	1,426	842	367	67	13	48	29
651	806	782	848	906	1,002	1,093	1,037	959	662	342	161	35	14	29	30
514	647	782	852	1,094	1,210	1,314	1,284	1,129	882	433	161	29	6	32	31
504	650	658	724	779	858	951	865	831	545	285	133	26	11	15	
2	4	6	4	10	10	8	11	12	11	3	2	.....	.....	.....	32
3	1	1	2	2	.....	3	4	3	3	3	1	.....	.....	.....	
23	33	35	32	43	40	46	73	65	67	40	25	2	.....	2	33
33	32	31	29	34	30	23	36	19	19	13	3	.....	1	2	
9	12	21	23	46	52	110	178	229	214	180	99	18	5	2	34
4	10	8	3	4	17	23	15	23	25	11	11	5	1	.....	
72	92	112	126	139	175	188	221	258	252	186	80	18	2	12	35
107	113	89	90	87	97	93	117	83	70	30	13	4	1	12	
224	219	225	164	107	64	52	44	31	23	11	2	2	1	2	36
20	22	30	36	29	20	17	20	14	7	5	.....	1	1	.....	37
22	17	9	6	8	1	.....	3	2	.....	.....	.....	.....	.....	.....	38
57	48	28	11	3	.....	.....	1	1	.....	.....	.....	.....	.....	.....	39
32	56	92	66	54	29	28	14	12	11	4	.....	.....	.....	.....	40
16	12	9	5	2	2	.....	3	2	2	.....	.....	.....	.....	.....	41
77	64	57	40	16	12	7	3	.....	3	2	2	1	.....	2	42

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

WHITE—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	3,535								2	212	744	874
2	Abortion	240									12	45	65
3	Childbirth	906									37	133	189
4	Puerperal septicemia	1,542								2	93	375	412
5	Extra-uterine pregnancy	130									2	19	34
6	Others of this class	717									68	172	174
7	9. Diseases of the bones and joints	973	73	27	11	22	17	150	90	79	75	69	39
8	Males	555	38	13	5	17	15	88	43	45	52	45	25
9	Females	418	35	14	6	5	2	62	47	34	23	24	14
10	Diseases of the spine M	175	19	5	1	7	5	37	18	15	15	16	7
	Diseases of the spine F	138	16	6	3	4		29	19	11	4	9	3
11	Abscess, lumbar and psoas M	31	1					1		2		8	5
	Abscess, lumbar and psoas F	20	2					2	2	1		2	
12	Diseases of the bones M	196	15	4	3	6	8	36	11	13	20	12	9
	Diseases of the bones F	135	11	8	2	1	2	24	14	13	8	9	7
13	Diseases of the hip-joint M	85	1	1		3	1	6	12	13	15	6	4
	Diseases of the hip-joint F	38	3		1			4	10	5	10	1	
14	Others of this class M	68	2	3	1	1	1	8	2	2	2	3	
	Others of this class F	87	3					3	2	4	1	3	1
15	10. Diseases of the skin	879	257	30	16	9	4	316	22	10	9	25	23
16	Males	489	135	16	10	3	1	165	16	6	5	10	13
17	Females	390	122	14	6	6	3	151	6	4	4	15	10
18	Abscess M	263	53	11	6	3	1	74	15	6	4	8	10
	Abscess F	196	53	6	3	3	2	67	6	3	2	9	8
19	Carbuncle M	70	2		1			3			1	1	1
	Carbuncle F	34	1		1			2			1	3	1
20	Others of this class M	156	80	5	3			88	1			1	2
	Others of this class F	160	68	8	2	3	1	82		1	1	3	1
21	11. Diseases of the absorbent system	364	30	16	1	6	2	55	10	9	10	13	22
22	Males	188	19	10	1	6	2	38	8	4	6	8	10
23	Females	176	11	6				17	2	5	4	5	12
24	Addison's disease M	61							1	2	2	1	3
	Addison's disease F	55									2	2	4
25	Diseases of the spleen M	28	4			2		6				2	3
	Diseases of the spleen F	27	2	1				3		1		2	3
26	Others of this class M	99	15	10	1	4	2	32	7	2	4	5	4
	Others of this class F	94	9	5				14	2	4	2	1	5
27	12. Accidents and injuries	25,929	1,337	405	447	443	342	2,974	1,242	1,011	1,394	2,078	2,316
28	Males	19,808	762	216	269	250	197	1,694	847	835	1,134	1,698	1,983
29	Females	6,121	575	189	178	193	145	1,280	395	176	260	380	333
30	Burns and scalds M	1,008	47	102	153	128	63	493	76	25	16	44	44
	Burns and scalds F	1,333	42	97	96	112	91	438	195	62	51	48	77
31	Drowning M	2,688	15	27	22	27	34	125	300	334	258	268	224
	Drowning F	285	9	18	11	13	4	55	25	23	31	20	11
32	Exposure and neglect M	137	36	1	1		2	40	2	2	1	4	2
	Exposure and neglect F	71	31	3	2			36		1		5	
33	Gunshot wounds M	782	3	1	1	2	1	8	16	64	104	109	96
	Gunshot wounds F	116	2		3	4	3	12	8	6	10	24	9
34	Homicide M	375			1		3	4	8	9	20	59	59
	Homicide F	105		1	2	2	2	7	8	5	6	13	16
35	Infanticide M	11	11					11					
	Infanticide F	11	11					11					
36	Injuries by machinery M	103		1				1			12	14	15
	Injuries by machinery F	5	1					1		1		1	
37	Railroad accidents M	3,289	4	8	9	14	20	55	135	136	212	381	409
	Railroad accidents F	330	4	6	8	7	11	36	46	18	27	22	15
38	Suffocation M	695	324	13	11	6	5	360	10	11	19	30	25
	Suffocation F	411	243	15	8	5	5	276	15	1	10	8	12
39	Suicide by shooting M	755									10	62	85
	Suicide by shooting F	53									5	7	6
40	Suicide by drowning M	110									3	6	7
	Suicide by drowning F	50									2	6	6
41	Suicide by poison M	540									13	42	60
	Suicide by poison F	346								4	49	63	55
42	Other suicides M	1,177								3	22	61	78
	Other suicides F	297								2	16	34	33
43	Sunstroke M	265	39	6	3		2	50	8	1	8	14	19
	Sunstroke F	136	33	9	4	1		47	4	1	2	4	3
44	Surgical operations M	124	7	1	1		1	10	6		5	9	14
	Surgical operations F	265	3		2			5	2	3	5	34	34
45	Wounds M	375	2	1	3	4	4	14	11	9	35	39	58
	Wounds F	31	1	1				2	5	2	2	2	3
46	Others of this class M	7,374	274	55	64	69	61	523	275	241	396	556	738
	Others of this class F	2,276	195	39	42	49	29	354	86	47	44	89	103

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

WHITE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
755	598	297	28	4	1	1	1	...	3	...	...	...	...	15	1
49	50	16	...	...	1	...	...	...	1	...	...	...	...	1	2
209	202	117	11	2	...	...	...	...	1	...	...	...	...	5	3
329	213	97	12	2	...	1	...	...	1	...	...	...	...	5	4
34	30	9	1	...	...	...	...	...	...	...	...	...	...	1	5
134	103	58	4	...	...	...	1	...	...	...	...	...	...	3	6
52	48	57	48	54	42	34	46	45	22	15	6	2	...	...	7
27	29	38	28	32	20	18	26	17	15	3	3	1	...	...	8
25	19	19	20	22	22	16	20	28	7	12	3	1	...	...	9
5	9	10	7	8	7	3	5	5	6	1	...	...	...	...	10
7	10	5	5	11	5	7	5	3	1	2	1	1	...	...	
3	1	...	2	2	1	2	1	2	1	...	...	...	...	...	11
2	1	1	2	2	2	...	...	3	...	...	...	...	...	...	
10	11	11	10	13	6	7	11	5	7	2	2	...	...	...	12
10	3	5	8	4	5	2	4	9	1	7	2	...	...	...	
8	3	8	1	4	3	1	1	...	...	...	...	...	...	...	13
2	4	...	...	...	...	...	...	1	...	1	...	...	...	...	
1	5	9	8	5	3	5	7	5	1	...	1	1	...	...	14
4	1	8	5	5	10	7	11	12	5	2	...	...	...	...	
35	43	45	40	42	50	55	52	35	40	19	12	3	...	3	15
14	24	25	24	27	34	28	29	19	25	15	7	1	...	2	16
21	19	20	16	15	16	27	23	16	15	4	5	2	...	1	17
9	19	17	13	16	18	15	13	9	8	7	...	1	...	1	18
14	10	11	9	7	9	11	14	5	6	2	1	2	...	...	
4	2	3	7	6	8	8	9	5	7	2	2	...	...	1	19
...	1	3	2	5	2	4	2	5	2	1	...	...	...	...	
1	3	5	4	5	8	5	7	5	10	6	5	...	...	...	20
7	8	6	5	3	5	12	7	6	7	1	4	...	...	1	
27	21	32	31	21	28	28	24	17	12	2	...	...	...	2	21
15	11	16	15	11	12	13	9	7	3	1	...	...	...	1	22
12	10	16	16	10	16	15	15	10	9	1	...	...	...	1	23
3	7	6	8	7	7	8	3	2	1	...	...	...	...	...	24
4	7	6	2	4	7	6	5	2	3	...	...	...	...	1	
4	2	3	2	1	...	1	1	1	1	1	...	...	...	...	25
4	1	2	2	2	1	1	2	1	2	...	...	...	...	...	
8	2	7	5	3	5	4	5	4	1	...	...	...	...	1	26
4	2	8	12	4	8	8	8	7	4	1	...	...	...	...	
2,228	2,361	1,861	1,675	1,398	1,133	1,048	887	692	579	383	220	82	21	346	27
1,846	1,960	1,558	1,397	1,150	916	814	633	448	338	195	82	31	4	295	28
382	401	303	278	248	217	234	254	244	241	188	138	51	17	51	29
46	49	49	32	27	18	25	19	15	11	7	2	...	...	10	30
72	69	47	46	32	32	43	30	35	27	16	8	3	...	2	
199	222	186	135	109	88	65	48	31	21	7	2	...	...	66	31
23	20	14	11	12	8	7	9	5	2	...	...	...	...	9	
8	9	8	11	7	7	9	6	4	10	3	2	...	...	2	32
2	3	2	2	1	3	2	...	1	4	3	2	1	...	3	
80	78	54	41	33	30	23	11	7	6	1	1	2	...	18	33
15	15	5	4	3	...	2	...	...	2	1	...	...	...	...	
64	55	22	26	13	12	10	5	4	1	2	...	...	...	2	34
16	11	9	4	5	2	1	2	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	35
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
15	14	11	6	5	2	3	5	...	...	...	...	...	...	...	36
1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	
361	381	266	218	187	150	126	67	51	34	18	9	...	1	92	37
19	15	15	19	15	17	11	15	15	16	4	1	1	...	3	
30	43	29	27	14	17	20	19	8	7	2	2	...	...	22	38
8	8	3	6	4	9	8	6	7	2	3	1	...	...	23	
87	94	92	89	71	51	34	33	18	12	6	2	...	...	9	39
12	7	3	5	3	2	...	1	1	1	...	...	...	...	...	
9	9	10	10	15	10	8	7	4	9	2	...	...	...	1	40
5	3	3	4	6	5	4	1	3	2	...	...	...	...	...	
61	66	65	52	57	33	31	26	17	7	1	...	...	...	9	41
36	46	26	20	11	10	6	5	7	3	1	...	1	...	3	
104	123	131	142	129	112	88	65	52	37	15	3	2	...	10	42
29	38	37	29	18	14	12	14	7	5	5	3	...	...	1	
20	31	20	20	21	15	8	6	9	10	3	1	...	...	1	43
2	6	6	5	9	7	12	7	11	7	3	...	...	...	...	
10	10	10	9	8	11	9	8	2	1	1	...	...	...	1	44
37	36	33	22	19	16	6	8	2	2	1	...	...	...	...	
42	37	22	29	19	17	19	8	2	2	4	...	1	...	7	45
1	2	1	2	...	2	2	1	1	1	1	...	...	...	...	
710	739	583	550	435	343	336	300	224	170	123	58	26	3	45	46
104	122	98	99	110	90	118	155	149	166	150	123	45	17	7	

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

TOTAL COLORED.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		37,029	7,951	2,239	1,034	549	367	12,140	1,076	919	1,657	2,671	2,500
2	Males		19,328	4,279	1,175	529	264	166	6,413	502	408	727	1,388	1,306
3	Females		17,701	3,672	1,064	505	285	201	5,727	574	511	930	1,283	1,194
4	Unknown cause		743	303	46	18	11	4	382	13	5	21	23	33
5	Males		391	154	22	10	5	2	193	11	4	9	9	16
6	Females		352	149	24	8	6	2	189	2	1	12	14	17
7	1. General diseases. General diseases—A		6,363	1,828	684	315	162	121	3,110	357	239	311	428	362
8	Males		3,273	948	355	141	78	61	1,583	176	111	142	249	197
9	Females		3,090	880	329	174	84	60	1,527	181	128	169	179	165
10	Measles	M	87	21	20	13	5	5	64	10	7	2	2	1
		F	101	26	20	20	11	4	81	11	1	2		1
11	Scarlet fever	M	16		1	3	3	2	9	1	2		1	1
		F	16		1	2	3	2	8	3		3		1
12	Diphtheria	M	129	9	19	16	19	12	75	41	11	1	1	
		F	135	5	15	17	11	15	63	43	20	4	2	1
13	Whooping cough	M	152	68	46	19	12	1	146	4		1		
		F	189	73	50	27	14	11	175	12	1			
14	Malarial fever	M	372	32	22	10	13	10	87	40	17	23	40	27
		F	376	28	27	23	12	8	98	31	27	38	34	25
15	Influenza	M	168	22	11	3		3	39	4	5	6	6	9
		F	217	25	7	6	2	3	43	4	7	6	6	6
16	Typhoid fever	M	463	3	6	6	3	6	24	35	34	61	108	71
		F	358	9	9	3	7	6	34	39	46	67	53	40
17	Cholera morbus	M	68	13	5	5	2	4	29	3	1	5	3	3
		F	61	11	6	5		1	23	2	2	2	3	4
18	Colitis	M	27	14	1	2		1	18					2
		F	31	13	7	1		1	22	1	1			1
19	Diarrhea	M	188	72	26	15	3	2	118	6	2	5	5	
		F	156	57	18	12	4	2	93	4	3	2	4	5
20	Dysentery	M	156	35	13	4	3	2	57	4	2	3	10	7
		F	135	18	14	4			36		1	2	7	5
21	Enteritis	M	499	275	92	24	8	9	408	7	5	3	6	3
		F	484	241	88	28	9	1	367	15	5	6	11	15
22	Cholera infantum	M	398	304	78	12	3	1	398					
		F	372	298	55	15	3	1	372					
23	Fever	M	15	2	2				4			1	2	
		F	14	5	1	1	1		8	3		2		
24	Cerebro-spinal fever	M	53	11	2	3	1	3	20	7	11	4		2
		F	51	10	5	2	4	2	23	8	8	4		2
25	Smallpox	M	211	4	4	1	1		10	6	9	17	44	45
		F	142	7	3	3	1	2	16	3	4	14	32	25
26	Erysipelas	M	25	2					2			2	2	4
		F	22	8					8				2	2
27	Septicemia	M	86	12	1	2			15	6	4	5	7	8
		F	108	6		2			8	1	1	12	18	23
28	Venereal diseases	M	110	46	6	3	2		57	1		2	6	11
		F	84	39	2	2	2	1	46			4	7	5
29	Others of this group	M	50	3					3	1	1	1	6	3
		F	38	1	1	1			3	1	1	1		1
30	General diseases—B		906	670	43	20	11	3	747	14	1	7	15	17
31	Males		497	371	20	10	4	2	407	7		2	7	8
32	Females		409	299	23	10	7	1	340	7	1	5	8	9
33	Alcoholism	M	41									1	5	5
		F	9											1
34	Parasitic diseases	M	3			1		1	2	1				
		F	5		1	1	1	1	4	1				
35	Lead poison	M	2											
		F												
36	Other poisons	M	41	5	2	4	3	1	15	2		1	2	3
		F	34	1	2	2			5	1		2	7	4
37	Inanition	M	410	366	18	5	1		390	4				
		F	361	298	20	7	6		331	5	1	3	1	4
38	General diseases—C		2,925	1,633	148	51	27	4	1,863	16	6	10	11	9
39	Males		1,418	881	73	25	14		993	4	3	3	5	4
40	Females		1,507	752	75	26	13	4	870	12	3	7	6	5
41	Old age	M	317											
		F	486											
42	Premature birth	M	374	374					374					
		F	299	299					299					
43	Malformation	M	58	57					57	1				
		F	50	50					50					
44	Debility and atrophy	M	647	428	73	25	14		540	3	3	3	5	4
		F	650	381	75	26	13	4	499	12	3	7	6	5
45	Others of this group	M	22	22					22					
		F	22	22					22					

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900.

TOTAL COLORED.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,955	2,083	1,952	1,795	1,750	1,374	1,288	1,027	877	624	498	278	162	197	206	1
1,113	1,145	1,064	1,010	987	758	652	531	438	296	225	114	57	67	127	2
842	938	888	785	763	616	636	496	439	328	273	164	105	130	79	3
19	33	30	28	35	18	25	21	13	12	7	3	1	1	20	4
13	14	16	19	21	13	14	10	5	7	4	2			11	5
6	19	14	9	14	5	11	11	8	5	3	1	1	1	9	6
200	204	192	176	177	135	127	115	72	53	50	24	6	7	18	7
117	105	113	100	97	58	63	51	34	28	22	13	1	3	10	8
83	99	79	76	80	77	64	64	38	25	28	11	5	4	8	9
				1											10
	1													1	
1	1														11
	1														
															12
	1									1					
														1	13
1															
20	19	18	19	19	8	9	7	6	5	3	2	1		2	14
14	17	12	19	8	16	13	13	3	1	2	1	1	1	2	
4	7	11	10	8	9	14	10	7	8	6	2		3		15
8	14	9	8	18	20	16	15	11	8	13	2	2	1		
32	23	21	20	13	6	4	1	2	1	1				1	16
10	19	20	8	5	4	6	3	3						1	
2	2	4	2	3	2	2	4	2			1				17
7	6	1	1	4		2	2	1		1					
1		2	1	1			1	1							18
	1				3				2						
3	3	5	3	7	6	5	7	2	5	2	2			2	19
3	1	6	4	4	7	4	5	6	2		2		1		
6	7	7	9	11	7	10	5	6	4	1					20
6	4	2	12	16	7	8	10	5	4	6	2	1			
6	8	6	12	9	6	7	7	3		1	1			1	21
6	8	5	8	7	4	5	7	6	2	3	2			2	
															22
	2	2	1	2	1										23
			1												
1	2	2	2	1	1										24
1	1	1				1			1					1	
24	18	14	8	5	2	3	3	2	1						25
12	7	11	4	4	5	2	3								
2		4		2	1	2	1	2	1						26
	2	1	2	1	2				1		1				
7	4	9	4	3	3	4	2	1	1	1	1				27
5	12	7	7	3	4	4		1			1			1	
5	4	5	5	6	2	2				1				3	28
9	3	1	1	6	1					1					
3		3	4	6	4	1	2		2	6	4				29
1	1	2	1	4	4	3	6	2	4	1		1	1		
14	8	20	3	12	5	7	4	2	7	2	1	2	1	11	30
11	7	11	7	7	6	4	2	1	2	1		1		6	31
3	1	9	1	5		3	2	1	5	1	1	1	1	5	32
4	5	3	6	5	2	1	2		1					1	33
	1	2		2				1	1					1	
															34
		1		1											35
6	2	6			2	1								1	36
2		6	1	2		2	1							1	
1		1	1	1	2	2		1	1	1		1		4	37
1		1		1		1	1		4	1	1	1	1	3	
10	13	10	15	28	31	69	83	136	119	163	97	97	132	7	38
2	8	3	8	10	17	25	45	56	55	67	35	35	39	1	39
8	5	7	7	18	14	44	38	80	64	96	62	62	93	6	40
						14	35	49	51	65	33	33	37		41
						30	29	69	60	88	55	58	92	5	
															42
															43
2	8	3	8	10	17	11	10	7	4	2	2	2	2	1	44
8	5	7	7	18	14	14	9	11	4	8	7	4	1	1	
															45

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

TOTAL COLORED—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		7,753	249	150	106	76	41	622	217	287	662	1,105	1,024
2	Males		3,939	145	79	64	35	17	340	92	98	257	533	486
3	Females		3,814	104	71	42	41	24	282	125	189	405	572	538
4	Anemia	M	19	5	1		1		7	1	1	1		
		F	41	5	1	2			8	3	2	4	2	7
5	Diabetes	M	20								1			2
		F	28			1			1	1		1		
6	Rheumatism	M	76	1		1	1		3	4	2	2	3	3
		F	78	3	1		1		5	3	5	7	1	1
7	Scrofula and tabes	M	62	4	4	4	2	1	15	5	5	3	9	4
		F	70	5	5	1	3	3	17	8	9	7	5	7
8	Hydrocephalus	M	95	38	13	8	5	2	66	8	4	3	6	1
		F	76	25	12	6	9	3	55	7	2	6		2
9	Tuberculosis, general	M	58	3	1	3	1		8	1	5	2	14	6
		F	35	3	4	3			10	3	1	6	3	3
10	Consumption	M	3,244	76	49	39	22	11	197	63	75	242	481	461
		F	2,896	54	39	25	24	15	157	96	167	369	540	499
11	Cancer	M	155	2			1		3	2		1	7	4
		F	384	1					1			2	8	8
12	Tumor	M	21	2					2			1	2	1
		F	37									1	5	2
13	Dropsy	M	150	2	3	5	1	1	12	5	5	2	11	3
		F	146	1	2	2	2	1	8	3	3	2	8	8
14	Others of this group	M	39	12	8	4	1	2	27	3				1
		F	23	7	7	3	1	2	20	1				1
15	2. Diseases of the nervous system		3,687	1,169	216	97	52	41	1,575	102	71	81	88	110
16	Males		1,892	653	134	54	28	18	887	53	37	35	49	60
17	Females		1,795	516	82	43	24	23	688	49	34	46	39	50
18	Inflammation of the brain	M	40	5	4	5	1	1	16	3	1		3	6
		F	29	6	1	1	1	1	10	3	1	2	2	2
19	Meningitis	M	288	82	43	21	16	11	173	22	17	11	17	12
		F	205	53	23	19	9	12	116	22	11	9	12	7
20	Apoplexy	M	336	5	2				7	1		3	8	9
		F	420	4	1	1			6	1	1	1	2	13
21	Paralysis	M	239	5	1	1	1	1	9	2	1	3	4	7
		F	267	1	2	1		1	5			2	5	3
22	Paralysis, general (of insane)	M	17											2
		F	8											
23	Tetanus and trismus nascentium	M	201	145	4				149	7	10	6	1	7
		F	145	119	1				120	3	4	2		5
24	Chorea	M												
		F	1									1		
25	Epilepsy	M	43	5			1		6	1	1	3	1	5
		F	31			1			1		4	1	3	3
26	Convulsions	M	479	372	57	23	5	2	459	6	1	1		2
		F	426	301	46	17	14	6	384	10	2	6	9	3
27	Mental diseases	M	43									2	4	2
		F	47									3		3
28	Diseases of the brain	M	168	31	23	4	4	3	65	11	5	5	9	5
		F	165	30	5	3		3	41	9	10	14	2	10
29	Diseases of the spinal cord	M	16	2					2		1	1		
		F	21		3				3	1	1	3	2	1
30	Locomotor ataxia	M	5											
		F	3											
31	Others of this class	M	17	1					1				2	3
		F	27	2					2			2	2	
32	3. Diseases of the circulatory system		2,659	68	11	5	4	11	99	20	38	39	101	130
33	Males		1,374	39	8	2	2	7	58	6	16	20	50	72
34	Females		1,285	29	3	3	2	4	41	14	22	19	51	58
35	Pericarditis	M	34	1	2				3	2	1	3	2	4
		F	32					1	1	2	4		2	1
36	Diseases of the heart	M	1,200	24	6	2	2	7	41	4	15	17	47	62
		F	1,149	18	3	3	2	3	29	12	18	18	47	45
37	Angina pectoris	M	28										1	1
		F	42									1	2	6
38	Diseases of the arteries	M	41											
		F	18											
39	Aneurism	M	53											5
		F	22											5
40	Embolism	M	4											
		F	9											1
41	Others of this class	M	14	14					14					
		F	13	11					11					

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

TOTAL COLORED—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
745	726	596	480	393	280	191	159	118	60	36	15	4	9	24	1
399	410	318	279	238	164	100	95	58	26	17	7	3	3	16	2
346	316	278	201	155	116	91	64	60	34	19	8	1	6	8	3
1	1	2	3	1	1										4
1	2	4	1	2		2	1	1					1		
	4		2	6	1	3							1		5
2		5	2	4	4	1	2		3	2					
6	3	9	7	9	7	2	3	6	4	2		1			6
6	5	6	4	5	9	3	3	8	1	4			2		
3	3	1	2	4	1	4			1					2	7
2	5	1	1	4		1	1	1	1						
2	1	3	1												8
	1	2					1								
6	8	2		2	1	1	2								9
2	2	1	1	1		1		1							
364	359	264	240	182	111	69	65	30	15	10		1	1	11	10
303	241	183	109	74	50	41	27	17	7	5	3		1	7	
6	11	15	12	24	23	13	17	10	2	1	1	1	1	1	11
20	47	57	62	50	39	30	21	16	14	5	2	1		1	
2	5	2	1	2		2	1								12
2	5	6	3	2	3	3	2	1	2						
7	14	17	11	8	19	6	7	12	3	4	3			1	13
8	8	13	18	13	10	9	6	15	6	3	3		2		
2	1	3							1					1	14
					1										
92	119	149	171	231	185	184	146	133	98	59	41	22	14	16	15
53	62	78	78	118	94	81	61	56	37	16	15	9	6	7	16
39	57	71	93	113	91	103	85	77	61	43	26	13	8	9	17
1		2	2	2	2	2									18
	1	1	1	3	1	1		1							
15	8	3	1	5	2		1	1							19
3	3	3	3	4	1	2	2	2	2				1	2	
6	20	24	32	50	40	41	31	24	18	6	8	5	2	1	20
7	24	26	47	51	52	52	30	36	33	13	14	6	2	3	
8	14	16	17	39	23	23	15	24	13	7	6	2	3	3	21
11	7	13	18	29	18	24	41	30	19	24	8	6	4		
1		2	4	4	3			1							22
1		2	1	3	1										
4	4	2	2	2	1	2	2		2						23
3	3	2	1		1	1									
															24
5	1	6	4	1	4	1	3	1							25
	6		2	6	2	2				1					
1		4	1	1										3	26
1		2	1	1	1	2			1					3	
5	5	4	2	4	5	2	4	2			1	1			27
5	1	9	3	3	2	3	3	4	3	1	2	1	1		
5	6	11	9	8	9	7	4	3	3	2		1			28
6	8	10	11	6	7	13	8	3	1	4	2				
2	3	1	1		1	2				1			1		29
1	2	1	1		2		1		1					1	
			3	1		1									30
				2	1										
	1	3		1	4		1		1						31
1	2	2	4	5	2	3		1	1						
150	231	260	273	263	235	219	187	139	114	75	40	15	12	19	32
84	122	133	139	135	120	123	91	71	56	42	16	3	5	12	33
66	109	127	134	128	115	96	96	68	58	33	24	12	7	7	34
1	4	2	2	4	2	1	1	1	1						35
3	2	4	4	1	3	2	1	2							
75	105	111	122	120	111	109	82	62	47	40	14	2	4	10	36
59	101	110	123	119	107	88	89	58	51	31	22	10	5	7	
2	2	4	2	4	3	4		2	3						37
1	2	5	4	4	2	5	3	2	4			1			
1		4	3	3	3	3	7	6	4	2	2	1	1	1	38
	1	1	1	1	1		1	3	2	2	2	1	2		
5	9	12	10	3	1	6			1					1	39
1	1	6	2	1	1	1	1	2	1						
	2			1			1								40
1	1	1		2	1		1	1							
															41
1	1														

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

TOTAL COLORED—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		6,033	1,522	745	351	156	93	2,867	186	116	191	349	288
2	Males		3,283	819	375	183	74	42	1,493	80	48	100	211	179
3	Females		2,750	703	370	168	82	51	1,374	106	68	91	138	109
4	Croup	M	66	33	9	11	4	2	59	5	1			1
		F	52	27	7	1	6	2	43	5	2			
5	Pneumonia	M	2,437	519	261	132	57	35	1,004	62	35	84	185	151
		F	1,931	460	255	120	60	38	933	75	54	72	111	80
6	Laryngitis	M	14	3	3		1	1	8	1				1
		F	7		1	1	1		3	1	1	1		
7	Bronchitis	M	471	210	91	36	11	2	350	8	5	5	12	8
		F	490	176	93	41	11	9	330	16	6	13	12	14
8	Pleurisy	M	42				1		1	1	1	4	7	3
		F	46	1	3	1	1		6	1		1	4	7
9	Asthma	M	70	2	1	1			4	1			1	4
		F	72	3	3				6	2			2	3
10	Others of this class	M	183	52	10	3		2	67	2	6	7	6	11
		F	152	36	8	4	3	2	53	6	5	4	9	5
11	5. Diseases of the digestive system		1,756	300	138	29	14	14	495	51	49	85	148	135
12	Males		858	171	76	15	7	5	274	21	23	28	66	56
13	Females		898	129	62	14	7	9	221	30	26	57	82	79
14	Dentition	M	100	42	51	6	1		100					
		F	93	42	43	8			93					
15	Angina	M	14		3		2	1	6	1				1
		F	14	3	1			1	5	3	1			
16	Gastritis	M	95	22	6	3	2		33	1	1	1	3	2
		F	140	19	6	1	4	1	31	5		8	8	14
17	Diseases of the stomach	M	41	3	1				4	1	1		2	3
		F	35	4	2				6	2	2	1	1	2
18	Obstruction of the bowels	M	46	5				1	7		2	1	5	4
		F	78	6	1			1	8	2	1	3	11	10
19	Appendicitis	M	68	1					1	3	5	5	19	13
		F	46	1				1	2	7	1	10	4	5
20	Hernia	M	47	11	1				12			2	2	1
		F	21	3					3			1		
21	Other diseases of the bowels	M	19	9	1				10				2	2
		F	14	3	1			1	5		1	1		2
22	Jaundice	M	29	21					21				1	1
		F	19	10					10				3	2
23	Inflammation and abscess of the liver.	M	61	4				1	5	1	2	2	7	5
		F	28			1		1	2		1	1	4	2
24	Other diseases of the liver	M	94	2	1			1	4	1	1	2	3	9
		F	43							1	1		3	
25	Peritonitis	M	143	9	4	4	2	1	20	11	9	14	17	12
		F	266	4	8	2	1	2	12	9	16	32	46	39
26	Ascites	M	21								2	1	1	1
		F	15										1	2
27	Others of this class	M	80	41	8	2			51	2			4	2
		F	86	34	5	2	2	1	44	1	2		1	1
28	6. Diseases of the urinary system and male organs of generation.		1,940	26	22	12	6	7	73	38	24	40	85	97
29	Males		1,071	10	14	6	4	4	38	19	8	16	33	54
30	Females		869	16	8	6	2	3	35	19	16	24	52	43
31	Bright's disease	M	844							17	6	13	29	46
		F	735							17	15	22	44	34
32	Calculus, urinary	M	5								1			
		F	2	1					1					
33	Diseases of the kidney	M	63	6	13	6	4	4	33	1		1	1	1
		F	52	13	7	6	2	3	31		1		3	2
34	Diseases of the bladder	M	35	1	1				2					1
		F	8									1	1	
35	Others of this class	M	124	3					3	1	1	2	3	6
		F	72	2	1				3	2		1	4	7
36	7. Diseases of the female organs of generation.		176	1					1		3	14	22	31
37	Ovarian tumors		16								1	3	2	
38	Ovarian diseases		8									1		2
39	Diseases of the tubes		38									1	10	12
40	Uterine tumors		52										1	6
41	Uterine diseases		6											1
42	Others of this class		56	1					1		2	9	9	10

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

TOTAL COLORED—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
248	270	259	237	244	189	182	125	91	77	47	27	5	9	26	I
170	151	155	149	146	112	86	63	47	35	25	12	2	3	16	2
78	119	104	88	98	77	96	62	44	42	22	15	3	6	10	3
	1	1													4
137	130	133	117	117	77	58	47	34	27	17	8	1	2	11	5
60	88	74	63	70	55	67	38	26	25	17	10	2	4	7	
1		1	1				1								6
1															
6	7	6	14	13	11	3	5	7	2	3	2	1		3	7
7	8	5	8	10	8	16	10	7	12	1	4		2	1	
6	3	1	4	2	3	3		1		1				1	8
2	3	2	4	6	1	5	2	1	1						
5	2	6	3	7	13	12	5	4	1	2					9
2	7	9	7	6	8	6	6	6	1	1					
15	9	8	10	7	8	10	5	1	5	2	2		1	1	10
6	12	13	6	6	5	2	6	4	3	3	1	1		2	
115	111	115	108	94	80	55	41	33	16	9	5	2	2	7	11
45	46	55	63	40	45	28	23	22	10	6	1	1	1	4	12
70	65	60	45	54	35	27	18	11	6	3	4	1	1	3	13
															14
1		2	1	1									1		15
1		1		1			1		1						
4	4	5	10	7	7	2	5	5	4	1					16
14	10	6	10	14	9	6	1		1	1	1		1		
1	8	1	5	3	2	3	2	3	1		1				17
3	4	4	2	2	2	1	2	1							
4		3	4		8	3	1	4							18
8	5	6	6	4	5	2	2	3			1			1	
4	4	5		1	5	1			1					1	19
4	4	1	2		3		2	1							
2	1	5	7	2	3	3	2	3	1	1					20
		1	3	3	3	2	2		2			1			
2		2			1										21
2	1			1				1							
1	1	1	1	1	1										22
1	1	1					1								
8	6	7	11	2	3	2									23
1	2	4	2	2		1	4	1			1				
4	9	10	11	12	9	8	4	2	2	1		1		1	24
5	2	11	4	7	4	2		1	1		1				
14	7	7	10	4	2	3	7	3		1				2	25
28	31	18	12	10	3	6	2	1						1	
	2	2		4	8	1	2		1	1					26
1	1	1	1	2	1	3			1					1	
	4	5	6	3	1	2		2		1					27
2	4	6	3	8	5	4	1	2		2					
114	158	185	206	207	166	177	121	115	54	37	20	4	7	12	28
62	85	96	112	127	95	97	77	71	33	22	10	2	5	9	29
52	73	89	94	80	71	80	44	44	21	15	10	2	2	3	30
51	72	81	94	109	80	81	61	50	26	14	6	1	1	6	31
46	60	78	81	68	65	76	42	38	20	13	10	2	2	2	
	1					1							1	1	32
		1													
	3	4	8	3	4	2	3	2	1					1	33
3	2	2	2	1	1	1		2	1						
	2	1	3	4	4	3	2	7	2	1	1		2		34
	1	1	2				1	1							
11	7	10	12	11	7	10	11	12	4	7	3	1	1	1	35
3	10	7	9	11	5	3	1	3		2				1	
31	20	19	19	5	1	4	3	1						2	36
6	1	1	1				1								37
2	1	1		1											38
6	5	2	2												39
8	8	10	11	3	1	1	1	1						1	40
2			1			2									41
7	5	5	4	1		1	1							1	42

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

TOTAL COLORED—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	237								3	47	69	52
2	Abortion	18									3	[illegible]	[illegible]
3	Childbirth	90								1	12	23	21
4	Puerperal septicemia	77								2	21	25	14
5	Extra-uterine pregnancy	10										3	2
6	Others of this class	42									11	15	7
7	9. Diseases of the bones and joints	77	2	1	1	4	2	10	6	3	6	7	7
8	Males	45	2	1	1	1	1	6	2	2	4	4	5
9	Females	32				3	1	4	4	1	2	3	2
10	Diseases of the spine M	17	1		1		1	3	1	1	3		4
	F	11				2		2	1	1	1	2	1
11	Abscess, lumbar and psoas M	5									1		
	F	4							2				
12	Diseases of the bones M	13	1			1		2		1			
	F	11					1	1				1	
13	Diseases of the hip-joint M	5										3	1
	F	4							1		1		1
14	Others of this class M	5		1				1	1			1	
	F	2				1		1					
15	10. Diseases of the skin	41	4	1		1		6		1		[illegible]	3
16	Males	23	3	1		1		5				3	2
17	Females	18	1					1		1			1
18	Abscess M	11	2	1				3				1	1
	F	8											1
19	Carbuncle M	2											
	F	1											
20	Others of this class M	10	1			1		2				2	1
	F	9	1					1		1			
21	11. Diseases of the absorbent system	13	3	1				4			1	2	1
22	Males	5	1					1			1		
23	Females	8	2	1				3				2	1
24	Addison's disease M												
	F												
25	Diseases of the spleen M	1											
	F	1											1
26	Others of this class M	4	1					1			1		
	F	7	2	1				3				2	
27	12. Accidents and injuries	1,720	173	33	29	25	26	286	56	73	142	215	201
28	Males	1,259	82	17	18	11	7	135	31	58	110	169	167
29	Females	461	91	16	11	14	19	151	25	15	32	46	34
30	Burns and scalds M	67	1	6	11	7	5	30	6	2	[illegible]	1	3
	F	137	2	9	6	12	15	44	17	7	12	11	[illegible]
31	Drowning M	169	1	1	1			3	9	24	19	18	20
	F	10		1				1		1	4	1	
32	Exposure and neglect M	21	8					8	2			1	1
	F	22	13	3				16			1		
33	Gunshot wounds M	183							2	11	28	41	34
	F	22			1			1	1	2	1	7	4
34	Homicide M	124								1	10	21	33
	F	29							1		1	5	7
35	Infanticide M	1	1					1					
	F	1	1					1					
36	Injuries by machinery M	4										1	1
	F												
37	Railroad accidents M	154	2		1		1	4	5	11	16	24	20
	F	19	1				1	2		1	1	2	3
38	Suffocation M	52	33	3	1			37			1	2	1
	F	61	46	2			3	51	2	2	1	1	
39	Suicide by shooting M	9										1	3
	F												
40	Suicide by drowning M	2											
	F	2										1	
41	Suicide by poison M	11										3	2
	F	18									5	9	3
42	Other suicides M	26									1	4	[illegible]
	F	4										1	1
43	Sunstroke M	33	3		1			4	1			3	
	F	8	2					2					
44	Surgical operations M	5											1
	F	20									1	4	2
45	Wounds M	29								1	2	5	3
	F	3									1	1	
46	Others of this class M	369	33	7	3	4	1	48	6	8	30	44	39
	F	105	26	1	4	2		33	4	2	4	3	8

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

TOTAL COLORED—Continued

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
35	[illegible]	6												[illegible]	1
1	2	1													2
18	11	2												2	3
8	7														4
3	2														5
5	1	3													6
6	7	6	5	1	3	5		2	2			1			7
6	5	2	4		2	1		1	1						8
	2	4	1	1	1	4		1	1			1			9
1	2	1	1												10
	1	1	1												
2	1				1										11
		1		1											
3	1	1	1		1	1		1	1						12
	1	1			1	4		1	1						
	1														13
		1													
			2												14
												1			
2	5	4	3	2	4	4	1	1	1			1			15
2	[illegible]	3	[illegible]	1	2	1									16
	3	1	1	1	2	3	1	1	1			1			17
2	1	1	1		1										18
	3	1	1		2										
		1	1												19
						1									
	1	1		1	1	1									20
				1		2	1	1	1			1			
1			2	1			1								21
1			1				1								22
			1	1											23
															24
			1												25
1							1								26
			1	1											
173	155	101	64	57	41	39	20	21	11	13	5	2	3	42	27
148	128	81	49	47	30	29	12	16	6	3	3		2	35	28
25	27	20	15	10	11	10	8	5	5	10	2	2	1	7	29
5	3	[illegible]	1		3	2	1	1		2	1			1	30
6	3	4	5	1	6	4	4	2	2	1		1		1	
15	18	12	6	6	4	3					1			11	31
1	1		1												
2		1		1		2	1						1	1	32
	1				1					2	1				
30	13	6	7	3		1		2						5	33
2	2	2													
15	16	12	4	6										6	34
3	3	1	1		1									[illegible]	
															35
1				1											36
16	18	8	4	5	4	4	3	6		1				5	37
1	2	2	1	2		1				1					
1	1	1		1	3	2			1					1	38
				2					1	1					
	2	2	1												39
	1							1							40
1															
4				2											41
				1											
4	2	5	1	1		1		1							42
1	1														
4	8	2	[illegible]	3	2	1		1						1	43
	1		1	1		1	1	1							
1	3														44
4	3	2	2		1					1					
[illegible]	3	2	3	2			1				1				45
						1									
44	40	28	19	16	14	13	[illegible]	4	5				1	4	46
6	10	9	4	3	2	3	3	2	2	4	1	1	1		

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

CHINESE.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	914	39	11	6	8	7	71	18	8	12	37	53
2	Males	822	19	8	4	3	4	38	8	6	7	33	46
3	Females	92	20	3	2	5	3	33	10	2	5	4	7
4	Unknown cause	21	1					1		1			
5	Males	20								1			
6	Females	1	1					1					
7	1. General diseases. General diseases—A	58	4	1	1		2	8	2		2	4	3
8	Males	48		1			1	2				4	3
9	Females	10	4		1		1	6	2		2		
10	Measles M												
	Measles F												
11	Scarlet fever M												
	Scarlet fever F												
12	Diphtheria M												
	Diphtheria F	3			1			1	2				
13	Whooping cough M	1		1				1					
	Whooping cough F	2	1				1	2					
14	Malarial fever M	1											
	Malarial fever F												
15	Influenza M												
	Influenza F												
16	Typhoid fever M	11					1	1				1	1
	Typhoid fever F												
17	Cholera morbus M	2											
	Cholera morbus F												
18	Colitis M												
	Colitis F												
19	Diarrhea M												
	Diarrhea F												
20	Dysentery M	3										2	1
	Dysentery F	1	1					1					
21	Enteritis M	14											
	Enteritis F												
22	Cholera infantum M												
	Cholera infantum F	1	1					1					
23	Fever M	8										1	
	Fever F	2									2		
24	Cerebro-spinal fever M												
	Cerebro-spinal fever F												
25	Smallpox M												
	Smallpox F												
26	Erysipelas M	1											
	Erysipelas F	1	1					1					
27	Septicemia M	2											
	Septicemia F												
28	Venereal diseases M	3											1
	Venereal diseases F												
29	Others of this group M	2											
	Others of this group F												
30	General diseases—B	7	5					5					
31	Males	5	3					3					
32	Females	2	2					2					
33	Alcoholism M												
	Alcoholism F												
34	Parasitic diseases M												
	Parasitic diseases F												
35	Lead poison M												
	Lead poison F												
36	Other poisons M	1											
	Other poisons F												
37	Inanition M	4	3					3					
	Inanition F	2	2					2					
38	General diseases—C	13	3					3				1	
39	Males	9	1					1				1	
40	Females	4	2					2					
41	Old age M	6											
	Old age F	2											
42	Premature birth M												
	Premature birth F												
43	Malformation M	1	1					1					
	Malformation F	1	1					1					
44	Debility and atrophy M	2										1	
	Debility and atrophy F	1	1					1					
45	Others of this group M												
	Others of this group F												

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

CHINESE.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
72	114	130	143	110	55	42	29	8	2	3	1			6	1
65	108	127	141	105	54	38	29	8	2	1	1			5	2
7	6	3	2	5	1	4				2				1	3
		2	5	6	3	1	1	1							4
		2	5	6	3	1	1	1							5
															6
4	8	10	6	6	3	1	1								7
4	8	10	6	6	3	1	1								8
															9
															10
															11
															12
															13
	1														14
															15
2	2	2	1		1										16
1		1													17
															18
															19
															20
1	2	2	4	3	1		1								21
															22
	2	2	1	1	1										23
															24
															25
				1											26
		1				1									27
	1	1													28
		1		1											29
		1												1	30
		1												1	31
															32
															33
															34
															35
		1													36
														1	37
					1		4		1	2	1				38
					1		4		1		1				39
										2					40
							4		1		1				41
										2					
															42
															43
					1										44
															45

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

CHINESE—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.												
1	General diseases—D	358	2	1	1		1	5	5	1	2	15	29
2	Males	341	1	1	1			3	3	1	1	14	27
3	Females	17	1				1	2	2		1	1	2
4	Anemia M												
	Anemia F												
5	Diabetes M	2											
	Diabetes F												
6	Rheumatism M	1											
	Rheumatism F												
7	Scrofula and tabes M	1								1			
	Scrofula and tabes F	1					1	1					
8	Hydrocephalus M	1		1				1					
	Hydrocephalus F	1	1					1					
9	Tuberculosis, general M	3			1			1					
	Tuberculosis, general F												
10	Consumption M	306	1					1	1		1	14	25
	Consumption F	13							2		1	1	2
11	Cancer M	19							1				1
	Cancer F	2											
12	Tumor M	3											
	Tumor F												
13	Dropsy M	1											
	Dropsy F												
14	Others of this group M	4							1				1
	Others of this group F												
15	2. Diseases of the nervous system	28	4	1		1		6		1	1	1	2
16	Males	23	2	1				3			1	1	2
17	Females	5	2			1		3		1			
18	Inflammation of the brain M												
	Inflammation of the brain F												
19	Meningitis M	5	2	1				3					1
	Meningitis F	4	2			1		3		1			
20	Apoplexy M	10										1	
	Apoplexy F	1											
21	Paralysis M	2											
	Paralysis F												
22	Paralysis, general (of insane) M												
	Paralysis, general (of insane) F												
23	Tetanus and trismus nascentium M												
	Tetanus and trismus nascentium F												
24	Chorea M												
	Chorea F												
25	Epilepsy M												
	Epilepsy F												
26	Convulsions M	1											
	Convulsions F												
27	Mental diseases M	1									1		
	Mental diseases F												
28	Diseases of the brain M												
	Diseases of the brain F												
29	Diseases of the spinal cord M												
	Diseases of the spinal cord F												
30	Locomotor ataxia M	1											
	Locomotor ataxia F												
31	Others of this class M	3											1
	Others of this class F												
32	3. Diseases of the circulatory system	88					1	1		1	2		4
33	Males	82					1	1		1	1		4
34	Females	6									1		
35	Pericarditis M	1											
	Pericarditis F												
36	Diseases of the heart M	78					1	1		1	1		4
	Diseases of the heart F	5									1		
37	Angina pectoris M	1											
	Angina pectoris F												
38	Diseases of the arteries M												
	Diseases of the arteries F												
39	Aneurism M	2											
	Aneurism F	1											
40	Embolism M												
	Embolism F												
41	Others of this class M												
	Others of this class F												

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

CHINESE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
33	53	61	60	43	16	15	15	3	1					1	1
30	51	61	60	41	16	13	15	3	1					1	2
3	2			2		2									3
															4
			1	1											5
	1														6
															7
															8
1						1									9
27	48	57	55	37	12	12	13	2	1						10
3	1			1		2									
2		2	4	1	4		2	1						1	11
	1			1											
	2			1											12
				1											13
		2													14
2	1	4	5	2	1	2									15
2	1	4	5	2	1	1									16
						1									17
															18
1															19
1		1	3	2	1	1									20
						1									
		1	1												21
															22
															23
															24
															25
		1													26
															27
															28
															29
			1												30
	1	1													31
7	14	12	10	14	5	12	3	2		1					32
7	13	10	10	13	5	11	3	2		1					33
	1	2		1		1									34
				1											35
7	13	9	10	12	5	9	3	2		1					36
	1	1		1		1									
		1													37
															38
						2									39
		1													40
															41

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

CHINESE—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	163	19	7	4	7	2	39	8	3	2	11	6
2	Males	138	12	5	3	3	2	25	4	3	2	10	4
3	Females	25	7	2	1	4		14	4			1	2
4	Croup M												
	Croup F												
5	Pneumonia M	114	10	3	3	3	2	21	3	3	1	9	4
	Pneumonia F	23	7	2	1	4		14	4			1	2
6	Laryngitis M												
	Laryngitis F												
7	Bronchitis M	12	2	1				3	1				
	Bronchitis F	1											
8	Pleurisy M	6									1	1	
	Pleurisy F												
9	Asthma M	1											
	Asthma F												
10	Others of this class M	5		1				1					
	Others of this class F	1											
11	5. Diseases of the digestive system	49		1			1	2			1	3	1
12	Males	42									1	2	
13	Females	7		1			1	2				1	1
14	Dentition M												
	Dentition F												
15	Angina M	1											
	Angina F												
16	Gastritis M	5											
	Gastritis F	2										1	
17	Diseases of the stomach M	1											
	Diseases of the stomach F												
18	Obstruction of the bowels M	1											
	Obstruction of the bowels F												
19	Appendicitis M	3										1	
	Appendicitis F												
20	Hernia M												
	Hernia F												
21	Other diseases of the bowels M												
	Other diseases of the bowels F												
22	Jaundice M	1											
	Jaundice F												
23	Inflammation and abscess of the liver. M	6										1	
	Inflammation and abscess of the liver. F	1											1
24	Other diseases of the liver M	17											
	Other diseases of the liver F												
25	Peritonitis M	7									1		
	Peritonitis F	2		1				1					
26	Ascites M												
	Ascites F												
27	Others of this class M												
	Others of this class F	2					1	1					
28	6. Diseases of the urinary system and male organs of generation.	69							1	1			2
29	Males	64							1				1
30	Females	5								1			1
31	Bright's disease M	58							1				1
	Bright's disease F	4											1
32	Calculus, urinary M												
	Calculus, urinary F												
33	Diseases of the kidney M	5											
	Diseases of the kidney F	1								1			
34	Diseases of the bladder M	1											
	Diseases of the bladder F												
35	Others of this class M												
	Others of this class F												
36	7. Diseases of the female organs of generation.	1									1		
37	Ovarian tumors												
38	Ovarian diseases												
39	Diseases of the tubes												
40	Uterine tumors												
41	Uterine diseases												
42	Others of this class	1									1		

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

CHINESE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
13	13	16	22	11	12	4	2	1							1
12	12	16	21	11	11	4	2	1							2
1	1		1		1										3
															4
11	10	14	15	8	10	3	1	1							5
1			1												
															6
	1	2	3	1	1										7
					1										
1	1		2												8
						1									9
			1	2			1								10
	1														
2	7	7	11	9	4	2									11
2	7	6	11	7	4	2									12
		1		2											13
															14
		1													15
1	1	2	1												16
				1											
	1														17
					1										18
		1				1									19
															20
															21
				1											22
		1	3	1											23
	4	1	4	5	3										24
1	1		3			1									25
		1													
															26
															27
				1											
4	8	7	17	13	7	5	8							1	28
3	7	7	16	13	7	5	3							1	29
1	1		1												30
3	6	5	16	11	6	5	3							1	31
1	1		1												
															32
	1	2		1	1										33
				1											34
															35
															36
															37
															38
															39
															40
															41
															42

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

CHINESE—Continued.

	CAUSE OF DEATH.	All ages	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	3											1
2	Abortion												
3	Childbirth	1											1
4	Puerperal septicemia	2											
5	Extra-uterine pregnancy												
6	Others of this class												
7	9. Diseases of the bones and joints	1											
8	Males	1											
9	Females												
10	Diseases of the spine M												
	F												
11	Abscess, lumbar and psoas M												
	F												
12	Diseases of the bones M	1											
	F												
13	Diseases of the hip-joint M												
	F												
14	Others of this class M												
	F												
15	10. Diseases of the skin	1											
16	Males	1											
17	Females												
18	Abscess M												
	F												
19	Carbuncle M	1											
	F												
20	Others of this class M												
	F												
21	11. Diseases of the absorbent system												
22	Males												
23	Females												
24	Addison's disease M												
	F												
25	Diseases of the spleen M												
	F												
26	Others of this class M												
	F												
27	12. Accidents and injuries	54	1					1	2		1	2	5
28	Males	48									1	1	5
29	Females	6	1					1	2			1	
30	Burns and scalds M	2											
	F	2							1			1	
31	Drowning M	6										1	1
	F												
32	Exposure and neglect M												
	F												
33	Gunshot wounds M	1											
	F												
34	Homicide M	15											
	F	1											
35	Infanticide M												
	F												
36	Injuries by machinery M	1											1
	F												
37	Railroad accidents M	2									1		
	F												
38	Suffocation M	2											
	F												
39	Suicide by shooting M	2											
	F												
40	Suicide by drowning M												
	F												
41	Suicide by poison M	4											1
	F												
42	Other suicides M	8											2
	F	1											
43	Sunstroke M												
	F	1	1					1					
44	Surgical operations M												
	F												
45	Wounds M												
	F												
46	Others of this class M	5											
	F	1							1				

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

CHINESE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1	1														1
															2
															3
1	1														4
															5
															6
	1														7
	1														8
															9
															10
															11
	1														12
															13
															14
			1												15
			1												16
															17
															18
			1												19
															20
															21
															22
															23
															24
															25
															26
6	8	10	6	6	3			1						3	27
5	8	10	6	6	3			1						2	28
1														1	29
			1		1										30
1	1		1	1											31
															32
			1												33
2	4	3	2	2										2	34
														1	
															35
															36
	1														37
		1			1										38
	1	1													39
															40
1				2											41
	1	4						1							42
1															43
															44
															45
1		1	1	1	1										46

TABLE 11.

DEATHS OF WHITE PERSONS IN THE REGISTRATION AREA, DURING THE CENSUS YEAR ENDING MAY 31, 1900, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

MOTHERS BORN IN THE UNITED STATES (WHITE).

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		143,119	34,861	7,750	3,720	2,406	1,707	50,444	4,922	2,967	4,114	5,293	4,960
2	Males		73,765	19,440	4,080	1,919	1,209	892	27,540	2,523	1,500	2,011	2,600	2,354
3	Females		69,354	15,421	3,670	1,801	1,197	815	22,904	2,399	1,467	2,103	2,693	2,606
4	Unknown cause		1,349	576	35	16	17	11	655	32	22	34	27	30
5	Males		730	329	17	9	8	5	368	17	9	19	12	11
6	Females		619	247	18	7	9	6	287	15	13	15	15	19
	1. General diseases.													
7	General diseases—A		27,168	9,740	2,991	1,464	1,021	758	15,974	1,997	783	758	854	609
8	Males		13,905	5,315	1,551	714	499	392	8,471	968	346	380	459	314
9	Females		13,263	4,425	1,440	750	522	366	7,503	1,029	437	378	395	295
10	Measles	M	538	151	164	61	29	22	427	42	17	9	14	7
		F	624	142	176	74	35	19	446	63	26	18	14	10
11	Scarlet fever	M	554	35	70	73	87	66	331	173	22	12	7	3
		F	522	18	53	73	76	75	295	157	34	10	10	5
12	Diphtheria	M	1,490	80	183	221	197	192	873	450	93	29	19	11
		F	1,533	65	180	216	215	163	839	485	117	35	21	6
13	Whooping cough	M	661	413	138	48	23	13	635	17	1	1		
		F	712	381	166	73	38	14	672	26	4	2		
14	Malarial fever	M	243	23	15	6	8	8	60	8	11	14	22	12
		F	271	26	14	14	9	7	70	27	12	15	28	12
15	Influenza	M	1,085	109	19	7	8	3	146	11	11	12	21	10
		F	1,496	102	21	18	9	12	162	17	16	17	22	28
16	Typhoid fever	M	1,583	14	6	16	18	17	71	98	105	218	299	196
		F	1,205	9	14	18	22	16	79	87	143	203	181	111
17	Cholera morbus	M	300	83	34	25	14	3	159	18	15	6	5	4
		F	267	62	19	25	6	3	115	12	11	9	9	5
18	Colitis	M	175	95	15	12	6	1	129	3		1	3	1
		F	160	75	19	13	2		109	5	2		2	3
19	Diarrhea	M	602	285	48	10	4	3	350	22	5	3	6	6
		F	507	246	36	10	4	1	297	21	5	2	1	7
20	Dysentery	M	377	75	66	21	16	14	192	18	7	4	6	8
		F	431	82	44	23	15	7	171	14	4	3	3	4
21	Enteritis	M	2,231	1,532	304	87	30	19	1,972	34	14	14	9	9
		F	2,052	1,228	297	74	32	18	1,649	33	15	7	10	18
22	Cholera infantum	M	2,552	2,063	386	66	22	15	2,552					
		F	2,141	1,697	331	69	25	16	2,138					
23	Fever	M	16	1	2	1		1	5	1	1	2	1	
		F	15	3		1		1	5	2	2	1	3	1
24	Cerebro-spinal fever	M	470	145	81	46	28	9	309	48	26	24	14	10
		F	375	107	56	35	22	7	227	51	24	21	11	12
25	Smallpox	M	48	9	3	2	1	1	16			5	7	4
		F	36	8	3	2	1		9	5	5	2	5	4
26	Erysipelas	M	244	80	5	1	2	1	89	2	4	2	4	6
		F	164	67	5	1		1	74		3	3	6	5
27	Septicemia	M	375	40	6	7	3	3	59	12	10	17	21	19
		F	462	47	6	8	8	4	73	16	10	24	63	55
28	Venereal diseases	M	93	64	3	1	1		69			1		5
		F	72	55		1	2	1	59			2	1	1
29	Others of this group	M	268	18	3	3	2	1	27	11	4	6	1	3
		F	218	10		2	1	1	14	8	4	4	5	8
30	General diseases—B		2,976	2,095	94	42	26	8	2,265	20	13	24	48	69
31	Males		1,702	1,131	57	25	9	6	1,228	11	9	9	27	43
32	Females		1,274	964	37	17	17	2	1,037	9	4	15	21	26
33	Alcoholism	M	199								1		3	22
		F	34										2	5
34	Parasitic diseases	M	7	2	3	1			6					
		F	9		2	2	5		9					
35	Lead poison	M	12										1	1
		F	4	1		1			2				1	
36	Other poisons	M	267	20	20	17	6	4	67	6	5	8	22	16
		F	162	10	10	10	6	1	37	4	2	12	15	19
37	Inanition	M	1,217	1,109	34	7	3	2	1,155	5	3	1	1	4
		F	1,065	953	25	4	6	1	989	5	2	3	3	2
38	General diseases—C		13,756	8,216	261	49	14	19	8,559	15	15	10	14	21
39	Males		7,115	4,669	136	28	9	7	4,849	10	8	5	6	6
40	Females		6,641	3,547	125	21	5	12	3,710	5	7	5	8	15
41	Old age	M	1,950											
		F	2,523											
42	Premature birth	M	2,269	2,269					2,269					
		F	1,676	1,676					1,676					
43	Malformation	M	420	410	1	2	1		414	3				
		F	356	344	5	2	1		352		2		1	
44	Debility and atrophy	M	2,240	1,755	135	26	8	7	1,931	7	8	5	6	6
		F	1,901	1,342	120	19	4	12	1,497	5	5	5	7	15
45	Others of this group	M	236	235					235					
		F	185	185					185					

AND CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900.

MOTHERS BORN IN THE UNITED STATES (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4,400	4,147	4,185	4,491	4,900	5,614	6,474	7,629	8,223	8,339	6,590	3,588	1,340	268	231	1
2,162	2,064	2,107	2,278	2,522	2,893	3,359	3,997	4,190	4,210	3,176	1,585	511	75	108	2
2,238	2,083	2,078	2,213	2,378	2,721	3,115	3,632	4,033	4,129	3,414	2,003	829	193	123	3
26	45	41	31	38	56	52	57	63	52	38	20	10	.....	20	4
16	25	27	16	18	33	31	32	35	26	14	7	5	.....	9	5
10	20	14	15	20	23	21	25	28	26	24	13	5	.....	11	6
497	398	404	353	354	400	442	622	711	771	671	380	138	22	30	7
266	210	206	188	189	208	203	302	342	348	278	161	45	5	13	8
231	188	198	165	165	192	239	320	369	423	393	219	93	14	17	9
5	4	3	.....	4	1	1	1	1	2	.....	.....	.....	.....	.....	10
11	14	5	5	1	6	.....	2	1	.....	1	1	.....	.....	.....	
2	.....	2	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	11
5	.....	2	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	1	
7	3	.....	3	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	12
5	6	1	6	3	3	2	2	1	1	.....	.....	.....	.....	.....	
1	1	1	1	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	13
1	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	3	
12	6	9	7	9	10	13	9	14	14	8	5	.....	.....	.....	14
11	8	10	8	7	8	6	9	15	10	9	5	.....	.....	1	
19	22	34	41	35	54	67	101	126	142	130	72	28	3	.....	15
19	28	41	32	44	62	92	150	167	215	205	113	57	8	1	
160	108	91	54	52	45	23	18	17	8	3	3	.....	.....	4	16
90	61	63	44	36	27	27	15	16	11	5	3	.....	.....	3	
7	2	3	8	10	5	11	10	15	8	8	5	.....	.....	1	17
8	2	8	3	2	8	10	6	14	12	21	8	3	.....	1	
.....	2	2	3	3	4	2	3	5	9	4	1	.....	.....	.....	18
2	.....	2	1	5	.....	8	6	4	4	2	2	3	.....	.....	
3	3	3	3	7	22	19	33	36	41	17	14	4	2	3	19
5	2	7	3	4	11	8	15	24	31	30	22	9	1	2	
9	8	2	4	7	1	9	15	18	20	29	13	3	2	2	20
8	4	8	11	9	13	22	25	33	37	28	26	7	.....	1	
9	10	7	9	11	14	14	26	24	25	18	10	1	.....	1	21
13	15	13	14	20	19	22	41	47	53	38	20	3	1	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	22
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	
.....	.....	1	1	1	.....	.....	2	.....	.....	1	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	
6	5	7	9	3	3	1	3	2	.....	.....	.....	.....	.....	.....	24
7	6	4	5	1	1	2	1	1	1	.....	.....	.....	.....	.....	
2	3	1	4	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
1	2	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
8	7	10	4	8	16	14	16	16	20	11	5	2	.....	.....	26
1	3	2	5	3	6	10	12	11	8	9	1	1	1	.....	
16	19	22	22	27	20	22	34	20	18	11	6	.....	.....	.....	27
41	35	24	19	16	21	17	13	12	13	6	3	1	.....	.....	
.....	1	4	1	3	3	1	2	2	.....	.....	.....	.....	.....	2	28
1	.....	2	3	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	
.....	6	4	4	5	9	6	27	44	41	37	26	6	1	.....	29
2	2	4	5	9	7	13	21	21	27	38	15	8	3	.....	
73	61	65	65	56	52	35	35	30	26	13	9	2	2	13	30
50	44	47	54	38	39	26	19	14	20	8	5	2	.....	9	31
23	17	18	11	18	13	9	16	16	6	5	4	.....	2	4	32
24	20	28	28	26	17	10	5	2	3	.....	.....	.....	.....	1	33
8	9	6	4	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	1	1	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
21	13	17	23	8	16	15	9	7	9	3	2	.....	.....	.....	36
18	6	11	4	8	7	2	7	3	.....	2	.....	.....	.....	.....	
2	1	1	.....	2	6	1	4	5	8	5	3	2	.....	3	37
1	2	1	3	5	6	7	9	8	6	3	1	.....	2	4	
19	20	24	17	23	51	71	161	445	880	1,455	1,177	617	146	16	38
7	6	5	6	10	17	31	78	221	392	671	500	235	41	11	39
12	14	19	11	13	34	40	83	224	488	784	677	382	105	5	40
.....	.....	.....	.....	.....	.....	11	44	180	341	634	474	226	39	1	41
.....	.....	.....	.....	.....	.....	19	46	170	438	730	646	372	101	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	42
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	43
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
7	6	5	6	10	17	20	34	41	50	37	26	9	2	7	44
12	14	19	11	13	34	21	36	54	50	54	31	10	4	4	
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	45
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN THE UNITED STATES (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D	20,772	1,037	475	228	160	107	2,007	356	415	1,232	1,899	1,815
2	Males	9,246	582	246	123	72	53	1,076	175	158	490	883	857
3	Females	11,526	455	229	105	88	54	931	181	257	742	1,016	958
4	Anemia M	217	27	9	2	2	1	41	7	3	5	6	7
	Anemia F	303	34	12	3	5	1	55	2	6	20	19	11
5	Diabetes M	520	4	1	3	1	3	12	16	31	35	26	28
	Diabetes F	419	2	4	.....	6	3	15	16	24	13	20	18
6	Rheumatism M	271	3	3	2	3	3	14	23	15	15	11	12
	Rheumatism F	277	6	2	3	1	2	14	23	20	16	12	7
7	Scrofula and tabes M	157	49	9	5	1	2	66	4	1	5	10	11
	Scrofula and tabes F	190	39	10	5	2	2	58	6	5	17	13	12
8	Hydrocephalus M	608	246	129	59	33	25	492	53	15	14	6	6
	Hydrocephalus F	535	190	119	54	41	23	427	40	18	16	7	7
9	Tuberculosis, general M	146	17	7	4	2	1	31	9	4	10	13	22
	Tuberculosis, general F	148	17	4	.....	3	2	26	4	10	15	19	12
10	Consumption M	5,287	170	74	34	23	11	312	47	70	388	780	747
	Consumption F	5,775	128	61	29	23	16	257	80	149	625	901	844
11	Cancer M	1,506	2	3	1	1	1	8	3	6	6	14	12
	Cancer F	3,229	2	1	1	1	.....	5	1	7	8	8	34
12	Tumor M	180	5	3	6	3	3	20	4	8	6	5	8
	Tumor F	278	7	3	3	3	2	18	1	5	5	8	7
13	Dropsy M	249	12	2	.....	1	1	16	3	4	3	7	2
	Dropsy F	270	2	3	2	1	1	9	4	8	5	5	2
14	Others of this group M	105	47	6	7	2	2	64	6	1	3	5	2
	Others of this group F	102	28	10	5	2	2	47	4	5	2	4	4
15	2. Diseases of the nervous system	20,347	4,416	1,205	519	280	182	6,602	523	356	299	280	322
16	Males	10,749	2,504	655	268	144	98	3,669	287	202	160	140	154
17	Females	9,598	1,912	550	251	136	84	2,933	236	154	139	140	168
18	Inflammation of the brain M	207	68	21	16	4	4	113	8	5	6	6	5
	Inflammation of the brain F	170	38	18	12	4	4	76	10	11	7	7	7
19	Meningitis M	2,083	795	386	156	95	53	1,485	177	70	60	41	40
	Meningitis F	1,783	653	319	148	85	46	1,251	141	89	42	38	37
20	Apoplexy M	3,050	56	11	1	1	1	70	5	7	16	21	30
	Apoplexy F	2,958	38	8	2	3	.....	51	4	2	13	16	25
21	Paralysis M	1,587	25	3	2	4	2	36	8	6	4	2	9
	Paralysis F	1,546	9	6	4	3	3	25	10	1	8	14	20
22	Paralysis, general (of insane) M	96	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
	Paralysis, general (of insane) F	71	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
23	Tetanus and trismus nascentium M	230	98	2	1	2	4	107	19	54	9	8	9
	Tetanus and trismus nascentium F	71	49	1	.....	1	1	52	2	3	2	2	.....
24	Chorea M	15	.....	.....	1	.....	1	2	2	.....	2	1	1
	Chorea F	23	.....	.....	.....	.....	1	1	1	8	6	2	.....
25	Epilepsy M	216	21	2	1	1	.....	25	7	18	24	16	16
	Epilepsy F	189	16	4	6	2	.....	28	9	9	15	11	20
26	Convulsions M	1,575	1,229	165	69	20	17	1,500	29	9	3	4	3
	Convulsions F	1,298	960	141	59	28	15	1,203	24	7	7	11	15
27	Mental diseases M	241	.....	.....	.....	.....	.....	.....	1	1	3	8	6
	Mental diseases F	265	.....	.....	.....	.....	.....	.....	.....	1	3	7	9
28	Diseases of the brain M	995	186	60	19	16	12	293	25	28	24	23	25
	Diseases of the brain F	796	130	49	16	9	11	215	24	17	24	21	16
29	Diseases of the spinal cord M	178	22	5	.....	1	4	32	3	3	6	6	4
	Diseases of the spinal cord F	173	15	3	4	1	3	26	7	4	3	2	3
30	Locomotor ataxia M	127	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1
	Locomotor ataxia F	43	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
31	Others of this class M	149	4	.....	2	.....	.....	6	3	1	3	3	3
	Others of this class F	212	4	1	.....	.....	.....	5	4	2	9	9	13
32	3. Diseases of the circulatory system	12,428	986	47	24	27	36	1,120	219	280	266	282	248
33	Males	6,607	550	25	14	17	17	623	93	114	109	130	115
34	Females	5,821	436	22	10	10	19	497	126	166	157	152	133
35	Pericarditis M	81	4	2	.....	1	1	8	4	9	9	6	3
	Pericarditis F	89	5	1	.....	1	2	9	6	9	8	4	2
36	Diseases of the heart M	5,684	360	22	13	15	14	424	88	103	96	115	101
	Diseases of the heart F	5,155	292	20	10	8	16	346	118	153	147	135	124
37	Angina pectoris M	405	.....	.....	.....	.....	.....	.....	1	.....	3	4	7
	Angina pectoris F	277	.....	.....	.....	.....	.....	.....	.....	2	2	5	4
38	Diseases of the arteries M	154	2	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
	Diseases of the arteries F	88	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1
39	Aneurism M	57	.....	.....	.....	.....	.....	.....	.....	2	.....	4	4
	Aneurism F	21	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1
40	Embolism M	42	5	.....	1	.....	.....	6	.....	.....	1	1	.....
	Embolism F	51	1	.....	.....	.....	.....	1	.....	.....	.....	5	1
41	Others of this class M	184	179	1	.....	1	2	183	.....	.....	.....	.....	.....
	Others of this class F	145	138	1	.....	1	1	141	1	.....	.....	2	.....

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN THE UNITED STATES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,525	1,290	1,178	1,250	1,228	1,298	1,306	1,331	1,094	855	447	177	40	7	22	1
710	588	502	508	509	490	556	569	501	382	198	66	19	2	7	2
815	702	676	742	719	808	760	762	593	473	249	111	21	5	15	3
3	4	8	11	22	18	15	23	15	15	12	2	...	...	...	4
12	13	12	17	15	25	24	25	28	11	3	2	1	...	2	
23	15	28	21	38	35	63	51	43	33	18	2	1	...	1	5
9	16	18	26	37	39	47	44	40	22	11	3	...	...	1	
8	11	9	11	9	23	23	24	22	17	18	4	1	1	...	6
11	7	10	10	21	20	14	22	17	24	16	10	3	...	...	
4	7	5	8	2	8	8	8	8	1	1	...	...	...	...	7
15	10	6	8	9	4	8	6	3	5	5	...	...	...	...	
10	5	2	1	3	...	...	...	1	...	...	...	...	...	...	8
5	4	2	3	2	1	...	1	1	1	...	...	...	...	...	
8	8	8	9	12	2	...	4	1	4	1	...	...	...	...	9
13	8	7	13	7	5	1	3	...	8	2	...	...	...	...	
618	488	360	336	273	220	217	170	126	91	28	10	1	...	5	10
646	473	357	267	217	227	187	199	149	113	42	27	5	2	8	
22	32	62	90	126	156	197	232	226	175	92	33	12	1	1	11
76	155	225	353	368	427	423	400	304	234	135	50	11	2	3	
6	9	8	11	14	10	11	19	18	17	4	2	...	...	...	12
13	12	25	26	23	32	23	27	21	20	7	4	...	...	1	
5	7	8	9	10	17	21	35	38	25	22	13	4	...	...	13
7	2	12	14	15	25	19	32	28	38	28	15	1	1	...	
3	2	4	1	...	1	1	3	3	4	2	...	...	...	...	14
8	3	2	5	5	3	4	3	2	2	...	...	...	...	...	
360	371	478	613	770	949	1,253	1,500	1,793	1,821	1,286	555	163	27	26	15
196	200	254	317	416	515	661	797	923	902	641	234	59	10	12	16
164	171	224	296	354	434	592	703	870	919	645	321	104	17	14	17
6	8	6	5	5	4	7	5	9	8	6	...	...	...	...	18
6	5	6	6	6	5	3	3	4	5	1	...	1	...	1	
28	15	21	25	25	21	10	21	21	11	4	3	2	...	3	19
25	19	25	26	16	18	12	16	9	8	5	3	1	...	2	
45	49	85	123	192	268	359	413	475	438	317	109	19	5	4	20
37	39	78	119	177	223	316	362	459	444	339	184	56	11	3	
31	41	53	62	82	99	147	171	257	287	199	72	17	4	...	21
19	22	34	51	60	92	131	181	247	304	199	92	29	4	3	
9	7	9	10	10	9	9	8	6	7	4	4	2	...	...	22
3	4	5	2	3	4	3	13	11	8	8	3	1	...	...	
9	1	2	1	1	4	2	1	1	2	...	...	...	...	...	23
2	1	3	...	...	1	2	...	...	1	...	...	...	...	...	
2	...	...	...	...	...	1	1	1	1	...	...	1	...	...	24
...	...	...	1	1	1	1	...	...	...	1	...	...	...	...	
20	19	12	5	6	2	4	10	10	9	4	4	2	...	...	25
13	17	8	9	9	9	9	5	9	5	3	...	1	...	...	
4	3	...	2	3	...	...	2	3	1	4	1	1	...	3	26
9	3	1	2	...	1	3	5	2	2	1	...	1	...	1	
11	7	11	13	12	15	23	30	30	32	24	12	2	...	...	27
12	13	18	16	18	17	26	29	23	33	22	12	6	...	...	
22	37	21	23	44	43	55	73	77	75	65	27	12	1	2	28
16	30	26	32	28	31	49	47	60	77	48	22	8	2	3	
4	7	17	11	16	13	10	24	5	11	6	...	...	...	...	29
9	5	7	7	13	16	15	16	18	11	9	1	...	...	1	
...	6	12	20	13	19	19	20	9	6	1	...	...	...	...	30
1	3	2	7	3	5	6	7	2	5	1	1	...	...	...	
5	5	5	14	7	18	15	18	19	14	7	2	1	...	...	31
12	10	11	18	20	11	16	19	26	16	8	3	...	...	...	
279	331	388	469	656	888	1,139	1,436	1,530	1,476	904	392	95	13	17	32
129	164	183	218	360	528	650	815	832	830	477	188	39	4	6	33
150	167	205	251	296	360	489	621	698	646	427	204	56	9	11	34
2	8	1	2	5	7	4	5	3	4	1	...	...	...	...	35
7	...	7	4	...	6	2	8	5	4	6	2	...	...	...	
116	132	157	190	308	456	569	725	732	739	419	167	38	4	5	36
130	151	180	223	274	324	436	552	637	592	378	187	49	9	10	
6	14	17	19	34	42	63	58	57	43	28	8	...	...	1	37
9	12	8	21	15	26	33	45	28	29	28	6	4	...	...	
...	1	2	2	5	15	8	19	29	31	27	12	1	...	...	38
...	...	3	1	3	2	10	7	19	12	14	6	3	...	...	
3	7	5	2	5	6	5	2	5	6	1	...	...	...	...	39
...	2	3	...	1	1	2	2	2	3	1	1	...	...	...	
1	2	1	3	3	2	1	6	6	7	1	1	...	...	...	40
4	2	4	2	3	1	6	7	7	6	...	2	...	...	...	
1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	41
...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN THE UNITED STATES (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		20,739	5,473	2,158	1,045	580	354	9,610	853	262	404	481	443
2	Males		10,588	3,076	1,145	551	296	179	5,247	439	130	219	265	230
3	Females		10,151	2,397	1,013	494	284	175	4,363	414	132	185	216	213
4	Croup	M	538	77	106	115	77	51	426	105	3	.....	2	.....
		F	423	47	72	74	58	56	307	103	7	1	.....	.....
5	Pneumonia	M	7,182	1,754	762	345	160	95	3,116	253	103	184	224	200
		F	6,816	1,375	717	320	168	82	2,662	238	99	138	157	165
6	Laryngitis	M	123	25	24	7	13	5	74	24	3	.....	1	1
		F	102	11	16	9	20	8	64	17	2	3	.....	4
7	Bronchitis	M	1,681	826	219	65	29	15	1,154	34	8	8	6	7
		F	1,821	696	165	79	26	22	988	30	7	16	19	15
8	Pleurisy	M	152	8	3	2	5	3	21	9	6	11	9	8
		F	152	6	7	3	2	1	19	12	2	7	12	7
9	Asthma	M	87	18	.....	.....	.....	.....	18	3	1	.....	3	1
		F	89	10	1	.....	.....	.....	11	1	2	.....	4	2
10	Others of this class	M	825	368	31	17	12	10	438	11	6	16	20	13
		F	748	252	35	9	10	6	312	13	13	20	24	20
11	5. Diseases of the digestive system		7,807	1,395	281	135	78	78	1,967	324	311	346	386	410
12	Males		3,872	775	147	71	36	41	1,070	158	162	160	168	156
13	Females		3,935	620	134	64	42	37	897	166	149	186	218	254
14	Dentition	M	102	62	39	1	.....	.....	102	.....	.....	.....	.....	.....
		F	98	60	36	1	.....	1	98	.....	.....	.....	.....	.....
15	Angina	M	70	3	8	5	8	4	28	14	4	.....	7	1
		F	71	5	5	9	4	6	29	19	8	1	1	3
16	Gastritis	M	524	124	24	7	6	3	164	12	3	9	9	11
		F	626	99	28	14	12	8	161	21	6	8	19	23
17	Diseases of the stomach	M	228	26	4	2	.....	3	35	3	3	7	2	3
		F	199	17	4	2	.....	2	25	1	.....	8	10	16
18	Obstruction of the bowels	M	339	81	10	4	4	5	104	19	14	13	13	14
		F	320	49	7	4	5	3	68	11	7	8	7	18
19	Appendicitis	M	483	2	2	2	3	4	13	40	70	71	64	59
		F	316	4	2	1	.....	4	11	35	56	57	36	30
20	Hernia	M	110	20	.....	.....	.....	1	21	1	3	1	3	3
		F	106	6	.....	.....	.....	1	7	3	.....	.....	1	2
21	Other diseases of the bowels	M	148	55	6	3	2	1	67	1	1	2	5	4
		F	124	39	4	1	3	.....	47	5	3	7	2	4
22	Jaundice	M	152	93	1	5	.....	.....	99	4	.....	1	1	2
		F	128	58	2	5	1	1	67	1	2	2	.....	3
23	Inflammation and abscess of the liver.	M	153	13	2	.....	2	4	21	1	1	3	7	9
		F	153	7	.....	1	2	1	11	4	1	6	7	12
24	Other diseases of the liver	M	565	17	3	4	.....	1	25	2	4	2	8	13
		F	372	16	3	2	.....	1	22	5	2	3	5	8
25	Peritonitis	M	517	39	12	23	6	9	89	51	57	49	44	34
		F	930	32	14	13	9	6	74	54	57	84	126	129
26	Ascites	M	22	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1
		F	30	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
27	Others of this class	M	459	240	36	15	5	6	302	9	1	2	5	2
		F	462	228	29	11	6	3	277	7	2	2	4	4
28	6. Diseases of the urinary system and male organs of generation.		7,561	201	49	45	36	42	373	135	122	183	226	254
29	Males		4,479	108	24	23	19	21	197	74	55	83	90	113
30	Females		3,082	93	25	22	17	19	176	61	67	100	136	141
31	Bright's disease	M	3,076	.....	.....	.....	.....	.....	.....	68	45	76	71	89
		F	2,367	.....	.....	.....	.....	.....	.....	53	62	76	103	97
32	Calculus, urinary	M	26	.....	.....	.....	.....	.....	.....	.....	1	.....	3	1
		F	15	2	.....	.....	.....	.....	2	.....	.....	.....	1	.....
33	Diseases of the kidney	M	319	67	20	22	17	21	147	1	1	3	2	6
		F	265	69	22	18	16	17	142	1	.....	5	7	3
34	Diseases of the bladder	M	443	1	.....	.....	.....	.....	1	.....	2	1	1	4
		F	61	2	.....	.....	.....	.....	2	1	.....	.....	1	1
35	Others of this class	M	615	40	4	1	2	2	49	5	6	3	13	13
		F	374	20	3	4	1	2	30	6	5	19	24	40
36	7. Diseases of the female organs of generation.		477	3	1	.....	1	1	6	.....	2	12	51	69
37	Ovarian tumors		88	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	8
38	Ovarian diseases		21	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	5
39	Diseases of the tubes		52	.....	.....	.....	.....	.....	.....	.....	.....	2	8	11
40	Uterine tumors		148	.....	.....	.....	.....	1	1	.....	.....	2	4	9
41	Uterine diseases		33	.....	.....	.....	.....	.....	.....	.....	.....	4	9	9
42	Others of this class		135	3	1	.....	1	.....	5	.....	2	4	22	27

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN THE UNITED STATES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
455	477	495	544	603	700	800	926	1,074	1,075	893	440	151	25	28	1
239	275	278	293	307	340	379	438	462	446	358	174	51	3	15	2
216	202	217	251	296	360	421	488	612	629	535	266	100	22	13	3
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	4
1	1	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
199	235	244	239	264	258	291	333	345	309	243	103	29	3	7	5
172	164	171	196	228	281	331	376	432	438	341	156	51	12	8	
4	.....	1	.....	3	4	4	1	.....	2	1	.....	.....	.....	.....	6
1	.....	1	.....	2	4	.....	.....	1	2	.....	1	.....	.....	.....	
3	17	10	17	12	32	30	44	64	83	83	52	15	.....	2	7
14	10	12	22	24	34	44	60	116	128	144	88	43	9	3	
11	6	5	11	8	10	5	9	4	10	5	4	.....	.....	.....	8
12	4	7	11	9	8	11	4	6	10	7	3	1	.....	.....	
3	1	3	2	4	5	14	7	9	4	6	3	.....	.....	.....	9
4	1	2	4	7	5	11	11	5	9	6	4	.....	.....	.....	
19	16	15	24	16	31	35	44	40	38	19	12	7	.....	5	10
12	22	23	18	25	27	24	37	52	42	37	19	5	1	2	
288	298	317	364	325	364	382	475	445	396	239	111	39	3	12	11
118	120	170	200	169	195	190	243	209	208	105	51	14	2	4	12
170	173	147	164	166	169	192	232	236	188	134	60	25	1	8	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	1	2	2	3	1	2	1	.....	1	1	.....	.....	.....	.....	15
1	.....	.....	4	1	1	1	.....	.....	1	1	.....	.....	.....	.....	
9	13	20	22	22	24	34	35	44	47	25	14	5	1	1	16
14	25	19	18	29	25	30	43	57	58	58	14	8	.....	.....	
7	12	15	15	17	19	15	23	17	24	8	3	.....	.....	.....	17
12	8	5	9	12	8	17	12	21	16	8	7	3	.....	1	
12	5	4	14	16	16	6	21	24	26	9	6	3	.....	.....	18
9	15	20	16	15	19	20	23	22	18	14	7	1	1	1	
40	24	27	30	13	11	9	6	4	1	1	.....	.....	.....	.....	19
20	13	18	9	8	7	3	7	1	2	4	.....	.....	.....	.....	
2	2	2	7	3	10	6	8	10	13	7	7	1	.....	.....	20
2	5	5	7	5	10	15	19	12	4	6	2	1	.....	.....	
4	2	2	6	3	10	3	8	9	10	7	1	2	.....	1	21
3	8	8	5	4	4	2	9	8	4	1	3	1	.....	1	
1	1	3	2	2	7	5	5	7	6	3	1	1	.....	1	22
.....	2	1	2	3	4	5	11	12	6	3	3	1	.....	.....	
6	7	8	8	15	11	13	13	15	8	6	1	.....	.....	.....	23
4	5	5	9	9	6	15	9	18	11	11	4	1	.....	.....	
9	25	51	58	50	57	57	87	48	47	17	4	.....	1	.....	24
6	15	15	31	34	42	30	50	43	38	13	9	1	.....	.....	
23	20	25	25	15	18	18	21	11	8	6	2	1	.....	.....	25
93	70	48	37	27	28	30	22	24	13	4	5	3	.....	2	
.....	3	2	.....	1	1	3	1	4	2	1	1	.....	.....	.....	26
.....	1	.....	2	1	3	4	7	3	4	1	.....	1	.....	1	
3	5	9	11	9	10	19	14	16	15	14	11	1	.....	1	27
6	6	8	15	18	12	20	20	15	18	16	6	4	.....	2	
254	299	357	379	510	594	717	810	814	760	482	229	40	11	12	28
100	131	191	215	308	354	444	524	522	524	355	160	28	4	7	29
154	168	166	164	202	240	273	286	292	236	127	69	12	7	5	30
79	112	163	178	256	282	352	396	333	319	177	66	11	.....	3	31
113	139	141	130	171	200	231	246	252	187	102	51	8	5	.....	
.....	.....	1	1	2	3	1	3	3	5	.....	2	.....	.....	.....	32
.....	.....	.....	.....	1	.....	2	1	2	2	3	1	.....	.....	.....	
5	4	8	6	10	10	11	22	22	30	17	14	.....	.....	.....	33
15	10	9	10	8	6	9	10	7	14	5	3	.....	.....	1	
1	1	4	8	11	16	31	58	88	78	84	41	10	2	1	34
1	3	.....	1	.....	7	8	2	7	10	6	7	3	1	.....	
15	14	15	22	29	43	49	45	76	92	77	37	7	2	3	35
25	16	16	23	22	27	23	27	24	23	11	7	1	1	4	
44	58	47	58	40	27	20	15	13	9	4	1	1	.....	.....	36
6	8	8	12	12	8	6	5	5	4	3	.....	.....	.....	.....	37
3	3	1	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	38
8	15	3	2	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	39
8	15	22	24	18	16	11	7	6	4	1	.....	.....	.....	.....	40
4	1	3	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	41
15	16	10	17	7	3	3	1	.....	1	.....	1	1	.....	.....	42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN THE UNITED STATES (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	867								1	84	221	232
2	Abortion	48									5	9	14
3	Childbirth	214									12	46	51
4	Puerperal septicemia	342								1	35	106	99
5	Extra-uterine pregnancy	35										7	7
6	Others of this class	228									32	58	61
7	9. Diseases of the bones and joints	334	36	13	5	9	5	68	20	31	29	27	12
8	Males	194	22	5	3	7	4	41	8	19	22	19	9
9	Females	140	14	8	2	2	1	27	12	12	7	8	3
10	Diseases of the spine M	63	12	2	1	3	2	20	4	6	4	6	3
	F	55	7	5	1	1		14	4	5	1	3	1
11	Abscess, lumbar and psoas M	12								1		4	1
	F	6	1					1	1				
12	Diseases of the bones M	66	6	1	2	3	1	15	2	5	11	5	2
	F	42	5	3	1	1	1	11	5	4		5	1
13	Diseases of the hip-joint M	31	1	1		1		3	2	6	6	2	3
	F	12							1	1	6		
14	Others of this class M	22	1	1			1	3		1	1	2	
	F	25	1					1	1	2			1
15	10. Diseases of the skin	257	74	12	4	2	2	94	8	6	3	5	3
16	Males	144	37	4	2	1	1	45	6		2	3	2
17	Females	113	37	8	2	1	1	49	2	8	1	2	1
18	Abscess M	73	12	3	2	1	1	19	6		2	2	2
	F	60	17	4	1	1	1	24	2	2	1		1
19	Carbuncle M	22	1					1				1	
	F	3	1					1					
20	Others of this class M	49	24	1				25					
	F	50	19	4	1			24		1		2	
21	11. Diseases of the absorbent system	135	15	5		3		23	2	3	4	3	5
22	Males	64	9	3		3		15	1	1	2	5	2
23	Females	71	6	2				8	2	2	2	3	3
24	Addison's disease M	22								1	1	1	
	F	23										1	1
25	Diseases of the spleen M	9	2			1		3				1	1
	F	11	2	1				3				1	
26	Others of this class M	33	7	3		2		12	1		1	3	1
	F	37	4	1				5	2	2	2	1	2
27	12. Accidents and injuries	6,146	598	123	144	152	104	1,121	417	348	426	484	418
28	Males	4,370	333	65	88	89	66	641	276	287	351	393	342
29	Females	1,776	265	58	56	63	38	480	141	61	75	91	76
30	Burns and scalds M	256	9	30	43	40	17	139	30	8	8	7	12
	F	352	14	29	30	37	26	136	69	18	14	11	13
31	Drowning M	664	4	12	8	13	9	46	115	135	88	77	45
	F	92	4	7	5	6	1	23	12	10	12	5	2
32	Exposure and neglect M	30	12	1				13	1	1			
	F	20	6					6				3	
33	Gunshot wounds M	237	1		1	2	1	5	5	21	45	34	19
	F	34	1			1	1	3	3	2	3	6	2
34	Homicide M	49			1		2	3	2	1	5	9	5
	F	20							4	1	1	1	4
35	Infanticide M	2	2					2					
	F	4	4					4					
36	Injuries by machinery M	26									7	2	2
	F												
37	Railroad accidents M	649	1	2	2	5	12	22	44	42	56	105	64
	F	89	1		1	2		4	19	6	12	7	4
38	Suffocation M	222	150	3	3	2	2	160	2	5	3	5	7
	F	170	116	6	4	1	3	130	6	1	3	1	2
39	Suicide by shooting M	176									4	18	20
	F	17									1	2	4
40	Suicide by drowning M	18									1	1	1
	F	19										2	1
41	Suicide by poison M	83									9	9	8
	F	73								2	16	9	5
42	Other suicides M	209									5	10	15
	F	67								2	1	8	6
43	Sunstroke M	45	16	1	2		2	21	1	1	4	2	4
	F	27	14	3	1			18	1	1			
44	Surgical operations M	28	2	1			1	5	2		3	1	1
	F	75	2		1			3	1	2		12	8
45	Wounds M	58	2		1		1	4	3	4	6	8	5
	F	5							2	1	1		
46	Others of this class M	1,618	133	15	27	27	19	221	71	69	107	105	134
	F	712	103	13	14	16	7	153	24	15	11	24	24

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN THE UNITED STATES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
144	115	59	[illegible]	1	1									6	1
7	11				1									1	2
44	30	26	2	1										2	3
49	33	17	1											1	4
9	10	2													5
35	31	14												2	6
8	13	11	14	23	13	12	16	16	7	7	5	2			7
2	8	7	8	11	7	[illegible]	10	4	6	3	3	1			8
6	5	4	6	12	6	[illegible]	6	12	1	4	2	1			9
	4		1	[illegible]	4	1	3	1	3	1					10
1	3	1	2	8	2	3	1	3		1	1	1			
1			1	2	1			1							11
		1		1				2							
	3	1	4	5	[illegible]	2	2	1	2	2	2				12
3		1	3		2	1		3		2	1				
1	1	4		1		1	1								13
1	2									1					
		2	2	1		2	4	1	1		1	1			14
1		1	1	3	2	2	5	4	1						
9	13	9	11	13	18	12	15	13	16	9	[illegible]	1			15
3	8	4	8	8	12	[illegible]	9	[illegible]	10	6	2				16
[illegible]	5	5	3	5	6	4	6	5	6	3		1			17
2	4	[illegible]	4	4	7	3	4	4	5	[illegible]					18
3	3	3	2	3	2	2	4	2	3	2		1			
1	2		3	3	1	3	3	2	1	1					19
				1				1							
	2	1	1	1	4	2	2	2	4	3	2				20
3	2	2	1	1	4	2	2	2	3	1					
9	7	9	12	3	9	11	14	7	8						21
[illegible]	4	[illegible]	5	2	[illegible]	3	7		2						22
3	[illegible]	[illegible]	7	1	[illegible]	8	7	7	6						23
1	4	2	3	2	2	[illegible]	2		1						24
2	3	1	2	1	3	3	4	1	1						
2		1	1												25
1		1	1		1			1	[illegible]						
3		3	1		1	1	5		1						26
		1	4		2	5	3	5	3						
410	356	303	308	247	194	222	216	175	187	142	90	41	12	29	27
320	281	227	242	177	152	171	154	117	114	62	34	13	1	15	28
90	75	76	66	70	42	51	62	58	73	80	56	28	11	14	29
[illegible]	9	3	6	3	3	5	[illegible]	4	4	2				1	30
14	12	10	[illegible]	4	2	7	5	8	9	7	3			1	
34	22	32	15	15	11	8	[illegible]	5	[illegible]	3	1			1	31
10	2	4	2	3	1	1	2	[illegible]						1	
1	2		2	1		1	1	1	4	1	1				32
	2	1				1			3	2		1		1	
26	17	17	9	[illegible]	12	[illegible]	5		2	1		1			33
[illegible]	4	[illegible]	1	1		1									
10	5	2	2	1	1	1		1		1					34
[illegible]	[illegible]	1		1	1										
															35
2	5	2	1	1		1	3								36
68	58	44	31	27	19	23	20	9	7	[illegible]	2			2	37
5	3	1	4	5	2	4	1	[illegible]	3	3					
7	4	2	2	[illegible]	5	5	[illegible]	1	2					[illegible]	38
2	[illegible]	1	4	1		1	2	1			1			11	
[illegible]	18	14	24	16	12	9	7	7	[illegible]	1	2			1	39
3	[illegible]	1	1		[illegible]		1								
	1		2	1	4	2	2	1	[illegible]						40
1			3	4	5	2		1							
6	7	8	13	4	4	4	4	4	1	1				1	41
[illegible]	5	[illegible]	9	3	3	2	3		1						
15	12	13	36	22	22	19	13	15	7	3	1			1	42
6	7	[illegible]	[illegible]	4	3	[illegible]	6	2		1	1				
1	1	[illegible]	1		2	1		1	2	1					43
		1		1			1	2	2						
2	3	3	1	1	1	2	[illegible]								44
6	9	9	5	10	5	1	3		1						
4	4	1	3	3	5	3	2		1	1		1			45
	1														
118	113	84	94	70	51	78	79	68	74	41	27	11	1	2	46
[illegible]	22	28	19	33	18	29	38	36	54	67	51	27	11		

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN IRELAND (WHITE).

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	59,762	5,843	1,734	807	554	357	9,295	926	515	1,071	2,579	3,963
2	Males	29,995	3,294	917	411	289	184	5,095	478	253	529	1,294	2,098
3	Females	29,767	2,549	817	396	265	173	4,200	448	262	542	1,285	1,865
4	Unknown cause	302	36	3	1	1		41	6	3	4	12	20
5	Males	160	25	2		1		28	3		1	9	11
6	Females	142	11	1	1			13	3	3	3	3	9
	1. General diseases.												
7	General diseases—A	7,706	1,810	686	362	255	187	3,300	356	100	115	239	287
8	Males	3,756	1,027	371	176	129	93	1,796	177	48	55	119	148
9	Females	3,950	783	315	186	126	94	1,504	179	52	60	120	139
10	Measles M	155	40	53	21	11	13	138	12	1			1
	Measles F	136	32	42	20	8	11	113	12	4	1	1	3
11	Scarlet fever M	133	5	20	23	24	15	87	30	4	3	4	1
	Scarlet fever F	136	9	10	29	27	12	87	37	6	2	1	1
12	Diphtheria M	364	19	60	65	64	41	249	78	17	3	5	1
	Diphtheria F	391	17	61	76	65	47	266	87	14	9	6	5
13	Whooping cough M	144	77	31	19	9	4	140	3				
	Whooping cough F	161	70	38	20	13	9	150	7				1
14	Malarial fever M	68	3	1	2	2	1	9	1		4	6	4
	Malarial fever F	94	2		2	1	1	6	2	1	4	7	3
15	Influenza M	410	15	3		3	1	22	5		5	10	15
	Influenza F	673	7	3	1			11		4	4	14	21
16	Typhoid fever M	434	1	2	1	1	3	8	11	10	30	66	78
	Typhoid fever F	325		4	1		2	7	8	12	26	49	52
17	Cholera morbus M	86	8	1	3		1	13	2			2	2
	Cholera morbus F	77	3	3	2			8	1		1	1	1
18	Colitis M	29	16					16				1	1
	Colitis F	49	14	9			1	24				2	1
19	Diarrhea M	206	65	10	3			78	4			2	4
	Diarrhea F	200	30	12	1			43	5	1	1	3	4
20	Dysentery M	164	15	9	5	1		30	5	2	1	4	4
	Dysentery F	257	13	8	4		1	26		1		6	4
21	Enteritis M	633	337	73	17	6	5	438	13	4		3	15
	Enteritis F	691	275	60	13	4	6	358	11	2	4	9	18
22	Cholera infantum M	462	362	89	8	2	1	462					
	Cholera infantum F	335	270	54	9	2		335					
23	Fever M	1							1				
	Fever F	3	1		1			2					
24	Cerebro-spinal fever M	98	25	15	8	4	5	57	9	9	4	4	2
	Cerebro-spinal fever F	63	13	7	5	5	4	34	6	6	4	1	2
25	Smallpox M	19				1		1				2	2
	Smallpox F	8	1	1				2				1	
26	Erysipelas M	101	13	1			1	15			1		8
	Erysipelas F	77	14	2	1			17	1			1	3
27	Septicemia M	122	13	1		1	2	17	2	1	2	8	5
	Septicemia F	136	2	1	1	1		5	2	1	4	14	18
28	Venereal diseases M	26	10	2				12				1	2
	Venereal diseases F	21	9					9				2	1
29	Others of this group M	101	3		1			4	1		2	1	3
	Others of this group F	117	1					1				2	1
30	General diseases—B	1,019	269	21	3	2	2	297	3	1	7	32	73
31	Males	685	156	14	2	1	2	175	2	1	2	23	53
32	Females	334	113	7	1	1		122	1		5	9	20
33	Alcoholism M	386										10	38
	Alcoholism F	111										2	13
34	Parasitic diseases M	1											
	Parasitic diseases F												
35	Lead poison M	4											
	Lead poison F	6											
36	Other poisons M	113	1	5	1		2	9	2	1	2	13	15
	Other poisons F	60	1	1				2			5	6	7
37	Inanition M	181	155	9	1	1		166					
	Inanition F	148	112	6	1	1		120	1			1	
38	General diseases—C	3,729	1,304	73	17	3		1,397	4	2	1	4	10
39	Males	1,700	736	31	9	3		779	3	1	1	2	9
40	Females	2,029	568	42	8			618	1	1		2	1
41	Old age M	767											
	Old age F	1,187											
42	Premature birth M	284	284					284					
	Premature birth F	202	202					202					
43	Malformation M	52	50		1			51					
	Malformation F	49	49					49					
44	Debility and atrophy M	515	320	31	8	3		362	3	1	1	2	9
	Debility and atrophy F	528	255	42	8			305	1	1		2	1
45	Others of this group M	82	82					82					
	Others of this group F	63	62					62					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN IRELAND (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4,017	4,156	3,480	3,282	3,921	4,197	4,619	4,280	3,736	2,573	1,718	827	307	163	137	1
2,243	2,274	1,916	1,690	1,987	2,029	2,094	1,852	1,596	1,219	731	373	120	62	62	2
1,774	1,882	1,564	1,592	1,934	2,168	2,525	2,428	2,140	1,354	987	454	187	101	75	3
14	27	16	19	28	25	20	24	12	12	11	5			3	4
9	15	10	10	17	10	11	9	4	2	6	2			3	5
5	12	6	9	11	15	9	15	8	10	5	3				6
298	269	211	216	258	298	423	408	365	275	174	70	22	9	13	7
148	124	114	111	114	123	164	166	129	106	64	36	6	6	2	8
150	145	97	105	144	175	259	242	236	169	110	34	16	3	11	9
2						1									10
1	1														
3	1														11
	1	1													
4	1		2	1	3										12
2					1					1					
1															13
		1												2	
6	4	3	7	1	4	2	7	2	6	1	1				14
8	4	1	5	3	10	13	8	11	2	5				1	
16	21	24	26	25	27	45	48	42	40	27	9	3			15
22	25	27	29	54	56	91	91	87	65	41	16	10	1	4	
68	52	28	24	18	11	15	8	3	3					1	16
49	32	17	16	17	11	12	11	3		2				1	
3	2	6	5	4	11	7	9	11	4	2	1		2		17
1	8	2	1	5	3	12	11	10	6	3	1	1	1		
1		1	1	4	1	1		1	1						18
1	1	1	3	2	2	4	5	2	1						
3	4	5	6	9	7	15	19	18	14	14	4				19
7	3	1	8	9	15	19	16	16	24	22	2	1			
8	4	4	8	7	9	23	16	18	8	7	4	1	1		20
7	12	10	11	10	23	34	30	37	27	11	6	1	1		
8	10	13	10	14	15	24	25	17	10	5	5	1	2	1	21
19	18	18	16	24	28	37	45	40	23	14	2	8		2	
															22
															23
											1				
2	1	3	2	2	2	1									24
2	2	3	2					1							
4	2	1	1	1	2	1	1	1							25
2	1		1		1										
5	6	15	6	8	10	9	8	2	2	2	3		1		26
2	10	4	5	6	7	9	5	3	3	1					
10	11	9	4	12	12	6	10	3	6	3	1				27
22	22	8	3	7	7	7	5	4	3	2	1			1	
8	3		2	1	1	1									28
2	3	2			1			1							
1	2	2	7	7	8	13	15	11	12	3	8	1			29
3	2	1	5	7	10	21	15	21	15	8	5				
109	125	82	58	53	61	44	24	16	13	7	5		1	8	30
80	100	56	40	40	42	26	15	11	6	3	3		1	6	31
29	25	26	18	13	19	18	9	5	7	4	2			2	32
68	86	43	32	35	28	18	13	6	3	2	2			2	33
15	15	20	12	9	10	10	2	1	1	1					
					1										34
1		2				1									35
2	2				1			1							
11	14	11	8	5	12	5	1	2	2						36
11	8	4	5	3	5	5	2		3	2					
					1	2	1	3	1	1	1		1	4	37
1		2	1	1	2	3	5	3	3	1	2			2	
7	18	9	15	23	44	111	210	380	421	500	311	157	94	11	38
4	10	4	9	10	12	44	80	132	181	193	121	70	32	3	39
3	8	5	6	13	32	67	130	248	240	307	190	87	62	8	40
						27	55	116	164	184	118	68	32	8	41
						47	100	206	216	284	186	84	60	4	
															42
1															43
3	10	4	9	10	12	17	25	16	17	9	3	2			44
3	8	5	6	13	32	20	30	41	24	23	4	3	2	4	
															45
								1							

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN IRELAND (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		13,243	191	110	46	37	14	398	72	93	488	1,220	1,848
2	Males		6,851	100	65	25	19	8	217	32	28	204	606	969
3	Females		6,392	91	45	21	18	6	181	40	65	284	614	879
4	Anemia	M	57	5			1		6		1	2	2	4
		F	128	2	2	1	1	1	8		2	3	8	8
5	Diabetes	M	131		1	1			2	4	3	1	5	6
		F	160							1	3	1	1	4
6	Rheumatism	M	109	1				1	2	3	1	1	5	6
		F	152	1					1	5	1	3	4	5
7	Scrofula and tabes	M	24	4					4			1	3	6
		F	34	1	1	2			4		1	1	2	5
8	Hydrocephalus	M	171	56	45	13	11	5	130	13	3		5	
		F	128	52	26	12	10	1	101	6	4	3	3	4
9	Tuberculosis, general	M	56	7		1	2		10	2	2	2	3	11
		F	43	1		1			2	2	2		7	6
10	Consumption	M	5,407	24	17	9	4	2	56	7	15	193	577	923
		F	4,108	28	14	5	5	2	54	25	47	265	582	810
11	Cancer	M	747			1			1	1	1		1	9
		F	1,395	1					1			1	4	22
12	Tumor	M	74							2		3	2	2
		F	137				1		1	1	1	1	3	8
13	Dropsy	M	54		1				1		1		1	1
		F	69								1	2		1
14	Others of this group	M	21	3	1		1		5		1	1	2	1
		F	38	4	2		1	2	9		3	4		6
15	2. Diseases of the nervous system		6,362	639	198	75	68	39	1,019	97	58	65	94	161
16	Males		3,023	375	87	44	38	14	558	54	35	41	40	83
17	Females		3,339	264	111	31	30	25	461	43	23	24	54	78
18	Inflammation of the brain	M	25	5	1	1			7			1		
		F	23	3	2				5		1	1	1	3
19	Meningitis	M	501	157	54	31	20	6	268	38	16	17	12	26
		F	379	102	73	19	21	14	229	32	11	8	11	13
20	Apoplexy	M	1,219	6	1	1	3	2	13	3	1	5	5	22
		F	1,601	8	2	2		1	13		2	4	7	15
21	Paralysis	M	397				2		2	2	1	2	4	5
		F	458	1	1		1	2	5			1	4	7
22	Paralysis, general (of insane)	M	36											
		F	19											
23	Tetanus and trismus nascentium	M	50	8		1			9	5	12	4	4	5
		F	19	9					9		1		1	
24	Chorea	M	4				1		1			1		
		F	4							1	2	1		
25	Epilepsy	M	68					1	1	1	1	4	3	9
		F	61								1	3	9	7
26	Convulsions	M	239	179	25	9	6	3	222	4				1
		F	222	124	29	10	8	5	176	8	1		8	7
27	Mental diseases	M	103										4	3
		F	169										5	10
28	Diseases of the brain	M	270	20	5	1	5	2	33	1	2	5	6	9
		F	255	17	4			2	23	1	4	6	4	10
29	Diseases of the spinal cord	M	38		1				1		1	2	1	1
		F	53					1	1	1			3	1
30	Locomotor ataxia	M	36								1			
		F	11											
31	Others of this class	M	37				1		1				1	2
		F	65										3	5
32	3. Diseases of the circulatory system		5,759	125	9	2	9	9	154	48	54	79	157	191
33	Males		2,660	73	6	1	4	5	89	25	21	39	67	106
34	Females		3,099	52	3	1	5	4	65	23	33	40	90	85
35	Pericarditis	M	37	2					2	1	2	3	1	2
		F	28							1		2	1	1
36	Diseases of the heart	M	2,390	42	6	1	4	5	58	24	18	35	65	100
		F	2,861	27	3	1	5	4	40	21	33	38	85	75
37	Angina pectoris	M	75									1		3
		F	73										1	3
38	Diseases of the arteries	M	78											1
		F	70										1	
39	Aneurism	M	33										1	
		F	21										1	1
40	Embolism	M	17								1			
		F	16							1			1	3
41	Others of this class	M	30	29					29					
		F	30	25					25					2

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN IRELAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,686	1,523	1,126	894	944	807	734	589	426	217	98	38	13	3	26	1
964	864	633	479	491	391	349	252	189	104	43	19	5	1	11	2
722	659	493	415	453	416	385	337	237	113	55	19	8	2	15	3
5	2	6	2	4	5	7	7	1	...	...	2	...	1	...	4
10	14	13	11	12	13	11	8	3	3	...	1	...	...	...	
9	11	8	6	17	13	15	16	8	4	3	...	...	...	...	5
7	5	7	13	25	27	26	19	13	7	...	...	...	...	1	
12	9	7	4	9	12	8	10	12	6	2	...	...	...	...	6
5	12	7	11	15	14	18	20	13	10	4	3	1	...	...	
2	8	...	1	...	...	1	2	1	...	...	...	...	...	...	7
5	2	2	...	3	1	2	4	...	...	2	...	...	...	...	
3	2	4	6	1	2	1	...	...	...	...	...	...	...	1	8
1	2	3	...	...	...	...	...	...	...	...	...	...	...	1	
6	10	2	2	3	...	2	...	1	...	...	...	...	...	...	9
5	3	...	4	1	1	6	3	1	...	...	...	...	...	...	
909	791	552	379	340	234	180	104	87	38	13	3	1	...	5	10
632	520	308	201	183	144	122	93	72	28	11	5	1	...	5	
8	28	40	65	106	113	119	98	67	49	22	10	4	...	5	11
43	78	132	156	200	191	175	168	113	55	33	9	5	2	7	
7	4	5	9	8	8	9	7	5	3	...	...	...	...	...	12
11	15	16	15	12	16	13	8	11	4	1	...	...	...	...	
2	8	5	3	2	3	6	8	7	4	3	4	...	...	...	13
1	4	2	2	1	9	11	12	10	6	4	1	1	...	1	
1	1	4	2	1	1	1	...	...	...	...	...	...	...	...	14
2	4	3	2	1	...	1	2	1	...	...	...	...	...	...	
228	240	283	362	470	561	708	651	565	416	238	91	23	14	18	15
135	133	151	164	201	253	295	273	233	199	109	43	9	4	10	16
93	107	132	198	269	308	413	378	332	217	129	48	14	10	8	17
4	2	...	...	1	3	1	2	3	...	1	...	...	...	...	18
2	1	1	...	2	2	...	3	...	...	1	...	...	...	...	
24	23	11	23	14	8	8	5	3	3	...	2	...	...	...	19
18	8	4	10	8	4	11	7	2	2	1	...	...	...	...	
40	46	69	83	112	148	163	167	127	109	71	23	5	1	6	20
20	31	75	129	176	213	242	225	204	130	70	24	10	7	4	
11	18	24	26	26	37	55	46	58	47	17	12	...	1	3	21
8	8	11	25	28	43	67	74	67	52	35	14	3	2	4	
4	2	11	2	7	2	4	2	1	1	...	...	...	...	...	22
1	2	3	...	2	...	1	3	3	2	2	...	...	...	...	
2	4	1	2	1	1	...	...	...	...	...	...	...	...	...	23
...	4	2	1	...	...	1	...	...	...	...	...	...	...	...	
1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	24
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
9	4	5	5	4	8	6	3	3	2	...	...	...	...	...	25
2	4	5	5	5	2	11	2	...	1	3	1	...	...	...	
3	2	1	1	...	...	1	...	2	1	...	...	...	...	1	26
11	6	...	1	1	2	...	1	1	1	...	...	...	...	...	
5	7	4	3	4	9	19	15	9	8	8	2	3	...	...	27
8	8	4	10	12	13	33	14	25	13	10	4	...	...	...	
23	19	19	10	18	19	25	25	17	21	11	4	1	2	...	28
14	18	14	12	19	14	32	39	24	10	5	5	...	1	...	
4	1	1	3	5	6	7	2	1	2	...	...	...	...	...	29
2	8	6	1	6	8	8	2	3	2	...	...	1	...	...	
3	2	3	3	5	9	3	2	3	9	...	...	...	...	...	30
...	2	...	1	3	1	2	1	1	...	...	...	...	...	...	
2	3	2	3	4	3	3	3	6	3	1	...	...	...	...	31
7	7	7	3	7	6	5	7	2	4	2	...	...	...	...	
253	334	349	374	459	612	720	673	598	365	197	88	28	11	15	32
121	150	149	160	215	273	335	294	270	191	90	44	8	4	9	33
132	184	200	214	244	339	385	379	328	174	107	44	20	7	0	34
3	4	8	4	3	4	1	1	2	1	...	...	...	...	...	35
4	2	3	2	1	2	4	3	1	1	...	...	...	...	...	
108	133	142	147	192	248	304	267	248	173	74	36	6	3	9	36
120	175	191	200	227	314	366	350	304	162	95	41	14	4	6	
7	4	2	4	9	8	10	10	6	3	6	2	...	...	...	37
4	4	5	8	11	10	9	10	4	2	2	...	...	...	...	
...	...	...	...	2	6	16	14	13	11	6	6	2	1	...	38
...	1	...	...	1	7	4	11	18	8	7	3	6	3	...	
3	9	2	4	6	4	1	...	1	2	...	...	...	...	...	39
2	1	1	3	2	2	2	4	...	1	1	...	...	...	...	
...	...	...	1	3	3	3	2	...	1	3	...	...	...	...	40
2	1	...	1	...	4	...	1	1	...	1	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	41
...	...	...	...	2	...	...	...	...	...	1	...	...	...	...	

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN IRELAND (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		10,236	1,121	556	243	130	72	2,122	171	60	103	278	482
2	Males		5,130	604	306	121	65	40	1,136	83	24	55	161	273
3	Females		5,106	517	250	122	65	32	986	88	36	48	117	209
4	Croup	M	89	8	17	23	9	14	71	17				
		F	75	6	16	19	13	5	59	14	1			
5	Pneumonia	M	3,763	355	232	66	44	22	719	50	19	46	129	234
		F	3,453	292	177	80	34	19	602	59	28	31	91	162
6	Laryngitis	M	24		1		1	1	3	6			3	
		F	22	4	2	3	1		10	3			1	1
7	Bronchitis	M	775	188	47	27	5	1	268	4	5	5	10	17
		F	1,051	180	50	16	13	5	264	8	6	8	10	18
8	Pleurisy	M	114	1	1	1	3		6	1		3	10	9
		F	101	1	2	2		1	6	3		1	8	12
9	Asthma	M	74		1		1		2					2
		F	90	1					1					1
10	Others of this class	M	291	52	7	4	2	2	67	5		1	9	11
		F	314	33	3	2	4	2	44	3	1	8	7	15
11	5. Diseases of the digestive system		3,268	216	40	21	6	9	292	46	44	60	121	203
12	Males		1,483	118	19	10	3	5	155	24	21	33	41	86
13	Females		1,785	98	21	11	3	4	137	22	23	27	80	117
14	Dentition	M	18	10	7	1			18					
		F	20	15	5				20					
15	Angina	M	13	2		1			3	1			3	1
		F	5		1				1	1				
16	Gastritis	M	253	14	4	1	1		20			2	2	17
		F	378	13	4	2	1		20	2	4	2	11	25
17	Diseases of the stomach	M	106	2				1	3				2	12
		F	106								1	2	7	5
18	Obstruction of the bowels	M	117	16		2		1	19	2	1	3	3	7
		F	145	12	1	1	1		15	3	1		5	8
19	Appendicitis	M	126					1	1	8	9	18	12	13
		F	100			1		1	2	9	9	11	11	13
20	Hernia	M	50	5	1				6					1
		F	95	1					1					
21	Other diseases of the bowels	M	24	5					5	1			1	2
		F	26	3	1				4				1	4
22	Jaundice	M	40	15		1			16			1		
		F	49	8				1	9	1				2
23	Inflammation and abscess of the liver.	M	73	1	1				2	1		1	1	4
		F	91	3					3				5	3
24	Other diseases of the liver	M	395	1					1		1		4	17
		F	324	1					1	1			5	12
25	Peritonitis	M	147	7	1	2		1	11	9	10	8	12	10
		F	290	5	4	3		1	13	5	6	11	35	41
26	Ascites	M	7											
		F	9											
27	Others of this class	M	114	40	5	2	2	1	50	2			1	2
		F	147	37	5	4	1	1	48		2	1		4
28	6. Diseases of the urinary system and male organs of generation.		4,500	24	7	5	7	6	49	24	24	45	148	246
29	Males		2,321	18	3	3	2	3	29	14	13	23	65	107
30	Females		2,179	6	4	2	5	3	20	10	11	22	83	139
31	Bright's disease	M	1,860							12	10	20	59	100
		F	1,917							9	10	18	70	121
32	Calculus, urinary	M	8									1		
		F	3											
33	Diseases of the kidney	M	93	16	2	3	2	3	26	1	1			2
		F	50	4	4	2	5	3	18				1	4
34	Diseases of the bladder	M	155								1		1	
		F	34										1	1
35	Others of this class	M	205	2	1				3	1	1	2	5	5
		F	175	2					2	1	1	4	11	13
36	7. Diseases of the female organs of generation.		167	1					1			4	13	20
37	Ovarian tumors		28										3	1
38	Ovarian diseases		6										1	2
39	Diseases of the tubes		31									2	6	8
40	Uterine tumors		46											
41	Uterine diseases		11									2	1	2
42	Others of this class		45	1					1				2	7

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN IRELAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
485	569	508	547	716	825	871	875	700	445	269	124	42	24	20	1
286	325	302	290	378	409	365	361	291	202	106	55	11	9	8	2
199	244	206	257	338	416	506	514	409	243	163	69	31	15	12	3
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	4
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
251	282	258	243	290	297	264	259	194	127	55	32	6	2	6	5
154	196	174	192	236	305	350	322	258	128	96	33	18	8	10	
1	1	1	4	1	1	1	1	.....	.....	1	.....	.....	.....	.....	6
1	2	.....	.....	.....	1	1	1	.....	1	.....	.....	.....	.....	.....	
12	15	17	17	40	65	58	60	69	53	31	19	4	6	.....	7
16	17	19	29	57	71	110	133	114	77	46	32	12	5	1	
8	13	4	8	12	6	10	9	11	3	1	.....	.....	.....	.....	8
9	12	2	10	3	6	5	10	7	5	.....	2	.....	.....	.....	
1	2	2	4	12	12	9	12	5	3	5	1	.....	.....	2	9
2	2	2	4	11	11	15	20	7	9	5	.....	.....	.....	.....	
13	12	20	14	23	28	23	19	12	16	13	3	1	1	.....	10
17	15	9	21	31	22	25	28	23	23	16	2	1	2	1	
214	250	255	231	293	310	282	260	199	121	55	20	5	2	5	11
100	111	135	105	141	140	124	103	83	54	17	7	2	1	.....	12
114	139	120	126	152	170	158	157	116	67	38	13	3	1	5	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	1	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	
14	15	21	18	26	31	25	27	13	10	8	3	.....	1	.....	16
15	22	16	23	38	39	47	43	30	19	13	6	2	.....	1	
6	8	7	12	16	9	7	8	9	5	.....	2	.....	.....	.....	17
15	8	4	9	14	13	5	5	11	3	2	2	.....	.....	.....	
5	8	6	8	10	13	6	9	7	7	.....	2	1	.....	.....	18
8	9	6	11	12	17	9	18	11	7	4	.....	.....	.....	1	
12	9	19	9	5	2	.....	3	3	3	.....	.....	.....	.....	.....	19
9	9	4	2	6	3	5	3	3	1	.....	.....	.....	.....	.....	
3	1	6	4	4	5	7	4	2	5	2	.....	.....	.....	.....	20
2	4	9	11	8	15	17	11	9	6	2	.....	.....	.....	.....	
.....	4	2	.....	3	.....	2	1	2	.....	1	.....	.....	.....	.....	21
.....	3	.....	2	.....	2	3	3	2	1	.....	1	.....	.....	.....	
1	1	1	1	1	2	4	6	2	3	1	.....	.....	.....	.....	22
2	3	2	3	2	5	4	3	6	4	2	.....	.....	.....	1	
11	5	8	3	8	5	10	4	6	2	2	.....	.....	.....	.....	23
4	7	14	7	5	10	9	11	9	3	1	.....	.....	.....	.....	
33	42	48	36	53	50	42	27	26	13	1	.....	1	.....	.....	24
18	33	39	38	46	33	32	28	17	13	7	1	.....	.....	.....	
11	12	12	9	6	16	9	3	5	4	.....	.....	.....	.....	.....	25
36	38	24	13	14	15	13	11	8	1	2	2	.....	.....	2	
.....	.....	2	.....	1	1	.....	2	1	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	1	2	2	2	2	.....	.....	.....	.....	.....	.....	
3	5	3	5	8	5	11	9	6	2	2	.....	.....	.....	.....	27
5	3	2	6	6	15	12	18	8	9	5	1	1	1	.....	
278	364	358	364	465	468	519	399	356	207	118	50	9	3	6	28
145	184	179	172	234	240	262	200	199	135	74	36	4	3	3	29
133	180	179	192	231	228	257	199	157	72	44	14	5	.....	3	30
130	159	160	152	199	209	212	151	138	85	40	19	2	1	2	31
112	156	162	177	206	208	233	178	140	65	36	11	3	.....	2	
1	2	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	32
1	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	
1	3	4	3	11	6	4	7	9	7	6	2	.....	.....	.....	33
3	5	3	1	4	3	4	2	1	.....	1	.....	.....	.....	.....	
2	2	2	6	9	10	23	25	25	21	17	9	.....	2	.....	34
1	3	1	1	2	3	6	5	4	2	1	2	1	.....	.....	
11	18	13	11	14	14	21	17	27	22	11	6	2	.....	1	35
16	16	12	13	19	14	14	14	12	4	6	1	1	.....	1	
28	22	30	14	10	6	5	5	4	1	4	.....	.....	.....	.....	36
2	2	5	3	3	2	2	2	1	.....	1	.....	.....	.....	.....	37
3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	38
6	4	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	39
5	5	10	8	6	2	3	2	3	.....	2	.....	.....	.....	.....	40
2	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	41
10	9	10	2	1	1	.....	1	.....	.....	1	.....	.....	.....	.....	42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN IRELAND (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	443									6	62	127
2	Abortion	18										1	5
3	Childbirth	136										13	30
4	Puerperal septicemia	184									4	28	63
5	Extra-uterine pregnancy	8										2	3
6	Others of this class	97									2	18	26
7	9. Diseases of the bones and joints	115	4	5	1	3	1	12	10	10	8	9	5
8	Males	65	2	1	1	3	1	8	4	6	5	5	4
9	Females	50	2	2				4	6	4	3	4	1
10	Diseases of the spine M	18				1	1	2	2	3	3	1	1
	Diseases of the spine F	17	2					2	4	3		2	
11	Abscess, lumbar and psoas M	6	1					1				1	1
	Abscess, lumbar and psoas F	3											
12	Diseases of the bones M	26	1	1		1		3	1	2	1	2	2
	Diseases of the bones F	12		2				2		1	2	1	
13	Diseases of the hip-joint M	7							1	1	1		
	Diseases of the hip-joint F	5							2		1		
14	Others of this class M	8			1	1		2				1	
	Others of this class F	13										1	1
15	10. Diseases of the skin	86	8	2	2	1		13	2			3	3
16	Males	42	4	1	1			6	1			1	2
17	Females	44	4	1	1	1		7	1			2	1
18	Abscess M	29	2	1	1			4	1				2
	Abscess F	24	1			1		2	1			2	1
19	Carbuncle M	6											
	Carbuncle F	5											
20	Others of this class M	7	2					2				1	
	Others of this class F	15	3	1	1			5					
21	11. Diseases of the absorbent system	29	1	3				4	1		1	1	3
22	Males	17		2				2	1				3
23	Females	12	1	1				2			1	1	
24	Addison's disease M	8											1
	Addison's disease F	3									1	1	
25	Diseases of the spleen M	1											1
	Diseases of the spleen F	2											
26	Others of this class M	8		2				2	1				1
	Others of this class F	7	1	1				2					
27	12. Accidents and injuries	2,798	94	23	29	32	18	196	86	66	85	186	284
28	Males	2,102	56	9	18	21	13	117	55	55	70	155	244
29	Females	696	38	14	11	11	5	79	31	11	15	31	40
30	Burns and scalds M	90	1	4	11	11	4	31	3		2	7	3
	Burns and scalds F	172	2	11	7	10	5	35	18		3	5	14
31	Drowning M	303	1	1	1	2	3	8	22	18	13	22	41
	Drowning F	31	1	1				2	1	3	5	2	
32	Exposure and neglect M	22	1					1				3	
	Exposure and neglect F	5										1	
33	Gunshot wounds M	41							1	3	5	2	8
	Gunshot wounds F	5								1			
34	Homicide M	26									1	7	4
	Homicide F	8			1			1		1		1	
35	Infanticide M												
	Infanticide F												
36	Injuries by machinery M	9										2	
	Injuries by machinery F												
37	Railroad accidents M	412			1	2	2	5	6	8	19	36	68
	Railroad accidents F	30		1				1	1	1	1	1	2
38	Suffocation M	72	31	1	1	1		34	1	3	2	3	2
	Suffocation F	39	26					26	1				2
39	Suicide by shooting M	14											2
	Suicide by shooting F	1											
40	Suicide by drowning M	8											
	Suicide by drowning F	4										1	
41	Suicide by poison M	39										1	8
	Suicide by poison F	25										5	7
42	Other suicides M	62								1	1		7
	Other suicides F	18										3	1
43	Sunstroke M	30	3	1				4	1		1	2	2
	Sunstroke F	19	1					1	1				1
44	Surgical operations M	13							1			1	2
	Surgical operations F	21								1	1	2	3
45	Wounds M	52									3	6	10
	Wounds F	4							1				1
46	Others of this class M	909	19	2	4	5	4	34	20	22	23	63	87
	Others of this class F	314	8	1	3	1		13	8	4	5	10	9

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN IRELAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
122	97	27	1	1											1
6	4	2													2
39	47	7													3
51	27	9	1	1											4
	3														5
26	16	9													6
8	9	8	5	5	3	6	7	5	4	1					7
3	6	4	4	3	1	3	6	1	2						8
5	3	4	1	2	2	8	1	4	2	1					9
	1	1	2	2											10
2	1	1		1		1									
						1	1	1							11
1	1				1										
1	3	1	2		1	2	3		2						12
		1			1	1		2	1						
2	1	1													13
	1							1							
	1	1		1			2								14
2		2	1	1		1	1	1	1	1					
7	5	4	6	6	7	8	10	6	2	2	1	1			15
4	3	3	4	3	4	3	2	2		2	1	1			16
3	2	1	2	3	3	5	8	4	2						17
3	3	2	1	3	3	2	2	2				1			18
2	1	1		1	2	2	6	1	2						
1		1	2		1	1									19
			1	1	1			2							
			1							2	1				20
1	1		1	1		3	2	1							
1	1	2	4	4	3	3	1								21
	1	2	3	2	2	1									22
1			1	2	1	2	1								23
	1	1	1	2	1	1									24
						1									
															25
1						1									
		1	2		1										26
			1	2	1		1								
279	303	212	172	186	167	165	144	104	74	44	24	7	2	12	27
244	248	174	139	138	129	112	91	52	37	24	6	4	1	7	28
35	55	38	33	48	38	53	53	52	37	20	18	8	1	5	29
5	6	7	3	4	1	7	2	6		3					30
8	14	10	6	8	6	16	9	10	4	3	1	1		1	
35	41	17	17	13	24	7	14	6	4					1	31
2	5	3	1	3	2		1	1							
3	1	3		2	1	2	8	1	1	1					32
			1	1	1	1									
5	4	4	3	2	1	2		1							33
1		1	1							1					
4	3	3		1	1	1		1							34
2	1	1		1											
															35
3		1	2				1								36
44	45	30	32	32	34	23	11	5	7	3				4	37
3	3	1	3	2	1	3	4	2	1						
4	4	3	4	2	2	2	2	1	1		1			1	38
1		1	1	2		2	1			1				1	
3	2	3			1	2	1								39
								1							
2	2	1		2	1										40
	1	1					1								
5	5	8	8	4			4	1							41
3	4	2	1	1	1									1	
7	8	10	6	3	5	5	5	3	3						42
3	2	3		1	2		2	1							
3	6	4	2	3	1		1								43
	4	3		4		2		2	1						
1	1	2	1	2			2								44
1	2	4	2	2	1	2									
8	6	2	5	3	2	4	2			1					45
								1	1						
112	114	76	61	65	55	57	45	27	21	16	5	4	1	1	46
11	19	8	17	23	24	27	35	34	30	15	17	2	1	2	

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN GERMANY (WHITE).

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	41,375	5,794	1,549	700	522	364	8,929	999	548	837	1,426	1,835
2	Males	22,666	3,277	806	386	267	183	4,919	525	281	438	691	906
3	Females	18,709	2,517	743	314	255	181	4,010	474	267	399	735	929
4	Unknown cause	255	58	11	2	3	3	77	8	2	6	2	10
5	Males	137	26	5	1	1	2	35	3		3	1	4
6	Females	118	32	6	1	2	1	42	5	2	3	1	6
	1. General diseases.												
7	General diseases—A	6,152	1,939	615	267	212	158	3,191	416	136	144	178	203
8	Males	3,299	1,076	308	152	119	78	1,733	203	72	81	89	106
9	Females	2,853	863	307	115	93	80	1,458	213	64	63	89	97
10	Measles M	117	29	50	15	6	3	103	7	1	1		1
	Measles F	120	32	35	18	6	6	97	16		1	1	2
11	Scarlet fever M	94	2	11	19	16	14	62	25	5	1		
	Scarlet fever F	110	1	18	14	15	14	62	35	5		2	2
12	Diphtheria M	404	25	52	68	59	44	248	114	27	10	1	
	Diphtheria F	370	17	54	43	43	45	202	117	24	7	4	4
13	Whooping cough M	76	43	15	10	3	1	72	1				
	Whooping cough F	109	49	35	9	4	2	99	5		2		1
14	Malarial fever M	80	4	1	2		3	10	2		3	11	2
	Malarial fever F	66	3	2	1	1		7	5	2	4	4	3
15	Influenza M	197	11					11	6		1	4	8
	Influenza F	204	7	2				9	3		2	1	4
16	Typhoid fever M	422	2	2	4	4	4	16	12	22	45	58	63
	Typhoid fever F	314	3		1	5	2	11	15	21	35	50	47
17	Cholera morbus M	76	14		2	2		18	3	2	1	1	4
	Cholera morbus F	77	13	5	1	1	1	21	1	2	4		4
18	Colitis M	33	13	2		2		17	2				1
	Colitis F	16	3	4	1			8					
19	Diarrhea M	167	61	18	3	2		84	4		1		1
	Diarrhea F	121	56	7	3			66	2	2			5
20	Dysentery M	101	10	9	5	5		29	3	4	1	2	
	Dysentery F	103	12	4	4	1	1	22	1			2	1
21	Enteritis M	641	393	63	16	5	3	480	13	1	3	4	7
	Enteritis F	538	291	69	12	8	5	385	8	2	2	7	5
22	Cholera infantum M	511	426	73	5	6	1	511					
	Cholera infantum F	406	331	66	6	3		406					
23	Fever M	2		1				1					
	Fever F	3	1					1		1			
24	Cerebro-spinal fever M	65	15	8	2	6	3	34	5	3	7	3	4
	Cerebro-spinal fever F	40	10	4	1	6	2	23	2	4	2	1	1
25	Smallpox M	12									1	2	1
	Smallpox F	2										1	
26	Erysipelas M	88	16	2		1		19	1	2	3	1	5
	Erysipelas F	46	14	1				15			1	1	2
27	Septicemia M	96	7	1	1	1	1	11	3	4	1	2	4
	Septicemia F	116	9	1			2	12	3	1	3	13	15
28	Venereal diseases M	14	3					3					3
	Venereal diseases F	14	9		1			10					
29	Others of this group M	103	2			1	1	4	2	1	2		2
	Others of this group F	78	2					2				2	1
30	General diseases—B	665	288	10	4	5		307	7		12	18	24
31	Males	438	161	7	2	2		172	1		4	10	18
32	Females	227	127	3	2	3		135	6		8	8	6
33	Alcoholism M	143										1	9
	Alcoholism F	20										1	
34	Parasitic diseases M												
	Parasitic diseases F	1							1				
35	Lead poison M	6											
	Lead poison F	3											1
36	Other poisons M	111	2	2	1	1		6	1		4	9	9
	Other poisons F	57	3			2		5	2		8	6	5
37	Inanition M	178	159	5	1	1		166					
	Inanition F	146	124	3	2	1		130	3			1	
38	General diseases—C	2,682	1,014	48	7	4		1,073	3	3		7	11
39	Males	1,328	556	21	4	2		583	1	1		5	2
40	Females	1,354	458	27	3	2		490	2	2		2	9
41	Old age M	609											
	Old age F	725											
42	Premature birth M	263	263					263					
	Premature birth F	200	200					200					
43	Malformation M	45	44	1				45					
	Malformation F	28	26	1				27	1				
44	Debility and atrophy M	375	213	20	4	2		239	1	1		5	2
	Debility and atrophy F	378	209	26	3	2		240	1	2		2	9
45	Others of this group M	36	36					36					
	Others of this group F	23	23					23					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN GERMANY (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,088	2,234	2,270	2,165	2,193	2,362	2,646	2,921	3,093	2,511	1,475	597	156	51	39	1
1,106	1,277	1,376	1,329	1,331	1,347	1,513	1,575	1,609	1,304	739	285	68	23	24	2
982	957	894	836	862	1,015	1,133	1,346	1,484	1,207	736	312	88	28	15	3
7	5	11	20	7	15	18	23	15	17	8	2	1	.....	1	4
2	2	6	14	5	8	12	16	8	9	6	1	1	.....	1	5
5	3	5	6	2	7	6	7	7	8	2	1	.....	.....	.....	6
193	164	145	140	129	136	169	179	239	221	112	46	5	2	4	7
101	96	87	84	79	86	94	83	122	95	57	25	2	1	3	8
92	68	58	56	50	50	75	96	117	126	55	21	3	1	1	9
2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10
2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	
1	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	12
5	1	1	1	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	1	13
1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
9	7	5	10	3	4	4	4	4	1	1	.....	.....	.....	.....	14
5	3	2	5	2	4	4	4	4	5	1	2	.....	.....	.....	
7	12	7	7	13	8	20	13	27	23	19	10	1	.....	.....	15
9	3	8	11	7	11	15	22	28	46	16	6	2	1	.....	
50	43	29	30	15	16	12	4	6	.....	.....	.....	.....	.....	1	16
30	29	16	9	13	8	8	7	10	4	.....	.....	.....	.....	1	
4	.....	6	3	5	3	2	7	6	6	1	2	.....	1	.....	17
2	2	3	2	1	3	6	7	9	6	1	3	.....	.....	.....	
1	.....	3	1	.....	.....	1	1	.....	3	2	1	.....	.....	.....	18
.....	.....	.....	.....	.....	1	1	1	2	1	2	.....	.....	.....	.....	
1	4	2	2	3	6	6	9	20	11	10	2	.....	.....	1	19
3	1	.....	.....	3	1	6	6	7	11	5	3	.....	.....	.....	
1	2	2	2	3	4	8	13	12	6	6	3	.....	.....	.....	20
1	1	4	6	2	3	1	14	14	15	14	2	.....	.....	.....	
7	9	10	5	9	16	11	11	20	21	10	4	.....	.....	.....	21
6	9	8	6	8	5	15	19	20	21	8	3	1	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	22
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	1	.....	1	.....	.....	2	.....	.....	2	.....	.....	.....	.....	.....	24
2	.....	2	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	
.....	3	1	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
4	3	7	6	10	11	5	1	5	5	.....	.....	.....	.....	.....	26
2	1	2	1	4	2	6	2	3	3	.....	1	.....	.....	.....	
7	7	6	10	11	8	8	6	5	2	1	.....	.....	.....	.....	27
16	14	8	5	5	5	5	4	5	2	.....	.....	.....	.....	.....	
1	2	2	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	28
1	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	1	5	3	7	8	9	14	17	15	7	3	1	.....	.....	29
5	2	1	6	2	7	7	10	15	11	6	1	.....	.....	.....	
41	48	39	35	28	30	17	21	10	12	10	5	.....	.....	1	30
33	41	33	30	22	22	13	15	7	7	6	4	.....	.....	.....	31
8	7	6	5	6	8	4	6	3	5	4	1	.....	.....	1	32
24	22	21	21	15	13	2	10	.....	2	1	2	.....	.....	.....	33
3	4	6	2	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	3	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	35
1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
8	16	12	8	6	9	9	3	3	3	3	2	.....	.....	.....	36
4	2	.....	2	5	7	2	5	.....	1	3	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	2	1	4	2	2	.....	.....	.....	.....	37
.....	.....	.....	1	1	1	1	.....	2	3	1	1	.....	.....	1	
13	10	16	10	20	23	37	93	238	356	425	234	80	26	4	38
7	8	9	6	11	12	19	39	104	173	197	103	34	12	2	39
6	2	7	4	9	11	18	54	134	183	228	131	46	14	2	40
.....	.....	.....	.....	.....	.....	8	26	91	156	182	98	34	12	2	41
.....	.....	.....	.....	.....	.....	6	39	114	168	211	127	44	14	2	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	42
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	43
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
7	8	9	6	11	12	11	13	13	17	15	5	.....	.....	.....	44
6	2	7	4	9	11	12	15	20	15	17	4	2	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	45
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN GERMANY (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		7,843	148	62	38	18	20	286	56	74	237	530	694
2	Males		4,173	79	31	22	10	9	151	33	24	103	252	356
3	Females		3,670	69	31	16	8	11	135	23	50	134	278	338
4	Anemia	M	41	2		1			3			1	1	
		F	56	3	1			2	6			3	3	2
5	Diabetes	M	152				1		1		4	1	3	4
		F	174	1					1	4		2	6	4
6	Rheumatism	M	93	1		1			2	3	1	4	2	5
		F	80	1			1		2	2	8	2	3	3
7	Scrofula and tabes	M	30	11	4	1			16				6	
		F	14	3		1			4			1	2	1
8	Hydrocephalus	M	95	28	16	13	5	3	65	11	1	1	3	1
		F	76	31	15	4	3	4	57	6	1	2	2	3
9	Tuberculosis, general	M	26		1		1	1	3	3		1	3	3
		F	20	4			1		5		3			
10	Consumption	M	2,613	28	9	5	3	5	50	10	13	87	225	330
		F	1,848	22	11	6	2	4	45	8	35	121	250	299
11	Cancer	M	913							1	1	3	4	7
		F	1,174	2					2		1	1	5	19
12	Tumor	M	80	2		1			3	2	1	2	3	6
		F	85			3		1	4	1			3	4
13	Dropsy	M	100	1					1	3	2	1	1	
		F	124	1					1		2	2	3	2
14	Others of this group	M	30	6	1				7		1	2	1	
		F	19	1	4	2	1		8	2			1	1
15	2. Diseases of the nervous system		4,776	776	194	88	59	30	1,147	94	45	63	66	89
16	Males		2,694	461	112	46	23	16	658	43	26	37	47	44
17	Females		2,082	315	82	42	36	14	489	51	19	26	19	45
18	Inflammation of the brain	M	36	6	4	4		1	15	2		1	2	
		F	26	5	4	1	3		13	4			1	2
19	Meningitis	M	412	114	57	27	14	5	217	24	16	8	17	10
		F	272	68	44	26	18	12	168	31	10	9	3	7
20	Apoplexy	M	1,002	4	4	1			9	3	2	4	6	7
		F	869	11	2		2		15	2	2	1	2	10
21	Paralysis	M	346	2		1			3	1	1	2	2	3
		F	264	2	1	2			5			1	2	5
22	Paralysis, general (of insane)	M	51											1
		F	15											
23	Tetanus and trismus nascentium	M	44	18					18	3	4	7	2	1
		F	25	13	1		1		15	1	1		1	
24	Chorea	M	1											
		F	4	1					1			3		
25	Epilepsy	M	53	2	1				3		1	2	4	7
		F	36	1			1		2	2	1	6	3	2
26	Convulsions	M	366	290	34	12	7	7	350	3	1		5	
		F	272	202	28	11	9	2	252	5			1	2
27	Mental diseases	M	69									1		3
		F	91										2	8
28	Diseases of the brain	M	219	24	10	1	2	3	40	6	1	6	5	11
		F	138	11	2	1	1		15	4	4	3	3	8
29	Diseases of the spinal cord	M	42	1	2				3	1			2	
		F	30			1	1		2	1	1	1		1
30	Locomotor ataxia	M	30										1	
		F	12										1	
31	Others of this class	M	23									2	1	1
		F	28	1					1			2		
32	3. Diseases of the circulatory system		3,870	98	3	3	6	12	122	58	63	77	75	106
33	Males		2,060	55	2	1	3	5	66	30	26	26	33	44
34	Females		1,810	43	1	2	3	7	56	28	37	51	42	62
35	Pericarditis	M	24	1					1	2	5	1	1	1
		F	31					3	3	3	3	3	4	1
36	Diseases of the heart	M	1,820	26	2	1	3	5	37	25	21	25	32	38
		F	1,647	28		2	3	4	37	25	34	44	36	55
37	Angina pectoris	M	87							1				3
		F	54									2		3
38	Diseases of the arteries	M	58							1				
		F	43											
39	Aneurism	M	28											1
		F	5											
40	Embolism	M	14											1
		F	12									2	2	2
41	Others of this class	M	29	28					28	1				
		F	18	15	1				16					1

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN GERMANY (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
769	718	708	623	599	602	555	550	420	280	98	34	3		7	1
413	422	414	357	335	316	280	289	210	141	54	18	1		4	2
356	296	294	266	264	286	275	261	210	139	44	16	2		3	3
1	2	4	4	6	5	6			7		1				4
3	5	6	5	3	6	5	5	1	2	1					
8	9	11	11	13	9	27	23	15	8	3	2				5
3	4	8	6	13	29	33	29	18	11	2	1				
3	5	3	12	6	14	6	9	6	8	2	2				6
3	4	3	4	3	4	5	9	14	5	4	2				
2			2		2			1	1						7
	1	1		1	1	1		1							
5	2	2	2	1		1									8
2		2		1											
3	2	3	1	1	1	1			1						9
5	4	2		1											
363	372	318	224	175	149	96	90	63	32	9	4			3	10
292	210	162	102	86	65	59	37	41	25	7	3			1	
20	25	60	81	119	123	127	141	103	66	23	7	1		1	11
36	60	96	136	144	171	141	154	108	74	18	0			2	
4	1	8	11	0	3	8	11	6	2	3					12
7	6	12	3	7	6	13	8	5	4	1	1				
1	3	4	7	4	8	7	12	14	16	14	2				13
2		2	10	5	4	17	19	22	17	11	3	2			
3	1	1	2	4	2	1	3	2							14
3	2					1			1						
103	174	217	236	262	323	372	457	480	364	205	51	18	5	5	15
57	101	143	142	158	179	207	243	260	208	102	25	9	2	3	16
46	73	74	94	104	144	165	214	220	156	103	26	9	3	2	17
1	4	1	1	2		1	1	1	1	1	2				18
		1		1	1		3								
9	20	15	20	13	8	12	8	9	1	4	1				19
5	5	7	4	4	7	3	3	5		1					
23	24	53	59	74	104	127	134	166	124	58	14	9		2	20
18	28	28	53	66	89	109	131	125	107	61	16	3	2		
6	18	33	24	28	35	27	49	42	46	20	4		2		21
2	7	11	8	15	19	28	36	58	30	24	8	4	1		
4	9	10	7	8	4	2	3	1	1	1					22
2	2	2	1	3			2	3							
		2	2	1	2	1		1							23
3		1	1	1			1								
		1													24
3	2	4	5	8	1	3	2	2	4	2	1				25
3	5	1	4	1	1	2		3							
	2		1	1	1	1		1							26
2	4	1	1	1			1							2	
2	6	4	4	4	4	6	13	8	9	3	2				27
2	7	9	9	5	2	9	15	8	7	7		1			
6	10	11	13	11	12	17	23	18	17	11	1				28
6	7	8	7	6	15	9	13	14	7	7	2				
1	2	5	3	6	1	4	6	5	3						29
1	2	1	2		5	2	4	3	3			1			
2	4	3		4	6	4	4	2							30
1	1	1	1	1	2	1	2			1					
		1	3	3	1	2		4	2	2				1	31
1	5	3	3		3	2	3	1	2	2					
144	185	196	223	286	314	400	482	504	371	170	75	12	4	3	32
78	95	104	131	167	174	236	250	261	201	91	38	4	2	3	33
66	90	92	92	119	140	164	232	243	170	79	37	8	2		34
	2	1	1	1	3	3	1		1						35
2	1	1	1		1	3	2	1	2						
73	83	90	119	154	149	206	220	246	176	84	34	4	2	2	36
61	86	86	85	113	132	152	214	222	156	71	30	7	1		
2	4	6	6	5	11	14	12	5	13	4	1				37
2	2	3	4	5	4	7	7	10	3	1	1				
1	1	2		3	5	6	15	8	9	3	3			1	38
				1	2	2	7	8	9	7	5	1	1		
1	4	3	4	3	5	5	1	1							39
			1		1		1	2							
1	1	2	1	1	1	2	1	1	2						40
1	1	1	1				1				1				
															41
		1													

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN GERMANY (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	6,562	1,096	522	239	144	92	2,093	183	53	84	147	174
2	Males	3,490	636	272	131	71	45	1,155	101	24	44	78	90
3	Females	3,072	460	250	108	73	47	938	82	39	40	69	84
4	Croup M	114	14	19	25	19	16	93	21				
	Croup F	117	13	23	20	24	10	90	19	5	1		
5	Pneumonia M	2,321	367	197	82	38	19	703	62	16	37	63	82
	Pneumonia F	1,981	261	180	69	36	26	572	48	27	31	50	69
6	Laryngitis M	27	2	1	3	5	1	12	5	1			
	Laryngitis F	25	4	5	4	2	2	17	2	1	1		
7	Bronchitis M	626	193	47	17	6	7	270	10	4	1	6	2
	Bronchitis F	630	144	36	11	5	7	203	10	1	4	8	5
8	Pleurisy M	70	4	4	3	2		13		2	2	3	3
	Pleurisy F	45		3		1		4	1	1	1	3	2
9	Asthma M	108									2		1
	Asthma F	89	1					1	1				
10	Others of this class M	224	56	4	1	1	2	64	2	1	2	6	2
	Others of this class F	185	37	3	4	5	2	51	1	4	2	8	8
11	5. Diseases of the digestive system	2,680	260	49	13	20	17	359	47	52	71	94	127
12	Males	1,471	151	27	6	8	7	199	29	32	39	40	58
13	Females	1,209	109	22	7	12	10	160	18	20	32	54	69
14	Dentition M	25	17	7		1		25					
	Dentition F	21	12	9				21					
15	Angina M	6	1	2	1			4			1		
	Angina F	14	1	1	2		2	6		2	1		
16	Gastritis M	194	22	9	1	2		34	2	1			2
	Gastritis F	171	18	4	1	2	2	27	2			3	2
17	Diseases of the stomach M	68	2			1	1	4			2		2
	Diseases of the stomach F	39	3	2				5				4	2
18	Obstruction of the bowels M	85	14			1		15	5	4	8		2
	Obstruction of the bowels F	98	4		1	1	1	7	3		3	3	2
19	Appendicitis M	171	1				1	2	5	17	19	23	21
	Appendicitis F	89				1		1	4	8	10	7	11
20	Hernia M	74	3	1				4			3		2
	Hernia F	71	1					1	1				
21	Other diseases of the bowels M	33	5	1				6		1	2	1	2
	Other diseases of the bowels F	19	4	1				5			1	1	2
22	Jaundice M	35	15	1	1			17					3
	Jaundice F	28	6		1			7					1
23	Inflammation and abscess of the liver. M	63	3					3	1			2	3
	Inflammation and abscess of the liver. F	53	1					1				2	2
24	Other diseases of the liver M	419	3					3	1		3	5	5
	Other diseases of the liver F	166	2	1				3				3	4
25	Peritonitis M	172	10	3	3	3	4	23	14	9	6	9	13
	Peritonitis F	319	6	2	1	6	3	18	6	10	17	30	42
26	Ascites M	9	1					1					
	Ascites F	6											
27	Others of this class M	117	54	3			1	58	1				3
	Others of this class F	115	51	2	1	2	2	58	2			1	1
28	6. Diseases of the urinary system and male organs of generation.	2,842	22	4	7	12	5	51	34	29	29	54	94
29	Males	1,690	18	2	3	8	5	36	18	14	14	27	43
30	Females	1,152	4	2	4	4	1	15	16	15	15	37	51
31	Bright's disease M	1,323							13	13	12	23	32
	Bright's disease F	994							14	15	15	32	40
32	Calculus, urinary M	9	1					1					
	Calculus, urinary F	5	1					1				1	
33	Diseases of the kidney M	84	13	2	3	7	5	30	1		1	1	2
	Diseases of the kidney F	51	1	2	3	4	1	11	1				4
34	Diseases of the bladder M	108	1					1	1	1	1		3
	Diseases of the bladder F	16			1			1					1
35	Others of this class M	166	3			1		4	3			3	6
	Others of this class F	86	2					2	1			4	6
36	7. Diseases of the female organs of generation.	164								1	3	17	22
37	Ovarian tumors	28									1	4	3
38	Ovarian diseases	12										1	2
39	Diseases of the tubes	22											11
40	Uterine tumors	43											
41	Uterine diseases	13									1	2	3
42	Others of this class	46								1	1	10	3

AND CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN GERMANY (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
261	271	255	255	270	309	364	464	547	450	257	82	21	9	3	1
145	173	157	164	161	151	185	245	247	211	110	34	9	4	2	2
116	98	98	91	109	158	179	219	300	239	147	48	12	5	1	3
	1							1							4
122	142	127	130	127	106	130	143	139	118	51	13	5	3	2	5
106	84	67	72	85	115	124	135	168	128	68	21	7	3	1	
		4	1	1		1	1								6
		1	1					2							
11	8	8	6	11	20	25	54	68	65	37	16	3	1		7
6	4	8	9	11	24	27	60	84	74	63	23	4	2		
3	8	8	5	5	4	2	5	3	4						8
2	3	9	1	1	2	2	2	8	5	1	2				
2	2	1	5	5	12	12	17	24	8	15	1	1			9
	1	3	1	3	6	13	13	22	18	6	1				
7	13	9	17	12	9	15	25	13	16	7	4				10
2	5	10	7	9	11	13	9	20	14	9	1	1			
133	167	218	184	191	181	230	212	190	141	52	20	6	1	4	11
61	88	136	113	117	106	133	109	100	71	30	6	1	1	2	12
72	79	82	71	74	75	97	103	90	70	22	14	5		2	13
															14
		1													
1		1		2	1										15
4	10	9	12	10	17	16	18	26	17	13	2	1			16
6	9	8	8	12	7	11	13	27	21	8	4	3			
4	3	5	8	6	8	12	5	4	2	3					17
2	1	3	3	1	2	4	5	6	1						
5	3	4	3	9	2	5	8	7	6	3				1	18
4	7	8	5	6	7	5	18	6	9	2	2			1	
12	16	17	5	7	6	10	4	5	1	1					19
8	6	4	9	2	3	7	3	2	3	1					
3	4	3	3	3	4	12	10	12	9	1			1		20
3	1	3	6	8	5	10	10	9	9	2	3				
2		8	4	2	2	3	2	2	1						21
		2			2		3	2						1	
1		2	2	2			4	3	1						22
	1	2		1	2	3	7	3		1					
4	3	7	8	9	3	5	3	5	5	2					23
	6	7	3	1	9	3	5	6	6	1	1				
17	32	64	51	50	47	54	39	28	16	8	1				24
7	6	12	13	21	11	33	20	15	12	4	2				
9	14	16	13	8	10	10	9	2	6		1				25
38	40	27	19	13	20	12	11	8	5	1		2			
		2	1	1	1		2			1					26
1			1		1		1	1			1				
	3	3	3	10	6	6	5	6	7	3	2			1	27
2	2	5	4	7	5	9	7	5	4	2	1				
111	187	186	213	222	275	330	314	342	227	59	38	4	2	1	28
57	92	106	122	131	164	214	198	217	146	59	28	3		1	29
54	95	80	91	91	111	116	116	125	81	30	10	1	2		30
52	73	90	105	124	150	180	149	161	93	34	16	2		1	31
44	80	64	77	82	98	107	105	112	71	26	10	1	1		
1		1		1	1	2			1	1					32
1			1			1									
	7	6	2	3	4	4	10	6	4	1	2				33
4	3	4	4	3	5	2	6	2		1			1		
	2	1	1	1	2	11	21	21	25	11	5				34
1		2			1	2		4	4						
4	10	8	14	2	7	17	18	29	23	12	5	1			35
4	12	10	9	6	7	4	5	7	6	3					
18	25	27	15	12	7	6	3	5	1	1			1		36
1	1	5	5	2	1		1	3					1		37
3	3	1	1		1										38
2	3	4	1				1								39
2	9	9	3	9	3	5		1	1	1					40
3	1		1		1			1							41
7	8	8	4	1	1	1	1								42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN GERMANY (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		429									11	92	94
2	Abortion		27										4	7
3	Childbirth		108									2	17	22
4	Puerperal septicemia		216									6	46	48
5	Extra-uterine pregnancy		14										8	3
6	Others of this class		64									3	22	14
7	9. Diseases of the bones and joints		76	2	1	2	1	1	7	5	2	4	2	6
8	Males		39	1	1	1		1	4	1	1	4	1	2
9	Females		37	1		1	1		3	4	1		1	4
10	Diseases of the spine	M	9									2	1	1
		F	11				1		1	2				1
11	Abscess, lumbar and psoas	M												
		F	2											
12	Diseases of the bones	M	19	1	1	1		1	4			1		1
		F	11							1	1		1	2
13	Diseases of the hip-joint	M	6							1	1	1		
		F	3	1		1			2	1				
14	Others of this class	M	5											
		F	10											1
15	10. Diseases of the skin		82	23	1	1	1		26	2			2	1
16	Males		50	12		1			13	1			1	1
17	Females		32	11	1		1		13	1			1	
18	Abscess	M	21	4					4	1			1	1
		F	16	5					5	1			1	
19	Carbuncle	M	12											
		F	6											
20	Others of this class	M	17	8		1			9					
		F	10	6	1		1		8					
21	11. Diseases of the absorbent system		39	4		1			5		1			5
22	Males		16	4		1			5					1
23	Females		23								1			4
24	Addison's disease	M	4											1
		F	12											2
25	Diseases of the spleen	M	2	1					1					
		F	3								1			1
26	Others of this class	M	10	3		1			4					
		F	8											1
27	12. Accidents and injuries		2,258	66	29	28	37	25	185	86	77	96	132	175
28	Males		1,781	41	18	15	20	15	109	61	61	83	107	137
29	Females		477	25	11	13	17	10	76	25	16	13	25	38
30	Burns and scalds	M	79	2	11	10	10	2	35	4	2	1	1	4
		F	86	3	5	6	8	4	26	13	8	1		4
31	Drowning	M	204		1	2	2	4	9	22	22	22	23	17
		F	20		2	1			3	2	1	1	2	2
32	Exposure and neglect	M	8	1					1				1	1
		F	3	1					1					
33	Gunshot wounds	M	73		1				1	1	5	10	9	4
		F	3			1			1					1
34	Homicide	M	12											4
		F	11			1		1	2		1		1	2
35	Infanticide	M	1	1					1					
		F												
36	Injuries by machinery	M	7										2	
		F												
37	Railroad accidents	M	216	1	1	1	2		5	9	10	13	13	16
		F	36	2	1	1		1	5	4	1		2	1
38	Suffocation	M	41	17	1	1		2	21	2	1	1	1	1
		F	23	9		1	3	1	14			1	1	2
39	Suicide by shooting	M	122									2	4	9
		F	5										1	
40	Suicide by drowning	M	16											2
		F	6									1		2
41	Suicide by poison	M	102									2	8	9
		F	44								1	2	5	5
42	Other suicides	M	183									2	6	10
		F	39									2	3	5
43	Sunstroke	M	30	2					2	3			1	
		F	9	1					1			1		
44	Surgical operations	M	7										1	1
		F	22										3	5
45	Wounds	M	34					1	1	2	1	1	2	8
		F	3								1			
46	Others of this class	M	646	17	3	1	6	6	33	18	20	29	35	51
		F	162	9	3	2	6	3	23	6	3	4	8	9

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN GERMANY (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
104	84	38	5			1									1
9	4	3													2
21	27	17	2												3
55	44	15	1			1									4
6	1	1													5
13	8	2	2												6
3	5	8	7	7	4	3	2	8	3						7
2	3	5	3	5	1	1	1	4	1						8
1	2	3	4	2	8	2	1	4	2						9
		2		1		1		1							10
1	1	1	2		1				1						
															11
				1				1							
2	2	1	2	3				2	1						12
	1		1	1	1			2							
		1		1	1										13
	1	1	1				1	1							14
		2	1		1	2	1	1	1						
4	2	2	8	5	5	7	10	5	3	4	1				15
2	2	2	1	4	5	4	5	3	2	3	1				16
2			2	1		3	5	2	1	1					17
1	2	1	1	2	1	2	1	1		2					18
2			2			2	2	1							
1				2	2	2	1	2	2						19
				1		1	1	1	1	1					
		1			2		3			1	1				20
							2								
4	2	5	1	1	6	3		2	3						21
2		3			3	1		1							22
2	2	3	1	1	3	2		1	3						23
		1			2										24
1	1	1		1	1	2		1	2						
		1													25
	1														
2		1			1	1		1							26
1		2	1		2				1						
180	187	198	195	154	132	134	111	88	62	44	9	6	1	6	27
146	154	171	162	136	120	114	82	65	39	24	2	4	1	3	28
34	33	27	33	18	12	20	29	23	23	20	7	2		3	29
4	4	4	3	4	3	2	5	1	2						30
4	2	2	4	3	3	2	5	3	5	1					
9	14	19	16	6	5	6	8	3	2						31
1	1	1	2	1			1	1	1						
	1			1				1	1	1					32
1			1												
4	9	5	8	5	3	4	4								33
	1														
1	2	1		1	1	1			1						34
1	2	1	1												
															35
1	1			2		1									36
27	16	16	17	17	22	14	4	5	8	2			1	1	37
2	3	3	1	1	1	2	1	3	4		1			1	
2	1	4	2		3	1	1								38
2	1		1		2			1	1					2	
14	16	21	17	13	10	7	3	3	3						39
2	1		1												
2	1	1			1	1	4	1	2	1					40
1				1		1									
10	11	10	5	10	13	9	7	6	1					1	41
5	8	3	2	3	1	1	1	5		1		1			
14	13	21	24	18	17	21	12	12	7	5		1			42
4	3	3	6	5		4	2	1		1					
1	5	1	8	6	1	1			1						43
			1			2	2	1		1					
1		1	1		2										44
5	2	1	1	2	1		1		1	1					
5	1	3	4	2		2	1	1							45
		1			1										
51	59	64	57	50	38	44	33	32	11	15	2	3		1	46
6	9	12	12	2	3	8	16	8	11	15	6	1			

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN ENGLAND AND WALES (WHITE).

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	14,364	1,745	438	226	132	83	2,624	305	174	265	421	554
2	Males	7,820	964	232	126	69	38	1,429	175	84	149	214	292
3	Females	6,544	781	206	100	63	45	1,195	130	90	116	207	262
4	Unknown cause	97	15	2			1	18		1	3	1	5
5	Males	51	7	1			1	9			2		2
6	Females	46	8	1				9		1	1	1	3
	1. General diseases.												
7	General diseases—A	2,085	524	175	92	58	40	889	116	44	45	57	59
8	Males	1,085	262	95	52	34	15	458	59	17	23	34	46
9	Females	1,000	262	80	40	24	25	431	57	27	22	23	23
10	Measles M	38	7	12	12	4		35	3				
	Measles F	35	9	14	3	3	2	31	1	1			
11	Scarlet fever M	32	2	4	7	5	2	23	6	1	1		
	Scarlet fever F	45	1	5	7	5	7	25	11	3	3	1	
12	Diphtheria M	98	9	19	15	13	10	65	24	4	1		1
	Diphtheria F	84	6	7	14	5	13	48	24	6	2		1
13	Whooping cough M	41	23	9	4	3		39	2				
	Whooping cough F	52	26	12	4	3	3	48	3				
14	Malarial fever M	20	2					2			1	1	
	Malarial fever F	23	1					1	2				1
15	Influenza M	116	4	1	2			7		1	1		2
	Influenza F	148	5		1	1		7			2	2	3
16	Typhoid fever M	186		1			1	2	10	9	18	23	30
	Typhoid fever F	96	2					2	5	9	13	10	10
17	Cholera morbus M	25	3	1	2			6	1			1	
	Cholera morbus F	22	5		2	1		8		1		2	
18	Colitis M	12	3	1				4	1				
	Colitis F	13	3			1		4					
19	Diarrhea M	51	16	3	1			20				1	
	Diarrhea F	47	16	3	1			20	3			1	
20	Dysentery M	44	3	2	2	3		10	1				2
	Dysentery F	47	1			1		2	1				1
21	Enteritis M	140	80	16	2	2		100	2			2	
	Enteritis F	140	70	18	2	1		91	6	2			1
22	Cholera infantum M	115	90	22	3			115					
	Cholera infantum F	126	105	16	5			126					
23	Fever M	1											
	Fever F	4											2
24	Cerebro-spinal fever M	25	6	4	1	1	1	13	3	1		3	2
	Cerebro-spinal fever F	23	3	3	1			7	1	5	1	2	1
25	Smallpox M	2											
	Smallpox F	2											
26	Erysipelas M	31	8					8			1		1
	Erysipelas F	19	3					3				1	1
27	Septicemia M	53	2				1	3	4	1		1	2
	Septicemia F	35	2	2				4			1	4	2
28	Venereal diseases M	10	5					5					
	Venereal diseases F	5	4					4					
29	Others of this group M	45			1			1	2			2	
	Others of this group F	31											
30	General diseases—B	238	101	7	1	1		110	1		2	4	6
31	Males	155	58	2				60	1		2	1	5
32	Females	83	43	5	1	1		50				3	1
33	Alcoholism M	60											4
	Alcoholism F	17											1
34	Parasitic diseases M												
	Parasitic diseases F												
35	Lead poison M	3											
	Lead poison F												
36	Other poisons M	32	2	1				3	1		2	1	1
	Other poisons F	13				1		1				2	
37	Inanition M	60	56	1				57					
	Inanition F	53	43	5	1			49				1	
38	General diseases—C	1,012	408	19	3		1	431		1	1		3
39	Males	512	220	9	2			231		1	1		
40	Females	500	188	10	1		1	200					3
41	Old age M	246											
	Old age F	261											
42	Premature birth M	100	100					100					
	Premature birth F	88	88					88					
43	Malformation M	14	13					13			1		
	Malformation F	11	11					11					
44	Debility and atrophy M	133	88	9	2			99		1			
	Debility and atrophy F	132	81	10	1		1	93					3
45	Others of this group M	19	19					19					
	Others of this group F	8	8					8					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN ENGLAND AND WALES (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
609	701	705	772	793	956	985	1,112	1,129	1,040	676	372	109	30	32	1
305	389	357	438	443	555	558	618	618	569	364	188	51	10	14	2
304	312	348	334	350	401	427	494	511	471	312	184	58	20	18	3
1	10	6	3	6	6	6	13	6	4	4	3			1	4
1	7	1	3	1	4	2	6	5	3	3	2				5
	3	5		5	2	4	7	1	1	1	1			1	6
81	65	54	61	59	53	69	95	94	103	72	42	[illegible]	4	5	7
44	39	30	34	27	35	39	45	46	49	35	16	4	2	3	8
37	26	24	27	32	18	30	50	48	54	37	26	4	2	2	9
		1	1												10
1															
1	1														11
			1	2											
1	1			1											12
														1	13
1	1	3	1	1		2	1	2	3	1					
2	3		1	3		2	3	1	2	2					14
5	5	4	3	2	8	9	11	17	19	12	8		1	1	
6	3	3	4	8	5	12	21	18	26	15	11	1		1	15
31	20	9	6	5	5	7	3	2							
12	5	3	5	5	3	3	2	3	1						16
	1	1	2	1	4		2		2	2	1	1			
	2	1	1	3	1		1			1		1			17
		2	1				1	1	1			1			
2	1		2	1	1				1	1					18
1			1	2	4	3	5	3	2	5	1	1	1	1	
	2	1	3				1	5	4	3	3		1		19
	3		4	2		3	2	4	4	6	3				
3	2	2	1	1	1	2	6	6	7	7	5				20
	1	5	4	3	2	4	2	6	2	4	1	1			
	1	2	4	3	3	4	6	5	5	4	2		1		21
															22
				1											
									1			1			23
1	1		1												
2	2		1			1									24
			1	1											
				1	1										25
2		1	2		4	2	3	5	2						
2	1		2	2	1		2	1	2						26
1	4	3	4	4	5	6	9	1	4	1					
6	2	4	1	1	2	1		3	1	1	2				27
	1		1	1	1	1									
		1	1				1	1							28
1	2	1	2	2	2	2	6	5	10	4	2			1	
		1		2		5	7	5	4	3	3	1			29
14	23	10	15	16	8	8	9	5	5		1			1	30
10	17	8	14	13	4	7	6	3	4						31
4	6	2	1	3	4	1	3	2	1		1			1	32
6	15	7	8	9	2	1	6	1	1						
2	4	2	1	1	3	1	2								33
															34
	1		1	1											35
4	1	1	5	3	2	6		1	1						
2	2			2	1		1	1	1						36
								1	2						
								1			1			1	37
2	1	2	4	6	7	11	31	74	101	146	117	53	20	1	38
1	1		2	1	2	5	13	29	60	71	60	27	6	1	39
1		2	2	5	5	6	18	45	41	75	57	26	14		40
						4	9	22	53	70	57	25	6		
						5	13	41	35	71	57	25	14		41
															42
															43
1	1		2	1	2	1	4	7	7	1	3	2		1	
1		2	2	5	5	1	5	4	6	4		1			44
															45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN ENGLAND AND WALES (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.												
1	General diseases—D	2,414	62	25	10	5	4	106	28	23	61	140	178
2	Males	1,251	37	11	6	4	1	59	13	12	28	75	89
3	Females	1,163	25	14	4	1	3	47	15	11	33	65	89
4	Anemia M	22									1		1
	Anemia F	28	1		1			2	1		1	4	2
5	Diabetes M	64								1	1	1	2
	Diabetes F	48								1	3	1	
6	Rheumatism M	48		1				1		1		1	3
	Rheumatism F	32							1	2	1	1	1
7	Scrofula and tabes M	10	3					3	1				1
	Scrofula and tabes F	12	1		1			2					3
8	Hydrocephalus M	47	20	10	4	2	1	37	4	1		1	
	Hydrocephalus F	27	9	9	1		2	21	3				
9	Tuberculosis, general M	13			1			1	1			2	2
	Tuberculosis, general F	16	1	2	1			4	1		1	1	1
10	Consumption M	703	10		1	1		12	3	5	24	70	79
	Consumption F	546	11	3		1	1	16	9	7	26	56	79
11	Cancer M	274	1					1	2				
	Cancer F	392								1	1	1	1
12	Tumor M	31	1					1	1	1	1		
	Tumor F	27										1	1
13	Dropsy M	30							1				1
	Dropsy F	24											
14	Others of this group M	9	2			1		3		1	1		
	Others of this group F	11	2					2					1
15	2. Diseases of the nervous system	1,953	206	54	28	17	7	312	25	20	21	19	23
16	Males	1,083	124	25	14	9	3	175	15	11	13	9	12
17	Females	870	82	29	14	8	4	137	10	9	8	10	11
18	Inflammation of the brain M	16	3		1			4	1	2	1		
	Inflammation of the brain F	7				1		1					
19	Meningitis M	131	45	11	10	7	1	74	9	3	4	3	5
	Meningitis F	99	21	16	8	5	2	52	6	5	3	5	4
20	Apoplexy M	425	5					5					1
	Apoplexy F	331	2	1				3			1	1	1
21	Paralysis M	217	2	1				3	1	2		1	2
	Paralysis F	177	1	1				2	1				
22	Paralysis, general (of insane) M	24									1		1
	Paralysis, general (of insane) F	6											
23	Tetanus and trismus nascentium M	11	1					1		4	2	1	
	Tetanus and trismus nascentium F	7	3					3					1
24	Chorea M	2									2		
	Chorea F	4								1			
25	Epilepsy M	14											2
	Epilepsy F	16								2		1	2
26	Convulsions M	79	57	9	3	1	1	71	3				
	Convulsions F	78	51	9	3	2	1	66	1		1	1	1
27	Mental diseases M	31										2	
	Mental diseases F	28											1
28	Diseases of the brain M	90	8	4		1		13	1		1	2	1
	Diseases of the brain F	71	4	2	3		1	10	2		1	2	1
29	Diseases of the spinal cord M	18	3				1	4			1		
	Diseases of the spinal cord F	14											
30	Locomotor ataxia M	10											
	Locomotor ataxia F	2											
31	Others of this class M	15											
	Others of this class F	30								1	2		
32	3. Diseases of the circulatory system	1,532	44	1	8		2	50	25	25	14	19	27
33	Males	847	28	1	2		2	33	14	5	8	8	15
34	Females	685	16		1			17	11	20	6	11	12
35	Pericarditis M	14		1				1	1				1
	Pericarditis F	9							1		1		
36	Diseases of the heart M	739	15		1		2	18	12	5	7	8	14
	Diseases of the heart F	609	11		1			12	10	19	5	11	11
37	Angina pectoris M	41									1		
	Angina pectoris F	38											1
38	Diseases of the arteries M	24											
	Diseases of the arteries F	11											
39	Aneurism M	11											
	Aneurism F	5								1			
40	Embolism M	4							1				
	Embolism F	8											
41	Others of this class M	14	13		1			14					
	Others of this class F	5	5					5					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN ENGLAND AND WALES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
187	192	184	235	178	226	184	190	133	107	39	16	4	...	3	1
102	103	90	118	88	115	98	99	69	54	26	10	2	...	1	2
85	89	94	117	90	111	86	91	64	53	13	6	2	...	2	3
1	...	2	5	2	3	1	2	1	2	1	...	...	...	...	4
2	1	2	1	4	4	3	...	...	1	...	...	...	...	...	
1	3	4	7	6	8	9	5	8	3	...	...	...	...	...	5
2	1	3	3	4	8	5	8	4	5	...	...	...	...	...	
4	1	1	1	...	7	7	6	7	3	2	1	...	...	...	6
...	...	...	2	3	2	2	5	2	5	4	1	...	...	...	
...	...	1	1	...	1	1	1	...	...	...	...	...	...	...	7
1	...	2	...	2	1	...	...	...	1	...	...	...	...	...	
1	2	1	...	...	...	...	...	...	...	...	...	...	...	...	8
1	...	...	...	1	1	...	...	...	...	...	...	...	...	...	
1	1	...	1	1	1	1	...	1	...	...	...	...	...	...	9
4	...	1	...	...	...	2	1	...	...	...	...	...	...	...	
88	86	65	71	55	44	26	35	22	12	5	...	...	...	1	10
53	60	40	47	26	38	24	25	16	10	8	...	1	...	...	
5	10	12	21	22	45	44	45	24	25	10	6	2	...	...	11
10	22	42	60	45	51	40	44	34	28	5	5	1	...	1	
1	...	3	8	...	5	3	4	1	1	1	...	...	...	...	12
2	4	2	3	2	4	4	...	2	1	...	...	...	...	1	
...	...	1	2	1	1	5	1	4	3	7	3	...	...	...	13
...	1	1	...	2	2	4	7	5	2	...	...	...	...	...	
...	...	...	1	1	...	1	...	1	...	...	...	...	...	...	14
...	...	1	1	1	...	2	1	1	...	1	...	...	...	...	
46	67	53	79	121	160	167	212	222	191	130	67	16	1	1	15
22	40	24	44	77	87	101	123	131	91	70	29	9	...	...	16
24	27	29	35	44	73	66	89	91	100	60	38	7	1	1	17
1	...	...	1	1	...	1	...	1	1	1	1	...	...	...	18
1	1	1	...	1	1	...	...	1	...	...	...	...	...	...	
2	5	3	1	6	2	4	2	1	7	...	...	...	...	...	19
...	4	3	7	1	1	8	2	8	...	...	...	...	...	...	
6	8	7	18	39	46	61	72	62	51	33	12	4	...	...	20
5	7	16	9	23	42	34	38	45	50	33	19	4	...	...	
3	10	6	9	14	21	19	25	42	22	25	9	3	...	...	21
2	3	1	5	5	18	18	28	29	27	20	14	2	1	1	
2	4	2	3	2	2	1	3	1	1	...	1	...	...	...	22
3	...	...	...	...	...	...	...	1	2	...	...	...	...	...	
...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	23
1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	24
...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	
1	4	1	1	...	1	...	...	2	1	1	...	...	...	...	25
2	2	2	1	1	...	1	...	...	2	...	...	...	...	...	
1	...	...	...	1	...	1	...	1	1	...	...	...	...	...	26
1	2	2	...	1	...	...	...	1	1	...	...	...	...	...	
2	2	1	2	1	...	1	6	4	3	2	3	2	...	...	27
2	1	1	2	3	1	1	7	3	3	2	1	...	...	...	
1	3	2	6	9	11	10	7	9	3	8	3	...	...	...	28
5	4	...	7	5	4	1	8	3	11	4	2	1	...	...	
...	1	1	2	1	3	...	4	1	...	...	...	...	...	...	29
...	2	...	...	1	4	3	2	1	1	...	...	...	...	...	
1	1	...	1	1	1	2	1	1	1	...	...	...	...	...	30
...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	
2	2	1	...	1	...	1	3	5	...	...	...	...	...	...	31
2	...	3	3	3	2	3	3	3	2	1	2	...	...	...	
40	48	75	80	101	148	165	185	228	168	95	31	4	...	4	32
15	22	30	40	54	87	83	109	141	98	61	20	1	...	3	33
25	26	45	40	47	61	82	76	87	70	34	11	3	...	1	34
1	1	2	...	1	...	...	1	1	3	1	...	...	...	...	35
1	1	1	1	1	...	1	1	...	...	...	...	...	...	...	
14	20	26	34	48	76	78	93	129	86	50	17	1	...	3	36
20	22	43	38	42	52	76	65	81	61	30	7	3	...	1	
...	...	...	4	3	4	3	10	5	7	2	2	...	...	...	37
2	3	...	1	4	6	4	7	4	1	3	2	...	...	...	
...	...	1	...	...	1	2	4	5	2	8	1	...	...	...	38
...	...	...	...	...	1	1	1	2	4	...	2	...	...	...	
...	1	1	2	2	5	...	...	...	...	...	...	...	...	...	39
...	...	1	...	...	...	...	2	...	...	1	...	...	...	...	
...	...	...	...	...	1	...	1	1	...	...	...	...	...	...	40
2	...	...	...	...	2	...	...	...	4	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	41
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN ENGLAND AND WALES (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	2,114	273	127	65	38	13	516	53	15	34	45	54
2	Males	1,149	165	71	38	16	5	295	34	6	18	25	31
3	Females	965	108	56	27	22	8	221	19	9	16	20	23
4	Croup M	34	2	8	8	5	1	24	9	1			
	Croup F	19	1	1	6	7	1	16	3				
5	Pneumonia M	795	89	51	22	7	2	171	17	4	15	21	28
	Pneumonia F	657	66	44	13	13	5	141	13	6	13	14	18
6	Laryngitis M	14	3		1	2	1	7	4				
	Laryngitis F	9		1				1	2	1		1	1
7	Bronchitis M	158	54	10	5	1	1	71	2	1		1	2
	Bronchitis F	181	33	10	5	1	1	50	1		2		3
8	Pleurisy M	23							1		2	1	
	Pleurisy F	22			1			1		1		2	1
9	Asthma M	24											
	Asthma F	16											
10	Others of this class M	103	17	2	2	1		22	1		1	2	1
	Others of this class F	61	8		2	1	1	12		1	1	3	
11	5. Diseases of the digestive system	916	75	15	6	4	4	104	11	14	23	36	49
12	Males	476	40	7	3	2	2	54	6	10	14	17	22
13	Females	440	35	8	3	2	2	50	5	4	9	19	27
14	Dentition M	6	3	2	1			6					
	Dentition F	9	6	2	1			9					
15	Angina M	4		1				1	2				
	Angina F	2		2				2					
16	Gastritis M	67	8					8	1			1	
	Gastritis F	83	7	2		1		10			1	2	1
17	Diseases of the stomach M	43	1					1				1	3
	Diseases of the stomach F	19	1					1	1		1		2
18	Obstruction of the bowels M	36	3	1				4		1	2	1	2
	Obstruction of the bowels F	45	6				1	7	1				3
19	Appendicitis M	53				1	1	2	1	6	5	9	9
	Appendicitis F	21								1	5	5	2
20	Hernia M	22	2					2					
	Hernia F	19	1					1			1		
21	Other diseases of the bowels M	8									1	1	
	Other diseases of the bowels F	9	2	1				3					2
22	Jaundice M	17	3				1	4					
	Jaundice F	16	2		1			3					1
23	Inflammation and abscess of the liver. M	27	1					1	1	1			
	Inflammation and abscess of the liver. F	20											2
24	Other diseases of the liver M	93										1	2
	Other diseases of the liver F	70											1
25	Peritonitis M	52	2	2		1		5		2	6	3	3
	Peritonitis F	78	2		1		1	4	1	3	1	11	13
26	Ascites M	2											
	Ascites F	5											
27	Others of this class M	46	17	1	2			20	1				3
	Others of this class F	44	8	1		1		10	2			1	
28	6. Diseases of the urinary system and male organs of generation.	1,052	7	3	5	2	2	20	7	8	16	30	42
29	Males	644	6	3	1	2	2	14	5	4	9	15	19
30	Females	408	1		4		1	6	2	4	7	15	23
31	Bright's disease M	460							4	2	8	13	16
	Bright's disease F	327							2	2	6	10	17
32	Calculus, urinary M	5											
	Calculus, urinary F	2											
33	Diseases of the kidney M	41	4	1	1	2		10					1
	Diseases of the kidney F	22	1		3		1	5				3	1
34	Diseases of the bladder M	64					1	1					
	Diseases of the bladder F	7											
35	Others of this class M	74	2				1	3	1	2	1	2	2
	Others of this class F	50			1			1		2	1	2	5
36	7. Diseases of the female organs of generation.	44										1	3
37	Ovarian tumors	9											
38	Ovarian diseases	1											
39	Diseases of the tubes	2											
40	Uterine tumors	12											
41	Uterine diseases	4											1
42	Others of this class	16										1	2

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN ENGLAND AND WALES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
67	105	82	83	119	112	166	152	158	172	102	54	12	5	8	1
33	70	45	60	77	65	93	70	73	84	43	22	1	2	2	2
34	35	37	28	42	47	73	82	85	88	59	32	11	3	6	3
															4
31	61	35	45	67	44	67	42	48	51	30	13		2	1	5
29	29	31	19	34	28	58	51	57	54	35	20	5	1	1	
	1		1						1						6
	1				1			1							
	1	3	3	2	7	9	13	9	20	9	7	1			7
4	1	1	3	2	7	8	19	21	25	18	9	5	2		
1	2	2	2	2	2	3	2	2		1					8
	1	2	1	3		3	3		2	2					
	1		2	2	2	4	4	4	4					1	9
	1				2		7	1	3	2					
1	4	5	7	4	10	10	9	10	8	6	2				10
1	2	3		3	9	4	2	5	4	2	3	1		5	
40	56	68	68	59	69	73	82	64	56	29	10	3		2	11
15	23	38	36	27	37	39	51	32	35	13	5	2			12
25	33	30	32	32	32	34	31	32	21	16	5	1		2	13
															14
1															15
2	4	5	4	4	8	6	10	5	7	2	1	1			16
2	5	4	2	5	7	14	9	7	5	8	1				
1	1	5	5	3	4	5	4	5	3	1	1				17
1	2		3	2	2	2	2								
2	4	1	4	2	1	4	3		4		1				18
3	1	3	2	3	4	3	5	5	4		1				
3	5	6	2		1		4								19
	2	1	2		1		1	1							
1	1	1	1	2	3	2	2	4	2	1					20
1		1		5	3		2	2	2	1					
			1	1			1	1	2						21
						1		1	1					1	
			1		1	3	3		3	2					22
			3	4	1	3				1					
2	3	5	1	4	2	1	2	1	1	2					23
	1	3	2		3	1	2	2	2	2					
	3	9	5	6	12	16	17	10	7	2					24
5	9	8	7	7	7	5	6	8	3	1	2			1	
2	1	5	5	4	4	1	2	2	4	1	1	1			25
11	11	8	8	2		1	1	2			1				
			1					1							26
	1				1				2	1					
1	1	8	3	1	1	1	3	3	2	2	1				27
2	1	2	3	4	3	4	3	4	2	2		1			
34	44	76	76	86	116	102	104	113	98	45	25	7		3	28
13	18	36	38	48	77	67	73	72	71	36	22	5		2	29
21	26	40	38	38	39	35	31	41	27	9	3	2		1	30
12	13	29	32	37	63	52	57	50	43	18	10			1	31
12	20	32	33	33	34	30	24	35	23	9	2	2		1	
				1	1		1	1	1						32
							1	1							
	2	2	1	2		3	6	3	4	4	2	1			33
2		2	2	3			2	1	1						
			2	4	2	4	6	11	16	7	8	3			34
	2					1	1	2			1				
1	3	5	3	4	11	8	3	7	7	7	2	1		1	35
7	4	6	3	2	5	4	3	2	3						
7	7	5	7	5	3	1	1	1	2	1					36
	1		2	3			1	1	1						37
	1														38
2															39
		3	4	2	1	1			1						40
	2		1												41
5	3	2			2					1					42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN ENGLAND AND WALES (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	137									4	32	32
2	Abortion	8									1	1	1
3	Childbirth	35										5	8
4	Puerperal septicemia	58									1	19	15
5	Extra-uterine pregnancy	3											1
6	Others of this class	35									2	7	7
7	9. Diseases of the bones and joints	26	1				1	2	2	2	3	1	5
8	Males	15	1				1	2	2	2	2		3
9	Females	11									1	1	2
10	Diseases of the spine M	4	1					1	1	1	1		
	Diseases of the spine F	2											
11	Abscess, lumbar and psoas M	1											1
	Abscess, lumbar and psoas F												
12	Diseases of the bones M	7					1	1	1		1		2
	Diseases of the bones F	7									1	1	2
13	Diseases of the hip-joint M	1								1			
	Diseases of the hip-joint F												
14	Others of this class M	2											
	Others of this class F	2											
15	10. Diseases of the skin	20	4			1		5				1	
16	Males	11	2					2				1	
17	Females	9	2			1		3					
18	Abscess M	6	1					1				1	
	Abscess F	2											
19	Carbuncle M	2											
	Carbuncle F	2											
20	Others of this class M	3	1					1					
	Others of this class F	5	2			1		3					
21	11. Diseases of the absorbent system	10									1		
22	Males	7									1		
23	Females	3											
24	Addison's disease M	2									1		
	Addison's disease F												
25	Diseases of the spleen M	2											
	Diseases of the spleen F												
26	Others of this class M	2											
	Others of this class F	3											
27	12. Accidents and injuries	714	25	10	13	6	7	61	37	21	37	35	58
28	Males	534	14	7	8	2	6	37	26	16	28	29	48
29	Females	180	11	3	5	4	1	24	11	5	9	6	10
30	Burns and scalds M	24		1	4	1	2	8	3	2			2
	Burns and scalds F	35	1	3	3	4		11	2	3	3	1	
31	Drowning M	67		3	1		2	6	9	8	3	5	5
	Drowning F	6							1		1	2	1
32	Exposure and neglect M	4											
	Exposure and neglect F												
33	Gunshot wounds M	21							1		1	3	3
	Gunshot wounds F	5								1	1		
34	Homicide M	7							2				
	Homicide F	2					1	1					
35	Infanticide M												
	Infanticide F												
36	Injuries by machinery M	1											
	Injuries by machinery F												
37	Railroad accidents M	80			1		1	2	5	2	7	5	5
	Railroad accidents F	15							4	1	2	1	
38	Suffocation M	11	8					8					1
	Suffocation F	7	5		1			6					
39	Suicide by shooting M	23											1
	Suicide by shooting F	2											
40	Suicide by drowning M	7									1		1
	Suicide by drowning F	2											
41	Suicide by poison M	10										1	1
	Suicide by poison F	10									2		3
42	Other suicides M	34									1	1	2
	Other suicides F	8											1
43	Sunstroke M	3	1					1	1				
	Sunstroke F	2	1					1					
44	Surgical operations M	2											
	Surgical operations F	6											1
45	Wounds M	11									2	1	2
	Wounds F	2											
46	Others of this class M	229	5	3	2	1	1	12	5	4	13	12	25
	Others of this class F	77	4		1			5	4			2	4

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN ENGLAND AND WALES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
28	22	18	1												1
2		1													2
4	8	9	1												3
12	6	5													4
1	1														5
9	7	3													6
2		1		1	2	1	2			2					7
1					1	1	1								8
1		1		1	1		1			2					9
1				1											10
															11
		1				1	1			2					12
															13
1					1										14
		3		2			2	1	4	1	1				15
				2			2	1	2	1					16
		3							2		1				17
		1		1			1	1	1	1					18
				1					1						19
		2													20
							1		1						
									1		1				
			2		2	1	1	1	1	1					21
			2		1	1			1	1					22
					1		1	1							23
			1		1										24
									1	1					25
			1			1									26
					1		1	1							
60	61	58	58	34	44	31	33	29	28	9	5	2		3	27
48	49	55	47	28	40	22	20	16	17	4	2			2	28
12	12	13	11	6	4	9	13	13	11	5	3	2		1	29
1	1	1		1		1			1	2	1				30
2	2	2	3	2		2	1	1							
7	7	3	3	2	1	3	2	2	1						31
			1												
		1	1		1				1						32
1		1	2	3	1	1	1	1	1					1	33
1	1		1												
1			1		1		1							1	34
	1	1													
															35
					1										36
9	10	10	7	1	5	1	1	5	1	1	1				37
1	1		2	1					2						
						1		1							38
									1						
3	4	3	3	2	3	1	3								39
	2														
1				2	1		1								40
		1						1							
	1	1	5		1										41
1	2	2													
1	5	4	5	5	5	1	1	2	1						42
		2	1		1		2			1					
							1								43
							1								
		1	1												44
3			1				1								
2			1		1		1		1						45
1						1									
22	21	30	18	12	18	13	8	5	10	1					46
3	3	5	2	3	3	6	8	11	8	4	3	2		1	

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN CANADA (WHITE).

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		18,605	5,742	1,155	537	386	261	8,081	628	422	690	964	906
2	Males		9,736	3,265	627	293	195	126	4,506	320	219	333	447	392
3	Females		8,869	2,477	528	244	191	135	3,575	308	203	357	517	514
4	Unknown cause		221	116	11	3	4	.....	134	8	6	4	3	6
5	Males		122	66	6	.....	4	.....	76	4	3	2	2	2
6	Females		99	50	5	3	.....	.....	58	4	3	2	1	4
	1. General diseases. General diseases—A													
7			4,269	2,099	426	210	169	116	3,020	229	115	110	139	91
8	Males		2,217	1,140	225	109	86	54	1,614	118	57	47	74	49
9	Females		2,052	959	201	101	83	62	1,406	111	58	63	65	42
10	Measles	M	119	33	35	17	10	4	99	13	4	1	2	.....
		F	113	23	38	13	10	5	89	10	4	2	3	1
11	Scarlet fever	M	81	7	10	12	13	8	50	16	8	2	.....	1
		F	73	8	12	9	16	10	54	17	1	1	.....	.....
12	Diphtheria	M	204	20	31	25	30	31	137	44	13	7	2	1
		F	200	12	23	30	26	21	112	58	19	4	5	.....
13	Whooping cough	M	101	67	16	7	3	1	94	2	.....	.....	1	.....
		F	114	72	16	14	4	2	108	3	.....	.....	.....	.....
14	Malarial fever	M	33	3	1	1	1	1	7	3	.....	3	2	4
		F	18	2	1	.....	1	1	5	2	2	1	2	.....
15	Influenza	M	87	17	6	3	4	.....	30	2	1	2	5	2
		F	151	22	3	2	4	1	32	3	5	4	2	5
16	Typhoid fever	M	205	1	2	1	3	1	8	12	16	22	49	35
		F	165	1	.....	4	4	1	10	9	19	37	30	18
17	Cholera morbus	M	38	7	2	3	2	.....	14	4	2	1	1	.....
		F	39	5	4	3	2	1	15	3	.....	2	1	.....
18	Colitis	M	12	7	2	.....	.....	.....	9	.....	.....	1	.....	.....
		F	6	4	1	.....	.....	.....	5	.....	.....	.....	.....	.....
19	Diarrhea	M	104	70	8	2	1	.....	81	6	2	1	2	.....
		F	94	62	9	1	.....	1	73	1	1	1	.....	.....
20	Dysentery	M	59	28	4	5	3	1	41	1	1	1	.....	1
		F	39	17	1	1	.....	2	21	.....	1	.....	1	2
21	Enteritis	M	247	182	26	8	2	1	219	3	2	1	2	1
		F	210	140	24	5	3	3	175	2	2	3	4	2
22	Cholera infantum	M	757	661	68	18	6	2	755	.....	.....	.....	.....	.....
		F	635	552	61	10	5	6	634	.....	.....	.....	.....	.....
23	Fever	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	4	3	1	.....	.....	.....	4	.....	.....	.....	.....	.....
24	Cerebro-spinal fever	M	68	17	11	5	7	4	44	8	5	2	4	2
		F	58	17	3	7	6	7	40	2	4	4	3	3
25	Smallpox	M	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
		F	5	.....	1	.....	.....	.....	1	.....	.....	1	3	.....
26	Erysipelas	M	26	8	.....	.....	.....	.....	8	.....	.....	.....	1	.....
		F	25	5	1	1	1	.....	8	.....	.....	.....	.....	1
27	Septicemia	M	40	6	.....	1	1	.....	8	3	1	3	2	2
		F	64	2	.....	1	2	.....	5	1	.....	2	11	9
28	Venereal diseases	M	11	6	1	.....	.....	.....	7	.....	.....	.....	.....	.....
		F	12	8	2	.....	.....	.....	10	.....	.....	1	.....	.....
29	Others of this group	M	23	.....	2	1	.....	.....	3	1	2	.....	.....	.....
		F	27	4	.....	.....	.....	1	5	.....	.....	.....	.....	1
30	General diseases—B		422	281	11	3	2	3	300	5	2	4	7	14
31	Males		262	170	5	2	.....	2	179	4	.....	.....	2	10
32	Females		160	111	6	1	2	1	121	1	2	4	5	4
33	Alcoholism	M	37	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	3
		F	12	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
34	Parasitic diseases	M	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
		F	2	.....	.....	.....	2	.....	2	.....	.....	.....	.....	.....
35	Lead poison	M	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
36	Other poisons	M	41	3	2	2	.....	.....	7	.....	.....	.....	2	7
		F	24	.....	1	1	.....	1	8	1	.....	3	4	4
37	Inanition	M	181	167	3	.....	.....	2	172	2	.....	.....	.....	.....
		F	121	111	4	.....	.....	.....	115	.....	2	.....	1	.....
38	General diseases—C		1,676	1,242	34	3	3	2	1,284	.....	1	1	9	4
39	Males		915	717	22	2	1	.....	742	.....	.....	.....	3	2
40	Females		761	525	12	1	2	2	542	.....	1	1	6	2
41	Old age	M	135	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	166	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
42	Premature birth	M	342	342	.....	.....	.....	.....	342	.....	.....	.....	.....	.....
		F	229	229	.....	.....	.....	.....	229	.....	.....	.....	.....	.....
43	Malformation	M	50	46	2	.....	.....	.....	48	.....	.....	.....	.....	.....
		F	34	32	2	.....	.....	.....	34	.....	.....	.....	.....	.....
44	Debility and atrophy	M	363	304	20	2	1	.....	327	.....	.....	.....	3	2
		F	311	248	10	1	2	2	258	.....	1	1	6	2
45	Others of this group	M	25	25	.....	.....	.....	.....	25	.....	.....	.....	.....	.....
		F	21	21	.....	.....	.....	.....	21	.....	.....	.....	.....	.....

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN CANADA (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
771	814	631	610	630	595	603	652	552	456	287	163	54	28	63	1
331	400	314	318	319	330	321	358	309	231	137	87	22	15	32	2
440	414	317	292	311	265	287	299	243	225	150	76	32	13	31	3
7	5	6	10	7	12	4		3	1	1	1			3	4
3	1	2	6	3	10	4		1	1		1			1	5
4	4	4	4	4	2			2		1				2	6
79	65	53	37	43	38	46	52	46	41	28	17	5	2	13	7
33	30	21	24	23	19	25	22	19	12	12	8	3		7	8
46	35	32	13	20	19	21	30	27	29	16	9	2	2	6	9
															10
1			1							1				1	
1	1	1												1	11
															12
		1				1									
	1	1												2	13
1		1												1	
			5		2	1		3	1		1	1			14
2	1					2	1								
3		5		6	4	4	9	6	1	5	2				15
11	6	2	4	5	5	11	12	10	12	11	5	1	1	3	
21	14	8	8	4	2	3	1	2							16
11	9	9	2	6	1	1	2	1							
1	1		3	3	2	2		1	3						17
5	2	1		1	3			4	1		1				
						1	1								18
1															
1	1	1		2		3	2			1		1			19
2	1	1		1			6	3	1	3					
	1	1		2		1	2	1	3	2				1	20
2	1	1	1		1		3		4			1			
	2		3	2	4	1	1		3	1	2				21
2	1	4	4		2	1	1	3	2	1			1		
														2	22
														1	
															23
	2				1										24
		1			1										
			1												25
1	4		3	1	1	2	3	1		1					26
2	2	1		2	3	1	2		3						
3	2	3		3	2	5	2		1						27
6	11	8	1	2	3	1		1	1		2				
	1	1	1			1									28
		1													
2					1	1	1	5		2	3	1		1	29
	1	1		2		3	3	5	5		1				
17	18	11	14	5	5	4	9	2		1				4	30
11	14	8	11	3	5	3	7	2		1				2	31
6	4	3	3	2		1	2							2	32
8	9	4	5		2	1	4								33
2	3	2	2				1							1	
															34
			1			1									35
3	4	4	5	2	3		2	2							36
3	1	1	1	2		1									
	1			1		1	1			1				2	37
1							1							1	
5	7	2		1	5	10	22	41	69	87	68	32	16	12	38
2	1				3	4	9	17	30	40	35	13	7	7	39
3	6	2		1	2	6	13	24	39	47	33	19	9	5	40
							6	13	25	35	35	12	7	2	41
						3	9	20	36	41	31	17	8	1	
															42
														2	43
2	1				3	4	3	4	5	5		1		3	44
8	6	2		1	2	3	4	4	3	6	2	2	1	4	
															45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN CANADA (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		3,074	167	62	36	25	16	306	47	58	223	385	367
2	Males		1,408	102	37	16	12	9	176	22	25	84	154	143
3	Females		1,666	65	25	20	13	7	130	25	33	139	231	224
4	Anemia	M	30	11					11		2		3	
		F	58	12	2	1			15	1		1	3	8
5	Diabetes	M	41	1	2				3	4	3		1	2
		F	44				1		1	1	5		1	3
6	Rheumatism	M	22			1		1	2	1	5	2		2
		F	29							2	2	3	1	6
7	Scrofula and tabes	M	31	16	5	1		1	23	1		1	2	
		F	29	4	3	1	1		9	1	1	2	4	3
8	Hydrocephalus	M	84	33	17	6	4	3	63	9	3	1	2	1
		F	60	20	7	3	2	4	41	6	1	4	5	
9	Tuberculosis, general	M	15	1					1		2		1	1
		F	19	1	2	1	1		5	1			2	4
10	Consumption	M	898	29	11	6	6	2	54	5	10	79	142	130
		F	1,027	21	9	8	7	2	47	10	24	123	210	197
11	Cancer	M	215	1				2	3	1			2	5
		F	327				1		1	1		1	3	2
12	Tumor	M	21	1		1			2	1			1	2
		F	29	3				1	4			3	1	
13	Dropsy	M	40	2	1		1		4			1		
		F	32	3	1				4	1		1	1	
14	Others of this group	M	11	7	1	1	1		10					
		F	12	1	1	1			3	1		1		1
15	2. Diseases of the nervous system		1,966	549	172	77	42	34	874	77	46	41	49	39
16	Males		1,077	336	98	52	18	18	522	39	26	24	18	22
17	Females		889	213	74	25	24	16	352	38	20	17	31	17
18	Inflammation of the brain	M	40	12	5	7	1	2	27	5	1	1	1	
		F	24	11	2				13		1		1	
19	Meningitis	M	321	142	53	30	8	11	244	22	15	8	5	8
		F	263	90	41	16	18	14	179	32	14	8	10	1
20	Apoplexy	M	198	6	1		1		8	1	1	1	4	4
		F	181	4	2				6			1	1	3
21	Paralysis	M	126	3	1				4			2	2	
		F	131	1	2				3	1	2	1	4	1
22	Paralysis, general (of insane)	M	11											
		F	6											1
23	Tetanus and trismus nascentium	M	14	2			1		3	2		2	2	1
		F												
24	Chorea	M	1								1			
		F	2											
25	Epilepsy	M	26	3	2	2	1		8	1	4	5	2	2
		F	25	2			1		3		1	2	4	3
26	Convulsions	M	195	140	30	10	3	1	184	5	2		1	1
		F	145	91	22	8	3	2	126	3		2	3	3
27	Mental diseases	M	26											3
		F	20											
28	Diseases of the brain	M	89	28	6	3	3	3	43	2	2	3	1	3
		F	57	12	3	1	2		18	1	2	2	6	2
29	Diseases of the spinal cord	M	11					1	1	1		1		
		F	14	1	2				3	1		1	1	
30	Locomotor ataxia	M	6									1		
		F	3											
31	Others of this class	M	13											
		F	18	1					1				1	3
32	3. Diseases of the circulatory system		1,216	112	2	5	4	2	125	28	38	40	42	40
33	Males		598	56	2	2	2	2	64	14	14	16	14	16
34	Females		618	56		3	2		61	14	24	24	28	24
35	Pericarditis	M	5							1				1
		F	12	1		1			2	1	2			
36	Diseases of the heart	M	529	38	2	2	2	2	46	13	13	15	14	14
		F	540	37		2	2		41	13	22	23	25	22
37	Angina pectoris	M	22											1
		F	24										3	1
38	Diseases of the arteries	M	13											
		F	10	1					1					
39	Aneurism	M	7								1			
		F	8									1		
40	Embolism	M	4									1		
		F	7											1
41	Others of this class	M	18	18					18					
		F	17	17					17					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN CANADA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
292	255	208	168	186	154	135	108	81	54	29	11	1	1	5	1
128	119	96	71	89	78	69	57	46	30	14	5		1	1	2
164	136	112	97	97	76	66	51	35	24	15	6	1		4	3
1	1		3	2	1	4	1			1					4
8	2	3	2	8	4		4	2	2						
2	2	6	4	4	4	2	1	2	1						5
1	4	2	4	3	4	8	8	1	2	1					
	1	1	1	1	1	1	1	2	1						6
3	1	1	1		2	2	1	1	1	2					
	1			1				1					1		7
7	1	1													
2	1			1	1										8
	1	1	1												
1	4	1	1		2		1								9
3	1	2	1												
116	100	67	41	43	39	23	20	15	6	5	2			1	10
126	92	57	39	34	16	20	9	5	8	4	2			4	
5	7	19	14	29	26	32	26	19	19	6	2				11
10	30	39	48	51	47	32	26	23	8	7	2	1			
	1	1	3	5	2	1	2								12
1	4	3	3	4			6								
1		1	4	3	2	6	5	7	3	2	1				13
4		2	1	2	2	4	1	3	3	1	2				
	1														14
1		1	3		1		1								
40	77	42	73	71	87	92	103	102	87	37	18	4	1	6	15
15	42	20	34	29	51	45	52	60	46	19	8		1	4	16
25	35	22	39	42	36	47	51	42	41	18	10	4		2	17
	1			2				1	1						18
2	1	1		1	1	2				1					
6	5	1	3		1		1	1						1	19
4	4	1	3	2		2	2					1			
	13	11	11	10	30	17	22	26	23	10	4			2	20
3	8	11	20	17	15	25	27	18	19	3	3	1			
2	3	2	7	6	8	13	24	22	14	8	4				21
4	3	5	5	12	13	10	14	20	15	9	6	2			
	2		4	1	1	1		1	1						22
1						1		2	1						
	1		1	1	1										23
															24
			1						1						
	2		1			1									25
	3		1	2	2	1	1		1	1					
								1						1	26
3	2		1											2	
3	6	2	1	1	1	4	3	1	1						27
3	2	2	1	1	1	1	2	1	3	2	1				
3	2	2	1	6	6	5		4	5	1					28
2	4	2	5	3	2	4	2	1		1					
	1		1	1		3	1	1							29
	3		1	1		1	2								
	1		2	1	1										30
	1				1					1					
1		2	2		2	1	1	2	1				1		31
3	4			3	1		1		1						
46	71	68	64	92	84	92	131	99	80	51	17	5	2	1	32
16	29	33	32	42	45	46	78	58	43	24	10	3	1		33
30	42	35	32	50	39	46	53	41	37	27	7	2	1	1	34
							2	1							35
	1			1	1	1	1			2					
16	26	28	31	38	41	40	71	52	39	20	9	2	1		36
26	40	33	27	44	35	40	47	39	34	20	5	2	1	1	
	1	2		3	4	4	2	3	2						37
1		1	1	3	1	4	2	2	2	2	1				
				1		1	2	1	2	4	1	1			38
				2		1	2			3	1				
	1	8	1			1									39
2	1		1		2		1								
	1						1	1							40
1		1	3						1						
															41

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN CANADA (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		2,816	896	363	155	105	51	1,570	120	42	64	82	74
2	Males		1,460	510	188	84	51	21	854	52	16	37	39	31
3	Females		1,356	386	175	71	54	30	716	68	26	27	43	43
4	Croup	M	72	12	17	12	12	2	55	15		1		
		F	75	10	21	9	18	6	64	10			1	
5	Pneumonia	M	937	305	121	47	30	12	515	26	13	25	32	26
		F	895	224	119	47	28	16	434	45	21	21	32	33
6	Laryngitis	M	15	2	4	2	1	1	10	2				
		F	13	3	3		2	1	9	1	1			
7	Bronchitis	M	286	148	43	19	8	6	224	3	2	2	1	2
		F	256	125	27	12	5	3	172	5	2	4	5	6
8	Pleurisy	M	41	2	1	1			4	2		5	3	1
		F	17	1					1	3			2	1
9	Asthma	M	13							1		1		
		F	9							1				
10	Others of this class	M	96	41	2	3			46	3	1	3	3	2
		F	91	23	5	3	1	4	36	3	2	2	3	8
11	5. Diseases of the digestive system		970	168	40	18	6	15	247	34	49	76	59	76
12	Males		502	100	23	11	4	8	146	17	29	36	35	29
13	Females		468	68	17	7	2	7	101	17	20	40	24	47
14	Dentition	M	18	10	8				18					
		F	13	7	6				13					
15	Angina	M	14	2	3	1		2	8		1	1	1	1
		F	11	1	1	1	1	2	6	1		1		2
16	Gastritis	M	60	19	2	1			22		1		2	6
		F	53	14	2	2			18				4	4
17	Diseases of the stomach	M	21	1	1			1	3				1	1
		F	22	3					3		1	2	1	
18	Obstruction of the bowels	M	40	7	1	2		1	11	3		2	2	4
		F	29	4	2	1			7	3			1	2
19	Appendicitis	M	79				3	1	4	4	16	15	15	4
		F	44	1	1			2	4	1	5	11	3	10
20	Hernia	M	22	3					3			1	1	
		F	12	1					1					
21	Other diseases of the bowels	M	14	8		1			9		1	1		
		F	14	5	1				6			1		2
22	Jaundice	M	19	10					10		1	1	1	1
		F	22	7				1	8		1			
23	Inflammation and abscess of the liver.	M	25	2					2	2	1	1	1	2
		F	22				1		1	1				
24	Other diseases of the liver	M	62	2					2			2		2
		F	37			2			2					3
25	Peritonitis	M	74	8	1	3	1		13	5	8	12	10	6
		F	138	4	3			1	8	8	11	21	14	22
26	Ascites	M	1	1					1					
		F	4	1					1			1		1
27	Others of this class	M	53	27	7	3		3	40	2			1	2
		F	47	20	1	1		1	23	3	2	3	1	1
28	6. Diseases of the urinary system and male organs of generation.		664	18	8	7	8	4	45	22	6	14	31	43
29	Males		369	13	5	2	6	1	27	11	4	7	11	10
30	Females		295	5	3	5	2	3	18	11	2	7	20	33
31	Bright's disease	M	245							8	2	7	11	7
		F	227							9	2	6	18	18
32	Calculus, urinary	M	1											
		F	1											1
33	Diseases of the kidney	M	41	6	5	2	5	1	19	1	1			
		F	27	3	3	5	2	3	16					3
34	Diseases of the bladder	M	34	3					3					1
		F												
35	Others of this class	M	48	4			1		5	2	1			2
		F	40	2					2	2		1	2	11
36	7. Diseases of the female organs of generation.		63									6	11	9
37	Ovarian tumors		6										1	
38	Ovarian diseases		1											
39	Diseases of the tubes		11									1	4	1
40	Uterine tumors		10											
41	Uterine diseases		9									1	2	1
42	Others of this class		26									4	4	7

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN CANADA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
88	81	71	87	82	75	94	102	77	48	28	15	5	3	8	1
41	45	43	52	46	32	38	47	35	24	14	7	2	2	3	2
47	36	28	35	36	43	56	55	42	24	14	8	3	1	5	3
						1									4
32	38	35	34	39	21	23	31	17	13	9	4		1	5	5
33	29	20	20	27	34	44	39	31	13	7	7	1	1	3	
1				1			1								6
1	1														
4	1		4	3	4	6	5	10	7	4	2	1	1		7
5	1	2	8	4	5	6	9	6	7	6	1	1		1	
4	1	3	7		4	2	1	2	1			1			8
1	3	2	1	1				1	1						
		3	3			1	2		2						9
1		1	1	1	1	1	1		1						
	5	2	4	3	3	5	7	6	1	1	1				10
6	2	3	5	3	3	5	6	4	2	1		1		1	
50	58	38	48	39	37	36	37	36	28	11	6	1		4	11
20	24	20	22	16	22	17	22	21	11	6	6	1		2	12
30	34	18	26	23	15	19	15	15	17	5				2	13
															14
								2							15
									1						
2	4	1	2	1	5	2	4	2	1	1	3			1	16
3	5	5	3	2	2		2	2	3						
	1	1	4	1	2	2	3	1			1				17
3	4	1	1	1	1	1	2	1							
2	1	3		1		3	1	4	3						18
1	1	1	3		2	1	2	2	1	2					
10	4	1	4		1	1									19
2	3		3				1	1							
	2			1	2	1	2	4	1	3	1				20
	1	1	1	2	2	1	1	2							
1			1			1									21
1			2			2									
								2	1	1	1				22
	1		1	1	2	1	1	2	2	1				1	
1	3		1	3	1	2	3	1	1						23
2		2	3	1	1	5	3		2	1					
2	6	9	4	9	8	4	7	4	3			1			24
4	3	1	5	4	3	3	1	3	5						
2	1	5	5		3	1	1	1							25
12	14	6	3	10		4	2		2	1					
														1	26
	2		1				1		2	1				1	27
2	2	1	1	2	2	1		2	1						
39	42	37	49	47	55	59	58	50	42	11	8	1	3	2	28
14	16	16	25	23	35	42	40	40	30	7	6		3	2	29
25	26	21	24	24	20	17	18	10	12	4	2	1			30
11	13	14	17	19	27	28	25	24	20	4	4		2	2	31
23	20	15	20	17	19	16	16	9	12	4	2	1			
								1							32
2	2		1	2	4	1	4	1	2		1				33
		3	2	1			2								
				1	3	4	4	9	5	2	1		1		34
1	1	2	7	1	1	9	7	5	3	1					35
2	5	3	2	6	1	1		1							
8	9	9	8	1	2										36
1	1		1		2										37
	1														38
2		2	1												39
	1	6	3												40
3		1		1											41
2	5		3												42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN CANADA (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		180									11	36	41
2	Abortion		6										1	
3	Childbirth		52									2	11	12
4	Puerperal septicemia		80									6	16	21
5	Extra-uterine pregnancy		6									1		1
6	Others of this class		36									2	8	7
7	9. Diseases of the bones and joints		45	3	1			2	6	4	5	7	7	1
8	Males		27	2				2	4	4	1	3	6	
9	Females		18	1	1				2		4	4	1	1
10	Diseases of the spine	M	12	2				1	3	1		2	3	
		F	6	1					1		1	1		
11	Abscess, lumbar and psoas	M	1										1	
		F	1											
12	Diseases of the bones	M	5					1	1	1	1	1	1	
		F	6		1				1		1	3		
13	Diseases of the hip-joint	M	3							1			1	
		F	2								2			
14	Others of this class	M	3							1				
		F	3										1	1
15	10. Diseases of the skin		45	17	4				21	1	1	1	3	3
16	Males		26	9	3				12	1	1	1	1	2
17	Females		19	8	1				9				2	1
18	Abscess	M	17	5	1				6	1	1	1	1	2
		F	5	1	1				2					1
19	Carbuncle	M	2											
		F	4										2	
20	Others of this class	M	7	4	2				6					
		F	10	7					7					
21	11. Diseases of the absorbent system		16	1	1			1	3	1		1	1	
22	Males		9		1			1	2	1		1		
23	Females		7	1					1				1	
24	Addison's disease	M	1											
		F												
25	Diseases of the spleen	M	3											
		F	2										1	
26	Others of this class	M	5		1			1	2	1		1		
		F	5	1					1					
27	12. Accidents and injuries		962	73	20	20	18	15	146	52	53	87	100	98
28	Males		744	44	12	13	11	8	88	33	43	75	88	76
29	Females		218	29	8	7	7	7	58	19	10	12	12	22
30	Burns and scalds	M	37	4	5	8	4	1	22	1	1	1	2	2
		F	50	1	5	3	4	4	17	8	4	2	3	5
31	Drowning	M	142	2	1	2	2	3	10	21	25	18	18	15
		F	19	1			1	1	3	3	2	2	4	1
32	Exposure and neglect	M	4	1				1	2					
		F	3	1	1				2					
33	Gunshot wounds	M	27							1	2	9	4	1
		F	3				1		1			1		1
34	Homicide	M	4										3	
		F	1											
35	Infanticide	M												
		F												
36	Injuries by machinery	M	4									1		1
		F	1	1					1					
37	Railroad accidents	M	113							4	4	16	16	14
		F	11			1	1	1	3	1	1	1		2
38	Suffocation	M	34	20	1	1	1		23		1	1	2	
		F	21	15	1				16	1				
39	Suicide by shooting	M	13										4	3
		F	2									1	1	
40	Suicide by drowning	M	4											
		F	3										1	
41	Suicide by poison	M	11										3	1
		F	10									3		
42	Other suicides	M	30									1	2	1
		F	13									1	1	4
43	Sunstroke	M	3											1
		F	2		1	1			2					
44	Surgical operations	M	2										1	
		F	10									1	2	3
45	Wounds	M	11			1	2		3			4	1	
		F												
46	Others of this class	M	305	17	5	1	2	3	28	6	10	24	32	37
		F	68	10		2		1	13	6	3			6

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN CANADA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
40	32	19	1												1
2	3														2
9	8	10													3
19	14	4													4
2	1	1													5
8	6	4	1												6
4	4	2	1	1			3								7
3	2	2	1				1								8
1	2			1			2								9
	1		1				1								10
	1			1			1								
															11
1															
2		1													12
							1								
1															13
	1	1													14
	1														
1	2	2	1	1	3	2			1						15
		1	1	1	3	1			1						16
1	2	1	2			1									17
		1	1		2	1									18
1	1														
					1				1						19
			1			1									
				1											20
	1	1	1												
2	1	4	2	1											21
1	1	1	1	1											22
1		3	1												23
				1											24
	1	1	1												25
		1													
1															26
1		2	1												
53	87	59	45	53	38	34	27	15	5	3	2			5	27
44	76	51	38	43	27	27	18	10	3		1			3	28
9	11	8	7	10	11	7	9	5	2	3	1			2	29
2		2		3	1										30
2		1	1	2	2		2	1							
4	8	7	3	5	3	4		1							31
	2			1			1								
					1	1									32
								1							
2	3	2		1				1	1						33
	1														34
	1														
															35
	1					1									36
6	18	4	4	8	6	4	6	2	1						37
				1		1	1								
	2	1	1											3	38
					2									2	
		2	1	3											39
			1												
1		1	1			1									40
	1	1													
	2			1	2	1		1							41
1	2	1	1		1			1							
2	4	6	7	3		3	1								42
1		3		1		1				1					
	1					1									43
						1									44
1		1		1	1										
1	1				1										45
26	35	26	21	19	13	10	11	5	1		1				46
4	5	1	4	4	5	5	5	2	2	2	1				

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCANDINAVIA (WHITE).

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		6,095	1,437	449	172	125	94	2,277	254	124	180	302	356
2	Males		3,424	835	232	102	65	42	1,276	127	49	93	137	193
3	Females		2,671	602	217	70	60	52	1,001	127	75	87	165	163
4	Unknown cause		63	24	5	1	1	1	32	1	1	1	4	4
5	Males		29	8	3	1	1		13	1				3
6	Females		34	16	2			1	19		1	1	4	1
	1. General diseases.													
7	General diseases—A		1,304	451	175	70	50	40	786	123	37	31	54	45
8	Males		692	255	88	45	28	16	432	58	14	11	24	29
9	Females		612	196	87	25	22	24	354	65	23	20	30	16
10	Measles	M	36	8	12	4	4	2	30	6				
		F	30	3	10	3	4	3	23	7				
11	Scarlet fever	M	39	1	4	9	5	1	20	12	4		1	1
		F	28	2	1		3	4	10	15	1			
12	Diphtheria	M	85	8	12	18	12	5	55	26	2			1
		F	90	5	14	11	10	13	53	29	6	1		
13	Whooping cough	M	37	23	11		2		36	1				
		F	42	20	11	6		1	38	1	3			
14	Malarial fever	M	3											1
		F	6		1				1	1		1	1	1
15	Influenza	M	22	5	1	1			7	1				1
		F	24	6					6		1			3
16	Typhoid fever	M	116			1		3	4	5	6	8	21	19
		F	90		1	1			2	4	6	13	22	8
17	Cholera morbus	M	10	5	1	1			7				1	
		F	12	3	3				6	3				
18	Colitis	M	2	2					2					
		F	2	1	1				2					
19	Diarrhea	M	16	6				2	8					
		F	16	7					7	2	1			
20	Dysentery	M	18	2	1	1		1	5	2	1			
		F	19	1	2	1	1		5		1			1
21	Enteritis	M	117	77	21	7	1	1	107					1
		F	89	56	18	2	1		77			1	2	
22	Cholera infantum	M	125	102	19	3	1		125					
		F	101	80	18		1	2	101					
23	Fever	M	1	1					1					
		F												
24	Cerebro-spinal fever	M	20	7	2		2	1	12	3	1	1		
		F	21	8	3	1	1	1	12	3	3	2		
25	Smallpox	M												
		F	2				1		1		1			
26	Erysipelas	M	9	4	1				5			1		
		F	5	3	1				4			1		
27	Septicemia	M	23	2	2		1		5	2			1	4
		F	22		2				2			1	4	2
28	Venereal diseases	M	6	2	1				3			1		
		F	5	2	1				3				1	
29	Others of this group	M	7											1
		F	8	1					1					1
30	General diseases—B		132	62	4	1	2	1	70			2	2	7
31	Males		82	31	2	1	2		36				1	3
32	Females		50	31	2			1	34			2	1	4
33	Alcoholism	M	25										1	1
		F	2											
34	Parasitic diseases	M												
		F	1	1					1					
35	Lead poison	M	1			1			1					
		F												
36	Other poisons	M	24	1	2		2		5					2
		F	16	2	1				3			2	1	4
37	Inanition	M	32	30					30					
		F	31	28	1			1	30					
38	General diseases—C		381	253	8	1			262	2		1		
39	Males		210	156	2	1			159	1				
40	Females		171	97	6				103	1		1		
41	Old age	M	41											
		F	61											
42	Premature birth	M	73	73					73					
		F	49	49					49					
43	Malformation	M	13	12	1				13					
		F	10	9	1				10					
44	Debility and atrophy	M	76	64	1	1			66	1				
		F	46	34	5				39	1		1		
45	Others of this group	M	7	7					7					
		F	5	5					5					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN SCANDINAVIA (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
409	395	308	278	243	202	158	175	159	130	90	37	5	1	12	1
221	226	186	196	168	144	108	86	76	67	46	12	4		9	2
188	169	122	82	75	58	50	89	83	63	44	25	1	1	3	3
1	2	1	2	2	1	3	2	4		2					4
1	1		2	1		3	1	2		1					5
	1	1		1	1		1	2		1					6
55	54	20	19	13	15	4	18	10	7	4	6		1	2	7
29	27	13	15	10	9	2	5	5	5	3				1	8
26	27	7	4	3	6	2	13	5	2	1	6		1	1	9
															10
	1														11
	1							1							
				1											12
	1														
															13
	1	1													14
					1										
3		3	1	1			1	2	2						15
	2	1	1		2	1	3	2		1	1				
24	15	3	5	3	1	1			1						16
18	12	2	2	1											
		1			1										17
				1	1		1								
															18
		1		2	1	1			1	1				1	19
		1			1		1		1				1	1	
	3	1	2	1			1		1	1					20
2	1				1		7				1				
	1		2	2	2		1	1							21
2	2	1				1		2			1				
															22
															23
1	1						1								24
			1												
															25
	1				2										26
1	3	3	3					1							27
4	7	1		1											
			1		1										28
		1													
	1		1		1		1	1		1					29
	1						1		1		3				
9	5	6	8	7	1	2	4	3	2					1	30
6	6	5	7	6	1	2	4	2	2					1	31
3	2	1	1	1				1							32
4	5	2	4	3	1		2		1						33
1	1														
															34
															35
2	1	2	3	3		2	2	2							36
2	1	1	1	1											
									1					1	37
								1							
	2	2	2	2		3	3	18	29	34	18	3			38
	1	1	2	2		2		6	15	14	5	2			39
	1	1				1	3	12	14	20	13	1			40
						2		6	14	12	5	2			41
						1	2	11	14	20	12	1			
															42
															43
	1	1	2	2					1	2					44
	1	1					1	1			1				
															45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCANDINAVIA (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		1,203	38	35	13	8	7	101	27	17	70	111	145
2	Males		625	19	14	9	4	5	51	11	4	35	38	70
3	Females		578	19	21	4	4	2	50	16	13	35	73	75
4	Anemia	M	0		1				1	1				
		F	12	1					1	1	1			2
5	Diabetes	M	11									1		
		F	5									1	1	
6	Rheumatism	M	12							1				
		F	13	1					1	2	1	1	1	
7	Scrofula and tabes	M	8			1			1			1		1
		F	7	4					4		1		1	
8	Hydrocephalus	M	41	7	9	5	3	2	26	4	1	4	1	2
		F	35	12	12	3	2	1	30	4		1		
9	Tuberculosis, general	M	9	1	1				2			2	1	1
		F	8		1				1		2	2	1	1
10	Consumption	M	448	11	3	3	1	3	21	5	3	25	36	65
		F	389	1	0	1	2	1	11	6	7	27	66	68
11	Cancer	M	71									1		
		F	82										2	3
12	Tumor	M	0											1
		F	12		1				1	1		3		
13	Dropsy	M	8											
		F	2							1				1
14	Others of this group	M	5									1		
		F	6		1				1	1	1		1	
15	2. Diseases of the nervous system		563	179	54	16	11	16	276	15	9	8	10	12
16	Males		328	103	26	7	4	8	148	9	3	6	6	8
17	Females		235	76	28	9	7	8	128	6	6	2	4	4
18	Inflammation of the brain	M	11	3	2	1		1	7	1			1	
		F	3		1				1	1	1			
19	Meningitis	M	85	32	14	5	1	4	56	4	2	5	2	2
		F	75	32	12	5	5	6	60	4	4		1	2
20	Apoplexy	M	78	4					4					1
		F	43	1	1				2				1	1
21	Paralysis	M	24							1				
		F	20	1		1			2					
22	Paralysis, general (of insane)	M	4											2
		F												
23	Tetanus and trismus nascentium	M	5							2			1	
		F	7	2	2				4		1		1	
24	Chorea	M	1				1		1					
		F	1		1				1					
25	Epilepsy	M	6	1	1				2			1	1	1
		F	3	2					2			1		
26	Convulsions	M	74	59	7	1	2	1	70	1			1	
		F	54	36	9	3		2	50	1				
27	Mental diseases	M	5											
		F	7											1
28	Diseases of the brain	M	22	4	2			1	7					
		F	19	1	2		2		5			1	1	
29	Diseases of the spinal cord	M	0					1	1					1
		F	2	1					1					
30	Locomotor ataxia	M	3											
		F												
31	Others of this class	M	4								1			1
		F	1											
32	3. Diseases of the circulatory system		338	27	3	1	1	2	34	10	17	15	9	10
33	Males		188	16	1	1	1	1	20	6	5	9	5	4
34	Females		150	11	2			1	14	4	12	6	4	6
35	Pericarditis	M	11							2	1	2	1	
		F	5							1		1		
36	Diseases of the heart	M	161	12	1	1	1	1	16	4	4	7	4	4
		F	134	8	2			1	11	3	12	5	4	4
37	Angina pectoris	M	4											
		F	1											
38	Diseases of the arteries	M	1											
		F	3											
39	Aneurism	M	5											
		F												
40	Embolism	M	2											
		F	3											2
41	Others of this class	M	4	4					4					
		F	4	3					3					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN SCANDINAVIA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
156	142	112	89	68	55	37	22	31	11	7	1			1	1
79	84	59	52	39	40	22	6	14	7	3				1	2
77	58	53	27	29	15	15	16	17	4	4	1				3
1	3														4
2	2	1	1		1										
3		1	4		1			1							5
	1		1	1											
1	2	1		2		1	2	1	1						6
1	1	1					1	2		1					
1	1	1				1		1							7
					1										
1	1		1												8
			1	1			1								9
			1												
72	68	45	39	24	22	14	1	4	3					1	10
67	46	38	16	15	3	6	7	4		2					
	4	11	13	12	13	5	2	6	1	3					11
4	8	10	6	11	9	8	6	10	3	1	1				
	1				4										12
		2	1	2	1	1									
	2		2			1		1	2						13
2			1				2	1	1						
	2		2												14
1		1													
25	22	18	18	24	22	28	23	16	24	8	5			2	15
19	14	12	10	16	14	20	12	9	15	4	1			2	16
6	8	6	8	8	8	8	11	7	9	4	2				17
	1							1							18
3	3	2	1	2	1									2	19
1			1		1	1									
7	1	7	8	9	7	12	10	3	6	3					20
1	3	1	4	5	6	4	8	3	4						
3	3	1		1	1	4	1	2	6		1				21
	1	1	1	1		2	2	3	3	3	1				
1					1										22
2															23
					1										
															24
						1									25
1	1														26
	1	2													
2		1			1	1									27
1		1		1					2	1					
	4	1	1	2	1	1	1	2	2						28
3	3	1	1	1		1	1				1				
				2				1	1						29
			1												
	1				1	1									30
					1					1					31
								1							
20	18	18	35	30	24	20	27	20	17	9	2	1		2	32
5	10	12	19	17	14	15	17	14	5	5	2	1			33
12	8	6	16	13	10	5	10	6	12	4				2	34
				3	1		1								35
	1	1				1									
6	9	11	17	12	13	12	16	14	4	5	2	1			36
12	6	4	16	13	9	4	9	6	10	4				2	
1			1			2									37
	1														
									1						38
					1				2						
	1	1	1	1		1									39
1				1											40
		1													
															41
							1								

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCANDINAVIA (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	1,031	312	138	53	36	21	560	27	12	12	26	39
2	Males	595	187	80	28	15	8	318	11	3	6	19	33
3	Females	436	125	58	25	21	13	242	16	9	6	7	6
4	Croup M	21	4	4	3	6	3	20	1				
	Croup F	23	2	6	2	4	1	15	7	1			
5	Pneumonia M	419	104	59	19	6	4	192	10	1	5	19	30
	Pneumonia F	310	81	37	17	12	11	158	6	7	5	7	5
6	Laryngitis M	5		2		1	1	4					
	Laryngitis F	4	1	1	1			3	1				
7	Bronchitis M	95	60	12	6	1		79					
	Bronchitis F	67	31	12	4	3		50	2				1
8	Pleurisy M	5								1			
	Pleurisy F	7		1		1	1	3					
9	Asthma M	8											
	Asthma F	2											
10	Others of this class M	42	19	3		1		23		1	1		3
	Others of this class F	23	10	1	1	1		13		1	1		
11	5. Diseases of the digestive system	335	63	13	4	5	1	86	17	10	17	21	25
12	Males	188	41	5	3	4		53	9	7	10	10	12
13	Females	147	22	8	1	1	1	33	8	3	7	11	13
14	Dentition M	6	4	2				6					
	Dentition F	8	4	4				8					
15	Angina M	3	1	1				2	1				
	Angina F	1											
16	Gastritis M	24	10			3		13			1		2
	Gastritis F	8	1	2				3				1	
17	Diseases of the stomach M	6											
	Diseases of the stomach F	2											
18	Obstruction of the bowels M	15	5	1				6	1		1		2
	Obstruction of the bowels F	13	1			1		2	1	1			1
19	Appendicitis M	27							1	5	3	7	4
	Appendicitis F	16							1	2	2	3	3
20	Hernia M	6	1					1			1		
	Hernia F	3											
21	Other diseases of the bowels M	3	1					1					
	Other diseases of the bowels F	2	1					1					
22	Jaundice M	6	3					3					
	Jaundice F	2	2					2					
23	Inflammation and abscess of the liver. M	5									2	1	
	Inflammation and abscess of the liver. F	6	1					1					1
24	Other diseases of the liver M	35	1			1		2		1			
	Other diseases of the liver F	7											
25	Peritonitis M	30	4	1	1			6	4	1	2	2	4
	Peritonitis F	61	2	1	1		1	5	6		4	6	8
26	Ascites M												
	Ascites F												
27	Others of this class M	22	11		2			13	2				
	Others of this class F	18	10	1				11			1	1	
28	6. Diseases of the urinary system and male organs of generation.	246	6	3	6		1	16	9	7	4	10	15
29	Males	136	4	2	2		1	9	4	3	1	5	2
30	Females	110	2	1	4			7	5	4	3	5	13
31	Bright's disease M	99							4	3	1	4	2
	Bright's disease F	90							5	4	3	2	9
32	Calculus, urinary M												
	Calculus, urinary F												
33	Diseases of the kidney M	14	4	2	2		1	9				1	
	Diseases of the kidney F	9	2	1	3			6					1
34	Diseases of the bladder M	15											
	Diseases of the bladder F												
35	Others of this class M	8											
	Others of this class F	11			1			1				3	3
36	7. Diseases of the female organs of generation.	18									1	1	4
37	Ovarian tumors	1											
38	Ovarian diseases	1											
39	Diseases of the tubes	4										1	1
40	Uterine tumors	4											1
41	Uterine diseases	1											
42	Others of this class	7									1		2

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN SCANDINAVIA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
31	46	50	40	29	31	22	34	33	23	10	4	1		1	1
18	23	33	30	20	25	15	13	11	8	5	2	1		1	2
13	23	17	10	9	6	7	21	22	15	5	2				3
															4
16	20	29	28	14	18	11	7	8	5	4		1		1	5
9	19	14	9	8	5	7	17	17	12	3	2				
		1													6
		1		2	4	1	2	2	2	1	1				7
1			1				3	4	3	2					
1	1			2											8
1	2	1													
			1	1	1	1	1	1	1		1				9
				1			1								
1	2	2	1	1	2	2	3								10
2	2	2			1			1							
26	19	18	18	19	25	12	10	6	2	3	1				11
7	9	9	12	12	19	7	4	4	1	2	1				12
19	10	9	6	7	6	5	6	2	1	1					13
															14
1															15
	1			1	2	1	1	1		1					16
	1	1			2										
	1		1	1	2	1									17
1			1												
			1	1	3										18
	3	2	2						1						
3	2	1			1										19
3		1				1									
		1	1		1					1					20
		1		1				1							
	1				1										21
1															
						1		1			1				22
			1	1											23
	1			1			1	1							
1	1	3	5	6	7	4	3	1	1						24
1	1	1		1	1	1				1					
1	2	3	3	2											25
12	3	3	2	3	3	3	8								
															26
2	1	1			2			1							27
	1		1	1			2								
23	22	19	20	20	12	12	19	15	12	9	2				28
13	12	7	13	19	6	8	13	6	8	6	1				29
10	10	12	7	1	6	4	6	9	4	8	1				30
10	11	5	13	18	5	5	9	4	4	1					31
10	8	12	4	1	6	4	6	9	4	3					
															32
		1		1	1				1						33
			2												
						2	3	2	2	5	1				34
3	1	1				1	1		1						35
	2		1								1				
2	2	2	2	2		1			1						36
				1											37
			1												38
															39
1	1														40
				1		1			1						41
1															42
	1	2	1												

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCANDINAVIA (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	63									2	16	14
2	Abortion	7										3	2
3	Childbirth	13										2	3
4	Puerperal septicemia	34									2	9	8
5	Extra-uterine pregnancy												
6	Others of this class	9										2	1
7	9. Diseases of the bones and joints	20		1				1	3	3		2	
8	Males	12							4	1		2	
9	Females	8		1				1	2	2			
10	Diseases of the spine M	5							2	1		1	
	Diseases of the spine F	4							2				
11	Abscess, lumbar and psoas M												
	Abscess, lumbar and psoas F												
12	Diseases of the bones M	3							1				
	Diseases of the bones F	1		1				1					
13	Diseases of the hip-joint M	2							1			1	
	Diseases of the hip-joint F	2								1			
14	Others of this class M	2											
	Others of this class F	1								1			
15	10. Diseases of the skin	7	3					3				1	1
16	Males	5	3					3					1
17	Females	2										1	
18	Abscess M	4	3					3					1
	Abscess F												
19	Carbuncle M												
	Carbuncle F												
20	Others of this class M	1											
	Others of this class F	2										1	
21	11. Diseases of the absorbent system	2											
22	Males	2											
23	Females												
24	Addison's disease M	1											
	Addison's disease F												
25	Diseases of the spleen M	1											
	Diseases of the spleen F												
26	Others of this class M												
	Others of this class F												
27	12. Accidents and injuries	389	19	10	6	11	4	50	17	11	16	35	35
28	Males	332	12	9	4	6	3	34	13	9	15	27	28
29	Females	57	7	1	2	5	1	16	4	2	1	8	7
30	Burns and scalds M	20	2	3	3	2	1	11	1				
	Burns and scalds F	20		1	2	5	1	9	2	2			2
31	Drowning M	59		2		2	1	5	9	5	4	5	3
	Drowning F	1											1
32	Exposure and neglect M	1	1					1					
	Exposure and neglect F	1	1					1					
33	Gunshot wounds M	14	1					1		1	2	4	1
	Gunshot wounds F	2									1	1	
34	Homicide M	4											2
	Homicide F	2											1
35	Infanticide M												
	Infanticide F												
36	Injuries by machinery M	2									1		
	Injuries by machinery F												
37	Railroad accidents M	45			1			1		2	4	4	1
	Railroad accidents F	3										1	1
38	Suffocation M	8	4	1				5			1		
	Suffocation F	5	3					3	1			1	
39	Suicide by shooting M	12										2	1
	Suicide by shooting F	1											
40	Suicide by drowning M	1											
	Suicide by drowning F												
41	Suicide by poison M	8											1
	Suicide by poison F	1										1	
42	Other suicides M	25											1
	Other suicides F	5										1	1
43	Sunstroke M	1											
	Sunstroke F												
44	Surgical operations M												
	Surgical operations F	2											
45	Wounds M	5									1		1
	Wounds F												
46	Others of this class M	127	4	3		2	1	10	3	1	2	12	17
	Others of this class F	14	3					3	1			3	1

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN SCANDINAVIA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
15	11	4	1												1
1	1														2
3	4	1													3
9	4	1	1												4
															5
2	2	2													6
	3		3				1	1							7
	1		3					1							8
	2						1								9
			1												10
	1						1								
															11
	1		1												12
															13
	1														
			1					1							14
	1	1													15
		1													16
	1														17
															18
															19
		1													20
	1														
1			1												21
1			1												22
															23
			1												24
1															25
															26
45	43	37	20	27	16	14	12	2	2	4				3	27
40	38	34	20	26	16	12	11	2	1	3				3	28
5	5	3		1		2	1		1	1					29
1		2	1	2			1								30
	3	1		1											
8	8	5	2	4	1										31
															32
2		1	1			1									33
2															34
						1									
															35
	1														36
7	7	7	2	3	4	2								1	37
									1						
1						1									38
1		1	1	2	4										39
1															
				1											40
		1	1	3			2								41
	7	4	3	2	3	2	2		1	1					42
	1	1													
1															43
															44
	1	1													
2						1									45
15	15	13	8	9	4	5	6	2		3				2	46
4						1	1								

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCOTLAND (WHITE).

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	4,386	391	101	48	38	22	600	83	34	79	111	157
2	Males	2,338	232	55	26	20	10	343	45	16	32	59	75
3	Females	2,048	159	46	22	18	12	257	38	18	47	52	82
4	Unknown cause	31	3	2				5		1		1	1
5	Males	14	3	1				4					
6	Females	17		1				1		1		1	1
	1. General diseases.												
7	General diseases—A	566	110	39	18	20	9	196	44	11	14	15	17
8	Males	267	60	19	7	10	4	100	25	4	5	8	11
9	Females	299	50	20	11	10	5	96	19	7	9	7	6
10	Measles M	9	1	2		1		4	5				
	Measles F	7	4		2			6	1				
11	Scarlet fever M	12	1	1	1			3	6				2
	Scarlet fever F	14	1		2	3		6	6	1			
12	Diphtheria M	23	2	1	3	6	3	15	7	1			
	Diphtheria F	31	1	5	4	5	4	19	9	1	2		
13	Whooping cough M	7	1	4	1	1		7					
	Whooping cough F	11	6	4		1		11					
14	Malarial fever M	10											1
	Malarial fever F	9			1			1		1	1	1	2
15	Influenza M	31		1				1	1		1		
	Influenza F	47	1		1			2				1	
16	Typhoid fever M	32		1				1		2	3	1	2
	Typhoid fever F	23								3	4	4	2
17	Cholera morbus M	5	1					1	1				1
	Cholera morbus F	6								1	1		
18	Colitis M	3											
	Colitis F	4	1	1				2					
19	Diarrhea M	11	1					1	1			1	
	Diarrhea F	18											
20	Dysentery M	8	2					2					
	Dysentery F	17			1	1		2					
21	Enteritis M	42	24	4				28	3				1
	Enteritis F	58	16	6			1	23	1				1
22	Cholera infantum M	30	23	4	1	2		30					
	Cholera infantum F	21	18	3				21					
23	Fever M	2	1					1					
	Fever F												
24	Cerebro-spinal fever M	13	2	1	1			4	1	1	1	1	1
	Cerebro-spinal fever F	7	1	1				2	1		1		1
25	Smallpox M	2											
	Smallpox F												
26	Erysipelas M	7											1
	Erysipelas F	4											
27	Septicemia M	12											1
	Septicemia F	7	1					1	1				
28	Venereal diseases M	3	1					1					
	Venereal diseases F	2										1	
29	Others of this group M	5					1	1					1
	Others of this group F	13											
30	General diseases—B	73	26				2	28			1	2	
31	Males	47	19				1	20				2	
32	Females	26	7				1	8			1		
33	Alcoholism M	19											
	Alcoholism F	8											
34	Parasitic diseases M	1					1	1					
	Parasitic diseases F												
35	Lead poison M												
	Lead poison F												
36	Other poisons M	7	1					1				2	
	Other poisons F	6					1	1			1		
37	Inanition M	20	18					18					
	Inanition F	12	7					7					
38	General diseases—C	344	104					104				1	
39	Males	163	69					69					
40	Females	181	35					35				1	
41	Old age M	84											
	Old age F	130											
42	Premature birth M	29	29					29					
	Premature birth F	20	20					20					
43	Malformation M	4	4					4					
	Malformation F	4	4					4					
44	Debility and atrophy M	40	30					30					
	Debility and atrophy F	24	9					9				1	
45	Others of this group M	6	6					6					
	Others of this group F	3	2					2					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN SCOTLAND (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
187	237	253	250	297	296	305	357	371	301	271	126	46	18	7	1
98	140	138	138	171	159	164	191	192	156	130	63	20	6	2	2
89	97	115	112	126	137	141	166	179	145	141	63	26	12	5	3
2	1	1	3	3	4	1	4	3	1						4
		1	2		1	1	3	1	1						5
2	1		1	3	3		1	2							6
13	19	10	15	11	23	20	31	42	30	32	15	5	2	1	7
9	13	3	6	5	9	6	14	17	8	13	8	2	1		8
4	6	7	9	6	14	14	17	25	22	19	7	3	1	1	9
															10
1															11
		1													
															12
															13
		1		1	2	1	2	2							14
		1			1					1					
	1	1			3	1	2	6	3	9	1	1			15
			1	2	5	5	1	13	9	5	2		1		
4	5	1	2	1		2	3								16
3	1	2	1	1		1	1								
								2							17
							1	2	1						
					1		1				1				18
						1	1								
1							1	2	1	1	1		1		19
	1		1	1		2	2	2	2	5	1			1	
							2	2			2				20
		1			2	2	3	1	3	3					
			1		1	1	1		2	1	2	1			21
	2	1	4		4	2	5	4	3	4	4				
															22
									1						23
1	3														24
				1								1			
	1				1										25
1	1			1		1			1	1					26
	2							1	1						
1	1		1	2	1		1	2		1	1				27
		1	2		1				1						
	1		1												28
							1								
			1				1	1							29
1				1	1	1	2	2	2	1		2			
2	5	6	7	5	9	2	2		2	2					30
2	4	4	3	5	3	1	1		2						31
	1	2	4		6	1	1			2					32
1	3	4	2	5	2		1		1						33
	1	2	3		2										
															34
															35
1	1		1		1										36
			1		2					1					
						1			1						37
					2	1	1			1					
		1		1	5	9	11	21	40	64	57	20	8	2	38
		1			2	2	6	13	13	21	26	7	3		39
				1	3	7	5	8	27	43	31	13	5	2	40
						1	4	12	13	20	24	7	3		41
						4	4	7	25	41	31	12	5	1	
															42
															43
		1			2	1	2	1		1	2				44
				1	2	3	1	1	2	2		1		1	
															45
					1										

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCOTLAND (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		851	19	3	3	5	3	33	8	6	24	43	56
2	Males		443	9	2	3	3	1	18	3	4	6	22	20
3	Females		408	10	1		2	2	15	5	2	18	21	36
4	Anemia	M	1											
		F	11											
5	Diabetes	M	21			1			1	1	2			
		F	13							1		1		1
6	Rheumatism	M	6											
		F	13										1	
7	Scrofula and tabes	M	2											
		F	4											
8	Hydrocephalus	M	11	5	1	1	2		9		1			
		F	12	7	1		1	1	10	1				
9	Tuberculosis, general	M	2											
		F	4	1					1					2
10	Consumption	M	287	3	1	1		1	6	2	1	6	22	18
		F	192	1			1	1	3	3	2	15	18	31
11	Cancer	M	90											2
		F	137	1					1			1	1	2
12	Tumor	M	10											
		F	12									1	1	
13	Dropsy	M	4											
		F	10											
14	Others of this group	M	4	1			1		2					
		F												
15	2. Diseases of the nervous system		571	44	18	12	2	1	77	3	2	6	6	8
16	Males		321	20	11	8		1	40	2		4	4	5
17	Females		250	24	7	4	2		37	1	2	2	2	3
18	Inflammation of the brain	M	3	1					1	1				
		F	2			1			1					
19	Meningitis	M	30	3	5	5			13	1		2	1	2
		F	28	7	6	1	2		16	1	1	2		
20	Apoplexy	M	134		1				1			1	1	
		F	113	1					1					1
21	Paralysis	M	67	1					1					
		F	41	1					1					1
22	Paralysis, general (of insane)	M	6											
		F	5											
23	Tetanus and trismus nascentium	M	1	1					1					
		F	1											
24	Chorea	M												
		F												
25	Epilepsy	M	6										1	
		F	2											
26	Convulsions	M	19	11	5	3			19					
		F	18	12		2			14				1	1
27	Mental diseases	M	16										1	
		F	6											
28	Diseases of the brain	M	23	3					3			1		2
		F	30	3	1				4		1		1	
29	Diseases of the spinal cord	M	7											1
		F	2											
30	Locomotor ataxia	M	2											
		F												
31	Others of this class	M	7					1	1					
		F	2											
32	3. Diseases of the circulatory system		477	9	1				10	3	1	6	4	14
33	Males		267	4					4	1	1	3	3	8
34	Females		210	5	1				6	2		3	1	6
35	Pericarditis	M	4											
		F	1											1
36	Diseases of the heart	M	237	3					3	1	1	3	3	7
		F	190	2	1				3	2		3	1	6
37	Angina pectoris	M	15											
		F	6											
38	Diseases of the arteries	M	7											
		F	4											
39	Aneurism	M	2											
		F	4											
40	Embolism	M	1											
		F	2											
41	Others of this class	M	1	1					1					
		F	3	3					3					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN SCOTLAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
72	81	91	61	80	62	59	55	45	38	26	4	4	1	2	1
39	48	54	36	44	35	25	30	20	20	12	2	3	1	1	2
33	33	37	25	36	27	34	25	25	18	14	2	1		1	3
		2		2			1			1					4
	1			5	1	3						1			
	1	3		1	5	1	2	1		1	1	1			5
1		1	1		1	2	1	1	2						
	3	1	1					1							6
2		1	1			2	1	1		2	1			1	
					1			1							7
1		1	1		1										
	1														8
1															
1					1										9
		1													
36	40	38	26	31	18	15	15	7	3	2				1	10
27	24	21	9	10	9	5	4	6	2	2	1				
1	3	10	7	8	7	8	11	10	16	4	1	2			11
1	7	12	12	16	13	21	15	14	13	8					
1			1	1	2	1	1		1	2					12
	1		1	2	2		2	2							
				1	1					2					13
				3		1	2	1	1	2					
			1										1		14
13	22	23	29	42	45	48	59	69	58	43	16	1	1		15
7	13	14	20	25	24	29	28	34	33	27	11	1			16
6	9	9	9	17	21	19	31	35	25	16	5		1		17
1															18
				1											
3			3	2			1			1	1				19
1		1	3	1			1	1							
1	3	6	5	12	12	18	16	22	20	11	5				20
1	4	5	5	9	13	9	20	26	13	3	3				
1	3	1	3	6	6	5	7	9	10	10	4	1			21
		3	1	4	3	1	4	5	6	10	2				
			2		1	1		1		1					22
1						4									
															23
					1										
															24
	2		2			1									25
1									1						
															26
	1				1										
1	3	2	2		1	2	1		1	1	1				27
1	1			1				2		1					
	1	4		1	2	1	1	2	2	3					28
	2			1	2	3	6	1	5	2			1		
	1		2	2	1										29
					1	1									
		1		1											30
			1	1	1	1	2								31
1						1									
13	20	25	28	40	38	58	55	75	46	27	9	4		1	32
3	12	10	12	20	21	37	33	50	31	13	3	2			33
10	8	15	16	20	17	21	22	25	15	14	6	2		1	34
				1				1	1						35
							1								
3	11	10	12	17	20	33	31	42	23	12	3	2			36
9	7	14	12	20	17	21	21	20	14	11	6	2		1	
	1			2	1	3	1	3	4						37
1		1	2					1	1						
								3	3	1					38
								3		1					
						1		1							39
	1		2					1							
							1								40
										2					
															41

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCOTLAND (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		614	52	31	12	8	5	108	5	4	6	10	14
2	Males		324	34	17	6	6	2	65	4	1	2	6	9
3	Females		290	18	14	6	2	3	43	1	3	4	4	5
4	Croup	M	5		2		2		4	1				
		F	5		2	2		1	5					
5	Pneumonia	M	233	16	13	5	4	1	39	1	1	2	5	9
		F	195	12	9	3	2	1	27	1	2	3	4	4
6	Laryngitis	M												
		F	1		1				1					
7	Bronchitis	M	55	11	2	1		1	15	2				
		F	51	4	2	1		1	8					
8	Pleurisy	M	3											
		F	11									1		
9	Asthma	M	2											
		F	5											
10	Others of this class	M	26	7					7				1	
		F	22	2					2		1			1
11	5. Diseases of the digestive system		248	10	4				14	8	1	11	8	10
12	Males		121	5	2				7	3	1	4	3	3
13	Females		127	5	2				7	5		7	5	7
14	Dentition	M	3	2	1				3					
		F	2	1	1				2					
15	Angina	M												
		F	1							1				
16	Gastritis	M	12											
		F	26									1	1	3
17	Diseases of the stomach	M	9											
		F	8							1			1	1
18	Obstruction of the bowels	M	7							1				
		F	9	1					1	1		1		
19	Appendicitis	M	20							1	1	2	2	2
		F	9									2	1	1
20	Hernia	M	11	1					1					
		F	4											
21	Other diseases of the bowels	M	4		1				1					
		F	2	1					1					
22	Jaundice	M												
		F	3	1					1	1				
23	Inflammation and abscess of the liver.	M	6											
		F	4											
24	Other diseases of the liver	M	27											
		F	29											1
25	Peritonitis	M	13							1		2	1	1
		F	21	1	1				2			3	2	1
26	Ascites	M												
		F	1											
27	Others of this class	M	9	2					2					
		F	8							1				
28	6. Diseases of the urinary system and male organs of generation.		309	2					2	2	4	2	5	11
29	Males		191	1					1		3	1	1	6
30	Females		118	1					1	2	1	1	4	5
31	Bright's disease	M	138								2	1	1	4
		F	105							2	1	1	4	5
32	Calculus, urinary	M	4								1			
		F												
33	Diseases of the kidney	M	6											1
		F	7	1					1					
34	Diseases of the bladder	M	16											
		F	1											
35	Others of this class	M	27	1					1					1
		F	5											
36	7. Diseases of the female organs of generation.		15										1	4
37	Ovarian tumors		4											1
38	Ovarian diseases		1											
39	Diseases of the tubes													
40	Uterine tumors		6										1	1
41	Uterine diseases		1											1
42	Others of this class		3											1

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN SCOTLAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
22	27	29	42	38	40	46	61	51	43	42	12	10	4		1
15	12	17	24	23	20	25	28	21	18	24	6	3	1		2
7	15	12	18	15	20	21	33	30	25	18	6	7	8		3
															4
11	8	14	22	20	17	18	22	13	13	11	5	2			5
5	12	9	12	10	13	13	21	22	19	10	4	4			
															6
	1	1	2	3	2	5	4	4	4	10	1		1		7
1			2	2	2	4	8	5	5	8	1	3	2		
1								1	1						8
1	1	1	2	1	2	1	1								
1							1								9
					1	1		2			1				
2	3	2			1	2	1	3		3		1			10
	2	2	2	2	2	2	3	1	1				1		
10	12	18	10	27	22	27	27	22	8	9	3	1			11
2	7	7	7	18	14	15	16	6	4	8		1			12
8	5	11	3	9	8	12	11	16	4	6	3				13
															14
															15
1				2	1	2	3		2	1					16
1		1		1		5	5	4	1		3				
	1	2		2	1		1	1	1						17
					2	2		1							
	1				2	1	1	1							18
1		1	1	1		1		1							
1		1	1	5	1	1			1						19
2		2		1											
	1	1		2		1	3	1		1					20
				1			1		1	1					
				1		1		1							21
								1							
															22
						1									
	2	1	1	1								1			23
		1			1	1				1					
	2	2	2	2	5	8	5	1							24
1	2	4	1	4	3	1	4	5		3					
			2	1	2		2	1							25
3	2	2	1	1		1	1	2							
															26
					1										
			1	1	2	1	1			1					27
	1				1			2	2	1					
8	17	20	23	34	30	24	45	33	25	18	6				28
5	9	11	7	20	19	17	27	24	21	15	4				29
3	8	9	16	14	11	7	18	9	4	3	2				30
5	7	8	5	19	17	10	21	18	10	9	1				31
2	6	7	16	12	9	7	16	9	3	3	2				
								1	2						32
	1	1				2			1						33
	1	1		1	2		1								
		1				1	2	3	5	2	2				34
				1											
	1	1	2	1	2	4	4	2	3	4	1				35
1	1	1					1		1						
2	1	2	1	2	1			1							36
		1			1			1							37
1															38
															39
	1	1		2											40
															41
1			1												42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCOTLAND (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	28										2	5
2	Abortion	3											1
3	Childbirth	10											1
4	Puerperal septicemia	10											2
5	Extra-uterine pregnancy	1											1
6	Others of this class	4										2	
7	9. Diseases of the bones and joints	12		1		1		2	2				
8	Males	6		1				1	2				
9	Females	6				1		1					
10	Diseases of the spine M	2							1				
	Diseases of the spine F	3				1		1					
11	Abscess, lumbar and psoas M	1											
	Abscess, lumbar and psoas F												
12	Diseases of the bones M												
	Diseases of the bones F												
13	Diseases of the hip-joint M	1							1				
	Diseases of the hip-joint F												
14	Others of this class M	2		1				1					
	Others of this class F	3											
15	10. Diseases of the skin	13	1	1				2	1	1			
16	Males	8	1	1				2					
17	Females	5							1	1			
18	Abscess M	5											
	Abscess F	4							1	1			
19	Carbuncle M												
	Carbuncle F												
20	Others of this class M	2	1	1				2					
	Others of this class F	1											
21	11. Diseases of the absorbent system	4											
22	Males												
23	Females	4											
24	Addison's disease M												
	Addison's disease F	1											
25	Diseases of the spleen M												
	Diseases of the spleen F	1											
26	Others of this class M												
	Others of this class F	2											
27	12. Accidents and injuries	230	11	1	3	2	2	19	7	3	9	13	17
28	Males	166	7	1	2	1	1	12	5	2	7	10	13
29	Females	64	4		1	1	1	7	2	1	2	3	4
30	Burns and scalds M	13	1	1	1	1	1	5	1				
	Burns and scalds F	8			1		1	2			1		
31	Drowning M	25							1	1	5	4	2
	Drowning F	6							1	1	1		
32	Exposure and neglect M	3											1
	Exposure and neglect F												
33	Gunshot wounds M	6											1
	Gunshot wounds F	1										1	
34	Homicide M	1											
	Homicide F	1				1		1					
35	Infanticide M												
	Infanticide F	1	1					1					
36	Injuries by machinery M												
	Injuries by machinery F												
37	Railroad accidents M	25							1	1		2	2
	Railroad accidents F	4											
38	Suffocation M	10	4					4				1	
	Suffocation F	3	2					2					1
39	Suicide by shooting M	7										2	
	Suicide by shooting F	1											
40	Suicide by drowning M	2											
	Suicide by drowning F												
41	Suicide by poison M	7											
	Suicide by poison F	4										1	1
42	Other suicides M	10											
	Other suicides F	1											
43	Sunstroke M	2											
	Sunstroke F	1											
44	Surgical operations M												
	Surgical operations F	3											
45	Wounds M	3											1
	Wounds F	1											
46	Others of this class M	52	2		1			3	2		1	1	6
	Others of this class F	29	1					1	1			1	2

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN SCOTLAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
10	6	4	1												1
1		1													2
3	3	2	1												3
5	3														4
															5
1		1													6
	1	1	1		1	1	1	1	1						7
	1							1	1						8
		1	1		1	1	1								9
			1			1			1						10
	1														11
															12
															13
								1							14
		1			1		1								
	1	2	1	1		2	1		1						15
	1	1		1		2	1								16
		1	1						1						17
	1	1		1		2	1								18
		1	1												
															19
															20
									1						
	1	1		1						1					21
															22
	1	1		1						1					23
	1														24
				1											25
		1								1					26
20	23	19	28	12	16	8	5	8	8	7	4	1	2	1	27
16	20	15	21	10	11	4	4	5	4	2	3	1		1	28
4	3	4	7	2	5	4	1	3	4	5	1		2		29
	2		3		1			1							30
	1		3			1									
5	1	1	3				1								31
1		1				1									
			1						1						32
	2	2	1												33
	1														34
															35
															36
3	2	5	2	2	1	2		1							37
		1	1		1				1						
			2	1		1	1								38
1	1			1		1	1								39
		1													
				1					1						40
1	1	1	1	3											41
				1	1										
1	3	1	1		3			1							42
			1												
		1							1						43
				1											
															44
1			1			1									
	1		1												45
					1										
5	6	3	6	2	6		1	2	1	2	3	1		1	46
2	2	1	1		2	1	1	3	3	5	1		2		

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN ITALY (WHITE).

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		9,501	3,542	1,519	565	305	172	6,103	335	136	227	318	331
2	Males		5,428	1,982	804	296	163	79	3,324	172	72	127	180	210
3	Females		4,073	1,560	715	269	142	93	2,779	163	64	100	138	121
4	Unknown cause		44	17	4	3		1	25	2	1	1	1	5
5	Males		24	11	3	1			15	1				3
6	Females		20	6	1	2		1	10	1	1	1	1	2
	1. General diseases. General diseases—A													
7			2,192	1,050	449	176	98	48	1,821	104	28	28	31	27
8	Males		1,170	553	241	97	50	22	963	49	11	16	18	22
9	Females		1,022	497	208	79	48	26	858	55	17	12	13	5
10	Measles	M	152	35	74	24	12	3	148	3				
		F	139	36	62	25	8	4	135	4				
11	Scarlet fever	M	45	6	8	8	5	3	30	11	2	1	1	
		F	27	1	8	5	4	4	22	4	1			
12	Diphtheria	M	123	14	32	32	19	7	104	13	2	1		
		F	103	14	21	19	21	7	82	20			1	
13	Whooping cough	M	43	22	16	4	1		43					
		F	54	25	12	8	5	3	53	1				
14	Malarial fever	M	21	5	1	1	1		8	2		1	1	2
		F	13		1	2	2	1	6	2	1	1		1
15	Influenza	M	30	9	3	2	1		15	1	1		2	2
		F	25	8	2	2			12	1		2		
16	Typhoid fever	M	57	2	2		1	1	6	1		9	11	12
		F	40		4	2	1	1	8	5	8	6	7	1
17	Cholera morbus	M	9	3	1				4	1	2			
		F	14	4	2	1	1	1	9	2				
18	Colitis	M	10	8	1	1			10					
		F	8	5	1				6			1		
19	Diarrhea	M	67	46	11	4	1		62	2				
		F	60	37	13		1	1	52	1	3			
20	Dysentery	M	22	4	1	2	1	1	9	1	1	1		1
		F	20	9	6		1		16	1				
21	Enteritis	M	305	207	58	10	4	4	283	4	3	1	2	3
		F	262	183	41	8	2	4	238	6	3	1		
22	Cholera infantum	M	176	142	28	4	1	1	176					
		F	164	130	29	4	1		164					
23	Fever	M	1											
		F	1											
24	Cerebro-spinal fever	M	28	10	5	2	2	1	21	7				
		F	24	9	2	2			13	5	5			1
25	Smallpox	M	1											
		F	1		1				1					
26	Erysipelas	M	35	20		1			21			1		
		F	32	20		1	1		22	1			1	
27	Septicemia	M	18	2				1	3	3			1	1
		F	21	5	1				6	2	1		4	2
28	Venereal diseases	M	22	16		1	1		18					
		F	12	10	1				11			1		
29	Others of this group	M	5	2					2			1		1
		F	2	1	1				2					
30	General diseases—B		113	91	1	3	1		96	2				2
31	Males		69	54	1	2			57	1				1
32	Females		44	37		1	1		39	1				1
33	Alcoholism	M	2											1
		F	1			1			1					
34	Parasitic diseases	M	1			1			1					
		F												
35	Lead poison	M												
		F	1	1					1					
36	Other poisons	M	11			1			1	1				
		F	4				1		1	1				1
37	Inanition	M	55	54	1				55					
		F	38	36					36					
38	General diseases—C		566	484	23	3	5	4	519	1		2		
39	Males		331	289	9	2	3	2	305	1		2		
40	Females		235	195	14	1	2	2	214					
41	Old age	M	14											
		F	19											
42	Premature birth	M	137	137					137					
		F	93	93					93					
43	Malformation	M	22	22					22					
		F	16	16					16					
44	Debility and atrophy	M	133	105	9	2	3	2	121	1		2		
		F	98	77	14	1	2	2	96					
45	Others of this group	M	25	25					25					
		F	9	9					9					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN ITALY (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
323	345	275	244	220	193	123	110	91	59	37	14	3	6	8	1
199	231	179	177	156	124	85	70	50	32	21	10	2	1	6	2
124	114	96	67	64	69	38	40	41	27	16	4	1	5	2	3
2	5	1								1					4
1	4														5
1	1	1								1					6
27	29	24	17	14	13	6	14	4	3	1				1	7
15	17	17	8	10	6	3	9	3	2	1					8
12	12	7	9	4	7	3	5	1	1					1	9
							1								10
															11
1	1							1							12
															13
1		1		2	2				1						14
1							1								
	1	2	1	2			1	1	1						15
1	1			1	4		2							1	
6	5	4	2	1											16
3	2	2	2			1									
		1		1											17
	1		2												
1															18
1		1					1								19
					2		2								
		2	2	2	1	1	1								20
				1		1			1						
	1		2			1	3	1		1					21
1	2	2	4	2	1	1		1							
															22
		1													23
1															
															24
1															25
3	3	1	1	2	1	1	1								26
1	5	2													
1	4	3			1		1								27
3	1	1	1												
	2	1			1										28
1															29
2	2	2		4	2	1									30
2	1	2		3	1	1									31
	1			1	1										32
					1										33
															34
															35
2	1	2		3		1									36
					1										
															37
	1			1											
2		1			1	2	5	9	9	6	5	1	3		38
2		1			1	1	2	5	3	3	3	1	1		39
						1	3	4	6	3	2		2		40
							2	4	2	1	3	1	1		41
						1	3	2	6	3	2		2		
															42
															43
2		1			1	1		1	1	2					44
								3							
															45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN ITALY (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		834	76	54	27	16	9	182	28	25	82	88	76
2	Males		472	43	31	17	7	5	103	12	10	43	47	37
3	Females		362	33	23	10	9	4	79	16	15	39	41	39
4	Anemia	M	8	2	1				3			1		2
		F	4			1			1	1			1	
5	Diabetes	M	3										2	
		F	4	1		1			2					
6	Rheumatism	M	7	1					1			1		1
		F	9	2			1		3		1	2		
7	Scrofula and tabes	M	9	3	2				5	1	1		1	
		F	6		3	1		1	5	1				
8	Hydrocephalus	M	52	19	13	5	1	3	41	6	2	2		
		F	43	16	10	3	5	1	35	7		1		
9	Tuberculosis, general	M	16	1	4	4	1	1	11			1		
		F	10	6	1				7	1	1	1		
10	Consumption	M	312	11	11	8	4	1	35	5	5	37	44	32
		F	216	6	9	3	3	2	23	6	13	35	38	36
11	Cancer	M	46								1	1		2
		F	60										2	3
12	Tumor	M	4	1					1					
		F	5											
13	Dropsy	M												
		F	2											
14	Others of this group	M	10	5			1		6		1			
		F	3	2		1			3					
15	2. Diseases of the nervous system		771	297	103	40	23	17	480	37	18	10	13	23
16	Males		469	183	56	25	11	5	280	23	12	5	8	18
17	Females		302	114	47	15	12	12	200	14	6	4	5	5
18	Inflammation of the brain	M	5		1			1	2	1				1
		F	6		1	2			3	1				
19	Meningitis	M	201	79	44	19	9	3	154	15	7	1	3	6
		F	139	52	31	9	9	10	111	11	4	1	4	1
20	Apoplexy	M	69			1			1				1	4
		F	40	1		1			2		1			1
21	Paralysis	M	11											2
		F	6		1	1			2	1				
22	Paralysis, general (of insane)	M	2											
		F	2											
23	Tetanus and trismusnascentium	M	24	6	1	1			8	3	2	1		2
		F	6	5					5					
24	Chorea	M												
		F												
25	Epilepsy	M	9	3		1			4		1		1	1
		F	4				1		1					1
26	Convulsions	M	108	88	9	3	1	1	102	2	2	1		
		F	74	52	13	1	1	2	69			2		
27	Mental diseases	M	8										2	
		F	9								1			1
28	Diseases of the brain	M	22	4	1		1		6	2		2	1	
		F	10	2	1	1			4	1		1		
29	Diseases of the spinal cord	M	5	1					1			1		1
		F	3	1			1		2					1
30	Locomotor ataxia	M	3	1					1					
		F	1										1	
31	Others of this class	M	2	1					1					1
		F	2	1					1					
32	3. Diseases of the circulatory system		355	44	3	1		1	49	17	11	14	8	21
33	Males		221	28	1	1			30	7	3	8	5	11
34	Females		134	16	2			1	19	10	8	6	3	10
35	Pericarditis	M	6							1	1			1
		F	4					1	1			1		
36	Diseases of the heart	M	189	15	1	1			17	5	2	8	5	9
		F	121	13	2				15	9	8	5	2	10
37	Angina pectoris	M	7											
		F	3							1				
38	Diseases of the arteries	M	1											
		F												
39	Aneurism	M	4											1
		F	1											
40	Embolism	M	2	1					1					
		F	2										1	
41	Others of this class	M	12	12					12					
		F	3	3					3					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN ITALY (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
81	62	45	53	36	20	17	11	8	9		1				1
45	42	26	45	27	10	10	8	2	4		1				2
36	20	19	18	9	10	7	3	5	5						3
	1			1											4
		1													
		2	1	1			2								5
			1	1											
			2	1							1				6
1		1		1											
	1														7
1															8
3	1														9
36	35	20	30	16	4	9	2	1	1						10
28	13	9	5	1	4	2			3						
4	3	3	11	7	5	1	4	1	3						11
5	5	7	12	6	6	4	2	5	2						
1			1	1											12
2	1	1					1								
															13
	1					1									
	1	1			1										14
10	14	29	19	20	36	18	16	15	6	5		1		1	15
8	11	21	13	8	21	13	8	10	3	4		1		1	16
2	3	8	6	12	15	5	8	5	3	1					17
	1														18
		1		1											
2	2	5	2	1	3										19
1		1	3	2											
3	3	7	6	4	11	8	5	8	3	4		1			20
	2	2	3	5	8	5	6	3	2						
	1	1	1	2	1	1	2								21
					1		1	1							
		1			1										22
				1	1										
2	1	1	1		2			1							23
								1							
															24
		1						1							25
				1					1						
														1	26
		3													
	1		1	1	1	1	1								27
1	1	1		1	3										
1	1	4	1		2	2									28
				1	1		1			1					
	1		1												29
		1				1									30
															31
					1										
20	37	23	25	31	39	22	14	9	6	7	1			1	32
16	26	15	17	21	26	15	8	4	3	5				1	33
4	11	8	8	10	13	7	6	5	3	2	1				34
		2				1									35
	1			1											
12	25	11	13	21	26	14	8	4	3	4				1	36
4	8	8	8	8	12	7	6	5	3	2	1				
3		1	3												37
	1				1										
										1					38
1		1	1												39
				1											
	1														40
	1														
															41

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN ITALY (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		3,278	1,320	844	269	120	63	2,616	84	25	32	58	52
2	Males		1,845	728	443	131	65	29	1,396	45	16	20	38	36
3	Females		1,433	592	401	138	55	34	1,220	39	9	12	20	16
4	Croup	M	49	10	16	10	9	2	47	2				
		F	38	7	14	6	4	4	35	2		1		
5	Pneumonia	M	1,293	430	328	95	45	21	919	36	13	18	33	32
		F	936	333	281	100	41	23	778	29	8	7	18	15
6	Laryngitis	M	14	2	5	2	1		10	2				
		F	10	1	3	3	1		8	2				
7	Bronchitis	M	418	263	86	22	9	4	384	4	1	2	3	1
		F	398	227	97	28	9	4	365	2	1	3	1	
8	Pleurisy	M	26	3	5	2	1	1	12		1		2	
		F	9	4	1			1	6	1				1
9	Asthma	M	3											
		F	3	1					1					
10	Others of this class	M	42	20	3			1	24	1	1			3
		F	39	19	5	1		2	27	3		1	1	
11	5. Diseases of the digestive system		350	110	20	5	2	3	140	12	8	12	14	16
12	Males		207	64	7	3	2	3	79	8	6	7	8	11
13	Females		143	46	13	2			61	4	2	5	6	5
14	Dentition	M	7	5	2				7					
		F	11	5	2	1			11					
15	Angina	M	5	2		1	1		4			1		
		F	2	1	1				2					
16	Gastritis	M	24	13				1	14		2			
		F	30	13	6	1			20	1			1	1
17	Diseases of the stomach	M	3		1				1					
		F	4											
18	Obstruction of the bowels	M	17	7					7			1		4
		F	8	2					2	1		1		
19	Appendicitis	M	19					1	1		1	3	6	1
		F	6								2			1
20	Hernia	M	10	1					1	1		1		1
		F	1	1					1					
21	Other diseases of the bowels	M	1	1					1					
		F	2	1					1					
22	Jaundice	M	13	10					10					
		F	8	7					7	1				
23	Inflammation and abscess of the liver.	M	4											
		F	8	2					2				1	
24	Other diseases of the liver	M	38	2	1	1			4	3				2
		F	16							1				
25	Peritonitis	M	42	7	1	1	1	1	11	4	2	1	2	2
		F	35	3	2				5			4	4	3
26	Ascites	M												
		F	1	1					1					
27	Others of this class	M	24	16	2				18		1			1
		F	11	7	2				9					
28	6. Diseases of the urinary system and male organs of generation.		259	11	8	9	16	7	51	15	5	7	13	11
29	Males		162	6	6	5	10	5	32	7	3	3	2	6
30	Females		97	5	2	4	6	2	19	8	2	4	11	5
31	Bright's disease	M	104							5	2	2	2	5
		F	66							8	2	3	9	5
32	Calculus, urinary	M												
		F												
33	Diseases of the kidney	M	39	6	6	5	10	5	32	2		1		1
		F	15	4	1	3	5	2	15					
34	Diseases of the bladder	M	6											
		F												
35	Others of this class	M	13								1			
		F	16	1	1	1	1		4			1	2	
36	7. Diseases of the female organs of generation.		29	1					1			8	5	5
37	Ovarian tumors		4									1		
38	Ovarian diseases		2											
39	Diseases of the tubes		6										2	1
40	Uterine tumors		4											1
41	Uterine diseases		3									1		2
42	Others of this class		10	1					1			1	3	1

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN ITALY (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
44	55	58	56	44	40	28	24	28	16	13	3		2		1
33	40	43	45	34	28	21	16	17	9	6	2				2
11	15	15	11	10	12	7	8	11	7	7	1		2		3
															4
29	35	36	40	30	22	18	12	11	5	4					5
9	12	12	8	7	9	3	4	8	5	0					
		1		1											6
1	3		1		3	2	1	5	3	2	2				7
2	2	2	1	3	1	2	4	3	2	1	1		2		
1		3	2	2	2			1							8
			1												
		1					2								9
								2							
2	2	2	2	1	1	1	1		1						10
	1	1	1		2	2									
20	24	22	22	24	13	8	5	6	3		1				11
10	12	11	17	18	10	8	2	2	2		1				12
10	12	11	5	6	3	5	3	4	1						13
															14
															15
1	1	1	2	1	2										16
1	1		1		1		2	1							
	1			1											17
	1	1	1			1									
1	2			1	1										18
1	1					1	1								
	1	2	2	1	1										19
1		1	1												
2			1		1		1	1							20
															21
	1														
				2					1						22
			2		2										23
1	1	1	1			1									
4	4	3	4	8	2	1	1	1	1						24
1		4		2	2	2		3	1						
1	3	4	5	3	1	1					1				25
5	7	4	1	2											
															26
1		1		1		1									27
				2											
12	18	22	17	22	15	15	18	6	5	3	2	1	1		28
7	12	12	12	16	11	13	14	5	4	1	2				29
5	6	10	5	6	4	2	4	1	1	2		1	1		30
5	9	10	11	12	9	11	10	5	4		1				31
4	3	7	5	6	4	1	4	1		2		1	1		
															32
	1		1	1											33
	1					2	2			1					34
1	1	2		3	2		2				1				35
1	3	3				1			1						
5	5		1	2	1									1	36
1			1		1										37
2															38
2	1														39
	2			1											40
															41
	2			1										1	42

TABE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN ITALY (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	118									10	24	24
2	Abortion	1											1
3	Childbirth	24										3	3
4	Puerperal septicemia	69									6	18	14
5	Extra-uterine pregnancy	1											
6	Others of this class	23									4	3	6
7	9. Diseases of the bones and joints	18	4			2	1	7	3	2		1	
8	Males	11				1	1	2	2	2		1	
9	Females	7	4			1		5	1				
10	Diseases of the spine M	5				1		1	1	2			
	Diseases of the spine F	3	1			1		2	1				
11	Abscess, lumbar and psoas M	1										1	
	Abscess, lumbar and psoas F												
12	Diseases of the bones M	3					1	1	1				
	Diseases of the bones F	3	2					2					
13	Diseases of the hip-joint M												
	Diseases of the hip-joint F												
14	Others of this class M	2											
	Others of this class F	1	1					1					
15	10. Diseases of the skin	15	10			1		11			2		1
16	Males	9	6			1		7			1		1
17	Females	6	4					4			1		
18	Abscess M	5	3			1		4			1		
	Abscess F	4	2					2			1		
19	Carbuncle M												
	Carbuncle F												
20	Others of this class M	4	3					3					1
	Others of this class F	2	2					2					
21	11. Diseases of the absorbent system	4								1			1
22	Males	4								1			1
23	Females												
24	Addison's disease M												
	Addison's disease F												
25	Diseases of the spleen M												
	Diseases of the spleen F												
26	Others of this class M	4								1			1
	Others of this class F												
27	12. Accidents and injuries	555	27	10	29	21	18	105	30	12	24	62	67
28	Males	434	17	6	12	13	7	55	16	8	21	53	63
29	Females	121	10	4	17	8	11	50	14	4	3	9	4
30	Burns and scalds M	34	2	4	8	9	2	25	2			1	2
	Burns and scalds F	50		2	12	7	8	29	7	2		1	2
31	Drowning M	35			1		1	2	3		4	7	5
	Drowning F	3		1				1					1
32	Exposure and neglect M	1											
	Exposure and neglect F	2	1					1				1	
33	Gunshot wounds M	24								1	1	4	4
	Gunshot wounds F	3			1	1		2	1				
34	Homicide M	20								2	2	2	3
	Homicide F	2									1		
35	Infanticide M												
	Infanticide F												
36	Injuries by machinery M	3									1	1	
	Injuries by machinery F												
37	Railroad accidents M	100							2	2	5	15	14
	Railroad accidents F	8									1		1
38	Suffocation M	16	6		1			7	1			1	2
	Suffocation F	8	3	1				4	2				
39	Suicide by shooting M	13									1	3	2
	Suicide by shooting F	2									1		
40	Suicide by drowning M	2										2	
	Suicide by drowning F												
41	Suicide by poison M	2										1	
	Suicide by poison F												
42	Other suicides M	4										2	1
	Other suicides F	1										1	
43	Sunstroke M	15	5					5			1		3
	Sunstroke F	3	1		1			2				1	
44	Surgical operations M	2											
	Surgical operations F	3										1	
45	Wounds M	7											2
	Wounds F	1							1				
46	Others of this class M	156	4	2	2	4	4	16	8	3	6	14	25
	Others of this class F	35	5		3		3	11	3	2		4	

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN ITALY (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
25	21	13	1												1
															2
6	6	6													3
16	9	5	1												4
	1														5
3	5	2													6
2	1	1							1						7
1	1	1							1						8
1															9
									1						10
															11
1															12
1															
															13
	1	1													14
						1									15
															16
						1									17
															18
						1									
															19
															20
	1		1												21
	1		1												22
															23
															24
															25
	1		1												26
71	71	34	22	23	13	5	3	6	1	1	1			4	27
59	64	30	19	19	10	5	3	2	1	1	1			4	28
12	7	4	3	4	3			4							29
	4														30
3	2	2		1				1							
6	3	1		1		2	1								31
					1										
														1	32
6	4	2			1									1	33
5	3	1		2											34
				1											
															35
	1														36
12	17	7	7	10	2	1	2	1			1			2	37
1	1		1		2			1							
1	3	1													38
		1						1							
2	1	1	1		2										39
1															
															40
1															41
		1													42
	3		1		1				1						43
2															44
1	1														
1	3	1													45
23	22	15	10	6	4	2		1		1					46
6	3	1	2	2				1							

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN FRANCE (WHITE).

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		1,713	215	54	15	9	8	301	20	14	17	51	70
2	Males		981	124	31	8	7	5	175	13	8	10	30	36
3	Females		732	91	23	7	2	3	126	7	6	7	21	34
4	Unknown cause		7										2	
5	Males		4										1	
6	Females		3										1	
	1. General diseases.													
7	General diseases—A		249	94	19	4	2	5	124	4	2	3	8	12
8	Males		136	55	12	2	2	3	74	1	2	1	6	5
9	Females		113	39	7	2		2	50	3		2	2	7
10	Measles	M	2	1		1			2					
		F												
11	Scarlet fever	M	3				1	2	3					
		F												
12	Diphtheria	M	5		2		1	1	4					
		F	5	1		1			2	2				
13	Whooping cough	M	4	3	1				4					
		F	2		2				2					
14	Malarial fever	M	8											1
		F	4										1	
15	Influenza	M	5											
		F	11	1					1					
16	Typhoid fever	M	14								1		5	
		F	17					2	2	1		2		3
17	Cholera morbus	M	3		1				1					1
		F	7											
18	Colitis	M												
		F	2	1					1					
19	Diarrhea	M	7										1	
		F	5	2					2					
20	Dysentery	M	5											1
		F	3											1
21	Enteritis	M	24	18	1				19					1
		F	15	10					10					1
22	Cholera infantum	M	36	30	6				36					
		F	28	23	5				28					
23	Fever	M												
		F												
24	Cerebro-spinal fever	M	5	2	1				3	1				
		F												
25	Smallpox	M	2			1			1					
		F												
26	Erysipelas	M	5	1					1					
		F	1											
27	Septicemia	M	3								1			
		F	4										1	2
28	Venereal diseases	M												
		F	2	1		1			2					
29	Others of this group	M	5									1		1
		F	7											
30	General diseases—B		24	7	1				8			1		2
31	Males		15	3					3					2
32	Females		9	4	1				5			1		
33	Alcoholism	M	5											1
		F	2											
34	Parasitic diseases	M												
		F												
35	Lead poison	M	1											
		F												
36	Other poisons	M	5											
		F	2		1				1			1		
37	Inanition	M	4	3					3					1
		F	5	4					4					
38	General diseases—C		119	41	2				43					1
39	Males		63	25	1				26					
40	Females		56	16	1				17					1
41	Old age	M	30											
		F	32											
42	Premature birth	M	11	11					11					
		F	7	7					7					
43	Malformation	M	1	1					1					
		F	1	1					1					
44	Debility and atrophy	M	20	12	1				13					
		F	16	8	1				9					1
45	Others of this group	M	1	1					1					
		F												

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN FRANCE (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
73	94	105	91	107	128	135	136	133	113	58	41	21	2	3	1
45	45	66	47	69	82	83	80	68	64	25	22	9	1	3	2
28	49	39	44	38	46	52	56	65	49	33	19	12	1		3
1			1	1					2						4
1			1	1											5
									2						6
4	8	8	5	4	7	19	5	12	11	6	3		1		7
2	4	4	2	1	6	10	6	4	4	3	1				8
2	4	4	3	3	1	9	2	8	7	3	2		1		9
															10
															11
			1												12
1															
															13
		2			1	1	1		1	1					14
		1		1		1									
						1	2		1	1					15
						2		4	2		1		1		
	2	2	1		1		1		1						16
1	1	1	3			2		1							
							1								17
	2	1				2			1		1				
															18
								1							
	1			1		2				1	1				19
						1	1		1						
						2	1	1							20
								1		1					
					3	1									21
		1						1	2						
															22
															23
1															24
					1										25
	1					2		1							26
							1								
1						1									27
	1														
															28
								2	1						29
				2	1	1			1	2					
	2	1		2	1	1	3	1				1		1	30
	1	1		2	1	1	2	1						1	31
	1						1					1			32
		1		2			1								33
	1						1								
															34
							1								35
	1				1	1		1						1	36
															37
												1			
1				1		2	3	14	11	15	16	11	1		38
1						2	1	7	4	6	10	5	1		39
				1			2	7	7	9	6	6			40
						1	1	4	3	6	9	5	1		41
							2	5	6	8	6	5			
															42
															43
1						1		3	1		1				44
				1				2	1	1		1			
															45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN FRANCE (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		330	9	4	1	1	1	16	2		6	21	22
2	Males		179	7	3	1	1		12	1		3	11	8
3	Females		151	2	1			1	4	1		3	10	14
4	Anemia	M	4	1					1					
		F	2											
5	Diabetes	M	6											1
		F	7											
6	Rheumatism	M	5											
		F	4											
7	Scrofula and tabes	M	3	2	1				3					
		F	1											
8	Hydrocephalus	M	5	1	1	1			3			1		
		F	4	1				1	2	1				
9	Tuberculosis, general	M												
		F	2		1				1					
10	Consumption	M	111	3	1		1		5	1		2	11	7
		F	74	1					1			3	10	12
11	Cancer	M	42											
		F	51											2
12	Tumor	M	2											
		F	3											
13	Dropsy	M												
		F	2											
14	Others of this group	M	1											
		F	1											
15	2. Diseases of the nervous system		222	18	9	3	3	1	34	4	1		2	2
16	Males		119	7	4	1	2	1	15	3			2	2
17	Females		103	11	5	2	1		19	1	1			
18	Inflammation of the brain	M	1	1					1					
		F	2	1					1		1			
19	Meningitis	M	15	2		1	2	1	6	2			1	
		F	13	3	3	1	1		8	1				
20	Apoplexy	M	51											
		F	44											
21	Paralysis	M	16											
		F	19											
22	Paralysis, general (of insane)	M	2											
		F	1											
23	Tetanus and trismus nascentium	M	3	1					1					
		F												
24	Chorea	M												
		F												
25	Epilepsy	M	3											1
		F												
26	Convulsions	M	6	3	3				6					
		F	9	6	2	1			9					
27	Mental diseases	M	2											
		F												
28	Diseases of the brain	M	15		1				1	1			1	1
		F	10											
29	Diseases of the spinal cord	M	1											
		F	2											
30	Locomotor ataxia	M	2											
		F												
31	Others of this class	M	2											
		F	2	1					1					
32	3. Diseases of the circulatory system		177	2					2	2	3	2	4	7
33	Males		110							2		2	3	6
34	Females		67	2					2		3		1	1
35	Pericarditis	M	1							1				
		F	1											
36	Diseases of the heart	M	96							1		2	3	5
		F	61	2					2		3		1	1
37	Angina pectoris	M	5											
		F	1											
38	Diseases of the arteries	M	2											
		F	3											
39	Aneurism	M	5											1
		F												
40	Embolism	M	1											
		F	1											
41	Others of this class	M												
		F												

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN FRANCE (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
26	36	32	29	20	35	28	22	17	11	5	1	1			1
17	16	21	11	14	18	15	13	9	6	2	1	1			2
9	20	11	18	6	17	13	9	8	5	3					3
	1			1	1										4
					1					1					
						1	3	1							5
		1	1		2	1	1	1							
					1		1	1	2						6
1	1	1			1										
	1														7
		1													8
									1						
					1										9
17	12	18	6	7	12	6	2	3	1			1			10
7	15	6	9	8	3	1	2	1	1						
	2	2	4	5	4	8	7	4	3	2	1				11
1	3	3	8	3	9	10	4	4	2	2					
	1		1												12
						1	1	1							
							1		1						13
				1											14
								1							
2	10	11	10	14	15	18	25	23	30	12	8	1			15
2	7	8	7	7	10	10	15	7	19	3	2				16
	3	3	3	7	5	8	10	16	11	9	6	1			17
															18
											1				
1	1	2	1				1								19
		1	1			1		1							
	2	5	2	2	3	5	10	5	12	3	2				20
			2	3	4	4	7	9	9	4	2				
	2	1	2	1	2	2	1	1	4						21
	2	1		1	1	1	2	3	2	3	2	1			
1			1												22
		1													
				1			1								23
															24
				1	1										25
															26
							1		1						27
	1		1		3	2	1	1	2						28
	1			2		2	1	3			1				
	1														29
				1						1					
				2											30
					1	1									31
										1					
6	6	8	7	16	15	18	21	23	17	8	8	3		1	32
3	4	8	4	11	10	12	10	15	10	4	5	2		1	33
3	2	2	3	5	5	6	11	8	7	4	3	1			34
															35
							1								
2	1	6	3	9	8	12	9	14	10	3	5	2		1	36
3	2	2	2	5	5	6	10	7	6	3	2	1			
	2		1		1					1					37
			1												
				1				1							38
									1	1	1				
	1			1	1		1								39
1															40
								1							
															41

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN FRANCE (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		209	34	17	5	1	1	58	2	2	1	3	8
2	Males		122	21	11	3	1	1	37	1	2	1	2	5
3	Females		87	13	6	2			21	1	1		1	3
4	Croup	M												
		F	1		1				1					
5	Pneumonia	M	82	10	9	2		1	22		1	1	1	3
		F	64	6	4	2			12	1	1		1	3
6	Laryngitis	M	1								1			
		F												
7	Bronchitis	M	23	11	2	1	1		15	1				1
		F	16	6	1				7					
8	Pleurisy	M	1										1	
		F	1											
9	Asthma	M	6											1
		F												
10	Others of this class	M	9											
		F	5	1					1					
11	5. Diseases of the digestive system		133	9	2	2			13	3	3	4	6	4
12	Males		75	6		1			7	3	2	3	2	2
13	Females		58	3	2	1			6		1	1	4	2
14	Dentition	M												
		F	1		1				1					
15	Angina	M	1											
		F												
16	Gastritis	M	8											
		F	5		1				1					
17	Diseases of the stomach	M	4											
		F												
18	Obstruction of the bowels	M	5	1		1			2	1				1
		F	6	2		1			3					
19	Appendicitis	M	5							1	1			
		F	6								1			1
20	Hernia	M	2											
		F												
21	Other diseases of the bowels	M	2	1					1					
		F	2											
22	Jaundice	M	1											
		F	3										1	
23	Inflammation and abscess of the liver.	M	4											1
		F	1											
24	Other diseases of the liver	M	24										1	
		F	20										1	1
25	Peritonitis	M	8							1	1	1	1	
		F	11	1					1			1	2	
26	Ascites	M	1											
		F												
27	Others of this class	M	10	4					4			2		
		F	3											
28	6. Diseases of the urinary system and male organs of generation.		144										2	2
29	Males		92										2	
30	Females		52											2
31	Bright's disease	M	73										2	
		F	45											
32	Calculus, urinary	M												
		F												
33	Diseases of the kidney	M	2											
		F	2											
34	Diseases of the bladder	M	10											
		F	1											
35	Others of this class	M	7											
		F	4											2
36	7. Diseases of the female organs of generation.		8											
37	Ovarian tumors		4											
38	Ovarian diseases													
39	Diseases of the tubes		1											
40	Uterine tumors		3											
41	Uterine diseases													
42	Others of this class													

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN FRANCE (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
10	15	9	7	11	17	13	18	17	11	8	2	1			1
6	5	6	4	8	10	9	9	8	7	1	1				2
4	10	3	3	8	7	4	9	9	4	2	1	1			3
															4
5	4	6	4	5	7	7	7	5	3	1					5
3	9	2	1	2	6	3	6	7	4	2		1			
															6
					1	1	1	2	1						7
1		1			1	1	2	2			1				
			1												8
					1	1			2		1				9
1	1			8	1		1	1	1						10
	1		1	1			1								
9	8	13	7	8	16	12	13	6	3	3		2			11
5	3	6	5	5	9	8	10	3	2	2		1			12
4	5	7	2	3	7	7	3	3	1	1		1			13
															14
										1					15
			1	2	2	2		1							16
					1	1		1	1						
	1		1		1		1								17
1															18
						2	1								
		1		1			1								19
1	1	1		1											
						1						1			20
		1													21
			1					1							
							1								22
							1					1			
1				1			1								23
1															
1	2	3	2	1	6	2	4	1	1						24
	2	5		1	5	2	1	1		1					
1		1					1	1							25
2	2		1		1	1									
										1					26
1			1				1		1						27
		1		1		1									
1	6	7	19	18	18	17	19	16	12	5	1	1			28
	3	3	10	13	14	13	11	11	8	3	1				29
1	3	4	9	5	4	4	8	5	4	2		1			30
	2	3	7	11	10	12	9	9	6	2					31
1	2	4	9	5	3	4	6	5	3	2		1			
															32
				1				1							33
	1				1										
	1		1	1	2	1	2	1			1				34
							1								
			2		2				2	1					35
							1		1						
2		1	1	2				1	1						36
1		1		1				1							37
															38
1															39
			1	1					1						40
															41
															42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN FRANCE (WHITE)—Continued.

	CAUSE OF DEATH	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	**8.** Affections connected with pregnancy	7											1
2	Abortion												
3	Childbirth	3											
4	Puerperal septicemia	3											
5	Extra-uterine pregnancy												
6	Others of this class	1											1
7	**9.** Diseases of the bones and joints	2											1
8	Males	1											
9	Females	1											1
10	Diseases of the spine M	1											
	F												
11	Abscess, lumbar and psoas M												
	F												
12	Diseases of the bones M												
	F	1											1
13	Diseases of the hip-joint M												
	F												
14	Others of this class M												
	F												
15	**10.** Diseases of the skin	3											
16	Males	3											
17	Females												
18	Abscess M	1											
	F												
19	Carbuncle M	1											
	F												
20	Others of this class M	1											
	F												
21	**11.** Diseases of the absorbent system												
22	Males												
23	Females												
24	Addison's disease M												
	F												
25	Diseases of the spleen M												
	F												
26	Others of this class M												
	F												
27	**12.** Accidents and injuries	79	1			2		3	3	2		3	8
28	Males	62				1		1	2	2		1	6
29	Females	17	1			1		2	1			2	2
30	Burns and scalds M	1											
	F	3				1		1	1				
31	Drowning M	8								1			1
	F												
32	Exposure and neglect M												
	F												
33	Gunshot wounds M	2											1
	F	1										1	
34	Homicide M	1											
	F	1											
35	Infanticide M												
	F												
36	Injuries by machinery M												
	F												
37	Railroad accidents M	10				1		1					1
	F	1											
38	Suffocation M												
	F	1	1					1					
39	Suicide by shooting M	9											1
	F												
40	Suicide by drowning M												
	F												
41	Suicide by poison M	5										1	
	F	1										1	
42	Other suicides M	5											
	F	2											
43	Sunstroke M	1											
	F												
44	Surgical operations M												
	F												
45	Wounds M	2											
	F												
46	Others of this class M	18							2	1			2
	F	7											2

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN FRANCE (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2	1	3													1
															2
1		2													3
1	1	1													4
															5
															6
1															7
1															8
															9
1															10
															11
															12
															13
															14
					1				2						15
					1				2						16
															17
									1						18
					1										19
									1						20
															21
															22
															23
															24
															25
															26
8	2	12	5	10	3	7	4	3	2	1	2			1	27
7	2	11	3	7	3	6	3	3	2	1	1			1	28
1		1	2	3		1	1				1				29
					1										30
			1												
2		1		1		1		1							31
															32
					1										33
				1											34
1															35
															36
2	2	2						1						1	37
							1								38
2		1	1	3			1								39
															40
		1				1	1	1							41
		1		1		2				1					42
		1									1				
											1				43
															44
		1		1											45
1		4	2		1	2	1		2						46
			1	3		1									

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN HUNGARY (WHITE).

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		1,446	530	169	54	29	24	806	44	14	30	65	77
2	Males		812	296	92	27	14	11	440	22	6	11	34	45
3	Females		634	234	77	27	15	13	366	22	8	19	31	32
4	Unknown cause		8	4	2				6					
5	Males		3	2	1				3					
6	Females		5	2	1				3					
7	1. General diseases. General diseases—A		338	167	61	17	5	11	261	17	2	6	16	8
8	Males		184	82	32	11	2	7	134	11	1	1	10	7
9	Females		154	85	29	6	3	4	127	6	1	5	6	1
10	Measles	M	5	3	2				5					
		F	7	2	4	1			7					
11	Scarlet fever	M	12	2	3	2	1	2	10	2				
		F	5			1			1	2	1	1		
12	Diphtheria	M	24	1	7	6	1	5	20	3	1			
		F	19	1	10	3		2	16	3				
13	Whooping cough	M	4	2	2				4					
		F	5	2	2		1		5					
14	Malarial fever	M												
		F	1									1		
15	Influenza	M	2							1				
		F												
16	Typhoid fever	M	23							2		1	9	5
		F	7	1					1			1	4	
17	Cholera morbus	M	3	1					1					
		F	3	1	1				2					
18	Colitis	M												
		F	2	1	1				2					
19	Diarrhea	M	5	3					3					
		F	9	5	3				8					
20	Dysentery	M	5	1	2				3	1				
		F	2	2					2					
21	Enteritis	M	52	39	11	1			51					
		F	43	31	7	1		1	40	1				
22	Cholera infantum	M	31	25	4	1			30					
		F	38	36	1		1		38					
23	Fever	M	1	1					1					
		F												
24	Cerebro-spinal fever	M	6	1	1	1			3	2				1
		F	2	1				1	2					
25	Smallpox	M												
		F												
26	Erysipelas	M	5	2					2					
		F	7	2					2			2	1	
27	Septicemia	M	4	1					1				1	1
		F	3				1		1				1	
28	Venereal diseases	M												
		F	1											1
29	Others of this group	M	2											
		F												
30	General diseases—B		27	20	2	1			23					1
31	Males		17	11	2				13					1
32	Females		10	9		1			10					
33	Alcoholism	M	4											1
		F												
34	Parasitic diseases	M												
		F												
35	Lead poison	M												
		F												
36	Other poisons	M												
		F												
37	Inanition	M	13	11	2				13					
		F	10	9		1			10					
38	General diseases—C		93	77	3	1			81			1		1
39	Males		51	43	2				45			1		
40	Females		42	34	1	1			36					1
41	Old age	M	3											
		F	4											
42	Premature birth	M	12	12					12					
		F	14	14					14					
43	Malformation	M	6	6					6					
		F	1	1					1					
44	Debility and atrophy	M	28	23	2				25			1		
		F	20	16	1	1			18					1
45	Others of this group	M	2	2					2					
		F	3	3					3					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN HUNGARY (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
68	81	55	43	36	32	30	18	17	7	9	8	1		5	1
45	50	38	21	24	15	21	11	9	4	6	6			4	2
23	31	17	22	12	17	9	7	8	3	3	2	1		1	3
1			1												4
															5
1			1												6
3	5	5	3	3	2	3		2		1				1	7
3	4	2	2	1	2	3		1		1				1	8
	1	3	1	2				1							9
															10
															11
															12
															13
															14
						1									15
2	1	2	1												16
		1													
						2									17
	1														
															18
				1	1										19
								1							
										1					20
	1														21
		1	1												
														1	22
															23
															24
															25
	1		1		1										26
				2											
1															27
		1													
															28
	1							1							29
	1			2											30
	1			2											31
															32
	1			2											33
															34
															35
															36
															37
					1	1	2		1	2	2	1			38
					1	1	2				1				39
									1	2	1	1			40
							2				1				41
									1	2		1			
															42
															43
					1	1									44
											1				
															45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN HUNGARY (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.												
1	General diseases—D	164	17	7	4	4	1	33	6	4	7	8	23
2	Males	93	10	4	3	2	1	20		2	3	5	14
3	Females	71	7	3	1	2		13	6	2	4	3	9
4	Anemia M	1	1					1					
	Anemia F												
5	Diabetes M	1											
	Diabetes F	2								1			
6	Rheumatism M	1											
	Rheumatism F	1											
7	Scrofula and tabes M												
	Scrofula and tabes F												
8	Hydrocephalus M	12	6	2	3	1		12					
	Hydrocephalus F	8	1	3	1	2		7	1				
9	Tuberculosis, general M	3	1					1					
	Tuberculosis, general F	1	1					1					
10	Consumption M	68	2	2		1	1	6		2	3	3	14
	Consumption F	37	4					4	4	1	3	8	8
11	Cancer M	5											
	Cancer F	19											1
12	Tumor M	2										2	
	Tumor F	1									1		
13	Dropsy M												
	Dropsy F												
14	Others of this group M												
	Others of this group F	2	1					1	1				
15	2. Diseases of the nervous system	135	62	16	3		3	84	3	1	2		3
16	Males	78	42	9			1	52	2	1	1		1
17	Females	57	20	7	3		2	32	1		1		2
18	Inflammation of the brain M												
	Inflammation of the brain F												
19	Meningitis M	14	8	4				12	1				
	Meningitis F	15	5	2	1		2	10	1		1		1
20	Apoplexy M	11		1				1					
	Apoplexy F	16	1					1					
21	Paralysis M	5					1	1					
	Paralysis F	3											
22	Paralysis, general (of insane) M	1											
	Paralysis, general (of insane) F												
23	Tetanus and trismus nascentium M	4	3					3		1			
	Tetanus and trismus nascentium F	1	1					1					
24	Chorea M												
	Chorea F												
25	Epilepsy M	1									1		
	Epilepsy F												
26	Convulsions M	34	29	3				32					
	Convulsions F	21	13	5	2			20					1
27	Mental diseases M	1											1
	Mental diseases F	1											
28	Diseases of the brain M	6	2					2	1				
	Diseases of the brain F												
29	Diseases of the spinal cord M	1		1				1					
	Diseases of the spinal cord F												
30	Locomotor ataxia M												
	Locomotor ataxia F												
31	Others of this class M												
	Others of this class F												
32	3. Diseases of the circulatory system	68	11			1		12	8	2	1	8	6
33	Males	29	6					6	2				2
34	Females	39	5			1		6	1	2	1	3	4
35	Pericarditis M												
	Pericarditis F												
36	Diseases of the heart M	26	5					5	2				2
	Diseases of the heart F	35	5			1		6	1	2	1	3	4
37	Angina pectoris M	1											
	Angina pectoris F	2											
38	Diseases of the arteries M												
	Diseases of the arteries F	1											
39	Aneurism M												
	Aneurism F												
40	Embolism M	1											
	Embolism F	1											
41	Others of this class M	1	1					1					
	Others of this class F												

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN HUNGARY (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
14	22	15	8	7	7	4	4	1		1					1
12	9	11	5	4	3	2	1	1		1					2
2	13	4	3	3	4	2	3								3
															4
		1													
	1														5
										1					6
			1												
															7
															8
		1		1											
															9
12	9	8	4	2	2	1	1	1							
2	8	2	1	1											10
		1	1	1	1	1									
	4	2	1	2	4	2	3								11
															12
															13
															14
4	7	1	3	3	4	4	1	8	4	1	1			1	15
2	4	1	1		1	3	1	3	3	1	1				16
2	3		2	3	3	1		5	1					1	17
															18
						1									
1								1							19
1					1	1		3	3	1					
	2		2	3	2	1		4	1						20
	3		1												
1					1									1	21
	1														
															22
															23
															24
															25
		1				1									
															26
	1														27
1							1				1				
															28
															29
															30
															31
3	4	7	8	4	3	2	6	2		1	1				32
1	2	5	3	3		1	3	1							33
2	2	2	5	1	3	1	3	1		1	1				34
															35
	1	5	3	3		1	3	1							
2	2	2	4	1	2	1	2	1		1					36
1															
			1		1										37
											1				38
															39
	1														40
							1								
															41

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN HUNGARY (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	342	140	70	24	16	5	255	6	1	4	8	9
2	Males	196	83	39	10	8	1	141	3		1	3	6
3	Females	146	57	31	14	8	4	114	3	1	3	5	3
4	Croup M	5		1		2	1	4	1				
	Croup F	6	1	1		2	1	5	1				
5	Pneumonia M	150	56	33	10	5		104	2		1	3	5
	Pneumonia F	121	46	26	12	6	2	92	1		3	5	3
6	Laryngitis M	1				1		1					
	Laryngitis F												
7	Bronchitis M	24	19	3				22					
	Bronchitis F	15	8	4	1		1	14	1				
8	Pleurisy M	4	1	1				2					
	Pleurisy F	1			1			1					
9	Asthma M												
	Asthma F												
10	Others of this class M	12	7	1				8					1
	Others of this class F	3	2					2		1			
11	5. Diseases of the digestive system	81	19	6				25	5	1		3	5
12	Males	41	8	2				10	2			1	1
13	Females	40	11	4				15	3	1		2	4
14	Dentition M												
	Dentition F	2	1	1				2					
15	Angina M												
	Angina F	1							1				
16	Gastritis M	4	3					3					
	Gastritis F	5	3					3					
17	Diseases of the stomach M	4											
	Diseases of the stomach F	2	1	1				2					
18	Obstruction of the bowels M	2											
	Obstruction of the bowels F	4							1				
19	Appendicitis M	4							1				1
	Appendicitis F	2		1				1					
20	Hernia M	3										1	
	Hernia F												
21	Other diseases of the bowels M												
	Other diseases of the bowels F												
22	Jaundice M	4	1	1				2					
	Jaundice F	5	5					5					
23	Inflammation and abscess of the liver. M	2											
	Inflammation and abscess of the liver. F	2											
24	Other diseases of the liver M	5											
	Other diseases of the liver F	5											
25	Peritonitis M	9	2					2	1				
	Peritonitis F	9								1		2	4
26	Ascites M	1											
	Ascites F												
27	Others of this class M	3	2	1				3					
	Others of this class F	3	1	1				2	1				
28	6. Diseases of the urinary system and male organs of generation.	56	2	2	1	1	3	9			3	2	3
29	Males	30	2	1	1	1	1	6					
30	Females	26		1			2	3			3	2	3
31	Bright's disease M	16											
	Bright's disease F	20									3	2	2
32	Calculus, urinary M												
	Calculus, urinary F												
33	Diseases of the kidney M	5	1	1	1	1	1	5					
	Diseases of the kidney F	2					2	2					
34	Diseases of the bladder M	2											
	Diseases of the bladder F												
35	Others of this class M	7	1					1					
	Others of this class F	4		1				1					1
36	7. Diseases of the female organs of generation.	5										1	1
37	Ovarian tumors												
38	Ovarian diseases												
39	Diseases of the tubes	2										1	1
40	Uterine tumors												
41	Uterine diseases												
42	Others of this class	3											

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN HUNGARY (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
9	13	7	6	7	6	5	1	2		2	1				1
5	12	4	3	6	4	3	1	1		2	1				2
4	1	3	3	1	2	2		1							3
															4
5	10	2	3	6	3	3		1		1	1				5
4	1	3	3	1	2	2		1							
															6
		1								1					7
		1			1										8
															9
	2						1								10
7	5	6	8	5	5	3	2			1					11
5	4	3	5	4	1	3	1			1					12
2	1	3	3	1	4		1								13
															14
															15
	1														16
1		1													
1	1		1			1									17
			2												18
			2		1										
1				1											19
		1													
		1								1					20
															21
				2											22
2															23
					2										
			1	1		2	1								24
1			1	1	1		1								
1	2	2			1										25
	1	1													
			1												26
															27
6	7		3	3	4	7	2	2	2		3				28
3	3			3	3	4	2	2	1		3				29
3	4		3		1	3			1						30
2	2			1	3	3	1	2			2				31
3	3		2		1	3			1						
															32
															33
							1				1				34
1	1			2		1			1						35
	1		1												
2	1														36
															37
															38
															39
															40
															41
															42
2	1														

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN HUNGARY (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	17										6	2
2	Abortion												
3	Childbirth	4										1	1
4	Puerperal septicemia	11										5	1
5	Extra-uterine pregnancy	1											
6	Others of this class	1											
7	9. Diseases of the bones and joints	1	1					1					
8	Males												
9	Females	1	1					1					
10	Diseases of the spine M												
	F												
11	Abscess, lumbar and psoas M												
	F												
12	Diseases of the bones M												
	F	1	1					1					
13	Diseases of the hip-joint M												
	F												
14	Others of this class M												
	F												
15	10. Diseases of the skin	3										1	
16	Males												
17	Females	3										1	
18	Abscess M												
	F	2										1	
19	Carbuncle M												
	F												
20	Others of this class M												
	F	1											
21	11. Diseases of the absorbent system	3	2					2					
22	Males	3	2					2					
23	Females												
24	Addison's disease M	1											
	F												
25	Diseases of the spleen M												
	F												
26	Others of this class M	2	2					2					
	F												
27	12. Accidents and injuries	105	8		3	2	1	14	4	3	6	17	15
28	Males	87	5		2	1		8	2	2	4	15	13
29	Females	18	3		1	1	1	6	2	1	2	2	2
30	Burns and scalds M	10	2		2	1		5				2	
	F	8	2		1		1	4	2	1			
31	Drowning M	4							1	1		1	1
	F	1				1		1					
32	Exposure and neglect M												
	F												
33	Gunshot wounds M	6											3
	F												
34	Homicide M	3											1
	F												
35	Infanticide M												
	F												
36	Injuries by machinery M	1										1	
	F												
37	Railroad accidents M	27	1					1	1	1	4	5	8
	F	2											2
38	Suffocation M	1	1					1					
	F	1	1					1					
39	Suicide by shooting M	2											1
	F												
40	Suicide by drowning M												
	F												
41	Suicide by poison M	1											
	F	1										1	
42	Other suicides M	4											
	F	1									1		
43	Sunstroke M	1											
	F												
44	Surgical operations M												
	F												
45	Wounds M	1											
	F												
46	Others of this class M	26	1					1				5	4
	F	4									1	1	

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN HUNGARY (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4	3	1	1												1
															2
	1		1												3
3	1	1													4
	1														5
1															6
															7
															8
															9
															10
															11
															12
															13
															14
1	1														15
															16
1	1														17
	1														18
															19
1															20
	1														21
	1														22
															23
	1														24
															25
															26
14	11	13	2	2		1								3	27
14	10	12	2	1		1								3	28
	1	1		1											29
1	1		1												30
	1														
															31
															32
1	1	1													33
1	1														34
															35
															36
4	3	3												2	37
															38
1															39
															40
														1	41
1		3													42
1															43
															44
	1														45
4	3	5	1	1		1									46
		1		1											

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN BOHEMIA (WHITE).

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	1,169	317	78	41	28	14	478	43	22	34	45	64
2	Males	648	189	42	25	13	9	278	20	7	15	27	34
3	Females	521	128	36	16	15	5	200	23	15	19	18	30
4	Unknown cause	7	4					4					
5	Males	3	2					2					
6	Females	4	2					2					
	1. General diseases.												
7	General diseases—A	218	97	29	11	12	5	154	17	5	8	3	8
8	Males	123	54	15	6	6	4	85	7	[illegible]	4	2	4
9	Females	95	43	14	5	6	1	69	10	3	4	1	4
10	Measles M	2		1	1			2					
	Measles F	4	3	1				4					
11	Scarlet fever M	5				3	1	4	1				
	Scarlet fever F	6		1	1	1		3	2		1		
12	Diphtheria M	15		2	1	2	3	8	6		1		
	Diphtheria F	18	1	2		5	1	9	7	2			
13	Whooping cough M	4	3	1				4					
	Whooping cough F	4	1	1	2			4					
14	Malarial fever M	2		2				2					
	Malarial fever F												
15	Influenza M	4											
	Influenza F	1											
16	Typhoid fever M	15								[illegible]	3	1	2
	Typhoid fever F	5									2		2
17	Cholera morbus M	1											
	Cholera morbus F												
18	Colitis M	1											
	Colitis F												
19	Diarrhea M	12	9		2			11					
	Diarrhea F	7	5	1				6	1				
20	Dysentery M	2			1			1					
	Dysentery F												
21	Enteritis M	25	19	4				23					
	Enteritis F	24	15	5	1			21				1	1
22	Cholera infantum M	29	23	5	1			29					
	Cholera infantum F	18	15	3				18					
23	Fever M												
	Fever F	1	1					1					
24	Cerebro-spinal fever M												
	Cerebro-spinal fever F	2			1			1			1		
25	Smallpox M												
	Smallpox F												
26	Erysipelas M												
	Erysipelas F	2	2					2					
27	Septicemia M	6				1		1				1	2
	Septicemia F	2								1			1
28	Venereal diseases M												
	Venereal diseases F												
29	Others of this group M												
	Others of this group F	1											
30	General diseases—B	34	25	2				27					
31	Males	24	15	2				17					
32	Females	10	10					10					
33	Alcoholism M	4											
	Alcoholism F												
34	Parasitic diseases M	1		1				1					
	Parasitic diseases F												
35	Lead poison M												
	Lead poison F												
36	Other poisons M	1											
	Other poisons F												
37	Inanition M	18	15	1				16					
	Inanition F	10	10					10					
38	General diseases—C	97	49		2			51		1			1
39	Males	49	32		1			33					
40	Females	48	17		1			18		1			1
41	Old age M	8											
	Old age F	21											
42	Premature birth M	18	18					18					
	Premature birth F	5	5					5					
43	Malformation M	1	1					1					
	Malformation F	2	2					2					
44	Debility and atrophy M	21	12		1			13					
	Debility and atrophy F	19	9		1			10		1			1
45	Others of this group M	1	1					1					
	Others of this group F	1	1					1					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN BOHEMIA (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
49	53	53	37	45	46	53	53	30	30	17	8	4	2	3	1
30	34	35	24	28	30	22	27	14	9	6	5			3	2
19	19	18	13	17	16	31	26	16	21	11	3	4	2		3
1	1			1											4
				1											5
1	1														6
3	2	2	2	2	4		2	2	1	1	2				7
	1	2	2	2	3		1	2		1	2				8
	1				1		1		1						9
															10
															11
															12
															13
															14
				1				1		1	1				15
					1										
3	1	1	1				1								16
	1														
					1										17
					1										18
								1							19
		1													20
			1								1				21
									1						
															22
															23
															24
															25
															26
				1	1										27
															28
															29
							1								
	1	1		1			4								30
	1	1		1			4								31
															32
	1	1		1			1								33
															34
															35
							1								36
							2								37
1		1		1	2	5	3	4	9	10	4	2	1	1	38
1		1			1	1	3	2	2	2	2			1	39
				1	1	4		2	7	8	2	2	1		40
						1	2	2	1	1	1				41
						3		2	6	7	1	2			
															42
															43
1		1			1		1		1	1	1			1	44
				1	1	1			1	1	1		1		
															45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN BOHEMIA (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		185	2	[illegible]	2		3	10	3	1	10	27	24
2	Males		108	1	1	2		3	7	2		4	17	15
3	Females		77	1	2				3	1	1	6	10	[illegible]
4	Anemia	M												
		F												
5	Diabetes	M	2											
		F	2							1				
6	Rheumatism	M	1											
		F	3									1		
7	Scrofula and tabes	M	1										1	
		F												
8	Hydrocephalus	M	7	1		2			3	2			2	
		F	2		2				2					
9	Tuberculosis, general	M	1					1	1					
		F												
10	Consumption	M	72		1			1	2			4	14	15
		F	42	1					1		1	5	10	[illegible]
11	Cancer	M	18											
		F	22											
12	Tumor	M	1											
		F	1											
13	Dropsy	M	4											
		F	4											
14	Others of this group	M	1					1	1					
		F	1											
15	2. Diseases of the nervous system		152	58	10	10	2	1	81	2	4	3	2	9
16	Males		82	33	6	5	1	1	46		1	3	1	[illegible]
17	Females		70	25	4	5	1		35	2	3		1	3
18	Inflammation of the brain	M	1	1					1					
		F												
19	Meningitis	M	17	5	4	1		1	11			1		2
		F	12	1	1	3	1		6		3			2
20	Apoplexy	M	18	2					2		1	1		1
		F	18											
21	Paralysis	M	4											
		F	2											
22	Paralysis, general (of insane)	M												
		F												
23	Tetanus and trismus nascentium	M	1									1		
		F	1	1					1					
24	Chorea	M												
		F												
25	Epilepsy	M	2											1
		F												
26	Convulsions	M	33	25	2	3	1		31					1
		F	28	23	1	2			26	1				1
27	Mental diseases	M	1											1
		F	[illegible]											
28	Diseases of the brain	M	1											
		F	[illegible]		2				2	1				
29	Diseases of the spinal cord	M	1										1	
		F												
30	Locomotor ataxia	M	3			1			1					
		F												
31	Others of this class	M												
		F	2										1	
32	3. Diseases of the circulatory system		67	2		1	1	1	5	3	1	3	2	2
33	Males		34	2		1			3	2		1	1	1
34	Females		33				1	1	2	1	1	2	1	1
35	Pericarditis	M	2										1	
		F	4					1	1				1	
36	Diseases of the heart	M	30	1		1			2	2		1		
		F	28				1		1	1	1	2		1
37	Angina pectoris	M	1											1
		F												
38	Diseases of the arteries	M												
		F												
39	Aneurism	M												
		F												
40	Embolism	M												
		F	1											
41	Others of this class	M	1	1					1					
		F												

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN BOHEMIA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
18	16	17	[illegible]	11	12	11	6	3	7						1
11	10	12	[illegible]	7	9	3	2	1	2						2
7	6	5	3	4	3	8	4	2	5						3
															4
	2														5
1							1								6
	1					1									7
															8
															9
10	8	11	3	1	[illegible]	1									10
5	4	1	2	2			1	1							
			3	5	5	1	2	1	1						11
2		4		2	3	7	2	1	1						
					1										12
									1						
		1		1		1			1						13
			1						3						
															14
	1														
3	2	6	4	11	4	6	5	4	2			1	1	2	15
1	2	5	3	5		4	1	1	1					2	16
2		1	1	6	4	2	4	3	1			1	1		17
															18
			2	1											19
1															
	1	3		3		3	1		1					1	20
1			1	4	3	2	3	2				1	1		
		2		1		1									21
				1			1								
															22
															23
															24
	1														25
														1	26
															27
					1			1	1						
1															28
		1													
															29
			1					1							30
															31
				1											
2	6	2	4	3	5	6	11	8	1	2	1				32
1	4	1	3	2	4	1	5	3	1	1					33
1	2	1	1	1	1	5	6	5		1	1				34
					1										35
							2								
1	4	1	3	2	3	1	5	3	1	1					36
1	2	1	1	1	1	5	4	5		1					
															37
															38
															39
											1				40
															41

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN BOHEMIA (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	**4.** Diseases of the respiratory system	212	49	31	12	12	2	106	9	5	3	2	8
2	Males	116	29	17	8	5		59	4	1		2	2
3	Females	96	20	14	4	7	2	47	5	4	3		6
4	Croup M	3	1	1				2	1				
	Croup F	10	1	1	2	2	1	7	2	1			
5	Pneumonia M	86	20	12	8	5		45	3			2	1
	Pneumonia F	63	13	10	1	4	1	29	1	3	3		6
6	Laryngitis M	2	1	1				2					
	Laryngitis F	1							1				
7	Bronchitis M	12	6	3				9					
	Bronchitis F	17	5	3	1	1		10	1				
8	Pleurisy M	3											
	Pleurisy F												
9	Asthma M	5											
	Asthma F	2											
10	Others of this class M	5	1					1		1			1
	Others of this class F	3	1					1					
11	**5.** Diseases of the digestive system	81	29	1	1		1	32	2	2	2		4
12	Males	48	19					19	2	1			2
13	Females	33	10	1	1		1	13		1	2		2
14	Dentition M	1	1					1					
	Dentition F	2	2					2					
15	Angina M												
	Angina F	1					1	1					
16	Gastritis M	6	3					3					1
	Gastritis F	2											
17	Diseases of the stomach M												
	Diseases of the stomach F	3		1				1					
18	Obstruction of the bowels M	4											
	Obstruction of the bowels F	2											1
19	Appendicitis M	4							1	1			
	Appendicitis F	2								1			
20	Hernia M												
	Hernia F												
21	Other diseases of the bowels M	1	1					1					
	Other diseases of the bowels F												
22	Jaundice M	1	1					1					
	Jaundice F	1	1					1					
23	Inflammation and abscess of the liver. M	4											
	Inflammation and abscess of the liver. F	1											
24	Other diseases of the liver M	8											1
	Other diseases of the liver F	6											
25	Peritonitis M	2											
	Peritonitis F	4									2		1
26	Ascites M												
	Ascites F												
27	Others of this class M	17	13					13	1				
	Others of this class F	9	7		1			8					
28	**6.** Diseases of the urinary system and male organs of generation.	50					1	1	2	1	1	1	4
29	Males	16					1	1	1			1	1
30	Females	34							1	1	1		3
31	Bright's disease M	14							1			1	1
	Bright's disease F	30							1	1	1		3
32	Calculus, urinary M												
	Calculus, urinary F												
33	Diseases of the kidney M												
	Diseases of the kidney F	1											
34	Diseases of the bladder M												
	Diseases of the bladder F												
35	Others of this class M	2					1	1					
	Others of this class F	3											
36	**7.** Diseases of the female organs of generation.	1										2	1
37	Ovarian tumors												
38	Ovarian diseases												
39	Diseases of the tubes	1											
40	Uterine tumors	1											1
41	Uterine diseases	1										1	
42	Others of this class	1										1	

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN BOHEMIA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
7	14	5	7	4	5	11	11	5	6	3		1			1
4	11	2	4	2	5	7	7	2	2	2					2
3	3	3	3	2		4	4		4	1		1			3
															4
4	9	2	4	1	3	4	6			2					5
3	2	2	2	1		3	3	1	3			1			
															6
						1	1	1							7
	1	1	1			1			1						
	1				1	1									8
				1	1	1			2						9
								1		1					
	1							1							10
				1				1							
5	4	9	1	3	6	7	3	1							11
4	4	5	1	2	3	3	2								12
1		4		1	3	4	1	1							13
															14
															15
					1		1								16
					1			1							
		1					1								17
1	1	1				1									18
						1									
	1			1											19
					1										
															20
															21
															22
		2	1	1											23
						1									
1	2	2			1	1									24
1		2		1	1	1									
2															25
						1									
															26
					1	1	1								27
		1													
3	5	6	4	3	4	4	7	1	2	1					28
1	1	4	1	1	2		1	1							29
2	4	2	3	2	2	4	6		2	1					30
	1	4	1	1	2		1	1							31
2	3	1	3	2	1	4	5		2	1					
															32
															33
					1										
															34
1															35
	1	1					1								
			1												36
															37
															38
			1												39
															40
															41
															42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN BOHEMIA (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		7									1	2	
2	Abortion													
3	Childbirth													
4	Puerperal septicemia		3									1	1	
5	Extra-uterine pregnancy													
6	Others of this class		2										1	
7	9. Diseases of the bones and joints		2									1		
8	Males		2									1		
9	Females													
10	Diseases of the spine	M	1									1		
		F												
11	Abscess, lumbar and psoas	M												
		F												
12	Diseases of the bones	M												
		F												
13	Diseases of the hip-joint	M												
		F												
14	Others of this class	M	1											
		F												
15	10. Diseases of the skin		1									1		
16	Males		1									1		
17	Females													
18	Abscess	M												
		F												
19	Carbuncle	M	1									1		
		F												
20	Others of this class	M												
		F												
21	11. Diseases of the absorbent system													
22	Males													
23	Females													
24	Addison's disease	M												
		F												
25	Diseases of the spleen	M												
		F												
26	Others of this class	M												
		F												
27	12. Accidents and injuries		52	2	2	2	1		7	5	1	1	4	3
28	Males		42	2	1	2	1		6	2	2	1	3	3
29	Females		10		1				1	3			1	
30	Burns and scalds	M	3		1	1			2					
		F	5		1				1	3				
31	Drowning	M	4							1	1	1	1	
		F												
32	Exposure and neglect	M	1											
		F												
33	Gunshot wounds	M	1											
		F												
34	Homicide	M												
		F												
35	Infanticide	M												
		F												
36	Injuries by machinery	M												
		F												
37	Railroad accidents	M	4							1				
		F												
38	Suffocation	M	2	1			1		2					
		F												
39	Suicide by shooting	M	2											1
		F												
40	Suicide by drowning	M												
		F												
41	Suicide by poison	M	4										1	
		F	1											
42	Other suicides	M	7										1	1
		F	1											
43	Sunstroke	M	2	1		1			2					
		F	1										1	
44	Surgical operations	M	1											
		F												
45	Wounds	M												
		F												
46	Others of this class	M	11								1			1
		F	2											

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN BOHEMIA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2	2														1
															2
															3
1	2														4
															5
1															6
				1											7
				1											8
															9
															10
															11
															12
															13
				1											14
															15
															16
															17
															18
															19
															20
															21
															22
															23
															24
															25
															26
4		4	5	4	4	3	1	2	2		1				27
4		2	4	4	3	3	1	2	1		1				28
		2	1		1				1						29
		1													30
		1													
															31
			1												32
				1											33
															34
															35
															36
1				1				1							37
															38
1															39
															40
			1			2									41
			1												
1		1		1		1			1						42
		1													
															43
					1										44
															45
1			2	1	2		1	1			1				46
					1				1						

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN RUSSIA (WHITE).

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		5,487	1,939	695	295	151	87	3,167	198	90	137	191	218
2	Males		3,121	1,122	397	150	88	45	1,802	113	50	74	104	122
3	Females		2,366	817	298	145	63	42	1,365	85	40	63	87	96
4	Unknown cause		27	16	2			1	19			1	1	1
5	Males		19	12	1			1	14			1	1	
6	Females		8	4	1				5					1
	1. General diseases.													
7	General diseases—A		1,257	619	255	99	54	28	1,055	56	13	12	12	31
8	Males		664	324	140	42	30	8	544	28	8	6	7	23
9	Females		593	295	115	57	24	20	511	28	5	6	5	8
10	Measles	M	28	10	13	2	2		27	1				
		F	23	7	9	3	2	1	22		1			
11	Scarlet fever	M	51	6	10	10	10	5	41	7	3			
		F	40	3	8	11	5	6	33	6				
12	Diphtheria	M	90	15	32	19	12	2	80	9				
		F	114	14	32	31	10	9	96	12	2	3		1
13	Whooping cough	M	26	13	10	2			25	1				
		F	35	14	11	6	1	1	33	1	1			
14	Malarial fever	M	4	1					1					2
		F	2							1				1
15	Influenza	M	10	2	1		1		5	1				
		F	4		1				1	1				
16	Typhoid fever	M	36							2	2	4	4	14
		F	19	1	1		1	1	4	2		2	1	3
17	Cholera morbus	M	10	4	1		1		6					
		F	7	6					6					
18	Colitis	M	9	5	2				7					1
		F	7	5	1				6				1	
19	Diarrhea	M	22	16	4				20					
		F	16	13	1				14	1				
20	Dysentery	M	10	1	4				5	1				1
		F	6		2				2				1	
21	Enteritis	M	175	129	29	6	1		165	1	1			2
		F	163	116	31	4	2	1	154				1	2
22	Cholera infantum	M	119	93	23	2			118					
		F	108	91	16	1			108					
23	Fever	M	1											
		F												
24	Cerebro-spinal fever	M	35	12	8	1	3	1	25	5	2	1		
		F	14	4	2		2		8	2	1	1		
25	Smallpox	M												
		F	2	1					1	1				
26	Erysipelas	M	14	7	2				9					2
		F	16	13				1	14					
27	Septicemia	M	11	3	1				4				3	1
		F	11	4		1	1		6	1			1	
28	Venereal diseases	M	5	5					5					
		F	3	3					3					
29	Others of this group	M	8	1					1			1		
		F	3											1
30	General diseases—B		89	61	6		1		68	1		1	2	
31	Males		50	30	4		1		35				2	
32	Females		39	31	2				33	1		1		
33	Alcoholism	M	4											
		F												
34	Parasitic diseases	M												
		F												
35	Lead poison	M												
		F												
36	Other poisons	M	13		1		1		2				2	
		F	6	1					1			1		
37	Inanition	M	33	30	3				33					
		F	33	30	2				32	1				
38	General diseases—C		368	311	14	3	1		329				1	
39	Males		209	177	8	1	1		187					
40	Females		159	134	6	2			142				1	
41	Old age	M	17											
		F	14											
42	Premature birth	M	90	90					90					
		F	64	64					64					
43	Malformation	M	9	9					9					
		F	9	9					9					
44	Debility and atrophy	M	80	65	8	1	1		75					
		F	63	52	6	2			60				1	
45	Others of this group	M	13	13					13					
		F	9	9					9					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN RUSSIA (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
199	231	170	132	164	141	149	116	64	51	34	19	7	4	5	1
110	128	108	88	99	71	87	60	37	30	20	9	3	2	4	2
89	103	62	44	65	70	62	56	27	21	14	10	4	2	1	3
1			1		1	1				1					4
1			1		1										5
						1				1					6
6	19	7	10	12	7	3	2	4	2	1	1	3		1	7
5	7	5	5	10	5	1	1	3	2	1	1	1		1	8
1	12	2	5	2	2	2	1	1				2			9
															10
	1														11
				1											12
															13
	1														14
1						1	1			1					15
	1											1			
3	2	2		2	1										16
	4	1	2												
	1		1	1				1							17
1															
								1							18
								1	1						19
												1			
		1							1		1				20
	1		1	1											
		2	1	1	1							1			21
			1		1	2	1	1							
														1	22
			1												23
	1			1											24
	1				1										
															25
	1		1		1										26
		1	1												
				2	1										27
	2			1											
															28
1	1		1	2	1										29
	2														
3	7	1	3	2		1									30
2	5	1	2	2		1									31
1	2		1												32
1	1		1	1											33
															34
															35
1	4	1	1	1		1									36
1	2		1												
															37
		1			2	3	2	7	6	7	3	2	4	1	38
		1			1	1	1	4	3	5	2	1	2	1	39
					1	2	1	3	3	2	1	1	2		40
							1	4	8	5	1	1	2		41
						2	1	2	3	2	1	1	2		
															42
															43
		1			1	1					1			1	44
					1			1							
															45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN RUSSIA (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		691	65	30	19	14	8	136	15	8	36	55	59
2	Males		411	39	20	13	9	6	87	8	2	22	26	33
3	Females		280	26	10	6	5	2	49	7	6	14	29	26
4	Anemia	M	9				1	1	2	2			1	
		F	3									2		
5	Diabetes	M	13									1		2
		F	8							1				
6	Rheumatism	M	2											
		F	3									2		
7	Scrofula and tabes	M												
		F	3	2	1				3					
8	Hydrocephalus	M	61	21	13	11	5	3	53	5				
		F	36	15	7	4	3	1	30	3		2		
9	Tuberculosis, general	M	5		1				1				1	
		F	4	1					1			2		1
10	Consumption	M	233	13	6	1	3	2	25	1	2	18	21	30
		F	136	5	2	2	1	1	11	1	4	4	28	23
11	Cancer	M	69										2	
		F	71							2	2		1	1
12	Tumor	M	10			1			1			2	1	1
		F	7									1		1
13	Dropsy	M	1											
		F	3	1					1					
14	Others of this group	M	8	5					5			1		
		F	6	2			1		3			1		
15	2. Diseases of the nervous system		478	190	46	25	14	8	283	14	9	13	15	12
16	Males		290	112	26	16	9	5	168	10	3	8	9	7
17	Females		188	78	20	9	5	3	115	4	6	5	6	5
18	Inflammation of the brain	M	4	3		1			4					
		F	1											
19	Meningitis	M	109	41	21	11	8	3	84	9	1	3	4	4
		F	61	33	13	3	3	2	54	2	3	1		
20	Apoplexy	M	54	2				1	3			1		1
		F	35									1	2	1
21	Paralysis	M	16								1	1	1	1
		F	9			1			1		1	1		1
22	Paralysis, general (of insane)	M	1											
		F												
23	Tetanus and trismus nascentium	M	14	10					10		1	2	1	
		F	4	3				1	4					
24	Chorea	M												
		F												
25	Epilepsy	M	5	1	1				2				1	
		F	3	1					1	1			1	
26	Convulsions	M	53	47	3	1	1		52	1				
		F	54	40	6	3	2		51	1		1		1
27	Mental diseases	M	3										2	
		F	10									1	3	1
28	Diseases of the brain	M	24	8	1	1		1	11			1		
		F	9	1	1	2			4		2			
29	Diseases of the spinal cord	M	2			2			2					
		F	1											1
30	Locomotor ataxia	M	1											
		F												
31	Others of this class	M	4											1
		F	1											
32	3. Diseases of the circulatory system		294	28	3	2	5	6	44	14	17	16	15	14
33	Males		147	15	1	1	3	3	23	6	7	9	7	2
34	Females		147	13	2	1	2	3	21	8	10	7	8	12
35	Pericarditis	M	3							1				
		F	2	1					1			1		
36	Diseases of the heart	M	124	9	1		3	3	16	5	7	9	7	2
		F	133	7	2	1	2	2	14	8	9	6	8	12
37	Angina pectoris	M	6											
		F	2								1			
38	Diseases of the arteries	M	5											
		F	2											
39	Aneurism	M	1											
		F	1											
40	Embolism	M	1	1					1					
		F	2					1	1					
41	Others of this class	M	7	5		1			6					
		F	5	5					5					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN RUSSIA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
73	62	60	36	40	37	33	24	4	8	4	1				1
40	39	42	24	26	17	21	14	3	3	3	1				2
33	23	18	12	14	20	12	10	1	5	1					3
	1	1	1		1										4
			1												
		1	2	1	1	2	2	1							5
				2	2	2			1						
							1	1							6
				1											
															7
2		1													8
					1										
			1	1			1								9
33	30	29	13	11	5	8	5			2					10
29	16	6	2	3	5	3				1					
2	8	9	6	13	10	10	4		3	1	1				11
3	7	11	7	7	11	7	7	1	4						
2		1					1	1							12
			2	1	1		1								
						1									13
							2								
1			1												14
1		1													
10	6	11	10	15	12	17	22	10	10	7	2				15
9	4	7	5	11	7	10	15	8	7	2					16
1	2	4	5	4	5	7	7	2	3	5	2				17
															18
			1												
1	1				1		1								19
	1														
3	1	4	2	7	5	5	9	7	4	2					20
		2	2	4	4	5	4	2	3	3	2				
1	1	1		1		3	2	1	2						21
					1		2			2					
1															22
															23
															24
1		1													25
															26
1															27
1	1	1	1			1									
1	1	1	2	2	1	2	1		1						28
		1	1			1									
															29
				1											30
			1				2								31
							1								
18	19	20	19	18	18	23	17	8	3	7	1	2		1	32
5	11	8	10	14	11	13	9	5	1	4	1	1			33
13	8	12	9	4	7	10	8	3	2	3		1		1	34
1				1											35
2	10	6	9	12	11	11	8	4	1	3	1				36
13	8	11	9	4	6	9	8	2	2	2		1		1	
2	1	1	1	1											37
								1							
						1	1	1		1		1			38
						1				1					
		1													39
		1													
															40
					1										
						1									41

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN RUSSIA (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		1,307	513	305	121	37	15	991	35	9	14	15	17
2	Males		756	329	179	62	19	6	595	19	5	7	9	11
3	Females		551	184	126	59	18	9	396	16	4	7	6	6
4	Croup	M	25	6	7	5	4		22	3				
		F	19	3	3	6	4	2	18	1				
5	Pneumonia	M	576	234	153	52	13	4	456	14	4	7	9	7
		F	421	126	113	48	9	7	303	14	4	7	5	5
6	Laryngit's	M	3	2				1	3					
		F	3	2					2					
7	Bronchitis	M	93	64	11	2	1	1	79		1			1
		F	66	39	6	5	1		51				1	
8	Pleurisy	M	12	3	3	1	1		8					2
		F	12	1	4		3		8					1
9	Asthma	M	2		1				1					
		F	6	1					1					
10	Others of this class	M	45	20	4	2			26	2				1
		F	24	12			1		13	1				
11	5. Diseases of the digestive system		280	78	10	4	4	4	100	15	11	14	15	21
12	Males		172	48	3	3	2	3	59	8	9	8	8	14
13	Females		108	30	7	1	2	1	41	7	2	6	7	7
14	Dentition	M	4	3	1				4					
		F	5	3	1	1			5					
15	Angina	M	2											1
		F	2				1	1	2					
16	Gastritis	M	17	7	1		1	1	10		1			
		F	11	3	1				4			1		
17	Diseases of the stomach	M	8	1					1				1	
		F	2										1	
18	Obstruction of the bowels	M	19	10		2			12	1				1
		F	12	1	2		1		4	2				1
19	Appendicitis	M	43	1				1	2	5	8	7	5	3
		F	13							2	2	3	4	1
20	Hernia	M	8	2					2					1
		F	6	1					1					
21	Other diseases of the bowels	M												
		F	2	2					2					
22	Jaundice	M	10	6					6				1	1
		F	10	8					8					
23	Inflammation and abscess of the liver.	M	9										1	2
		F	4	1					1					1
24	Other diseases of the liver	M	11	1					1					1
		F	5											1
25	Peritonitis	M	25	7		1	1		9	2		1		4
		F	21	1	1				2	3		2	2	3
26	Ascites	M												
		F	1											
27	Others of this class	M	16	10	1			1	12					
		F	14	10	2				12					1
28	6. Diseases of the urinary system and male organs of generation.		254	13	5	7	2	4	31	4	4	7	11	14
29	Males		141	7	4	4	2	4	21	2	1	1	4	8
30	Females		113	6	1	3			10	2	3	6	7	6
31	Bright's disease	M	93							1		1	4	6
		F	91							2	3	5	7	6
32	Calculus, urinary	M	3											
		F												
33	Diseases of the kidney	M	23	6	4	4	1	4	19	1				
		F	15	6		3			9			1		
34	Diseases of the bladder	M	4								1			
		F	1											
35	Others of this class	M	18	1			1		2					2
		F	6		1				1					
36	7. Diseases of the female organs of generation		22	1					1			1	3	3
37	Ovarian tumors		3											
38	Ovarian diseases		3										1	1
39	Diseases of the tubes		6									1	1	2
40	Uterine tumors		3											
41	Uterine diseases		1											
42	Others of this class		6	1					1				1	

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN RUSSIA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
22	24	20	18	28	26	27	24	19	8	4	5			1	1
11	15	16	15	11	9	10	9	5	4	2	2			1	2
11	[illegible]	4	3	17	17	17	15	14	4	2	3				3
															4
6	12	12	11	8	6	8	8	3	1	1	2			1	5
9	6	3	3	14	13	12	9	9	2	2	1				
						1									6
		1	1		2	2		2	3	1					7
	1	1		1	4	1	2	3			1				
1			1												8
1								1	1						
			1												
				1		2	1	1							9
4	3	3	1	[illegible]	1		1								
1	2			1		1	3		1		1				10
9	23	14	7	12	7	15	5	[illegible]	5	1	3				11
[illegible]	16	8	7	3	4	11	2	3	4	1	1				12
3	7	6		9	3	4	3		1		2				13
															14
				1											15
	1		1				1		3						16
	1			2		2					1				
1	2				1	2									17
				1											
	1	1	1			2									18
				1	1	1	1				1				
2	7	1	1	1			1								19
		1													
	1					1		1	1		1				20
	1			2	1				1						
															21
			1					1							22
1					1										
	2	1	2			1									23
1		1													
1	1	1			2	2		1		1					24
	1	1					2								
2	1	3			1	2									25
1	4	3		2											
															26
				1											
		1	1	1		1									27
						1									
25	19	11	16	28	25	24	15	9	7	1	3				28
13	10	7	9	15	12	17	8	6	5	1	1				29
12	9	4	7	13	13	7	7	3	[illegible]		2				30
11	8	5	6	14	9	13	7	5	2	1					31
11	5	3	[illegible]	13	11	7	5	3	2		2				
		1	1				1								32
	1					2									33
1	2		1		1										
		1							1		1				34
	1														
2	1		2	1	3	2		1	2						35
	1	1			1		2								
2	7	4					1								36
	2						1								37
	1														38
	1	1													39
1		2													40
1															41
	3	1													42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN RUSSIA (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	65									6	10	12
2	Abortion	5									1	1	
3	Childbirth	18									1	2	3
4	Puerperal septicemia	27									3	4	7
5	Extra-uterine pregnancy	4										1	1
6	Others of this class	11									1	2	1
7	9. Diseases of the bones and joints	14	4				1	5	3		1	2	
8	Males	10	3				1	4	1			2	
9	Females	4	1					1	2		1		
10	Diseases of the spine M	3	1					1	1			1	
	Diseases of the spine F												
11	Abscess, lumbar and psoas M												
	Abscess, lumbar and psoas F												
12	Diseases of the bones M	5	1				1	2				1	
	Diseases of the bones F	2	1					1	1				
13	Diseases of the hip-joint M												
	Diseases of the hip-joint F	1									1		
14	Others of this class M	2	1					1					
	Others of this class F	1							1				
15	10. Diseases of the skin	16	10					10					1
16	Males	11	7					7					
17	Females	5	3					3					1
18	Abscess M	6	4					4					
	Abscess F	1	1					1					
19	Carbuncle M	2	1					1					
	Carbuncle F												
20	Others of this class M	3	2					2					
	Others of this class F	4	2					2					1
21	11. Diseases of the absorbent system	2		1				1					
22	Males	1		1				1					
23	Females	1											
24	Addison's disease M												
	Addison's disease F	1											
25	Diseases of the spleen M												
	Diseases of the spleen F												
26	Others of this class M	1		1				1					
	Others of this class F												
27	12. Accidents and injuries	323	30	18	15	19	12	94	41	19	15	34	33
28	Males	240	19	10	8	12	8	57	31	15	12	29	24
29	Females	83	11	8	7	7	4	37	10	4	3	5	9
30	Burns and scalds M	30	3	5	5	6	2	21	1	2	1	3	1
	Burns and scalds F	32	2	7	3	3	2	17	6	1		1	3
31	Drowning M	25			1	1	1	3	5	8	2	2	3
	Drowning F	1											
32	Exposure and neglect M	1	1					1					
	Exposure and neglect F												
33	Gunshot wounds M	4									1	2	
	Gunshot wounds F	3								1			
34	Homicide M	4									1	1	
	Homicide F	2											2
35	Infanticide M												
	Infanticide F												
36	Injuries by machinery M	1											
	Injuries by machinery F												
37	Railroad accidents M	20		1		1		2	2	2	2	3	2
	Railroad accidents F	6	1	1			1	3	1		1		
38	Suffocation M	11	9				1	10					
	Suffocation F	3	3					3					
39	Suicide by shooting M	6											2
	Suicide by shooting F												
40	Suicide by drowning M												
	Suicide by drowning F												
41	Suicide by poison M	12										3	3
	Suicide by poison F	4									2	1	
42	Other suicides M	11										2	2
	Other suicides F	3										1	1
43	Sunstroke M	2	1					1					1
	Sunstroke F	2	2					2					
44	Surgical operations M												
	Surgical operations F	1											
45	Wounds M	10							1	1	1	1	1
	Wounds F	1										1	
46	Others of this class M	103	5	4	2	4	4	19	22	2	4	12	9
	Others of this class F	25	3		4	4	1	12	3	2		1	3

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN RUSSIA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
11	19	7													1
	1	2													2
4	6	2													3
6	5	1													4
	1	1													5
1	5	1													6
	1	1	1												7
	1	1	1												8
															9
															10
															11
	1	1													12
															13
			1												14
		2	2						1						15
		2	1						1						16
			1												17
		2													18
									1						19
			1												20
			1												
				1											21
															22
				1											23
															24
				1											
															25
															26
19	25	11	9	8	6	2	4		1	1				1	27
18	20	10	8	7	4	2	1			1				1	28
1	5	1	1	1	2		3		1						29
1															30
	4														
	2														31
					1										
															32
	1														33
	1			1											
	1	1													34
															35
1															36
2	2		2	1											37
		1													
					1										38
	1	1		1	1										39
															40
2	1	1	2												41
									1						
1	2	2	1				1								42
1															
															43
															44
			1												
3	1													1	45
8	9	5	3	5	2	2				1					46
					1		3								

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN POLAND (WHITE).

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	3,543	1,556	395	186	91	66	2,294	135	39	64	118	107
2	Males	2,027	903	196	96	46	34	1,275	71	24	32	69	70
3	Females	1,516	653	199	90	45	32	1,019	64	15	32	49	37
4	Unknown cause	58	41	1	1	2	1	46		1			1
5	Males	36	24		1	2		27		1			1
6	Females	22	17	1			1	19					
	1. General diseases.												
7	General diseases—A	965	475	186	81	35	25	802	48	11	15	23	13
8	Males	545	269	95	46	18	16	444	25	4	12	19	13
9	Females	420	206	91	35	17	9	358	23	7	3	4	
10	Measles M	23	7	7	5	1	2	22	1				
	Measles F	28	7	11	4	1		23	3	2			
11	Scarlet fever M	32	2	6	7	5		20	11				1
	Scarlet fever F	16	2	1	6	1	1	11	4				
12	Diphtheria M	44	4	8	14	4	6	36	7		1		
	Diphtheria F	50	1	8	9	9	8	35	13	2			
13	Whooping cough M	12	7	3	1		1	12					
	Whooping cough F	15	8	4	3			15					
14	Malarial fever M	5	1			1		2				1	1
	Malarial fever F	2	2					2					
15	Influenza M	11	2		1		1	4	2				
	Influenza F	9	3	1				4					
16	Typhoid fever M	58	1		2	2	1	6	1	2	10	15	11
	Typhoid fever F	17	2			2		4		2	2	4	
17	Cholera morbus M	6	1		3	1		5		1			
	Cholera morbus F	8	3	1	2			6					
18	Colitis M	6	5					5	1				
	Colitis F	2	1	1				2					
19	Diarrhea M	39	21	13	3			37					
	Diarrhea F	38	15	16	2	1		34	2	1			
20	Dysentery M	7	4	3				7					
	Dysentery F	7	3	1		1		5			1		
21	Enteritis M	130	87	30	4	1	1	123		1	1		
	Enteritis F	87	59	19	4	2		84					
22	Cholera infantum M	153	122	22	6	1	2	153					
	Cholera infantum F	128	96	28	4			128					
23	Fever M	1	1					1					
	Fever F												
24	Cerebro-spinal fever M	4				1	2	3	1				
	Cerebro-spinal fever F	4	3		1			4					
25	Smallpox M												
	Smallpox F												
26	Erysipelas M	2	1					1				1	
	Erysipelas F	1	1					1					
27	Septicemia M	9	2	3				5	1			2	
	Septicemia F	6							1				
28	Venereal diseases M	1				1		1					
	Venereal diseases F												
29	Others of this group M	1	1					1					
	Others of this group F	2											
30	General diseases—B	147	125	5	2	1		133	1				
31	Males	90	77	1	2			80					
32	Females	57	48	4		1		53	1				
33	Alcoholism M	6											
	Alcoholism F	3											
34	Parasitic diseases M												
	Parasitic diseases F												
35	Lead poison M												
	Lead poison F												
36	Other poisons M	3											
	Other poisons F												
37	Inanition M	81	77	1	2			80					
	Inanition F	54	48	4		1		53	1				
38	General diseases—C	302	228	13	5	1		247					
39	Males	171	134	6	3	1		144					
40	Females	131	94	7	2			103					
41	Old age M	24											
	Old age F	26											
42	Premature birth M	56	56					56					
	Premature birth F	36	36					36					
43	Malformation M	8	8					8					
	Malformation F	5	5					5					
44	Debility and atrophy M	64	51	6	3	1		61					
	Debility and atrophy F	52	41	7	2			50					
45	Others of this group M	19	19					19					
	Others of this group F	12	12					12					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN POLAND (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
111	112	96	81	71	62	37	51	49	31	39	19	6	7	14	1
65	73	67	65	49	38	26	27	26	14	16	11	1	1	7	2
46	39	29	16	22	24	11	24	23	17	23	8	5	6	7	3
1		2	1	2							2			2	4
1		1	1	2							2				5
		1												2	6
6	10	4	7	5	6	1	5	5	1	2				1	7
5	3	3	6	2	2	1	2	3		1					8
1	7	1	1	3	4		3	2	1	1				1	9
															10
	1														11
															12
															13
							1								14
	1	1				1		2							15
			1	1			1	1	1						
5	2	2	1	2	1										16
	3				1		1								
															17
					1		1								
															18
			1							1					19
					1										
															20
								1							
			4					1							21
	1			1	1										
															22
															23
															24
															25
							1								26
					1										27
1	1	1		1										1	
															28
															29
	1									1					
	1	5	5						1					1	30
	1	3	4						1					1	31
		2	1												32
	1	2	3												33
		2	1												
															34
															35
		1	1						1						36
														1	37
1	1	1			1	1	1	7	8	20	9		5		38
		1			1	1	1	5	4	10	3		1		39
1	1							2	4	10	6		4		40
						1	1	5	4	9	3		1		41
								2	4	10	6		4		
															42
															43
		1			1					1					44
1	1														45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN POLAND (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		279	17	10	2	1	2	32	4	3	17	31	24
2	Males		165	10	3		1	1	15	3	3	5	17	13
3	Females		114	7	7	2		1	17	1		12	14	11
4	Anemia	M	3		1				1					
		F	3											1
5	Diabetes	M	4											
		F												
6	Rheumatism	M	6							1			1	
		F	5									2		
7	Scrofula and tabes	M	1											
		F	1											
8	Hydrocephalus	M	7	4	1				5		1		1	
		F	10	3	5	1			9			1		
9	Tuberculosis, general	M	1					1	1					
		F												
10	Consumption	M	101	4	1		1		6	2	2	5	15	11
		F	70	3	2			1	6	1		9	13	10
11	Cancer	M	36	1					1					2
		F	17											
12	Tumor	M	4	1					1					
		F	1											
13	Dropsy	M	2											
		F	4											
14	Others of this group	M												
		F	3	1		1			2				1	
15	2. Diseases of the nervous system		382	213	36	9	5	8	271	14	6	8	6	7
16	Males		214	124	15	4	2	3	148	6	5	4	4	4
17	Females		168	89	21	5	3	5	123	8	1	4	2	3
18	Inflammation of the brain	M	4	1	1				2	1				
		F	2	1					1	1				
19	Meningitis	M	44	16	5	3	1	2	27	5	1	1	1	2
		F	38	16	10	3	1	3	33	2			2	
20	Apoplexy	M	16	2					2				1	
		F	24	1	1		1		3	2	1	1		1
21	Paralysis	M	7									1		
		F	2											
22	Paralysis, general (of insane)	M												
		F												
23	Tetanus and trismus nascentium	M	17	10	1				11		2	2		
		F	2	2					2					
24	Chorea	M												
		F												
25	Epilepsy	M	1	1					1					
		F	1	1					1					
26	Convulsions	M	101	89	8	1	1	1	100					
		F	86	64	10	2	1	2	79	3		1		
27	Mental diseases	M	7										2	1
		F	2											1
28	Diseases of the brain	M	13	3					3		2			1
		F	7	3					3			1		1
29	Diseases of the spinal cord	M	3	2					2					
		F	2	1					1			1		
30	Locomotor ataxia	M	1											
		F												
31	Others of this class	M												
		F	2											
32	3. Diseases of the circulatory system		123	16		1	3	1	21	7		2	6	7
33	Males		66	9		1	1	1	12	1			3	4
34	Females		57	7			2		9	6		2	3	3
35	Pericarditis	M												
		F	3							1			1	
36	Diseases of the heart	M	58	6		1	1		8	1			3	4
		F	50	5			2		7	5		2	2	3
37	Angina pectoris	M	3											
		F	1											
38	Diseases of the arteries	M	1											
		F	1											
39	Aneurism	M												
		F												
40	Embolism	M	1					1	1					
		F												
41	Others of this class	M	3	3					3					
		F	2	2					2					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN POLAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
30	22	26	24	12	12	9	14	8	9	2					1
18	14	16	22	10	9	5	3	7	4	1					2
12	8	10	2	2	3	4	11	1	5	1					3
	1				1										4
	1	1													
		1					1	2							5
		2	1						1						6
1							1		1						
	1														7
		1													
															8
															9
17	11	7	14	4	3	1	1	1	1						10
9	5	3	2	1	1	1	5		3	1					
	1	5	6	6	5	3	1	4	1	1					11
2	2	4		1		2	4	1	1						
1		1				1									12
		1													
			1						1						13
					2	1	1								
															14
10	7	8	5	7	9	5	5	3	2	4	3		1	1	15
5	5	7	1	3	6	5	3	2	2	1	2				16
5	1	1	4	4	3		2	1		3	1		1	1	17
							1								18
3	1				1	1		1							19
1															
	1	4		1	3	2	1				1				20
2	1		2	3	3		2			2	1				
	2					1			2	1					21
			1							1					
															22
2															23
															24
															25
								1							26
1		1												1	
			1			1	1				1				27
								1							
	2	2		2	1										28
			1	1											
		1													29
					1										30
															31
1													1		
7	8	8	5	9	13	3	7	8	3	4	2	3			32
4	6	6	4	4	8	1	6	2	1	2	2				33
3	2	2	1	5	5	2	1	6	2	2		3			34
															35
1															
4	6	5	4	4	5	1	6	2	1	2	2				36
2	2	2	1	4	5	2	1	5	2	2		3			
		1			2										37
				1											
					1										38
								1							
															39
															40
															41

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN POLAND (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		714	309	111	70	32	18	540	23	7	[illegible]	10	12
2	Males		386	173	60	32	15	[illegible]	288	13	3	3	6	[illegible]
3	Females		328	136	51	38	17	10	252	10	4	3	4	6
4	Croup	M	15	5	1	4	2	2	14	1				
		F	17	2	3	3	3	3	14	2	1			
5	Pneumonia	M	272	111	43	24	10	2	190	9	2	3	6	6
		F	218	82	37	26	12	5	162	4	3	3	2	6
6	Laryngitis	M	4			1	1	2	4					
		F	5		1	1		1	3	2				
7	Bronchitis	M	76	49	14	2		1	66	3	1			
		F	72	45	8	8	1		62	2				
8	Pleurisy	M	8		2	1	2		5					
		F	2					1	1				1	
9	Asthma	M												
		F	2		1				1				1	
10	Others of this class	M	11	8				1	9					
		F	12	7	1		1		9					
11	5. Diseases of the digestive system		184	79	15	8	3	1	106	9	3	2	9	3
12	Males		105	51	7	2	1		61	6	2	1	2	2
13	Females		79	28	8	6	2	1	45	3	1	1	7	1
14	Dentition	M	5	4	1				5					
		F	2	1	1				2					
15	Angina	M	2	1					1					
		F	2	1					1				1	
16	Gastritis	M	29	15	4	2			21	3				
		F	20	9	7		1	1	18				1	
17	Diseases of the stomach	M	1	1					1					
		F												
18	Obstruction of the bowels	M	7	1					1	1		1	1	1
		F	5		1				1		1			
19	Appendicitis	M	8							1	1			1
		F	3										1	
20	Hernia	M	2	1					1					
		F	2	1					1					
21	Other diseases of the bowels	M	1											
		F												
22	Jaundice	M	7	6			1		7					
		F	1										1	
23	Inflammation and abscess of the liver.	M	2											
		F	2										1	
24	Other diseases of the liver	M	9											
		F	4							1				
25	Peritonitis	M	5	1					1	1	1		1	
		F	20	2	1	1			4	2		1	2	1
26	Ascites	M	3		1				1					
		F												
27	Others of this class	M	24	21	1				22					
		F	18	14		4			18					
28	6. Diseases of the urinary system and male organs of generation.		69	11	4		2	2	19	3		1	3	5
29	Males		42	3	1		1	2	7	3		1	2	[illegible]
30	Females		27	8	3		1		12				1	2
31	Bright's disease	M	21							2		1	1	2
		F	11										1	1
32	Calculus, urinary	M												
		F												
33	Diseases of the kidney	M	8	1	1		1	1	4	1				1
		F	10	7	3				10					
34	Diseases of the bladder	M	6	1					1					
		F	2											
35	Others of this class	M	7	1				1	2				1	
		F	4	1			1		2					1
36	7. Diseases of the female organs of generation		7											
37	Ovarian tumors		1											
38	Ovarian diseases		1											
39	Diseases of the tubes													
40	Uterine tumors		1											
41	Uterine diseases													
42	Others of this class		4											

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS· CENSUS YEAR 1900—Continued.

MOTHERS BORN IN POLAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
12	18	10	11	11	6	8	9	13	6	5	2	2		3	1
7	12	9	8	8	3	6	4	4	2		1			3	2
5	6	1	3	3	3	2	5	9	4	5	1	2			3
															4
6	8	6	8	7	3	4	4	4	2		1			3	5
5	6	1	2	8	3	1	4	7	1	2	1	2			
															6
1	1	2		1		1									7
						1	1	2	2	2					
	2					1									8
															9
	1	1													10
			1						1	1					
4	10	11	7	6	3	3	5	1	1						11
2	7	6	4	4	1	2	4	1							12
2	5	5	3	2	2	1	2		1						13
															14
		1													15
1	1	1		1		1									16
									1						
															17
	1		1												18
		2		1											
1	1	2		1											19
	1	1													
	1														20
						1									
							1								21
															22
	1		1												23
	1														
	2	1	2	1	1	1	1								24
	1	1					1								
				1											25
2		1	5	1	2		1								
							1	1							26
		1					1								27
4	5	3	2	6	2	4	4	4		1	1	1	1		28
3	4	2	2	4		3	4	2		1	1	1			29
2	1	1		2	2	1		2					1		30
1	3	1	2	3		2	1	1				1			31
1	1	1		2	2			1					1		
															32
	1						1								33
1							2	1			1				34
						1		1							
		1		1		1				1					35
1															
2	2	2			1										36
					1										37
1															38
															39
		1													40
															41
1	2	1													42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN POLAND (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	44									8	11	11
2	Abortion	3											1
3	Childbirth	19									1	4	7
4	Puerperal septicemia	17									1	7	3
5	Extra-uterine pregnancy												
6	Others of this class	5									1	3	
7	9. Diseases of the bones and joints	7	1				1	2	2	2			
8	Males	3	1				1	2					
9	Females	4							2	2			
10	Diseases of the spine M	2	1				1	2					
	Diseases of the spine F												
11	Abscess, lumbar and psoas M												
	Abscess, lumbar and psoas F												
12	Diseases of the bones M	1											
	Diseases of the bones F	4							2	2			
13	Diseases of the hip-joint M												
	Diseases of the hip-joint F												
14	Others of this class M												
	Others of this class F												
15	10. Diseases of the skin	12	7	2		1	1	11					
16	Males	8	5	2				7					
17	Females	4	2			1	1	4					
18	Abscess M	4	2	1				3					
	Abscess F	3	2				1	3					
19	Carbuncle M												
	Carbuncle F												
20	Others of this class M	4	3	1				4					
	Others of this class F	1				1		1					
21	11. Diseases of the absorbent system	2		1				1					1
22	Males	1											1
23	Females	1		1				1					
24	Addison's disease M												
	Addison's disease F												
25	Diseases of the spleen M												
	Diseases of the spleen F												
26	Others of this class M	1											1
	Others of this class F	1		1				1					
27	12. Accidents and injuries	248	34	11	7	5	6	63	24	6	10	19	23
28	Males	195	23	6	5	4	2	40	14	6	6	16	23
29	Females	53	11	5	2	1	4	23	10		4	3	
30	Burns and scalds M	21	2	4	4	3		13	2	1	1		1
	Burns and scalds F	16	3	2		1	3	9	5		1		
31	Drowning M	17	1	1			1	3	4	4	1	1	2
	Drowning F	1		1				1					
32	Exposure and neglect M	4	4					4					
	Exposure and neglect F	1	1					1					
33	Gunshot wounds M	1											
	Gunshot wounds F	1										1	
34	Homicide M	1											1
	Homicide F												
35	Infanticide M	1	1					1					
	Infanticide F												
36	Injuries by machinery M	2											
	Injuries by machinery F												
37	Railroad accidents M	42					1	1	5	1	1	10	1
	Railroad accidents F	6			1			1	3		1		
38	Suffocation M	15	12		1			13				1	
	Suffocation F	7	5					5	1				
39	Suicide by shooting M												
	Suicide by shooting F												
40	Suicide by drowning M	1											1
	Suicide by drowning F	1											
41	Suicide by poison M												
	Suicide by poison F	1										1	
42	Other suicides M	3											
	Other suicides F	1											
43	Sunstroke M	8	1					1	1			1	1
	Sunstroke F	1									1		
44	Surgical operations M	2											
	Surgical operations F	2											1
45	Wounds M	5											
	Wounds F	1		1				1					
46	Others of this class M	72	2	1		1		4	2		3	3	15
	Others of this class F	14	2	1	1		1	5	1		1	1	

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN POLAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
9	6	3												1	1
	2														2
5	2	2												1	3
4	1	1													4
															5
	1														6
				1											7
				1											8
															9
															10
															11
				1											12
															13
															14
			1												15
			1												16
															17
			1												18
															19
															20
															21
															22
															23
															24
															25
															26
25	22	13	13	12	9	3				1				5	27
21	20	13	12	11	8	2								3	28
4	2		1	1	1	1				1				2	29
2														1	30
					1										31
			1	1											32
															33
1															34
															35
															36
1	1														37
4	7		3	3	5	1									38
			1												39
				1										1	40
															41
	1														42
															43
			1	2											44
1															45
1	1	1												1	46
1				1											47
2		1	1		1										48
9	11	11	6	4	2	1				1				1	49
2	1					1								1	50

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE).

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	9,804	2,987	863	316	181	111	4,458	292	133	245	424	465
2	Males	5,654	1,705	468	163	92	59	2,487	137	57	128	224	282
3	Females	4,150	1,282	395	153	89	52	1,971	155	76	117	200	183
4	Unknown cause	108	58	4	3	2	1	68	3		1	4	
5	Males	59	29	2	1			32	1		1	1	
6	Females	49	29	2	2	2	1	36	2			3	
	1. General diseases.												
7	General diseases—A	2,159	1,008	345	104	62	37	1,556	94	33	41	64	60
8	Males	1,181	565	177	53	28	21	844	41	11	18	40	41
9	Females	978	443	168	51	34	16	712	53	22	23	24	19
10	Measles M	66	19	27	5	5	1	58	5		2	1	
	Measles F	67	16	31	7	5		59	6		1		
11	Scarlet fever M	37	3	10	7	5	4	29	5		1		2
	Scarlet fever F	31	2	6	6	7	2	23	6		1		1
12	Diphtheria M	59	12	24	14	14	4	68	15	5		1	
	Diphtheria F	90	5	18	15	7	11	56	21	7		2	2
13	Whooping cough M	50	23	17	7	1		48	2				
	Whooping cough F	60	30	18	6	5	1	60					
14	Malarial fever M	17	2		1		2	5			1	2	
	Malarial fever F	14	5		1			6			1	1	1
15	Influenza M	44	5	2	2	1		10				2	1
	Influenza F	32	1	2	1			4	1		1	1	2
16	Typhoid fever M	147	2	1	1		2	6	5	2	3	27	31
	Typhoid fever F	67			1	2	1	4	5	5	14	15	8
17	Cholera morbus M	14	4	2	1		1	8					
	Cholera morbus F	21	7	6	1			14		1		1	1
18	Colitis M	17	9	5				14					
	Colitis F	10	7			1		8					
19	Diarrhea M	60	31	9	2		3	45	1	2			
	Diarrhea F	50	34	4	1			39	4		1		
20	Dysentery M	26	11	2	1	1		15				1	1
	Dysentery F	21	4	3	1	1		9				1	
21	Enteritis M	278	220	32	3		2	257	1		1	3	1
	Enteritis F	216	148	38	1	5	1	193	2	2			1
22	Cholera infantum M	241	197	36	7	1		241					
	Cholera infantum F	207	165	34	7	1		207					
23	Fever M												
	Fever F												
24	Cerebro-spinal fever M	29	7	6	1		2	16	5	1	2	1	2
	Cerebro-spinal fever F	27	3	6	2			11	6	4	2	1	
25	Smallpox M	6							1	1	1		1
	Smallpox F	1							1				
26	Erysipelas M	19	9	1				10			1		
	Erysipelas F	16	10	1				11					1
27	Septicemia M	18	5					5				1	1
	Septicemia F	32	1	1				2	1	2	2	1	2
28	Venereal diseases M	10	5					5					
	Venereal diseases F	5	5		1			6					
29	Others of this group M	13	1	3				4				1	1
	Others of this group F	10								1		1	
30	General diseases—B	262	182	11	3	2	2	200	1	1	2	5	3
31	Males	155	96	8	2	2	1	109	1	1	2	1	2
32	Females	107	86	3	1		1	91				4	1
33	Alcoholism M	23											
	Alcoholism F	1											1
34	Parasitic diseases M	2		2				2					
	Parasitic diseases F	1	1					1					
35	Lead poison M	1											
	Lead poison F	1											
36	Other poisons M	23		1	2	1	1	5	1	1	1	1	1
	Other poisons F	16	2		1		1	4				4	1
37	Inanition M	106	96	5		1		102			1		
	Inanition F	88	83	3				86					
38	General diseases—C	708	493	31	4		2	530	5	1			
39	Males	392	290	12	3		1	306	1				
40	Females	316	203	19	1		1	224	4	1			
41	Old age M	73											
	Old age F	79											
42	Premature birth M	128	128					128					
	Premature birth F	87	87					87					
43	Malformation M	11	10	1				11					
	Malformation F	12	10				1	11	1				
44	Debility and atrophy M	160	132	11	3		1	147	1				
	Debility and atrophy F	131	99	19	1			119	3	1			
45	Others of this group M	20	20					20					
	Others of this group F	7	7					7					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
425	435	402	329	347	337	325	304	305	255	187	82	23	13	18	1
270	277	274	222	247	211	195	165	176	140	86	46	10	6	14	2
155	158	128	107	100	126	130	139	129	115	101	36	13	7	4	3
2	5	3	2	2	1	5	1	3	2	2	3			1	4
2	3	3	2	2	1	5	1	1	2		1			1	5
	2							2		2	2				6
57	47	40	24	20	14	20	30	18	18	13	6	1	1	2	7
35	32	26	15	12	11	9	13	11	6	8	4	1	1	2	8
22	15	14	9	8	3	11	17	7	12	5	2				9
	1														10
															11
1				1											12
															13
1	2		1		2		1					1			14
1	1		1	1				1							
5	2	3	5	2		2	1	3	3	2	2		1		15
	1	2		1	1	3	5	2	4	3	1				
21	18	13	4	3	3		2	1						1	16
8	2	2	2	2											
		2		1		1	1		1						17
	2	1					1								
	1	1								1					18
		2													
				1	1	1	3	2	1	1	2				19
	1							1	4						
		1	1		2		2	1		2					20
		1	2			1	3		2	2					
2		4		2	1	3	1			1				1	21
5	1		1		1	1	4	3	1		1				
															22
															23
	1		1												24
1	1	1													
	1		1												25
	2	1	1		1		1	2							26
		1				3									
4	2		1	1		2	1								27
6	5	3	2	2	1	1	1		1						
1	2	1		1											28
1				1	1			2	1	1					29
		1	1	1		2	3								
10	6	6	5	7	6	2	1	1	2			1	1	2	30
6	4	5	4	7	6	2	1	1	1					2	31
4	2	1	1						1			1	1		32
1	1	4	4	4	4	1	1	1						1	33
1															
															34
1															35
													1		
4	3	1		2	2				1						36
3	2	1	1												
				1		1								1	37
									1			1			
		1		1	1	3	9	23	27	58	31	10	7	1	38
		1		1		3	6	9	15	24	19	4	3		39
					1		3	14	12	34	12	6	4	1	40
						2	3	8	15	20	18	4	3		41
							2	13	11	32	11	6	4		
															42
															43
		1		1		1	3	1		4	1				44
					1		1	1	1	2	1			1	
															45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		1,448	70	87	22	8	8	145	31	27	80	124	152
2	Males		805	37	18	7	4	4	70	13	9	36	61	84
3	Females		643	33	19	15	4	4	75	18	18	44	63	68
4	Anemia	M	11	2	1				3					1
		F	10	2				2	4		1	3		
5	Diabetes	M	26							1	2	1		2
		F	18							1		1		
6	Rheumatism	M	12							3				
		F	12	2					2	2	1			
7	Scrofula and tabes	M	9	5					5				1	
		F	7	4	1				5			1		
8	Hydrocephalus	M	36	13	9	2	2	1	27	4		2	1	
		F	58	13	10	9	1	1	34	10	5		2	1
9	Tuberculosis, general	M	15					1	1	1	1	1	1	[illegible]
		F	9							1		2	1	1
10	Consumption	M	521	14	8	4	2	2	30	[illegible]	5	29	56	75
		F	347	12	8	6	2	1	29	4	10	35	56	62
11	Cancer	M	136										1	1
		F	138										1	3
12	Tumor	M	13									1	1	
		F	20								1		1	
13	Dropsy	M	17											1
		F	16									1		1
14	Others of this group	M	9	3		1			4	1	1	2		1
		F	8				1		1			1	2	
15	2. Diseases of the nervous system		997	340	85	31	26	15	497	30	10	6	14	21
16	Males		584	202	49	16	15	12	294	12	5	2	7	13
17	Females		413	138	36	15	11	3	203	18	5	4	7	[illegible]
18	Inflammation of the brain	M	17	5	4		1	1	11				1	1
		F	5	1	4				5					
19	Meningitis	M	113	44	19	7	7	6	83	6	3	1	2	4
		F	113	48	16	12	6		82	12	4	2	2	2
20	Apoplexy	M	123	2				2	4			1		2
		F	107	1	1	1	1		4	1		1		[illegible]
21	Paralysis	M	48	1		1			2				1	2
		F	27	1					1	1			1	
22	Paralysis, general (of insane)	M	5											1
		F	3											
23	Tetanus and trismus nascentium	M	12	7					7	2	1			
		F	6	5					5					
24	Chorea	M												
		F												
25	Epilepsy	M	11	2	2				4	1	1			
		F	9	1	1	1			3			1	1	
26	Convulsions	M	175	135	22	7	6	2	172	2				
		F	104	79	12	1	2	2	96	2			1	2
27	Mental diseases	M	16										1	2
		F	6											
28	Diseases of the brain	M	39	5	1				6				2	1
		F	25	2	2		1	1	6	2	1		2	1
29	Diseases of the spinal cord	M	11		1	1	1	1	4	1				
		F	2				1		1					1
30	Locomotor ataxia	M	6											
		F	1											
31	Others of this class	M	8	1					1					
		F	5											
32	3. Diseases of the circulatory system		580	41	4	2	1	1	49	15	14	17	24	27
33	Males		330	26	3	2			31	10	5	7	8	13
34	Females		250	15	1		1	1	18	5	9	10	16	14
35	Pericarditis	M	3								1			
		F	2									1		
36	Diseases of the heart	M	287	12	3	2			17	10	4	7	7	12
		F	230	13	1		1	1	16	5	9	9	14	12
37	Angina pectoris	M	14											1
		F	13										2	2
38	Diseases of the arteries	M	4											
		F	2											
39	Aneurism	M	5											
		F												
40	Embolism	M	3										1	
		F	1											
41	Others of this class	M	14	14					14					
		F	2	2					2					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
124	118	119	107	99	87	71	70	40	38	12	2	1		1	1
77	63	80	69	67	52	30	37	22	21	6	2				2
47	55	39	38	32	35	35	33	18	17	6		1		1	3
1		2	1	1				2							4
	2														
1			2	5	3	2	3	2	2						5
1		2		1	1	2	4	2	3						
1			2	1			1		4						6
		1		1	1		1	3							
	1		1				1								7
			1												
1			1												8
2	2	1						1							
1	2		2	1	1										9
	2			1	1										
68	55	57	46	37	24	11	12	9	3	1					10
37	37	18	20	12	7	11	1	3	3	1				1	
2	4	13	14	20	22	22	18	8	8	2	1				11
5	10	15	14	17	21	15	21	7	7	2					
1	1	5		1	1		1		1						12
1	2	2	1		3	3	2	1	2	1					
1		3		1	1	1	1	1	3	3	1				13
			2			3	3	1	2	2		1			
1					1	1	1								14
8	39	30	37	43	47	47	49	40	43	22	10	2	1	1	15
5	27	23	31	28	29	26	22	24	21	8	5		1	1	16
3	12	7	6	15	18	21	27	16	22	14	5	2			17
		2		1				1							18
2	4	3	2	2	1										19
1	2	2	1		1				2						
1	8	5	12	15	15	15	12	13	13	4	3				20
	4	3	3	11	12	14	17	10	13	7	4	1			
1	3	1	6	8	6	2	5	4	2	3	1		1		21
	1		1	2	2	2	4	11	3	4	1	1			
			1		1	1	1								22
	1			1	1										
	2														23
		1													
															24
	1	2	1			1									25
	1		1			1	1								
														1	26
1	1									1					
	3	3	1		1	1	1	2	1						27
					1	1	1	1		2					
1	3	4	5	1	5	3	2	2	3	1					28
1	1			1	1	2	4		3						
	2	1	1	1		1									29
		1	2			1			2						30
	1														
	1	1				1	1	2			1				31
		1				1		2	1						
29	38	26	40	35	44	50	38	65	37	22	8	1		1	32
22	20	17	26	23	28	28	19	42	17	9	3	1		1	33
7	18	9	14	12	16	22	19	23	20	13	5				34
					2										35
1															
21	17	16	22	20	26	26	18	37	16	7	3	1			36
5	17	9	13	12	15	20	19	20	18	12	5				
1	2	1	2	3			1	2						1	37
1	1		1			1		2	2	1					
						1		2		1					38
						1		1							
	1		2			1			1						39
								1		1					40
					1										
															41

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		1,849	611	308	123	56	26	1,124	55	15	28	35	47
2	Males		1,091	362	179	67	28	10	646	23	[illegible]	20	21	33
3	Females		758	249	129	56	28	16	478	32	9	8	14	14
4	Croup	M	37	11	8	6	5	1	31	5	1			
		F	33	2	11	5	4	3	25	8				
5	Pneumonia	M	758	209	138	47	17	7	418	16	3	17	21	28
		F	521	172	93	42	16	11	334	19	6	8	11	13
6	Laryngitis	M	8	1	2		1		4	1	1			
		F	8	1		2	3		6	2				
7	Bronchitis	M	192	114	25	8	4	1	152					1
		F	135	59	24	4	4	1	92	1	1			
8	Pleurisy	M	29	1	3	4		1	9	1	1	3		3
		F	11			3		1	4	1	1		1	
9	Asthma	M	11											
		F	12				1		1					1
10	Others of this class	M	56	26	3	2	1		32					1
		F	38	15	1				16	1	1		2	
11	5. Diseases of the digestive system		531	140	18	[illegible]	1	3	168	16	16	20	38	33
12	Males		284	74	9	4		1	88	6	10	10	18	23
13	Females		247	66	9	2	1	2	80	10	6	10	20	10
14	Dentition	M	10	9	1				10					
		F	9	6	2		1		9					
15	Angina	M	3											
		F	1	1					1					
16	Gastritis	M	39	19	2				21	1			2	1
		F	45	23	2			1	26	1				
17	Diseases of the stomach	M	14	2	1				3	1				2
		F	7	1	1				2			1		
18	Obstruction of the bowels	M	22	5	1	1			7			1	1	3
		F	27	7					7			1	1	1
19	Appendicitis	M	43					1	1	1	7	7	7	8
		F	19							5	1	4	3	3
20	Hernia	M	15	2					2				2	2
		F	9					1	1			1		
21	Other diseases of the bowels	M	3	1					1		1			
		F	4	1	1				2					
22	Jaundice	M	13	9					9					
		F	3	1					1					
23	Inflammation and abscess of the liver.	M	14							1			1	1
		F	15	1	1				2	1	1			
24	Other diseases of the liver	M	34									1		
		F	18										1	
25	Peritonitis	M	43	6	2	1			9	2	2		5	6
		F	61	6	1	1			8	3	4	3	15	4
26	Ascites	M	1											
		F	2											
27	Others of this class	M	30	21	2	2			25			1		
		F	27	19	1	1			21					2
28	6. Diseases of the urinary system and male organs of generation.		384	11	5	1	8	3	28	5	3	4	13	15
29	Males		254	7	3		5		15	2	1	1	10	5
30	Females		130	4	2	1	3	3	13	3	2	3	3	10
31	Bright's disease	M	180							2	1		8	[illegible]
		F	100							3	2	2	3	[illegible]
32	Calculus, urinary	M	3											
		F	1											
33	Diseases of the kidney	M	24	6	3		4		13				1	1
		F	15	3	1	1	3	3	11			1		1
34	Diseases of the bladder	M	22									1		
		F	2											
35	Others of this class	M	25	1			1		2				1	1
		F	12	1	1				2					1
36	7. Diseases of the female organs of generation.		26								1		6	3
37	Ovarian tumors		5											1
38	Ovarian diseases		1										1	
39	Diseases of the tubes		6										2	
40	Uterine tumors		6											
41	Uterine diseases		3										1	2
42	Others of this class		5								1		2	

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
61	63	49	37	50	47	50	45	62	31	32	11	4	1	2	1
41	44	35	22	33	29	32	28	30	19	18	4	2		2	2
20	19	11	15	17	18	18	17	32	12	14	7	2	1		3
															4
37	37	29	18	24	21	29	16	17	11	13	1	2			5
15	17	6	9	12	10	13	10	23	3	9	3				
1								1							6
	1	4	2		5	1	3	9	6	5	3				7
2	2		4		4	3	4	7	5	1	3	2	1		
1	2	2		3	1		2							1	8
1						1	1	1							
			1	2	1	1	4		1					1	9
1			1	3	1		1			2	1				
2	4	3	1	4	1	1	3	3	1						10
1		5	1	2	3	1	1	1	1	2					
37	22	33	22	15	22	22	18	15	17	10	4		2	1	11
22	16	16	13	9	5	15	6	8	9	3	2		1	1	12
15	6	17	0	0	14	7	12	7	8	7	2		1		13
															14
8															15
1			1			2	2	1	4	2			1		16
1		1	1		3		2	3	4	3					
1		1	1	1	1	2	1								17
1				1	1					1					
4		1		3		1			1						18
1	1	2	2	2	2	1	2	2	1		1				
5	3		2	1			1								19
1			1										1		
1	1		1	1	1		1	1	1		1				20
	2		1		1	1	1		1						
				1											21
		1				1									
		1			1			2							22
1			1												
2	8	2	1	1		1	1								23
1		2	1	2	2		2				1				
2	5	8	6	1	3	6		1	1						24
1	1	4		1	3	3	2	1	1						
3	4	2			2	3		2	1	1				1	25
8	2	6	1		1	1	2	1	1	1					
			1												26
		1								1					
		1						1	1		1				27
			1		1		1			1					
20	15	28	19	40	42	37	32	30	31	11	6	3		2	28
14	7	20	10	33	28	25	24	20	24	7	5	2		1	29
6	8	8	0	7	14	12	5	10	7	4	1	1		1	30
12	5	19	0	28	23	20	18	14	13	2	1	1		1	31
5	6	7	9	6	14	11	6	7	4	4	1	1		1	
	1			1					1						32
	1														
2			1	1	2	1	1		1						33
	1								1						
	1	1		3	2	3		3	3	1	3	1			34
									2						
					1	1	5	3	6	4	1				35
1		1		1		1	2	3							
2	5	6	1			1	1								36
	1	1				1	1								37
															38
															39
2	2														40
	1	4	1												41
															42
	1	1													

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	**8. Affections connected with pregnancy**	98									2	25	26
2	Abortion	7											1
3	Childbirth	20									1	2	5
4	Puerperal septicemia	59									1	20	13
5	Extra-uterine pregnancy	3											3
6	Others of this class	9										3	4
7	**9. Diseases of the bones and joints**	16	1			1	1	3	2	1		2	
8	Males	13	1			1	1	3	2	1			
9	Females	3										2	
10	Diseases of the spine M	5				1		1	1	1			
	Diseases of the spine F	1										1	
11	Abscess, lumbar and psoas M												
	Abscess, lumbar and psoas F												
12	Diseases of the bones M	5	1				1	2					
	Diseases of the bones F	1											
13	Diseases of the hip-joint M	2							1				
	Diseases of the hip-joint F												
14	Others of this class M	1											
	Others of this class F	1										1	
15	**10. Diseases of the skin**	25	3	2				10	2			2	1
16	Males	13	3	1				4	2				1
17	Females	12	5	1				6				2	
18	Abscess M	7	3	1				4	2				
	Abscess F	5	2					2				2	
19	Carbuncle M												
	Carbuncle F	1											
20	Others of this class M	6											1
	Others of this class F	6	3	1				4					
21	**11. Diseases of the absorbent system**	7	1					1				1	
22	Males	6	1					1				1	
23	Females	1											
24	Addison's disease M												
	Addison's disease F												
25	Diseases of the spleen M	1											
	Diseases of the spleen F												
26	Others of this class M	5	1					1				1	
	Others of this class F	1											
27	**12. Accidents and injuries**	606	23	13	17	14	12	79	33	11	44	67	77
28	Males	487	12	7	8	9	8	44	23	8	31	56	67
29	Females	119	11	6	9	5	4	35	10	3	13	11	10
30	Burns and scalds M	35	2	4	4	4	3	17	2			3	1
	Burns and scalds F	31	1	4	4	2	1	12	5	1	3	2	3
31	Drowning M	58			3	2	2	7	12	1	5	6	4
	Drowning F	10	1	1	1	2		5	2		1	1	
32	Exposure and neglect M	3	1					1					
	Exposure and neglect F	1	1					1					
33	Gunshot wounds M	14								1	3	1	
	Gunshot wounds F	3									1	1	
34	Homicide M	4											
	Homicide F	2										1	
35	Infanticide M												
	Infanticide F												
36	Injuries by machinery M	7										1	3
	Injuries by machinery F												
37	Railroad accidents M	55					1	1	1	2	5	4	8
	Railroad accidents F	7			1		1	2				1	1
38	Suffocation M	13	6		1			7	1		1	1	
	Suffocation F	7	4					4			1		
39	Suicide by shooting M	18										2	2
	Suicide by shooting F												
40	Suicide by drowning M	3											
	Suicide by drowning F	1											1
41	Suicide by poison M	16										1	4
	Suicide by poison F	14									4	2	2
42	Other suicides M	25									2	2	3
	Other suicides F	8										1	1
43	Sunstroke M	10	1					1					1
	Sunstroke F	2	1					1					
44	Surgical operations M	2											
	Surgical operations F	1											1
45	Wounds M	10		1				1				1	4
	Wounds F	2									1		
46	Others of this class M	214	2	2		3	2	9	7	4	15	34	37
	Others of this class F	30	3	1	3	1	2	10	3	2	2	2	1

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
21	9	11	2						1					1	1
2	3								1						2
5	3	4													3
13	3	6	2											1	4
															5
1		1													6
	1	1		4	2										7
	1	1		4	1										8
					1										9
				2											10
															11
		1		1	1										12
				1											13
	1														14
1	1	1	1	1		3			1		1				15
		1		1		2			1		1				16
1	1		1			1									17
		1													18
1															
						1									19
				1		2			1		1				20
	1		1												
	1			2		1	1								21
	1			2		1									22
							1								23
															24
						1									25
	1			2											26
							1								
53	65	48	32	28	24	13	9	8	7	5				3	27
46	59	43	30	25	18	11	8	8	4	3				3	28
7	6	5	2	3	6	2	1		3	2					29
1	2	5	1	2	1										30
1	1			1	1				1						
4	7	3	1		1	4		1	1					1	31
	1														
	1					1									32
4	1		1	1		1		1							33
		1													
1	2	1													34
	1														
															35
1	1	1													36
5	8	6	7	8	1	1		2		1					37
1			1		1										
		1				1	1								38
1	1														
3		2	2	1	4	1		1							39
				2				1							40
2	2	1	2	3			1								41
2		2			2										
5	4	1	2	3	2				1						42
1	1		1	1	2										
1	1	2	1		3					1					43
					2										44
	1	2	1												45
						1									
19	29	18	12	10	4	2	6	2	2	2				2	46
1	1	2		1		1	1		2	1					

TABLE 12.

DEATHS IN EACH REGISTRATION STATE, DURING THE CENSUS YEAR ENDING MAY 31, 1900, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS.

(NOTE.—Birthplace of mother not reported for Vermont.)

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900.

CONNECTICUT.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes	5,706	3,452	911	662	580	362	163	396	60	87	376	377	1,916
Males	2,789	1,720	491	333	308	206	93	229	33	46	202	219	1,048
Females	2,917	1,732	420	329	272	156	70	167	27	41	174	158	868
Unknown cause	18	10	2	4	4	2	...	1	1	1	4	...	7
Males	10	4	2	1	2	1	...	1	1	...	3	...	6
Females	8	6	...	3	2	1	...	...	...	1	1	...	1
1. General diseases. General diseases—A	1,274	546	194	130	129	111	26	113	10	25	123	102	284
Males	590	271	103	61	71	59	16	56	5	13	63	54	138
Females	684	275	91	69	58	52	10	57	5	12	60	48	146
Measles M	26	8	4	2	4	6	...	8	...	2	8	3	7
Measles F	39	3	5	3	3	3	...	10	...	1	3	4	5
Scarlet fever M	13	5	1	1	1	5	2	1	...	...	1	...	...
Scarlet fever F	14	4	1	2	1	2	...	...	...	...	2	1	4
Diphtheria M	51	16	10	6	5	1	2	4	...	1	7	6	10
Diphtheria F	48	17	10	8	3	15	2	6	...	...	5	5	10
Whooping cough M	25	4	1	1	3	3	...	1	...	...	...	2	3
Whooping cough F	32	6	3	3	3	8	1	1	...	...	4	4	1
Malarial fever M	20	6	5	1	8	1	1	1	...	...	...	2	5
Malarial fever F	26	15	3	2	...	2	1	1	1	...	...	2	8
Influenza M	128	66	15	13	7	5	3	5	...	...	...	3	35
Influenza F	185	78	12	15	7	2	1	3	1	...	1	1	52
Typhoid fever M	54	25	13	11	4	8	...	5	...	...	2	...	16
Typhoid fever F	43	22	11	4	3	6	...	4	...	...	3	...	10
Chol ra morbus M	...	7	2	2	...	...	...	1	1	...	1	1	2
Chol ra morbus F	9	5	...	1	1	...	...	1	...	...	1	1	2
Colitis M	3	1	...	...	...	...	...	...	...	...	1	...	...
Colitis F	9	1	1	2	...	...	...	...	...	1	1	...	2
Diarrhea M	30	17	5	1	8	...	...	6	...	1	1	4	7
Diarrhea F	25	20	9	4	8	1	...	4	...	1	7	4	9
Dysentery M	20	25	4	6	4	3	...	3	...	...	...	2	12
Dysentery F	27	28	4	4	3	1	2	3	...	...	2	2	11
Enteritis M	73	36	10	4	8	11	1	3	1	6	13	8	13
Enteritis F	83	23	11	8	7	2	1	2	1	3	10	7	11
Cholera infantum M	88	38	22	5	15	11	3	9	3	2	25	20	12
Cholera infantum F	104	23	13	11	14	8	2	17	2	5	16	15	5
Fever M	1	...	...	...	...	...	1	...	...	...	...	...	...
Fever F	...	...	...	...	...	...	...	...	...	...	...	...	1
Cerebro-spinal fever M	13	7	1	1	1	2	2	...	...	...	2	2	1
Cerebro-spinal fever F	16	7	1	...	3	...	...	1	...	...	1	...	4
Smallpox M	...	...	...	...	...	...	...	...	...	...	...	...	...
Smallpox F	...	...	...	...	...	...	...	...	...	...	...	...	...
Erysipelas M	10	2	2	3	2	...	1	2	...	...	1	...	3
Erysipelas F	5	3	2	...	...	...	...	1	...	1	2	1	4
Septicemia M	16	5	4	4	2	2	...	5	...	1	1	1	2
Septicemia F	8	6	4	1	1	2	...	1	...	...	1	1	3
Venereal diseases M	8	1	...	...	2	1	...	2	...	...	...	...	4
Venereal diseases F	2	1	...	...	1	...	...	2	...	...	1	...	...
Others of this group M	13	2	4	...	2	...	...	...	...	...	...	...	6
Others of this group F	11	13	1	1	1	...	...	...	...	...	...	...	4
General diseases—B	66	50	10	9	6	3	2	3	1	1	6	9	43
Males	38	36	8	6	4	2	2	1	1	...	2	7	33
Females	28	14	2	3	2	1	...	2	...	1	4	2	10
Alcoholism M	10	18	...	2	3	...	1	...	...	...	...	...	18
Alcoholism F	3	6	...	1	1	...	...	...	...	...	...	...	3
Parasitic diseases M	...	...	...	...	...	...	...	...	...	...	...	...	1
Parasitic diseases F	1	...	...	...	...	...	...	...	...	...	...	...	...
Lead poison M	1	...	1	...	...	...	...	...	...	...	...	...	1
Lead poison F	...	...	...	...	...	...	...	...	...	...	...	...	...
Other poisons M	12	10	1	1	...	1	...	...	1	...	...	...	9
Other poisons F	8	3	...	1	1	...	...	1	...	...	...	...	3
Inanition M	15	8	6	3	1	1	1	1	...	...	2	7	4
Inanition F	16	5	2	1	...	1	...	1	...	1	4	2	4
General diseases—C	489	185	49	36	53	23	16	34	1	12	27	33	134
Males	260	81	31	19	31	15	13	25	...	9	12	23	63
Females	229	104	18	17	22	8	3	9	1	3	15	10	71
Old age M	71	27	10	8	3	...	5	1	...	1	...	1	33
Old age F	90	48	7	4	2	2	1	1	...	...	1	1	42
Premature birth M	113	17	14	9	15	7	6	11	...	4	9	14	7
Premature birth F	77	17	6	8	16	4	2	5	1	2	9	4	14
Malformation M	21	4	...	...	5	2	...	...	...	...	...	1	2
Malformation F	13	3	...	...	...	1	...	1	...	...	1	2	...
Debility and atrophy M	44	24	6	2	6	5	1	8	...	4	3	5	18
Debility and atrophy F	45	30	5	5	3	1	...	2	...	1	3	8	13
Others of this group M	11	9	1	...	2	1	1	5	...	...	...	2	3
Others of this group F	4	6	...	...	1	...	...	...	...	...	1	...	2

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

CONNECTICUT—Continued.

CAUSE OF DEATH.		BIRTHPLACES OF MOTHERS (WHITE).												
		United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued. General diseases—D		792	762	185	108	115	65	25	39	12	7	34	38	263
Males		333	401	85	54	50	38	15	19	8	3	19	27	124
Females		459	361	100	54	65	27	10	20	4	4	15	11	139
Anemia	M	5	3	1					1			2		
	F	11	8	3	1	1		1		1				2
Diabetes	M	38	12	5	3	3	2	1				2	1	6
	F	13	14	4	8	3		1					1	6
Rheumatism	M	12	6	1	2		3	1				1		6
	F	11	15	5		2	1		1				1	
Scrofula and tabes	M	4	4	1		4			1					
	F	9							1			1		
Hydrocephalus	M	21	1		2	3	6		1			3		4
	F	21	3	3	2		2	1	3	1		3		
Tuberculosis, general	M	3	2	2										1
	F	1	2	1										
Consumption	M	182	321	53	34	31	24	7	12	6	3	8	23	76
	F	225	230	41	23	47	23	3	13	1	3	10	6	69
Cancer	M	50	46	18	12	9	2	6	4	2		3	3	27
	F	146	82	38	24	10	1	4	2				2	56
Tumor	M	5	8	1			1							2
	F	14	7	3	1							1		6
Dropsy	M	7	1	2										2
	F	4	1	1		2								
Others of this group	M	6	2	1	1									
	F	4	4	1						1	1		1	
2. Diseases of the nervous system		813	372	112	92	66	31	18	37	8	8	39	38	287
Males		433	163	62	47	31	10	9	22	1	5	23	20	166
Females		380	209	50	45	35	21	9	15	7	3	16	18	121
Inflammation of the brain.	M	8	1	1		1								2
	F	7	1	1					1					
Meningitis	M	78	40	6	7	12	5	2	6			7	6	12
	F	57	22	12	2	11	8		6			2	6	15
Apoplexy	M	178	70	31	21	7	1	4	3			4	3	85
	F	171	112	16	24	5	5	7	2	3	1	3	1	55
Paralysis	M	55	16	4	6			1				1		22
	F	50	26	3	5	7	2			2				18
Paralysis, general (of insane).	M	1			1									2
	F	3		1				1						2
Tetanus and trismus nascentium.	M	8	4	2	1	1			1					
	F	2		3	1		1						1	
Chorea	M	1												1
	F		1	1										
Epilepsy	M	11												4
	F	3	3			2						1		7
Convulsions	M	39	12	10	1	7	1		11		5	7	10	5
	F	25	12	7	3	5	2	1	6	2	2	8	9	3
Mental diseases	M	8	4	1	3							1	1	13
	F	13	11		1	1								5
Diseases of the brain	M	29	13	4	6	3	2		1			2		11
	F	38	15	4	7	1	3					2		11
Diseases of the spinal cord.	M	1		1				1		1				3
	F	4		1		3								1
Locomotor ataxia	M	7	2	2	1		1							2
	F	3												1
Others of this class	M	9	1					1				1		4
	F	4	6	1	2								1	3
3. Diseases of the circulatory system		531	259	60	72	35	11	20	19	5	6	6	18	217
Males		270	106	29	31	19	6	8	13	4	2	3	8	116
Females		261	153	31	41	16	5	12	6	1	4	3	10	101
Pericarditis	M	1	1		1									1
	F	2	1		1							1		1
Diseases of the heart	M	238	95	25	27	18	4	6	13	2	1	3	5	105
	F	235	142	28	37	16	5	8	6	1	4	1	6	89
Angina pectoris	M	20	3	2	3	1		1						6
	F	10	4	1	1			1					2	5
Diseases of the arteries	M	5	3	2				1						
	F	7	2	1	1									5
Aneurism	M	1	2				2			2				
	F	1	1		1			2						
Embolism	M	2									1			
	F	1		1									1	
Others of this class	M	3	2										3	4
	F	5	8					1				1	1	1

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

CONNECTICUT—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system	736	544	117	80	84	59	20	102	13	13	73	84	229
Males	336	270	68	45	43	38	10	64	9	7	40	50	116
Females	400	274	49	35	41	21	10	38	4	6	33	34	113
Croup M	10	5	3	4	1	1	1	2			2	4	1
Croup F	18	7		1	1	3		2			1	4	2
Pneumonia M	223	192	40	28	31	25	6	45	6	5	22	25	83
Pneumonia F	272	178	28	21	26	14	9	25	3	5	24	21	76
Laryngitis M	5	2	1			1							
Laryngitis F	5	1	1		1	1					2		
Bronchitis M	67	45	18	8	8	6	2	15	1	2	13	16	18
Bronchitis F	76	55	12	8	9	2	1	10	1	1	6	6	22
Pleurisy M	4	8	1		1	1	1					3	5
Pleurisy F	7	9	3	1	1								1
Asthma M	7	4	1	4		1							4
Asthma F	2	7	2	1	1			1				2	2
Others of this class M	20	14	4	2	2	3		2	2		3	2	5
Others of this class F	20	17	3	8	2	1						1	10
5. Diseases of the digestive system	275	221	61	36	20	21	4	9	2	7	24	18	105
Males	122	101	37	20	14	16	1	8	1	3	9	9	49
Females	153	120	24	16	6	5	3	1	1	4	15	9	56
Dentition M	3	2	2		2	1							
Dentition F	7	1			1					1	1		
Angina M	6	1				1		1					
Angina F	4	1	2									1	
Gastritis M	15	20	7	3		2				1	1	1	7
Gastritis F	27	30	1	6				1		1	6	2	16
Diseases of the stomach M	6	8	1	2		2						1	2
Diseases of the stomach F	12	6		1	1							1	2
Obstruction of the bowels M	8	12	2	2	1	1		3				1	5
Obstruction of the bowels F	15	8	4	1									11
Appendicitis M	14	6	2	1	2	1						1	8
Appendicitis F	13	10	3	1			1			1			1
Hernia M	6	1	5					2					5
Hernia F	4	4	1	1									1
Other diseases of the bowels M	4	1	1										1
Other diseases of the bowels F		1											1
Jaundice M	3	1				1		1			1		
Jaundice F	3	1	1		1								1
Inflammation and abscess of the liver M	10	7		4		1					2	1	3
Inflammation and abscess of the liver F	5	7			1							1	3
Other diseases of the liver M	20	25	11	4	3	4		2	1				10
Other diseases of the liver F	12	19	6	3							1	1	5
Peritonitis M	10	8	5	2	4	2				2	3	2	5
Peritonitis F	26	16	2	1	1	4			1	1	2	2	12
Ascites M					1								
Ascites F		3									1		
Others of this class M	17	9	3	2	1		1				2	2	3
Others of this class F	25	13	4	2	1	1	2				4	1	3
6. Diseases of the urinary system and male organs of generation.	364	252	61	41	25	11	16	7	6	5	12	9	147
Males	216	136	31	23	17	4	7	3	3	2	8	5	104
Females	148	116	30	18	8	7	9	4	3	3	4	4	43
Bright's disease M	156	109	25	17	10	2	5	3	1	1	5	3	70
Bright's disease F	127	98	27	13	7	6	8	3	3	3	3	3	36
Calculus, urinary M													
Calculus, urinary F	1			1							1		
Diseases of the kidney M	17	5	3	3	2	1			1	1	1	1	4
Diseases of the kidney F	8	4	1	3	1		1	1			1	1	4
Diseases of the bladder M	27	8	2	2	3		2		1		1	1	19
Diseases of the bladder F	6	4											2
Others of this class M	16	14	1	1	2	1							11
Others of this class F	6	10	2	1		1							1
7. Diseases of the female organs of generation.	19	10	4	2	4			1					10
Ovarian tumors	5	3	1	1	1								
Ovarian diseases	1												
Diseases of the tubes	1												
Uterine tumors	5	4		1									5
Uterine diseases		1	1		2								1
Others of this class	7	2	2		1			1					4

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

CONNECTICUT—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	36	26	4	10	4	5	1	5	1		5	8	8
Abortion	2	3				1	1					1	1
Childbirth	9	3		1	1	1			1		1		3
Puerperal septicemia	14	12	3	7	3	2		3			1	7	2
Extra-uterine pregnancy	2										1		
Others of this class	9	8	1	2		1		2			2		2
9. Diseases of the bones and joints	18	7	4		2	1	1						4
Males	11	4	2			1	1						3
Females	7	3	2		2								1
Diseases of the spine M		1	2				1						
Diseases of the spine F	3				2								
Abscess, lumbar and psoas. M													
Abscess, lumbar and psoas. F	1	1	1										
Diseases of the bones M	7	2				1							2
Diseases of the bones F	2												
Diseases of the hip-joint M	1												1
Diseases of the hip-joint F													
Others of this class M	3	1											
Others of this class F	1	2	1										1
10. Diseases of the skin	15	8						1					5
Males	8	3											2
Females	7	5						1					3
Abscess M	5	2											1
Abscess F	5	3						1					2
Carbuncle M		1											
Carbuncle F													
Others of this class M	3												1
Others of this class F	2	2											1
11. Diseases of the absorbent system	7	1	1										1
Males	5												
Females	2	1	1										1
Addison's disease M	1												
Addison's disease F		1	1										1
Diseases of the spleen M													
Diseases of the spleen F	2												
Others of this class M	4												
Others of this class F													
12. Accidents and injuries	253	199	47	42	33	19	14	25		2	23	20	172
Males	157	144	33	26	26	16	11	17		2	20	16	128
Females	96	55	14	16	7	3	3	8			3	4	44
Burns and scalds M	10	5	1	3						1	5	1	1
Burns and scalds F	17	11	3	3	2	1		4			1	1	6
Drowning M	21	28	4	3	5	6	3	1			2	2	20
Drowning F	8	4		1	2		2					1	8
Exposure and neglect M	2	2									1		1
Exposure and neglect F		1										1	
Gunshot wounds M	4	1	1	3	2			1			1		4
Gunshot wounds F	2							1			1		
Homicide M								1					2
Homicide F		1										1	
Infanticide M													
Infanticide F													
Injuries by machinery M													
Injuries by machinery F													
Railroad accidents M	19	33		4	5	4	2	4			1	2	39
Railroad accidents F	7	8		4									1
Suffocation M	12	5			2		1						3
Suffocation F	8	4									1		2
Suicide by shooting M	2		3	2		1					1	1	2
Suicide by shooting F	1												
Suicide by drowning M	1		1	1									1
Suicide by drowning F		1	1	1									
Suicide by poison M	9	3	5				1			1			3
Suicide by poison F	10	3	1										1
Other suicides M	12	6	4	1		2	1				1	2	2
Other suicides F	4	1	1										1
Sunstroke M		3	1		1						1		
Sunstroke F	1	1											
Surgical operations M	1											1	2
Surgical operations F	1												
Wounds M		4			1		1	1				1	2
Wounds F													
Others of this class M	64	54	13	9	10	3	2	9			7	6	47
Others of this class F	37	20	8	7	3	2	1	3					24

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

DISTRICT OF COLUMBIA.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes	2,370	428	287	105	20	[illegible]	36	28	18	[illegible]	20	32	308
Males	1,223	225	173	65	10	5	17	13	10	2	13	21	190
Females	1,147	203	114	40	10	1	19	15	8		7	11	118
Unknown cause	15												
Males	8												
Females	7												
1. General diseases. General diseases—A	566	53	43	15	2	1	4	11	2	1	4	5	39
Males	287	23	22	8	2		1	3	1	1	2	4	26
Females	279	30	21	7		1	3	8	1		2	1	13
Measles M	12							1					3
Measles F	8	1						2					
Scarlet fever M	12												
Scarlet fever F	6		2										
Diphtheria M	65	1	3		1		1				1		2
Diphtheria F	55		4	2		1		1				1	2
Whooping cough M	13			1									
Whooping cough F	[illegible]		1										
Malarial fever M	10	2	3	2						1			2
Malarial fever F	11	3	2	1									
Influenza M	21	4		1	1								1
Influenza F	28	[illegible]	5	2									2
Typhoid fever M	60	7	7	1								2	4
Typhoid fever F	38	3	3	2				2					3
Cholera morbus M	2												
Cholera morbus F	2								1				
Colitis M	3		1										
Colitis F	1												
Diarrhea M	12	[illegible]	4	1								1	5
Diarrhea F	16	6	1				2						1
Dysentery M	11		1										
Dysentery F	10	1	1										1
Enteritis M	31	4	3	2							1	1	3
Enteritis F	53	3					1	1			1		4
Cholera infantum M	20	2						2	1				[illegible]
Cholera infantum F	22	2						1					
Fever M													
Fever F													
Cerebro-spinal fever M	6												
Cerebro-spinal fever F	4	1	1								1		
Smallpox M													2
Smallpox F	3												
Erysipelas M	2												
Erysipelas F	2												
Septicemia M	4												2
Septicemia F	5	1						1					
Venereal diseases M	3												
Venereal diseases F	4		1										
Others of this group M		1											
Others of this group F	3	1											
General diseases—B	29	[illegible]	3	1	1						1		[illegible]
Males	19	6	3	1									1
Females	10				1						1		1
Alcoholism M	5	6	[illegible]	1									1
Alcoholism F					1								1
Parasitic diseases M													
Parasitic diseases F													
Lead poison M													
Lead poison F													
Other poisons M	9												
Other poisons F	4										1		
Inanition M	5												
Inanition F	[illegible]												
General diseases—C	217	24	21	7			1	1	1		1		22
Males	122	10	8	6				1					12
Females	95	14	13	1			1		1		1		10
Old age M	31	7	6	6									7
Old age F	25	12	7				1		1				[illegible]
Premature birth M	45	2	1										
Premature birth F	30	1	2	1									2
Malformation M	3												
Malformation F	3												1
Debility and atrophy M	40	1	1					1					[illegible]
Debility and atrophy F	33	1	4								1		3
Others of this group M	3												
Others of this group F	4												

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

DISTRICT OF COLUMBIA—Continued.

CAUSE OF DEATH.		BIRTHPLACES OF MOTHERS (WHITE).												
		United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued. General diseases—D		399	103	55	18	6	1	5	2	4		1	11	51
Males		180	61	31	12	3	1	2	1	2		1	7	24
Females		219	42	24	6	3		3	1	2			4	27
Anemia	M	4												
	F	2	2											
Diabetes	M	5	2		1									
	F	5												
Rheumatism	M	5	1	1	1					1				
	F	9	1	1				2						1
Scrofula and tabes	M	3			1									1
	F	1												2
Hydrocephalus	M	9	1	2										
	F	6			1									
Tuberculosis, general	M	2											1	1
	F	4							1					
Consumption	M	125	41	18	6	2	1	2	1	1		1	5	16
	F	121	26	12	3	3				1			3	14
Cancer	M	20	15	6	2	1								6
	F	63	11	8	2			1		1			1	9
Tumor	M	8	1	1										
	F	5	2	2										
Dropsy	M	2		2	1									
	F	2												1
Others of this group	M	1		1										
	F	1		1										
2. Diseases of the nervous system		270	63	47	19	3	1	8	5	1		5	2	69
Males		154	32	35	12	1	1	5	3	1		4	1	48
Females		116	31	12	7	2		3	2			1	1	21
Inflammation of the brain.	M	1										1		
	F	1												
Meningitis	M	23	2	1					2	1				2
	F	20	1		1				1					3
Apoplexy	M	57	17	21	5			4	1					15
	F	39	16	7	1	1		2	1			1		11
Paralysis	M	14	1	1	2									
	F	15	1	1	2									
Paralysis, general (of insane).	M	1		1				1				1		3
	F													1
Tetanus and trismus nascentium.	M	5	1											
	F	2												
Chorea	M				1									1
	F													
Epilepsy	M	1	1											4
	F	3				1								2
Convulsions	M	22	1	1								1	1	2
	F	11	3	2										
Mental diseases	M	4	5			1	1					1		5
	F	1		1	1								1	4
Diseases of the brain	M	23	8	8	4									15
	F	13	7		2			1						
Diseases of the spinal cord.	M	1	1	1										1
	F	6												
Locomotor ataxia	M	1		1										
	F	1	1											
Others of this class	M	1												
	F	4	2	1										
3. Diseases of the circulatory system		193	55	37	11	2	1	8	2	4		1	6	32
Males		99	27	27	5	1	1	5	2	3		1	5	21
Females		94	28	10	6	1		3		1			1	11
Pericarditis	M	1	1											
	F													
Diseases of the heart	M	88	23	25	4	1		5	2	3		1	5	20
	F	86	27	10	6	1		3		1			1	10
Angina pectoris	M	6	1	1										
	F	6												
Diseases of the arteries	M	4			1									
	F													
Aneurism	M		1				1							1
	F													
Embolism	M		1	1										
	F	1												1
Others of this class	M													
	F	1	1											

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

DISTRICT OF COLUMBIA—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system	266	56	26	11	4	2	5	5	2			4	17
Males	127	25	14	5	2	2	2	2	1			2	11
Females	139	31	12	6	2		3	3	1			2	6
Croup M	6												
Croup F	4	2						1					
Pneumonia M	79	18	12	3	2	1	2	1	1			2	8
Pneumonia F	87	17	8	2			1	2	1			2	6
Laryngitis M	1												
Laryngitis F	1												
Bronchitis M	17	4											1
Bronchitis F	29	4	1	2			1						
Pleurisy M	4			1									2
Pleurisy F	4		1										
Asthma M													
Asthma F													
Others of this class M	20	3	2	1		1		1					
Others of this class F	14	8	2	2	2		1						
5. Diseases of the digestive system	131	20	17	7			1		1		2	1	21
Males	64	9	13	5					1				16
Females	67	11	4	2			1				2	1	5
Dentition M	2		1										
Dentition F	7												
Angina M													
Angina F													
Gastritis M	7	3	5	1									3
Gastritis F	14	2	1	1									1
Diseases of the stomach M	5	1		1									
Diseases of the stomach F	4	2											
Obstruction of the bowels M	6		2										
Obstruction of the bowels F	8	1		1									1
Appendicitis M	5	1	1										3
Appendicitis F	6	1											1
Hernia M													2
Hernia F	1												
Other diseases of the bowels M													1
Other diseases of the bowels F	1										1		
Jaundice M	5												2
Jaundice F	1												
Inflammation and abscess of the liver M	5	2	2	1									1
Inflammation and abscess of the liver F	2	1	1										
Other diseases of the liver M	14	2	2	1									1
Other diseases of the liver F	4	1											
Peritonitis M	6												1
Peritonitis F	11		1									1	2
Ascites M	1												
Ascites F													
Others of this class M	8			1					1				2
Others of this class F	8	3	1				1				1		
6. Diseases of the urinary system and male organs of generation.	147	29	16	10	1		3		2	1	2		22
Males	86	18	10	9	1		2		1	1	2		15
Females	61	11	6	1			1		1				7
Bright's disease M	71	16	7	7	1		2		1				10
Bright's disease F	42	10	5	1			1						7
Calculus, urinary M													
Calculus, urinary F	1												
Diseases of the kidney M		1	1	1							1		1
Diseases of the kidney F	7		1										
Diseases of the bladder M	7	1	1								1		3
Diseases of the bladder F	1	1							1				
Others of this class M	8		1	1						1			1
Others of this class F	10												
7. Diseases of the female organs of generation.	9	1	2	1									8
Ovarian tumors	2												4
Ovarian diseases	1												
Diseases of the tubes		1	1										2
Uterine tumors	1		1	1									1
Uterine diseases	1												
Others of this class	4												1

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

DISTRICT OF COLUMBIA—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	14		5	1	1							1	1
Abortion	1		1										
Childbirth	2		2									1	
Puerperal septicemia	6		2										1
Extra-uterine pregnancy	1				1								
Others of this class	4			1									
9. Diseases of the bones and joints	6	1											2
Males	2												
Females	4	1											2
Diseases of the spine M	1												
Diseases of the spine F	1												
Abscess, lumbar and psoas. M													
Abscess, lumbar and psoas. F	2												
Diseases of the bones M	1												
Diseases of the bones F													
Diseases of the hip-joint M													
Diseases of the hip-joint F	1												
Others of this class M													
Others of this class F		1											2
10. Diseases of the skin	5	1	1										1
Males	3	1											
Females	2		1										1
Abscess M	1												
Abscess F	1												
Carbuncle M	2	1											
Carbuncle F			1										
Others of this class M													
Others of this class F	1												1
11. Diseases of the absorbent system	2												
Males	1												
Females	1												
Addison's disease M													
Addison's disease F													
Diseases of the spleen M													
Diseases of the spleen F													
Others of this class M	1												
Others of this class F	1												
12. Accidents and injuries	101	16	14	4			1	2	1		3	2	21
Males	71	13	10	2				1			3	2	16
Females	30	3	4	2			1	1	1				5
Burns and scalds M	7	1						1					
Burns and scalds F	11			1									
Drowning M	14	1	2								1		2
Drowning F				1									
Exposure and neglect M													
Exposure and neglect F													
Gunshot wounds M	5												3
Gunshot wounds F	2												
Homicide M	3												
Homicide F	1		2				1						
Infanticide M													
Infanticide F													
Injuries by machinery M													
Injuries by machinery F													
Railroad accidents M	7	2	1										5
Railroad accidents F	1												1
Suffocation M	1											1	
Suffocation F		1											
Suicide by shooting M	1	1	2	1									1
Suicide by shooting F													
Suicide by drowning M													
Suicide by drowning F													
Suicide by poison M	2												
Suicide by poison F			1									1	2
Other suicides M	1	1	2										1
Other suicides F	4	1	1										1
Sunstroke M	2												
Sunstroke F	1												
Surgical operations M													2
Surgical operations F													1
Wounds M	1												
Wounds F											2		2
Others of this class M	27	7	2	1									
Others of this class F	10	1						1	1				

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MAINE.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes	8,525	652	36	175	1,898	52	81	10	4	2	27	29	621
Males	4,365	346	23	100	983	30	41	4	2	1	19	18	336
Females	4,160	306	13	75	915	22	40	6	2	1	8	11	285
Unknown cause	139	6		3	50	1	2				2		16
Males	83	6		2	27	1					1		10
Females	56			1	23		2				1		6
1. General diseases. General diseases—A	1,155	52	4	23	460	7	11	4	1	1	6	5	53
Males	626	25	3	15	259	5	4	1			5	3	26
Females	529	27	1	8	201	2	7	3	1	1	1	2	27
Measles M	13				9		1						
Measles F	15				10	1							1
Scarlet fever M	19			1	16								1
Scarlet fever F	11				5								
Diphtheria M	29	2		1	19	1	1				1		1
Diphtheria F	25	3			16		1	1					1
Whooping cough M	32	1		1	12								1
Whooping cough F	33	1		1	15								
Malarial fever M	8	1			1								1
Malarial fever F	4												1
Influenza M	92	3		1	14								6
Influenza F	102	2			12		2						9
Typhoid fever M	91	5	1		26						1		4
Typhoid fever F	44	2		4	18	1							3
Cholera morbus M	23	1			5		2						1
Cholera morbus F	11				5						1		1
Colitis M	4	1											
Colitis F	9												
Diarrhea M	25		1	4	13								1
Diarrhea F	18	2			11								
Dysentery M	22	1			8							1	
Dysentery F	31	3			5								3
Enteritis M	45	1		2	13			1			2		3
Enteritis F	44	7	1		13		2						3
Cholera infantum M	125	1	1	1	110	4					1	2	1
Cholera infantum F	105	3		1	77		1	2		1		2	
Fever M	1												
Fever F					2								
Cerebro-spinal fever M	19			1	5								
Cerebro-spinal fever F	14				5								
Smallpox M	5												
Smallpox F													
Erysipelas M	13	1			1								1
Erysipelas F	10												
Septicemia M	31	4			7								1
Septicemia F	31	2		1	5								3
Venereal diseases M	1												
Venereal diseases F	1												1
Others of this group M	28	3		3									4
Others of this group F	21	2		1	1		1		1				1
General diseases—B	76	10	2	2	20	1	1				1		5
Males	44	5	2	2	13	1					1		3
Females	32	5			7		1						2
Alcoholism M	5	4	1										2
Alcoholism F		1			1								1
Parasitic diseases M													
Parasitic diseases F	1												
Lead poison M													
Lead poison F													
Other poisons M	13			1	2								1
Other poisons F	6				1								
Inanition M	26	1	1	1	11	1					1		
Inanition F	25	4			5		1						1
General diseases—C	780	53	4	13	155	8	6	1			2	3	71
Males	388	24	1	3	85	3	4				1	2	44
Females	392	29	3	10	70	5	2	1			1	1	27
Old age M	237	15	1	2	15	1	2						39
Old age F	268	21		6	15	5	2						23
Premature birth M	69	2			31	1						1	
Premature birth F	56	2	1	4	28			1			1	1	
Malformation M	7	1			2	1					1		
Malformation F	8		1		1								
Debility and atrophy M	69	6		1	36		1						5
Debility and atrophy F	54	6			25								4
Others of this group M	6				1		1					1	
Others of this group F	6		1		1								

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MAINE—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued. General diseases—D	1,559	159	5	29	312	7	12	1	1			6	95
Males	666	81	4	12	145	4	7		1			4	37
Females	893	78	1	17	167	3	5	1				2	58
Anemia M	17		2		5								
Anemia F	21	2			9								1
Diabetes M	42	3			4								1
Diabetes F	42	1		1	2								3
Rheumatism M	14	1			3								2
Rheumatism F	12			1									1
Scrofula and tabes M	11				8								1
Scrofula and tabes F	17			1	4								3
Hydrocephalus M	22	2		1	8								2
Hydrocephalus F	31	3	1	2	5		1						
Tuberculosis, general M	18				3	1							3
Tuberculosis, general F	14				1								1
Consumption M	358	51	2	7	73	3	5					3	19
Consumption F	439	44		4	104	2		1				2	23
Cancer M	155	22		4	27		1		1			1	8
Cancer F	273	24		7	33	1	4						20
Tumor M	6				2								
Tumor F	18	1		1	3								2
Dropsy M	20	2			9		1						1
Dropsy F	23	3			6								3
Others of this group M	3				3								
Others of this group F	3												1
2. Diseases of the nervous system	1,331	98	5	29	220	4	14		1	1	3	2	117
Males	682	50	3	20	111	2	6			1	2	2	59
Females	649	48	2	9	109	2	8		1		1		58
Inflammation of the brain. M	18			1	8								
Inflammation of the brain. F	8	1			2								
Meningitis M	90	10	1	1	40							1	3
Meningitis F	80	5	1	1	36		1				1		5
Apoplexy M	226	20	1	7	15	1	2				1		16
Apoplexy F	251	20	1	2	17	1	1						20
Paralysis M	146	7		7	11		1						10
Paralysis F	133	6		1	26		1		1				7
Paralysis, general (of insane). M	11									1			6
Paralysis, general (of insane). F	4	1											
Tetanus and trismus nascentium. M	6	1			1								
Tetanus and trismus nascentium. F	1												
Chorea M													
Chorea F	1												
Epilepsy M	10	1			1		1						4
Epilepsy F	8	1											
Convulsions M	43	1		1	20								2
Convulsions F	39				8								1
Mental diseases M	24	5		1	5	1	1				1		14
Mental diseases F	45	8		1	3	1	1						19
Diseases of the brain M	76	4		1	9		1					1	4
Diseases of the brain F	53	5		3	9		4						3
Diseases of the spinal cord. M	10	1	1	1									
Diseases of the spinal cord. F	10			1	1								
Locomotor ataxia M	8												1
Locomotor ataxia F	1				2								
Others of this class M	14				1								2
Others of this class F	15	1			5								
3. Diseases of the circulatory system	942	76	5	25	111	4	11	1			1	1	86
Males	521	40	3	15	57	3	6	1			1		57
Females	421	36	2	10	54	1	5					1	29
Pericarditis M	5			1	2								1
Pericarditis F	5												1
Diseases of the heart M	463	37	3	13	44	3	6	1			1		50
Diseases of the heart F	382	33	2	9	47	1	4						25
Angina pectoris M	34	2			5								4
Angina pectoris F	24	3		1	2		1					1	3
Diseases of the arteries M	3	1		1									
Diseases of the arteries F	8				2								
Aneurism M	5												
Aneurism F					1								2
Embolism M	3				1								
Embolism F	4												
Others of this class M	8				5								
Others of this class F	3				2								

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MAINE—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system	1,106	79	7	23	294	6	13	2			5	3	60
Males	550	41	5	15	142	2	5	1			3	3	29
Females	556	38	2	8	152	4	8	1			2		31
Croup M	13			1	15								
Croup F	13	1			20		1				1		
Pneumonia M	407	36	5	10	83	2	4	1			2	2	24
Pneumonia F	392	30	2	6	90	4	6	1			1		25
Laryngitis M	1			1	1								
Laryngitis F	5				1								
Bronchitis M	67	3		2	34		1				1		2
Bronchitis F	88	1		2	22								5
Pleurisy M	[illegible]				2							1	
Pleurisy F	9	1			4		1						1
Asthma M	9			1	1								
Asthma F	[illegible]				1								
Others of this class M	45	2			6								3
Others of this class F	41	5			14								
5. Diseases of the digestive system	416	33		5	88	7	3	1	1		1	[illegible]	24
Males	198	18		2	39	3	2	1	1		1	3	10
Females	218	15		3	49	4	1					3	14
Dentition M	1	1											
Dentition F													
Angina M	3												
Angina F	2				2								1
Gastritis M	25	2			7				1				2
Gastritis F	40	4		1	7								
Diseases of the stomach M	19	1			2								1
Diseases of the stomach F	10	1			1								3
Obstruction of the bowels M	17	5			4			1					
Obstruction of the bowels F	22				1							2	
Appendicitis M	12	1			6								
Appendicitis F	19	1			2	1							2
Hernia M	10				1							1	1
Hernia F	7			1	2								2
Other diseases of the bowels M	11				1							1	
Other diseases of the bowels F	2				2								
Jaundice M	9			1	1	1						1	
Jaundice F	7			1	2								1
Inflammation and abscess of the liver M	13	1			4								
Inflammation and abscess of the liver F	10	3			2							1	2
Other diseases of the liver M	40	2		1	2		1				1		2
Other diseases of the liver F	21	1			4	1							1
Peritonitis M	23	5			5								1
Peritonitis F	53	2			14	1	1						1
Ascites M													1
Ascites F	5	2			1								
Others of this class M	15				6	2	1						2
Others of this class F	20	1			9	1							1
6. Diseases of the urinary system and male organs of generation.	548	36	1	14	57	1	3				2		41
Males	338	24	1	11	32	1	3						26
Females	210	12		3	25						2		15
Bright's disease M	214	18		8	19	1	2						21
Bright's disease F	155	10		3	19						2		13
Calculus, urinary M	2				1								1
Calculus, urinary F	1												
Diseases of the kidney M	23	2		1	5								2
Diseases of the kidney F	11				2								
Diseases of the bladder M	40	2	1	1	2		1						1
Diseases of the bladder F	[illegible]	1											
Others of this class M	59	2		1	5								1
Others of this class F	37	1			4								2
7. Diseases of the female organs of generation.	25	1			5								
Ovarian tumors	7				2								
Ovarian diseases	1				1								
Diseases of the tubes													
Uterine tumors	7	1											
Uterine diseases	2				1								
Others of this class	8				1								

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MAINE—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	51	3	1	1	24								7
Abortion	3				1								1
Childbirth	22	1	1		8								2
Puerperal septicemia	17	2		1	10								4
Extra-uterine pregnancy													
Others of this class	9				5								
9. Diseases of the bones and joints	23	1			2								
Males	12	1			2								3
Females	11												1
Diseases of the spine M	4				1								
Diseases of the spine F	6												1
Abscess, lumbar and psoas. M													
Abscess, lumbar and psoas. F													
Diseases of the bones M	4				1								
Diseases of the bones F	4												
Diseases of the hip-joint M	3	1											1
Diseases of the hip-joint F	1												
Others of this class M	1												
Others of this class F													
10. Diseases of the skin	13	1			7								
Males	8	1			5								
Females	5				2								
Abscess M	4				5								
Abscess F	4				1								
Carbuncle M	2												
Carbuncle F													
Others of this class M	2	1											
Others of this class F	1				1								
11. Diseases of the absorbent system	5		1	1	1								3
Males	1		1										
Females	4			1	1								1
Addison's disease M	1		1										1
Addison's disease F	1												
Diseases of the spleen M													
Diseases of the spleen F	1												1
Others of this class M													1
Others of this class F	1			1	1								
12. Accidents and injuries	356	44	1	7	92	6	5				4	3	39
Males	248	30		3	66	5	4				4	1	30
Females	108	14	1	4	26	1	1					2	9
Burns and scalds M	12	1			4								
Burns and scalds F	16	2			4	1							1
Drowning M	57	9			20	1					2	1	4
Drowning F	8	2	1		3							2	1
Exposure and neglect M	1												1
Exposure and neglect F	1				1								
Gunshot wounds M	14				3								
Gunshot wounds F	1				1								
Homicide M				1	2	1							
Homicide F	2			2									
Infanticide M													
Infanticide F													
Injuries by machinery M	3				1								
Injuries by machinery F													
Railroad accidents M	15	7			4	1	1						5
Railroad accidents F	3				1								
Suffocation M	9				5								
Suffocation F	5				2		1						
Suicide by shooting M	16												1
Suicide by shooting F													
Suicide by drowning M	3												
Suicide by drowning F	5												
Suicide by poison M	6						1						1
Suicide by poison F	5	1		1	1								
Other suicides M	18				4	1	1				1		
Other suicides F	4				1								1
Sunstroke M	2												
Sunstroke F	1												1
Surgical operations M	1												
Surgical operations F	4				2								1
Wounds M	3				1								
Wounds F													
Others of this class M	88	13		2	22	1	1				1		15
Others of this class F	53	9		1	10								4

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MASSACHUSETTS.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes	18,114	12,924	911	2,254	7,038	697	808	759	84	31	785	1,364	3,292
Males	9,149	6,396	498	1,160	3,662	372	395	454	47	16	436	749	1,651
Females	8,965	6,528	413	1,094	3,376	325	413	305	37	15	349	615	1,641
Unknown cause	148	86	5	11	31	6	5	7			5	11	31
Males	82	51	2	6	14	2		4			4	8	13
Females	66	35	3	5	17	3	5	3			1	3	18
1. General diseases. General diseases—A	3,056	1,801	154	391	1,792	158	125	200	13	7	212	371	342
Males	1,497	862	74	181	949	79	59	109	5	3	109	195	165
Females	1,559	939	80	210	843	79	66	91	8	4	103	176	177
Measles M	39	34	1	7	45	2	2	16		1	3	10	6
Measles F	39	27	3	4	31	1		15			4	11	8
Scarlet fever M	62	49	5	5	30	5	3	6			9	4	2
Scarlet fever F	77	43	5	8	35	5	4	3			17	5	1
Diphtheria M	178	112	3	28	106	16	4	27			20	6	3
Diphtheria F	192	125	17	21	106	18	10	21		1	20	10	9
Whooping cough M	57	31	2	8	41		1	6			5	4	3
Whooping cough F	65	54	2	15	40	5	3	4			4	14	3
Malarial fever M	22	7			6		1					1	4
Malarial fever F	7	10		1	5		2				1	2	1
Influenza M	192	83	5	21	38	2	7	2	1			9	47
Influenza F	321	164	7	33	76	5	12	3	3		3	4	76
Typhoid fever M	133	72	10	17	73	12	4	7			6	19	16
Typhoid fever F	73	74	3	15	37	9	5	2	1			14	11
Cholera morbus M	22	16	2	1	10	1					1	1	2
Cholera morbus F	19	18		1	7	2	2	1	1		1	2	2
Colitis M	16	5	1	2	3		1					3	
Colitis F	14	10		2	5			2			2	2	2
Diarrhea M	39	48	6	4	38	2	1	2			1	8	11
Diarrhea F	48	36	4	6	32	4	3	2				11	9
Dysentery M	36	35	2	7	20	1	1				1	5	8
Dysentery F	56	51		4	15	2	3	1				3	12
Enteritis M	208	129	8	18	130	18	10	16	2	1	21	40	15
Enteritis F	185	125	12	28	103	5	12	14	1		22	19	17
Cholera infantum M	329	155	11	39	345	14	15	15	2	1	37	75	13
Cholera infantum F	303	100	22	48	277	19	4	13	2	3	24	69	9
Fever M								1					
Fever F	2	1			2								
Cerebro-spinal fever M	49	17	3	3	28	1	3	7			3	5	2
Cerebro-spinal fever F	38	11	1	8	19		1	4			2	4	2
Smallpox M	1	3		1								1	
Smallpox F	1	2		1	5								
Erysipelas M	32	18	3	5	11	1	1	1			1	1	4
Erysipelas F	29	17	2	5	13		1	4				2	3
Septicemia M	37	26	5	6	12	3	4	1			1	1	11
Septicemia F	57	45		6	23	3	1	2			2	4	2
Venereal diseases M	8	6	1	2	5	1		1					3
Venereal diseases F	6	5		2	4	1							2
Others of this group M	37	16	1	7	8		1	1				2	15
Others of this group F	27	21	1	7	8		3				1		8
General diseases—B	439	259	18	63	219	15	15	17	2	1	26	70	60
Males	253	171	13	36	129	10	8	8	1	1	15	35	37
Females	186	88	5	27	90	5	7	9	1		11	35	23
Alcoholism M	21	80	2	9	13	2	3	1					14
Alcoholism F	3	26		4	3		3						7
Parasitic diseases M		1											
Parasitic diseases F					1								
Lead poison M	2	3				1							
Lead poison F	1	2											
Other poisons M	19	16	3	4	14						8	4	9
Other poisons F	14	7	3	2	9	1	1	1				1	4
Inanition M	211	71	8	23	102	7	5	7	1	1	12	31	14
Inanition F	168	53	2	21	77	4	3	8	1		11	34	12
General diseases—C	2,025	974	51	167	744	47	66	54	9	8	71	111	368
Males	956	482	25	86	416	26	33	27	5		38	60	161
Females	1,069	492	26	81	328	21	33	27	4	3	33	51	207
Old age M	293	178	10	13	29	3	14				1	2	114
Old age F	484	265	8	35	41	5	25	8	4		2	2	163
Premature birth M	272	99	5	32	167	16	12	15	3		16	21	18
Premature birth F	226	58	6	17	104	6	5	11		1	7	18	12
Malformation M	52	13	1	3	20	1	1	2			1		1
Malformation F	46	16	3	3	19	1	1	2		1	3	1	
Debility and atrophy M	311	166	8	33	194	5	6	8	2		13	33	27
Debility and atrophy F	298	132	9	26	154	6	2	11		1	17	27	30
Others of this group M	28	26	1	5	6	1		2			7	4	1
Others of this group F	15	21			10	8					4	3	2

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued. General diseases—D	2,688	2,917	194	360	1,146	152	171	73	13	5	98	198	527
Males	1,201	1,448	112	173	538	80	83	48	4	2	57	94	229
Females	1,487	1,469	82	187	608	72	88	25	9	3	41	104	298
Anemia M	38	13	2	3	10		1				1	1	7
Anemia F	45	31		4	18		5	1	1			1	12
Diabetes M	73	38	4	5	7	1	2				1	4	13
Diabetes F	83	33	4	14	13	1	3		1			2	13
Rheumatism M	36	18	1	10	9		1						7
Rheumatism F	35	31	1	3	6	2	1				1	3	8
Scrofula and tabes M	13	9		1	5							2	1
Scrofula and tabes F	13	6		1	8		1	1				1	
Hydrocephalus M	102	47	4	11	42	6	6	6			11	6	3
Hydrocephalus F	71	51	4	6	33	7	2	2			5	8	2
Tuberculosis, general M	34	20	1	3	6	1	1	3				2	5
Tuberculosis, general F	33	9	1	4	7		3	4			2	5	5
Consumption M	630	1,123	74	108	371	59	61	32	2	2	30	69	122
Consumption F	616	945	38	87	381	50	43	9	4	2	20	71	118
Cancer M	225	152	21	23	73	11	9	5	2		10	9	63
Cancer F	529	320	29	61	121	8	26	8	3	1	10	11	125
Tumor M	29	18	2	6	9	1					3		1
Tumor F	39	29	3	3	7	2	1				2	2	2
Dropsy M	7	5		1	3	1							3
Dropsy F	10	6	1	3	9	1	3						3
Others of this group M	14	5	3	2	3		1	2			1	1	4
Others of this group F	13	8	1	1	5	1					1		3
2. Diseases of the nervous system	2,596	1,421	107	323	718	81	109	59	12	1	59	132	473
Males	1,350	634	63	175	390	46	56	40	9	1	30	81	233
Females	1,246	787	44	148	328	35	53	19	3		29	51	240
Inflammation of the brain M	14	5		1	14	2	2				1	3	4
Inflammation of the brain F	4	2	1	3	9				1				3
Meningitis M	254	124	9	32	143	11	9	14			10	33	11
Meningitis F	221	110	6	23	114	14	6	11			8	21	8
Apoplexy M	463	219	30	61	59	7	18	8	4	1	5	11	115
Apoplexy F	483	366	16	54	67	5	26	2	1		3	12	136
Paralysis M	203	88	7	33	32	5	12	1			2	3	43
Paralysis F	191	95	8	32	30	2	9				1		39
Paralysis, general (of insane) M	10	5		3	2			1					3
Paralysis, general (of insane) F	14	2	1	1	1								2
Tetanus and trismus nascentium M	7	5	1	1	5	1		2	1		1		1
Tetanus and trismus nascentium F	1	2										1	1
Chorea M	1	2			1								
Chorea F	1	2			1								
Epilepsy M	25	12	2	2	9	1	1	1			1	2	8
Epilepsy F	23	20	1	4	12	1						1	4
Convulsions M	144	67	7	19	78	16	5	11	2		9	21	6
Convulsions F	110	62	4	18	64	7	3	4			13	13	3
Mental diseases M	41	26	1	6	9		3		1			3	16
Mental diseases F	47	49	1	4	9	2		2			2	1	16
Diseases of the brain M	121	59	4	10	29	3	5	1	1		1	4	21
Diseases of the brain F	88	52	4	7	16	4	8		1		2	2	19
Diseases of the spinal cord M	24	4	2	4	4		1	1				1	1
Diseases of the spinal cord F	28	10	1										2
Locomotor ataxia M	25	9		1									2
Locomotor ataxia F	4	4	1										1
Others of this class M	18	9		2	5								2
Others of this class F	31	11		2	5		1						6
3. Diseases of the circulatory system	1,962	1,270	94	242	406	48	86	35	7	1	46	71	449
Males	1,045	579	51	124	181	24	43	19	3	1	22	40	260
Females	917	691	43	118	225	24	43	16	4		24	31	189
Pericarditis M	13	7			2	3					1		2
Pericarditis F	14	2		2	5	1	1					1	1
Diseases of the heart M	903	526	45	117	165	19	36	16	3	1	19	34	231
Diseases of the heart F	813	642	42	106	194	20	40	15	3		23	28	168
Angina pectoris M	65	11	1	2	2	1	3				1	1	2
Angina pectoris F	42	17		6	9							1	9
Diseases of the arteries M	39	19	1	5	3		3	1			1	1	14
Diseases of the arteries F	25	20	1	1	6	1	1		1			1	7
Aneurism M	5	8	2		2		1					1	3
Aneurism F	2	3		1	1		1						2
Embolism M	7	2	1		3			1					2
Embolism F	10	5		1	3	1		1			1		2
Others of this class M	13	6	1		4	1		1				3	
Others of this class F	11	2		1	7	1							

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system	2,503	2,156	135	331	1,080	101	114	215	14	7	147	242	439
Males	1,250	1,062	73	171	548	55	47	132	8	4	91	134	194
Females	1,253	1,094	62	160	532	46	67	83	6	3	56	108	245
Croup M	36	16	2	7	23	4		5			3	4	
Croup F	38	20	3	1	20	3	1	5	1		1	2	1
Pneumonia M	891	764	48	109	353	37	33	95	8	3	57	88	150
Pneumonia F	860	746	35	106	365	31	46	60	4	2	42	71	185
Laryngitis M	10	4	2	2	6	1		1			1	2	1
Laryngitis F	10	3		3	5							1	
Bronchitis M	186	196	15	31	118	9	8	27		1	21	30	26
Bronchitis F	234	236	18	33	105	10	13	13		1	8	29	40
Pleurisy M	20	20	3	4	16	1	1	2				4	5
Pleurisy F	17	16		1	7	1	1	2			2		2
Asthma M	10	16	1	1	5	1		1			1		1
Asthma F	4	8	1	3	1						1		4
Others of this class M	97	46	2	17	27	2	5	1			2	6	11
Others of this class F	90	65	5	13	29	1	6	3	1		2	5	13
5. Diseases of the digestive system	853	661	49	113	302	27	32	23	2		29	48	137
Males	429	303	25	59	156	15	15	13	1		19	25	54
Females	424	358	24	54	146	12	17	10	1		10	23	83
Dentition M	9	3		3	8							2	
Dentition F	5	2	2		3						1	1	
Angina M	5	3			6			1					2
Angina F	12	1		2	2			1					
Gastritis M	47	50	3	5	14	1	3	1			3	2	6
Gastritis F	52	67		5	14		2	1			1	1	10
Diseases of the stomach M	27	15		5	3	1	1					2	3
Diseases of the stomach F	29	26	1	2	9		1					2	3
Obstruction of the bowels M	36	23	1	6	13	2	1	2			6	5	6
Obstruction of the bowels F	40	32	3	7	13	1	1				1	4	8
Appendicitis M	68	33	6	7	29	1	3	4			5	1	5
Appendicitis F	26	16	2	3	6						1	1	6
Hernia M	7	15	1	3	4	1	1				2		6
Hernia F	15	23	1	2	5		1						5
Other diseases of the bowels M	12	7		1	4	1							
Other diseases of the bowels F	15	6		1	6	1			1				3
Jaundice M	13	9	1	2	8	1						2	1
Jaundice F	12	9		2	8		1						2
Inflammation and abscess of the liver M	17	12	1	2	7		1						1
Inflammation and abscess of the liver F	10	16		1	10	1	1				2	1	1
Other diseases of the liver M	72	68	9	12	17		1	2					9
Other diseases of the liver F	53	50		8	7		7	1				1	19
Peritonitis M	63	36	2	8	31	6	3	1			3	6	5
Peritonitis F	111	67	11	17	46	6	2	6			3	9	17
Ascites M	1	2							1			1	1
Ascites F	4	2		2	2		1	1					3
Others of this class M	52	27	1	5	12	1	1	2				4	9
Others of this class F	40	41	4	2	15	3					1	3	6
6. Diseases of the urinary system and male organs of generation.	999	637	47	123	210	23	36	14	4	2	16	21	239
Males	606	348	28	68	107	9	24	9	3	1	4	13	154
Females	393	289	19	55	103	14	12	5	1	1	12	8	85
Bright's disease M	412	238	22	45	68	5	16	5	2	1	3	5	108
Bright's disease F	312	231	17	41	75	13	9	5	1	1	11	5	74
Calculus, urinary M	4		1	1			1						
Calculus, urinary F	1												
Diseases of the kidney M	41	17		7	14	1	1	3				1	1
Diseases of the kidney F	32	14		3	10							3	1
Diseases of the bladder M	76	37		8	11		4		1			3	23
Diseases of the bladder F	6	8					1						2
Others of this class M	73	56	5	7	14		2	1			1	4	22
Others of this class F	42	36	2	11	18	1	2				1		8
7. Diseases of the female organs of generation.	45	32	5	6	20	1	3	1		1	3	5	11
Ovarian tumors	6	5	2	3	1		1						2
Ovarian diseases	1	1		1			1						
Diseases of the tubes	14	7	1		4					1	1		4
Uterine tumors	16	9	1		4		1				1	3	3
Uterine diseases		3		1	4								
Others of this class	8	7	1	1	7	1		1			1	2	2

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	77	81	6	14	51	5	2	6			11	7	7
Abortion	4	1			2	2		1			1		1
Childbirth	14	29	3	5	14		1	2			5	1	3
Puerperal septicemia	20	29	2	5	24	1	1	3			1	5	1
Extra-uterine pregnancy	11	3	1		2						1		
Others of this class	28	19		4	9	2					3	1	2
9. Diseases of the bones and joints	44	33	3	3	15	2	2	3			2	1	2
Males	29	25	2	2	8	1		3				1	
Females	15	8	1	1	7	1	2				2		2
Diseases of the spine — M	12	5		1	3	1		2					
Diseases of the spine — F	5	1	1		1	1	1						
Abscess, lumbar and psoas. — M	2	3											
Abscess, lumbar and psoas. — F					1								1
Diseases of the bones — M	8	12	1	1	3			1				1	
Diseases of the bones — F	3	2		1	4						2		
Diseases of the hip-joint — M	3	2			1								
Diseases of the hip-joint — F		1			1								
Others of this class — M	4	3	1		1								
Others of this class — F	7	4					1						1
10. Diseases of the skin	36	15	2	4	18	1	3	3			4	2	5
Males	17	9	2	1	8		1	3			3	1	3
Females	19	6		3	10	1	2				1	1	2
Abscess — M	8	7	1	1	6		1	1			1	1	2
Abscess — F	10	4			1		1				1	1	
Carbuncle — M	4	1									2		
Carbuncle — F				2	2								
Others of this class — M	5	1	1		2			2					1
Others of this class — F	9	2		1	7	1	1						2
11. Diseases of the absorbent system	20	8	1	3	2		2			1	1		2
Males	9	5		3						1	1		2
Females	11	3	1		2		2						
Addison's disease — M	4	2		1									1
Addison's disease — F	3	1					1						
Diseases of the spleen — M	1												
Diseases of the spleen — F	4	1											
Others of this class — M	4	3		2						1	1		1
Others of this class — F	4	1	1		2		1						
12. Accidents and injuries	623	573	40	100	284	30	37	49	8	2	55	74	200
Males	425	417	28	75	218	24	26	39	8	2	43	62	146
Females	198	156	12	25	66	6	11	10			12	12	54
Burns and scalds — M	24	24	1	2	13	1	3	5	1	1	6	6	1
Burns and scalds — F	28	39	3	7	25	1	2	4			3	4	9
Drowning — M	76	59	2	18	40	5	7	4	1	1	5	17	31
Drowning — F	10	3			8		1						1
Exposure and neglect — M	4	8					1	1					1
Exposure and neglect — F	3	1			1			1					2
Gunshot wounds — M	12	3	1		4						1	2	2
Gunshot wounds — F	3	1		2							1		2
Homicide — M	6	3						2			1		
Homicide — F	3	2			1								
Infanticide — M											1		3
Infanticide — F							1						1
Injuries by machinery — M		3				1		1					
Injuries by machinery — F													
Railroad accidents — M	52	78	3	11	38	3	2	8	1		7	7	37
Railroad accidents — F	7	2			1						3		2
Suffocation — M	21	20		4	10	1	3	2				2	4
Suffocation — F	19	8	1	1	8						2	3	2
Suicide by shooting — M	38	4	4	5	4	3	1		2			3	7
Suicide by shooting — F	2							1					1
Suicide by drowning — M	5	1	2		3		1					2	5
Suicide by drowning — F	5	2			1								2
Suicide by poison — M	3	10			1	1	2				2		1
Suicide by poison — F	4	3	2	1	1	1							2
Other suicides — M	29	14	5	9	8	3	1	2	1		1	5	16
Other suicides — F	12	4		3	5	1					1	1	3
Sunstroke — M	2	1			1							1	2
Sunstroke — F	1				1								
Surgical operations — M	3	1			1						1		1
Surgical operations — F	9	5	2			1	1	1					3
Wounds — M	5	13	1	1	1			2	1		4	1	
Wounds — F		2											
Others of this class — M	145	175	9	25	94	6	5	12	1		14	16	35
Others of this class — F	92	84	4	11	19	2	6	3			2	4	24

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MICHIGAN.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes	15,369	2,001	4,532	1,658	3,241	883	574	125	146	77	569	1,695	2,335
Males	8,021	1,060	2,444	955	1,711	505	329	85	85	42	337	960	1,359
Females	7,348	941	2,088	703	1,530	378	245	40	61	35	232	735	976
Unknown cause	279	18	68	15	78	22	9	4	.....	2	33	38	48
Males	157	8	30	7	40	6	5	3	.....	1	18	20	30
Females	122	10	38	8	38	16	4	1	.....	1	15	18	18
1. General diseases. General diseases—A	2,944	196	777	221	592	177	53	23	21	15	122	361	329
Males	1,524	104	435	123	300	92	21	18	13	7	66	193	167
Females	1,420	92	342	98	292	85	32	5	8	8	56	168	162
Measles M	89	.....	25	4	22	6	.....	3	.....	.....	3	13	4
Measles F	116	1	26	4	19	5	.....	.....	.....	2	7	17	1
Scarlet fever M	62	3	12	2	17	5	.....	1	.....	.....	4	8	1
Scarlet fever F	65	.....	12	4	11	4	.....	.....	.....	.....	2	6	1
Diphtheria M	63	1	43	6	24	4	.....	.....	1	.....	7	10	7
Diphtheria F	98	3	47	2	23	7	1	.....	1	.....	13	6	10
Whooping cough M	73	2	9	2	16	13	.....	2	1	.....	1	14	3
Whooping cough F	74	2	10	3	14	7	2	.....	.....	.....	4	14	8
Malarial fever M	42	5	9	2	14	.....	1	.....	1	.....	2	4	4
Malarial fever F	50	4	5	5	6	1	2	.....	1	.....	1	3	5
Influenza M	104	23	22	13	5	2	4	1	1	.....	2	11	13
Influenza F	105	9	18	17	22	2	8	.....	.....	.....	1	12	17
Typhoid fever M	173	21	47	23	34	9	8	1	1	2	6	23	15
Typhoid fever F	161	13	40	11	54	14	3	1	1	.....	2	6	6
Cholera morbus M	66	4	17	7	9	4	1	.....	1	.....	3	7	8
Cholera morbus F	59	3	16	5	10	5	.....	.....	1	.....	2	3	4
Colitis M	29	1	4	.....	4	.....	.....	.....	.....	.....	4	4	2
Colitis F	17	1	5	1	.....	.....	1	.....	.....	.....	1	3	1
Diarrhea M	98	7	19	9	14	2	3	.....	1	.....	2	10	13
Diarrhea F	68	13	13	7	12	4	3	1	.....	.....	3	5	13
Dysentery M	42	7	13	6	7	3	1	.....	.....	.....	1	2	7
Dysentery F	58	7	12	7	4	2	2	.....	.....	.....	2	7	11
Enteritis M	135	3	37	16	28	6	1	3	.....	.....	5	35	20
Enteritis F	125	11	27	9	26	6	4	2	1	2	5	28	23
Cholera infantum M	336	3	107	9	64	27	.....	6	5	1	18	29	26
Cholera infantum F	248	8	71	4	48	14	.....	1	1	2	9	33	32
Fever M	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Fever F	2	.....	1	2	.....	.....	.....	.....	.....	1	.....	.....	.....
Cerebro-spinal fever M	98	2	20	9	21	7	1	.....	.....	3	4	8	2
Cerebro-spinal fever F	59	1	8	6	15	8	1	.....	.....	.....	1	15	3
Smallpox M	5	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Smallpox F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Erysipelas M	27	10	14	3	8	2	.....	.....	.....	.....	3	5	7
Erysipelas F	16	6	8	.....	3	1	3	.....	.....	.....	.....	1	5
Septicemia M	39	5	16	5	7	1	1	1	.....	1	.....	6	5
Septicemia F	71	5	14	7	16	3	1	.....	1	1	3	5	8
Venereal diseases M	9	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	18
Venereal diseases F	4	1	.....	2	3	.....	1	.....	.....	.....	.....	.....	20
Others of this group M	31	6	17	6	5	1	.....	.....	1	.....	1	4	11
Others of this group F	24	4	9	2	6	2	.....	.....	1	.....	.....	4	4
General diseases—B	291	25	75	19	63	22	6	4	2	2	17	36	48
Males	172	21	50	11	37	15	5	2	1	1	9	18	36
Females	119	4	25	8	26	7	1	2	1	1	8	18	12
Alcoholism M	16	16	16	3	4	4	2	.....	.....	.....	2	5	11
Alcoholism F	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	1
Parasitic diseases M	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Parasitic diseases F	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Lead poison M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Lead poison F	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other poisons M	39	1	10	3	13	4	2	.....	.....	1	.....	.....	10
Other poisons F	28	1	8	1	7	2	1	.....	.....	.....	.....	6	5
Inanition M	114	4	24	5	20	7	1	2	1	.....	7	13	15
Inanition F	88	2	16	6	17	5	.....	2	1	1	8	12	6
General diseases—C	1,236	188	334	127	229	61	44	13	13	6	50	127	262
Males	633	81	187	66	121	32	20	8	8	3	33	72	128
Females	603	107	147	61	108	29	24	5	5	3	17	55	134
Old age M	197	73	96	50	32	9	19	.....	6	1	12	26	68
Old age F	235	88	95	48	41	15	20	.....	5	3	5	23	53
Premature birth M	240	1	42	6	46	11	1	5	1	1	10	23	11
Premature birth F	187	6	23	3	30	8	1	2	.....	.....	6	16	11
Malformation M	58	.....	10	1	11	4	.....	.....	.....	.....	1	1	4
Malformation F	71	1	3	2	8	2	.....	.....	.....	.....	.....	2	6
Debility and atrophy M	113	6	33	7	27	7	.....	5	1	1	7	20	43
Debility and atrophy F	97	12	21	8	26	4	3	3	.....	.....	5	14	63
Others of this group M	25	1	6	2	5	1	.....	.....	.....	.....	3	2	2
Others of this group F	13	.....	5	.....	3	.....	.....	.....	.....	.....	1	.....	1

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MICHIGAN—Continued.

CAUSE OF DEATH.		BIRTHPLACES OF MOTHERS (WHITE).												
		United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued. General diseases—D		2,265	379	784	278	531	136	108	15	25	10	53	244	313
Males		947	179	352	142	221	66	57	9	13	5	34	111	162
Females		1,318	200	432	136	310	70	51	6	12	5	19	133	151
Anemia	M	33	10	5	3	7	2	1					5	4
	F	44	11	11	8	11	3	4				1	5	2
Diabetes	M	87	5	15	13	10	2	4	1	2		2	6	9
	F	45	6	17	7	9	1	1					4	
Rheumatism	M	48	8	16	5	2	4	1	1	1		2	4	9
	F	43	7	17	3	10	3			1		1	1	3
Scrofula and tabes	M	23	1	4	3	4	2	1	1		1		4	1
	F	32	2	4	4	9	2	1					3	
Hydrocephalus	M	45	4	11	4	10	5	2		1		1	2	5
	F	41	2	5	1	7	1				1	2	9	1
Tuberculosis, general	M	15	1	2	2	5						1	1	4
	F	27	5	1	2	6	1						2	2
Consumption	M	397	103	136	52	125	35	28	4	3	3	18	48	76
	F	601	91	203	51	178	42	22	4	6	2	9	62	78
Cancer	M	223	35	130	48	41	11	17	2	5	1	9	31	38
	F	392	57	134	44	59	11	19	1	3	1	4	30	49
Tumor	M	19	4	10	3	4	1			1			3	
	F	27	5	14	4	12	2	2		1			8	3
Dropsy	M	45	6	22	7	12	3	2				1	6	14
	F	53	10	26	10	5	3	2		1	1	1	7	11
Others of this group	M	12	2	1	2	1	1	1					1	2
	F	13	4		2	4	1		1			1	2	2
2. Diseases of the nervous system		2,165	228	502	228	324	95	83	8	18	10	62	200	349
Males		1,158	111	274	123	188	54	55	7	11	7	34	120	210
Females		1,007	117	228	105	136	41	28	1	7	3	28	80	139
Inflammation of the brain.	M	40		10	3	9	5					4	8	3
	F	44	1	4	1	7						1	2	
Meningitis	M	147	6	23	4	33	10	1	2		1	6	11	13
	F	114	8	22	6	23	8				1	4	12	5
Apoplexy	M	282	40	82	46	36	16	22		4	3	2	30	55
	F	245	42	75	33	32	8	14	1	3		5	24	42
Paralysis	M	225	30	52	34	32	3	17		3		3	11	66
	F	259	35	44	38	21	4	7		1		2	10	44
Paralysis, general (of insane).	M	19	3	3	4	3		3		1			1	5
	F	7	4	3	2			2					2	2
Tetanus and trismus nascentium.	M	11	1	3	2	4	1					1	1	2
	F	3	1	1									1	1
Chorea	M	6												
	F	5			1	1	1							1
Epilepsy	M	46	3	9	1	7		1		2		1	6	8
	F	36	3	6	1	6	1	1				1	4	6
Convulsions	M	155	4	48	4	31	10		4		1	12	37	15
	F	123	6	36	3	26	13					13	11	13
Mental diseases	M	22	5	9	3	7	1	5			1	2	2	13
	F	17	5	12	1	2	2	1			1	1		10
Diseases of the brain	M	137	15	27	9	19	4	1	1	1		2	6	14
	F	93	6	17	11	6	2	2		2	1		9	11
Diseases of the spinal cord.	M	35	1	3	6	1	1	3				1	2	6
	F	23	3	4	3	7	2	1					1	
Locomotor ataxia	M	12	1	1	3	3	1	1			1			5
	F	5		2									1	1
Others of this class	M	21	2	4	4	3	2	1					5	5
	F	33	3	2	5	5				1		1	3	3
3. Diseases of the circulatory system		1,407	254	423	211	259	45	81	3	18	6	25	89	270
Males		802	142	238	133	136	30	54	1	12	3	17	56	168
Females		605	112	185	78	123	15	27	2	6	3	8	33	102
Pericarditis	M	10	3	1	5		1	2						2
	F	9	4	4		8							1	
Diseases of the heart	M	686	126	205	110	122	27	48		10	2	15	47	150
	F	537	99	167	69	107	14	26	2	6	2	7	32	94
Angina pectoris	M	57	6	17	9	6	1	3		2			3	9
	F	36	6	7	7	3					1	1	1	1
Diseases of the arteries	M	24	6	6	4	4							2	5
	F	9	2	6	1	1	1							5
Aneurism	M	6		1	2	2		1					1	2
	F	2				2								
Embolism	M	3		2	2		1		1			1	1	
	F	8	1		1	2		1						1
Others of this class	M	16	1	6	1	2					1	1	1	
	F	9		1		5								1

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MICHIGAN—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system	1,757	261	612	183	442	139	67	26	13	10	85	284	244
Males	928	129	328	109	239	86	36	15	8	5	49	167	147
Females	829	132	284	74	203	53	31	11	5	5	36	117	97
Croup M	39	3	14	2	15	1	1	1			3	9	5
Croup F	24		13	2	6	1	1				3	13	3
Pneumonia M	598	94	178	75	161	59	25	12	5	1	36	111	90
Pneumonia F	528	79	154	52	138	42	15	9	4	2	22	56	60
Laryngitis M	13		1		1	2							1
Laryngitis F	8	1	2		3							2	3
Bronchitis M	170	17	82	19	37	19	6	2	1	1	8	31	33
Bronchitis F	162	27	86	12	39	7	8	2		3	8	28	20
Pleurisy M	8	3	4	3	5		1				1	3	2
Pleurisy F	18	3	1	3	1	2	5					1	3
Asthma M	11	4	17	3	3	1			1	3		1	10
Asthma F	13	12	17	1	3							4	
Others of this class M	89	8	32	7	17	4	3		1		1	12	6
Others of this class F	76	10	11	4	13	1	2		1		3	13	8
5. Diseases of the digestive system	1,133	151	342	133	244	60	40	5	17	5	51	113	121
Males	582	82	182	78	134	32	22	5	10	2	31	59	71
Females	551	69	160	55	110	28	18		7	3	20	54	50
Dentition M	4		2		2						2	1	1
Dentition F	4		1		1						2	1	
Angina M	11		3		3	1						1	
Angina F	6		2		3								
Gastritis M	73	10	22	6	17	4	4	1		1	3	7	9
Gastritis F	80	18	21	10	13	3	5		1		5	11	13
Diseases of the stomach M	38	5	16	12	7		1		1		1	4	4
Diseases of the stomach F	35	2	14	4	6	1						2	1
Obstruction of the bowels M	58	5	19	4	17	2	1	1			2	3	8
Obstruction of the bowels F	27	2	7	3	7	3	2		1		1	3	7
Appendicitis M	73	11	15	5	20	6	2		1		1	6	10
Appendicitis F	47	4	9	2	20	2	2		1		1	3	1
Hernia M	16	2	7	2	10	1	2		1			4	2
Hernia F	10	2	9		2	1						1	2
Other diseases of the bowels M	25	2	8	3	5	1	2		1				
Other diseases of the bowels F	23	2	2		3	1	1					2	1
Jaundice M	30	2	5	2	3						2	2	4
Jaundice F	21	4	3	4	5		1				1	2	6
Inflammation and abscess of the liver M	26	5	5	7	6		3				1	4	4
Inflammation and abscess of the liver F	33	5	7	4	3							4	4
Other diseases of the liver M	77	25	36	16	18	8	4		2		4	7	17
Other diseases of the liver F	61	15	19	9	8	2	3		3	2		5	3
Peritonitis M	57	8	19	8	12	3	2	1	2		1	10	8
Peritonitis F	126	12	46	9	25	8	3			1	5	13	5
Ascites M	4	1	2	1							1		
Ascites F	7		1		1							2	
Others of this class M	90	6	23	12	14	6	1	2	2	1	13	10	4
Others of this class F	71	3	19	10	13	7	1		1		5	5	7
6. Diseases of the urinary system and male organs of generation.	726	133	201	103	118	28	34	8	7	2	10	51	136
Males	462	87	132	73	62	21	28	5	2	1	9	38	92
Females	264	46	69	30	56	7	6	3	5	1	1	13	44
Bright's disease M	283	55	82	47	41	16	18	2	2	1	3	24	53
Bright's disease F	188	37	59	23	46	6	5	3	3	1	1	9	34
Calculus, urinary M	6	1	3	1			1					1	2
Calculus, urinary F	4		1		1							1	1
Diseases of the kidney M	37	9	14	8	6		2	1			1	3	13
Diseases of the kidney F	37	1	5	2	3	1	1					2	4
Diseases of the bladder M	62	9	16	10	7	4	1				2	4	11
Diseases of the bladder F	9	3	1	1									1
Others of this class M	74	13	17	7	8	1	6	2			3	6	13
Others of this class F	26	5	3	4	6				2			1	4
7. Diseases of the female organs of generation.	90	8	17	5	14	8	4			1		4	18
Ovarian tumors	17		3		1		1					2	7
Ovarian diseases	4												2
Diseases of the tubes	4	1	2		4							1	3
Uterine tumors	29	2	2	2	1		1			1		1	2
Uterine diseases	6	1	1	2	1	1	1						2
Others of this class	30	4	9	1	7	2	1						2

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MICHIGAN—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	158	16	89	25	47	14	6	2	2	1	11	20	15
Abortion	11	1	2	1	1							2	1
Childbirth	39	7	23	7	11	6	1	1			5	7	2
Puerperal septicemia	74	6	48	11	24	7	4	1	1	1	6	10	6
Extra-uterine pregnancy	1		1		2								4
Others of this class	33	2	15	6	9	1	1		1			1	2
9. Diseases of the bones and joints	53	5	9	6	13	2	2		1		2	3	5
Males	35	2	4	5	9	2	2				2	2	4
Females	18	3	5	1	4				1			1	1
Diseases of the spine M	13			1	3		1				1		2
Diseases of the spine F	11	1	5										
Abscess, lumbar and psoas. M	1				1								2
Abscess, lumbar and psoas. F	1	1											
Diseases of the bones M	13	2	2	3	3							1	
Diseases of the bones F	4	1		1	1				1			1	1
Diseases of the hip-joint M	4		2		1	1						1	
Diseases of the hip-joint F	1												
Others of this class M	4			1	1	1	1				1		
Others of this class F	1				3								
10. Diseases of the skin	39	6	10	5	10		1				1	5	6
Males	21	5	7	5	7							2	2
Females	18	1	3		3		1				1	3	4
Abscess M	8	3	4	2	4								2
Abscess F	11	1	2				1				1	2	
Carbuncle M			2	1									
Carbuncle F					1							1	1
Others of this class M	13	2	1	2	3							2	
Others of this class F	7		1		2								3
11. Diseases of the absorbent system	26	3	2		11		1					1	4
Males	15	2	2		8							1	
Females	11	1			3		1						4
Addison's disease M	6				1								
Addison's disease F	5												1
Diseases of the spleen M	1		1		3								
Diseases of the spleen F	1				1								
Others of this class M	8	2	1		4							1	
Others of this class F	5	1			2		1						3
12. Accidents and injuries	800	130	287	99	266	79	35	14	9	7	47	119	167
Males	585	107	223	80	209	69	24	12	7	7	35	101	142
Females	215	23	64	19	57	10	11	2	2		12	18	25
Burns and scalds M	30	1	9	1	12	6	3				3	6	6
Burns and scalds F	39	2	13	1	9	2					6	3	7
Drowning M	78	10	30	6	31	7	1	1	1		5	5	23
Drowning F	14	3	4		6		2					1	1
Exposure and neglect M	8	1	1		3	1					1	2	2
Exposure and neglect F	6		1										
Gunshot wounds M	40	6	11	2	13	6	1	1			1	2	4
Gunshot wounds F	7		1		1				1				
Homicide M	5		3		2								4
Homicide F	3												
Infanticide M													
Infanticide F													
Injuries by machinery M	10	1	1		1						1		
Injuries by machinery F					1								
Railroad accidents M	73	25	29	15	34	9	3	4	2	3	3	7	33
Railroad accidents F	4		8	2	3	3	3					1	1
Suffocation M	24	2	3	1	6	1		1			1	6	2
Suffocation F	24	1	3	2	4	2					1	2	
Suicide by shooting M	25	1	5	1	5	2	1			2	1		3
Suicide by shooting F	6		1		2								
Suicide by drowning M	3	1	1		1	1	1					1	
Suicide by drowning F	2				1								
Suicide by poison M	9	1	7	1	2	1			2				
Suicide by poison F	10	1	3	2	5							4	1
Other suicides M	23	6	21	6	4	4	2		1	1	1	5	5
Other suicides F	7		1		4		1					1	
Sunstroke M	5												
Sunstroke F	1		1		1								
Surgical operations M	5				1							1	2
Surgical operations F	13	1	2	1	4							2	2
Wounds M	12	5	5	4	5	1	2					1	1
Wounds F		1						1					
Others of this class M	240	47	97	43	89	30	10	5	1	1	18	65	58
Others of this class F	79	14	26	11	16	3	5	1	1		5	4	12

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes	3,503	636	50	154	1,556	34	52	11	7		13	35	1,337
Males	1,724	302	24	85	786	21	27	9	4		7	19	652
Females	1,779	334	26	69	770	13	25	2	3		6	16	685
Unknown cause	54	11	3	1	24							1	28
Males	26	4	1	1	15							1	17
Females	28	7	2		9								11
1. General diseases. General diseases—A	426	82	8	19	426	6	7	2	2		4	8	153
Males	202	40	2	11	207	5	2	2	1		1	4	70
Females	224	42	6	8	219	1	5		1		3	4	83
Measles M	5	1			14								
Measles F	7	1			15								2
Scarlet fever M	7	1			7	1							
Scarlet fever F	6				4		1				1		1
Diphtheria M	13	2			14			1					
Diphtheria F	16	3		1	12								3
Whooping cough M	12	3		1	13	1					1	1	3
Whooping cough F	14	1	1		24						1	1	1
Malarial fever M	2	1		1	3								2
Malarial fever F	3	1			4								1
Influenza M	39	6		2	5		1						26
Influenza F	52	12	1	2	6		1						31
Typhoid fever M	22	6	1	1	5								5
Typhoid fever F	13	1			10								5
Cholera morbus M	3				5	2		1					
Cholera morbus F	8	2		1	7		1						4
Colitis M	3											1	
Colitis F	2					1							1
Diarrhea M	5	2			9								5
Diarrhea F	8	1			8				1				3
Dysentery M	4	1			5								3
Dysentery F	9	1	1		3		1						1
Enteritis M	14	2	1	2	23							1	2
Enteritis F	17	5	1	1	20		1						8
Cholera infantum M	33	9		2	95	1	1		1			1	5
Cholera infantum F	33	9	2	1	92						1	2	5
Fever M													
Fever F													
Cerebro-spinal fever M	11	4			6								1
Cerebro-spinal fever F	10	1		1	4								1
Smallpox M													
Smallpox F													
Erysipelas M	2												1
Erysipelas F	1				2							1	3
Septicemia M	14			1	2								5
Septicemia F	16	2		1	7								6
Venereal diseases M	1	1											
Venereal diseases F													
Others of this group M	12	1		1	1								12
Others of this group F	9	2			1								7
General diseases—B	50	17	1	3	27		1					1	14
Males	27	10	1	3	22							1	6
Females	23	7			5		1						8
Alcoholism M	3				1								4
Alcoholism F													1
Parasitic diseases M													
Parasitic diseases F	1												
Lead poison M													
Lead poison F													
Other poisons M	4	2	1	1	2								
Other poisons F	2												
Inanition M	20	8		2	19							1	2
Inanition F	20	7			5		1						7
General diseases—C	354	48		13	146	4	5	2			2	8	151
Males	176	20		6	77		2	1			1	5	62
Females	178	28		7	69	4	3	1			1	3	89
Old age M	81	10		3	9								49
Old age F	101	18			8		1						68
Premature birth M	41			3	23		1				1	4	1
Premature birth F	22	1		3	11	2	1					1	2
Malformation M	7				2							1	
Malformation F	5			1	3	1						1	
Debility and atrophy M	47	5			42		1	1					12
Debility and atrophy F	50	9		3	47	1	1	1			1	1	18
Others of this group M					1								
Others of this group F													1

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued. General diseases—D	542	141	13	24	212	4	10	1	1		1	6	201
Males	223	61	7	15	87	2	4	1	1		1	1	73
Females	319	80	6	9	125	2	6					5	128
Anemia M	15												2
Anemia F	16	3	1		4								9
Diabetes M	18	1			2							1	3
Diabetes F	19	3			3							1	4
Rheumatism M	5			2									1
Rheumatism F	5	3			2		1						2
Scrofula and tabes M	4				7								1
Scrofula and tabes F	3	1			6								3
Hydrocephalus M	11	1			5						1		
Hydrocephalus F	9	3			2	1							1
Tuberculosis, general M	2			1									
Tuberculosis, general F	2	2			2								
Consumption M	110	53	6	9	64	1	2	1					45
Consumption F	134	51	4	5	78		4					4	55
Cancer M	48	4		3	5	1	2		1				18
Cancer F	108	13	1	2	22	1							46
Tumor M	5	1											1
Tumor F	11	1		2	1								3
Dropsy M	3	1	1		2								2
Dropsy F	10				4		1						5
Others of this group M	2				2								
Others of this group F	4				1								
2. Diseases of the nervous system	525	64	8	27	175	9	8		1		2	3	238
Males	251	32	6	10	96	7	3				1	2	116
Females	274	32	2	17	79	2	5		1		1	1	122
Inflammation of the brain M	5				2								3
Inflammation of the brain F	3	3			3								1
Meningitis M	45	8	1	2	36	2							7
Meningitis F	45	3		2	26	1	1						1
Apoplexy M	84	10	2	4	19		2				1		55
Apoplexy F	110	13		6	8	1	3						48
Paralysis M	57	4			6							1	22
Paralysis F	49	3	1	2	12		1		1				34
Paralysis, general (of insane) M													2
Paralysis, general (of insane) F	2												
Tetanus and trismus nascentium M	1												1
Tetanus and trismus nascentium F	1												
Chorea M													
Chorea F													
Epilepsy M	3	1	1		3								2
Epilepsy F	7												2
Convulsions M	21	5	2	1	25	3						1	
Convulsions F	16	4	1	3	18						1	1	2
Mental diseases M	5	1		1									13
Mental diseases F	5	1		1	1								11
Diseases of the brain M	25	2		2	2	2	1						7
Diseases of the brain F	20	2		2	10								15
Diseases of the spinal cord M	2				1								2
Diseases of the spinal cord F	4	2											5
Locomotor ataxia M	1												1
Locomotor ataxia F	2	1											
Others of this class M	2	1			2								2
Others of this class F	10			1	1								2
3. Diseases of the circulatory system	462	63	2	25	69	2	4	1	2			1	166
Males	253	30	2	14	34	2	3	1	1			1	92
Females	209	33		11	35		1		1				74
Pericarditis M	2			1									1
Pericarditis F	1												
Diseases of the heart M	231	28	2	12	29	2	3	1				1	84
Diseases of the heart F	198	33		9	32		1		1				69
Angina pectoris M	14	1		1	1				1				6
Angina pectoris F	6			2	3								5
Diseases of the arteries M	3	1			1								1
Diseases of the arteries F	1												
Aneurism M					1								
Aneurism F													
Embolism M	1												
Embolism F	1												
Others of this class M	2				2								
Others of this class F	2												

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system	571	124	7	23	326	4	4	1			4	5	166
Males	288	54	2	13	164	3	4	1			3	2	75
Females	283	70	5	10	162	1					1	3	91
Croup M	10	2			7								1
Croup F	7				13								2
Pneumonia M	214	30		11	105	1	3	1			2		59
Pneumonia F	203	47	3	8	110	1					1	2	71
Laryngitis M	4			1	2								
Laryngitis F	4	1			2								
Bronchitis M	41	17		1	30							2	11
Bronchitis F	51	18	1	1	29								11
Pleurisy M	6	3			5								
Pleurisy F	4				1								
Asthma M	1				1								
Asthma F	2	1			1								3
Others of this class M	12	2	2		14	2	1				1		4
Others of this class F	12	3	1	1	6							1	4
5. Diseases of the digestive system	175	29	3	5	60	2	8						52
Males	83	14	1	3	29	1	5						24
Females	92	15	2	2	31	1	3						28
Dentition M	3				5								
Dentition F	1	1			5								
Angina M	1				1								
Angina F	1				1								
Gastritis M	13		1		3								3
Gastritis F	21	6	1		2		1						8
Diseases of the stomach M	7	2			2								2
Diseases of the stomach F	8	1			2								3
Obstruction of the bowels M	6	1			1	1							3
Obstruction of the bowels F	11	1			1								8
Appendicitis M	8	1			1		1						
Appendicitis F	7		1		1								1
Hernia M	3	1			3								2
Hernia F	1				1								2
Other diseases of the bowels M	4				1								1
Other diseases of the bowels F	1												
Jaundice M		1											2
Jaundice F	1				2								
Inflammation and abscess of the liver M	3	3		1	1								5
Inflammation and abscess of the liver F	5				1		1						2
Other diseases of the liver M	15	1			4		2						6
Other diseases of the liver F	7	1		1	1								1
Peritonitis M	12	2		1	4								1
Peritonitis F	21	5		1	14								5
Ascites M	1												
Ascites F													2
Others of this class M	7	2			3		2						1
Others of this class F	7					1	1						1
6. Diseases of the urinary system and male organs of generation.	177	21	2	8	31	1		1	1			1	74
Males	100	15	1	4	17			1	1			1	48
Females	77	6	1	4	14	1							26
Bright's disease M	65	14	1	1	10				1			1	27
Bright's disease F	66	5	1	3	11	1							26
Calculus, urinary M													
Calculus, urinary F													
Diseases of the kidney M	7	1			5								2
Diseases of the kidney F	3				2								
Diseases of the bladder M	14			2				1					13
Diseases of the bladder F	2												
Others of this class M	14			1	2								6
Others of this class F	6	1		1	1								
7. Diseases of the female organs of generation.	10	2			1								1
Ovarian tumors	3												
Ovarian diseases													
Diseases of the tubes	1												
Uterine tumors	5	1											1
Uterine diseases													
Others of this class	1	1			1								

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	14	3			9	1							5
Abortion					1								
Childbirth	2	1			4								3
Puerperal septicemia	5	2			3								2
Extra-uterine pregnancy													
Others of this class	3				1	1							
9. Diseases of the bones and joints	8			1	3			1					2
Males	4			1	2								1
Females	4				1			1					1
Diseases of the spine M	1				1								1
Diseases of the spine F	3				1			1					
Abscess, lumbar and psoas. M	1												
Abscess, lumbar and psoas. F													
Diseases of the bones M													
Diseases of the bones F	1												1
Diseases of the hip-joint. M	2												
Diseases of the hip-joint. F													
Others of this class M				1	1								
Others of this class F													
10. Diseases of the skin	5	1			3								1
Males	4				2								
Females	1	1			1								1
Abscess M					1								
Abscess F					1								
Carbuncle M	2												
Carbuncle F		1											
Others of this class M	2				1								
Others of this class F	1												1
11. Diseases of the absorbent system.	3												
Males													
Females	3												
Addison's disease M													
Addison's disease F	1												
Diseases of the spleen M													
Diseases of the spleen F													
Others of this class M													
Others of this class F	2												
12. Accidents and injuries	127	30	3	5	44	1	5	2				1	85
Males	87	22	1	4	34	1	4	2				1	68
Females	40	8	2	1	10		1						17
Burns and scalds M	2	1											3
Burns and scalds F	3	2	1	1	2								1
Drowning M	12	3			8							1	11
Drowning F	1				2								
Exposure and neglect M	2						1						3
Exposure and neglect F	2												
Gunshot wounds M	5	1						1					
Gunshot wounds F							1						
Homicide M													1
Homicide F													
Infanticide M													
Infanticide F	1												
Injuries by machinery M													
Injuries by machinery F													
Railroad accidents M	3	4		1	8	1	1						11
Railroad accidents F	1												
Suffocation M	5	2											3
Suffocation F	3	2			2								
Suicide by shooting M	3			1	1								4
Suicide by shooting F													
Suicide by drowning M				1									
Suicide by drowning F	1												1
Suicide by poison M	1												
Suicide by poison F													
Other suicides M	10				2		2						8
Other suicides F	5												1
Sunstroke M		1											
Sunstroke F													
Surgical operations M													
Surgical operations F	1												1
Wounds M	1												
Wounds F													
Others of this class M	43	10	1	1	15			1					23
Others of this class F	22	4	1		4								14

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Cont'd.

NEW JERSEY.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes	13,594	5,113	4,218	1,414	124	301	418	1,211	140	272	672	1,119	2,478
Males	7,081	2,563	2,352	774	59	174	218	697	84	154	394	614	1,453
Females	6,513	2,550	1,866	640	65	127	200	514	56	118	278	505	1,020
Unknown cause	86	16	23	10	2	1	2	10		1	1	6	20
Males	42	7	14	5	1			5				2	14
Females	44	9	9	5	1	1	2	5		1	1	4	6
1. General diseases. General diseases—A	2,507	712	602	221	15	70	64	266	18	66	154	251	282
Males	1,306	358	328	120	8	36	32	154	12	29	86	135	147
Females	1,201	354	274	101	7	34	32	112	6	37	68	116	135
Measles M	36	11	11	1		1	2	27		1	5	6	3
Measles F	44	9	11	2	2		1	17			2	3	3
Scarlet fever M	58	9	10	8	1	4		13	1		6	3	4
Scarlet fever F	48	22	14	9	1	1	1	3		2	5	1	6
Diphtheria M	185	36	45	14	1	2	6	15	1	4	4	13	20
Diphtheria F	175	35	33	11		2	5	11	1	4	10	14	12
Whooping cough M	71	23	15	6		1	3	4	1	2	4	9	3
Whooping cough F	82	14	10	5		1	1	11		3	6	9	2
Malarial fever M	24	11	10	2				2				3	4
Malarial fever F	25	14	6	1		1		3					1
Influenza M	93	33	22	11	2	2	2	2		1	2	5	16
Influenza F	114	52	29	16		2	3	3			1	2	15
Typhoid fever M	106	34	21	18		2	3	5	3	4	3	13	15
Typhoid fever F	75	20	17	4	1	3	2	2		1	1	4	18
Cholera morbus M	26	12	5	2			1	2			1		4
Cholera morbus F	19	7	3	1							1	4	2
Colitis M	19	3	3		1			2			2	1	3
Colitis F	19	1	2	2								2	2
Diarrhea M	38	14	13	8		1		5	1	1	3	3	4
Diarrhea F	44	17	4	5		1	2	4			2	5	3
Dysentery M	25	19	10	5		3		5			1	4	3
Dysentery F	37	23	6	6		1	1	5			3	1	9
Enteritis M	258	69	76	15	1	8	7	36	2	12	25	47	31
Enteritis F	199	64	70	15	2	12	9	25	1	12	21	42	32
Cholera infantum M	241	39	51	13	1	6	1	17	1	2	19	18	10
Cholera infantum F	212	26	35	11		8	4	16	1	12	15	17	10
Fever M	1			1							1		
Fever F	1												
Cerebro-spinal fever M	41	15	6	3	1		3	1		1	2	4	3
Cerebro-spinal fever F	34	8	4	5		1		2				1	2
Smallpox M	5												
Smallpox F	1	1											1
Erysipelas M	23	12	5	2		1	1	10	2	1	4		7
Erysipelas F	21	11	6					5		2	1	3	3
Septicemia M	36	11	11	3		5	2	5			3	2	8
Septicemia F	28	12	13	3	1	1		5	2			5	10
Venereal diseases M	2		2				1	2			1	2	2
Venereal diseases F	3	2	2	1						1		1	2
Others of this group M	18	7	12	8				1				2	7
Others of this group F	20	11	9	4			3		1			2	2
General diseases—B	238	67	47	28	4	5	10	10	5	3	11	24	42
Males	137	41	30	20	2	4	6	7	4	3	7	16	30
Females	101	26	17	8	2	1	4	3	1		4	8	12
Alcoholism M	18	16	12	11		1	3		2	1		2	17
Alcoholism F	2	7	1	3			1						3
Parasitic diseases M	1							1				1	
Parasitic diseases F													
Lead poison M	2	1	1										1
Lead poison F													
Other poisons M	24	7	7	3		2			1		1	3	5
Other poisons F	11	8	6		1	1	1	1			1	2	5
Inanition M	92	17	10	6	2	1	3	6	1	2	6	10	7
Inanition F	88	11	10	5	1		2	2	1		3	6	4
General diseases—C	1,279	260	226	88	6	18	31	102	5	24	66	102	151
Males	711	111	117	39	3	13	10	60	4	15	44	53	83
Females	568	149	109	49	3	5	21	42	2	9	22	49	68
Old age M	123	30	31	17		3	1					7	38
Old age F	160	64	45	23	1	1	10	3			1	8	28
Premature birth M	208	14	23	5	2	3	3	19	2	4	9	14	11
Premature birth F	138	13	17	11	2	2	4	17		2	5	9	10
Malformation M	56	11	10	1			1	3			3	3	1
Malformation F	32	8	4				3	2			1	2	1
Debility and atrophy M	288	44	49	14	1	6	5	35	1	11	26	29	31
Debility and atrophy F	221	55	41	12		2	1	19	2	5	14	28	27
Others of this group M	36	12	4	2		1		3	1		6		2
Others of this group F	17	9	2	3			3	1		2	1	2	2

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.		BIRTHPLACES OF MOTHERS (WHITE).												
		United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued. General diseases—D		1,892	1,051	759	238	22	53	75	92	27	23	58	142	467
Males		859	552	430	124	12	29	40	49	21	12	33	83	238
Females		1,033	499	329	114	10	24	35	43	6	11	25	59	229
Anemia	M	15	4	5	3	1			2	2	1			2
	F	17	14	6	4		1							2
Diabetes	M	35	8	15	7		1	2		1		1	1	6
	F	32	14	16	5	1	1	1		1				8
Rheumatism	M	20	4	5	5				1				1	2
	F	14	8	7	1				2	1	1		3	8
Scrofula and tabes	M	13	1	2			1		2				1	1
	F	5	1		2				1			1	1	
Hydrocephalus	M	60	18	12	4		1	1	5		3	3	6	3
	F	53	8	12	3	1	2	1	4		2	2	8	4
Tuberculosis, general	M	13	4	1	2				1				1	5
	F	10	3		1						1		1	2
Consumption	M	535	441	289	71	8	24	29	33	13	7	24	56	184
	F	603	329	178	57	5	12	15	24	3	4	17	36	156
Cancer	M	124	54	82	24	1	1	7	5	5		5	13	26
	F	244	102	94	34	3	6	15	11	1	3	4	10	51
Tumor	M	13	9	12	5		1	1			1		2	6
	F	30	12	8	8		2	3						4
Dropsy	M	15	6	5	2	2							1	2
	F	16	6	6	2									3
Others of this group	M	16	3	2	1								1	1
	F	9	2	2	2				1			1		1
2. Diseases of the nervous system		2,196	668	560	212	17	32	75	133	25	39	81	161	390
Males		1,167	312	326	121	6	20	38	77	9	24	45	86	224
Females		1,029	356	234	91	11	12	37	56	16	15	36	75	166
Inflammation of the brain.	M	14	2	3	1			1		1			2	1
	F	23	5	3	1		1							
Meningitis	M	228	68	67	18	2	6	6	31	1	5	21	16	22
	F	198	50	31	15	3	3	5	24	1	4	16	19	15
Apoplexy	M	290	110	122	43	1	8	10	9	3	1	2	18	100
	F	286	163	105	37	8	1	12	5	7	1	4	24	64
Paralysis	M	177	35	32	22		1	5		1		1	4	28
	F	155	41	31	13	3	3	6	1	2	1		3	35
Paralysis, general (of insane).	M	11	6	6	5			1	1					21
	F	12	1	2	1			1					1	2
Tetanus and trismus nascentium.	M	34	6	7	3			1	2		3	4	3	2
	F	10		8	1			1	3		1	1		
Chorea	M	2												
	F	3			1									
Epilepsy	M	15	5	4	2				1	1	1		1	6
	F	12	2	2	3									4
Convulsions	M	242	40	50	13		2	4	29	2	10	13	29	13
	F	194	43	26	10	2	2	9	22	3	8	12	26	11
Mental diseases	M	9	6	6	2	1			1				2	16
	F	15	12	11	3			2					1	18
Diseases of the brain	M	96	26	19	11		2	5	2		3	4	6	9
	F	91	22	14	4		2	1	1	3		3	1	11
Diseases of the spinal cord.	M	24	4	7		2		1			1		4	2
	F	12	9	4										3
Locomotor ataxia	M	14	3	3	1		1	1	1				1	2
	F	4												1
Others of this class	M	11	1					3						2
	F	14	8	2	2									2
3. Diseases of the circulatory system		1,227	459	401	141	19	14	26	37	11	9	34	63	235
Males		628	205	208	81	10	5	14	20	7	6	16	29	134
Females		599	254	193	60	9	9	12	17	4	3	18	34	101
Pericarditis	M	7	1	2					2					
	F	7	6	3		1						2		1
Diseases of the heart	M	540	187	191	68	10	5	12	14	7	6	14	27	120
	F	539	230	176	56	8	9	12	17	4	3	14	30	96
Angina pectoris	M	35	9	9	4			1	3			1	1	6
	F	26	6	11	2							1	4	4
Diseases of the arteries	M	15	5	3	3									7
	F	12	7	1	2									
Aneurism	M	6	1	1	1									1
	F	1	2	1										
Embolism	M	4	1											
	F	1	1											
Others of this class	M	21	1	2	5			1	1			1	1	
	F	13	2	1								1		

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system	2,057	911	734	203	20	53	69	364	15	55	149	190	298
Males	1,062	454	390	108	8	30	40	207	7	28	85	110	187
Females	995	457	344	95	12	23	29	157	8	27	64	80	111
Croup M	78	7	22	5		1		7		1	4	3	3
Croup F	58	14	13	2		3	1	7		1	4	2	
Pneumonia M	689	327	263	75	5	21	30	154	4	19	56	77	139
Pneumonia F	651	304	244	66	8	16	24	105	5	21	47	62	78
Laryngitis M	13	2	4	1						1		3	
Laryngitis F	14	4	3	1				4			1		1
Bronchitis M	165	70	55	12	1	5	6	35	2	4	15	17	21
Bronchitis F	169	95	59	15	4	2		35	1	3	5	11	23
Pleurisy M	16	15	11	2				6			2	1	8
Pleurisy F	13	8	4	2			2		1		1	2	1
Asthma M	2	1	3	1					1				6
Asthma F	7	4	2	2								1	
Others of this class M	99	32	32	12	2	3	4	5		3	8	9	10
Others of this class F	83	28	19	7		2	2	6	1	2	3	2	8
5. Diseases of the digestive system	689	267	258	78	9	18	24	42	11	17	28	61	103
Males	326	115	137	37	3	13	10	24	5	11	21	33	51
Females	363	152	121	41	6	5	14	18	6	6	7	28	52
Dentition M	5	1	1				1				1	1	1
Dentition F	14	1	1	1			1					1	
Angina M	9	2		1				1					
Angina F	10												1
Gastritis M	62	24	21	10		1	1	3	1	2	5	7	6
Gastritis F	65	39	22	8	1	1	3	3		3		4	7
Diseases of the stomach M	14	10	4	4				1	1		2	2	1
Diseases of the stomach F	10	5	1	2			1	2					7
Obstruction of the bowels M	22	5	9	2		2		2		1	4	5	2
Obstruction of the bowels F	39	18	9	7			1	1	1			3	
Appendicitis M	28	8	6	6	1	1	1	1	1		1	4	6
Appendicitis F	30	7	6	1	1	1	1			1	2	1	6
Hernia M	13	4	8	2		1	2	1		1	1	2	6
Hernia F	18	7	6									1	1
Other diseases of the bowels M	16	2	2				1	1	1				1
Other diseases of the bowels F	14	1	4	1	1			1	1				1
Jaundice M	18	7	2	1				1		2	1	1	4
Jaundice F	8	3	2	2				1	1	1	2	1	1
Inflammation and abscess of the liver M	6	2	1	2	1			1					2
Inflammation and abscess of the liver F	7	8	3					2				2	
Other diseases of the liver M	45	31	50	5	1	6	3	5	1		1	2	16
Other diseases of the liver F	34	32	12	8		1	3	1	2	1	1	2	14
Peritonitis M	61	11	26	1		2		6		2	5	7	2
Peritonitis F	81	22	45	12	2	2	3	7			1	11	9
Ascites M	1		1	1									1
Ascites F	1	1		1									
Others of this class M	26	8	6	1			1	1		3		2	3
Others of this class F	32	8	10	3	1		1		1		1	2	5
6. Diseases of the urinary system and male organs of generation.	756	350	280	117	4	14	24	34	14	8	20	42	215
Males	436	188	154	76	3	6	16	20	10	6	12	21	128
Females	320	162	126	41	1	8	8	14	4	2	8	21	87
Bright's disease M	320	154	124	56	3	3	12	11	7	3	5	13	103
Bright's disease F	254	133	105	30	1	5	8	8	3	2	6	17	77
Calculus, urinary M	1	1									1		
Calculus, urinary F	3	1											
Diseases of the kidney M	26	7	14	5				5		1	4	8	8
Diseases of the kidney F	28	6	6	1		1			1		1	2	2
Diseases of the bladder M	31	11	4	6		1		3	2		1	3	5
Diseases of the bladder F	5	1	1	2							1	1	
Others of this class M	58	15	12	9		2	4	1	1	2	1	2	12
Others of this class F	30	21	14	8		2		6				1	8
7. Diseases of the female organs of generation.	25	7	13	5	1			3			2	4	1
Ovarian tumors	4	1	3								1		
Ovarian diseases											1		
Diseases of the tubes	1	3	1	1				1				2	
Uterine tumors	5	1	4	2	1								
Uterine diseases	5											1	
Others of this class	10	2	5	2				2				1	1

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	78	48	36	12	2	3		14	1	3	9	13	10
Abortion	2	1										1	1
Childbirth	18	12	9	3	2	1		2	1	1	3	3	2
Puerperal septicemia	37	23	19	6		2		7		1	1	8	6
Extra-uterine pregnancy	2		1					1			1		
Others of this class	19	12	7	3				4		1	4	1	1
9. Diseases of the bones and joints	32	11	9	3			1	2			1	1	2
Males	20	6	7	2								1	1
Females	12	5	2	1			1	2			1		1
Diseases of the spine M	6	3		1								1	
Diseases of the spine F	2	1	1				1						1
Abscess, lumbar and psoas. M	1												
Abscess, lumbar and psoas. F													
Diseases of the bones M	7	2	4	1									1
Diseases of the bones F	5	2		1				2			1		
Diseases of the hip-joint M	5	1	2										
Diseases of the hip-joint F	1												
Others of this class M	1		1										
Others of this class F	4	2	1										
10. Diseases of the skin	15	4	5	[illegible]	1						5	2	3
Males	7	2	5		1						5	1	3
Females	8	2		2								1	
Abscess M	4	1									2		
Abscess F	5	2		1									
Carbuncle M	2	1	3										2
Carbuncle F	1												
Others of this class M	1		2		1						3	1	1
Others of this class F	2			1								1	
11. Diseases of the absorbent system	11	2	4										
Males	7		3										
Females	4	2	1										
Addison's disease M	2		1										
Addison's disease F	1												
Diseases of the spleen M	3												
Diseases of the spleen F		1	1										
Others of this class M	2		2										
Others of this class F	3	1											
12. Accidents and injuries	506	280	261	56	2	20	17	102	7	24	53	57	254
Males	373	212	203	41	2	18	12	74	5	20	40	44	213
Females	133	68	58	15		2	5	28	2	4	13	13	41
Burns and scalds M	22	9	13	2		1		8		1	4	1	11
Burns and scalds F	31	19	10	4		2	1	12		3	6	3	15
Drowning M	61	35	25	6		6	1	4			6	9	44
Drowning F	12	4	2										2
Exposure and neglect M	1	2	1	1									3
Exposure and neglect F		1											
Gunshot wounds M	19	3	2	1				3		3		2	7
Gunshot wounds F	3	1									1	1	1
Homicide M	3	2	1	1								1	3
Homicide F		1						1					1
Infanticide M	1												
Infanticide F													
Injuries by machinery M	3												
Injuries by machinery F													
Railroad accidents M	83	68	31	8		2	4	17		5	12	3	68
Railroad accidents F	13	2	9	2				5	1	1	1	2	5
Suffocation M	22	8	9		1	1	2	6			3	2	4
Suffocation F	11	3	7	1				6					5
Suicide by shooting M	10	2	18	1		1	1	5	3	1		5	5
Suicide by shooting F	1												
Suicide by drowning M		1	1	1				1					1
Suicide by drowning F	1		1										
Suicide by poison M	4	7	19	3			1	1	1		2	1	4
Suicide by poison F	4	1	6	1			1				1	3	3
Other suicides M	5	4	21	2				1					5
Other suicides F	1	1	4										1
Sunstroke M	5	3	4			1	1	5		1	2	1	1
Sunstroke F	[illegible]	6	1	2								1	
Surgical operations M	2		2					1				1	
Surgical operations F	[illegible]	1	1	1			1				1		1
Wounds M	3	5	4					1			1		3
Wounds F							1						
Others of this class M	129	63	52	15	1	6	2	21	1	9	10	18	54
Others of this class F	47	28	17	4			1	4	1		2	3	7

TABLE 12.—DEATHS IN REGISTRATION STATES BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900.

NEW YORK.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes	47,922	26,236	18,160	4,843	2,298	1,695	1,457	5,856	616	1,133	4,379	3,278	9,459
Males	24,711	12,994	9,975	2,632	1,227	971	769	3,256	352	603	2,457	1,896	5,292
Females	23,211	13,242	8,185	2,211	1,071	724	688	2,600	264	530	1,922	1,382	4,167
Unknown cause	312	66	45	21	16	1	4	11	1	2	15	9	48
Males	155	39	29	11	14	.....	1	6	.....	1	13	6	28
Females	157	27	16	10	2	1	3	5	1	1	2	3	20
1. General diseases. General diseases—A	9,321	3,160	2,616	585	391	367	173	1,289	73	248	1,011	659	1,150
Males	4,800	1,523	1,404	304	204	200	84	677	38	141	526	359	603
Females	4,521	1,637	1,212	281	187	167	89	612	35	107	485	300	547
Measles M	198	80	61	8	10	16	2	81	1	3	20	24	57
Measles F	228	75	55	12	10	10	3	75	.....	6	25	18	65
Scarlet fever M	201	55	36	8	4	8	4	22	1	12	39	18	16
Scarlet fever F	185	50	37	14	8	11	7	19	.....	9	20	13	11
Diphtheria M	627	171	193	32	22	37	6	65	3	19	70	44	48
Diphtheria F	613	183	167	26	20	28	10	58	2	20	95	42	46
Whooping cough M	250	65	33	12	15	9	2	23	.....	5	21	11	10
Whooping cough F	273	64	54	11	7	13	2	33	.....	4	26	9	7
Malarial fever M	57	17	24	5	3	1	2	10	1	1	6	2	4
Malarial fever F	70	36	27	6	.....	1	3	5	.....	1	2	7	8
Influenza M	249	120	73	30	7	5	12	13	2	5	14	10	55
Influenza F	366	222	93	41	13	6	12	11	4	1	4	7	54
Typhoid fever M	459	156	146	42	35	20	11	17	2	3	21	18	70
Typhoid fever F	371	115	96	22	28	16	7	19	6	.....	16	14	36
Cholera morbus M	87	25	19	6	7	.....	.....	3	1	3	3	3	10
Cholera morbus F	69	28	30	7	5	1	3	7	.....	.....	3	2	5
Colitis M	64	14	17	8	2	2	2	7	.....	.....	6	7	25
Colitis F	55	26	7	5	1	1	1	6	1	.....	4	2	30
Diarrhea M	238	74	71	14	11	8	6	48	1	14	25	26	32
Diarrhea F	203	73	54	13	8	4	3	45	3	13	18	17	23
Dysentery M	135	56	51	13	8	4	4	6	2	6	7	7	19
Dysentery F	124	107	44	16	4	7	5	9	1	1	3	6	22
Enteritis M	925	329	336	46	22	40	17	233	13	35	152	107	108
Enteritis F	866	371	276	48	19	32	15	189	7	25	140	94	124
Cholera infantum M	848	167	196	21	42	36	3	94	5	27	91	51	38
Cholera infantum F	677	122	168	26	37	26	6	82	8	17	93	39	27
Fever M	5	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Fever F	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Cerebro-spinal fever M	140	39	21	6	3	4	3	19	3	1	22	5	9
Cerebro-spinal fever F	134	27	14	4	4	2	3	16	.....	3	12	6	8
Smallpox M	1	2	.....	1	.....	.....	1	.....	.....	.....	.....	2	1
Smallpox F	2	2	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
Erysipelas M	89	42	37	15	2	1	3	19	2	2	6	10	17
Erysipelas F	49	35	19	9	3	1	.....	18	1	6	11	7	15
Septicemia M	109	47	31	21	3	6	1	2	1	4	10	4	30
Septicemia F	140	44	39	6	9	2	3	8	.....	.....	7	11	23
Venereal diseases M	33	12	9	6	3	.....	2	14	.....	.....	5	5	23
Venereal diseases F	29	9	5	2	2	3	1	9	1	.....	2	4	20
Others of this group M	85	51	49	10	5	2	3	1	.....	1	8	5	31
Others of this group F	64	48	26	13	9	3	5	2	1	1	2	2	23
General diseases—B.	820	432	257	58	42	38	24	58	8	14	69	57	235
Males	485	287	185	42	26	25	14	37	6	10	37	33	156
Females	335	145	72	16	16	13	10	21	2	4	32	24	79
Alcoholism M	77	188	68	20	8	9	5	1	2	4	5	4	83
Alcoholism F	16	56	10	4	3	2	4	1	1	.....	1	1	29
Parasitic diseases M	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....
Parasitic diseases F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
Lead poison M	5	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Lead poison F	3	3	1	.....	1	.....	.....	1	.....	.....	.....	.....	1
Other poisons M	92	57	73	13	5	12	4	10	3	.....	8	11	55
Other poisons F	47	45	33	5	3	9	2	1	.....	.....	4	6	27
Inanition M	309	42	41	8	13	4	5	26	1	5	24	17	18
Inanition F	268	41	28	7	9	2	4	18	1	4	27	16	22
General diseases—C	4,800	1,390	976	338	194	114	102	285	36	70	312	186	997
Males	2,551	609	477	179	97	69	52	159	18	39	176	113	519
Females	2,249	781	499	159	97	45	50	126	18	31	136	73	478
Old age M	692	266	205	100	27	7	30	3	11	3	19	17	234
Old age F	833	457	253	53	35	10	40	10	9	7	18	15	223
Premature birth M	746	120	97	27	31	23	1	70	2	12	79	35	31
Premature birth F	544	83	77	27	26	16	4	49	5	10	52	23	27
Malformation M	167	18	20	5	5	3	2	15	.....	7	7	4	7
Malformation F	116	15	13	2	1	1	.....	9	1	.....	7	4	4
Debility and atrophy M	854	177	139	40	28	34	16	59	5	15	61	47	244
Debility and atrophy F	665	203	144	44	32	16	6	52	3	13	49	30	220
Others of this group M	92	28	16	7	6	2	3	12	.....	2	10	10	3
Others of this group F	91	23	12	3	3	2	.....	6	.....	1	10	1	4

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW YORK—Continued.

CAUSE OF DEATH.		BIRTHPLACES OF MOTHERS (WHITE).												
		United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued. General diseases—D		6,840	6,126	3,565	900	423	320	313	515	134	181	540	550	1,436
Males		3,125	3,242	1,946	482	214	173	161	282	82	105	321	316	709
Females		3,715	2,884	1,619	418	209	147	152	233	52	76	219	234	727
Anemia	M	59	18	16	7	4	.....	3	3	2	.....	8	1	13
	F	98	53	23	6	11	2	.....	3	.....	.....	2	2	10
Diabetes	M	153	46	87	24	12	2	7	6	2	2	9	12	26
	F	133	70	97	11	5	1	5	4	3	2	8	8	18
Rheumatism	M	82	51	38	16	4	1	2	4	3	1	2	6	18
	F	95	63	27	16	6	2	6	5	1	2	1	4	17
Scrofula and tabes	M	48	3	14	3	.....	1	1	3	2	.....	.....	2	7
	F	71	14	6	1	.....	2	.....	3	.....	.....	2	1	4
Hydrocephalus	M	247	82	45	17	4	9	1	40	4	15	44	18	14
	F	207	47	40	7	3	12	7	33	2	6	29	32	12
Tuberculosis, general	M	36	20	15	2	1	1	1	6	.....	3	5	8	9
	F	25	18	12	5	.....	1	.....	5	1	.....	2	.....	8
Consumption	M	1,854	2,670	1,290	301	138	145	106	189	48	71	182	205	494
	F	1,836	1,920	813	210	125	100	75	143	28	44	106	108	376
Cancer	M	451	301	385	85	37	12	32	22	20	11	57	53	96
	F	1,017	602	543	141	50	22	54	31	16	19	58	66	231
Tumor	M	67	29	28	12	4	.....	5	1	1	1	8	5	10
	F	95	55	25	10	2	2	2	5	1	2	4	8	18
Dropsy	M	95	16	17	13	9	1	1	.....	.....	.....	.....	2	16
	F	108	25	24	7	5	.....	3	.....	.....	.....	2	2	28
Others of this group	M	33	6	11	2	1	1	2	8	.....	1	6	4	6
	F	30	17	9	4	2	3	.....	1	.....	1	5	3	5
2. Diseases of the nervous system		6,492	2,561	1,903	644	269	124	171	426	69	84	352	275	1,177
Males		3,378	1,213	1,043	370	143	76	101	253	42	43	216	166	631
Females		3,114	1,348	860	274	126	48	70	173	27	41	136	109	546
Inflammation of the brain.	M	53	9	9	4	4	.....	.....	1	.....	.....	.....	1	4
	F	39	8	3	1	1	.....	.....	4	1	.....	.....	.....	5
Meningitis	M	686	183	156	40	28	22	8	122	6	12	77	33	46
	F	596	133	102	35	25	13	6	81	4	12	46	39	40
Apoplexy	M	1,075	558	471	169	35	19	51	37	22	11	44	45	301
	F	1,077	699	451	113	38	11	36	26	17	18	31	28	235
Paralysis	M	506	144	140	72	29	6	22	9	6	6	12	21	116
	F	474	180	85	49	22	2	13	4	2	3	7	12	110
Paralysis, general (of insane).	M	23	12	27	8	2	2	1	.....	1	.....	.....	2	8
	F	15	9	6	1	5	.....	.....	2	.....	.....	.....	.....	4
Tetanus and trismus nascentium.	M	62	24	15	3	1	.....	.....	10	1	1	13	5	9
	F	17	13	11	3	.....	3	.....	2	.....	.....	4	1	.....
Chorea	M	3	2	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
	F	8	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Epilepsy	M	64	28	25	6	4	3	1	6	.....	1	4	.....	29
	F	70	25	19	4	3	1	1	3	.....	.....	1	2	19
Convulsions	M	418	79	72	16	22	15	6	43	.....	10	35	36	24
	F	358	55	71	16	13	9	4	33	1	5	30	14	35
Mental diseases	M	76	35	24	11	3	2	4	6	.....	.....	3	4	28
	F	74	66	30	10	4	2	1	7	.....	2	9	2	31
Diseases of the brain	M	278	92	69	28	11	2	5	14	4	2	22	8	45
	F	241	107	51	22	10	6	7	6	1	1	5	9	46
Diseases of the spinal cord.	M	49	17	15	4	2	2	1	3	.....	.....	2	4	9
	F	70	25	11	9	3	.....	1	3	.....	.....	2	1	5
Locomotor ataxia	M	41	14	11	3	1	.....	.....	1	.....	.....	2	5	4
	F	15	3	7	1	1	.....	.....	1	.....	.....	.....	.....	3
Others of this class	M	44	16	8	5	1	2	2	1	2	.....	2	2	8
	F	60	25	10	10	1	1	1	1	1	.....	1	1	12
3. Diseases of the circulatory system		3,822	2,502	1,745	497	206	95	163	213	71	56	236	210	912
Males		1,985	1,121	920	268	110	54	93	132	43	18	114	116	488
Females		1,837	1,381	825	229	96	41	70	81	28	38	122	94	424
Pericarditis	M	26	18	11	5	.....	3	2	2	.....	1	1	1	5
	F	35	10	14	5	2	1	.....	3	1	2	1	1	8
Diseases of the heart	M	1,693	1,000	818	230	104	45	83	116	39	16	94	100	433
	F	1,595	1,280	749	201	82	37	65	70	26	33	112	88	377
Angina pectoris	M	120	30	29	17	3	1	4	2	1	1	5	7	26
	F	90	28	24	15	6	.....	1	3	.....	1	1	3	20
Diseases of the arteries.	M	34	27	26	5	1	.....	3	.....	.....	.....	4	1	8
	F	13	32	13	1	1	.....	1	.....	.....	1	3	1	6
Aneurism	M	18	17	15	6	.....	1	.....	3	2	.....	1	2	6
	F	8	9	4	2	3	.....	1	1	.....	.....	.....	.....	3
Embolism	M	18	13	5	2	.....	1	1	.....	1	.....	1	.....	2
	F	21	4	7	3	1	1	1	1	1	1	1	.....	2
Others of this class	M	76	16	15	3	2	3	.....	9	.....	.....	8	5	8
	F	75	18	14	2	1	2	1	3	.....	.....	4	1	8

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW YORK—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system	7,653	4.727	3,172	777	296	326	217	2,327	86	302	1,140	712	1,175
Males	3,893	2,336	1,713	415	147	186	116	1,288	46	169	640	416	629
Females	3,760	2,391	1,459	362	149	140	101	1,039	40	133	500	296	546
Croup M	193	35	42	5	2	7	3	29	.....	.....	12	5	5
Croup F	143	26	38	6	8	5	1	17	.....	6	16	9	4
Pneumonia M	2,649	1,763	1,211	308	95	127	84	883	34	136	510	316	502
Pneumonia F	2,542	1,657	1,000	256	99	103	71	659	32	111	388	226	406
Laryngitis M	53	10	9	4	1	.....	.....	13	.....	2	3	2	1
Laryngitis F	34	12	8	.....	.....	.....	1	6	.....	1	1	4	3
Bronchitis M	601	313	297	49	27	31	18	322	6	20	69	61	65
Bronchitis F	675	477	283	65	23	22	19	320	7	11	67	35	79
Pleurisy M	60	51	30	7	5	1	.....	15	1	3	12	12	13
Pleurisy F	55	51	25	9	2	2	1	7	.....	1	9	8	11
Asthma M	20	17	26	4	1	2	.....	1	1	.....	1	2	3
Asthma F	21	31	22	.....	1	1	2	2	.....	.....	2	2	5
Others of this class M	317	147	98	38	16	18	11	25	4	8	33	18	40
Others of this class F	290	137	83	26	16	7	6	28	1	3	22	12	38
5. Diseases of the digestive system	2,597	1,357	1,119	319	137	93	78	193	41	55	212	179	486
Males	1,310	594	613	146	68	46	37	110	18	25	136	92	249
Females	1,287	763	506	173	69	47	41	83	23	30	76	87	237
Dentition M	49	7	10	2	1	4	2	7	.....	1	5	3	2
Dentition F	38	14	11	4	2	5	.....	10	1	2	2	4	.....
Angina M	21	5	1	1	3	1	.....	2	1	.....	3	1	3
Angina F	25	3	3	.....	1	.....	1	1	.....	2	1	.....	.....
Gastritis M	181	86	68	28	11	9	1	13	1	1	17	14	30
Gastritis F	213	142	73	35	9	1	9	16	1	1	5	21	46
Diseases of the stomach M	77	47	29	8	4	1	5	.....	1	2	4	4	16
Diseases of the stomach F	53	49	15	9	1	1	3	1	.....	2	2	2	20
Obstruction of the bowels M	126	51	25	14	1	2	3	8	1	2	11	5	25
Obstruction of the bowels F	107	69	46	16	5	5	3	4	3	3	12	9	29
Appendicitis M	169	44	83	17	9	4	7	10	3	3	39	23	34
Appendicitis F	102	50	50	12	6	6	3	5	3	2	10	9	18
Hernia M	38	23	37	10	3	.....	4	5	.....	1	6	5	19
Hernia F	27	39	36	10	2	2	3	1	.....	.....	5	5	14
Other diseases of the bowels M	43	8	16	1	1	.....	.....	.....	.....	.....	1	1	6
Other diseases of the bowels F	38	9	5	4	1	.....	1	.....	.....	.....	1	1	12
Jaundice M	46	9	17	5	3	2	.....	7	.....	1	9	3	8
Jaundice F	40	20	11	4	3	1	1	6	.....	5	6	.....	8
Inflammation and abscess of the liver M	39	25	28	2	4	2	1	1	.....	2	7	3	14
Inflammation and abscess of the liver F	49	38	22	11	4	3	1	5	.....	2	4	4	11
Other diseases of the liver M	200	191	189	31	12	9	8	18	7	5	8	19	36
Other diseases of the liver F	120	163	82	29	12	2	10	11	9	2	4	6	26
Peritonitis M	170	53	66	17	7	6	4	24	3	3	13	7	37
Peritonitis F	295	115	107	19	18	18	4	15	5	5	17	18	37
Ascites M	7	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Ascites F	6	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Others of this class M	144	43	43	10	9	6	2	15	1	4	13	4	19
Others of this class F	174	51	43	20	5	3	2	8	1	4	7	8	15
6. Diseases of the urinary system and male organs of generation.	2,691	2,522	1,561	441	156	93	126	163	59	57	202	195	676
Males	1,543	1,235	915	264	96	54	64	102	37	21	114	130	430
Females	1,148	1,287	646	177	60	39	62	61	22	36	88	65	246
Bright's disease M	1,103	1,045	773	196	66	43	52	65	32	17	81	101	321
Bright's disease F	896	1,182	579	155	49	31	55	39	21	33	70	55	219
Calculus, urinary M	5	6	3	2	.....	.....	2	.....	.....	.....	.....	2	2
Calculus, urinary F	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of the kidney M	104	42	36	10	6	7	2	28	1	3	19	14	22
Diseases of the kidney F	95	20	26	6	3	4	4	14	.....	2	11	2	8
Diseases of the bladder M	135	63	40	27	9	4	3	2	1	.....	3	6	28
Diseases of the bladder F	17	9	6	2	.....	.....	.....	.....	.....	.....	2	1	2
Others of this class M	196	79	63	29	15	.....	5	7	3	1	11	7	57
Others of this class F	137	74	34	14	8	4	3	8	1	1	5	7	17
7. Diseases of the female organs of generation.	154	79	76	11	10	5	7	22	5	4	16	8	41
Ovarian tumors	31	14	11	3	.....	.....	2	3	4	.....	1	2	5
Ovarian diseases	8	4	7	.....	.....	1	.....	2	.....	.....	3	1	4
Diseases of the tubes	17	16	13	.....	2	3	.....	5	.....	1	4	2	12
Uterine tumors	52	22	23	2	2	.....	3	4	2	.....	3	.....	9
Uterine diseases	10	3	7	1	1	.....	.....	3	.....	1	1	2	2
Others of this class	38	20	15	5	5	1	2	5	.....	2	4	1	8

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW YORK—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	273	208	176	36	16	14	12	81	2	16	51	37	52
Abortion	12	10	9	3		2	2				4	2	8
Childbirth	63	61	38	11	7	2	4	14	1	2	13	6	7
Puerperal septicemia	102	88	95	12	8	10	5	53	1	12	27	20	19
Extra-uterine pregnancy	10	5	10	2	1					1	1	3	3
Others of this class	86	44	24	8	5		1	14		1	6	6	15
9. Diseases of the bones and joints	105	43	29	9	4	6	6	11	1	3	14	8	21
Males	58	22	17	3	4	3	3	8	1	2	9	6	11
Females	47	21	12	6		3	3	3		1	5	2	10
Diseases of the spine M	17	7	5	1	3			3	1	1	3	3	3
Diseases of the spine F	18	10	2	2		1	1	1				1	1
Abscess, lumbar and psoas. M	4	2		1			1	1					1
Abscess, lumbar and psoas. F	2	1											
Diseases of the bones M	22	7	10	1		2		2			5	2	4
Diseases of the bones F	15	3	4	3		1		1		1	3		4
Diseases of the hip-joint M	8	2	1		1	1	1						1
Diseases of the hip-joint F	5	4	1			1					1		2
Others of this class M	7	4	1				1	2		1	1	1	2
Others of this class F	7	3	5	1			2	1			1	1	3
10. Diseases of the skin	80	37	27	3	4	1	5	10	1	3	13	14	14
Males	44	14	17	1	2	1	4	5	1	1	8	8	10
Females	36	23	10	2	2		1	5		2	5	6	4
Abscess M	26	12	10	1	1	1	2	3	1		5	5	3
Abscess F	15	11	7	1	2		1	3		2	2	2	1
Carbuncle M	5	1	2		1					1			2
Carbuncle F	1	4											
Others of this class M	13	1	5				2	2			3	3	5
Others of this class F	20	8	3	1				2			3	4	3
11. Diseases of the absorbent system	46	12	23	5	1		1	2			2	5	6
Males	18	8	7	4				2			1	4	2
Females	28	4	16	1	1		1				1	1	4
Addison's disease M	6	5	2	2									1
Addison's disease F	10	1	10								1		3
Diseases of the spleen M	3			2									1
Diseases of the spleen F	2		1		1		1						
Others of this class M	9	3	5					2			1	4	
Others of this class F	16	3	5	1								1	1
12. Accidents and injuries	1,916	1,014	870	199	133	98	55	250	28	38	194	174	1,033
Males	1,366	751	689	143	102	84	39	195	20	28	146	131	827
Females	550	263	181	56	31	14	16	55	8	10	48	43	206
Burns and scalds M	68	28	32	8	5	5	5	16		4	23	11	39
Burns and scalds F	104	66	29	11	5	6	4	25	3	5	14	9	29
Drowning M	220	126	86	22	2	15	7	21	2	4	12	12	215
Drowning F	25	13	10		2	1		3			2	5	11
Exposure and neglect M	12	5	3	2						1	2	1	2
Exposure and neglect F	3	1	2		1								8
Gunshot wounds M	70	12	41	9	5	5	1	12	1	3	1	6	22
Gunshot wounds F	10	2	2	2	1	1		2			1	1	4
Homicide M	16	11	6	1		2	1	14			3	3	7
Homicide F	6	4	6			1		1			1	1	2
Infanticide M			1										1
Infanticide F													
Injuries by machinery M	3	1	4								1		1
Injuries by machinery F													
Railroad accidents M	162	101	59	14	8	10	3	32	3	2	10	10	133
Railroad accidents F	26	8	6	2	3						1	1	13
Suffocation M	79	20	13	3	6	2	2	5		1	9	1	24
Suffocation F	66	12	10	3	3		1		1	1		2	12
Suicide by shooting M	48	3	49	9	2	1	1	3		1	3	5	20
Suicide by shooting F	4	1	3	2		1		1					
Suicide by drowning M	4	2	4								1		6
Suicide by drowning F	4	1	3	1							1		
Suicide by poison M	31	15	47	3	6	3	1		2	2	6	15	26
Suicide by poison F	16	15	23	3	2		3		1	2	4	5	26
Other suicides M	82	17	77	8	8	4	2	1	1	4	7	10	37
Other suicides F	20	8	18	3	2	1		1	1	1	2	3	9
Sunstroke M	18	15	12	2			1	10		1	4	1	8
Sunstroke F	12	11	6					3		1	3		3
Surgical operations M	10	7		1									8
Surgical operations F	16	9	6	3	3			1					6
Wounds M	11	12	12	3	2	1		1		1	4	1	16
Wounds F	3	1	3	1							1	1	2
Others of this class M	532	376	243	58	38	36	15	80	11	4	60	55	262
Others of this class F	235	111	54	25	9	3	8	18	2		18	15	81

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

RHODE ISLAND.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes	3,040	1,970	116	634	1,011	163	181	278	122	2	65	167	189
Males	1,517	948	68	329	511	79	88	162	72	2	34	96	114
Females	1,523	1,022	48	305	500	84	93	116	50		31	71	75
Unknown cause	26	15		3	4		2					4	5
Males	19	7			2		2					2	
Females	7	8		3	2							2	5
1. General diseases. General diseases—A	605	362	16	124	330	39	32	104	42		18	53	22
Males	296	173	8	62	154	21	10	57	21		8	30	6
Females	309	189	8	62	176	18	22	47	21		10	23	16
Measles M	32	13		9	15	2	1	16	1		3	4	
Measles F	34	12	1	6	22	3	2	13			1	6	2
Scarlet fever M	12	2		2	2	1	1	2					
Scarlet fever F	6	2			2							1	
Diphtheria M	16	8			4	1		3			1	1	
Diphtheria F	13	8		4	8	2		3	1				
Whooping cough M	11	6	1	2		1		4	2			3	2
Whooping cough F	33	9	3	7	9	3	2	5	2			1	
Malarial fever M	4	2		2	2		1						
Malarial fever F	2	6		3	1				1				
Influenza M	57	44	1	13	7	2		1	1			3	
Influenza F	80	76		4	10	1	6	1				3	7
Typhoid fever M	21	14		5	8	4	2	2				3	
Typhoid fever F	13	9	1	4	3		1	3	1		3	1	1
Cholera morbus M	2	4		1				1					
Cholera morbus F	6	1		1	2			2					
Colitis M		2											
Colitis F	2												
Diarrhea M	14	11	1	3	9			3				2	1
Diarrhea F	12	10		4	12			2					
Dysentery M	6	3		3	5								
Dysentery F	11	7		2	5	1	2						1
Enteritis M	32	19	1	10	15	2		4	1		1	5	2
Enteritis F	29	14	2	8	17	5	3	5	2		1	4	2
Cholera infantum M	66	30	4	10	81	2	4	19	16		3	8	1
Cholera infantum F	49	22		14	75	1	3	11	14		4	5	1
Fever M							1						
Fever F													
Cerebro-spinal fever M	4	6			3	2							
Cerebro-spinal fever F	4	4		2	3	2	2					1	
Smallpox M													
Smallpox F		1		1									
Erysipelas M	6	2		1	1			1					
Erysipelas F	3	1	1		4			1			1		
Septicemia M	2	4			1							1	
Septicemia F		2		1	1								
Venereal diseases M	4	2				1		1					
Venereal diseases F	5	1		1	1								
Others of this group M	7	1		1	1	1							
Others of this group F	7	4			1		1					1	2
General diseases—B	25	25	3	6	13	3	1	2	2		1	4	3
Males	14	20	3	2	9	1	1		1		1	2	2
Females	11	5		4	4	2		2	1			2	1
Alcoholism M	4	14	2	1	6		1						2
Alcoholism F	3	5		2	2								1
Parasitic diseases M					1								
Parasitic diseases F													
Lead poison M				1	1				1				
Lead poison F													
Other poisons M	6	4			1	1					1		
Other poisons F	4			2	1	1			1			1	
Inanition M	4	2	1									2	
Inanition F	4				1	1		2				1	
General diseases—C	278	95	1	47	88	9	11	20	12	1	4	11	11
Males	132	47	1	27	53	5	5	12	6	1	4	6	6
Females	146	48		20	35	4	6	8	6			5	5
Old age M	44	23		3	5								3
Old age F	55	28		7	9	1	3					1	2
Premature birth M	32	7		7	18	1	3	7	1		1	1	
Premature birth F	36	8		6	7	1	1	2	1			3	
Malformation M	7	3		2	5	1		1	1		1	1	
Malformation F	9	8		1		1		1					
Debility and atrophy M	45	13	1	15	22	3	2	3	4	1	1	4	3
Debility and atrophy F	41	7		5	17	1	2	4	5			1	3
Others of this group M	4	1			3			1			1		
Others of this group F	5	2		1	2			1					

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

RHODE ISLAND—Continued.

CAUSE OF DEATH.		BIRTHPLACES OF MOTHERS (WHITE).												
		United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued. General diseases—D		447	414	27	110	153	41	38	20	14		10	21	34
Males		190	203	15	55	61	13	17	13	5		7	13	21
Females		257	211	12	55	92	28	21	7	9		3	8	13
Anemia	M	5	1			1			1					1
	F	7	8	1	1	4								
Diabetes	M	13	3		1		1							
	F	12	5		1	3		1						
Rheumatism	M	4	3		1	1			1					1
	F	9	7		4	1						1		
Scrofula and tabes	M	4	2		1	3	1			1				
	F	2	2			1	1							
Hydrocephalus	M	14	9	1	7	5	2	1				1		1
	F	20	9	1	4	8	2		1					
Tuberculosis, general	M	9	3		2		1		5				1	2
	F	10	2	2	3	2	1	1						
Consumption	M	108	164	11	29	42	7	12	5	4		5	10	15
	F	102	134	7	26	58	16	11	5	8		2	6	6
Cancer	M	30	17	2	14	7	1	3				1	2	1
	F	85	45	1	15	14	7	6	1	1			3	6
Tumor	M	2		1		1		1	1					
	F	6	4			1		2						
Dropsy	M	1												
	F	3												1
Others of this group	M		1			1								
	F	1			1		1							
2. Diseases of the nervous system		385	178	7	54	87	12	20	17	13	1	4	10	22
Males		198	78	5	28	56	8	9	9	8	1	3	4	14
Females		187	100	2	26	31	4	11	8	5		1	6	8
Inflammation of the brain.	M	2				1								
	F	1				2								
Meningitis	M	34	15		5	16	2	1	2	4		1	1	
	F	23	12	1	5	14	2	3	5	5		1	7	
Apoplexy	M	96	33	3	15	8	4	6	5	3				4
	F	87	55	1	12	3		5	1				3	5
Paralysis	M	18	6	1		8						1		2
	F	20	12		2	6		1	1					
Paralysis, general (of insane).	M	1	1	1	2	4	2							3
	F	5						1						
Tetanus and trismus nascentium.	M	2	2			1								1
	F	1	1				1							
Chorea	M													
	F	1												
Epilepsy	M	5	3		1	1		1					1	
	F	3	3		2	1								
Convulsions	M	12	3		2	6			1	1	1	1	2	
	F	8	4		1	1	1		1				1	
Mental diseases	M	5	2					1						2
	F	7	3											1
Diseases of the brain	M	16	6		2	10			1					1
	F	21	8		1	3		1						1
Diseases of the spinal cord.	M	1	2		1	1								
	F	3	2		1									1
Locomotor ataxia	M	3	3											
	F	2												
Others of this class	M	3	2											1
	F	5			2	1								
3. Diseases of the circulatory system		277	189	14	55	52	1	13	12			4	5	11
Males		146	81	7	30	22	1	4	5			2	3	8
Females		131	108	7	25	30		9	7			2	2	3
Pericarditis	M	1				1								
	F	1	2			1								
Diseases of the heart	M	131	72	6	28	15	1	4	4			2	1	6
	F	115	99	6	19	26		8	7			2	2	2
Angina pectoris	M	6	8			2			1				2	1
	F	9	3	1	2	1		1						
Diseases of the arteries	M	4	3			2								1
	F	1	2		1									
Aneurism	M	1	1											1
	F	2												
Embolism	M													
	F	1	2		1									
Others of this class	M	3	2	1	2	2								
	F	2			2	2								

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

RHODE ISLAND—Continued.

CAUSE OF DEATH.		BIRTHPLACES OF MOTHERS (WHITE).												
		United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system		484	308	22	99	169	28	18	69	24	1	14	33	19
Males		212	166	16	47	97	12	12	40	17	1	6	20	14
Females		272	142	6	52	72	16	6	29	7		8	13	5
Croup	M	11	5		2	9			2				1	
	F	10	2		1	6	2		2				1	
Pneumonia	M	142	119	11	32	60	7	9	28	5	1	4	13	11
	F	190	95	5	40	45	11	3	19	2		3	6	4
Laryngitis	M	2	2		2					1		1		
	F	3				1	1					1		1
Bronchitis	M	45	31	5	10	21	5	2	5	10		1	5	2
	F	54	35		8	16	1	1	7	5		4	5	
Pleurisy	M	4	2			3			1				1	1
	F		3		1									
Asthma	M	1	2			1		1	1					
	F	2	3		1	1								
Others of this class	M	7	5		1	3			3	1				
	F	13	4	1	1	3	1	2	1				1	
5. Diseases of the digestive system		125	103	7	42	39	11	12	16	9		3	10	5
Males		68	44	3	23	22	6	7	14	8			8	1
Females		57	59	4	19	17	5	5	2	1		3	2	4
Dentition	M	1											1	
	F	4			1									
Angina	M	1												
	F					1								
Gastritis	M	7	4	1	1	2	1							
	F	4	11	1	2	4	1	1	1					
Diseases of the stomach	M	2	3		1				1					1
	F	3	2			2		1						
Obstruction of the bowels.	M	4	2		1	1	1		1	2			1	
	F	7	5		4					1				
Appendicitis	M	9	5	1	3	1		3	1				1	
	F	4	4				1							
Hernia	M	5	1		2			1						
	F	3	4	1	1							1		
Other diseases of the bowels.	M	4				1	1							
	F	2			2									
Jaundice	M	4	1			4			2				1	
	F	6	2		1	1						1		1
Inflammation and abscess of the liver.	M	2	4		1		1						2	
	F	4			1									
Other diseases of the liver.	M	7	14	1	3	4	1	3	3					
	F	2	11		5	2	1	2						
Peritonitis	M	2	3			4			2	1			1	
	F	2	4	1		5	1	1						3
Ascites	M													
	F													
Others of this class	M	19	7		11	5	1		4	5			1	
	F	16	16	1	2	2	1		1			1	2	
6. Diseases of the urinary system and male organs of generation.		239	159	5	44	26	5	19	6	3		3	5	19
Males		157	66	2	28	9	3	12	5	3		2	3	14
Females		82	93	3	16	17	2	7	1			1	2	5
Bright's disease	M	112	56	2	21	8	2	9	2	1		2	2	13
	F	70	88	3	16	12	2	7	1			1	1	5
Calculus, urinary	M	3			1									
	F	1												
Diseases of the kidney	M	15	2		1		1		2					
	F	5				4							1	
Diseases of the bladder	M	14	4		1								1	1
	F	1	2											
Others of this class	M	13	4		4	1		3	1	2				
	F	5	3			1								
7. Diseases of the female organs of generation.		14	9	3	3	3		1	1			1		1
Ovarian tumors		1	2						1			1		
Ovarian diseases			1											
Diseases of the tubes		3	1											
Uterine tumors		6	1		3	1		1						1
Uterine diseases		1		1										
Others of this class		3	4	2		2								

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

RHODE ISLAND—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	14	21	1	13	14	1	1	2				4	1
Abortion		1	1		1								
Childbirth	3	4		2	2		1	1					
Puerperal septicemia	6	9		5	9	1						4	
Extra-uterine pregnancy	1			1									1
Others of this class	4	7		5	2			1					
9. Diseases of the bones and joints	5	7	2	1	3	2		1				1	
Males	3	3	1		1							1	
Females	2	4	1	1	2	2		1					
Diseases of the spine M	1	1			1								
Diseases of the spine F		1			1	1		1					
Abscess, lumbar and psoas. M													
Abscess, lumbar and psoas. F													
Diseases of the bones M	1	1										1	
Diseases of the bones F	1	2		1	1								
Diseases of the hip-joint M	1	1	1										
Diseases of the hip-joint F			1										
Others of this class M													
Others of this class F	1	1				1							
10. Diseases of the skin	6	3		3				1				1	
Males	5	2		2				1					
Females	1	1		1								1	
Abscess M	3	1		1				1					
Abscess F	1												
Carbuncle M	1												
Carbuncle F													
Others of this class M	1	1		1									
Others of this class F		1		1								1	
11. Diseases of the absorbent system	3				1			1					
Males	3				1			1					
Females													
Addison's disease M													
Addison's disease F													
Diseases of the spleen M													
Diseases of the spleen F													
Others of this class M	3				1			1					
Others of this class F													
12. Accidents and injuries	107	82	8	30	29	11	13	6	3		3	5	36
Males	74	58	7	25	24	9	9	5	3		1	4	28
Females	33	24	1	5	5	2	4	1			2	1	8
Burns and scalds M	6	5		2	1	1	1	1					1
Burns and scalds F	6	8		1	1			1			1		
Drowning M	9	7	1	2	8		3					1	10
Drowning F				2			1						
Exposure and neglect M		1	1	1									
Exposure and neglect F	1												
Gunshot wounds M		1				1							1
Gunshot wounds F													
Homicide M	1	1						1					1
Homicide F	1										1		
Infanticide M	1												1
Infanticide F													2
Injuries by machinery M					2	1							
Injuries by machinery F													
Railroad accidents M	9	5		3	5	1	1		1		1	2	8
Railroad accidents F	2	2										1	
Suffocation M	5	6	1	1	1	1							
Suffocation F	6	2					1						1
Suicide by shooting M	2	1	2					1					
Suicide by shooting F	1				1								1
Suicide by drowning M	1												
Suicide by drowning F													
Suicide by poison M	2						1						1
Suicide by poison F													1
Other suicides M	6	5	2	2		2							
Other suicides F	1	3		1		1							1
Sunstroke M	2												
Sunstroke F													
Surgical operations M													
Surgical operations F		1											
Wounds M		2											
Wounds F													
Others of this class M	30	24		14	7	2	3	2	2			1	5
Others of this class F	15	8	1	1	3	1	2						2

TABLE 13.

DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS SUBDIVISIONS AND IN EACH GRAND GROUP, DURING THE CENSUS YEAR ENDING MAY 31, 1900, AT CERTAIN AGES AND FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF DISEASES, BY MONTHS.

(NOTE.—For description and composition of the grand groups see Appendix, Part I.)

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

THE UNITED STATES.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes	1,039,094	48,048	41,864	47,479	42,278	56,646	50,844	54,842	49,776	51,863	46,876
2	Under 5	317,532	13,618	11,219	14,295	11,903	16,399	13,437	15,199	12,372	15,348	12,876
3	5 to 59	454,753	21,323	19,131	20,444	18,957	24,155	22,579	23,540	22,339	22,482	21,688
4	60 and over	259,369	12,741	11,268	12,383	11,202	15,715	14,526	15,720	14,787	13,637	12,053
5	Unknown	7,440	366	246	357	216	377	302	383	278	396	259
6	Unknown cause	40,539	1,771	1,653	1,778	1,628	2,009	1,811	1,830	1,646	2,189	2,011
7	Under 5	23,630	1,105	950	1,120	926	1,166	1,035	1,069	843	1,308	1,075
8	5 to 59	10,253	382	422	361	430	467	472	425	498	497	587
9	60 and over	5,707	241	250	265	241	326	263	310	269	343	314
10	Unknown	949	43	31	32	31	50	41	26	36	41	35
	1. General diseases.											
11	General diseases—A	209,819	6,919	6,434	6,859	6,725	8,386	8,393	8,635	8,699	8,762	8,454
12	Under 5	105,234	2,904	2,590	2,964	2,812	3,538	3,244	3,564	3,110	4,445	3,995
13	5 to 59	78,439	3,127	2,961	2,911	2,965	3,306	3,405	3,193	3,397	2,958	3,121
14	60 and over	25,109	845	842	949	914	1,498	1,697	1,838	2,148	1,319	1,304
15	Unknown	1,037	43	41	35	34	44	47	40	44	40	34
16	Measles	12,866	612	608	928	999	1,067	1,193	926	959	823	850
17	Under 5	8,465	420	361	620	578	699	678	622	556	598	556
18	5 to 59	4,178	187	234	297	398	354	489	287	378	209	276
19	60 and over	183	4	10	9	20	8	23	13	23	13	16
20	Unknown	40	1	3	2	3	6	3	4	2	3	2
21	Scarlet fever	6,333	368	380	361	352	341	334	335	333	308	314
22	Under 5	3,976	253	223	247	206	234	217	210	211	194	184
23	5 to 59	2,323	111	155	114	146	106	116	124	121	111	127
24	60 and over	22	3	1	.....	.....	1	1	.....	1	2	1
25	Unknown	12	1	1	.....	.....	.....	.....	1	.....	1	2
26	Diphtheria	16,475	871	973	718	778	698	713	580	576	555	526
27	Under 5	9,384	553	526	463	425	441	393	370	325	341	306
28	5 to 59	7,010	315	441	253	350	253	312	201	248	213	218
29	60 and over	56	2	3	.....	1	4	6	8	3	1	2
30	Unknown	25	1	3	2	2	.....	2	1	.....	.....	.....
31	Whooping cough	9,958	330	390	350	456	500	567	568	565	600	690
32	Under 5	9,397	307	359	329	427	471	529	542	532	568	662
33	5 to 59	517	22	29	21	28	27	35	24	29	30	27
34	60 and over	20	1	.....	.....	1	1	.....	2	4	.....	1
35	Unknown	24	.....	2	.....	.....	1	3	.....	.....	2	.....
36	Malarial fever	14,874	349	319	296	334	375	366	423	420	543	582
37	Under 5	4,658	83	74	85	79	111	96	110	134	203	192
38	5 to 59	8,461	228	201	172	208	215	205	240	233	258	320
39	60 and over	1,648	33	43	37	47	48	63	71	51	81	66
40	Unknown	107	5	1	2	.....	1	2	2	2	1	4
41	Influenza	16,645	578	722	898	919	1,702	2,106	2,122	2,623	1,119	1,241
42	Under 5	2,865	129	142	219	182	344	287	368	296	218	181
43	5 to 59	4,621	168	204	261	277	444	602	577	688	269	352
44	60 and over	9,056	278	372	413	450	903	1,206	1,169	1,626	626	705
45	Unknown	103	3	4	5	10	11	11	8	13	6	8
46	Typhoid fever	35,379	1,345	1,046	1,009	858	1,035	867	962	896	1,034	926
47	Under 5	4,002	112	106	80	93	86	109	95	93	126	130
48	5 to 59	29,098	1,145	863	867	702	876	695	784	735	829	717
49	60 and over	2,064	82	71	61	60	69	57	78	64	74	72
50	Unknown	215	6	6	1	3	4	6	5	4	5	7
51	Diarrheal diseases	72,483	1,196	987	1,053	939	1,183	1,007	1,340	1,089	2,412	2,089
52	Under 5	54,741	709	539	580	518	719	593	866	651	1,757	1,424
53	5 to 59	9,515	284	263	264	246	269	241	274	252	405	415
54	60 and over	7,966	199	178	203	168	189	170	195	181	242	242
55	Unknown	261	4	7	6	7	6	3	5	5	8	8
56	Cerebro-spinal fever	4,174	178	137	162	138	220	154	220	146	203	165
57	Under 5	2,297	92	62	77	68	121	75	119	69	118	85
58	5 to 59	1,790	79	69	81	70	96	73	96	75	81	78
59	60 and over	77	7	5	3	.....	3	4	5	1	4	2
60	Unknown	10	.....	1	1	.....	.....	2	.....	1	.....	.....

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900.

THE UNITED STATES.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
37,050	32,403	44,219	38,253	45,359	40,671	42,105	37,185	41,455	36,283	38,579	33,507	42,852	36,658	1,114	885	1
12,440	10,539	17,437	14,868	17,560	15,460	15,093	13,182	12,384	10,435	10,603	9,109	11,683	9,747	153	173	2
15,822	14,486	17,289	15,518	18,067	16,710	17,515	15,959	18,660	17,046	17,801	15,883	19,631	16,974	422	332	3
8,502	7,198	9,170	7,653	9,391	8,263	9,226	7,818	10,083	8,584	9,887	8,299	11,199	9,711	209	144	4
286	180	323	214	341	238	271	226	328	218	288	216	339	226	330	236	5
1,431	1,224	1,688	1,458	1,890	1,774	1,768	1,603	1,566	1,489	1,435	1,277	1,723	1,425	240	222	6
870	679	1,026	863	1,203	1,025	1,100	962	930	843	852	702	1,068	806	44	60	7
332	364	415	400	460	518	398	430	386	437	328	354	364	385	77	64	8
207	164	215	169	196	204	237	172	215	179	225	192	252	198	33	27	9
22	17	32	26	31	27	33	39	35	30	30	29	39	36	86	71	10
7,767	7,191	12,771	11,795	13,895	13,053	11,446	10,825	9,021	8,186	6,745	6,390	6,295	5,796	203	174	11
4,861	4,259	8,789	7,745	8,686	7,743	6,369	5,923	3,930	3,559	2,650	2,619	2,472	2,377	42	44	12
2,250	2,274	2,977	2,978	3,973	3,921	4,112	3,860	4,207	3,864	3,439	3,170	3,124	2,784	86	76	13
624	632	957	1,041	1,166	1,328	923	1,000	840	733	625	575	658	614	27	12	14
32	26	48	31	70	61	42	42	44	30	31	26	41	21	48	42	15
414	439	292	331	254	306	200	245	161	166	219	225	322	301	13	13	16
331	324	223	230	182	202	155	164	107	109	165	148	226	201	5	5	17
82	109	65	97	70	101	42	78	50	54	49	75	93	93	7	4	18
1	5	4	3	2	3	3	2	4	3	3	1	3	6	.....	.....	19
.....	1	.....	1	.....	.....	.....	.....	.....	.....	2	1	.....	1	1	4	20
182	172	148	145	149	169	154	178	228	211	262	274	294	330	5	6	21
111	100	92	88	102	114	103	114	131	127	158	162	192	199	3	1	22
68	72	56	55	47	52	51	64	97	84	100	112	102	129	.....	3	23
2	.....	.....	2	.....	3	.....	.....	.....	.....	2	.....	.....	2	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	2	2	25
396	399	435	392	457	441	683	720	859	880	883	1,029	931	973	4	5	26
228	234	257	225	279	231	388	378	507	441	468	528	545	527	3	2	27
167	162	177	166	174	207	291	340	348	436	411	496	383	445	.....	3	28
1	3	1	1	3	3	2	1	3	1	2	3	1	1	.....	.....	29
.....	.....	.....	.....	1	.....	2	1	1	2	2	2	2	.....	1	.....	30
304	355	374	467	426	479	357	437	284	319	249	297	251	331	5	4	31
292	330	355	438	414	456	344	409	269	304	236	279	230	309	5	1	32
11	24	16	28	9	20	11	27	15	15	10	18	19	21	.....	1	33
.....	.....	1	.....	2	1	1	.....	.....	.....	2	.....	2	1	.....	.....	34
1	1	2	1	1	2	1	1	.....	.....	1	.....	.....	.....	3	2	35
491	476	784	832	1,255	1,213	1,100	1,077	883	848	553	527	434	359	11	24	36
175	151	273	298	422	418	341	373	251	278	155	136	118	98	1	3	37
258	274	436	453	691	674	652	563	536	470	347	335	261	211	7	13	38
51	47	70	75	134	114	103	128	88	94	51	52	53	48	.....	.....	39
7	4	5	6	8	7	4	13	8	6	.....	4	2	2	3	8	40
175	193	132	121	118	118	145	123	171	155	199	220	341	371	18	15	41
31	25	28	16	15	22	42	20	41	26	54	32	75	69	1	2	42
49	63	34	40	34	37	40	40	47	52	51	59	107	117	4	5	43
94	103	69	64	68	58	63	63	82	77	91	124	157	182	9	4	44
1	2	1	1	1	1	.....	.....	1	.....	3	5	2	3	4	4	45
858	823	1,451	1,304	2,224	2,074	2,513	2,227	2,642	2,387	2,049	1,699	1,696	1,338	63	53	46
130	121	229	178	275	290	296	290	229	250	186	194	152	134	6	12	47
687	648	1,129	1,030	1,819	1,633	2,079	1,794	2,271	1,986	1,761	1,399	1,467	1,120	35	27	48
35	47	86	91	117	133	123	128	131	142	96	96	66	77	6	2	49
6	7	7	5	13	18	15	15	11	9	6	10	11	7	16	12	50
4,009	3,447	8,204	7,351	8,044	7,309	5,427	4,969	2,895	2,431	1,523	1,378	1,118	1,014	40	29	51
3,252	2,673	6,964	5,969	6,625	5,654	4,351	3,867	2,099	1,742	977	893	678	617	11	13	52
473	448	643	670	709	747	550	522	408	356	315	282	248	211	12	8	53
274	317	568	698	673	884	513	571	373	324	221	202	185	184	9	3	54
10	9	29	14	37	24	13	9	15	9	10	1	7	2	8	5	55
278	220	243	194	207	186	178	159	170	129	133	113	125	110	5	1	56
136	119	151	113	125	120	110	96	91	86	71	72	66	54	1	.....	57
137	98	87	76	77	62	68	60	73	41	61	41	56	52	2	1	58
4	3	5	5	4	4	.....	3	5	1	1	.....	3	4	1	.....	59
1	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

THE UNITED STATES—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	18,247	926	529	822	533	966	601	908	568	975	664
2	Under 5	11,857	525	389	505	391	551	437	515	412	539	457
3	5 to 59	5,045	318	101	259	105	311	122	322	123	347	155
4	60 and over	1,154	72	31	49	29	87	37	64	30	79	43
5	Unknown	191	11	8	9	8	17	5	7	8	10	9
6	Inanition	11,382	513	383	496	389	548	435	485	384	492	454
7	Under 5	10,657	475	354	465	362	510	397	465	355	466	409
8	5 to 59	275	15	6	10	11	11	17	12	12	7	13
9	60 and over	352	21	16	17	10	16	19	6	16	15	25
10	Unknown	98	2	7	4	6	11	2	2	1	4	7
11	General diseases—C	65,484	2,848	2,800	2,659	2,651	3,286	3,197	3,089	3,044	3,051	3,004
12	Under 5	31,057	1,315	1,004	1,262	959	1,537	1,175	1,457	1,052	1,558	1,207
13	5 to 59	1,824	83	94	74	98	76	88	85	94	75	106
14	60 and over	32,182	1,432	1,685	1,305	1,576	1,661	1,914	1,531	1,876	1,397	1,667
15	Unknown	421	18	17	18	18	12	20	16	22	21	24
16	Debility and atrophy	17,282	605	557	589	537	718	636	707	599	755	665
17	Under 5	12,130	361	300	367	301	472	383	450	325	530	382
18	5 to 59	1,785	81	93	69	95	72	88	82	94	75	103
19	60 and over	3,206	154	159	147	135	169	154	172	174	144	171
20	Unknown	161	9	5	6	6	5	11	3	6	6	9
21	Old age—all ages	29,222	1,286	1,535	1,168	1,453	1,499	1,769	1,371	1,718	1,267	1,511
22	60 and over	28,972	1,277	1,524	1,158	1,441	1,492	1,760	1,359	1,702	1,253	1,496
23	Unknown	250	9	11	10	12	7	9	12	16	14	15
24	General diseases—D	176,072	7,448	7,688	7,182	7,683	8,452	9,288	8,488	9,248	8,608	9,713
25	Under 5	11,383	444	382	478	409	569	521	605	522	617	525
26	5 to 59	126,025	5,264	5,719	5,074	5,652	5,938	6,820	5,838	6,783	5,953	7,244
27	60 and over	37,405	1,698	1,536	1,567	1,581	1,880	1,886	1,979	1,899	1,982	1,883
28	Unknown	1,259	42	51	63	41	65	61	66	44	56	61
29	Consumption	109,750	4,798	4,728	4,716	4,762	5,640	5,760	5,549	5,800	5,635	6,048
30	Under 5	4,454	151	155	198	164	223	204	237	240	263	233
31	5 to 59	92,902	4,046	4,081	3,929	4,098	4,682	4,913	4,566	4,909	4,652	5,212
32	60 and over	11,601	575	456	547	475	686	608	699	623	683	564
33	Unknown	793	26	36	42	25	49	35	47	28	37	39
34	2. Diseases of the nervous system	117,579	5,561	4,624	5,474	4,558	6,383	5,300	6,279	5,205	5,985	5,306
35	Under 5	37,063	1,668	1,279	1,712	1,292	1,929	1,524	1,946	1,484	1,916	1,544
36	5 to 59	38,600	1,788	1,548	1,698	1,508	2,126	1,685	2,022	1,705	1,953	1,803
37	60 and over	41,234	2,063	1,781	2,021	1,742	2,299	2,068	2,281	1,988	2,074	1,930
38	Unknown	682	42	16	43	16	29	23	30	28	42	29
39	3. Diseases of the circulatory system	75,791	3,808	3,264	3,692	3,207	4,233	3,719	4,155	3,684	4,048	3,554
40	Under 5	5,061	278	218	274	202	325	222	267	249	304	197
41	5 to 59	32,717	1,546	1,488	1,417	1,469	1,627	1,648	1,617	1,635	1,660	1,693
42	60 and over	37,509	1,962	1,545	1,978	1,527	2,261	1,831	2,245	1,786	2,056	1,649
43	Unknown	504	22	13	23	9	20	18	26	14	28	15
44	4. Diseases of the respiratory system	154,035	10,159	8,295	10,746	9,029	13,713	11,280	12,230	10,650	7,818	6,706
45	Under 5	63,071	4,078	3,322	4,674	3,846	5,400	4,146	4,445	3,654	3,194	2,675
46	5 to 59	54,872	3,945	2,763	4,016	2,912	5,230	3,868	4,818	3,763	2,969	2,329
47	60 and over	35,334	2,088	2,177	2,000	2,245	3,028	3,224	2,892	3,185	1,620	1,684
48	Unknown	758	48	33	56	26	55	42	75	48	35	18
49	5. Diseases of the digestive system	60,229	2,407	2,400	2,418	2,112	2,765	2,581	2,720	2,538	3,047	2,908
50	Under 5	16,537	640	501	661	507	710	549	685	529	836	727
51	5 to 59	29,338	1,181	1,293	1,140	1,087	1,324	1,322	1,365	1,347	1,427	1,498
52	60 and over	14,079	569	601	600	511	721	648	661	656	775	673
53	Unknown	275	17	5	17	7	10	12	9	6	9	10
54	6. Diseases of the urinary system	44,941	2,515	1,524	2,355	1,484	2,732	1,726	2,731	1,635	2,635	1,619
55	Under 5	1,783	108	68	99	64	103	83	77	70	77	61
56	5 to 59	22,197	1,129	899	1,050	876	1,151	996	1,193	926	1,102	973
57	60 and over	20,712	1,268	549	1,193	537	1,466	639	1,442	632	1,443	581
58	Unknown	249	10	8	13	7	12	8	19	7	13	4
59	7. Affections connected with pregnancy	9,699	.....	902	.....	907	.....	1,136	.....	1,017	.....	1,034

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

THE UNITED STATES—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
790	545	1,029	692	1,001	743	984	673	915	578	820	530	895	534	17	9	1
464	401	684	553	646	582	636	515	531	424	465	370	474	385	3	3	2
260	121	284	112	287	128	287	126	305	122	275	114	337	112	7	5	3
53	21	54	26	56	27	54	29	65	28	73	37	75	34	1	.....	4
13	2	7	1	12	6	7	3	14	4	7	9	9	3	6	1	5
425	386	631	537	596	554	585	500	515	397	451	373	466	378	5	4	6
399	362	612	511	570	520	562	463	483	373	418	331	439	350	3	3	7
8	15	9	13	9	16	11	21	8	7	11	12	10	11	.....	.....	8
12	8	9	13	11	14	10	14	17	13	19	24	12	15	.....	.....	9
6	1	1	.....	6	4	2	2	7	4	3	6	5	2	2	1	10
2,262	2,208	2,792	2,514	2,818	2,782	2,777	2,663	2,652	2,532	2,340	2,353	2,609	2,468	47	38	11
1,267	1,061	1,666	1,321	1,670	1,444	1,649	1,376	1,430	1,122	1,225	1,002	1,325	964	2	7	12
60	68	72	71	68	75	70	59	57	79	55	72	71	71	2	1	13
916	1,068	1,033	1,112	1,071	1,244	1,040	1,213	1,154	1,316	1,047	1,259	1,200	1,414	29	22	14
19	11	21	10	9	19	18	15	11	15	13	20	13	19	14	8	15
674	614	1,009	875	1,062	953	1,058	934	765	731	581	575	566	506	8	3	16
503	438	812	682	888	753	863	756	590	515	418	372	371	297	.....	1	17
59	64	72	69	66	75	69	58	56	79	54	72	69	68	2	1	18
101	111	114	122	105	116	112	112	115	129	105	125	123	135	1	1	19
11	1	11	2	3	9	14	8	4	8	4	6	3	6	5	.....	20
821	967	928	998	972	1,138	931	1,108	1,046	1,194	950	1,148	1,086	1,292	37	29	21
815	957	919	990	966	1,128	927	1,101	1,039	1,187	942	1,134	1,077	1,279	28	21	22
6	10	9	8	6	10	4	7	7	7	8	14	9	13	9	8	23
5,977	6,637	6,298	7,130	6,062	7,175	5,924	6,684	6,124	7,171	6,147	6,747	6,777	7,141	113	167	24
454	415	541	425	512	498	518	456	481	411	415	372	437	367	2	7	25
4,190	4,917	4,321	5,270	4,094	5,226	4,049	4,888	4,182	5,202	4,274	4,954	4,776	5,244	61	92	26
1,281	1,260	1,392	1,394	1,404	1,403	1,324	1,294	1,412	1,503	1,423	1,377	1,510	1,488	24	25	27
52	45	44	41	52	48	33	46	49	55	35	44	54	42	26	43	28
3,817	3,913	3,971	4,284	3,705	4,189	3,663	4,011	3,813	4,198	3,866	4,031	4,386	4,299	67	101	29
155	152	223	171	188	193	192	190	181	159	149	147	149	133	1	3	30
3,224	3,443	3,292	3,742	3,047	3,619	3,023	3,453	3,152	3,607	3,249	3,459	3,679	3,708	48	69	31
409	287	426	351	438	344	426	339	450	409	447	399	519	431	3	7	32
29	31	30	20	32	33	22	29	30	23	21	26	39	27	15	22	33
4,823	4,101	5,114	4,263	5,210	4,475	4,757	3,996	4,773	3,867	4,606	3,582	5,148	4,058	76	55	34
1,703	1,400	1,932	1,624	1,997	1,664	1,669	1,377	1,477	1,132	1,320	969	1,424	1,052	13	16	35
1,622	1,350	1,733	1,331	1,699	1,371	1,578	1,288	1,626	1,272	1,581	1,206	1,735	1,337	15	20	36
1,463	1,330	1,419	1,286	1,485	1,420	1,482	1,314	1,637	1,440	1,670	1,389	1,963	1,648	27	14	37
35	21	30	22	29	20	28	17	33	23	35	18	26	21	21	5	38
2,800	2,399	2,766	2,362	2,762	2,348	2,765	2,354	3,033	2,558	3,139	2,575	3,538	2,918	65	45	39
195	153	206	142	213	138	194	138	211	161	201	152	231	190	.....	.....	40
1,190	1,167	1,126	1,162	1,126	1,163	1,105	1,109	1,270	1,214	1,272	1,223	1,426	1,326	25	13	41
1,392	1,061	1,411	1,045	1,397	1,029	1,443	1,093	1,531	1,167	1,650	1,182	1,850	1,377	25	16	42
23	18	23	13	26	18	23	14	21	16	16	18	31	25	15	16	43
3,174	2,514	2,602	2,195	2,589	2,187	3,166	2,553	4,721	3,960	5,228	4,560	7,413	6,358	113	76	44
1,426	1,172	1,185	1,103	1,188	1,070	1,501	1,221	2,067	1,680	2,318	1,966	3,109	2,589	23	19	45
1,115	812	896	675	888	716	1,009	793	1,689	1,306	1,852	1,516	2,793	2,140	38	21	46
624	525	503	401	498	392	642	528	937	957	1,032	1,059	1,460	1,605	15	13	47
9	5	18	16	15	9	14	11	28	17	26	19	51	24	37	23	48
2,260	2,165	2,728	2,416	2,881	2,633	2,792	2,434	2,747	2,389	2,327	2,110	2,315	2,100	50	36	49
677	607	900	753	939	869	969	808	790	647	609	539	558	503	15	9	50
1,095	1,072	1,198	1,161	1,332	1,216	1,237	1,122	1,265	1,201	1,133	1,054	1,158	1,087	12	11	51
481	473	618	483	599	540	578	491	682	532	568	507	590	498	14	10	52
7	13	12	19	11	8	8	13	10	9	17	10	9	12	9	6	53
1,966	1,249	2,170	1,269	2,029	1,237	2,016	1,226	2,162	1,363	2,177	1,299	2,354	1,428	27	13	54
65	57	74	48	82	60	80	67	73	72	83	59	87	65	.....	1	55
858	755	946	762	877	747	870	744	945	804	950	757	1,046	825	12	4	56
1,031	431	1,136	454	1,057	423	1,058	409	1,130	482	1,127	473	1,210	531	6	4	57
12	6	14	5	13	7	8	6	14	5	17	10	11	7	9	4	58
.....	680	.....	664	.....	653	.....	666	.....	684	.....	624	.....	716	.....	16	59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

THE UNITED STATES—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	57,513	3,404	1,285	3,218	1,283	3,411	1,301	3,462	1,284	4,409	1,323
2	Under 5	8,854	470	429	455	436	480	430	470	372	446	338
3	5 to 59	40,136	2,421	636	2,316	601	2,440	621	2,501	678	3,378	723
4	60 and over	7,533	444	208	402	238	430	239	423	219	484	245
5	Unknown	990	69	12	45	8	61	11	68	15	101	17
6	Burns and scalds	6,772	336	500	308	498	312	417	215	367	189	329
7	Under 5	3,242	221	212	182	215	195	166	137	122	99	108
8	5 to 59	2,922	82	239	103	230	89	205	63	201	75	189
9	60 and over	555	31	44	22	53	23	45	13	41	13	30
10	Unknown	53	2	5	1	.....	5	1	2	3	2	2
11	Drowning	5,387	172	39	178	29	231	32	365	52	514	87
12	Under 5	523	7	9	14	5	21	9	49	19	44	33
13	5 to 59	4,408	147	28	153	21	193	20	276	30	433	46
14	60 and over	319	13	2	8	3	12	3	28	2	32	5
15	Unknown	137	5	.....	3	.....	5	.....	12	1	5	8
16	Exposure and neglect	922	64	53	77	57	55	62	45	49	53	44
17	Under 5	557	35	37	35	41	24	40	28	32	37	28
18	5 to 59	223	13	12	26	11	19	16	14	10	9	11
19	60 and over	128	13	4	15	5	11	5	3	6	7	4
20	Unknown	14	3	.....	1	.....	1	1	.....	1	.....	1
21	Gunshot wounds	4,060	292	30	239	41	306	45	259	34	361	36
22	Under 5	110	7	2	4	5	5	3	2	2	10	2
23	5 to 59	3,703	264	28	225	35	280	39	241	29	317	32
24	60 and over	152	15	.....	6	1	12	1	12	3	23	.....
25	Unknown	95	6	.....	4	.....	9	2	4	.....	11	2
26	Homicide	1,829	109	13	114	22	116	28	119	25	164	39
27	Under 20	248	14	5	10	10	12	6	18	5	16	11
28	20 to 59	1,431	88	7	91	10	96	19	91	17	137	26
29	60 and over	98	5	1	10	2	6	1	6	.....	7	1
30	Unknown	52	2	.....	3	.....	2	2	4	3	4	1
31	Injuries by machinery	333	25	.....	21	1	25	1	21	.....	27	.....
32	Under 20	73	2	.....	3	.....	5	1	3	.....	6	.....
33	20 to 59	241	21	.....	15	1	18	.....	18	.....	17	.....
34	60 and over	18	2	.....	3	.....	2	.....	.....	.....	4	.....
35	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Railroad accidents	6,930	487	27	466	32	519	26	487	39	581	53
37	Under 5	135	3	4	5	1	4	.....	11	6	11	7
38	5 to 59	5,894	410	23	412	27	458	19	414	28	496	32
39	60 and over	699	59	.....	40	4	43	6	46	5	49	13
40	Unknown	202	15	.....	9	.....	14	1	16	.....	25	1
41	Suicide by shooting	1,293	105	10	95	5	100	5	123	13	133	14
42	Under 20	39	1	.....	1	2	3	.....	1	2	1	.....
43	20 to 59	1,070	90	10	77	3	83	5	107	11	111	14
44	60 and over	163	13	.....	15	.....	13	.....	13	.....	17	.....
45	Unknown	21	1	.....	2	.....	1	.....	2	.....	4	.....
46	Suicide by drowning	241	5	6	6	3	11	7	19	11	27	14
47	Under 20	10	.....	.....	.....	.....	1	1	1	.....	.....	3
48	20 to 59	166	3	5	5	3	5	6	13	10	16	10
49	60 and over	63	2	1	1	.....	5	.....	4	1	11	1
50	Unknown	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
51	Suicide by poison	1,225	72	32	56	34	61	39	72	36	82	44
52	Under 20	108	4	3	3	7	.....	5	7	5	3	9
53	20 to 59	963	57	28	45	26	55	32	59	27	70	30
54	60 and over	139	9	1	7	1	6	2	6	4	9	4
55	Unknown	15	2	.....	1	.....	.....	.....	.....	.....	.....	1
56	Other suicides	2,739	147	44	149	26	188	42	228	68	219	53
57	Under 20	118	2	2	4	3	5	3	8	7	4	6
58	20 to 59	2,018	115	35	119	20	132	35	171	55	153	37
59	60 and over	562	25	7	24	3	47	4	48	6	60	10
60	Unknown	41	5	.....	2	.....	4	.....	1	.....	2	.....
61	Sunstroke	731	9	1	6	1	10	2	6	3	28	8
62	Under 5	131	1	.....	.....	.....	.....	1	.....	2	4	.....
63	5 to 59	434	5	1	3	.....	5	.....	5	1	21	7
64	60 and over	158	3	.....	2	1	4	1	1	.....	3	1
65	Unknown	8	.....	.....	1	.....	1	.....	.....	.....	.....	.....

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

THE UNITED STATES—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
3,546	1,053	3,989	1,039	3,938	1,120	3,452	1,057	3,485	1,057	3,395	1,012	3,543	1,261	162	24	1
372	274	334	231	325	248	323	256	367	305	379	288	423	389	9	5	2
2,718	602	3,192	612	3,125	666	2,675	584	2,622	553	2,547	533	2,678	616	86	12	3
394	172	390	177	417	196	397	208	428	190	408	183	390	243	8	.....	4
62	5	73	19	71	10	57	9	68	9	61	8	52	13	59	7	5
153	174	137	214	139	195	172	247	218	270	265	309	291	495	15	7	6
74	62	61	64	74	62	91	94	141	129	169	131	201	225	4	3	7
69	100	71	134	58	118	72	127	68	116	72	146	71	216	5	3	8
8	12	5	15	6	15	6	23	8	24	20	30	16	51	1	.....	9
2	.....	.....	1	1	.....	3	3	1	1	4	2	3	3	5	1	10
749	93	843	95	680	97	327	59	235	29	203	24	199	25	27	3	11
55	26	38	18	55	16	27	14	18	6	17	8	7	7	1	.....	12
634	64	749	65	585	71	281	41	189	18	153	13	169	15	13	1	13
38	3	35	8	22	9	17	2	21	5	26	3	18	3	1	.....	14
22	.....	21	4	18	1	2	2	7	.....	7	.....	5	.....	12	2	15
17	19	11	19	30	24	29	13	26	19	39	14	54	47	.....	2	16
13	16	6	14	18	15	17	9	11	14	20	11	23	32	.....	1	17
2	2	2	4	1	8	9	2	10	3	13	3	11	6	.....	1	18
2	1	3	1	6	.....	3	2	5	2	6	.....	16	8	.....	.....	19
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	4	1	.....	.....	20
215	35	281	43	258	40	271	46	329	46	349	42	391	50	20	1	21
3	4	5	4	6	6	6	6	5	4	5	3	6	4	1	.....	22
202	29	264	39	229	34	246	40	306	41	321	38	369	43	11	1	23
8	2	5	.....	12	.....	9	.....	12	1	17	.....	9	1	.....	.....	24
2	.....	4	.....	11	.....	10	.....	6	.....	6	1	7	2	8	.....	25
96	23	122	24	147	23	115	22	138	27	132	28	150	19	11	3	26
15	6	16	1	17	4	18	5	12	4	15	8	15	5	.....	.....	27
72	15	100	20	111	17	88	13	117	22	105	20	129	12	6	2	28
8	1	5	2	15	1	6	2	4	1	9	.....	4	1	.....	.....	29
1	1	1	1	4	1	3	2	5	.....	3	.....	2	1	5	1	30
9	2	22	4	27	.....	38	3	32	1	46	1	26	.....	1	.....	31
.....	.....	8	3	6	.....	14	2	5	1	11	1	5	.....	1	.....	32
9	2	18	1	20	.....	23	1	23	.....	33	.....	21	.....	.....	.....	33
.....	.....	1	.....	.....	.....	1	.....	3	.....	2	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
441	36	552	53	583	61	559	59	573	41	524	56	583	70	21	1	36
7	9	13	4	9	5	9	2	10	5	2	5	1	2	.....	.....	37
366	22	482	40	509	48	494	43	481	23	464	41	500	47	15	.....	38
54	5	40	8	48	8	42	14	63	11	43	9	70	19	.....	.....	39
14	.....	17	1	17	.....	14	.....	19	2	15	1	12	2	6	1	40
82	7	100	4	90	7	90	11	84	13	98	7	87	7	3	.....	41
4	2	3	.....	2	2	5	.....	2	4	2	1	1	.....	.....	.....	42
65	5	76	4	76	5	69	9	70	7	84	6	75	7	1	.....	43
12	.....	19	.....	11	.....	14	2	10	2	12	.....	10	.....	.....	.....	44
1	.....	2	.....	1	.....	2	.....	2	.....	.....	.....	1	.....	2	.....	45
12	5	19	9	16	6	12	5	14	11	9	4	7	3	.....	.....	46
.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	47
5	4	15	9	11	3	8	3	12	5	6	3	3	3	.....	.....	48
7	1	4	.....	4	3	3	2	2	5	3	.....	3	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	50
63	42	59	34	61	45	66	36	54	48	62	31	51	42	2	1	51
.....	11	2	3	1	10	1	7	2	7	1	8	1	8	.....	.....	52
52	28	45	28	47	34	54	27	38	34	52	22	41	30	2	.....	53
10	3	12	3	11	1	10	1	13	5	8	1	8	4	.....	.....	54
1	.....	.....	.....	2	.....	1	1	1	2	1	.....	1	.....	.....	1	55
195	51	196	44	208	46	171	43	169	48	164	37	163	31	8	1	56
8	5	5	7	3	3	5	3	8	5	8	2	9	2	.....	1	57
145	41	137	30	159	34	125	32	120	32	115	28	118	26	4	.....	58
41	4	48	7	45	8	39	8	40	10	35	6	33	3	1	.....	59
1	1	6	.....	1	1	2	.....	1	1	6	1	3	.....	3	.....	60
167	79	111	30	116	42	56	22	12	4	6	.....	8	4	.....	.....	61
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	62
40	30	14	12	6	11	4	5	3	2	5	.....	3	1	.....	.....	63
105	31	73	11	87	17	37	11	8	2	1	.....	5	2	.....	.....	64
21	18	23	7	21	13	15	6	1	.....	.....	.....	.....	.....	.....	.....	65
1	.....	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

THE REGISTRATION RECORD.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes	512,669	23,652	20,802	22,434	20,325	27,700	24,974	26,694	24,120	23,475	20,690
2	Under 5	153,571	6,629	5,359	6,693	5,491	7,829	6,282	7,413	5,935	6,667	5,433
3	5 to 59	221,298	10,633	9,092	9,855	8,796	11,993	10,410	11,708	10,168	10,665	9,235
4	60 and over	135,936	6,294	6,285	5,798	5,984	7,782	8,194	7,469	7,969	6,057	5,962
5	Unknown	1,864	96	66	88	54	96	88	104	48	86	60
6	Unknown cause	4,849	230	205	235	194	264	207	250	176	234	194
7	Under 5	2,003	99	88	101	74	100	72	98	70	91	76
8	5 to 59	1,685	81	63	69	68	98	80	88	67	84	72
9	60 and over	1,006	39	48	59	47	60	45	58	36	47	42
10	Unknown	155	11	6	6	5	6	10	6	3	12	4
	1. General diseases.											
11	General diseases—A	88,227	2,809	2,653	2,719	2,645	3,424	3,540	3,592	3,587	3,039	2,860
12	Under 5	49,547	1,347	1,193	1,258	1,200	1,479	1,346	1,500	1,268	1,529	1,379
13	5 to 59	27,151	1,123	1,051	1,064	1,057	1,251	1,251	1,275	1,227	1,065	977
14	60 and over	11,338	335	398	396	383	684	929	806	1,087	439	501
15	Unknown	191	4	11	1	5	10	14	11	5	6	3
16	Measles	3,801	227	205	237	261	290	313	283	277	283	284
17	Under 5	3,138	196	162	196	196	239	249	234	218	239	222
18	5 to 59	645	30	40	41	62	49	63	49	59	40	60
19	60 and over	15	1	1		3	2	1			4	2
20	Unknown	3		2								
21	Scarlet fever	3,327	199	186	200	185	173	185	188	149	182	154
22	Under 5	2,063	140	116	129	106	116	125	110	91	112	92
23	5 to 59	1,256	58	69	71	79	57	60	78	58	69	61
24	60 and over	6	1	1								
25	Unknown	2									1	1
26	Diphtheria	10,201	542	600	465	519	456	424	379	373	375	351
27	Under 5	6,204	363	345	327	302	303	261	253	225	246	218
28	5 to 59	3,970	178	252	138	216	151	161	124	147	129	131
29	60 and over	22	1	2		1	2	2	2	1		2
30	Unknown	5		1								
31	Whooping cough	3,669	124	144	113	172	182	199	212	193	166	191
32	Under 5	3,492	119	132	111	163	175	186	204	177	158	184
33	5 to 59	157	4	10	2	9	6	11	8	15	7	7
34	60 and over	8	1							1		
35	Unknown	12		2			1	2			1	
36	Malarial fever	2,526	52	46	52	67	64	69	68	54	81	82
37	Under 5	549	6	5	6	13	12	12	19	15	21	25
38	5 to 59	1,489	38	30	34	39	37	36	34	30	45	43
39	60 and over	474	8	11	12	15	15	21	14	9	15	14
40	Unknown	14							1			
41	Influenza	6,882	208	307	318	350	742	1,108	960	1,314	332	433
42	Under 5	724	36	50	44	54	90	87	102	89	34	31
43	5 to 59	2,048	71	86	110	118	217	312	305	337	91	121
44	60 and over	4,091	101	170	164	177	433	704	549	885	206	281
45	Unknown	19		1		1	2	5	4	3	1	
46	Typhoid fever	9,749	449	306	357	241	389	293	335	262	335	238
47	Under 5	470	20	22	15	12	14	19	18	17	12	21
48	5 to 59	8,731	406	261	323	213	355	262	303	231	305	196
49	60 and over	517	22	21	19	16	17	11	13	14	17	20
50	Unknown	31	1	2			3	1	1		1	1
51	Diarrheal diseases	38,267	534	491	502	430	551	463	592	480	788	678
52	Under 5	30,003	348	273	288	246	356	281	410	308	570	461
53	5 to 59	4,046	103	119	116	104	105	92	98	86	141	127
54	60 and over	4,151	81	98	98	78	88	89	82	86	76	90
55	Unknown	67	2	1		2	2	1	2		1	
56	Cerebro-spinal fever	2,039	71	59	69	61	103	71	95	67	83	74
57	Under 5	1,159	41	28	39	32	61	33	54	37	48	40
58	5 to 59	845	29	28	29	29	40	35	40	30	34	34
59	60 and over	33	1	3	1		2	2	1		1	
60	Unknown	2						1				

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

THE REGISTRATION RECORD.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
20,266	17,525	24,217	20,577	22,742	19,954	20,809	17,858	20,136	17,429	19,311	16,824	21,312	18,743	71	29	1
6,635	5,565	10,016	8,350	8,649	7,500	7,211	6,024	5,640	4,528	4,968	4,249	5,677	4,819	6	8	2
8,909	7,525	9,351	7,631	9,116	7,708	8,745	7,354	9,310	8,020	9,214	7,689	9,868	8,263	31	9	3
4,625	4,390	4,764	4,527	4,867	4,679	4,774	4,420	5,103	4,835	5,054	4,812	5,669	5,607	10	6	4
97	45	86	69	110	67	79	60	83	46	80	74	98	54	24	6	5
208	155	216	182	208	173	192	188	201	168	210	146	212	178	17	6	6
92	67	97	80	94	84	92	81	74	64	87	57	84	77	1	3	7
71	52	80	60	75	50	57	66	80	67	73	52	70	54	6	2	8
40	31	32	40	33	32	36	34	46	34	44	31	51	39	2	.....	9
5	5	7	2	6	7	7	7	1	3	6	6	7	8	8	1	10
3,721	3,342	6,954	6,247	6,264	5,824	4,666	4,379	3,268	2,836	2,537	2,376	2,527	2,409	5	4	11
2,490	2,141	5,413	4,610	4,389	3,881	2,997	2,699	1,607	1,329	1,065	1,116	1,135	1,175	1	.....	12
932	885	1,079	1,037	1,320	1,238	1,268	1,190	1,331	1,191	1,225	1,022	1,118	968	4	2	13
287	310	448	593	536	692	392	482	325	313	242	234	261	264	.....	1	14
12	6	14	7	19	13	9	8	5	3	5	4	13	2	.....	1	15
149	157	87	105	59	55	32	47	36	27	68	74	120	123	1	1	16
125	132	80	89	56	42	31	43	32	22	58	65	107	105	.....	.....	17
24	25	7	16	3	13	1	4	4	5	10	9	12	18	1	.....	18
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	20
122	120	76	75	64	76	68	79	119	111	141	138	156	181	.....	.....	21
77	71	47	42	38	53	43	42	62	68	88	87	100	108	.....	.....	22
44	49	29	33	26	22	25	37	57	43	52	51	56	72	.....	.....	23
1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
271	290	292	263	276	269	378	390	490	493	523	607	574	599	1	1	26
160	175	183	167	176	152	228	221	296	253	289	329	365	366	1	.....	27
111	115	109	95	98	116	150	168	192	240	232	275	209	232	.....	1	28
.....	.....	.....	1	1	1	.....	.....	2	.....	.....	3	.....	1	.....	.....	29
.....	.....	.....	.....	1	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	30
127	128	183	190	188	221	139	152	105	102	84	107	95	152	.....	.....	31
121	119	176	179	184	215	138	141	103	99	80	100	87	141	.....	.....	32
6	8	5	10	2	4	1	11	2	3	2	7	7	10	.....	.....	33
.....	.....	.....	.....	1	1	.....	.....	.....	.....	2	.....	1	1	.....	.....	34
.....	1	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
120	87	142	145	198	182	183	175	156	155	112	94	75	66	.....	1	36
34	21	34	34	33	42	38	44	29	38	25	19	14	10	.....	.....	37
60	47	88	82	136	109	109	94	98	83	66	63	43	44	.....	1	38
24	17	18	29	29	31	34	35	29	34	21	11	16	12	.....	.....	39
2	2	2	.....	.....	.....	2	2	.....	.....	.....	1	2	.....	.....	.....	40
67	75	39	36	37	20	30	28	49	43	51	77	117	140	.....	1	41
6	4	4	2	3	1	5	1	16	3	10	7	24	21	.....	.....	42
21	25	13	13	12	8	8	9	13	17	20	25	43	53	.....	.....	43
40	46	22	20	22	11	17	18	20	23	21	45	49	66	.....	1	44
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	45
303	244	391	280	597	451	649	551	700	553	610	376	503	334	2	.....	46
19	17	27	15	16	22	19	30	25	25	21	23	23	18	.....	.....	47
270	213	341	246	548	402	595	478	643	486	564	331	464	293	2	.....	48
11	13	21	19	32	27	32	42	30	40	24	19	15	22	.....	.....	49
3	1	2	.....	1	.....	8	1	2	2	1	3	1	1	.....	.....	50
2,108	1,798	5,328	4,811	4,462	4,187	2,871	2,626	1,264	1,056	610	619	517	501	.....	.....	51
1,800	1,462	4,716	3,979	3,755	3,238	2,381	2,055	933	729	395	390	315	314	.....	.....	52
190	173	297	364	326	394	227	233	167	154	117	119	111	83	.....	.....	53
115	162	307	464	367	544	260	334	162	172	97	110	87	104	.....	.....	54
3	1	8	4	14	11	3	4	2	1	1	.....	4	.....	.....	.....	55
164	127	140	101	109	95	87	78	78	57	70	64	57	58	1	.....	56
84	69	90	55	63	56	54	49	46	33	45	40	32	30	.....	.....	57
75	56	48	44	43	38	33	26	30	23	25	24	24	27	1	.....	58
4	2	2	2	3	1	.....	3	2	1	.....	.....	1	1	.....	.....	59
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

THE REGISTRATION RECORD—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	11,823	590	337	513	346	619	390	575	356	607	383
2	Under 5	7,699	331	242	307	254	348	277	323	263	339	269
3	5 to 59	3,331	212	70	169	68	209	87	209	75	213	87
4	60 and over	694	42	19	32	16	50	24	39	17	51	23
5	Unknown	99	5	6	5	8	12	2	4	1	4	4
6	Inanition	7,859	340	254	316	266	360	296	319	266	333	293
7	Under 5	7,398	322	234	298	246	335	268	304	246	319	264
8	5 to 59	185	5	4	6	7	7	15	10	9	6	10
9	60 and over	215	11	10	9	7	9	12	3	10	8	15
10	Unknown	61	2	6	3	6	9	1	2	1	.....	4
11	General diseases—C	41,145	1,708	1,698	1,533	1,603	1,946	1,974	1,774	1,793	1,813	1,745
12	Under 5	22,672	916	712	856	646	1,080	836	1,013	721	1,116	789
13	5 to 59	1,079	46	55	47	66	40	61	45	58	38	57
14	60 and over	17,284	741	929	625	884	820	1,071	713	1,010	653	892
15	Unknown	110	5	2	5	7	6	6	3	4	6	7
16	Debility and atrophy	13,108	437	395	396	390	521	469	504	428	560	455
17	Under 5	10,217	297	254	284	236	390	310	374	272	452	301
18	5 to 59	1,065	46	54	44	65	39	61	43	58	38	57
19	60 and over	1,771	89	87	66	85	88	95	87	97	68	95
20	Unknown	55	5	.....	2	4	4	3	.....	1	2	2
21	Old age—all ages	15,558	651	841	561	802	734	979	629	916	588	802
22	60 and over	15,510	651	840	559	799	732	976	626	913	585	797
23	Unknown	48	.....	1	2	3	2	3	3	3	3	5
24	General diseases—D	86,919	3,841	3,609	3,504	3,494	4,299	4,199	4,165	4,074	3,997	3,884
25	Under 5	5,758	224	190	247	208	288	285	317	260	283	237
26	5 to 59	63,801	2,886	2,684	2,638	2,574	3,195	2,997	3,041	2,945	2,947	2,849
27	60 and over	17,147	723	726	606	707	807	908	795	865	758	789
28	Unknown	213	8	9	13	5	9	9	12	4	9	9
29	Consumption	53,962	2,620	2,069	2,431	2,040	2,978	2,377	2,824	2,362	2,736	2,256
30	Under 5	1,943	76	56	87	67	95	84	100	93	109	91
31	5 to 59	46,879	2,274	1,817	2,117	1,784	2,559	2,040	2,443	2,028	2,350	1,955
32	60 and over	5,011	266	191	220	185	317	248	272	240	271	207
33	Unknown	129	4	5	7	4	7	5	9	1	6	3
34	2. Diseases of the nervous system	62,563	2,913	2,572	2,735	2,434	3,273	2,856	3,298	2,717	2,963	2,605
35	Under 5	19,352	863	689	908	673	1,017	823	1,107	816	986	754
36	5 to 59	19,867	908	795	830	755	1,036	838	1,007	801	961	848
37	60 and over	23,160	1,134	1,082	989	1,001	1,210	1,188	1,174	1,095	1,004	994
38	Unknown	184	8	6	8	5	10	7	10	5	12	9
39	3. Diseases of the circulatory system	43,233	2,129	1,893	2,002	1,808	2,315	2,124	2,255	2,045	2,041	1,878
40	Under 5	2,661	143	105	145	98	157	116	152	131	147	101
41	5 to 59	19,389	951	874	846	845	967	930	951	922	911	905
42	60 and over	21,032	1,030	909	1,001	863	1,186	1,071	1,144	989	978	860
43	Unknown	151	5	5	10	2	5	7	8	3	5	6
44	4. Diseases of the respiratory system	80,504	5,078	4,325	5,163	4,615	6,907	5,980	6,206	5,703	3,958	3,557
45	Under 5	33,471	2,216	1,770	2,396	1,983	2,828	2,120	2,394	1,995	1,664	1,435
46	5 to 59	27,015	1,827	1,275	1,780	1,364	2,498	1,856	2,320	1,792	1,495	1,136
47	60 and over	19,841	1,026	1,271	974	1,263	1,569	1,990	1,473	1,902	794	982
48	Unknown	177	9	9	13	5	12	14	19	14	5	4
49	5. Diseases of the digestive system	28,379	1,103	1,257	1,098	1,039	1,293	1,260	1,244	1,275	1,336	1,282
50	Under 5	5,547	238	178	246	177	279	214	274	216	283	213
51	5 to 59	15,689	603	736	575	597	694	715	671	708	731	741
52	60 and over	7,062	260	339	272	264	317	327	299	350	322	323
53	Unknown	81	2	4	5	1	3	4	.....	1	.....	5
54	6. Diseases of the urinary system	29,447	1,561	1,112	1,420	1,058	1,684	1,207	1,612	1,167	1,511	1,084
55	Under 5	1,048	75	45	53	38	57	47	37	38	37	37
56	5 to 59	15,631	768	659	722	613	801	675	830	678	701	654
57	60 and over	12,679	714	406	641	404	824	480	740	450	769	391
58	Unknown	89	4	2	4	3	2	5	5	1	4	2
59	7. Affections connected with pregnancy	3,772	.....	338	.....	319	.....	445	.....	405	.....	373

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

THE REGISTRATION RECORD—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
517	378	705	483	654	489	664	456	603	382	523	323	587	342	1	.....	1
292	281	495	388	427	393	433	354	343	268	291	226	308	247	.....	.....	2
189	84	180	79	190	75	194	80	212	92	189	67	225	76	.....	.....	3
28	12	28	16	32	19	34	20	41	20	39	26	48	18	.....	.....	4
8	1	2	.....	5	2	8	2	7	2	4	4	6	1	1	.....	5
295	283	486	400	427	399	422	371	351	272	299	247	312	252	.....	.....	6
275	269	474	381	411	379	410	345	331	256	279	219	296	237	.....	.....	7
7	9	6	11	7	8	4	14	6	5	7	7	6	9	.....	.....	8
8	5	5	8	6	10	6	11	12	9	11	17	7	6	.....	.....	9
5	.....	1	.....	3	2	2	1	2	2	2	4	3	.....	.....	.....	10
1,521	1,501	1,928	1,737	1,903	1,893	1,911	1,780	1,642	1,622	1,443	1,519	1,568	1,586	1	3	11
981	793	1,323	1,051	1,279	1,100	1,313	1,060	1,025	817	882	731	932	697	1	2	12
33	44	37	88	41	55	51	34	28	53	32	39	39	42	.....	.....	13
498	663	561	645	581	732	545	681	587	748	526	740	595	843	.....	1	14
9	1	7	3	2	6	2	5	2	4	3	9	2	4	.....	.....	15
533	485	812	732	869	775	869	743	560	556	421	425	403	370	.....	.....	16
441	375	710	610	775	644	758	640	479	430	337	302	302	244	.....	.....	17
33	43	37	37	41	55	50	33	27	53	32	39	39	41	.....	.....	18
54	67	61	84	51	73	59	67	54	71	51	79	60	83	.....	.....	19
5	.....	4	1	2	3	2	3	.....	2	1	5	2	2	.....	.....	20
446	597	502	563	530	662	486	616	535	679	476	665	535	762	.....	1	21
444	596	500	561	530	659	486	614	533	677	475	661	535	760	.....	1	22
2	1	2	2	.....	3	.....	2	2	2	1	4	.....	2	.....	.....	23
3,355	3,531	3,448	3,567	3,298	3,511	3,213	3,305	3,335	3,511	3,307	3,413	3,573	3,474	7	5	24
285	238	278	237	282	215	267	222	235	188	193	175	232	182	.....	.....	25
2,449	2,561	2,547	2,588	2,362	2,544	2,326	2,437	2,456	2,570	2,484	2,508	2,665	2,538	6	4	26
614	720	615	728	642	743	622	640	639	740	626	718	668	747	1	.....	27
7	12	8	14	12	9	8	6	5	13	4	12	8	7	.....	1	28
2,199	1,928	2,317	2,026	2,156	1,905	2,065	1,890	2,228	1,987	2,218	1,934	2,416	1,994	4	2	29
88	71	108	83	100	67	79	84	91	65	62	61	66	60	.....	.....	30
1,912	1,701	2,004	1,767	1,840	1,672	1,786	1,658	1,934	1,725	1,945	1,697	2,121	1,744	4	2	31
197	148	200	167	207	157	195	144	200	194	208	168	222	187	.....	.....	32
2	8	5	9	9	9	5	4	3	3	3	8	7	3	.....	.....	33
2,745	2,373	2,823	2,405	2,679	2,371	2,503	2,073	2,536	2,135	2,464	2,017	2,746	2,323	2	2	34
966	783	1,071	864	945	816	819	597	772	563	690	498	762	569	.....	1	35
914	728	961	703	891	698	825	672	869	683	864	652	904	724	.....	.....	36
857	860	786	832	831	849	852	798	883	881	897	861	1,076	1,024	1	1	37
8	2	5	6	12	8	7	6	12	8	13	6	4	6	1	.....	38
1,691	1,489	1,627	1,465	1,610	1,364	1,609	1,449	1,734	1,471	1,871	1,576	1,998	1,786	2	1	39
106	92	123	91	104	69	104	75	101	85	114	77	124	101	.....	.....	40
775	706	730	701	679	666	681	660	770	695	827	745	848	802	2	.....	41
804	685	767	668	821	621	818	707	856	688	925	746	1,014	874	.....	1	42
6	6	7	5	6	8	6	7	7	3	5	8	12	9	.....	.....	43
1,950	1,570	1,526	1,284	1,384	1,119	1,656	1,321	2,475	2,140	2,723	2,534	3,841	3,482	5	2	44
880	713	679	631	630	521	736	568	1,061	825	1,237	1,067	1,695	1,423	2	2	45
689	471	550	396	493	356	568	414	904	700	929	792	1,344	1,066	.....	.....	46
376	385	292	249	257	237	349	335	507	611	555	669	789	985	1	.....	47
5	1	5	8	4	5	3	4	3	4	2	6	13	8	2	.....	48
1,172	1,153	1,308	1,183	1,273	1,243	1,208	1,037	1,208	1,137	1,116	995	1,096	1,055	4	4	49
264	249	306	245	282	260	281	214	237	187	201	137	186	179	1	.....	50
646	634	673	657	696	696	634	552	645	657	617	572	639	598	1	1	51
258	265	326	272	293	284	288	267	324	291	294	281	269	273	2	2	52
4	5	3	9	2	8	5	4	2	2	4	5	2	5	.....	1	53
1,286	913	1,401	930	1,271	913	1,249	881	1,319	1,011	1,379	965	1,463	1,047	3	.....	54
46	37	45	26	51	33	51	39	30	50	40	39	57	40	.....	.....	55
611	554	672	563	613	557	607	546	640	593	670	557	728	617	2	.....	56
624	318	681	339	602	320	589	294	642	367	662	363	670	389	.....	.....	57
5	4	3	2	5	3	2	2	7	1	7	6	8	1	1	.....	58
.....	295	.....	291	.....	258	.....	228	.....	259	.....	254	.....	307	.....	.....	59

TABLE 13.—DEATHS AT CERTAIN AGES AND FROM CERTAIN

THE REGISTRATION RECORD—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	27,649	1,580	558	1,421	518	1,548	522	1,594	553	1,831	584
2	Under 5	3,260	153	118	150	119	164	125	170	137	155	123
3	5 to 59	19,975	1,162	313	1,072	272	1,133	267	1,191	298	1,435	325
4	60 and over	4,026	231	122	181	120	230	125	207	113	218	129
5	Unknown	388	34	5	18	7	21	5	26	5	23	7
6	Burns and scalds	2,545	106	166	103	133	122	104	75	121	79	122
7	Under 5	1,005	59	50	53	47	65	35	42	41	29	39
8	5 to 59	1,264	34	92	41	64	43	52	24	60	40	70
9	60 and over	262	12	23	9	22	14	17	8	20	8	13
10	Unknown	14	1	1					1		2	
11	Drowning	3,152	94	13	97	11	103	8	196	19	275	34
12	Under 5	184	1	3	2		8	2	18	6	15	7
13	5 to 59	2,681	80	10	90	10	90	5	153	12	236	20
14	60 and over	201	8		3	1	5	1	17	1	20	4
15	Unknown	86	5		2				8		4	3
16	Exposure and neglect	251	24	14	26	13	19	11	14	9	8	14
17	Under 5	100	6	7	4	8	3	6	5	4	4	9
18	5 to 59	91	9	4	15	2	12	3	8	1	3	3
19	60 and over	54	8	3	7	3	3	1	1	3	1	1
20	Unknown	6	1				1	1		1		1
21	Gunshot wounds	1,103	74	9	53	8	78	11	59	8	75	6
22	Under 5	21	1		1	1	1	1	1	1	2	
23	5 to 59	1,000	66	9	50	6	70	9	54	6	64	6
24	60 and over	59	5		1	1	4	1	3	1	8	
25	Unknown	23	2		1		3		1		1	
26	Homicide	633	40	6	19	7	40	16	31	6	49	16
27	Under 20	80	7	1	1	2	3	3	6	2	4	5
28	20 to 59	514	30	5	18	5	35	11	24	3	43	11
29	60 and over	25	2				1				1	
30	Unknown	14	1				1	2	1	1	1	
31	Injuries by machinery	112	4		9	1	14	1	8		9	
32	Under 20	15			1		2	1	1		1	
33	20 to 59	89	3		7	1	10		7		5	
34	60 and over	8	1		1		2				3	
35	Unknown											
36	Railroad accidents	3,792	254	14	248	23	258	15	251	23	270	33
37	Under 5	97	3	3	4	1	2		8	4	6	5
38	5 to 59	3,210	207	11	222	21	224	12	217	15	235	20
39	60 and over	385	36		17	1	23	3	18	4	21	7
40	Unknown	100	8		5		9		8		5	1
41	Suicide by shooting	817	61	6	63	4	56	3	78	6	78	5
42	Under 20	15			1	2	1				1	
43	20 to 59	685	53	6	52	2	47	3	70	6	66	5
44	60 and over	108	8		9		8		7		11	
45	Unknown	9			1				1			
46	Suicide by drowning	164	3	3	6	1	10	3	8	5	20	6
47	Under 20	5					1		1			
48	20 to 59	117	2	2	5	1	5	3	6	4	12	5
49	60 and over	41	1	1	1		4			1	8	1
50	Unknown	1							1			
51	Suicide by poison	915	52	24	37	25	42	32	49	32	60	32
52	Under 20	71	2	2	2	5		4	4	4	3	7
53	20 to 59	727	41	21	29	20	37	27	41	24	48	20
54	60 and over	105	7	1	5		5	1	4	4	9	4
55	Unknown	12	2		1							1
56	Other suicides	1,504	91	27	68	15	100	26	121	36	107	29
57	Under 20	44	2	1	2	2	2	2	5	1	2	1
58	20 to 59	1,139	71	20	53	12	74	21	90	33	76	21
59	60 and over	310	16	6	13	1	23	3	26	2	28	7
60	Unknown	11	2				1				1	
61	Sunstroke	442	1		2	1	1	1			15	4
62	Under 5	103									3	
63	5 to 59	255			1		1				10	3
64	60 and over	82	1			1		1			2	1
65	Unknown	2			1							

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

THE REGISTRATION RECORD—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
2,002	588	2,172	585	2,090	578	1,840	547	1,713	534	1,647	476	1,605	537	24	2	1
210	150	160	117	145	102	109	97	135	124	138	109	140	110			2
1,541	330	1,779	344	1,687	356	1,468	317	1,321	303	1,256	252	1,237	306	10		3
223	108	208	115	221	117	236	128	226	105	226	109	206	119	3		4
28		25	9	37	3	27	5	31	2	27	6	22	2	11	2	5
91	101	71	110	71	98	80	108	82	124	100	117	93	166	2		6
39	33	22	27	35	24	33	30	45	52	52	48	49	56			7
44	59	47	73	32	65	41	68	36	58	37	54	35	94	1		8
7	9	2	10	3	9	4	10	1	14	9	14	8	15	1		9
1				1		2				2	1	1	1			10
459	38	536	49	452	50	239	35	168	15	113	11	112	11	13	1	11
21	11	18	7	22	6	11	6	5	3	4	1	3	4			12
399	25	480	36	400	38	213	25	141	11	87	8	99	7	8		13
26	2	26	3	18	6	13	2	16	1	18	2	7		1		14
13		12	3	12		2	2	6		4		3		6	1	15
10	5	3	6	6	4	5	3	13	2	11	3	19	8			16
7	5	1	5	3	2	1		4	1	4	1	6	4			17
2		1		2	2	3	2	7	1	5	2	2	2			18
1		1	1	1		1	1	2		2		10	3			19
												1				20
73	17	99	19	79	9	93	13	96	20	104	9	82	9			21
	3		1	1	1		1		1		1	1	2			22
67	13	96	18	66	8	87	12	89	18	94	8	77	7			23
5	1	2		7		3		5	1	9		2				24
1		1		5		3		2		1		2				25
32	15	43	13	56	10	42	12	47	9	48	14	52	9		1	26
5	3	5		5	3	6	3	3	1	4	3	3	2			27
25	11	37	11	47	7	34	8	42	8	37	11	45	6			28
2	1	1	1	4		1		2		6		2	1			29
			1			1	1			1		2			1	30
5	1	11	1	11		8		8		12	1	8				31
		1		3		3				1	1					32
5	1	10	1	8		5		7		11		8				33
								1								34
																35
280	24	308	37	352	48	322	35	308	26	284	36	305	35	8		36
5	8	8	3	8	4	6	1	6	4	2	4	1	1			37
235	12	280	29	300	39	280	25	260	14	243	25	262	20	2		38
32	4	16	4	32	5	27	9	31	8	30	6	37	14			39
8		4	1	12		9		11		9	1	5		1		40
53	4	68	2	55	3	68	8	55	5	69	4	60	3			41
	1	2		1		3		1	1		1					42
44	8	54	2	47	3	52	6	43	3	61	3	51	3			43
8		11		7		11	2	9	1	8		8				44
1		1				2		2				1				45
10	4	13	6	12	4	11	3	9	10	5	4	5	3			46
						1			1		1					47
5	4	12	6	10	3	7	2	7	4	4	3	2	3			48
5		1		2	1	3	1	2	5	1		3				49
																50
46	32	45	30	44	38	50	27	42	41	47	21	37	30			51
	7	1	3		8		5	1	4		4		5			52
39	23	34	25	34	29	43	20	30	32	39	17	32	22			53
6	2	10	2	8	1	7	1	10	4	7		4	3			54
1				2			1	1	1	1		1				55
110	27	111	25	125	25	96	23	94	29	85	19	95	20			56
						1	2	2	4	4		3				57
1	3	1	2	1		72	15	68	19	63	14	72	18			58
87	23	78	19	99	21	22	6	23	6	17	4	19	2			59
22	1	30	4	25	4	1		1		1	1	1				60
		2										3	3			61
136	73	61	24	49	24	28	14	2								62
38	29	9	10	3	6	1	4					1	1			63
84	26	45	8	40	9	20	5	1				2	2			64
14	18	7	6	5	9	7	5	1								65
				1												

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

REGISTRATION CITIES.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes	402,666	18,764	16,346	17,854	16,047	21,690	19,471	20,765	18,402	18,332	15,943
2	Under 5	129,579	5,660	4,501	5,682	4,654	6,594	5,298	6,220	4,984	5,597	4,579
3	5 to 59	181,700	8,971	7,391	8,230	7,201	9,965	8,407	9,738	8,110	8,828	7,360
4	60 and over	90,053	4,072	4,406	3,874	4,153	5,061	5,700	4,737	5,279	3,849	3,961
5	Unknown	1,334	61	48	68	39	70	66	70	29	58	43
6	Unknown cause	3,396	173	138	170	128	173	126	164	122	153	138
7	Under 5	1,311	70	55	60	45	59	42	63	39	55	50
8	5 to 59	1,320	69	43	59	53	78	52	65	56	63	56
9	60 and over	638	24	35	45	25	33	24	33	24	27	28
10	Unknown	127	10	5	6	5	3	8	3	3	8	4
	1. General diseases.											
11	General diseases—A	71,339	2,278	2,137	2,226	2,132	2,721	2,779	2,803	2,741	2,448	2,249
12	Under 5	41,825	1,156	1,014	1,092	1,023	1,260	1,160	1,305	1,088	1,317	1,179
13	5 to 59	22,179	927	851	873	851	1,034	1,003	1,022	970	864	778
14	60 and over	7,197	193	262	260	254	419	608	468	681	263	290
15	Unknown	138	2	10	1	4	8	8	8	2	4	2
16	Measles	3,091	194	170	197	194	225	246	240	214	216	229
17	Under 5	2,696	175	143	172	163	200	211	213	181	193	191
18	5 to 59	391	19	25	25	31	25	34	27	33	23	38
19	60 and over	1						1				
20	Unknown	3		2								
21	Scarlet fever	2,796	167	162	169	151	140	154	154	123	160	126
22	Under 5	1,784	118	103	116	89	97	106	97	75	103	82
23	5 to 59	1,009	49	59	53	62	43	48	57	48	57	44
24	60 and over	3										
25	Unknown											
26	Diphtheria	9,114	481	535	419	464	421	381	336	336	341	517
27	Under 5	5,720	324	313	300	275	286	251	239	212	234	205
28	5 to 59	3,373	156	219	119	189	133	129	95	123	107	111
29	60 and over	16	1	2			2	1	2	1		1
30	Unknown	5		1								
31	Whooping cough	2,912	94	117	87	138	151	165	185	161	130	147
32	Under 5	2,789	91	107	85	131	146	156	178	150	125	142
33	5 to 59	115	2	9	2	7	4	9	7	10	5	5
34	60 and over	3	1							1		
35	Unknown	5		1			1					
36	Malarial fever	2,139	42	34	43	55	51	57	59	42	66	66
37	Under 5	491	3	5	6	12	10	10	19	14	19	21
38	5 to 59	1,302	33	22	29	32	34	30	29	22	39	36
39	60 and over	335	6	7	8	11	7	17	10	6	8	9
40	Unknown	11							1			
41	Influenza	4,411	122	199	217	249	510	769	603	838	187	248
42	Under 5	506	26	33	27	39	64	65	75	65	23	19
43	5 to 59	1,524	51	61	90	94	176	246	228	236	65	92
44	60 and over	2,370	45	104	100	115	269	456	298	536	98	137
45	Unknown	11		1		1	1	2	2	1	1	
46	Typhoid fever	7,925	363	244	289	199	323	244	287	224	270	193
47	Under 5	400	19	15	14	9	13	15	16	15	11	17
48	5 to 59	7,146	331	210	263	178	294	221	262	201	244	162
49	60 and over	354	12	17	12	12	13	7	8	8	14	13
50	Unknown	25	1	2			3	1	1		1	1
51	Diarrheal diseases	31,321	446	404	421	349	452	376	485	402	675	574
52	Under 5	25,030	307	225	250	211	300	239	343	263	494	400
53	5 to 59	3,382	83	103	97	87	88	75	84	73	123	106
54	60 and over	2,862	55	75	74	50	62	61	57	66	57	68
55	Unknown	47	1	1		1	2	1	1		1	
56	Cerebro-spinal fever	1,512	46	38	51	44	83	53	74	53	63	52
57	Under 5	870	25	22	28	23	48	27	43	31	35	30
58	5 to 59	619	21	13	22	21	34	25	30	22	27	22
59	60 and over	21		3	1		1		1		1	
60	Unknown	2						1				

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
16,258	13,988	19,720	16,688	17,696	15,402	16,119	13,726	15,883	13,597	15,207	13,227	16,841	14,696	36	18	1
5,754	4,883	8,717	7,336	7,007	6,148	5,762	4,847	4,757	3,801	4,227	3,626	4,815	4,120	4	6	2
7,417	6,111	7,809	6,214	7,512	6,096	7,255	5,934	7,709	6,537	7,647	6,260	8,285	6,687	21	5	3
3,021	2,959	3,127	3,096	3,097	3,109	3,042	2,904	3,310	3,227	3,272	3,284	3,664	3,845	3	1	4
66	35	67	42	80	49	60	41	57	32	61	57	77	44	8	6	5
146	118	165	138	154	121	138	129	145	120	145	100	148	127	11	6	6
61	49	74	58	62	57	58	53	52	47	61	34	54	49	1	3	7
55	45	62	47	63	36	47	53	65	51	56	40	54	45	5	2	8
26	19	23	31	23	22	28	18	27	21	23	20	34	25	.....	.....	9
4	5	6	2	6	6	5	5	1	1	5	6	6	8	5	1	10
3,251	2,939	5,999	5,437	4,917	4,582	3,507	3,289	2,607	2,227	2,068	1,950	2,077	1,967	5	3	11
2,263	1,963	4,753	4,097	3,482	3,103	2,248	2,057	1,338	1,081	909	955	975	1,006	1	.....	12
793	740	935	883	1,089	1,026	1,022	955	1,065	962	1,009	828	918	775	4	2	13
187	231	301	453	332	444	229	271	200	182	146	165	174	184	.....	.....	14
8	5	10	4	14	9	8	6	4	2	4	2	10	2	.....	1	15
119	137	74	90	55	44	30	41	30	19	56	60	102	107	1	1	16
101	116	68	82	53	34	29	38	26	17	49	56	94	91	.....	.....	17
18	21	6	8	2	10	1	3	4	2	7	4	8	16	1	.....	18
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	20
107	104	62	64	51	69	57	70	104	96	112	113	132	149	.....	.....	21
69	63	38	40	33	48	36	36	55	60	70	75	84	91	.....	.....	22
37	41	24	24	18	20	21	34	49	36	42	38	48	57	.....	.....	23
1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
250	263	262	233	247	236	332	342	429	441	457	543	507	539	1	1	26
152	161	167	155	158	141	209	199	264	232	265	307	335	335	1	.....	27
98	102	95	77	87	95	123	142	164	209	190	234	172	203	.....	1	28
.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	2	.....	1	.....	.....	29
.....	.....	.....	.....	1	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	30
98	105	148	161	144	176	111	129	86	80	58	74	65	102	.....	.....	31
92	99	142	155	142	171	110	120	84	79	55	69	64	96	.....	.....	32
6	6	5	6	1	4	1	9	2	1	2	5	1	6	.....	.....	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	34
.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
108	81	119	124	178	164	165	144	125	127	89	81	63	55	.....	1	36
30	21	25	33	32	39	35	37	25	34	21	19	11	10	.....	.....	37
56	43	81	70	122	105	100	80	82	69	59	54	37	37	.....	1	38
21	15	12	21	24	20	28	26	18	24	9	7	13	5	.....	.....	39
1	2	1	.....	.....	.....	2	1	.....	.....	.....	1	2	.....	.....	.....	40
23	32	18	23	20	12	16	17	34	25	31	46	80	92	.....	.....	41
2	1	1	2	3	1	2	1	11	1	7	5	18	15	.....	.....	42
11	11	9	11	9	7	6	7	8	14	14	17	29	32	.....	.....	43
10	20	8	9	8	4	8	9	15	10	10	24	32	45	.....	.....	44
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	45
255	212	328	235	509	366	517	435	537	420	500	293	424	256	2	.....	46
15	16	23	13	13	18	18	28	20	21	17	19	21	14	.....	.....	47
230	183	291	206	471	333	473	380	499	369	466	259	391	227	2	.....	48
8	12	12	16	24	15	24	26	17	28	17	14	11	14	.....	.....	49
2	1	2	.....	1	.....	2	1	1	2	.....	1	1	1	.....	.....	50
1,949	1,659	4,658	4,237	3,425	3,242	2,042	1,869	1,000	783	508	511	428	426	.....	.....	51
1,683	1,369	4,166	3,530	2,940	2,557	1,730	1,501	759	560	344	327	261	271	.....	.....	52
173	151	262	331	246	316	173	177	136	129	100	102	96	71	.....	.....	53
92	138	224	373	230	362	136	188	103	94	63	82	68	84	.....	.....	54
1	1	6	3	9	7	3	5	2	.....	1	.....	3	.....	.....	.....	55
124	99	114	77	80	71	52	60	54	41	52	49	39	42	1	.....	56
64	50	75	42	45	43	29	38	34	27	34	30	22	25	.....	.....	57
57	47	38	33	32	27	23	21	19	14	18	19	16	17	1	.....	58
2	2	1	2	3	1	.....	1	1	.....	.....	.....	1	.....	.....	.....	59
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

REGISTRATION CITIES—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	10,258	521	287	438	308	536	328	482	301	530	327
2	Under 5	6,742	292	209	265	224	313	236	268	225	296	231
3	5 to 59	2,927	195	60	148	63	178	72	186	65	185	78
4	60 and over	506	29	14	21	13	35	18	24	10	46	14
5	Unknown	83	5	4	4	8	10	2	4	1	3	4
6	Inanition	6,863	299	215	266	236	322	247	261	230	294	248
7	Under 5	6,527	283	203	257	217	304	229	252	215	283	228
8	5 to 59	145	5	2	4	7	6	9	5	8	4	9
9	60 and over	140	9	6	3	6	5	8	2	6	7	7
10	Unknown	51	2	4	2	6	7	1	2	1	.....	4
11	General diseases—C	31,545	1,253	1,306	1,166	1,233	1,470	1,485	1,304	1,326	1,398	1,314
12	Under 5	19,075	758	594	718	548	921	691	821	610	951	659
13	5 to 59	903	39	42	37	59	32	49	38	44	35	44
14	60 and over	11,486	451	669	407	621	512	740	443	671	409	606
15	Unknown	81	5	1	4	5	5	5	2	1	3	5
16	Debility and atrophy	11,204	360	320	329	326	440	386	417	351	482	370
17	Under 5	8,990	259	218	249	209	341	267	321	234	399	259
18	5 to 59	894	39	41	36	58	31	49	36	44	35	44
19	60 and over	1,274	57	61	42	56	64	67	60	72	46	65
20	Unknown	46	5	.....	2	3	4	3	.....	1	2	2
21	Old age—all ages	10,242	394	609	366	567	449	675	385	599	364	544
22	60 and over	10,212	394	608	365	565	448	673	383	599	363	541
23	Unknown	30	.....	1	1	2	1	2	2	.....	1	3
24	General diseases—D	68,597	3,150	2,755	2,867	2,731	3,490	3,262	3,371	3,091	3,208	2,966
25	Under 5	4,769	195	157	209	167	242	228	269	211	236	180
26	5 to 59	52,404	2,468	2,140	2,244	2,092	2,709	2,416	2,570	2,333	2,473	2,255
27	60 and over	11,271	484	452	404	469	533	611	522	547	492	524
28	Unknown	153	3	6	10	3	6	7	10	.....	7	7
29	Consumption	44,376	2,238	1,656	2,036	1,655	2,514	1,905	2,387	1,855	2,279	1,758
30	Under 5	1,645	68	49	74	51	77	64	87	78	94	64
31	5 to 59	39,237	1,966	1,479	1,806	1,481	2,202	1,664	2,102	1,629	1,993	1,566
32	60 and over	3,396	202	123	150	121	230	174	191	148	188	125
33	Unknown	98	2	5	6	2	5	3	7	.....	4	3
34	2. Diseases of the nervous system	46,673	2,187	1,937	2,064	1,844	2,404	2,127	2,504	1,980	2,224	1,954
35	Under 5	16,335	743	586	756	593	841	695	940	686	818	640
36	5 to 59	15,676	733	648	658	592	808	647	808	613	784	666
37	60 and over	14,532	706	698	644	656	747	779	748	677	615	641
38	Unknown	130	5	5	6	3	8	6	8	4	7	7
39	3. Diseases of the circulatory system	31,538	1,548	1,451	1,460	1,358	1,627	1,605	1,611	1,542	1,485	1,368
40	Under 5	2,013	108	80	106	70	119	94	119	95	103	72
41	5 to 59	16,038	809	729	715	702	789	752	823	777	774	726
42	60 and over	13,398	630	641	632	584	716	755	666	667	604	568
43	Unknown	89	1	1	7	2	3	4	3	3	4	2
44	4. Diseases of the respiratory system	66,283	4,252	3,518	4,318	3,772	5,673	4,820	4,943	4,460	3,148	2,818
45	Under 5	29,145	1,939	1,512	2,085	1,704	2,417	1,843	2,035	1,699	1,404	1,236
46	5 to 59	22,623	1,578	1,049	1,515	1,127	2,121	1,495	1,900	1,429	1,205	908
47	60 and over	14,387	729	951	708	938	1,125	1,471	996	1,325	534	671
48	Unknown	128	6	6	10	3	10	11	12	7	5	3
49	5. Diseases of the digestive system	21,905	851	966	861	803	994	982	964	968	1,031	992
50	Under 5	4,478	194	134	199	144	221	165	220	173	236	176
51	5 to 59	12,752	481	591	482	490	563	586	556	551	592	600
52	60 and over	4,616	175	238	176	168	208	229	188	243	203	212
53	Unknown	59	1	3	4	1	2	2	.....	1	.....	4
54	6. Diseases of the urinary system	23,232	1,221	924	1,097	872	1,309	972	1,250	928	1,125	883
55	Under 5	877	63	39	48	32	43	39	33	23	30	35
56	5 to 59	13,336	669	557	612	524	696	578	713	566	587	540
57	60 and over	8,949	488	326	434	314	569	350	500	333	506	307
58	Unknown	70	1	2	3	2	1	5	4	1	2	1
59	7. Affections connected with pregnancy	2,917	.....	277	.....	258	.....	351	.....	309	.....	268

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
452	335	627	431	564	430	569	396	511	331	456	288	508	302	.....	.....	1
262	251	448	340	376	346	371	308	290	239	258	203	263	219	.....	.....	2
165	74	156	69	163	69	171	70	185	76	167	63	201	68	.....	.....	3
21	9	21	13	20	13	25	16	30	14	29	18	38	15	.....	.....	4
4	1	2	.....	5	2	2	2	6	2	2	4	6	.....	.....	.....	5
263	256	444	358	378	354	360	324	296	244	265	218	263	222	.....	.....	6
249	244	435	343	368	336	353	303	281	232	250	198	253	211	.....	.....	7
7	9	4	9	5	8	2	10	5	4	7	6	4	6	.....	.....	8
5	3	4	6	2	8	3	10	9	6	7	10	3	5	.....	.....	9
2	.....	1	.....	3	2	2	1	1	2	1	4	3	.....	.....	.....	10
1,141	1,151	1,536	1,405	1,459	1,517	1,496	1,392	1,254	1,243	1,118	1,174	1,207	1,196	.....	1	11
803	658	1,141	916	1,058	948	1,108	891	856	698	759	621	779	567	.....	1	12
27	41	33	33	37	45	40	27	24	46	28	34	35	34	.....	.....	13
304	451	357	454	363	519	346	470	372	498	328	512	391	592	.....	.....	14
7	1	5	2	1	5	2	4	2	1	3	7	2	3	.....	.....	15
469	432	728	667	737	688	741	635	482	479	366	353	340	306	.....	.....	16
402	342	645	568	665	573	656	555	418	381	299	258	265	207	.....	.....	17
27	40	33	32	37	45	39	27	24	46	28	34	35	34	.....	.....	18
36	50	47	67	34	67	44	51	40	51	38	57	38	64	.....	.....	19
4	.....	3	.....	1	3	2	2	.....	1	1	4	2	1	.....	.....	20
269	402	311	389	329	454	302	421	334	447	291	458	353	530	.....	.....	21
268	401	310	387	329	452	302	419	332	447	290	455	353	528	.....	.....	22
1	1	1	2	.....	2	.....	2	2	.....	1	3	.....	2	.....	.....	23
2,704	2,729	2,796	2,772	2,654	2,645	2,573	2,544	2,715	2,716	2,662	2,615	2,919	2,656	4	2	24
235	202	228	198	239	179	207	183	197	155	160	139	196	157	.....	.....	25
2,039	2,055	2,153	2,084	1,981	1,968	1,973	1,948	2,084	2,057	2,094	2,007	2,259	1,997	4	1	26
425	463	407	483	425	490	386	409	430	494	405	462	459	495	.....	.....	27
5	9	8	7	9	8	7	4	4	10	3	7	5	7	.....	1	28
1,826	1,561	1,947	1,639	1,826	1,488	1,760	1,522	1,885	1,586	1,873	1,542	2,062	1,573	2	1	29
69	62	92	74	88	59	66	72	77	52	58	55	59	56	.....	.....	30
1,610	1,400	1,706	1,446	1,587	1,317	1,555	1,352	1,664	1,407	1,673	1,381	1,846	1,402	2	1	31
145	93	144	114	145	104	134	95	141	124	140	101	152	112	.....	.....	32
2	5	5	5	6	8	5	3	3	3	2	5	5	3	.....	.....	33
2,102	1,761	2,187	1,856	1,983	1,716	1,851	1,523	1,876	1,550	1,822	1,482	2,006	1,731	1	1	34
828	668	918	755	761	663	663	502	666	474	583	418	635	502	.....	1	35
729	542	784	562	717	515	656	517	684	532	670	505	734	572	.....	.....	36
540	550	481	535	497	534	529	500	519	537	560	554	633	652	.....	.....	37
5	1	4	4	8	4	3	4	7	7	9	5	4	5	1	.....	38
1,216	1,073	1,162	1,080	1,144	977	1,152	1,064	1,264	1,100	1,339	1,158	1,409	1,344	1	.....	39
78	68	96	72	77	49	81	63	79	64	84	60	92	84	.....	.....	40
640	566	593	568	559	529	574	543	649	574	670	608	697	671	1	.....	41
494	436	467	437	505	396	493	454	531	460	580	486	612	584	.....	.....	42
4	3	6	3	3	3	4	4	5	2	5	4	8	5	.....	.....	43
1,669	1,313	1,319	1,103	1,172	946	1,410	1,116	2,105	1,789	2,314	2,156	3,248	2,898	2	1	44
779	635	612	566	565	464	657	500	941	743	1,101	953	1,496	1,257	1	1	45
611	383	472	344	421	298	491	357	785	590	808	670	1,179	887	.....	.....	46
275	294	230	189	183	180	259	256	377	453	403	529	562	749	.....	.....	47
4	1	5	4	3	4	3	3	2	2	2	4	11	5	1	.....	48
911	933	1,051	896	978	943	921	792	923	891	853	762	837	798	2	2	49
222	212	267	208	224	204	229	166	188	144	159	106	146	140	1	.....	50
521	535	565	508	563	551	511	442	525	550	515	472	516	485	1	.....	51
164	183	218	177	190	185	177	181	208	196	176	179	173	168	.....	1	52
4	3	1	3	1	3	4	3	2	1	3	5	2	5	.....	1	53
1,011	723	1,094	743	968	735	961	710	1,019	829	1,089	794	1,127	847	1	.....	54
35	28	37	21	43	32	43	33	26	37	35	34	45	38	.....	.....	55
533	461	585	484	520	472	518	453	541	510	585	473	639	519	1	.....	56
439	230	469	236	401	229	398	222	448	281	462	281	437	289	.....	.....	57
4	4	3	2	4	2	2	2	4	1	7	6	6	1	.....	.....	58
.....	234	.....	208	.....	193	.....	179	.....	202	.....	202	.....	236	.....	.....	59

TABLE 13.—DEATHS AT CERTAIN AGES AND FROM CERTAIN

REGISTRATION CITIES—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	21,718	1,255	450	1,116	399	1,195	409	1,269	415	1,472	455
2	Under 5	2,559	124	94	120	87	129	87	125	113	123	104
3	5 to 59	16,249	955	256	856	220	903	227	993	231	1,197	264
4	60 and over	2,652	154	96	127	89	149	91	135	66	137	83
5	Unknown	258	22	4	13	3	14	4	16	5	15	4
6	Burns and scalds	2,118	87	145	90	116	95	83	63	95	65	100
7	Under 5	832	48	45	45	37	53	25	34	35	25	35
8	5 to 59	1,097	32	82	36	59	35	46	23	47	37	59
9	60 and over	179	7	18	9	20	7	12	6	13	2	6
10	Unknown	10									1	
11	Drowning	2,254	68	7	61	5	78	5	151	12	199	24
12	Under 5	111		2	1		7	2	12	5	7	5
13	5 to 59	1,948	60	5	57	5	67	3	121	7	174	13
14	60 and over	137	6		1		4		11		15	3
15	Unknown	58	2		2				7		3	3
16	Exposure and neglect	172	19	10	18	10	9	7	8	7	7	11
17	Under 5	75	6	5	3	5	1	3	2	3	4	9
18	5 to 59	61	9	3	9	2	6	3	6	1	2	1
19	60 and over	32	3	2	6	3	1			2	1	1
20	Unknown	4	1				1	1		1		
21	Gunshot wounds	864	56	8	46	7	66	7	44	5	65	5
22	Under 5	12	1		1					1	2	
23	5 to 59	795	51	8	43	6	61	6	42	3	57	5
24	60 and over	40	3		1	1	2	1	1	1	5	
25	Unknown	17	1		1		3		1		1	
26	Homicide	590	39	3	19	7	38	14	30	6	49	15
27	Under 20	72	6		1	2	2	2	5	2	4	5
28	20 to 59	485	30	3	18	5	34	10	24	3	43	10
29	60 and over	19	2				1				1	
30	Unknown	14	1				1	2	1	1	1	
31	Injuries by machinery	86	4		5	1	11	1	4		6	
32	Under 20	7					1	1				
33	20 to 59	75	3		5	1	10		4		3	
34	60 and over	4	1								3	
35	Unknown											
36	Railroad accidents	2,941	197	11	208	15	201	12	201	22	211	24
37	Under 5	84	3	3	4	1	2		6	4	6	4
38	5 to 59	2,544	163	8	187	13	179	9	177	14	185	14
39	60 and over	264	27		15	1	16	3	15	4	15	6
40	Unknown	49	4		2		4		3		5	
41	Suicide by shooting	669	50	4	56	3	45	3	64	5	65	4
42	Under 20	11			1	1	1				1	
43	20 to 59	572	43	4	46	2	40	3	59	5	58	4
44	60 and over	77	7		8		4		4		6	
45	Unknown	9			1				1			
46	Suicide by drowning	114	2	1	4		7	2	6	1	12	3
47	Under 20	4					1					
48	20 to 59	85	1		4		3	2	5	4	9	3
49	60 and over	24	1	1			3				3	
50	Unknown	1							1			
51	Suicide by poison	800	46	23	31	23	38	27	45	24	54	28
52	Under 20	64	2	1	1	5		4	4	3	3	7
53	20 to 59	652	37	21	25	18	34	23	38	20	46	17
54	60 and over	75	6	1	4		4		3	1	5	4
55	Unknown	9	1		1							
56	Other suicides	1,173	70	22	49	10	73	21	97	24	78	22
57	Under 20	32	2	1		1	1	2	3	1	1	
58	20 to 59	940	58	16	42	8	55	17	81	23	61	20
59	60 and over	194	8	5	7	1	17	2	13		15	2
60	Unknown	7	2								1	
61	Sunstroke	404	1		2	1		1			14	4
62	Under 5	94									2	
63	5 to 59	236			1						10	3
64	60 and over	72	1			1		1			2	1
65	Unknown	2			1							

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,584	486	1,700	450	1,626	436	1,467	422	1,334	422	1,273	363	1,283	426	9	2	1
167	130	125	88	106	84	84	75	108	98	99	88	117	84			2
1,262	281	1,423	285	1,346	271	1,198	262	1,060	258	1,008	210	1,012	266	5		3
138	75	135	70	148	78	165	82	147	65	148	60	137	74	3		4
17		17	7	26	3	20	8	19	1	18	5	17	2	1	2	5
77	91	61	91	59	80	68	88	74	106	68	95	71	148	2		6
34	30	17	21	29	21	27	24	40	45	35	40	40	47			7
38	54	42	64	27	53	35	55	33	54	24	45	28	88	1		8
4	7	2	6	2	6	4	9	1	7	7	9	2	12	1		9
1				1		2				2	1	1	1			10
329	27	380	29	327	30	189	28	131	9	73	9	75	5	2	1	11
10	7	10	3	15	4	7	4	3	1	2	1	2	1			12
294	18	345	22	287	20	169	22	112	8	61	7	66	4	1		13
16	2	17	2	15	6	11	1	11		9	1	5		1		14
9		8	2	10		2	1	5		1		2			1	15
6	5	1	5	3	2	3		9	2	8	3	10	9			16
4	5	1	5	1	1			3	1	4	1	4	4			17
1				1	1	2		4	1	4	2	1	2			18
1				1		1		2				5	3			19
																20
59	15	85	15	58	7	68	11	63	13	78	7	68	8			21
	2		1		1							1	2			22
56	12	83	14	51	6	64	11	58	12	70	7	53	6			23
3	1	1		5		1		4	1	7		2				24
		1		2		3		1		1		2				25
32	14	37	13	49	8	39	11	43	9	43	13	50	8		1	26
5	3	4		5	2	6	2	3	1	4	3	3	2			27
25	10	32	11	43	6	32	8	38	8	33	10	44	5			28
2	1	1	1	1				2		5		1	1			29
			1			1	1			1		2			1	30
5	1	9	1	8		6		5		11		8				31
		1		2		2										32
5	1	8	1	6		4		5		11		5				33
																34
																35
224	22	248	30	249	29	254	26	231	17	213	30	241	23	2		36
5	8	8	2	4	4	6	1	5	1	2	3	1	1			37
194	11	227	25	219	22	227	19	206	11	186	21	210	15	2		38
20	3	10	2	19	3	18	6	16	5	21	5	27	7			39
5		8	1	7		3		4		4	1	3				40
45	2	53	1	42	2	58	5	47	4	54	4	51	2			41
		2		1		2		1			1					42
39	2	42	1	36	2	45	4	36	3	49	3	44	2			43
5		8		5		9	1	8	1	5		6				44
1		1				2		2				1				45
7	1	10	4	7	3	11	1	7	8	5	4	3	2			46
						1			1		1					47
						7	1	6	3	4	3	2	2			48
4	1	9	4	5	3	3		1	4	1		1				49
3		1		2												50
40	26	36	24	41	34	42	27	35	36	41	17	37	25			51
	5	1	3		8		5	1	2		4		5			52
36	19	29	20	32	25	36	20	26	30	36	13	32	19			53
4	2	6	1	7	1	6	1	7	6	4		4	1			54
				2			1	1	1	1		1				55
93	20	86	22	106	22	76	19	72	22	66	17	68	18			56
						1	2	2	3	3		1				57
1	3	1	2	1		60	14	55	17	50	13	51	16			58
75	17	67	17	89	18	14	3	14	2	12	3	16	2			59
17		18	3	16	4	1		1		1	1					60
124	70	57	21	41	22	27	14	1				3	1			61
																62
36	27	9	7	2	6	1	4									63
79	25	41	8	34	8	19	5	1				1	1			64
9	18	7	6	4	8	7	5					2				65
				1												

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

REGISTRATION STATES.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes	301,670	13,321	12,281	12,887	12,161	16,563	15,522	15,612	14,827	13,501	12,323
2	Under 5	89,740	3,742	3,071	3,841	3,158	4,580	3,718	4,278	3,487	3,770	3,037
3	5 to 59	121,405	5,479	5,181	5,253	5,052	6,663	6,140	6,364	5,946	5,703	5,272
4	60 and over	89,669	4,050	3,996	3,760	3,922	5,281	5,626	4,922	5,359	3,983	3,987
5	Unknown	856	50	33	33	29	39	38	48	35	45	27
6	Unknown cause	2,326	108	95	110	104	144	124	124	84	122	99
7	Under 5	1,034	49	44	58	41	59	49	51	37	55	41
8	5 to 59	718	32	29	28	31	47	44	39	25	33	34
9	60 and over	523	26	21	23	30	34	29	29	20	27	24
10	Unknown	51	1	1	1	2	4	2	5	2	7	.....
	1. General diseases.											
11	General diseases—A	51,379	1,530	1,517	1,559	1,565	2,101	2,287	2,125	2,257	1,659	1,542
12	Under 5	30,053	792	715	773	758	910	811	866	761	823	699
13	5 to 59	13,336	509	541	525	537	661	723	666	676	538	483
14	60 and over	7,914	226	256	261	268	528	744	589	815	296	359
15	Unknown	76	3	5	.....	2	2	9	4	5	2	1
16	Measles	2,583	155	150	167	193	203	209	167	193	182	165
17	Under 5	2,107	133	117	135	143	167	162	138	149	149	117
18	5 to 59	460	21	31	32	47	34	46	29	44	29	46
19	60 and over	15	1	1	.....	3	2	1	.....	.....	4	2
20	Unknown	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
21	Scarlet fever	1,866	113	103	138	113	110	105	125	82	102	86
22	Under 5	1,167	77	65	85	64	75	68	74	50	65	58
23	5 to 59	693	35	37	53	49	35	37	51	32	36	27
24	60 and over	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....
25	Unknown	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1
26	Diphtheria	5,530	290	308	257	278	255	239	223	206	220	202
27	Under 5	3,449	207	183	186	181	167	138	145	127	134	131
28	5 to 59	2,066	82	124	71	96	88	100	78	78	86	69
29	60 and over	14	1	1	.....	1	.....	1	.....	1	.....	2
30	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
31	Whooping cough	2,448	90	94	75	126	124	147	131	115	98	105
32	Under 5	2,332	86	89	74	121	121	135	126	106	93	100
33	5 to 59	98	3	3	1	5	3	10	5	8	4	5
34	60 and over	8	1	.....	.....	.....	.....	.....	.....	1	.....	.....
35	Unknown	10	.....	2	.....	.....	.....	2	.....	.....	1	.....
36	Malarial fever	896	19	26	17	30	33	28	27	26	36	28
37	Under 5	184	4	1	.....	7	8	7	4	7	7	5
38	5 to 59	446	9	17	12	15	14	11	16	14	19	13
39	60 and over	262	6	8	5	8	11	10	7	5	10	10
40	Unknown	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
41	Influenza	5,077	136	196	218	251	561	897	691	1,003	241	322
42	Under 5	482	24	36	33	35	53	62	60	59	21	21
43	5 to 59	1,375	34	51	67	76	157	231	203	255	63	74
44	60 and over	3,206	78	109	118	139	350	599	425	686	157	227
45	Unknown	14	.....	.....	.....	1	1	5	3	3	.....	.....
46	Typhoid fever	4,431	214	160	160	114	167	128	129	104	144	101
47	Under 5	174	7	13	7	6	4	9	6	8	3	9
48	5 to 59	3,961	193	138	141	100	155	113	115	86	135	84
49	60 and over	286	13	8	12	8	8	6	8	10	6	8
50	Unknown	10	1	1	.....	.....	.....	.....	.....	.....	.....	.....
51	Diarrheal diseases	23,075	272	265	264	231	305	269	311	264	363	287
52	Under 5	18,386	182	156	161	137	202	161	219	175	270	179
53	5 to 59	1,985	45	48	47	48	46	53	44	39	53	57
54	60 and over	2,681	44	61	56	45	57	55	47	50	40	51
55	Unknown	23	1	.....	.....	1	.....	.....	1	.....	.....	.....
56	Cerebro-spinal fever	1,391	48	43	51	38	72	51	61	50	61	55
57	Under 5	839	28	18	31	20	46	26	39	28	36	33
58	5 to 59	527	19	22	20	18	25	22	21	22	25	22
59	60 and over	24	1	3	.....	.....	1	2	1	.....	.....	.....
60	Unknown	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

REGISTRATION STATES.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
11,425	10,074	14,013	12,292	13,406	12,006	12,192	10,826	11,492	10,308	11,079	10,047	12,216	11,242	38	16	
3,662	2,982	5,999	4,990	5,382	4,547	4,489	3,697	3,301	2,633	2,870	2,470	3,271	2,759	2	4	2
4,698	4,163	4,904	4,257	4,825	4,320	4,545	4,110	4,874	4,444	4,854	4,341	5,251	4,748	13	5	3
3,020	2,913	3,076	3,007	3,154	3,104	3,130	2,990	3,277	3,201	3,319	3,203	3,660	3,716	7	6	4
45	16	34	38	45	35	28	29	40	30	36	33	34	19	16	1	5
89	67	85	72	86	76	86	91	97	77	103	75	108	92	7	1	6
45	33	37	32	45	36	52	28	41	27	41	29	48	45		1	7
26	18	34	27	26	22	18	30	29	28	33	27	32	24	2		8
17	15	11	13	15	14	13	19	27	19	28	18	27	22	2		9
1	1	3			4	2	4		3	1	1	1	1	3		10
1,917	1,697	4,233	3,799	3,872	3,583	2,848	2,655	1,748	1,549	1,334	1,287	1,359	1,354	1	1	11
1,329	1,111	3,436	2,922	2,900	2,489	1,985	1,728	905	775	608	628	649	680			12
402	410	492	503	608	590	598	574	638	554	578	495	535	499	1		13
181	175	300	370	358	498	264	350	204	219	147	161	169	175		1	14
5	1	5	4	6	6	1	3	1	1	1	3	5				15
107	90	63	68	39	34	22	33	28	23	55	59	84	94			16
91	74	59	58	38	26	21	30	24	19	49	52	73	83			17
16	16	4	10	1	8	1	3	4	4	6	7	10	11			18
												1				19
																20
69	67	43	47	30	38	29	36	60	50	65	72	83	100			21
47	34	28	26	15	28	19	23	30	33	44	44	56	59			22
22	33	15	21	15	9	10	13	30	17	20	28	27	41			23
					1					1						24
																25
152	161	168	170	157	147	194	204	249	243	275	307	308	317			26
91	104	108	112	107	83	117	119	152	134	150	174	200	199			27
61	57	60	57	50	63	77	84	95	109	125	131	108	117			28
			1		1			2			2		1			29
							1									30
75	84	118	121	140	157	95	103	61	66	61	76	72	114			31
73	77	115	114	136	151	95	98	59	63	58	72	64	106			32
2	6	2	6	2	4		5	2	3	1	4	7	7			33
				1	1					2		1	1			34
	1	1	1	1	1											35
41	24	44	55	43	54	50	71	48	60	46	31	28	31			36
11	2	15	8	5	12	13	18	9	14	15	1	6	5			37
18	15	16	29	30	25	21	32	23	26	16	23	13	19			38
11	7	12	18	8	17	16	20	16	20	15	6	9	7			39
1		1					1				1					40
57	54	26	23	24	13	20	18	36	30	33	58	77	91		1	41
4	4	3	1	1		4		12	2	9	6	18	14			42
14	17	7	7	7	3	4	5	9	10	10	16	25	30			43
39	33	16	14	16	10	12	13	15	18	14	36	34	47		1	44
			1													45
109	86	163	111	242	198	330	253	362	274	293	189	233	166	1		46
8	2	9	4	5	6	8	9	8	8	11	10	7	7			47
92	78	141	99	221	176	303	221	331	241	269	167	217	144	1		48
8	6	12	8	16	16	18	23	22	25	12	10	8	15			49
1		1				1		1		1	2	1				50
1,046	886	3,360	3,014	2,975	2,734	1,947	1,741	716	661	311	339	260	254			51
915	733	2,998	2,536	2,515	2,108	1,633	1,350	547	457	210	215	170	157			52
71	72	160	193	193	226	124	137	73	76	48	52	42	38			53
57	81	200	284	262	395	190	253	96	127	53	72	46	59			54
3		2	1	5	5		1		1			2				55
100	75	95	67	76	62	69	50	56	40	51	41	40	39			56
57	44	65	40	46	40	46	36	33	23	35	25	25	19			57
40	30	28	25	29	22	23	11	22	16	16	16	14	19			58
3	1	2	2	1			3	1	1			1	1			59
																60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

REGISTRATION STATES—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	5,207	274	157	208	137	284	171	260	167	255	169
2	Under 5	2,922	135	99	107	89	135	111	133	107	128	104
3	5 to 59	1,829	113	47	81	41	111	43	104	50	100	48
4	60 and over	423	26	9	19	6	35	17	23	10	24	17
5	Unknown	33	.....	2	1	1	3	.....	.....	.....	3	.....
6	Inanition	2,958	138	104	112	87	135	123	132	104	123	115
7	Under 5	2,744	133	93	102	84	126	106	124	95	117	100
8	5 to 59	70	1	3	3	.....	2	8	7	3	3	4
9	60 and over	123	4	6	6	3	5	9	1	6	8	11
10	Unknown	21	.....	2	1	.....	2	.....	.....	.....	.....	.....
11	General diseases—C	24,674	1,024	978	919	923	1,199	1,164	1,102	1,046	1,070	1,041
12	Under 5	14,102	548	419	533	397	672	513	654	433	652	487
13	5 to 59	400	18	29	14	20	19	25	16	26	11	18
14	60 and over	10,117	457	529	368	502	506	623	430	583	403	534
15	Unknown	55	1	1	4	4	2	3	2	4	4	2
16	Debility and atrophy	7,628	240	223	226	204	315	275	293	238	309	245
17	Under 5	6,339	176	152	176	142	248	202	233	158	259	178
18	5 to 59	391	18	28	12	19	18	25	16	26	11	18
19	60 and over	875	45	43	37	40	48	48	44	53	38	49
20	Unknown	23	1	.....	1	3	1	.....	.....	1	1	.....
21	Old age—all ages	9,265	411	484	333	463	459	578	388	533	367	487
22	60 and over	9,239	411	484	331	462	458	575	386	530	365	485
23	Unknown	26	.....	.....	2	1	1	3	2	3	3	2
24	General diseases—D	51,158	2,164	2,167	1,988	2,099	2,544	2,556	2,458	2,504	2,277	2,295
25	Under 5	3,688	140	116	147	131	187	193	198	172	177	154
26	5 to 59	36,065	1,560	1,552	1,427	1,478	1,831	1,749	1,728	1,740	1,615	1,616
27	60 and over	11,310	458	495	410	488	522	609	528	588	482	520
28	Unknown	95	6	4	4	2	4	5	4	4	3	5
29	Consumption	30,677	1,424	1,184	1,333	1,178	1,731	1,375	1,631	1,393	1,530	1,307
30	Under 5	1,119	42	27	40	46	57	48	54	60	58	56
31	5 to 59	26,297	1,233	1,033	1,146	1,005	1,474	1,169	1,390	1,158	1,299	1,106
32	60 and over	3,211	147	124	145	125	197	155	184	174	170	143
33	Unknown	50	2	.....	2	2	3	3	3	1	3	2
34	2. Diseases of the nervous system	37,335	1,676	1,529	1,589	1,463	1,940	1,778	1,908	1,709	1,737	1,592
35	Under 5	9,788	430	349	471	308	514	441	549	438	505	383
36	5 to 59	11,282	483	447	459	449	573	486	551	482	523	497
37	60 and over	16,178	759	731	657	702	848	848	804	787	702	708
38	Unknown	87	4	2	2	4	5	3	4	2	7	4
39	3. Diseases of the circulatory system	26,962	1,302	1,186	1,213	1,136	1,490	1,402	1,364	1,266	1,242	1,227
40	Under 5	1,624	85	64	86	66	91	76	86	79	90	78
41	5 to 59	10,858	521	520	450	492	554	579	475	506	474	544
42	60 and over	14,398	692	598	673	577	843	744	798	678	675	601
43	Unknown	82	4	4	4	1	2	3	5	3	3	4
44	4. Diseases of the respiratory system	48,727	2,848	2,570	3,008	2,812	4,136	3,818	3,696	3,573	2,405	2,254
45	Under 5	20,464	1,294	1,056	1,384	1,166	1,692	1,281	1,432	1,210	1,034	876
46	5 to 59	15,359	929	736	1,001	833	1,405	1,161	1,336	1,099	843	694
47	60 and over	12,816	621	772	618	809	1,034	1,371	917	1,252	527	683
48	Unknown	88	4	6	5	4	5	5	11	12	1	1
49	5. Diseases of the digestive system	16,215	587	753	610	630	752	721	712	760	743	733
50	Under 5	3,142	127	108	135	104	170	125	164	134	162	117
51	5 to 59	8,447	305	410	298	340	375	392	360	400	383	405
52	60 and over	4,590	154	231	175	185	206	202	188	226	198	209
53	Unknown	36	1	4	2	1	1	2	.....	.....	.....	2
54	6. Diseases of the urinary system	18,287	959	702	875	652	1,073	781	968	715	947	665
55	Under 5	634	46	25	31	15	35	27	22	26	24	22
56	5 to 59	9,241	431	409	415	382	471	423	478	408	418	411
57	60 and over	8,375	478	267	427	253	565	330	467	280	503	230
58	Unknown	37	4	1	2	2	2	1	1	1	2	2
59	7. Affections connected with pregnancy	2,301	.....	199	.....	187	.....	295	.....	255	.....	244

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

REGISTRATION STATES—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
214	134	290	177	289	204	314	192	321	168	240	131	288	162	1	.....	1
88	85	173	126	159	156	186	141	163	97	103	71	123	103	.....	.....	2
102	42	102	42	112	36	105	40	128	53	112	39	131	47	.....	.....	3
19	7	14	9	17	11	21	11	27	16	22	19	33	11	.....	.....	4
5	.....	1	.....	1	1	2	.....	3	2	3	2	1	1	1	.....	5
90	84	164	128	152	157	180	147	164	102	103	84	127	103	.....	.....	6
77	78	160	121	146	149	173	135	155	91	96	68	118	97	.....	.....	7
3	2	2	4	2	1	2	7	2	1	.....	3	3	4	.....	.....	8
6	4	1	3	4	6	4	5	5	8	5	11	5	2	.....	.....	9
4	.....	1	.....	.....	1	1	.....	2	2	2	2	1	.....	.....	.....	10
943	884	1,152	1,025	1,194	1,109	1,194	1,091	1,020	967	869	908	921	928	1	2	11
616	475	832	654	843	659	852	681	645	512	539	458	580	446	1	1	12
15	14	9	9	13	22	24	15	9	20	10	14	15	15	.....	.....	13
307	394	307	360	337	425	318	393	366	431	319	433	326	465	.....	1	14
5	1	4	2	1	3	.....	2	.....	4	1	3	.....	2	.....	.....	15
309	252	478	420	549	441	536	463	338	320	247	277	228	202	.....	.....	16
260	206	447	368	513	386	487	410	305	265	216	212	186	154	.....	.....	17
15	13	9	9	13	22	24	14	[illegible]	20	10	14	15	14	.....	.....	18
31	33	20	42	22	31	25	38	25	33	21	49	27	33	.....	.....	19
3	.....	2	1	1	2	.....	1	.....	2	.....	2	.....	1	.....	.....	20
277	362	288	319	315	395	293	356	341	400	298	385	299	433	.....	1	21
276	361	287	318	315	394	293	355	341	398	298	384	299	432	.....	1	22
1	1	1	1	.....	1	.....	1	.....	2	.....	1	.....	1	.....	.....	23
1,911	2,053	1,998	2,123	1,947	2,089	1,832	1,997	1,923	2,137	1,866	2,083	2,042	2,097	4	4	24
179	133	186	150	185	143	164	145	160	129	120	116	150	113	.....	.....	25
1,344	1,428	1,406	1,473	1,358	1,464	1,257	1,411	1,337	1,503	1,348	1,461	1,490	1,482	3	4	26
386	487	405	493	400	478	407	439	423	497	396	500	399	499	1	.....	27
2	5	1	7	4	4	4	2	3	8	2	[illegible]	3	3	.....	.....	28
1,210	1,041	1,324	1,141	1,251	1,095	1,150	1,098	1,257	1,158	1,214	1,136	1,338	1,174	2	2	29
49	34	68	42	57	39	50	49	60	44	31	36	39	33	.....	.....	30
1,050	909	1,129	989	1,065	955	973	959	1,062	985	1,056	973	1,171	1,004	2	2	31
111	94	127	106	125	97	126	89	133	128	125	124	126	136	.....	.....	32
.....	4	.....	4	4	4	1	1	2	1	2	[illegible]	2	1	.....	.....	33
1,527	1,422	1,592	1,432	1,573	1,461	1,514	1,270	1,504	1,339	1,459	1,246	1,626	1,447	1	1	34
461	384	543	414	496	434	439	311	407	284	355	241	365	266	.....	.....	35
479	438	517	421	492	414	483	393	475	419	475	398	496	432	.....	.....	36
583	599	530	593	578	609	588	563	616	631	625	604	764	747	1	1	37
4	1	2	4	7	4	4	3	[illegible]	5	4	3	1	2	.....	.....	38
1,016	958	996	898	1,012	856	981	927	1,045	915	1,168	1,012	1,214	1,134	1	1	39
62	52	66	61	71	49	68	46	61	56	67	42	67	54	.....	.....	40
411	410	403	377	371	394	344	374	419	395	462	452	455	475	1	.....	41
541	492	523	458	567	407	565	503	563	463	638	512	685	601	.....	1	42
2	3	4	2	3	6	4	4	2	1	1	6	7	4	.....	.....	43
1,172	993	898	819	808	713	965	828	1,444	1,303	1,663	1,585	2,265	2,146	3	2	44
555	441	423	405	380	348	464	385	687	518	804	714	1,054	858	1	2	45
387	290	302	233	266	210	281	221	459	387	485	449	705	647	.....	.....	46
227	262	172	174	161	153	219	220	297	395	373	418	502	638	1	.....	47
3	.....	1	7	1	2	1	2	1	3	1	4	4	3	1	.....	48
656	621	713	705	702	711	694	621	674	622	645	578	641	626	2	3	49
139	139	153	132	156	137	166	130	131	105	114	79	110	105	.....	.....	50
340	313	344	379	365	387	338	308	340	332	337	307	355	333	.....	1	51
177	167	214	187	180	185	189	181	202	184	192	192	176	186	2	2	52
.....	2	2	7	1	2	1	2	1	1	2	.....	.....	2	.....	.....	53
820	585	862	594	766	577	767	586	800	643	809	612	877	650	2	.....	54
30	23	33	16	35	17	31	22	19	33	24	26	34	18	.....	.....	55
363	345	368	337	333	334	339	361	367	366	366	347	403	365	1	.....	56
425	217	461	240	397	225	397	203	410	243	416	237	437	267	.....	.....	57
2	.....	.....	1	1	1	.....	.....	4	1	3	2	3	.....	1	.....	58
.....	189	.....	177	.....	162	.....	126	.....	153	.....	131	.....	183	.....	.....	59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

REGISTRATION STATES—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	14,600	778	289	743	297	809	280	821	332	956	306
2	Under 5	1,956	83	62	98	71	99	77	105	79	98	66
3	5 to 59	9,886	536	157	521	143	562	118	570	171	715	154
4	60 and over	2,554	138	67	116	78	139	83	134	81	130	80
5	Unknown	204	21	3	8	5	9	2	12	1	13	6
6	Burns and scalds	1,356	58	80	53	67	79	62	41	71	40	63
7	Under 5	567	32	24	32	24	41	21	27	25	19	19
8	5 to 59	608	16	41	15	31	27	28	10	32	14	34
9	60 and over	175	9	14	6	12	11	13	3	14	6	10
10	Unknown	6	1	1					1		1	
11	Drowning	1,972	56	11	63	8	67	5	110	9	188	20
12	Under 5	128	1	2	1		4	1	11	1	12	5
13	5 to 59	1,671	48	9	60	7	61	3	88	7	161	11
14	60 and over	124	4		2	1	2	1	9	1	12	2
15	Unknown	49	3						2		2	2
16	Exposure and neglect	128	10	7	17	6	12	7	8	5	2	5
17	Under 5	45	2	3	4	5	2	3	3	3	1	2
18	5 to 59	46	2	2	10	1	7	2	4		1	2
19	60 and over	32	5	2	3		3	1	1	1		
20	Unknown	5	1					1		1		1
21	Gunshot wounds	483	27	3	21	3	29	6	24	6	30	2
22	Under 5	13	1		1	1	1	1	1	1		
23	5 to 59	421	21	3	20	2	25	5	21	4	26	2
24	60 and over	39	4				3		2	1	3	
25	Unknown	10	1								1	
26	Homicide	180	11	4	6	3	6	5	8	2	7	4
27	Under 20	27	3	1		1	1	2	2	1	1	1
28	20 to 59	144	8	3	6	2	5	3	6	1	6	3
29	60 and over	9										
30	Unknown											
31	Injuries by machinery	41			6		6		4		6	
32	Under 20	10			1		2		1		1	
33	20 to 59	25			4		2		3		3	
34	60 and over	6			1		2				2	
35	Unknown											
36	Railroad accidents	1,793	117	5	109	12	113	4	124	9	125	17
37	Under 5	40			3		1		3		2	3
38	5 to 59	1,471	91	5	92	12	97	4	104	7	108	9
39	60 and over	216	19		11		9		12	2	11	4
40	Unknown	66	7		3		6		5		4	1
41	Suicide by shooting	406	26	5	26	2	30	1	34	2	42	3
42	Under 20	9				1					1	
43	20 to 59	336	23	5	22	1	24	1	28	2	33	3
44	60 and over	61	3		4		6		6		8	
45	Unknown											
46	Suicide by drowning	96	2	3	4	1	4	1	5	3	10	6
47	Under 20	1							1			
48	20 to 59	66	1	2	3	1	3	1	4	2	4	5
49	60 and over	28	1	1	1		1			1	6	1
50	Unknown											
51	Suicide by poison	476	27	10	23	13	24	18	27	21	30	16
52	Under 20	38	2	2	2	3		2	3	4	2	3
53	20 to 59	365	21	7	18	10	22	15	21	13	22	12
54	60 and over	67	2	1	3		2	1	3	4	6	
55	Unknown	6	2									1
56	Other suicides	750	49	17	35	6	52	9	59	26	62	15
57	Under 20	21	1	1	2	1	1	1	3		2	1
58	20 to 59	540	36	12	23	5	40	7	37	24	43	8
59	60 and over	185	12	4	10		10	1	19	2	17	6
60	Unknown	4					1					
61	Sunstroke	200					1				5	2
62	Under 5	65									3	
63	5 to 59	101					1				2	2
64	60 and over	34										
65	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

REGISTRATION STATES—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,100	319	1,125	348	1,088	338	937	320	856	299	866	277	814	286	15	1	1
144	89	98	74	95	64	71	68	70	77	83	61	77	57			2
794	155	887	183	841	195	719	175	638	148	618	130	602	149	5		3
146	75	129	87	132	77	139	83	129	73	148	83	128	79			4
16		11	4	20	2	8	4	19	1	17	3	7	1	10	1	5
50	46	34	66	35	57	40	60	32	71	68	61	46	76			6
23	17	14	19	20	16	19	20	20	30	33	24	24	24			7
21	24	20	40	14	36	18	37	12	28	26	27	15	42			8
8	5		7	1	5	3	3		13	8	9	7	10			9
										1	1					10
277	21	314	34	280	36	153	26	101	10	79	6	77	9	11	1	11
17	7	12	6	15	4	10	4	4	3	2		3	3			12
235	13	280	24	246	28	134	18	85	6	61	5	70	6	5		13
19	1	17	2	12	4	9	2	8	1	12	1	2				14
6		5	2	7			2	4		4		2		8	1	15
4	1	2	1	8	3	2	3	8		4	1	14	8			16
8	1			2	1	1		2		1	1	4	1			17
1		1		1	2	1	2	5		1		1				18
		1	1				1	1		2		8	2			19
												1				20
37	7	41	11	36	3	41	7	53	10	47	3	33	3			21
	1		1	1			1		1		1					22
32	5	40	10	27	3	39	6	47	9	38	2	31	8			23
4	1	1		5		2		4		8		1				24
1				3				2		1		1				25
8	5	12	2	18	7	5	4	12	5	16	7	19	4			26
1	1	2		2	3		1			2	1		1			27
7	4	10	2	12	4	4	3	12	5	12	6	17	3			28
				4		1				2		2				29
																30
		3		5		4		3		3	1					31
				1		2				1	1					32
		3		4		2		2		2						33
								1								34
																35
137	10	141	19	185	30	146	18	144	16	138	17	136	20	1		36
2	4	3	2	4	2	3		3	3		1	1				37
110	5	125	15	154	26	123	13	113	7	117	12	113	9			38
20	1	11	2	19	2	14	5	19	6	14	4	20	11			39
5		2		8		6		9		7		2		1		40
28	3	30	1	30	2	29	7	29	2	38	2	33	1			41
	1	1		1		2		1	1							42
23	2	23	1	26	2	23	5	26	1	32	2	27	1			43
5		6		3		4	2	2		8		8				44
																45
5	4	10	5	7	2	3	2	4	6	2	1	4	2			46
									1							47
2	4	9	5	6	1	3	1	2	2	1	1	1	2			48
3		1		1	1		1	2	3	1		3				49
																50
24	15	24	15	20	20	26	17	26	22	18	12	15	13			51
	2	1			2		3	1	3		2		1			52
18	12	17	13	15	17	22	12	18	16	12	10	12	10			53
5	1	6	2	4	1	4	1	7	3	6		3	2			54
1				1			1									55
46	12	55	17	58	10	42	9	43	15	45	11	48	9			56
		1				1			2	2		2				57
35	11	33	14	43	9	29	5	32	7	34	8	36	9			58
11	1	19	3	15	1	12	4	11	6	9	3	9				59
		2										1				60
84	45	23	9	15	10	3		1					2			61
																62
28	20	3	6	2	3											63
45	16	19	1	11	3	1										64
11	9	1	2	2	4	2		1					2			65

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN CITIES IN REGISTRATION STATES.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX. January. Male.	January. Female.	February. Male.	February. Female.	March. Male.	March. Female.	April. Male.	April. Female.	May. Male.	May. Female.
1	All causes	191,667	8,433	7,825	8,307	7,883	10,553	10,019	9,683	9,109	8,358	7,576
2	Under 5	65,748	2,773	2,213	2,830	2,321	3,345	2,734	3,085	2,536	2,700	2,183
3	5 to 59	81,807	3,817	3,480	3,628	3,457	4,635	4,137	4,394	3,888	3,866	3,397
4	60 and over	43,786	1,828	2,117	1,836	2,091	2,560	3,132	2,190	2,669	1,775	1,986
5	Unknown	326	15	15	13	14	13	16	14	16	17	10
6	Unknown cause	873	51	28	45	38	53	43	38	30	41	43
7	Under 5	342	20	11	17	12	18	19	16	6	19	15
8	5 to 59	353	20	[illegible]	18	16	27	16	16	14	12	18
9	60 and over	155	11	8	9	8	7	8	4	8	7	10
10	Unknown	23			1	2	1		2	2	[illegible]	
	1. General diseases.											
11	General diseases—A	34,491	999	1,001	1,066	1,052	1,398	1,526	1,336	1,411	1,068	931
12	Under 5	22,331	601	536	607	581	691	625	671	581	611	499
13	5 to 59	8,364	313	341	334	331	444	475	413	419	337	284
14	60 and over	3,773	84	120	125	139	263	423	251	409	120	148
15	Unknown	23	1	4		1		3	1	2		
16	Measles	1,873	122	115	127	126	138	142	124	130	115	110
17	Under 5	1,665	112	98	111	110	128	124	117	112	103	86
18	5 to 59	206	10	16	16	16	10	17	7	18	12	24
19	60 and over	1						1				
20	Unknown	1		1								
21	Scarlet fever	1,335	81	79	107	79	77	74	91	56	80	58
22	Under 5	888	55	52	72	47	56	49	61	34	56	48
23	5 to 59	446	26	27	35	32	21	25	30	22	24	10
24	60 and over	1										
25	Unknown											
26	Diptheria	4,443	229	243	211	223	220	196	180	169	186	168
27	Under 5	2,965	168	151	159	154	150	128	131	114	122	118
28	5 to 59	1,469	60	91	52	69	70	68	49	54	64	49
29	60 and over	[illegible]	1	1						1		1
30	Unknown	1										
31	Whooping cough	1,691	60	67	49	92	93	113	104	83	62	61
32	Under 5	1,629	58	64	48	89	92	105	100	79	60	58
33	5 to 59	56	1	2	1	3	1	8	4	3	2	3
34	60 and over	3	1							1		
35	Unknown	3		1								
36	Malarial fever	509	9	14	[illegible]	18	20	16	18	14	21	12
37	Under 5	126	1	1		6	6	5	4	6	5	1
38	5 to 59	259	4	9	7	8	11	5	11	6	13	6
39	60 and over	123	4	4	1	4	3	6	3	2	3	5
40	Unknown	1										
41	Influenza	2,606	50	88	117	150	329	558	334	527	96	137
42	Under 5	264	14	19	16	20	27	40	33	35	10	[illegible]
43	5 to 59	851	14	26	47	52	116	165	126	154	37	45
44	60 and over	1,485	22	43	54	77	186	351	174	337	49	83
45	Unknown	6				1		2	1	1		
46	Typhoid fever	2,607	128	98	92	72	101	79	81	66	79	56
47	Under 5	104	[illegible]	6	6	3	3	5	4	6	2	5
48	5 to 59	2,376	118	87	81	65	94	72	74	56	74	50
49	60 and over	123	3	4	5	4	4	2	3	4	3	1
50	Unknown	4	1	1								
51	Diarrheal diseases	16,129	184	178	183	150	206	182	204	186	250	183
52	Under 5	13,413	141	108	123	102	146	119	152	130	194	118
53	5 to 59	1,321	25	32	28	31	29	36	30	26	35	36
54	60 and over	1,392	18	38	32	17	31	27	22	30	21	29
55	Unknown	3										
56	Cerebro-spinal fever	864	23	22	33	21	52	33	40	36	41	33
57	Under 5	550	12	12	20	11	33	20	28	22	23	23
58	5 to 59	301	11	7	13	10	19	12	11	14	18	10
59	60 and over	12		3					1			
60	Unknown	1						1				

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
7,417	6,537	9,516	8,403	8,360	7,454	7,502	6,694	7,189	6,476	6,975	6,450	7,745	7,195	3	5	1
2,781	2,300	4,700	3,976	3,740	3,195	3,040	2,520	2,418	1,906	2,134	1,847	2,409	2,060	.....	2	2
3,206	2,749	3,362	2,840	3,221	2,708	3,055	2,690	3,273	2,961	3,287	2,912	3,668	3,172	3	1	3
1,416	1,482	1,439	1,576	1,384	1,534	1,398	1,474	1,484	1,593	1,537	1,675	1,655	1,954	.....	1	4
14	5	15	11	15	17	9	10	14	16	17	16	13	9	.....	1	5
27	30	34	28	32	24	32	32	41	29	38	29	44	41	1	1	6
14	15	14	10	13	9	18	10	19	10	15	6	18	17	.....	1	7
10	11	16	14	14	8	8	17	14	12	16	15	16	15	1	.....	8
3	3	2	4	5	4	5	8	8	6	7	7	10	8	.....	.....	9
.....	1	2	.....	.....	3	1	2	.....	1	.....	1	.....	1	.....	.....	10
1,447	1,294	3,278	2,989	2,525	2,341	1,689	1,565	1,037	940	865	861	909	912	1	.....	11
1,102	933	2,776	2,409	1,993	1,711	1,236	1,086	636	527	452	467	489	511	.....	.....	12
263	265	348	349	377	378	352	339	372	325	362	301	335	306	1	.....	13
81	96	153	230	154	250	101	139	79	88	51	92	82	95	.....	.....	14
1	.....	1	1	1	2	.....	1	.....	.....	.....	1	3	.....	.....	.....	15
77	70	50	53	35	23	20	27	22	15	43	45	66	78	.....	.....	16
67	58	47	51	35	18	19	25	18	14	40	43	60	69	.....	.....	17
10	12	3	2	.....	5	1	2	4	1	3	2	6	9	.....	.....	18
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
54	51	29	36	17	31	18	27	45	35	36	47	59	68	.....	.....	21
39	26	19	24	10	23	12	17	23	25	26	32	40	42	.....	.....	22
15	25	10	12	7	7	6	10	22	10	10	15	19	26	.....	.....	23
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
131	134	138	140	128	114	148	156	188	191	209	243	241	257	.....	.....	26
83	90	92	100	89	72	98	97	120	113	126	152	170	168	.....	.....	27
48	44	46	39	39	42	50	58	67	78	83	90	71	88	.....	.....	28
.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	29
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	30
46	61	83	92	96	112	67	80	42	44	35	43	42	64	.....	.....	31
44	57	81	90	94	107	67	77	40	43	33	41	41	61	.....	.....	32
2	4	2	2	1	4	.....	3	2	1	1	2	1	3	.....	.....	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
29	18	21	34	22	36	32	40	17	32	23	18	16	20	.....	.....	36
7	2	6	7	4	9	10	11	5	10	11	1	3	5	.....	.....	37
14	11	9	17	16	21	12	18	7	12	9	14	7	12	.....	.....	38
8	5	6	10	3	6	10	11	5	10	3	2	6	3	.....	.....	39
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	40
13	11	5	10	7	5	6	7	21	12	13	27	40	43	.....	.....	41
.....	1	.....	1	1	.....	1	.....	7	.....	6	4	12	8	.....	.....	42
4	3	3	5	4	2	2	3	4	7	4	8	11	9	.....	.....	43
9	7	2	3	2	3	3	4	10	5	3	15	17	26	.....	.....	44
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	45
61	54	100	66	154	113	198	137	199	141	183	106	154	88	1	.....	46
4	1	5	2	2	2	7	7	3	4	7	6	5	3	.....	.....	47
52	48	91	59	144	107	181	123	187	124	171	95	144	78	1	.....	48
5	5	3	5	8	4	10	7	9	13	5	5	4	7	.....	.....	49
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	50
887	747	2,690	2,440	1,938	1,789	1,118	984	452	388	209	231	171	179	.....	.....	51
798	640	2,448	2,087	1,700	1,427	982	796	373	288	159	152	116	114	.....	.....	52
54	50	125	160	113	148	70	81	42	51	31	35	27	26	.....	.....	53
34	57	117	193	125	213	66	107	37	49	19	44	27	39	.....	.....	54
1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	55
60	47	69	43	47	38	34	32	32	24	33	26	22	23	.....	.....	56
37	25	50	27	28	27	21	25	21	17	24	15	15	14	.....	.....	57
22	21	18	14	18	11	13	6	11	7	9	11	6	9	.....	.....	58
1	1	1	2	1	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN CITIES IN REGISTRATION STATES—Continued.

	Cause of death and age.	Total.	Month and sex.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	3,642	205	107	133	99	201	109	167	112	178	113
2	Under 5	1,965	96	66	65	59	100	70	78	69	85	66
3	5 to 59	1,425	96	37	60	36	80	28	81	40	72	39
4	60 and over	235	13	4	8	3	20	11	8	3	19	8
5	Unknown	17	.....	.....	.....	1	1	.....	.....	.....	2	.....
6	Inanition	1,962	97	65	62	57	97	74	74	68	84	70
7	Under 5	1,873	94	62	61	55	95	67	72	64	81	64
8	5 to 59	30	1	1	1	.....	1	2	2	2	1	3
9	60 and over	48	2	2	.....	2	1	5	.....	2	2	3
10	Unknown	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	General diseases—C	15,074	569	586	552	553	723	675	632	579	655	610
12	Under 5	10,505	390	301	395	299	513	368	462	322	487	357
13	5 to 59	224	11	16	4	13	11	13	9	12	8	5
14	60 and over	4,319	167	269	150	239	198	292	160	244	159	248
15	Unknown	26	1	.....	3	2	1	2	1	1	1	.....
16	Debility and atrophy	5,724	163	148	159	140	234	192	206	161	231	160
17	Under 5	5,112	138	116	141	115	199	159	180	120	206	136
18	5 to 59	220	11	15	4	12	10	13	9	12	8	5
19	60 and over	378	13	17	13	11	24	20	17	28	16	19
20	Unknown	14	1	.....	1	2	1	.....	.....	1	1	.....
21	Old age—all ages	3,949	154	252	138	228	174	274	144	216	143	229
22	60 and over	3,941	154	252	137	228	174	272	143	216	143	229
23	Unknown	8	.....	.....	1	.....	.....	2	1	.....	.....	.....
24	General diseases—D	32,836	1,473	1,313	1,351	1,336	1,735	1,619	1,664	1,521	1,488	1,377
25	Under 5	2,699	111	83	109	90	141	136	150	123	130	97
26	5 to 59	24,668	1,142	1,008	1,033	996	1,345	1,168	1,257	1,128	1,141	1,022
27	60 and over	5,434	219	221	208	250	248	312	255	270	216	255
28	Unknown	35	1	1	1	.....	1	3	2	.....	1	3
29	Consumption	21,091	1,042	771	938	793	1,267	903	1,194	886	1,073	809
30	Under 5	821	34	20	27	30	39	28	41	45	43	29
31	5 to 59	18,655	925	695	835	702	1,117	793	1,049	759	942	717
32	60 and over	1,596	83	56	75	61	110	81	103	82	87	61
33	Unknown	19	.....	.....	1	.....	1	1	1	.....	1	2
34	2. Diseases of the nervous system	21,445	950	894	918	873	1,071	1,049	1,114	972	998	941
35	Under 5	6,771	310	246	319	228	338	313	382	308	337	269
36	5 to 59	7,091	308	300	287	286	345	295	352	294	346	315
37	60 and over	7,550	331	347	312	357	385	439	378	369	313	355
38	Unknown	33	1	1	.....	2	3	2	2	1	2	2
39	3. Diseases of the circulatory system	15,267	721	744	671	686	802	883	720	763	686	717
40	Under 5	976	50	39	47	38	53	54	53	43	46	49
41	5 to 59	7,507	379	375	319	349	376	401	347	361	337	365
42	60 and over	6,764	292	330	304	298	373	428	320	356	301	303
43	Unknown	20	.....	.....	1	1	.....	.....	.....	3	2	.....
44	4. Diseases of the respiratory system	34,506	2,022	1,763	2,163	1,969	2,902	2,658	2,433	2,330	1,595	1,515
45	Under 5	16,138	1,017	798	1,073	887	1,281	1,004	1,073	914	774	677
46	5 to 59	10,967	680	510	736	596	1,028	800	916	736	553	466
47	60 and over	7,362	324	452	352	484	590	852	440	675	267	372
48	Unknown	39	1	3	2	2	3	2	4	5	1	.....
49	5. Diseases of the digestive system	9,741	335	462	373	394	453	443	432	453	438	443
50	Under 5	2,073	83	64	88	71	112	76	110	91	115	80
51	5 to 59	5,510	183	265	205	233	244	263	245	243	244	264
52	60 and over	2,144	69	130	79	89	97	104	77	119	79	98
53	Unknown	14	.....	3	1	1	.....	.....	.....	.....	.....	1
54	6. Diseases of the urinary system	12,072	619	514	552	466	698	546	606	476	561	464
55	Under 5	463	34	19	26	9	21	19	18	16	17	20
56	5 to 59	6,946	332	307	305	293	366	326	361	296	304	297
57	60 and over	4,645	252	187	220	163	310	200	227	163	240	146
58	Unknown	18	1	1	1	1	1	1	.....	1	.....	1
59	7. Affections connected with pregnancy	1,446	.....	138	.....	126	.....	201	.....	159	.....	139

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
149	91	212	125	199	145	219	132	229	117	173	96	209	122	.....	.....	1
58	55	126	87	108	109	124	95	110	68	70	48	78	75	.....	.....	2
78	32	78	32	85	30	82	30	101	37	90	35	107	39	.....	.....	3
12	4	7	5	5	5	12	7	16	10	12	11	23	8	.....	.....	4
1	.....	1	.....	1	1	1	.....	2	2	1	2	1	.....	.....	.....	5
58	57	122	86	103	112	118	100	109	74	69	55	78	73	.....	.....	6
51	53	121	83	103	106	116	93	105	67	67	47	75	71	.....	.....	7
3	2	.....	2	.....	1	.....	3	1	.....	.....	2	1	1	.....	.....	8
3	2	.....	1	.....	4	1	4	2	5	1	4	1	1	.....	.....	9
1	.....	1	.....	.....	1	1	.....	1	2	1	2	1	.....	.....	.....	10
563	534	760	693	750	733	779	703	632	588	544	563	560	538	.....	.....	11
438	340	650	519	622	507	647	512	476	393	416	348	427	316	.....	.....	12
9	11	5	4	9	12	13	8	5	13	6	9	11	7	.....	.....	13
113	182	103	169	119	212	119	182	151	181	121	205	122	214	.....	.....	14
3	1	2	1	.....	2	.....	1	.....	1	1	1	.....	1	.....	.....	15
245	199	394	355	417	354	408	355	260	243	192	205	165	138	.....	.....	16
221	173	382	326	403	315	385	325	244	216	178	168	149	117	.....	.....	17
9	10	5	4	9	12	13	8	5	13	6	9	11	7	.....	.....	18
13	16	6	25	5	25	10	22	11	13	8	27	5	14	.....	.....	19
2	.....	1	.....	.....	2	.....	.....	.....	1	.....	1	.....	.....	.....	.....	20
100	167	97	145	114	187	109	161	140	168	113	178	117	201	.....	.....	21
100	166	97	144	114	187	109	160	140	168	113	178	117	200	.....	.....	22
.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	23
1,260	1,251	1,346	1,328	1,303	1,223	1,192	1,236	1,303	1,342	1,221	1,285	1,388	1,279	1	1	24
129	97	136	111	142	107	114	106	122	96	87	80	114	88	.....	.....	25
934	922	1,012	969	977	888	904	922	965	990	958	960	1,084	941	1	1	26
197	230	197	248	183	225	171	208	214	251	175	244	190	247	.....	.....	27
.....	2	1	.....	1	3	3	.....	2	5	1	1	.....	3	.....	.....	28
837	674	954	754	921	678	845	730	914	757	869	744	984	753	.....	1	29
30	25	52	33	45	31	37	37	46	31	27	30	32	29	.....	.....	30
748	608	831	668	812	600	742	653	792	667	784	657	896	662	.....	1	31
59	39	71	53	63	44	65	40	74	58	57	57	56	61	.....	.....	32
.....	2	.....	.....	1	3	1	.....	2	1	1	.....	.....	1	.....	.....	33
884	810	956	883	877	806	862	720	844	754	817	711	886	855	.....	.....	34
323	269	390	305	312	281	283	216	301	195	248	161	238	199	.....	.....	35
294	252	340	280	318	231	314	238	290	268	281	251	326	280	.....	.....	36
266	289	225	296	244	294	265	265	252	287	288	297	321	375	.....	.....	37
1	.....	1	2	3	.....	.....	1	1	4	.....	2	1	1	.....	.....	38
541	542	531	513	546	469	524	542	575	544	636	594	625	692	.....	.....	39
34	29	39	42	44	29	45	34	39	35	37	25	35	37	.....	.....	40
276	270	266	244	251	257	237	257	298	274	305	315	304	344	.....	.....	41
231	243	223	227	251	182	240	250	238	235	293	252	283	311	.....	.....	42
.....	.....	3	.....	.....	1	2	1	.....	.....	1	2	3	.....	.....	.....	43
891	736	691	638	596	540	719	623	1,074	952	1,254	1,207	1,672	1,562	.....	1	44
454	363	356	340	315	291	385	317	567	436	668	600	855	692	.....	1	45
309	202	224	181	194	152	204	164	340	277	364	327	540	468	.....	.....	46
126	171	110	114	87	96	129	141	167	237	221	278	275	402	.....	.....	47
2	.....	1	3	.....	1	1	1	.....	2	1	2	2	.....	.....	.....	48
395	401	456	418	407	411	407	376	389	376	382	345	382	369	.....	1	49
97	102	114	95	98	81	114	82	82	62	72	48	70	66	.....	.....	50
215	214	236	230	232	242	215	198	220	225	235	207	232	220	.....	.....	51
83	85	106	92	77	86	78	95	86	89	74	90	80	81	.....	1	52
.....	.....	.....	1	.....	2	.....	1	1	.....	1	.....	.....	2	.....	.....	53
545	395	555	407	463	399	479	415	500	461	519	441	541	450	.....	.....	54
19	14	25	11	27	16	23	16	15	20	19	21	22	16	.....	.....	55
285	252	281	258	240	249	250	268	268	283	281	263	314	267	.....	.....	56
240	129	249	137	196	134	206	131	216	157	216	155	204	167	.....	.....	57
1	.....	.....	1	.....	.....	.....	.....	1	1	3	2	1	.....	.....	.....	58
.....	128	.....	94	.....	97	.....	77	.....	96	.....	79	.....	112	.....	.....	59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN CITIES IN REGISTRATION STATES—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female
1	8. Accidents and injuries	8,669	453	181	438	178	456	167	496	194	597	177
2	Under 5	1,255	54	38	68	39	64	39	60	55	66	47
3	5 to 59	6,160	329	100	305	91	332	78	372	104	477	93
4	60 and over	1,180	61	41	62	47	58	49	62	34	49	34
5	Unknown	74	9	2	3	1	2	1	2	1	5	3
6	Burns and scalds	929	39	59	40	50	52	41	29	45	26	41
7	Under 5	394	21	19	24	14	29	11	19	19	15	15
8	5 to 59	441	14	31	10	26	19	22	9	19	11	23
9	60 and over	92	4	9	6	10	4	8	1	7		3
10	Unknown	2										
11	Drowning	1,074	30	5	27	2	42	2	65	2	112	10
12	Under 5	55		1			3	1	5		4	3
13	5 to 59	938	28	4	27	2	38	1	56	2	99	4
14	60 and over	60	2				1		3		7	1
15	Unknown	21							1		2	2
16	Exposure and neglect	49	5	3	9	3	2	3	2	3	1	2
17	Under 5	20	2	1	3	2				2	1	2
18	5 to 59	16	2	1	4	1	1	2	2			
19	60 and over	10		1	2		1					
20	Unknown	3	1					1		1		
21	Gunshot wounds	244	9	2	14	2	17	2	9	3	20	1
22	Under 5	4	1		1					1		
23	5 to 59	216	6	2	13	2	16	2	9	1	19	1
24	60 and over	20	2				1			1		
25	Unknown	4									1	
26	Homicide	137	10	1	6	3	4	3	7	2	7	3
27	Under 20	19	2			1		1	1	1	1	1
28	20 to 59	115	8	1	6	2	4	2	6	1	6	2
29	60 and over	3										
30	Unknown											
31	Injuries by machinery	15			2		3				3	
32	Under 20	2					1					
33	20 to 59	11			2		2				1	
34	60 and over	2									2	
35	Unknown											
36	Railroad accidents	942	60	2	69	4	56	1	74	8	66	8
37	Under 5	27			3		1		1		2	2
38	5 to 59	805	47	2	57	4	52	1	64	6	58	3
39	60 and over	95	10		9		2		9	2	5	3
40	Unknown	15	3				1				1	
41	Suicide by shooting	258	15	3	19	1	19	1	20	1	29	2
42	Under 20	5									1	
43	20 to 59	223	13	3	16	1	17	1	17	1	25	2
44	60 and over	30	2		3		2		3		3	
45	Unknown											
46	Suicide by drowning	46	1	1	2		1		3	2	2	3
47	Under 20	1										
48	20 to 59	34			2		1		3	2	1	3
49	60 and over	11	1	1							1	
50	Unknown											
51	Suicide by poison	361	21	9	17	11	20	13	23	13	24	12
52	Under 20	31	2	1	1	3		2	3	3	2	3
53	20 to 59	290	17	7	14	8	19	11	18	9	20	9
54	60 and over	37	1	1	2		1		2	1	2	
55	Unknown	3	1									
56	Other suicides	419	28	12	16	1	25	4	35	14	33	8
57	Under 20	9	1	1				1	1		1	
58	20 to 59	341	23	8	12	1	21	3	28	14	28	7
59	60 and over	69	4	3	4		4		6		4	1
60	Unknown											
61	Sunstroke	162									4	2
62	Under 5	56									2	
63	5 to 59	82									2	2
64	60 and over	24										
65	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
682	217	653	213	624	196	564	195	477	187	492	164	492	175	.....	1	1
101	69	63	45	56	46	46	36	43	51	44	40	54	31	.....	.....	2
515	106	531	124	500	110	449	120	377	103	370	88	377	109	.....	.....	3
61	42	56	42	59	38	68	37	50	33	70	34	59	34	.....	.....	4
5	.....	3	2	9	2	1	2	7	.....	8	2	2	1	.....	1	5
36	36	24	47	23	39	28	40	24	53	36	39	24	58	.....	.....	6
18	14	9	13	14	13	13	14	15	23	16	16	15	15	.....	.....	7
15	19	15	31	9	24	12	24	9	24	13	18	8	36	.....	.....	8
3	3	.....	3	.....	2	3	2	.....	6	6	4	1	7	.....	.....	9
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	10
147	10	158	14	155	16	103	19	64	4	39	4	40	3	.....	1	11
5	3	4	2	8	2	6	2	2	1	.....	.....	2	.....	.....	.....	12
130	6	145	10	133	10	90	15	56	3	35	4	37	3	.....	.....	13
9	1	8	1	9	4	7	1	3	.....	3	.....	.....	.....	.....	.....	14
2	.....	1	1	5	.....	.....	1	3	.....	1	.....	1	.....	.....	1	15
.....	1	.....	.....	.....	1	.....	.....	4	.....	1	1	5	2	.....	.....	16
.....	1	.....	.....	.....	.....	.....	.....	1	.....	1	1	2	1	.....	.....	17
.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	18
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	3	2	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
23	5	27	7	15	1	16	5	20	3	21	1	19	2	.....	.....	21
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	22
21	1	27	6	12	1	16	5	16	3	14	1	17	2	.....	.....	23
2	1	.....	.....	3	.....	.....	.....	3	.....	6	.....	1	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	25
8	4	6	2	11	5	2	3	8	5	11	6	17	3	.....	.....	26
1	1	1	.....	2	2	.....	.....	.....	.....	2	1	.....	1	.....	.....	27
7	3	5	2	8	3	2	3	8	5	8	5	16	2	.....	.....	28
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30
.....	.....	1	.....	2	.....	2	.....	.....	.....	2	.....	.....	.....	.....	.....	31
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	32
.....	.....	1	.....	2	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
81	8	81	12	82	11	78	9	67	7	67	11	72	8	.....	.....	36
2	4	3	1	.....	2	3	.....	2	.....	.....	.....	1	.....	.....	.....	37
69	4	72	11	73	9	70	7	59	4	60	8	61	4	.....	.....	38
3	.....	5	.....	6	.....	5	2	4	3	5	3	10	4	.....	.....	39
2	.....	1	.....	3	.....	.....	.....	2	.....	2	.....	.....	.....	.....	.....	40
20	1	15	.....	17	1	19	4	21	1	23	2	24	.....	.....	.....	41
.....	.....	1	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	42
18	1	11	.....	15	1	16	3	19	1	20	2	20	.....	.....	.....	43
2	.....	3	.....	1	.....	2	1	1	.....	3	.....	4	.....	.....	.....	44
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	45
2	1	7	3	2	1	3	.....	2	4	2	1	2	1	.....	.....	46
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	47
1	1	6	3	1	1	3	.....	1	1	1	1	1	1	.....	.....	48
1	.....	1	.....	1	.....	.....	.....	1	2	1	.....	1	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
18	9	15	9	17	16	18	17	19	17	12	8	15	8	.....	.....	51
.....	.....	1	.....	.....	2	.....	3	1	1	.....	2	.....	1	.....	.....	52
15	8	12	8	13	13	15	12	14	14	9	6	12	7	.....	.....	53
3	1	2	1	3	1	3	1	4	2	3	.....	3	.....	.....	.....	54
.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	55
29	5	30	14	39	7	22	5	21	8	26	9	21	7	.....	.....	56
.....	.....	1	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	57
23	5	22	12	33	6	17	4	19	5	21	7	15	7	.....	.....	58
6	.....	7	2	6	1	4	1	2	2	4	2	6	.....	.....	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60
72	42	19	6	7	8	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	61
26	18	3	3	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	62
40	15	15	1	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	63
6	9	1	2	1	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	64
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	65

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

RURAL PART OF REGISTRATION STATES.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes	110,003	4,888	4,456	4,580	4,278	6,010	5,503	5,929	5,718	5,143	4,747
2	Under 5	23,992	969	858	1,011	837	1,235	984	1,193	951	1,070	854
3	5 to 59	39,598	1,662	1,701	1,625	1,595	2,028	2,003	1,970	2,058	1,837	1,875
4	60 and over	45,883	2,222	1,879	1,924	1,831	2,721	2,494	2,732	2,690	2,208	2,001
5	Unknown	530	35	18	20	15	26	22	34	19	28	17
6	Unknown cause	1,453	57	67	65	66	91	81	86	54	81	56
7	Under 5	692	29	33	41	29	41	30	35	31	36	26
8	5 to 59	365	12	20	10	15	20	28	23	11	21	16
9	60 and over	368	15	13	14	22	27	21	25	12	20	14
10	Unknown	28	1	1			3	2	3		4	
	1. General diseases.											
11	General diseases—A	16,888	531	516	493	513	703	761	789	546	591	611
12	Under 5	7,722	191	179	166	177	219	186	195	180	212	200
13	5 to 59	4,972	196	200	191	206	217	248	253	257	201	199
14	60 and over	4,141	142	136	136	129	265	321	338	406	176	211
15	Unknown	53	2	1		1	2	6	3	3	2	1
16	Measles	710	33	35	40	67	65	67	43	63	67	55
17	Under 5	442	21	19	24	33	39	38	21	37	46	31
18	5 to 59	254	11	15	16	31	24	29	22	26	17	22
19	60 and over	14	1	1		3	2				4	2
20	Unknown											
21	Scarlet fever	531	32	24	31	34	33	31	34	26	22	28
22	Under 5	279	22	13	13	17	19	19	13	16	9	10
23	5 to 59	247	9	10	18	17	14	12	21	10	12	17
24	60 and over	3	1	1								
25	Unknown	2									1	1
26	Diphtheria	1,087	61	65	46	55	35	43	43	37	34	34
27	Under 5	484	39	32	27	27	17	10	14	13	12	13
28	5 to 59	597	22	33	19	27	18	32	29	24	22	20
29	60 and over	6				1		1				1
30	Unknown											
31	Whooping cough	757	30	27	26	34	31	34	27	32	36	44
32	Under 5	703	28	25	26	32	29	30	26	27	33	42
33	5 to 59	42	2	1		2	2	2	1	5	2	2
34	60 and over	5										
35	Unknown	7		1				2			1	
36	Malarial fever	387	10	12	9	12	13	12	9	12	15	16
37	Under 5	58	3			1	2	2		1	2	4
38	5 to 59	187	5	8	5	7	3	6	5	8	6	7
39	60 and over	139	2	4	4	4	8	4	4	8	7	5
40	Unknown	3										
41	Influenza	2,471	86	108	101	101	232	339	357	476	145	185
42	Under 5	218	10	17	17	15	26	22	27	24	11	12
43	5 to 59	524	20	25	20	24	41	66	77	101	26	29
44	60 and over	1,721	56	66	64	62	164	248	251	349	108	144
45	Unknown	8					1	3	2	2		
46	Typhoid fever	1,824	86	62	68	42	66	49	48	38	65	45
47	Under 5	70	1	7	1	3	1	4	2	2	1	4
48	5 to 59	1,585	75	51	60	35	61	41	41	30	61	34
49	60 and over	163	10	4	7	4	4	4	5	6	3	7
50	Unknown	6										
51	Diarrheal diseases	6,946	88	87	81	81	99	87	107	78	113	104
52	Under 5	4,973	41	48	38	35	56	42	67	45	76	61
53	5 to 59	664	20	16	19	17	17	17	14	13	18	21
54	60 and over	1,289	26	23	24	28	26	28	25	20	19	22
55	Unknown	20	1			1			1			
56	Cerebro-spinal fever	527	25	21	18	17	20	18	21	14	20	22
57	Under 5	289	16	6	11	9	13	6	11	6	13	10
58	5 to 59	226	8	15	7	8	6	10	10	8	7	12
59	60 and over	12	1				1	2				
60	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
4,008	3,537	4,497	3,889	5,046	4,552	4,690	4,132	4,303	3,832	4,104	3,597	4,471	4,047	35	11	1
881	682	1,299	1,014	1,642	1,352	1,449	1,177	883	727	736	623	862	699	2	2	2
1,492	1,414	1,542	1,417	1,604	1,612	1,490	1,420	1,601	1,483	1,567	1,429	1,583	1,576	10	4	3
1,604	1,431	1,637	1,431	1,770	1,570	1,732	1,516	1,793	1,608	1,782	1,528	2,005	1,762	7	5	4
31	10	19	27	30	18	19	19	26	14	19	17	21	10	16	.....	5
62	37	51	44	54	52	54	59	56	48	65	46	64	51	6	.....	6
31	18	23	22	32	27	34	28	22	17	26	23	30	28	.....	.....	7
16	7	18	13	12	14	10	13	15	16	17	12	16	9	1	.....	8
14	12	9	9	10	10	8	16	19	13	21	11	17	14	2	.....	9
1	.....	1	.....	.....	1	2	2	.....	2	1	.....	1	.....	3	.....	10
470	403	955	810	1,347	1,242	1,159	1,090	661	609	469	426	450	442	.....	1	11
227	178	660	513	907	778	749	642	269	248	156	161	160	169	.....	.....	12
139	145	144	154	231	212	246	235	266	229	216	194	200	193	.....	.....	13
100	79	147	140	204	248	163	211	125	131	96	69	87	80	.....	1	14
4	1	4	3	5	4	1	2	1	1	1	2	3	.....	.....	.....	15
30	20	13	15	4	11	2	6	6	8	12	14	18	16	.....	.....	16
24	16	12	7	3	8	2	5	6	5	9	9	13	14	.....	.....	17
6	4	1	8	1	3	.....	1	.....	3	3	5	4	2	.....	.....	18
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
15	16	14	11	13	7	11	9	15	15	29	25	24	32	.....	.....	21
8	8	9	2	5	5	7	6	7	8	18	12	16	17	.....	.....	22
7	8	5	9	8	2	4	3	8	7	10	13	8	15	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
21	27	30	30	29	33	46	48	61	52	66	64	67	60	.....	.....	26
8	14	16	12	18	11	19	22	32	21	24	22	30	31	.....	.....	27
13	13	14	18	11	21	27	26	28	31	42	41	37	29	.....	.....	28
.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30
29	23	35	29	44	45	28	23	19	22	26	33	30	50	.....	.....	31
29	20	34	24	42	44	28	21	19	20	25	31	23	45	.....	.....	32
.....	2	.....	4	1	.....	.....	2	.....	2	.....	2	6	4	.....	.....	33
.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	1	1	.....	.....	34
.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
12	6	23	21	20	18	18	31	31	28	23	13	12	11	.....	.....	36
4	.....	9	1	1	3	3	7	4	4	4	.....	3	.....	.....	.....	37
4	4	7	12	14	4	9	14	16	14	7	9	6	7	.....	.....	38
3	2	6	8	5	11	6	9	11	10	12	4	3	4	.....	.....	39
1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	40
44	43	21	13	17	8	14	11	15	18	20	31	37	48	.....	1	41
4	3	3	.....	.....	.....	3	.....	5	2	3	2	6	6	.....	.....	42
10	14	4	2	3	1	2	9	5	3	6	8	14	21	.....	.....	43
30	26	14	11	14	7	9	9	5	13	11	21	17	21	.....	1	44
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	45
48	32	63	45	88	85	132	116	163	133	110	83	79	78	.....	.....	46
4	1	4	2	3	4	1	2	5	4	4	4	2	4	.....	.....	47
40	30	50	40	77	69	122	98	144	117	98	72	73	66	.....	.....	48
3	1	9	3	8	12	8	16	13	12	7	5	4	8	.....	.....	49
1	.....	.....	.....	.....	.....	1	.....	1	.....	1	2	.....	.....	.....	.....	50
159	139	670	574	1,037	945	829	757	264	273	102	108	89	75	.....	.....	51
117	93	550	449	815	681	651	554	174	169	51	63	54	43	.....	.....	52
17	22	35	33	80	78	54	56	31	25	17	17	15	12	.....	.....	53
23	24	83	91	137	182	124	146	59	78	34	28	19	20	.....	.....	54
2	.....	2	1	5	4	.....	1	.....	1	.....	.....	1	.....	.....	.....	55
40	28	26	24	29	24	35	18	24	16	18	15	18	16	.....	.....	56
20	19	15	13	18	13	25	11	12	6	11	10	10	5	.....	.....	57
18	9	10	11	11	11	10	5	11	9	7	5	8	10	.....	.....	58
2	.....	1	.....	.....	.....	.....	2	1	1	.....	.....	.....	1	.....	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

RURAL PART OF REGISTRATION STATES—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	1,565	69	50	75	38	83	62	93	55	77	56
2	Under 5	957	39	33	42	30	35	41	55	38	43	38
3	5 to 59	404	17	10	21	5	31	15	23	10	28	9
4	60 and over	188	13	5	11	3	15	6	15	7	5	9
5	Unknown	16	.....	2	1	.....	2	.....	.....	.....	1	.....
6	Inanition	996	41	39	50	30	38	49	58	36	39	45
7	Under 5	871	39	31	41	29	31	39	52	31	36	36
8	5 to 59	40	.....	2	2	.....	1	6	5	1	2	1
9	60 and over	75	2	4	6	1	4	4	1	4	1	8
10	Unknown	10	.....	2	1	.....	2	.....	.....	.....	.....	.....
11	General diseases—C	9,600	455	392	367	370	476	489	470	467	415	431
12	Under 5	3,597	158	118	138	98	159	145	192	111	165	130
13	5 to 59	176	7	13	10	7	8	12	7	14	3	13
14	60 and over	5,798	290	260	218	263	308	331	270	339	244	286
15	Unknown	29	.....	1	1	2	1	1	1	3	8	2
16	Debility and atrophy	1,904	77	75	67	64	81	83	87	77	78	85
17	Under 5	1,227	38	36	35	27	49	43	53	38	53	42
18	5 to 59	171	7	13	8	7	8	12	7	14	3	13
19	60 and over	497	32	26	24	29	24	28	27	25	22	30
20	Unknown	9	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
21	Old age—all ages	5,316	257	232	195	235	285	304	244	317	224	258
22	60 and over	5,298	257	232	194	234	284	303	243	314	222	256
23	Unknown	18	.....	.....	1	1	1	1	1	3	2	2
24	General diseases—D	18,322	691	854	637	763	809	937	794	983	789	918
25	Under 5	989	29	33	38	41	46	57	48	49	47	57
26	5 to 59	11,397	418	544	394	482	486	581	471	612	474	594
27	60 and over	5,876	239	274	202	238	274	297	273	318	266	265
28	Unknown	60	5	3	3	2	3	2	2	4	2	2
29	Consumption	9,586	382	413	395	385	464	472	437	507	457	498
30	Under 5	298	8	7	13	16	18	20	13	15	15	27
31	5 to 59	7,642	308	338	311	303	357	376	341	399	357	389
32	60 and over	1,615	64	68	70	64	87	74	81	92	83	82
33	Unknown	31	2	.....	1	2	2	2	2	1	2	.....
34	2. Diseases of the nervous system	15,890	726	635	671	590	869	729	794	737	739	651
35	Under 5	3,017	120	103	152	80	176	128	167	130	168	114
36	5 to 59	4,191	175	147	172	163	228	191	199	188	177	182
37	60 and over	8,628	428	384	345	345	463	409	426	418	389	353
38	Unknown	54	3	1	2	2	2	1	2	1	5	2
39	3. Diseases of the circulatory system	11,695	581	442	542	450	688	519	644	503	556	510
40	Under 5	648	35	25	39	28	38	22	33	36	44	29
41	5 to 59	3,351	142	145	131	143	178	178	128	145	137	179
42	60 and over	7,634	400	268	369	279	470	316	478	322	374	298
43	Unknown	62	4	4	3	.....	2	3	5	.....	1	4
44	4. Diseases of the respiratory system	14,221	826	807	845	843	1,234	1,160	1,263	1,243	810	739
45	Under 5	4,326	277	258	311	279	411	277	359	296	260	199
46	5 to 59	4,392	249	226	265	237	377	361	420	363	290	228
47	60 and over	5,454	297	320	266	325	444	519	477	577	260	311
48	Unknown	49	3	3	3	2	2	3	7	7	.....	1
49	5. Diseases of the digestive system	6,474	252	291	237	236	299	278	280	307	305	290
50	Under 5	1,069	44	44	47	33	58	49	54	43	47	37
51	5 to 59	2,937	122	145	93	107	131	129	115	157	139	141
52	60 and over	2,446	85	101	96	96	109	98	111	107	119	111
53	Unknown	22	1	1	1	.....	1	2	.....	.....	.....	1
54	6. Diseases of the urinary system	6,215	340	188	323	186	375	235	362	239	386	201
55	Under 5	171	12	6	5	6	14	8	4	10	7	2
56	5 to 59	2,295	99	102	110	89	105	97	117	112	114	114
57	60 and over	3,730	226	80	207	90	255	130	240	117	263	84
58	Unknown	19	3	.....	1	1	1	.....	1	.....	2	1
59	7. Affections connected with pregnancy	855	.....	61	.....	61	.....	94	.....	96	.....	105

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
65	43	78	52	90	59	95	60	92	51	67	35	79	40	1	.....	1
30	30	47	39	51	47	62	46	53	29	33	23	45	28	.....	.....	2
24	10	24	10	27	6	23	10	27	16	22	4	24	8	.....	.....	3
7	3	7	3	12	6	9	4	11	6	10	8	10	3	.....	.....	4
4	.....	.....	.....	.....	.....	1	.....	1	.....	2	.....	.....	1	1	.....	5
32	27	42	42	49	45	62	47	55	28	34	29	49	30	.....	.....	6
26	25	30	38	43	43	57	42	50	24	29	21	43	26	.....	.....	7
.....	.....	2	2	2	.....	2	4	1	1	.....	1	2	3	.....	.....	8
5	2	1	2	4	2	3	1	3	3	4	7	4	1	.....	.....	9
3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	10
380	350	392	332	444	376	415	388	388	379	325	345	361	390	1	2	11
178	135	182	135	221	152	205	169	169	119	123	110	153	130	1	1	12
6	3	4	5	4	10	11	7	4	7	4	5	4	8	.....	.....	13
194	212	204	191	218	213	199	211	215	250	198	228	204	251	.....	1	14
2	.....	2	1	1	1	.....	1	.....	3	.....	2	.....	1	.....	.....	15
64	53	84	65	132	87	128	108	78	77	55	72	63	64	.....	.....	16
39	33	65	42	110	71	102	85	61	49	38	44	37	37	.....	.....	17
6	3	4	5	4	10	11	6	3	7	4	5	4	7	.....	.....	18
18	17	14	17	17	6	15	16	14	20	13	22	22	19	.....	.....	19
1	.....	1	1	1	.....	.....	1	.....	1	.....	1	.....	1	.....	.....	20
177	195	191	174	201	208	184	195	201	232	185	207	182	232	.....	1	21
176	195	190	174	201	207	184	195	201	230	185	206	182	232	.....	1	22
1	.....	1	.....	.....	1	.....	.....	.....	2	.....	1	.....	.....	.....	.....	23
651	802	652	795	644	866	640	761	620	795	645	798	654	818	3	3	24
50	36	50	39	43	36	50	39	38	33	33	36	36	25	.....	.....	25
410	506	394	504	381	576	353	489	372	513	390	501	406	541	2	3	26
189	257	208	245	217	253	236	231	209	246	221	256	209	252	1	.....	27
2	3	.....	7	3	1	1	2	1	3	1	5	3	.....	.....	.....	28
373	367	370	387	330	417	305	368	343	401	345	392	354	421	2	1	29
19	9	16	9	12	8	13	12	14	13	4	6	7	4	.....	.....	30
302	301	298	321	253	355	231	306	270	318	272	316	275	342	2	1	31
52	55	56	53	62	53	61	49	59	70	68	67	70	75	.....	.....	32
.....	2	.....	4	3	1	.....	1	.....	.....	1	3	2	.....	.....	.....	33
643	612	636	549	696	655	652	550	660	585	642	535	740	592	1	1	34
138	115	153	109	184	153	156	95	106	89	107	80	127	67	.....	.....	35
185	186	177	141	174	183	169	155	185	151	194	147	170	152	.....	.....	36
317	310	305	297	334	315	323	298	364	344	337	307	443	372	1	1	37
3	1	1	2	4	4	4	2	5	1	4	1	.....	1	.....	.....	38
475	416	465	385	466	387	457	385	470	371	532	418	589	442	1	1	39
28	24	27	19	27	20	23	12	22	21	30	17	32	17	.....	.....	40
135	140	137	133	120	137	107	117	121	121	157	137	151	131	1	.....	41
310	249	300	231	316	225	325	253	325	228	345	260	402	290	.....	1	42
2	3	1	2	3	5	2	3	2	1	.....	4	4	4	.....	.....	43
281	257	207	181	212	173	246	205	370	351	409	378	593	584	3	1	44
101	78	67	65	65	57	79	68	120	82	136	114	199	166	1	1	45
78	88	78	52	72	58	77	57	119	110	121	122	165	179	.....	.....	46
101	91	62	60	74	57	90	79	130	158	152	140	227	236	1	.....	47
1	.....	.....	4	1	1	.....	1	1	1	.....	2	2	3	1	.....	48
261	220	257	287	295	300	287	245	285	246	263	233	259	257	2	2	49
42	37	39	37	58	56	52	48	49	43	42	31	40	39	.....	.....	50
125	99	108	149	133	145	123	110	120	107	102	100	123	113	.....	1	51
94	82	108	95	103	99	111	86	116	95	118	102	96	105	2	1	52
.....	2	2	6	1	.....	1	1	.....	1	1	.....	.....	.....	.....	.....	53
275	190	307	187	303	178	288	171	300	182	290	171	336	200	2	.....	54
11	9	8	5	8	1	8	6	4	13	5	5	12	2	.....	.....	55
78	93	87	79	93	85	89	93	99	83	85	84	89	98	1	.....	56
185	88	212	103	201	91	191	72	194	86	200	82	233	100	.....	.....	57
1	.....	.....	.....	1	1	.....	.....	3	.....	.....	.....	2	.....	1	.....	58
.....	61	.....	83	.....	65	.....	49	.....	57	.....	52	.....	71	.....	.....	59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

RURAL PART OF REGISTRATION STATES—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	5,931	325	108	305	119	353	113	325	138	359	129
2	Under 5	701	29	24	30	32	35	38	45	24	32	19
3	5 to 59	3,726	207	57	216	52	230	40	198	67	238	61
4	60 and over	1,374	77	26	54	31	81	34	72	47	81	46
5	Unknown	130	12	1	5	4	7	1	10		8	3
6	Burns and scalds	427	19	21	13	17	27	21	12	26	14	22
7	Under 5	173	11	5	8	10	12	10	8	6	4	4
8	5 to 59	167	2	10	5	5	8	6	1	13	3	11
9	60 and over	83	5	5		2	7	5	2	7	6	7
10	Unknown	4	1	1					1		1	
11	Drowning	898	26	6	36	6	25	3	45	7	76	10
12	Under 5	73	1	1	1		1		6	1	8	2
13	5 to 59	733	20	5	33	5	23	2	32	5	62	7
14	60 and over	64	2		2	1	1	1	6	1	5	1
15	Unknown	28	3						1		1	
16	Exposure and neglect	79	5	4	8	3	10	4	6	2	1	3
17	Under 5	25		2	1	3	2	3	3	1		
18	5 to 59	30		1	6		6		2		1	[illegible]
19	60 and over	22	5	1	1		2	1	1	1		
20	Unknown	2										1
21	Gunshot wounds	239	18	1	7	1	12	4	15	3	10	1
22	Under 5	9				1	1	1	1			
23	5 to 59	205	15	1	7		9	3	12	3	7	1
24	60 and over	19	2				2		2		[illegible]	
25	Unknown	6	1									
26	Homicide	43	1	3			2	2	1			1
27	Under 20	8	1	1			1	1	1			
28	20 to 59	29		2			1	1				1
29	60 and over	6										
30	Unknown											
31	Injuries by machinery	26			4		3		4		3	
32	Under 20	8			1		1		1		1	
33	20 to 59	14			2				3		2	
34	60 and over	4			1		2					
35	Unknown											
36	Railroad accidents	851	57	3	40	8	57	3	50	1	59	9
37	Under 5	13							2			1
38	5 to 59	666	44	3	35	8	45	3	40	1	50	6
39	60 and over	121	9		2		7		3		6	1
40	Unknown	51	4		3		5		5		3	1
41	Suicide by shooting	148	11	2	7	1	11		14	1	13	1
42	Under 20	4				1						
43	20 to 59	113	10	2	6		7		11	1	8	1
44	60 and over	31	1		1		4		3		5	
45	Unknown											
46	Suicide by drowning	50	1	2	2	1	3	1	[illegible]	1	8	3
47	Under 20	1							1			
48	20 to 59	32	1	2	1	1	2	1	1		3	2
49	60 and over	17			1		1			1	5	1
50	Unknown											
51	Suicide by poison	115	6	1	6	2	4	5	4	8	6	4
52	Under 20	7		1	1					1		
53	20 to 59	75	4		4	2	3	4	3	4	2	3
54	60 and over	30	1		1		1	1	1	3	4	
55	Unknown	3	1									1
56	Other suicides	331	21	5	19	5	27	5	24	12	29	7
57	Under 20	12			2	1	1		2		1	1
58	20 to 59	199	13	4	11	4	19	4	9	10	15	1
59	60 and over	116	8	1	6		6	1	13	2	13	5
60	Unknown	4					1					
61	Sunstroke	38					1				1	
62	Under 5	9									1	
63	5 to 59	19					1					
64	60 and over	10										
65	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
418	102	472	135	464	142	373	125	379	112	374	113	322	111	15		1
43	20	35	29	39	18	25	22	27	26	39	21	23	26			2
279	49	356	59	341	85	270	55	261	45	248	42	225	40	5		3
85	33	73	45	73	39	71	46	79	40	78	49	69	45			4
11		8	2	11		7	2	12	1	9	1	5		10		5
14	10	10	19	12	18	12	20	8	18	32	22	22	18			6
5	3	5	6	5	3	6	6	5	7	17	8	9	9			7
6	5	5	9	5	12	6	13	3	4	13	9	7	6			8
3	2		4	1	3		1		7	2	5	6	3			9
																10
130	11	156	20	125	20	50	7	37	6	40	2	37	6	11		11
11	4	8	4	7	2	4	2	2	2	2		1	3			12
105	7	135	14	113	18	44	3	29	3	26	1	33	3	5		13
10		9	1	3		2	1	5	1	9	1	2				14
4		4	1	2			1	1		3		1		6		15
4		2	1	3	2	2	3	4		3		9				16
3				2	1	1		1				2				17
1		1		1	1	1	2	3		1		1				18
		1	1				1			2		5				19
												1				20
14	2	14	4	21	2	25	2	33	7	26	2	14	1			21
	1			1			1		1		1					22
11	1	13	4	15	2	23	1	31	6	24	1	14	1			23
2		1		2		2		1		2						24
1				3				1								25
	1	6		7	2	3	1	4		5	1	2	1			26
		1			1		1									27
	1	5		4	1	2		4		4	1	1	1			28
				3		1				1		1				29
																30
		2		3		2		3		1	1					31
				1		1				1	1					32
		2		2		1		2								33
								1								34
																35
56	2	60	7	103	19	68	9	77	9	71	6	64	12	1		36
			1	4				1	3		1					37
41	1	53	4	81	17	53	6	54	3	57	4	52	5			38
12	1	6	2	13	2	9	3	15	3	9	1	10	7			39
3		1		5		6		7		5		2		1		40
8	2	15	1	13	1	10	3	8	1	15		9	1			41
	1					1			1							42
5	1	12	1	11	1	7	2	7		12		7	1			43
3		3		2		2	1	1		3		2				44
																45
3	3	3	2	5	1		2	2	2			2	1			46
																47
							1	1	1				1			48
1	3	3	2	5			1	1	1			2				49
2					1											50
6	6	9	6	3	4	8		7	5	6	4		5			51
	2								2							52
3	4	5	5	2	4	7		4	2	3	4		3			53
2		4	1	1		1		3	1	3			2			54
1																55
17	7	25	3	19	3	20	4	22	7	19	2	27	2			56
									1	1		2				57
12	6	11	2	10	3	12	1	13	2	13	1	21	2			58
5	1	12	1	9		8	3	9	4	5	1	3				59
		2										1				60
12	3	4	3	8	2	1		1					2			61
																62
2	2		3	1												63
5	1	4		6	1	1							2			64
5				1	1			1								65

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

REGISTRATION CITIES IN OTHER STATES.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes	210,999	10,331	8,521	9,547	8,164	11,137	9,452	11,082	9,293	9,974	8,367
2	Under 5	63,831	2,887	2,288	2,852	2,333	3,249	2,564	3,135	2,448	2,897	2,396
3	5 to 59	99,893	5,154	3,911	4,602	3,744	5,330	4,270	5,344	4,222	4,962	3,963
4	60 and over	46,267	2,244	2,289	2,038	2,062	2,501	2,568	2,547	2,610	2,074	1,975
5	Unknown	1,008	46	33	55	25	57	50	56	13	41	33
6	Unknown cause	2,523	122	110	125	90	120	83	126	92	112	95
7	Under 5	969	50	44	43	33	41	23	47	33	36	35
8	5 to 59	967	49	34	41	37	51	36	49	42	51	38
9	60 and over	483	13	27	36	17	26	16	29	16	20	18
10	Unknown	104	10	5	5	3	2	8	1	1	5	4
	1. General diseases.											
11	General diseases—A	36,848	1,279	1,136	1,160	1,080	1,323	1,253	1,467	1,330	1,380	1,318
12	Under 5	19,494	555	478	485	442	569	535	634	507	706	680
13	5 to 59	13,815	614	510	539	520	590	528	609	551	527	494
14	60 and over	3,424	109	142	135	115	156	185	217	272	143	142
15	Unknown	115	1	6	1	3	8	5	7	.....	4	2
16	Measles	1,218	72	55	70	68	87	104	116	84	101	119
17	Under 5	1,031	63	45	61	53	72	87	96	69	90	105
18	5 to 59	185	9	9	9	15	15	17	20	15	11	14
19	60 and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Unknown	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
21	Scarlet fever	1,461	86	83	62	72	63	80	63	67	80	68
22	Under 5	896	63	51	44	42	41	57	36	41	47	34
23	5 to 59	563	23	32	18	30	22	23	27	26	33	34
24	60 and over	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Diphtheria	4,671	252	292	208	241	201	185	156	167	155	149
27	Under 5	2,755	156	162	141	121	136	123	108	98	112	87
28	5 to 59	1,904	96	128	67	120	63	61	46	69	43	62
29	60 and over	8	.....	1	.....	.....	2	1	2	.....	.....	.....
30	Unknown	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
31	Whooping cough	1,221	34	50	38	46	58	52	81	78	68	86
32	Under 5	1,160	33	43	37	42	54	51	78	71	65	84
33	5 to 59	59	1	7	1	4	3	1	3	7	3	2
34	60 and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35	Unknown	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
36	Malarial fever	1,630	33	20	35	37	31	41	41	28	45	54
37	Under 5	365	2	4	6	6	4	5	15	8	14	20
38	5 to 59	1,043	29	13	22	24	23	25	18	16	26	30
39	60 and over	212	2	3	7	7	4	11	7	4	5	4
40	Unknown	10	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
41	Influenza	1,805	72	111	100	99	181	211	269	311	91	111
42	Under 5	242	12	14	11	19	37	25	42	30	13	10
43	5 to 59	673	37	35	43	42	60	81	102	82	28	47
44	60 and over	885	23	61	46	38	83	105	124	199	49	54
45	Unknown	5	.....	1	.....	.....	1	.....	1	.....	1	.....
46	Typhoid fever	5,318	235	146	197	127	222	165	206	158	191	137
47	Under 5	296	13	9	8	6	10	10	12	9	9	12
48	5 to 59	4,770	213	123	182	113	200	149	188	145	170	112
49	60 and over	231	9	13	7	8	9	5	5	4	11	12
50	Unknown	21	.....	1	.....	.....	3	1	1	.....	1	1
51	Diarrheal diseases	15,192	262	226	238	199	246	194	281	216	425	391
52	Under 5	11,617	166	117	127	109	154	120	191	133	300	282
53	5 to 59	2,061	58	71	69	56	59	39	54	47	88	70
54	60 and over	1,470	37	37	42	33	31	34	35	36	36	39
55	Unknown	44	1	1	.....	1	2	1	1	.....	1	.....
56	Cerebro-spinal fever	648	23	16	18	23	31	20	34	17	22	19
57	Under 5	320	13	10	8	12	15	7	15	9	12	7
58	5 to 59	318	10	6	9	11	15	13	19	8	9	12
59	60 and over	9	.....	.....	1	.....	1	.....	.....	.....	1	.....
60	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN OTHER STATES.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
8,841	7,451	10,204	8,285	9,336	7,948	8,617	7,032	8,644	7,121	8,232	6,777	9,096	7,501	33	13	1
2,973	2,583	4,017	3,360	3,267	2,953	2,722	2,327	2,339	1,895	2,093	1,779	2,406	2,060	4	4	2
4,211	3,362	4,447	3,374	4,291	3,388	4,200	3,244	4,436	3,576	4,360	3,348	4,617	3,515	18	4	3
1,605	1,477	1,688	1,520	1,713	1,575	1,644	1,430	1,826	1,634	1,735	1,609	2,009	1,891	3	.....	4
52	29	52	31	65	32	51	31	43	16	44	41	64	35	8	5	5
119	88	131	110	122	97	106	97	104	91	107	71	104	86	10	5	6
47	34	60	48	49	48	40	43	33	37	46	28	36	32	1	2	7
45	34	46	33	49	28	39	36	51	39	40	25	38	30	4	2	8
23	16	21	27	18	18	23	15	19	15	16	13	24	17	.....	.....	9
4	4	4	2	6	3	4	3	1	.....	5	5	6	7	5	1	10
1,804	1,645	2,721	2,448	2,392	2,241	1,818	1,724	1,520	1,287	1,203	1,089	1,168	1,055	4	8	11
1,161	1,030	1,977	1,688	1,489	1,392	1,012	971	702	554	457	488	486	495	1	.....	12
530	475	587	534	712	648	670	616	693	637	647	527	583	469	3	2	13
106	135	148	223	178	194	128	132	121	94	95	73	92	89	.....	.....	14
7	5	9	3	13	7	8	5	4	2	4	1	7	2	.....	1	15
42	67	24	37	20	21	10	14	8	4	13	15	36	29	1	1	16
34	58	21	31	18	16	10	13	8	3	9	13	34	22	.....	.....	17
8	9	3	6	2	5	.....	1	.....	1	4	2	2	7	1	.....	18
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	20
53	53	33	28	34	38	39	43	59	61	76	66	73	81	.....	.....	21
30	37	19	16	23	25	24	19	32	35	44	43	44	49	.....	.....	22
22	16	14	12	11	13	15	24	27	26	32	23	29	31	.....	.....	23
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
119	129	124	93	119	122	184	186	241	250	248	300	266	282	1	1	26
69	71	75	55	69	69	111	102	144	119	139	155	165	167	1	.....	27
50	58	49	38	48	53	73	84	97	131	107	144	101	115	.....	1	28
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	29
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	30
52	44	65	69	48	64	44	49	41	36	23	31	23	38	.....	.....	31
48	42	61	65	48	64	43	43	44	36	22	28	23	35	.....	.....	32
4	2	3	4	.....	.....	1	6	.....	.....	1	3	.....	3	.....	.....	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
79	63	98	90	155	128	133	104	108	95	66	63	47	35	.....	1	36
23	19	19	26	28	30	25	26	20	24	10	18	8	5	.....	.....	37
42	32	72	53	106	84	88	62	75	57	50	40	30	25	.....	1	38
13	10	6	11	21	14	18	15	13	14	6	5	7	5	.....	.....	39
1	2	1	.....	.....	.....	2	1	.....	.....	.....	.....	2	.....	.....	.....	40
10	21	13	13	13	7	10	10	13	13	18	19	40	49	.....	.....	41
2	.....	1	1	2	1	1	1	4	1	1	1	6	7	.....	.....	42
7	8	6	6	5	5	4	4	4	7	10	9	18	23	.....	.....	43
1	13	6	6	6	1	5	5	5	5	7	9	15	19	.....	.....	44
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	45
194	158	228	169	355	253	319	298	338	279	317	187	270	168	1	.....	46
11	15	18	11	11	16	11	21	17	17	10	13	16	11	.....	.....	47
178	135	200	147	327	226	292	257	312	245	295	164	217	149	1	.....	48
3	7	9	11	16	11	14	19	8	15	12	9	7	7	.....	.....	49
2	1	1	.....	1	.....	2	1	1	2	.....	1	.....	1	.....	.....	50
1,062	912	1,968	1,797	1,487	1,453	924	885	548	395	299	280	257	247	.....	.....	51
885	729	1,718	1,443	1,240	1,130	748	705	386	272	185	175	145	157	.....	.....	52
119	101	137	171	133	168	103	96	94	78	69	67	69	45	.....	.....	53
58	81	107	180	105	149	70	81	66	45	44	38	41	45	.....	.....	54
.....	1	6	3	9	6	3	3	2	.....	1	.....	2	.....	.....	.....	55
64	52	45	34	33	33	18	28	22	17	19	23	17	19	1	.....	56
27	25	25	15	17	16	8	13	13	10	10	15	7	11	.....	.....	57
35	26	20	19	14	16	10	15	8	7	9	8	10	8	1	.....	58
1	1	.....	.....	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	59
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN REGISTRATION CITIES IN OTHER STATES—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	6,616	316	180	305	209	335	219	315	189	352	214
2	Under 5	4,777	196	143	200	165	213	166	190	156	211	165
3	5 to 59	1,502	99	23	88	27	98	44	105	25	113	39
4	60 and over	271	16	10	13	10	15	7	16	7	27	6
5	Unknown	66	5	4	4	7	9	2	4	1	1	4
6	Inanition	4,901	202	150	204	179	225	173	187	162	210	178
7	Under 5	4,654	189	141	196	162	209	162	180	151	202	164
8	5 to 59	115	4	1	3	7	5	7	3	6	3	[illegible]
9	60 and over	92	7	4	3	4	4	3	2	4	5	4
10	Unknown	40	2	4	2	[illegible]	7	1	2	1	.....	4
11	General diseases—C	16,471	684	720	614	680	747	810	672	747	743	704
12	Under 5	8,570	368	293	323	249	408	323	359	288	464	302
13	5 to 59	679	28	26	33	46	21	36	29	32	27	[illegible]
14	60 and over	7,167	284	400	257	382	314	448	283	427	250	358
15	Unknown	55	4	1	1	3	4	3	1	.....	2	5
16	Debility and atrophy	5,480	197	172	170	186	206	194	211	190	251	210
17	Under 5	3,878	121	102	108	94	142	108	141	114	193	123
18	5 to 59	674	28	26	32	46	21	36	27	32	27	[illegible]
19	60 and over	896	44	44	29	45	40	47	43	44	30	46
20	Unknown	32	4	.....	1	1	3	3	.....	.....	1	2
21	Old age—all ages	6,293	240	357	228	339	275	401	241	383	221	315
22	60 and over	6,271	240	356	228	337	274	401	240	383	220	312
23	Unknown	22	.....	1	.....	2	1	.....	1	.....	1	3
24	General diseases—D	35,761	1,677	1,442	1,516	1,395	1,755	1,643	1,707	1,570	1,720	1,589
25	Under 5	2,070	84	74	100	77	101	92	119	88	106	83
26	5 to 59	27,736	1,326	1,132	1,211	1,096	1,364	1,248	1,313	1,205	1,332	1,233
27	60 and over	5,837	265	231	196	219	285	299	267	277	276	269
28	Unknown	118	2	5	9	3	5	4	8	.....	6	4
29	Consumption	23,285	1,196	885	1,098	862	1,247	1,002	1,193	969	1,206	949
30	Under 5	824	34	29	47	21	38	36	46	33	51	35
31	5 to 59	20,582	1,041	784	971	779	1,085	871	1,053	870	1,051	849
32	60 and over	1,800	119	67	75	60	120	93	88	66	101	64
33	Unknown	79	2	5	5	2	4	2	6	.....	3	1
34	2. Diseases of the nervous system	25,228	1,237	1,043	1,146	971	1,333	1,078	1,390	1,008	1,226	1,013
35	Under 5	9,564	433	340	437	365	503	382	558	378	481	371
36	5 to 59	8,585	425	348	371	306	463	352	456	319	438	351
37	60 and over	6,982	375	351	332	299	362	340	370	308	302	286
38	Unknown	97	4	4	6	1	5	4	6	3	5	5
39	3. Diseases of the circulatory system	16,271	827	707	789	672	825	722	891	779	799	651
40	Under 5	1,037	58	41	59	32	66	40	66	52	57	23
41	5 to 59	8,531	430	354	396	353	413	351	476	416	437	361
42	60 and over	6,634	338	311	328	286	343	327	346	311	303	265
43	Unknown	69	1	1	6	1	3	4	3	.....	2	[illegible]
44	4. Diseases of the respiratory system	31,777	2,230	1,755	2,155	1,803	2,771	2,162	2,510	2,130	1,553	1,303
45	Under 5	13,007	922	714	1,012	817	1,136	839	962	785	630	559
46	5 to 59	11,656	898	539	779	531	1,093	695	984	693	652	442
47	60 and over	7,025	405	499	356	454	535	619	556	650	267	299
48	Unknown	89	5	3	8	1	7	9	8	2	4	3
49	5. Diseases of the digestive system	12,164	516	504	488	409	541	539	532	515	593	549
50	Under 5	2,405	111	70	111	73	109	89	110	82	121	96
51	5 to 59	7,242	298	326	277	257	319	323	311	308	348	336
52	60 and over	2,472	106	108	97	79	111	125	111	124	124	114
53	Unknown	45	1	.....	3	.....	2	2	.....	1	.....	3
54	6. Diseases of the urinary system	11,160	602	410	545	406	611	426	644	452	564	419
55	Under 5	414	29	20	22	23	22	20	15	12	13	15
56	5 to 59	6,390	337	250	307	231	330	252	352	270	283	243
57	60 and over	4,304	236	139	214	151	259	150	273	170	266	161
58	Unknown	52	.....	1	2	1	.....	4	4	.....	2	.....
59	7. Affections connected with pregnancy	1,471	.....	139	.....	132	.....	150	.....	150	.....	129

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN OTHER STATES—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
303	244	415	306	365	285	350	264	282	214	283	192	299	180	.....	.....	1
204	196	322	262	268	237	247	213	180	171	188	155	185	144	.....	.....	2
87	42	78	37	78	39	89	40	84	39	77	28	94	29	.....	.....	3
5	5	14	7	15	8	13	9	14	4	17	7	15	7	.....	.....	4
3	1	1	.....	4	1	1	2	4	.....	1	2	5	.....	.....	.....	5
205	199	322	272	275	242	242	224	187	170	196	163	185	149	.....	.....	6
198	191	314	260	265	230	237	210	176	165	183	151	178	140	.....	.....	7
4	7	4	7	5	7	2	7	4	4	7	4	3	5	.....	.....	8
2	1	4	5	2	4	2	6	7	1	6	6	2	4	.....	.....	9
1	.....	.....	.....	3	1	1	1	.....	.....	.....	2	2	.....	.....	.....	10
578	617	776	712	709	784	717	689	622	655	574	611	647	658	.....	1	11
365	318	491	397	436	441	461	379	380	305	343	273	352	251	.....	1	12
18	30	28	29	28	33	27	19	19	33	22	25	24	27	.....	.....	13
191	269	254	285	244	307	227	288	221	317	207	307	269	378	.....	.....	14
4	.....	3	1	1	3	2	3	2	.....	2	6	2	2	.....	.....	15
224	233	334	312	320	334	333	280	222	236	174	148	175	168	.....	.....	16
181	169	263	242	262	258	271	230	174	165	121	90	116	90	.....	.....	17
18	30	28	28	28	33	26	19	19	33	22	25	24	27	.....	.....	18
23	34	41	42	29	42	34	29	29	38	30	30	33	50	.....	.....	19
2	.....	2	.....	1	1	2	2	.....	.....	1	3	2	1	.....	.....	20
169	235	214	244	215	267	193	260	194	279	178	280	236	329	.....	.....	21
168	235	213	243	215	265	193	259	192	279	177	277	236	328	.....	.....	22
1	.....	1	1	.....	2	.....	1	2	.....	1	3	.....	1	.....	.....	23
1,444	1,478	1,450	1,444	1,351	1,422	1,381	1,308	1,412	1,374	1,441	1,330	1,531	1,377	3	1	24
106	105	92	87	97	72	93	77	75	59	73	59	82	69	.....	.....	25
1,105	1,133	1,141	1,115	1,004	1,080	1,069	1,026	1,119	1,067	1,136	1,047	1,175	1,056	3	.....	26
228	233	210	235	242	265	215	201	216	243	230	218	269	248	.....	.....	27
5	7	7	7	8	5	4	4	2	5	2	6	5	4	.....	1	28
989	887	993	885	905	810	915	792	971	829	1,004	798	1,078	820	2	.....	29
39	37	40	41	43	28	29	35	31	21	31	25	27	27	.....	.....	30
862	792	875	778	775	717	813	699	872	740	889	724	950	740	2	.....	31
86	54	73	61	82	60	69	55	67	66	83	44	96	51	.....	.....	32
2	4	5	5	5	5	4	3	1	2	1	5	5	2	.....	.....	33
1,218	951	1,231	973	1,106	910	989	803	1,032	796	1,005	771	1,120	876	1	1	34
505	399	528	450	449	382	380	286	365	279	335	257	397	303	.....	1	35
435	290	414	282	399	284	342	279	394	264	389	254	408	292	.....	.....	36
274	261	256	239	253	240	264	235	267	250	272	257	312	277	.....	.....	37
1	1	3	2	5	4	3	3	6	3	9	3	3	4	1	.....	38
675	531	631	567	598	508	628	522	689	556	703	564	784	652	1	.....	39
44	39	57	30	33	20	36	29	40	29	47	35	57	47	.....	.....	40
364	296	327	324	308	272	337	286	351	300	365	293	393	327	1	.....	41
263	193	244	210	254	214	253	204	293	225	287	234	329	273	.....	.....	42
4	3	3	3	3	2	2	3	5	2	4	2	5	5	.....	.....	43
778	577	628	465	576	406	691	493	1,031	837	1,060	949	1,576	1,336	2	.....	44
325	272	256	226	250	173	272	183	374	307	433	353	641	565	1	.....	45
302	181	248	163	227	146	287	193	445	313	444	343	639	419	.....	.....	46
149	123	120	75	96	84	130	115	210	216	182	251	287	347	.....	.....	47
2	1	4	1	3	3	2	2	2	1	1	2	9	5	1	.....	48
516	532	595	478	571	532	514	416	534	515	471	417	455	429	2	1	49
125	110	153	113	126	123	115	84	106	82	87	58	76	74	1	.....	50
306	321	329	278	331	309	296	244	305	325	280	265	284	265	1	.....	51
81	98	112	85	113	99	99	86	122	107	102	89	93	87	.....	.....	52
4	3	1	2	1	1	4	2	1	1	2	5	2	3	.....	1	53
466	328	539	336	505	336	482	295	519	368	570	353	586	397	1	.....	54
16	14	12	10	16	16	20	17	11	17	16	13	23	22	.....	.....	55
248	209	304	226	280	223	268	185	273	227	304	210	325	252	1	.....	56
199	101	220	99	205	95	192	91	232	124	246	126	233	122	.....	.....	57
3	4	3	1	4	2	2	2	3	.....	4	4	5	1	.....	.....	58
.....	106	.....	114	.....	96	.....	102	.....	106	.....	123	.....	124	.....	.....	59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN REGISTRATION CITIES IN OTHER STATES—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	13,049	802	269	678	221	739	242	773	221	875	278
2	Under 5	1,304	70	56	52	48	65	48	65	58	57	57
3	5 to 59	10,089	626	156	551	129	571	149	621	127	720	171
4	60 and over	1,472	93	55	65	42	91	42	73	32	88	49
5	Unknown	184	13	2	10	2	12	3	14	4	10	1
6	Burns and scalds	1,189	48	86	50	66	43	42	34	50	39	59
7	Under 5	438	27	26	21	23	24	14	15	16	10	20
8	5 to 59	656	18	51	26	33	16	24	14	28	26	36
9	60 and over	87	3	9	3	10	3	4	5	6	2	3
10	Unknown	8									1	
11	Drowning	1,180	38	2	34	3	36	8	86	10	87	14
12	Under 5	56		1	1		4	1	7	5	3	2
13	5 to 59	1,010	32	1	30	3	29	2	65	5	75	9
14	60 and over	77	4		1		3		8		8	2
15	Unknown	37	2		2				6		1	1
16	Exposure and neglect	123	14	7	9	7	7	4	6	4	6	9
17	Under 5	55	4	4		3	1	3	2	1	3	7
18	5 to 59	45	7	2	5	1	5	1	4	1	2	1
19	60 and over	22	3	1	4	3				2	1	1
20	Unknown	1					1					
21	Gunshot wounds	620	47	6	32	5	49	5	35	2	45	4
22	Under 5	8									2	
23	5 to 59	579	45	6	30	4	45	4	33	2	38	4
24	60 and over	20	1		1	1	1	1	1		5	
25	Unknown	13	1		1		3		1			
26	Homicide	453	29	2	13	4	34	11	23	4	42	12
27	Under 20	53	4		1	1	2	1	4	1	3	4
28	20 to 59	370	22	2	12	3	30	8	18	2	37	8
29	60 and over	16	2				1				1	
30	Unknown	14	1				1	2	1	1	1	
31	Injuries by machinery	71	4		3	1	8	1	4		3	
32	Under 20	5						1				
33	20 to 59	64	3		3	1	8		4		2	
34	60 and over	2	1								1	
35	Unknown											
36	Railroad accidents	1,999	137	9	139	11	145	11	127	14	145	16
37	Under 5	57	3	3	1	1	1		5	4	4	2
38	5 to 59	1,739	116	6	130	9	127	8	113	8	127	11
39	60 and over	169	17		6	1	14	3	6	2	10	3
40	Unknown	34	1		2		3		3		4	
41	Suicide by shooting	411	35	1	37	2	26	2	44	4	36	2
42	Under 20	6			1	1	1					
43	20 to 59	349	30	1	30	1	23	2	42	4	33	2
44	60 and over	47	5		5		2		1		3	
45	Unknown	9			1				1			
46	Suicide by drowning	68	1		2		6	2	3	2	10	
47	Under 20	3					1					
48	20 to 59	51	1		2		2	2	2	2	8	
49	60 and over	13					3				2	
50	Unknown	1							1			
51	Suicide by poison	439	25	14	14	12	18	14	22	11	30	16
52	Under 20	33				2		2	1		1	4
53	20 to 59	362	20	14	11	10	15	12	20	11	26	8
54	60 and over	38	5		2		3		1		3	4
55	Unknown	6			1							
56	Other suicides	754	42	10	33	9	48	17	62	10	45	14
57	Under 20	23	1			1	1	1	2	1		
58	20 to 59	599	35	8	30	7	34	14	53	9	33	13
59	60 and over	125	4	2	3	1	13	2	7		11	1
60	Unknown	7	2								1	
61	Sunstroke	242	1		2	1		1			10	2
62	Under 5	38										
63	5 to 59	154			1							
64	60 and over	48	1			1		1			8	1
65	Unknown	2			1						2	1

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN OTHER STATES—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
902	269	1,047	237	1,002	240	903	227	857	235	781	199	791	251	9	1	1
66	61	62	43	50	38	38	39	65	47	55	48	63	53			2
747	175	892	161	846	161	749	142	683	155	638	122	635	157	5		3
77	33	79	28	89	40	97	45	97	32	78	26	78	40	8		4
12		14	5	17	1	19	1	12	1	10	3	15	1	1	1	5
41	55	37	44	36	41	40	48	50	53	32	56	47	90	2		6
16	16	8	5	15	8	14	10	25	22	19	24	25	32			7
23	35	27	33	18	29	23	31	24	30	11	27	20	52	1		8
1	4	2	3	2	4	1	7	1	1	1	5	1	5	1		9
1				1		2				1		1	1			10
182	17	222	15	172	14	86	9	67	5	34	5	35	2	2		11
4	4	6	1	7	2	1	2	1		2	1		1			12
164	12	200	12	154	10	79	7	56	5	26	3	29	1	1		13
7	1	9	1	6	2	4		8		6	1	5		1		14
7		7	1	5		2		2				1				15
6	4	1	5	3	1	3		5	2	7	2	5	6			16
4	4	1	5	1	1			2	1	3		2	3			17
1				1		2		2	1	4	2	1	2			18
1				1		1		1				2	1			19
																20
36	10	58	8	43	6	52	6	43	10	57	6	49	6			21
	2				1							1	2			22
35	8	56	8	39	5	48	6	42	9	56	6	46	4			23
1		1		2		1		1	1	1		1				24
		1		2		3						1				25
24	10	31	11	38	3	37	8	35	4	32	7	33	5		1	26
4	2	3		3		6	2	3	1	2	2	3	1			27
18	7	27	9	35	3	30	5	30	3	25	5	28	3			28
2	1	1	1					2		4			1			29
			1			1	1			1		2			1	30
5	1	8	1	6		4		5		9		8				31
		1		2		1										32
5	1	7	1	4		3		5		9		8				33
																34
																35
143	14	167	18	167	18	176	17	164	10	146	19	169	15	2		36
3	4	5	1	4	2	3	1	3	1	2	3		1			37
125	7	155	14	146	13	157	12	147	7	126	13	149	11	2		38
12	3	5	2	13	3	13	4	12	2	16	2	17	3			39
3		2	1	4		3		2		2	1	3				40
25	1	38	1	25	1	39	1	26	3	31	2	27	2			41
		1				1					1					42
21	1	31	1	21	1	29	1	17	2	29	1	24	2			43
3		5		4		7		7	1	2		2				44
1		1				2		2				1				45
5		3	1	5	2	8	1	5	4	3	3	1	1			46
						1					1					47
3		3	1	4	2	4	1	5	2	3	2	1	1			48
2				1		3			2							49
																50
22	17	21	15	24	18	24	10	16	19	29	9	22	17			51
	5		3		6		2		1		2		4			52
21	11	17	12	19	12	21	8	12	16	27	7	20	12			53
1	1	4		4		3		3	1	1		1	1			54
				1				1	1	1		1				55
64	15	56	8	67	15	54	14	51	14	40	8	47	11			56
1	2		1	1			2	2	2	2		1				57
52	12	45	5	56	12	43	10	36	12	29	6	36	9			58
11		11	1	10	3	10	2	12		8	1	10	2			59
						1		1		1	1					60
52	28	38	15	34	14	25	14	1				3	1			61
10	9	6	4	1	3	1	4									62
39	10	26	7	29	6	19	5	1				1	1			63
3	9	6	4	3	5	5	5					2				64
				1												65

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN NONREGISTRATION RECORD.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes	526,425	24,396	21,062	25,045	21,953	28,946	25,870	28,148	25,656	28,388	26,186
2	Under 5	163,961	6,989	5,860	7,602	6,412	8,570	7,155	7,786	6,437	8,681	7,443
3	5 to 59	233,455	10,690	10,039	10,589	10,161	12,162	12,169	11,832	12,171	11,817	12,453
4	60 and over	123,433	6,447	4,983	6,585	5,218	7,933	6,332	8,251	6,818	7,580	6,091
5	Unknown	5,576	270	180	269	162	281	214	279	230	310	199
6	Unknown cause	35,690	1,541	1,448	1,543	1,434	1,745	1,604	1,580	1,470	1,955	1,817
7	Under 5	21,627	1,006	862	1,019	852	1,066	963	971	773	1,217	999
8	5 to 59	8,568	301	359	292	362	369	392	337	431	413	515
9	60 and over	4,701	202	202	206	194	266	218	252	233	296	272
10	Unknown	794	32	25	26	26	44	31	20	33	29	31
	1. General diseases.											
11	General diseases—A	121,592	4,110	3,781	4,140	4,080	4,962	4,853	5,043	5,112	5,723	5,594
12	Under 5	55,687	1,557	1,397	1,706	1,612	2,059	1,898	2,064	1,842	2,916	2,616
13	5 to 59	51,288	2,004	1,910	1,847	1,908	2,055	2,154	1,918	2,170	1,893	2,144
14	60 and over	13,771	510	444	553	531	814	768	1,032	1,061	880	803
15	Unknown	846	39	30	34	29	34	33	29	39	34	31
16	Measles	9,065	385	403	691	738	777	880	643	682	540	566
17	Under 5	5,327	224	199	424	382	460	429	388	338	359	334
18	5 to 59	3,533	157	194	256	336	305	426	238	319	169	216
19	60 and over	168	3	9	9	17	6	22	13	23	9	14
20	Unknown	37	1	1	2	3	6	3	4	2	3	[illegible]
21	Scarlet fever	3,006	169	194	161	167	168	149	147	184	126	160
22	Under 5	1,913	113	107	118	100	118	92	109	120	82	92
23	5 to 59	1,067	53	86	43	67	49	56	46	63	42	66
24	60 and over	16	2	.....	.....	.....	1	1	.....	1	2	1
25	Unknown	10	1	1	.....	.....	.....	.....	1	.....	.....	1
26	Diphtheria	6,274	329	373	253	259	242	289	201	203	180	175
27	Under 5	3,180	190	181	136	123	138	132	117	100	95	88
28	5 to 59	3,040	137	189	115	134	102	151	77	101	84	87
29	60 and over	34	1	1	.....	.....	2	4	6	2	1	.....
30	Unknown	20	1	2	2	2	.....	2	1	.....	.....	.....
31	Whooping cough	6,289	206	246	237	284	318	368	356	372	434	499
32	Under 5	5,905	188	227	218	264	296	343	338	355	410	478
33	5 to 59	360	18	19	19	19	21	24	16	14	23	20
34	60 and over	12	.....	.....	.....	1	1	.....	2	3	.....	1
35	Unknown	12	.....	.....	.....	.....	.....	1	.....	.....	1	.....
36	Malarial fever	12,348	297	273	244	267	311	297	355	366	462	500
37	Under 5	4,109	77	69	79	66	99	84	91	119	182	167
38	5 to 59	6,972	190	171	138	169	178	169	206	203	213	277
39	60 and over	1,174	25	32	25	32	33	42	57	42	66	52
40	Unknown	93	5	1	2	.....	1	2	1	2	1	4
41	Influenza	9,763	370	415	580	569	960	998	1,162	1,309	787	808
42	Under 5	2,141	93	92	175	128	254	200	266	207	184	150
43	5 to 59	2,573	97	118	151	159	227	290	272	351	178	231
44	60 and over	4,965	177	202	249	273	470	502	620	741	420	424
45	Unknown	84	3	3	5	9	9	6	4	10	5	3
46	Typhoid fever	25,630	896	740	652	617	646	574	627	634	699	688
47	Under 5	3,582	92	84	65	81	72	90	77	76	114	109
48	5 to 59	20,367	739	602	544	489	521	433	481	504	524	521
49	60 and over	1,547	60	50	42	44	52	46	65	50	57	52
50	Unknown	184	5	4	1	3	1	5	4	4	4	6
51	Diarrheal diseases	34,216	662	496	551	509	632	544	748	609	1,624	1,411
52	Under 5	24,738	361	266	292	272	363	312	456	343	1,187	963
53	5 to 59	5,469	181	144	148	142	164	149	176	166	264	288
54	60 and over	3,815	118	80	105	90	101	81	113	95	166	152
55	Unknown	194	2	6	6	5	1	2	3	5	7	8
56	Cerebro-spinal fever	2,135	107	78	93	77	117	83	125	79	120	91
57	Under 5	1,138	51	34	38	36	60	42	65	32	70	45
58	5 to 59	945	50	41	52	41	56	38	56	45	47	44
59	60 and over	44	6	2	2	.....	1	2	4	1	3	2
60	Unknown	8	.....	1	1	.....	.....	1	.....	1	.....	.....

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

NONREGISTRATION RECORD.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
16,784	14,878	20,002	17,676	22,617	20,717	21,296	19,327	21,319	18,854	19,268	16,683	21,540	17,915	1,043	856	1
5,805	4,974	7,421	6,518	8,911	7,960	7,882	7,158	6,744	5,907	5,640	4,860	6,006	4,928	147	165	2
6,913	6,961	7,938	7,887	8,951	9,002	8,770	8,605	9,350	9,026	8,587	8,194	9,763	8,711	391	323	3
3,877	2,808	4,406	3,126	4,524	3,584	4,452	3,398	4,980	3,749	4,833	3,487	5,530	4,104	199	138	4
189	135	237	145	231	171	192	166	245	172	208	142	241	172	306	230	5
1,223	1,069	1,472	1,276	1,682	1,601	1,576	1,415	1,365	1,321	1,225	1,131	1,511	1,247	223	216	6
778	612	929	783	1,109	941	1,008	881	856	779	765	645	984	729	43	57	7
261	312	335	340	385	468	341	364	306	370	255	302	294	331	71	62	8
167	133	183	129	163	172	201	138	169	145	181	161	201	159	31	27	9
17	12	25	24	25	20	26	32	34	27	24	23	32	28	78	70	10
4,046	3,849	5,817	5,548	7,631	7,229	6,780	6,446	5,753	5,350	4,208	4,014	3,768	3,387	198	170	11
2,371	2,118	3,376	3,135	4,297	3,862	3,372	3,224	2,323	2,230	1,585	1,503	1,337	1,202	41	44	12
1,318	1,389	1,898	1,941	2,653	2,683	2,844	2,670	2,876	2,673	2,214	2,148	2,006	1,816	82	74	13
337	322	509	448	630	636	531	518	515	420	383	341	397	350	27	11	14
20	20	34	24	51	48	33	34	39	27	26	22	28	19	48	41	15
265	282	205	226	195	251	168	198	125	139	151	151	202	178	12	12	16
206	192	143	141	126	160	124	121	75	87	107	83	119	96	5	5	17
58	84	58	81	67	88	41	74	46	49	39	66	81	75	[illegible]	4	18
1	5	4	3	2	3	3	3	4	3	3	1	2	6	.....	.....	19
.....	1	.....	1	.....	.....	.....	.....	.....	.....	2	1	.....	1	1	3	20
60	52	72	70	85	93	86	99	109	100	121	136	138	149	5	6	21
34	29	45	46	64	61	60	72	69	59	70	75	92	91	3	1	22
24	23	27	22	21	30	26	27	40	41	48	61	46	57	.....	3	23
2	.....	.....	2	.....	2	.....	.....	.....	.....	1	.....	.....	1	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	2	2	25
125	109	143	129	181	172	305	330	369	387	360	422	357	374	[illegible]	4	26
[illegible]	59	74	58	103	79	160	157	211	188	179	199	180	161	2	2	27
56	47	68	71	76	91	141	172	156	196	179	221	174	213	.....	2	28
1	3	1	.....	2	2	2	1	1	1	2	.....	1	.....	.....	.....	29
.....	.....	.....	.....	.....	.....	2	.....	1	2	.....	2	2	.....	1	.....	30
177	227	191	277	238	258	218	285	179	217	165	190	156	179	8	4	31
171	211	179	259	230	241	206	268	166	205	156	179	113	168	5	1	32
5	16	11	18	7	16	10	16	13	12	8	11	12	11	.....	1	33
.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	34
1	.....	.....	.....	.....	1	1	1	.....	.....	1	.....	.....	.....	3	2	35
371	389	642	687	1,057	1,031	917	902	727	693	441	433	359	293	11	23	36
141	130	239	264	389	376	303	329	222	240	130	117	104	88	1	3	37
198	227	348	371	555	565	543	469	438	387	281	272	218	167	7	12	38
27	30	52	46	105	83	69	93	59	60	30	41	37	36	.....	.....	39
5	2	3	6	8	7	2	11	8	6	.....	3	.....	2	3	8	40
108	118	93	85	81	98	115	95	122	112	148	143	224	231	18	14	41
25	21	24	14	12	21	37	19	25	23	44	25	51	48	1	2	42
28	38	21	27	22	29	32	31	34	35	31	34	64	64	4	5	43
54	57	47	44	46	47	46	45	62	54	70	79	108	116	9	3	44
1	2	1	.....	1	1	.....	.....	1	.....	3	5	1	3	4	4	45
555	579	1,060	1,024	1,627	1,623	1,864	1,676	1,942	1,834	1,439	1,323	1,193	1,004	61	53	46
111	104	202	163	259	268	277	260	204	225	165	171	129	116	6	12	47
417	435	788	784	1,271	1,231	1,484	1,316	1,628	1,500	1,197	1,068	1,003	827	33	27	48
24	34	65	72	85	106	91	86	101	102	72	77	51	55	6	2	49
3	6	5	5	12	18	12	14	9	7	5	7	10	6	16	12	50
1,901	1,649	2,876	2,540	3,582	3,122	2,556	2,343	1,631	1,375	913	759	601	513	40	29	51
1,452	1,211	2,248	1,990	2,870	2,416	1,970	1,812	1,166	1,013	582	503	363	303	11	13	52
283	275	346	306	383	353	323	289	241	202	198	163	137	128	12	8	53
159	155	261	234	306	340	253	237	211	152	124	92	98	80	9	3	54
7	8	21	10	23	13	10	5	13	8	9	1	3	2	8	5	55
114	93	103	93	98	91	91	81	92	72	63	49	68	52	4	1	56
52	50	61	58	62	64	56	47	45	53	26	32	34	24	1	.....	57
62	42	39	32	34	24	35	34	43	18	36	17	32	25	1	1	58
.....	1	[illegible]	3	1	3	.....	.....	3	.....	1	.....	2	3	1	.....	59
.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

NONREGISTRATION RECORD—Continued.

	CAUSE OF DEATH AND AGE.	Total	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	6,424	336	192	309	187	347	211	333	212	368	281
2	Under 5	4,158	194	147	198	137	203	160	192	149	200	188
3	5 to 59	1,714	106	31	90	37	102	35	113	48	134	68
4	60 and over	460	30	12	17	13	37	13	25	13	28	20
5	Unknown	92	6	2	4	.....	5	3	3	2	6	5
6	Inanition	3,523	173	129	180	123	188	139	166	118	159	161
7	Under 5	3,259	153	120	167	116	175	129	161	109	147	145
8	5 to 59	90	10	2	4	4	4	2	2	3	1	3
9	60 and over	137	10	6	8	3	7	7	3	6	7	10
10	Unknown	37	.....	1	1	.....	2	1	.....	.....	4	3
11	General diseases—C	24,339	1,140	1,102	1,126	1,048	1,340	1,223	1,315	1,251	1,238	1,259
12	Under 5	8,385	399	292	406	313	457	339	444	331	442	418
13	5 to 59	745	37	39	27	32	36	27	40	36	37	49
14	60 and over	14,898	691	756	680	692	841	843	818	866	744	775
15	Unknown	311	13	15	13	11	6	14	13	18	15	17
16	Debility and atrophy	4,174	168	162	193	147	197	167	203	171	195	210
17	Under 5	1,913	64	46	83	65	82	73	76	53	78	81
18	5 to 59	720	35	39	25	30	33	27	39	36	37	46
19	60 and over	1,435	65	72	81	50	81	59	85	77	76	76
20	Unknown	106	4	5	4	2	1	8	3	5	4	7
21	Old age—all ages	13,664	635	694	607	651	765	790	742	802	679	709
22	60 and over	13,462	626	684	599	642	760	784	733	789	668	699
23	Unknown	202	9	10	8	9	5	[illegible]	9	13	11	10
24	General diseases—D	89,153	3,607	4,079	3,678	4,189	4,153	5,089	4,323	5,174	4,611	5,829
25	Under 5	5,625	220	192	231	201	281	236	288	262	334	288
26	5 to 59	62,224	2,378	3,035	2,436	3,078	2,743	3,823	2,797	3,838	3,006	4,395
27	60 and over	20,258	975	810	961	874	1,073	978	1,184	1,034	1,224	1,094
28	Unknown	1,046	34	42	50	36	56	52	54	40	47	52
29	Consumption	55,788	2,178	2,659	2,285	2,722	2,662	3,383	2,725	3,438	2,899	3,792
30	Under 5	2,511	75	99	111	97	128	120	137	147	154	142
31	5 to 59	46,023	1,772	2,264	1,812	2,314	2,123	2,873	2,123	2,881	2,302	3,257
32	60 and over	6,590	309	265	327	290	369	360	427	383	412	357
33	Unknown	664	22	31	35	21	42	30	38	27	31	36
34	2. Diseases of the nervous system	55,016	2,648	2,052	2,739	2,124	3,110	2,444	2,981	2,488	3,022	2,701
35	Under 5	17,711	805	590	804	619	912	701	839	668	930	790
36	5 to 59	18,733	880	753	868	753	1,090	847	1,015	904	992	955
37	60 and over	18,074	929	699	1,032	741	1,089	880	1,107	893	1,070	936
38	Unknown	498	34	10	35	11	19	16	20	23	30	20
39	3. Diseases of the circulatory system	32,558	1,679	1,371	1,690	1,399	1,918	1,595	1,900	1,639	2,007	1,676
40	Under 5	2,400	135	113	129	104	168	106	115	118	157	96
41	5 to 59	13,328	595	614	571	624	660	718	666	713	749	788
42	60 and over	16,477	932	636	977	664	1,075	760	1,101	797	1,078	783
43	Unknown	353	17	8	13	7	15	11	18	11	23	[illegible]
44	4. Diseases of the respiratory system	73,531	5,081	3,970	5,583	4,414	6,806	5,300	6,024	4,947	3,860	3,149
45	Under 5	29,600	1,862	1,552	2,278	1,863	2,572	2,026	2,051	1,659	1,530	1,240
46	5 to 59	27,857	2,118	1,488	2,236	1,548	2,732	2,012	2,498	1,971	1,474	1,193
47	60 and over	15,493	1,062	906	1,026	982	1,459	1,234	1,419	1,283	896	702
48	Unknown	581	39	24	43	21	43	28	56	34	30	14
49	5. Diseases of the digestive system	31,850	1,304	1,143	1,320	1,073	1,472	1,271	1,476	1,263	1,711	1,626
50	Under 5	10,990	402	323	415	330	431	335	411	313	553	514
51	5 to 59	13,649	578	557	565	490	630	607	694	639	696	757
52	60 and over	7,017	309	262	328	247	404	321	362	306	453	350
53	Unknown	194	15	1	12	6	7	8	9	5	9	5
54	6. Diseases of the urinary system	15,494	954	412	935	426	1,048	519	1,119	468	1,124	535
55	Under 5	735	33	23	46	26	46	36	40	32	40	24
56	5 to 59	6,566	361	240	328	263	350	321	363	248	401	319
57	60 and over	8,033	554	143	552	133	642	159	702	182	674	190
58	Unknown	160	6	6	9	4	10	3	14	6	9	2
59	7. Affections connected with pregnancy	5,927	.....	564	.....	588	.....	691	.....	612	.....	661

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

NONREGISTRATION RECORD—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
273	167	324	209	347	254	320	217	312	196	297	207	308	192	16	9	1
172	120	189	165	219	189	203	161	188	156	174	144	166	138	3	3	2
71	37	104	33	97	53	93	46	93	30	86	47	112	36	7	5	3
25	9	26	10	24	8	20	9	24	8	34	11	27	16	1	.....	4
5	1	5	1	7	4	4	1	7	2	3	5	3	2	5	1	5
130	103	145	137	169	155	163	129	164	125	152	126	154	126	5	4	6
124	93	138	130	159	141	152	118	152	117	139	112	143	113	3	3	7
1	6	3	2	2	8	7	7	2	2	4	5	4	2	.....	.....	8
4	3	4	5	5	4	4	3	5	4	8	7	5	9	.....	.....	9
1	1	.....	.....	3	2	.....	1	5	2	1	2	2	2	2	1	10
741	707	864	777	915	889	866	883	1,010	910	897	834	1,041	882	46	85	11
286	268	343	270	391	344	336	316	405	305	343	271	393	267	1	5	12
27	24	35	33	27	20	19	25	29	26	23	33	32	29	2	1	13
418	405	472	467	490	512	495	532	567	568	521	519	605	571	29	21	14
10	10	14	7	7	13	16	10	9	11	10	11	11	15	14	8	15
141	129	197	143	193	178	189	191	205	175	160	150	163	136	8	3	16
62	63	102	72	113	109	105	116	111	85	81	70	69	53	.....	1	17
26	21	35	32	25	20	19	25	29	26	22	33	30	27	2	1	18
47	44	53	38	54	43	53	45	61	58	54	46	63	52	1	1	19
6	1	7	1	1	6	12	5	4	6	3	1	1	4	5	.....	20
375	370	426	435	442	476	445	492	511	515	474	483	551	530	37	28	21
371	361	419	429	436	469	441	487	506	510	467	473	542	519	28	20	22
4	9	7	6	6	7	4	5	5	5	7	10	9	11	9	8	23
2,622	3,106	2,850	3,563	2,764	3,664	2,711	3,379	2,789	3,660	2,840	3,334	3,204	3,667	106	162	24
169	177	263	188	230	283	261	234	246	223	222	197	205	185	2	7	25
1,741	2,356	1,774	2,682	1,732	2,682	1,723	2,451	1,726	2,682	1,790	2,446	2,111	2,706	55	88	26
667	540	777	666	762	660	702	654	773	763	797	659	842	741	23	25	27
45	33	36	27	40	39	25	40	44	42	31	32	46	35	26	42	28
1,618	1,985	1,654	2,258	1,549	2,284	1,598	2,121	1,585	2,211	1,648	2,097	1,970	2,305	63	99	29
67	81	115	88	88	126	113	106	90	94	87	86	83	73	1	3	30
1,312	1,742	1,288	1,975	1,207	1,947	1,237	1,795	1,218	1,882	1,304	1,762	1,558	1,964	44	67	31
212	139	226	184	231	187	231	195	250	215	239	231	297	244	3	7	32
27	23	25	11	23	24	17	25	27	20	18	18	32	24	15	22	33
2,078	1,728	2,291	1,858	2,531	2,104	2,254	1,923	2,237	1,732	2,142	1,565	2,402	1,735	74	53	34
737	617	861	760	1,052	848	850	780	705	569	630	471	662	483	13	15	35
708	622	772	628	808	673	753	616	757	589	717	554	831	613	15	20	36
606	470	633	454	654	571	630	516	754	559	773	528	887	624	26	13	37
27	19	25	16	17	12	21	11	21	15	22	12	22	15	20	5	38
1,109	910	1,139	897	1,152	984	1,156	905	1,299	1,087	1,268	999	1,540	1,132	63	44	39
89	61	83	51	109	69	90	63	110	76	87	75	107	89	.....	.....	40
415	461	396	461	447	497	424	449	500	519	445	478	578	524	23	13	41
588	376	644	377	576	408	625	386	675	479	725	436	836	503	25	15	42
17	12	16	8	20	10	17	7	14	13	11	10	19	16	15	16	43
1,224	944	1,076	911	1,205	1,068	1,510	1,232	2,246	1,820	2,505	2,026	3,572	2,876	108	74	44
546	459	506	472	558	549	765	653	1,006	855	1,081	899	1,414	1,166	21	17	45
426	341	346	279	395	360	441	379	785	606	923	724	1,449	1,074	38	21	46
248	140	211	152	241	155	293	193	430	346	477	390	671	620	14	13	47
4	4	13	8	11	4	11	7	25	13	24	13	38	16	35	23	48
1,088	1,012	1,420	1,233	1,608	1,390	1,584	1,397	1,539	1,252	1,211	1,115	1,219	1,045	46	32	49
413	358	594	508	657	609	688	594	553	460	408	402	372	324	14	9	50
449	438	525	504	636	520	603	570	620	544	516	482	519	489	11	10	51
223	208	292	211	306	256	290	224	358	241	271	226	321	225	12	8	52
3	8	9	10	9	5	3	9	8	7	13	5	7	7	9	5	53
680	336	769	339	758	324	767	345	843	352	798	334	891	381	24	13	54
19	20	29	22	31	27	29	28	43	22	43	20	30	25	.....	1	55
247	201	274	199	264	190	263	198	305	211	280	200	318	208	10	4	56
407	113	455	115	455	103	469	115	488	115	465	110	540	142	6	4	57
7	2	11	3	8	4	6	4	7	4	10	4	3	6	8	4	58
.....	385	.....	373	.....	395	.....	438	.....	425	.....	370	.....	409	.....	16	59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

NONREGISTRATION RECORD—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	29,864	1,824	727	1,797	765	1,863	779	1,868	731	2,578	739
2	Under 5	5,594	317	311	305	317	316	305	300	235	291	215
3	5 to 59	20,161	1,259	323	1,244	329	1,307	354	1,310	380	1,943	398
4	60 and over	3,507	213	86	221	118	200	114	216	106	266	116
5	Unknown	602	35	7	27	1	40	6	42	10	78	10
6	Burns and scalds	4,227	230	334	205	365	190	313	140	246	110	207
7	Under 5	2,237	162	162	129	168	130	131	95	81	70	69
8	5 to 59	1,658	48	147	62	166	46	153	39	141	35	119
9	60 and over	293	19	21	13	31	9	28	5	21	5	17
10	Unknown	39	1	4	1		5	1	1	3		2
11	Drowning	2,235	78	26	81	18	128	24	169	33	239	53
12	Under 5	339	6	6	12	5	13	7	31	13	29	26
13	5 to 59	1,727	67	18	63	11	103	15	123	18	197	26
14	60 and over	118	5	2	5	2	7	2	11	1	12	1
15	Unknown	51			1		5		4	1	1	
16	Exposure and neglect	671	40	39	51	44	36	51	31	40	45	30
17	Under 5	457	29	30	31	33	21	34	23	28	33	19
18	5 to 59	132	4	8	11	9	7	13	6	9	6	8
19	60 and over	74	5	1	8	2	8	4	2	3	6	3
20	Unknown	8	2		1							
21	Gunshot wounds	2,957	218	21	186	33	228	34	200	26	286	30
22	Under 5	89	6	2	3	4	4	2	1	1	8	2
23	5 to 59	2,703	198	19	175	29	210	30	187	23	253	26
24	60 and over	93	10		5		8		9	2	15	
25	Unknown	72	4		3		6	2	3		10	2
26	Homicide	1,196	69	7	95	15	76	12	88	19	115	23
27	Under 20	168	7	4	9	8	9	3	12	3	12	6
28	20 to 59	917	58	2	73	5	61	8	67	14	94	15
29	60 and over	73	3	1	10	2	5	1	6		6	1
30	Unknown	38	1		3		1		3	2	3	1
31	Injuries by machinery	221	21		12		11		13		18	
32	Under 20	58	2		2		3		2		5	
33	20 to 59	152	18		8		8		11		12	
34	60 and over	10	1		2						1	
35	Unknown	1										
36	Railroad accidents	3,138	233	13	218	9	261	11	236	16	311	20
37	Under 5	38		1	1		2		3	2	5	2
38	5 to 59	2,684	203	12	190	6	234	7	197	13	261	12
39	60 and over	314	23		23	3	20	3	28	1	28	6
40	Unknown	102	7		4		5	1	8		17	
41	Suicide by shooting	476	44	4	32	1	44	2	45	7	55	9
42	Under 20	24	1				2		1	2		
43	20 to 59	385	37	4	25	1	36	2	37	5	45	9
44	60 and over	55	5		6		5		6		6	
45	Unknown	12	1		1		1		1		4	
46	Suicide by drowning	77	2	3		2	1	4	11	6	7	8
47	Under 20	5						1				3
48	20 to 59	49	1	3		2		3	7	6	4	5
49	60 and over	22	1				1		4		3	
50	Unknown	1										
51	Suicide by poison	310	20	8	19	9	19	7	23	4	22	12
52	Under 20	37	2	1	1	2		1	3	1		2
53	20 to 59	236	16	7	16	6	18	5	18	3	22	10
54	60 and over	34	2		2	1	1	1	2			
55	Unknown	3										
56	Other suicides	1,235	56	17	81	11	88	16	107	32	112	24
57	Under 20	74		1	2	1	3	1	3	6	2	5
58	20 to 59	879	44	15	66	8	58	14	81	22	77	16
59	60 and over	252	9	1	11	2	24	1	22	4	32	3
60	Unknown	30	3		2		3		1		1	
61	Sunstroke	289	8	1	4		9	1	6	3	13	4
62	Under 5	28	1					1		2	1	
63	5 to 59	179	5	1	2		4		5	1	11	4
64	60 and over	76	2		2		4		1		1	
65	Unknown	6					1					

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

NONREGISTRATION RECORD—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,544	465	1,817	454	1,848	542	1,612	510	1,772	523	1,748	536	1,938	724	138	22	1
162	124	174	114	180	146	214	159	232	181	241	179	283	279	9	5	2
1,177	272	1,413	268	1,438	310	1,207	267	1,301	250	1,291	281	1,441	310	76	12	3
171	64	182	62	196	79	161	80	202	85	182	74	184	124	5	.....	4
34	5	48	10	34	7	30	4	37	7	34	2	30	11	48	5	5
62	73	66	104	68	97	92	139	136	146	165	192	198	329	13	7	6
35	29	39	37	39	38	58	64	96	77	117	83	152	169	4	3	7
25	41	24	61	26	53	31	59	32	58	35	92	36	122	4	3	8
1	3	3	5	3	6	2	13	7	10	11	16	8	36	.....	.....	9
1	.....	.....	1	.....	.....	1	3	1	1	2	1	2	2	5	1	10
290	55	307	46	228	47	88	24	67	14	90	13	87	14	14	2	11
34	15	20	11	33	10	16	8	13	3	13	7	4	3	1	.....	12
235	39	269	29	185	33	68	16	48	7	66	5	70	8	7	1	13
12	1	9	5	4	3	4	.....	5	4	8	1	11	3	.....	.....	14
9	.....	9	1	6	1	.....	.....	1	.....	3	.....	2	.....	6	1	15
7	14	8	13	24	20	24	10	13	17	28	11	35	38	.....	2	16
6	11	5	9	15	13	16	9	7	13	16	10	17	28	.....	1	17
.....	2	1	4	4	6	6	.....	3	2	8	1	9	4	.....	1	18
1	1	2	.....	5	.....	2	1	3	2	4	.....	6	5	.....	.....	19
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	3	1	.....	.....	20
142	18	182	24	179	31	178	33	233	26	245	33	309	41	20	1	21
3	1	5	3	5	5	6	5	5	3	5	2	5	2	1	.....	22
135	16	168	21	163	26	159	28	217	23	227	30	292	36	11	1	23
3	1	6	.....	5	.....	6	.....	7	.....	8	.....	7	1	.....	.....	24
1	.....	3	.....	6	.....	7	.....	4	.....	5	1	5	2	8	.....	25
64	8	79	11	91	13	73	10	91	18	84	14	98	10	11	2	26
10	3	11	1	12	1	12	2	9	3	11	5	12	3	.....	.....	27
47	4	63	9	64	10	54	5	75	14	68	9	84	6	6	2	28
6	.....	4	1	11	1	5	2	2	1	3	.....	2	.....	.....	.....	29
1	1	1	.....	4	1	2	1	5	.....	2	.....	.....	1	5	.....	30
4	1	11	3	16	.....	30	3	24	1	34	.....	18	.....	1	.....	31
.....	.....	2	3	3	.....	11	2	6	1	10	.....	5	.....	1	.....	32
4	1	8	.....	12	.....	18	1	16	.....	22	.....	13	.....	.....	.....	33
.....	.....	1	.....	.....	.....	1	.....	2	.....	2	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
161	12	244	16	231	13	237	24	265	15	240	20	278	35	18	1	36
2	1	5	1	1	1	3	1	4	1	.....	1	.....	1	.....	.....	37
131	10	202	11	209	9	214	18	221	9	221	16	238	27	13	.....	38
22	1	24	4	16	8	15	5	32	3	13	3	33	5	.....	.....	39
6	.....	13	.....	5	.....	5	.....	8	2	6	.....	7	2	5	1	40
29	3	32	2	35	4	22	3	29	8	29	3	27	4	3	.....	41
4	1	1	.....	1	2	2	.....	1	3	2	.....	1	.....	.....	.....	42
21	2	22	2	29	2	17	3	27	4	23	3	24	4	1	.....	43
4	.....	8	.....	4	.....	3	.....	1	1	4	.....	2	.....	.....	.....	44
.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	45
2	1	6	3	4	2	1	2	5	1	4	.....	2	.....	.....	.....	46
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	47
.....	.....	3	3	1	.....	1	1	5	1	2	.....	1	.....	.....	.....	48
2	1	2	.....	2	2	.....	1	.....	.....	2	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	50
17	10	14	4	17	7	16	9	12	7	15	10	14	12	2	1	51
.....	4	1	.....	1	2	1	2	1	3	1	4	1	3	.....	.....	52
13	5	11	3	13	5	11	7	8	2	13	5	9	8	2	.....	53
4	1	2	1	3	.....	3	.....	3	1	1	1	4	1	.....	.....	54
.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	1	55
85	24	85	19	83	21	75	20	75	19	79	18	68	11	8	1	56
7	2	4	5	2	3	4	1	6	1	4	2	6	2	.....	1	57
58	18	59	11	60	13	53	17	52	13	52	14	46	8	4	.....	58
19	3	18	3	20	4	17	2	17	4	18	2	14	1	1	.....	59
1	1	4	.....	1	1	1	.....	.....	1	5	.....	2	.....	3	.....	60
31	6	50	6	67	18	28	8	10	4	6	.....	5	1	.....	.....	61
2	1	5	2	3	5	3	1	.....	.....	.....	.....	.....	1	.....	.....	62
21	5	28	3	47	8	17	6	3	2	5	.....	2	.....	.....	.....	63
7	.....	16	1	16	4	8	1	7	2	1	.....	8	.....	.....	.....	64
1	.....	1	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	65

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 1.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes	69,447	2,994	2,892	2,766	2,731	3,878	4,040	3,624	3,481	2,908	2,749
2	Under 5	20,561	880	702	815	677	1,032	831	933	659	834	653
3	5 to 59	26,546	1,134	1,171	1,097	1,088	1,494	1,469	1,392	1,356	1,180	1,144
4	60 and over	22,085	962	1,011	845	953	1,342	1,731	1,286	1,456	883	946
5	Unknown	255	18	8	9	13	10	9	13	10	11	6
6	Unknown cause	554	30	16	21	13	36	35	26	20	27	24
7	Under 5	227	11	3	8	7	17	11	11	6	13	12
8	5 to 59	191	11	8	6	2	14	11	12	7	7	9
9	60 and over	116	7	5	6	3	5	12	3	6	6	3
10	Unknown	20	1		1	1		1		1	1	
	1. General diseases.											
11	General diseases—A	12,283	314	347	338	342	533	711	557	654	392	340
12	Under 5	7,179	178	176	163	169	205	187	194	148	179	149
13	5 to 59	2,842	87	117	114	101	146	205	150	170	134	99
14	60 and over	2,238	49	53	61	71	182	316	211	334	78	92
15	Unknown	24		1		1		3	2	2	1	
16	Measles	572	31	42	41	49	53	44	26	37	43	39
17	Under 5	478	26	33	35	35	49	33	25	29	38	33
18	5 to 59	93	5	9	6	13	4	11	1	8	5	6
19	60 and over	1				1						
20	Unknown											
21	Scarlet fever	413	28	26	31	23	23	28	26	16	28	28
22	Under 5	254	20	17	16	11	16	18	14	10	16	23
23	5 to 59	157	8	9	15	12	7	10	12	6	11	5
24	60 and over	1										
25	Unknown	1									1	
26	Diphtheria	1,174	70	74	62	51	50	60	49	48	51	41
27	Under 5	774	52	41	45	37	35	41	34	30	34	30
28	5 to 59	398	18	33	17	14	15	19	15	18	17	11
29	60 and over	2										
30	Unknown											
31	Whooping cough	591	18	25	16	26	18	38	34	21	15	18
32	Under 5	565	17	24	16	26	18	36	32	21	15	17
33	5 to 59	19	1					1	2			1
34	60 and over	3										
35	Unknown	4		1				1				
36	Malarial fever	157	2	3	5	4	3	1	5	2	5	4
37	Under 5	32					2	1	1	1	1	2
38	5 to 59	67	2	2	3	2	1		1		2	1
39	60 and over	58		1	2	2			3	1	2	1
40	Unknown											
41	Influenza	1,853	29	53	53	73	227	397	286	426	86	97
42	Under 5	167	6	12	7	13	25	21	29	20	7	5
43	5 to 59	433	5	11	16	16	51	89	73	97	24	20
44	60 and over	1,246	18	30	30	43	151	285	182	307	55	72
45	Unknown	7				1		2	2	2		
46	Typhoid fever	868	35	33	32	13	28	28	21	12	31	23
47	Under 5	35	3	3	1			1	2			2
48	5 to 59	788	31	29	30	12	26	25	19	11	31	21
49	60 and over	42	1	1	1	1	2	2		1		
50	Unknown	3										
51	Diarrheal diseases	5,454	47	48	38	44	50	44	50	36	75	32
52	Under 5	4,513	37	34	26	32	36	22	35	23	55	18
53	5 to 59	387	4	6	4	6	6	11	8	5	16	7
54	60 and over	547	6	8	8	6	8	11	7	8	4	7
55	Unknown	7										
56	Cerebro-spinal fever	280	12	9	9	7	19	10	12	11	10	13
57	Under 5	168	7	7	5	4	9	4	10	7	4	9
58	5 to 59	108	5	2	4	3	9	5	2	4	6	4
59	60 and over	4					1	1				
60	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 1.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
2,462	2,256	3,088	2,895	3,258	2,965	2,713	2,631	2,440	2,429	2,409	2,282	2,907	2,637	6	6	1
732	628	1,440	1,210	1,480	1,209	1,027	887	702	621	645	516	794	653	.....	1	2
1,012	909	957	970	1,036	921	955	942	986	1,012	1,020	961	1,257	1,080	1	2	3
708	717	678	701	734	822	725	795	740	779	734	792	845	897	1	2	4
10	2	13	14	8	13	6	7	12	17	10	13	11	7	4	1	5
23	18	20	13	20	23	15	22	25	22	33	14	26	28	3	1	6
11	13	8	4	10	3	8	7	11	6	14	9	9	14	.....	1	7
8	2	9	5	6	12	4	6	10	10	11	3	10	8	.....	.....	8
4	3	2	4	4	4	2	7	4	5	7	1	7	5	1	.....	9
.....	.....	1	.....	.....	4	1	2	.....	1	1	1	.....	1	2	.....	10
341	300	1,013	951	1,086	991	633	624	346	349	254	253	292	313	.....	.....	11
227	198	865	770	871	731	442	417	191	186	122	126	132	153	.....	.....	12
72	75	90	107	128	116	134	129	118	112	113	90	117	118	.....	.....	13
41	36	54	73	85	142	57	78	37	51	18	36	41	42	.....	.....	14
1	.....	4	1	2	2	.....	.....	.....	.....	1	1	2	.....	.....	.....	15
27	19	16	20	11	7	4	5	5	4	6	8	18	17	.....	.....	16
21	15	15	19	10	6	3	4	4	3	6	7	15	14	.....	.....	17
6	4	1	1	1	1	1	1	1	1	.....	1	3	3	.....	.....	18
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
12	16	8	7	4	10	8	8	12	7	9	10	21	24	.....	.....	21
8	7	4	2	3	7	6	4	8	4	7	5	11	16	.....	.....	22
4	9	4	5	1	2	2	4	4	3	2	4	10	8	.....	.....	23
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
23	28	30	38	27	29	32	48	54	52	50	60	69	78	.....	.....	26
14	21	20	25	22	14	21	26	35	36	34	31	46	50	.....	.....	27
9	7	10	13	5	15	11	22	19	16	16	27	23	28	.....	.....	28
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30
23	24	31	41	27	53	17	32	11	23	11	22	21	26	.....	.....	31
22	22	28	38	26	51	17	32	11	22	11	21	18	24	.....	.....	32
1	2	2	3	.....	1	.....	.....	.....	1	.....	1	2	1	.....	.....	33
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	34
.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
6	6	6	18	10	14	10	18	6	12	8	3	4	2	.....	.....	36
.....	.....	2	2	2	2	4	7	2	1	2	.....	.....	.....	.....	.....	37
3	3	1	9	7	5	3	8	2	4	3	2	1	2	.....	.....	38
3	3	3	7	1	7	3	3	2	7	3	1	3	.....	.....	.....	39
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	40
14	8	3	2	5	4	3	6	7	7	4	17	24	22	.....	.....	41
1	.....	.....	.....	.....	.....	1	.....	3	.....	3	2	5	4	.....	.....	42
4	1	2	1	2	1	1	2	1	3	1	3	4	5	.....	.....	43
9	7	1	1	3	3	1	4	3	4	.....	12	12	13	.....	.....	44
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	45
17	16	33	17	46	34	94	47	72	51	66	30	50	39	.....	.....	46
2	2	1	.....	.....	1	4	3	3	.....	.....	2	2	3	.....	.....	47
14	13	28	16	45	29	86	41	64	48	65	25	46	33	.....	.....	48
1	1	3	1	1	4	4	3	5	3	.....	2	2	3	.....	.....	49
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	50
173	139	841	767	905	801	439	415	136	159	51	70	41	53	.....	.....	51
147	113	774	668	791	639	377	324	113	108	43	45	24	29	.....	.....	52
14	13	27	43	49	50	21	34	10	20	4	13	7	9	.....	.....	53
11	13	38	56	63	111	41	57	13	31	4	12	9	15	.....	.....	54
1	.....	2	.....	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	55
17	17	18	14	16	8	7	9	11	10	13	9	7	12	.....	.....	56
8	11	13	9	9	7	3	7	6	6	8	6	4	5	.....	.....	57
9	6	5	5	6	1	4	2	4	4	5	3	3	7	.....	.....	58
.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 1—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	1,305	58	37	54	36	64	40	65	33	55	42
2	Under 5	845	30	21	31	27	41	27	36	24	34	25
3	5 to 59	360	22	13	21	8	16	8	26	7	15	11
4	60 and over	86	6	2	2	.....	7	5	3	2	3	6
5	Unknown	14	.....	1	.....	1	.....	.....	.....	.....	3	.....
6	Inanition	857	29	22	30	26	41	29	36	25	34	28
7	Under 5	807	29	20	29	26	40	24	33	23	33	23
8	5 to 59	18	.....	.....	1	.....	.....	1	2	1	1	1
9	60 and over	23	.....	1	.....	.....	1	4	1	1	.....	4
10	Unknown	9	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
11	General diseases—C	6,121	253	275	212	220	298	302	255	264	269	242
12	Under 5	3,468	144	106	126	103	166	130	150	104	168	107
13	5 to 59	89	3	10	8	4	5	2	3	8	2	3
14	60 and over	2,547	105	159	82	112	127	168	102	152	99	132
15	Unknown	17	1	.....	1	1	.....	2	.....	.....	.....	.....
16	Debility and atrophy	1,940	69	55	57	48	73	59	66	61	86	51
17	Under 5	1,591	49	34	47	33	56	47	54	38	73	35
18	5 to 59	89	8	10	3	4	5	2	3	8	2	3
19	60 and over	252	16	11	7	10	12	10	9	15	11	13
20	Unknown	8	1	.....	.....	1	.....	.....	.....	.....	.....	.....
21	Old age—all ages	2,301	89	148	75	102	115	160	93	137	88	119
22	60 and over	2,295	89	148	75	102	115	158	93	137	88	119
23	Unknown	6	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
24	General diseases—D	12,169	520	536	428	513	597	658	587	585	482	574
25	Under 5	987	33	34	40	37	55	43	58	34	36	55
26	5 to 59	8,504	385	392	303	362	415	442	388	416	339	395
27	60 and over	2,647	100	109	84	114	124	172	140	134	107	122
28	Unknown	31	2	1	1	.....	3	1	1	1	.....	2
29	Consumption	7,208	360	292	277	282	427	352	384	331	312	337
30	Under 5	306	13	8	9	9	20	12	20	13	12	24
31	5 to 59	6,178	314	262	241	245	341	303	312	280	265	281
32	60 and over	709	32	22	27	28	63	36	51	38	35	31
33	Unknown	15	1	.....	.....	.....	3	1	1	.....	.....	1
34	2. Diseases of the nervous system	8,728	386	385	361	325	438	452	445	380	352	365
35	Under 5	2,211	101	91	106	57	115	93	122	79	105	68
36	5 to 59	2,544	99	102	101	100	120	129	130	94	107	115
37	60 and over	3,944	185	191	154	166	201	230	191	207	139	181
38	Unknown	29	1	1	.....	2	2	.....	2	.....	1	1
39	3. Diseases of the circulatory system	6,645	295	319	316	295	389	388	318	302	268	302
40	Under 5	323	15	17	17	10	23	14	18	10	16	18
41	5 to 59	2,574	103	150	110	123	153	150	95	117	101	128
42	60 and over	3,728	177	152	187	162	212	224	204	175	149	155
43	Unknown	20	.....	.....	2	.....	1	.....	1	.....	2	1
44	4. Diseases of the respiratory system	10,696	656	571	586	609	960	1,025	844	803	500	447
45	Under 5	4,046	306	214	271	239	332	277	276	199	199	173
46	5 to 59	3,369	197	150	189	162	336	293	306	271	182	134
47	60 and over	3,249	151	205	123	206	290	455	259	328	118	140
48	Unknown	32	2	2	3	2	2	.....	3	5	1	.....
49	5. Diseases of the digestive system	3,280	121	163	105	124	155	144	139	150	164	142
50	Under 5	662	32	20	26	13	43	28	32	31	48	24
51	5 to 59	1,649	55	82	46	72	77	73	72	88	77	76
52	60 and over	960	34	59	32	38	35	42	35	31	39	41
53	Unknown	9	.....	2	1	1	.....	1	.....	.....	.....	1
54	6. Diseases of the urinary system	3,681	197	121	172	125	212	164	207	130	202	125
55	Under 5	113	11	2	6	2	6	4	5	7	4	4
56	5 to 59	1,700	69	68	87	75	87	82	89	66	81	69
57	60 and over	1,854	115	51	79	47	118	78	112	57	117	51
58	Unknown	14	2	.....	.....	1	1	.....	1	.....	.....	1
59	7. Affections connected with pregnancy	397	.....	34	.....	30	.....	35	.....	54	.....	53

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 1—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
51	37	83	50	84	57	78	55	59	33	69	32	88	45	.....	.....	1
29	27	64	39	63	47	51	45	34	19	39	15	47	30	.....	.....	2
14	10	15	10	17	8	23	7	20	10	26	9	32	12	.....	.....	3
6	.....	4	1	4	2	3	3	4	3	4	6	8	2	.....	.....	4
2	.....	.....	.....	.....	.....	1	.....	1	1	.....	2	1	1	.....	.....	5
31	25	61	39	58	48	53	47	34	21	38	21	50	31	.....	.....	6
28	25	61	37	58	46	50	44	32	18	38	15	47	28	.....	.....	7
.....	.....	.....	2	.....	1	2	2	.....	.....	.....	1	1	2	.....	.....	8
1	.....	.....	.....	.....	1	.....	1	1	2	.....	3	1	1	.....	.....	9
2	.....	.....	.....	.....	.....	1	.....	1	1	.....	2	1	.....	.....	.....	10
235	212	261	236	297	297	305	280	233	261	205	225	256	228	.....	.....	11
157	99	187	139	211	173	226	169	151	140	134	108	163	107	.....	.....	12
2	4	4	2	4	2	4	2	.....	5	4	4	6	3	.....	.....	13
74	109	68	94	82	121	75	108	82	113	67	112	87	117	.....	.....	14
2	.....	2	1	.....	1	.....	1	.....	3	.....	1	.....	1	.....	.....	15
79	60	97	96	154	126	157	132	77	86	59	74	67	51	.....	.....	16
65	41	91	72	145	108	142	117	70	73	51	53	57	40	.....	.....	17
2	4	4	2	4	2	4	2	.....	5	4	4	6	3	.....	.....	18
11	15	1	22	5	15	11	12	7	6	4	17	4	8	.....	.....	19
1	.....	1	.....	.....	1	.....	1	.....	2	.....	.....	.....	.....	.....	.....	20
63	94	67	73	77	106	64	96	75	108	63	96	83	110	.....	.....	21
63	94	67	72	77	106	64	96	75	107	63	95	83	109	.....	.....	22
.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	23
413	510	432	534	465	459	420	515	460	532	431	523	485	508	.....	2	24
38	36	45	43	53	31	44	37	52	34	29	34	42	44	.....	.....	25
288	356	298	379	334	313	282	357	298	374	311	359	363	353	.....	2	26
87	117	88	110	78	114	93	121	107	120	90	128	79	109	.....	.....	27
.....	1	1	2	.....	1	1	.....	3	4	1	2	1	2	.....	.....	28
255	252	285	286	300	227	263	270	300	269	277	261	327	281	.....	1	29
9	12	15	12	15	9	9	14	24	10	4	9	12	12	.....	.....	30
221	224	241	248	267	199	225	235	242	235	250	226	284	236	.....	1	31
25	15	29	26	18	18	29	21	32	23	22	25	31	32	.....	.....	32
.....	1	.....	.....	.....	1	.....	.....	2	1	1	1	.....	1	.....	.....	33
343	323	353	352	393	372	350	301	343	347	318	282	395	366	.....	1	34
89	87	127	90	135	110	108	69	92	78	83	49	93	64	.....	.....	35
118	90	106	99	117	101	107	93	101	96	101	92	120	106	.....	.....	36
135	145	118	160	140	160	133	138	149	170	132	141	182	195	.....	1	37
1	1	2	3	1	1	2	1	1	3	2	.....	.....	1	.....	.....	38
234	230	244	212	237	211	227	264	242	224	280	255	314	279	.....	.....	39
7	16	14	13	13	11	12	14	12	11	15	5	13	9	.....	.....	40
94	85	96	74	75	89	75	91	94	108	98	115	127	123	.....	.....	41
132	129	132	124	149	110	139	159	136	105	167	133	170	116	.....	.....	42
1	.....	2	1	.....	1	1	.....	.....	.....	.....	2	4	1	.....	.....	43
261	226	155	152	150	132	174	191	248	269	349	345	556	487	.....	.....	44
108	92	65	68	65	55	74	85	110	98	162	132	248	198	.....	.....	45
95	72	48	49	56	43	57	47	83	81	100	101	174	143	.....	.....	46
58	62	42	31	29	33	43	58	54	87	87	111	133	146	.....	.....	47
.....	.....	.....	4	.....	1	.....	1	1	3	.....	1	1	.....	.....	.....	48
145	128	140	154	139	167	124	131	127	124	120	122	124	127	.....	1	49
23	27	36	29	34	33	30	22	23	23	26	20	24	15	.....	.....	50
78	55	66	81	80	83	58	60	59	59	55	62	68	67	.....	.....	51
44	46	38	43	25	50	36	49	45	41	39	40	32	45	.....	1	52
.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	53
177	121	159	117	159	126	185	124	167	125	150	123	164	129	.....	.....	54
4	6	5	3	5	2	9	3	5	4	5	5	3	3	.....	.....	55
77	69	48	69	48	67	63	73	68	68	61	63	85	63	.....	.....	56
96	46	106	44	105	56	113	48	93	52	82	55	75	58	.....	.....	57
.....	.....	.....	1	1	1	.....	.....	1	1	2	.....	1	.....	.....	.....	58
.....	27	.....	39	.....	26	.....	20	.....	35	.....	21	.....	23	.....	.....	59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 1—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	3,021	150	58	160	63	171	61	156	77	176	54
2	Under 5	418	18	15	18	9	26	16	21	16	25	15
3	5 to 59	1,964	95	23	109	24	109	23	111	42	123	21
4	60 and over	598	28	20	33	27	35	22	21	19	26	18
5	Unknown	41	9			3	1		3		2	
6	Burns and scalds	275	11	18	9	9	17	7	9	17	10	9
7	Under 5	100	5	7	3	2	7	4	5	5	6	3
8	5 to 59	125	1	7	3	4	8	2	4	7	2	4
9	60 and over	48	5	4	3	3	2	1		5	1	2
10	Unknown	2									1	
11	Drowning	445	12	3	11	2	25	1	20	2	34	3
12	Under 5	32					4		1		4	2
13	5 to 59	385	8	3	10	1	21	1	17	2	29	1
14	60 and over	17	2		1	1			1		1	
15	Unknown	11	2						1			
16	Exposure and neglect	29	3	1	8		4	1		1		
17	Under 5	6	1		1					1		
18	5 to 59	13	1		6		3					
19	60 and over	9	1	1	1		1	1				
20	Unknown	1										
21	Gunshot wounds	56	5	1	3		1	1	4		2	
22	Under 5	1			1							
23	5 to 59	52	5	1	2		1	1	4		2	
24	60 and over	3										
25	Unknown											
26	Homicide	29	2				1	2	1			1
27	Under 20	4					1	1				
28	20 to 59	25	2					1	1			1
29	60 and over											
30	Unknown											
31	Injuries by machinery	9			3		4					
32	Under 20	1					1					
33	20 to 59	7			3		2					
34	60 and over	1					1					
35	Unknown											
36	Railroad accidents	359	26	1	33	1	17	1	20	4	22	1
37	Under 5	6			1							
38	5 to 59	289	20	1	27	1	14	1	18	3	20	
39	60 and over	53	4		5		2		1	1	1	1
40	Unknown	11	2				1		1		1	
41	Suicide by shooting	91	5		4		9		10	1	10	1
42	Under 20	1									1	
43	20 to 59	74	5		2		6		7	1	8	1
44	60 and over	16			2		3		3		1	
45	Unknown											
46	Suicide by drowning	36	1	2		1	3	1		1	5	2
47	Under 20	1										
48	20 to 59	22	1	1		1	2	1			2	2
49	60 and over	13		1			1			1	3	
50	Unknown											
51	Suicide by poison	72	6	1	2		1		2	4	4	1
52	Under 20	5	1							2	1	
53	20 to 59	54	3		1		1		1	2	3	1
54	60 and over	11	1	1	1				1			
55	Unknown	2	1									
56	Other suicides	188	7	2	12	3	12	2	17	5	13	5
57	Under 20	1							1			
58	20 to 59	145	5	1	10	3	9	2	11	5	11	3
59	60 and over	42	2	1	2		3		5		2	3
60	Unknown											
61	Sunstroke	16										
62	Under 5	6										
63	5 to 59	5										
64	60 and over	5										
65	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 1—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
219	80	214	60	208	74	191	76	176	73	182	65	195	78	3	1	1
35	23	19	11	14	10	19	15	19	18	13	12	18	13			2
154	39	171	38	160	39	142	39	124	32	132	25	148	40	1		3
27	18	23	11	30	25	30	22	28	23	34	25	28	25			4
3		1		4				5		3	3	1		2	1	5
11	8	6	14	4	12	7	19	9	13	14	11	11	20			6
5	4	1	2	1	3	4	6	5	5	4	4	5	4			7
5	4	5	10	2	5	2	13	4	5	6	5	5	12			8
1			2	1	4	1			3	4	1	1	4			9
											1					10
61	2	60	12	53	7	40	9	21	3	25		35	1	2	1	11
6	1	4	1	1		2	2	1	1	1		1				12
52	1	54	11	50	6	34	7	18	2	22		33	1	1		13
1		2			1	4		1		1		1				14
2				2				1		1				1	1	15
	1				1			3		1		3	2			16
	1							1					1			17
					1			1		1						18
								1				2	1			19
												1				20
3	2	2	1	3		5		6	1	10	1	4	1			21
																22
2	2	2	1	2		5		6	1	9	1	4	1			23
1				1						1						24
																25
	3	2	1	4	2	1		1	3	4		1				26
					1					1						27
	3	2	1	4	1	1		1	3	3		1				28
																29
																30
						1				1						31
																32
						1				1						33
																34
																35
31	4	24	2	48	11	24	1	27	2	22	2	32	3			36
	2			2		1										37
24	1	23	2	36	10	21		17		19		30	1			38
6	1	1		9	1	2	1	7	2	2	2	2	2			39
1				1				3		1						40
5	2	8		4	1	7		6	1	12		5				41
																42
4	2	6		2	1	7		6	1	10		5				43
1		2		2						2						44
																45
	2	2		4	1		1		3	2	1	3	1			46
									1							47
	2	2		3	1					1	1	1	1			48
				1			1		2	1		2				49
																50
8	2	6		2	3	5	1	5	2	7	4	1	5			51
													1			52
6	2	5		1	3	5	1	8	2	6	4		4			53
2		1						2		1		1				54
				1												55
16	4	16	8	12	4	11	2	12	4	10	2	6	7			56
																57
13	4	10	3	10	3	9	1	11	1	9		4	7			58
3		6		2	1	2	1	1	3	1	2	2				59
																60
6	1	2	1	2	2	1							1			61
2	1		1	1	1											62
2		2		1												63
2					1	1							1			64
2																65

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 2.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes	135,320	6,106	5,313	6,026	5,640	7,571	6,667	6,905	6,162	6,078	5,447
2	Under 5	46,989	1,930	1,547	2,014	1,743	2,427	1,952	2,190	1,842	1,940	1,606
3	5 to 59	58,612	2,794	2,378	2,687	2,464	3,351	2,830	3,188	2,664	2,841	2,539
4	60 and over	29,238	1,348	1,373	1,302	1,418	1,769	1,871	1,505	1,635	1,279	1,289
5	Unknown	481	34	15	23	15	24	14	22	21	18	13
6	Unknown cause	1,583	58	69	52	70	87	62	68	58	93	88
7	Under 5	696	27	26	20	29	38	26	33	20	42	28
8	5 to 59	424	10	12	16	24	20	14	22	10	30	31
9	60 and over	382	17	29	13	14	25	19	9	19	17	26
10	Unknown	81	4	2	3	3	4	3	4	9	4	3
	1. General diseases.											
11	General diseases—A	24,495	722	671	714	784	944	899	938	908	796	692
12	Under 5	15,871	418	355	400	439	490	427	494	441	476	397
13	5 to 59	6,245	228	242	225	244	306	286	302	275	237	212
14	60 and over	2,286	59	70	80	96	140	183	137	188	82	81
15	Unknown	93	17	4	9	5	8	3	5	4	1	2
16	Measles	1,177	78	59	80	92	86	100	92	96	63	72
17	Under 5	1,043	69	50	73	83	74	89	86	79	56	54
18	5 to 59	133	9	9	7	9	12	10	6	17	7	18
19	60 and over	1						1				
20	Unknown											
21	Scarlet fever	850	49	45	69	60	52	47	61	34	41	32
22	Under 5	579	35	29	50	36	38	29	41	21	32	22
23	5 to 59	270	14	16	19	24	14	18	20	13	9	9
24	60 and over											
25	Unknown	1										1
26	Diphtheria	3,348	166	178	150	189	159	146	141	131	129	119
27	Under 5	2,186	116	117	114	133	107	89	103	86	85	79
28	5 to 59	1,155	49	61	36	56	52	57	38	44	44	39
29	60 and over	6	1							1		1
30	Unknown	1										
31	Whooping cough	1,226	47	50	39	68	80	75	75	71	55	53
32	Under 5	1,165	44	47	35	66	79	66	72	66	52	49
33	5 to 59	58	2	3	4	2	1	9	3	4	2	4
34	60 and over	2	1							1		
35	Unknown	1									1	
36	Malarial fever	694	17	11	10	17	16	22	25	21	34	27
37	Under 5	224	7	2		6	7	8	6	8	12	8
38	5 to 59	359	7	7	8	8	7	10	17	11	17	11
39	60 and over	110	3	2	2	3	2	4	2	2	5	8
40	Unknown	1										
41	Influenza	1,377	38	56	77	100	179	253	186	238	64	64
42	Under 5	157	9	9	6	14	17	18	19	22	10	8
43	5 to 59	513	13	22	36	35	72	91	82	77	22	23
44	60 and over	702	16	25	35	50	89	142	85	139	32	32
45	Unknown	5				1	1	2				1
46	Typhoid fever	1,900	69	57	45	49	56	37	47	41	63	32
47	Under 5	97	5	2	1	2	4	6	2	3	3	6
48	5 to 59	1,700	60	52	42	45	49	28	40	37	55	25
49	60 and over	94	4	2	2	2	3	3	5	1	5	1
50	Unknown	9		1								
51	Diarrheal diseases	11,580	138	124	123	115	156	120	153	145	224	192
52	Under 5	9,526	101	70	79	65	103	83	118	101	181	138
53	5 to 59	1,053	20	31	19	30	26	22	21	19	29	35
54	60 and over	990	17	23	25	20	26	15	14	25	14	19
55	Unknown	11					1					
56	Cerebro-spinal fever	527	14	11	17	14	35	19	22	27	30	21
57	Under 5	335	9	6	11	6	23	14	12	17	22	9
58	5 to 59	183	5	2	6	8	12	5	10	10	8	12
59	60 and over	9		3								
60	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 2.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
5,411	4,734	6,969	6,128	5,801	5,092	5,268	4,545	5,244	4,540	4,939	4,335	5,478	4,843	45	33	1
2,187	1,838	3,479	3,033	2,418	2,141	2,106	1,742	1,732	1,361	1,463	1,264	1,668	1,359	3	4	2
2,243	1,945	2,442	1,998	2,375	1,977	2,181	1,908	2,445	2,112	2,414	1,999	2,632	2,187	11	7	3
959	936	1,022	1,083	992	953	959	884	1,042	1,059	1,042	1,055	1,157	1,281	16	9	4
22	15	26	14	16	21	22	11	25	8	20	17	21	16	15	13	5
58	60	76	60	60	67	69	65	61	59	52	58	67	57	6	3	6
31	24	38	30	33	27	42	29	28	30	24	20	33	18	.....	.....	7
13	17	17	17	15	22	13	21	20	14	12	14	19	19	2	.....	8
13	15	14	12	11	16	12	12	12	13	14	18	13	17	1	1	9
1	4	7	1	1	2	2	3	1	2	2	6	2	3	3	2	10
1,166	1,062	2,510	2,250	1,619	1,533	1,183	1,081	836	688	618	601	659	612	5	4	11
895	792	2,097	1,805	1,183	1,081	826	724	454	365	307	311	347	344	1	2	12
219	200	290	272	316	305	274	269	308	261	263	240	255	212	3	1	13
50	70	122	172	119	143	77	87	71	60	45	48	51	55	.....	.....	14
2	.....	1	1	1	4	6	1	3	2	3	2	6	1	1	1	15
47	43	26	37	11	10	15	23	14	10	23	22	37	41	.....	.....	16
44	36	25	34	11	7	15	21	13	9	22	22	35	36	.....	.....	17
3	7	1	3	.....	3	.....	2	1	1	1	.....	2	5	.....	.....	18
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
45	34	23	30	8	18	12	19	26	23	27	25	33	37	.....	.....	21
33	20	14	22	4	16	7	13	13	19	20	18	23	24	.....	.....	22
12	14	9	8	4	2	5	6	13	4	7	7	10	13	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
109	108	125	113	104	90	113	122	139	114	153	183	188	178	.....	1	26
61	75	86	76	69	59	73	73	82	66	87	109	128	112	.....	1	27
48	33	39	37	35	31	39	49	55	48	66	74	60	65	.....	.....	28
.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	1	.....	.....	29
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	30
36	47	61	62	70	64	43	49	29	28	24	31	25	44	.....	.....	31
33	45	61	60	69	62	43	46	27	26	23	27	25	42	.....	.....	32
3	2	.....	2	1	2	.....	3	2	2	1	4	.....	2	.....	.....	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
33	20	27	41	49	44	51	49	34	48	30	21	22	25	.....	.....	36
14	6	12	11	15	17	19	14	12	14	11	1	6	8	.....	.....	37
15	11	11	24	22	24	20	28	18	25	15	19	12	12	.....	.....	38
4	3	4	6	11	3	12	7	4	9	4	1	4	5	.....	.....	39
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	40
5	3	4	6	4	3	7	5	11	7	15	9	21	22	.....	.....	41
.....	.....	1	2	1	1	.....	.....	5	.....	6	1	4	4	.....	.....	42
1	.....	.....	1	3	1	3	2	3	4	2	4	7	9	.....	.....	43
4	3	3	3	.....	1	4	3	3	3	7	4	10	9	.....	.....	44
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	45
46	45	91	53	123	123	140	121	158	123	126	86	106	64	2	2	46
4	2	8	.....	5	6	4	5	4	5	8	4	5	2	.....	1	47
41	39	79	51	110	110	129	108	139	111	114	80	97	56	2	1	48
1	4	4	1	8	5	4	8	9	7	4	2	3	6	.....	.....	49
.....	.....	.....	1	.....	2	3	.....	1	.....	.....	.....	1	.....	.....	.....	50
750	665	2,035	1,826	1,162	1,108	736	633	338	280	146	165	118	126	2	.....	51
668	563	1,836	1,560	975	879	636	525	261	206	104	105	85	83	1	.....	52
50	55	108	111	104	107	51	46	39	41	26	29	16	17	1	.....	53
31	47	90	155	88	120	47	61	37	33	15	31	16	26	.....	.....	54
1	.....	1	.....	.....	2	2	1	1	.....	1	.....	1	.....	.....	.....	55
42	29	43	29	26	20	22	17	24	14	17	12	13	9	.....	.....	56
23	19	31	19	16	13	14	11	15	9	13	9	8	6	.....	.....	57
18	9	11	10	10	7	8	4	9	5	4	3	4	3	.....	.....	58
1	1	1	.....	.....	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 2—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	2,295	134	51	89	61	138	81	97	63	122	62
2	Under 5	1,136	55	31	39	30	56	51	47	41	55	35
3	5 to 59	1,002	69	18	46	28	68	24	45	21	53	23
4	60 and over	151	10	2	4	3	13	5	5	1	13	4
5	Unknown	6					1	1			1	
6	Inanition	1,098	57	32	38	29	50	52	45	39	54	37
7	Under 5	1,059	54	30	37	27	48	48	45	38	51	35
8	5 to 59	18	2	1	1			3		1		1
9	60 and over	18	1	1		2	1	1			2	1
10	Unknown	3					1				1	
11	General diseases—C	9,722	361	345	359	378	449	441	413	357	421	411
12	Under 5	6,726	239	173	248	191	318	223	285	186	303	239
13	5 to 59	152	8	9	6	6	8	9	9	7	8	7
14	60 and over	2,825	114	163	104	181	121	208	119	162	109	164
15	Unknown	19			1		2	1		2	1	1
16	Debility and atrophy	4,059	111	97	112	94	157	129	154	99	153	133
17	Under 5	3,608	93	78	94	76	132	103	130	80	138	105
18	5 to 59	148	7	8	6	8	7	9	9	7	8	7
19	60 and over	294	11	11	12	12	16	17	15	12	7	20
20	Unknown	9					2					1
21	Old age—all ages	2,541	103	152	93	169	105	192	104	152	103	144
22	60 and over	2,531	103	152	92	169	105	191	104	150	102	144
23	Unknown	10			1			1		2	1	
24	General diseases—D	23,346	1,065	870	1,043	924	1,275	1,101	1,185	1,029	1,118	1,001
25	Under 5	1,917	79	60	89	68	97	105	105	93	104	61
26	5 to 59	17,557	813	661	792	694	980	801	904	748	834	764
27	60 and over	3,809	169	147	160	160	198	193	174	187	177	175
28	Unknown	63	4	2	2	2		2	2	1	3	1
29	Consumption	15,759	769	528	763	581	971	674	882	626	830	637
30	Under 5	651	21	16	33	27	35	30	31	31	38	23
31	5 to 59	13,689	671	464	661	507	845	579	764	536	713	557
32	60 and over	1,378	75	48	67	45	91	65	85	59	77	56
33	Unknown	41	2		2	2			2		2	1
34	2. Diseases of the nervous system	14,484	685	564	651	549	763	664	738	629	704	622
35	Under 5	4,642	227	159	216	158	232	204	228	192	228	181
36	5 to 59	4,827	213	189	211	178	264	175	244	205	245	232
37	60 and over	4,975	244	214	223	212	264	285	264	230	229	207
38	Unknown	40	1	2	1	1	3		2	2	2	2
39	3. Diseases of the circulatory system	10,124	499	475	429	476	535	528	507	498	499	476
40	Under 5	719	45	24	34	36	40	31	37	41	35	36
41	5 to 59	5,130	255	236	218	248	234	251	250	246	263	250
42	60 and over	4,239	196	214	176	191	261	244	219	211	199	194
43	Unknown	36	3	1	1	1		2	1		2	2
44	4. Diseases of the respiratory system	25,192	1,500	1,313	1,694	1,483	2,160	1,854	1,858	1,623	1,132	1,111
45	Under 5	12,286	717	622	825	689	1,005	775	824	711	558	525
46	5 to 59	8,045	515	395	581	445	755	567	713	502	406	361
47	60 and over	4,819	266	295	285	346	398	511	317	407	167	224
48	Unknown	42	2	1	3	3	2	1	4	3	1	1
49	5. Diseases of the digestive system	6,682	257	291	242	263	307	280	281	303	310	331
50	Under 5	1,564	57	55	64	54	71	50	75	64	75	70
51	5 to 59	3,653	144	160	123	144	163	167	161	161	167	190
52	60 and over	1,449	55	76	53	65	73	63	44	78	68	70
53	Unknown	16	1		2				1			1
54	6. Diseases of the urinary system	9,123	463	359	426	334	535	406	459	358	418	359
55	Under 5	338	20	11	21	7	20	15	13	6	17	10
56	5 to 59	5,347	273	215	239	214	285	254	271	229	226	234
57	60 and over	3,429	170	133	166	113	230	137	174	123	175	115
58	Unknown	9							1			
59	7. Affections connected with pregnancy	1,127		120		115		158		107		108

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 2—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
104	69	135	91	132	80	126	74	154	86	96	58	126	65	1	.....	1
50	34	67	68	59	56	65	44	63	51	28	34	41	30	.....	.....	2
45	31	65	18	65	20	54	28	79	30	56	20	71	24	1	.....	3
9	4	3	5	7	3	7	2	12	5	11	4	14	5	.....	.....	4
.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	5
43	34	66	66	55	55	61	44	62	48	26	34	37	34	.....	.....	6
41	31	64	64	53	54	60	42	61	47	26	33	36	34	.....	.....	7
.....	3	1	1	1	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	8
2	.....	1	1	.....	1	.....	.....	1	1	.....	1	1	.....	.....	.....	9
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10
354	355	534	500	491	465	484	463	459	368	325	341	317	324	4	3	11
282	248	454	386	413	335	410	348	350	239	247	211	235	163	.....	.....	12
3	8	1	2	5	12	6	3	5	6	4	3	6	11	.....	.....	13
68	99	77	112	73	116	68	112	103	123	74	126	76	148	3	2	14
1	.....	2	.....	.....	2	.....	.....	1	.....	.....	1	.....	2	1	1	15
164	157	304	280	291	250	291	252	206	166	136	123	96	103	1	.....	16
154	139	288	267	277	218	275	236	191	147	123	107	85	72	.....	.....	17
3	8	1	2	5	12	6	3	5	6	4	3	5	11	.....	.....	18
6	10	13	11	9	18	10	13	10	13	9	13	6	20	.....	.....	19
1	.....	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	20
62	89	64	101	64	98	58	99	94	110	65	114	70	130	3	3	21
62	89	64	101	64	98	58	99	93	110	65	113	70	128	3	2	22
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	2	.....	1	23
925	866	992	917	953	883	845	812	939	942	922	855	1,002	867	7	8	24
91	75	98	85	94	81	79	75	71	65	63	52	72	54	1	.....	25
691	639	741	657	708	656	637	614	722	691	727	640	781	658	1	3	26
138	148	152	174	147	142	123	122	142	184	132	162	147	153	2	1	27
5	4	1	1	4	4	6	1	4	2	.....	1	2	2	3	4	28
633	497	707	544	695	529	612	522	683	571	681	531	738	545	3	7	29
26	21	35	28	35	28	29	31	24	29	26	21	21	12	.....	.....	30
552	430	610	466	593	459	522	455	599	490	601	474	654	483	1	3	31
52	43	61	49	64	40	57	35	57	52	54	35	62	48	.....	1	32
3	3	1	1	3	2	4	1	3	.....	.....	1	1	2	2	3	33
631	597	648	578	613	519	589	480	602	515	559	428	630	520	6	.....	34
267	210	256	239	221	183	195	160	195	142	170	99	165	114	1	.....	35
175	185	224	165	213	168	210	157	224	171	201	157	240	179	2	.....	36
186	199	167	172	178	168	182	162	180	201	186	172	223	224	3	.....	37
3	3	1	2	1	.....	2	1	3	1	2	.....	2	3	.....	.....	38
373	345	351	355	344	322	377	324	388	349	445	360	421	440	3	5	39
28	24	31	28	26	23	35	17	31	25	25	16	29	28	.....	.....	40
199	178	167	184	172	186	180	180	210	189	236	183	203	211	.....	1	41
146	140	150	142	146	108	159	127	145	135	183	160	188	200	3	2	42
.....	3	3	1	.....	5	3	.....	2	.....	1	1	1	1	.....	2	43
607	516	505	477	456	407	569	437	796	680	884	835	1,186	1,101	4	4	44
360	280	275	264	240	227	316	238	434	336	494	437	633	500	.....	1	45
178	141	161	131	157	116	167	117	243	211	249	225	383	325	1	.....	46
68	95	68	78	59	63	85	81	119	133	139	169	169	275	.....	2	47
1	.....	1	4	.....	1	1	1	.....	.....	2	4	1	1	3	1	48
294	272	310	321	298	266	294	254	254	267	244	236	241	261	2	3	49
92	83	84	80	77	81	83	59	61	45	47	36	46	54	.....	1	50
139	142	161	175	154	129	146	143	141	156	151	144	143	148	.....	1	51
63	47	63	64	66	56	65	50	52	65	46	55	51	58	2	1	52
.....	.....	2	2	1	.....	.....	2	.....	1	.....	1	1	1	.....	.....	53
395	278	423	304	356	307	336	311	383	352	409	340	460	348	3	1	54
17	8	22	10	19	10	15	13	10	18	12	14	17	13	.....	.....	55
212	184	229	180	191	185	179	203	211	219	226	211	263	212	1	1	56
164	86	170	114	146	111	142	94	162	115	170	115	179	123	2	.....	57
2	.....	2	.....	.....	1	.....	1	.....	.....	1	.....	1	.....	.....	.....	58
.....	104	.....	72	.....	74	.....	67	.....	60	.....	56	.....	86	.....	.....	59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 2—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX. January. Male.	January. Female.	February. Male.	February. Female.	March. Male.	March. Female.	April. Male.	April. Female.	May. Male.	May. Female.
1	8. Accidents and injuries	6,151	335	131	297	132	343	124	334	152	438	117
2	Under 5	947	43	25	47	37	49	40	44	39	43	27
3	5 to 59	4,387	246	79	214	71	247	69	248	91	353	69
4	60 and over	746	44	24	35	24	43	15	40	22	39	21
5	Unknown	71	2	3	1		4		2		3	
6	Burns and scalds	773	32	47	30	50	44	42	22	46	20	32
7	Under 5	344	19	12	19	15	26	15	15	14	11	10
8	5 to 59	365	12	29	9	29	15	23	5	28	6	18
9	60 and over	61	1	5	2	6	3	4	1	4	3	4
10	Unknown	3		1					1			
11	Drowning	852	26	2	27	3	46	3	60	4	77	5
12	Under 5	33		1				2	4			1
13	5 to 59	747	25	1	27	3	41	1	51	3	69	3
14	60 and over	53	1				2		5	1	6	2
15	Unknown	19					3				2	
16	Exposure and neglect	52	2	2	8	3	3	2		3	3	3
17	Under 5	27	1	1	1	3	1	1		3	1	3
18	5 to 59	17	1	1	6		2	1			2	
19	60 and over	6			1							
20	Unknown	2										
21	Gunshot wounds	243	14		19	2	17	5	8	1	15	1
22	Under 5	5	2				1					
23	5 to 59	216	10		19	2	14	5	8	1	14	1
24	60 and over	13	2				2					
25	Unknown	9									1	
26	Homicide	132	9	1	5	3	6	5	8	1	8	3
27	Under 20	23	1			1		1	2		2	1
28	20 to 59	101	7	1	5	2	6	4	5	1	6	2
29	60 and over	7	1						1			
30	Unknown	1										
31	Injuries by machinery	8	1								2	
32	Under 20	1									1	
33	20 to 59	7	1								1	
34	60 and over											
35	Unknown											
36	Railroad accidents	546	34	2	26	2	37	2	38	5	44	7
37	Under 5	24			1				2		1	1
38	5 to 59	456	26	2	24	2	36	2	31	4	37	5
39	60 and over	54	7		1		1		4	1	6	1
40	Unknown	12	1						1			
41	Suicide by shooting	178	11	2	14		9		16		17	1
42	Under 20	2										
43	20 to 59	156	9	2	13		8		14		15	1
44	60 and over	20	2		1		1		2		2	
45	Unknown											
46	Suicide by drowning	17					1		1		1	1
47	Under 20											
48	20 to 59	13					1		1		1	
49	60 and over	4										1
50	Unknown											
51	Suicide by poison	279	15	7	14	10	19	11	18	11	22	9
52	Under 20	19	1	1	1	2		2	2	1		2
53	20 to 59	230	14	6	12	8	18	9	14	9	19	7
54	60 and over	30			1		1		2	1	3	
55	Unknown											
56	Other suicides	279	19	8	12	2	25	2	23	13	18	5
57	Under 20	11		1			1				1	1
58	20 to 59	222	16	5	10	2	20	2	21	12	15	4
59	60 and over	44	3	2	2		4		2	1	2	
60	Unknown	2										
61	Sunstroke	174			2	1					8	1
62	Under 5	55									3	
63	5 to 59	90			2						4	1
64	60 and over	29				1					1	
65	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 2—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
483	150	460	148	456	126	375	130	350	130	368	118	343	107	4		1
66	54	48	36	46	29	37	30	31	36	42	30	43	25			2
358	69	374	79	364	75	300	75	268	76	277	65	255	65			3
52	27	32	32	39	21	36	24	40	18	41	22	40	15			4
7		6	1	7	1	2	1	11		8	1	5	2	4		5
23	24	18	32	20	25	21	36	20	43	36	39	28	43			6
11	11	9	10	13	8	13	14	13	17	20	15	20	14			7
9	12	9	20	7	15	7	18	7	23	11	21	7	25			8
3	1		2		2	1	4		3	4	3	1	4			9
										1						10
104	9	125	11	117	11	76	8	63	6	37	3	25	1	2		11
2	1	3	3	5	3	4	1		2			1				12
92	7	115	7	105	7	70	5	54	4	31	3	22	1			13
7	1	4	1	9	1	2	1	6		5		2				14
3		3		1			1	3		1				2		15
1				3		4	1		1	4		7	2			16
1				1		3	1			3		3				17
				1		1			1	1						18
				1								3	1			19
												1	1			20
15	3	25	9	21		18	5	16	3	24	1	18	3			21
			1				1									22
14	2	25	8	17		17	4	12	3	19	1	17	3			23
	1			2		1		3		2						24
1				2				1		3		1				25
8	2	4	1	8	4	5	2	11	2	12	7	14	3			26
1	1	1		2	2	2				2	2	1	1			27
7	1	3	1	5	2	3	2	10	2	7	5	12	2			28
				1						3		1				29
								1								30
	1	1								2		1				31
																32
	1	1								2		1				33
																34
																35
44	4	45	10	55	8	38	4	38	7	43	4	42	7			36
2	2	1	2	2	1	1		3	3			1	1			37
36	2	39	6	45	7	34	4	30	4	39	3	35	3			38
4		4	2	4		3		4		2	1	6	3			39
2		1		4				1		2						40
17		13		17		12	5	13		14	1	16				41
				1		1										42
14		12		16		9	4	12		13	1	13				43
3		1				2	1	1		1		3				44
																45
2			3	1		4	1		2							46
																47
			3	1		4	1		1							48
2									1							49
																50
12	5	16	5	12	11	17	12	12	13	8	4	12	4			51
	1	1			1		1	1	1		1					52
10	4	12	5	9	9	14	10	7	10	7	3	10	4			53
2		8		3	1	3	1	4	2	1		2				54
																55
16	3	14	7	22	4	13	3	16	3	20	9	20	2			56
		1				1		1	1	2	1					57
12	3	10	6	19	4	10	2	11	2	15	6	13	2			58
4		3	1	3		2	1	4		3	1	6				59
											1	1				60
81	42	16	7	7	6	2							1			61
26	19	2	4		1											62
47	14	11	1	7	3											63
8	9	3	2		2	2							1			64
																65

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 3.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes	16,457	659	650	629	617	715	757	819	759	996	1,122
2	Under 5	5,704	196	185	202	175	233	225	290	202	443	387
3	5 to 59	7,771	318	314	291	300	339	376	361	374	373	539
4	60 and over	2,830	136	146	129	138	136	150	160	175	172	186
5	Unknown	152	9	5	7	4	7	6	8	8	8	10
6	Unknown cause	1,511	65	63	63	48	67	63	85	60	97	111
7	Under 5	941	45	36	42	27	41	38	54	32	66	56
8	5 to 59	381	15	18	12	14	16	17	20	19	18	39
9	60 and over	161	4	6	6	6	10	7	10	8	12	11
10	Unknown	28	1	3	2	1		1	1	1	1	5
	1. General diseases.											
11	General diseases—A	4,363	98	121	112	146	147	159	184	167	323	331
12	Under 5	2,096	32	41	46	58	67	74	98	72	214	176
13	5 to 59	1,835	56	52	56	65	63	61	67	60	77	117
14	60 and over	411	10	28	10	22	16	24	23	34	32	36
15	Unknown	21				1	1		1	1		2
16	Measles	146	2	4	7	4	4	10	9	5	14	12
17	Under 5	79	2	1	5	1	3	1	5	5	11	8
18	5 to 59	64	1	2	2	2	1	9	4		3	4
19	60 and over	3		1		1						
20	Unknown											
21	Scarlet fever	32	1	2		3	2		2	1	2	4
22	Under 5	12	1	2								1
23	5 to 59	18				3	2		2	1	1	3
24	60 and over	2									1	
25	Unknown											
26	Diphtheria	72		3	1	2	1	4	2	1		1
27	Under 5	44		3	1	1	1	1	2	1		1
28	5 to 59	28				1		3				
29	60 and over											
30	Unknown											
31	Whooping cough	186	8	7	9	6	5	11	14	13	14	19
32	Under 5	174	6	7	9	5	5	10	14	13	14	18
33	5 to 59	12	2			1		1				1
34	60 and over											
35	Unknown											
36	Malarial fever	922	16	20	19	22	25	13	23	25	51	46
37	Under 5	316	2	2	5	10	7	2	8	8	26	19
38	5 to 59	523	9	14	14	10	16	8	14	13	19	24
39	60 and over	77	5	4		2	2	3	1	4	6	3
40	Unknown	6										
41	Influenza	542	14	34	27	35	50	58	62	53	53	56
42	Under 5	204	7	7	9	11	28	23	25	11	28	18
43	5 to 59	186	7	12	11	9	15	18	25	19	12	17
44	60 and over	146		15	7	14	6	17	12	22	13	20
45	Unknown	6				1	1			1		1
46	Typhoid fever	625	18	14	11	19	17	12	10	13	24	38
47	Under 5	100	1	1	1	2	2	2	5	4	7	7
48	5 to 59	486	16	12	9	16	11	9	3	9	13	27
49	60 and over	36	1	1	1	1	4	1	1		4	4
50	Unknown	3							1			
51	Diarrheal diseases	1,210	13	18	14	25	20	23	41	37	125	104
52	Under 5	932	8	12	10	17	14	20	29	26	110	80
53	5 to 59	191	4	2	3	6	4	2	7	7	12	17
54	60 and over	82	1	4	1	2	2	1	5	4	3	6
55	Unknown	5										1
56	Cerebro-spinal fever	37	1	1		3	2	2	1	2	5	3
57	Under 5	19		1		3	1	2			3	2
58	5 to 59	18	1				1		1	2	2	1
59	60 and over											
60	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 3.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
672	615	641	604	643	626	625	628	632	597	605	513	711	582	24	16	1
257	238	221	214	228	218	239	248	239	202	218	196	239	198	6	5	2
323	287	328	318	324	312	284	294	292	282	285	225	341	278	9	4	3
87	85	83	71	87	91	93	83	95	110	101	91	120	100	3	2	4
5	5	9	1	4	5	9	3	6	3	1	1	11	6	6	5	5
53	39	72	51	48	45	58	56	58	56	55	52	77	60	7	2	6
29	22	44	34	38	24	41	39	33	33	33	35	51	40	2	1	7
19	12	19	14	8	15	11	14	15	13	9	12	16	14	2	.....	8
5	5	7	3	.....	4	6	3	9	9	8	5	10	6	.....	1	9
.....	.....	2	.....	2	2	.....	.....	1	1	.....	.....	.....	.....	3	.....	10
224	215	199	181	230	210	208	200	192	172	153	137	139	110	3	2	11
130	118	89	79	107	99	101	96	90	76	58	72	66	41	.....	1	12
79	84	100	93	103	98	90	90	94	74	80	56	63	54	2	1	13
15	10	9	8	19	13	16	14	6	21	15	9	7	14	.....	.....	14
.....	3	1	1	1	.....	1	.....	2	1	.....	.....	3	1	1	.....	15
2	9	7	6	4	3	6	6	5	3	7	2	7	5	.....	1	16
1	8	4	4	1	1	3	1	1	3	3	2	3	1	.....	1	17
1	1	3	2	3	2	2	5	4	.....	4	.....	4	5	.....	.....	18
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
2	.....	1	3	2	.....	.....	1	3	1	.....	.....	1	1	.....	.....	21
.....	.....	.....	1	2	.....	.....	.....	3	1	.....	.....	1	.....	.....	.....	22
1	.....	1	2	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	23
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	7	1	3	2	3	6	3	5	8	6	5	6	2	.....	.....	26
.....	5	1	.....	2	.....	3	2	4	6	1	5	3	1	.....	.....	27
.....	2	.....	3	.....	3	3	1	1	2	5	.....	3	1	.....	.....	28
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30
8	9	3	10	9	5	1	4	2	3	5	6	11	4	.....	.....	31
7	7	3	8	9	5	1	4	1	3	4	6	11	4	.....	.....	32
1	2	.....	2	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
40	30	35	56	57	66	54	63	70	49	50	35	26	31	.....	.....	36
13	11	14	15	22	28	19	25	20	20	9	12	9	10	.....	.....	37
23	17	21	38	28	32	31	34	46	25	33	22	14	18	.....	.....	38
4	1	.....	2	7	6	3	4	3	3	8	1	2	3	.....	.....	39
.....	1	.....	1	.....	.....	1	.....	1	1	.....	.....	1	.....	.....	.....	40
3	5	5	3	4	4	7	4	11	8	10	4	14	18	.....	.....	41
2	2	2	1	1	2	2	1	6	1	5	1	9	2	.....	.....	42
1	2	2	1	1	2	3	3	5	3	3	3	3	9	.....	.....	43
.....	1	1	1	2	.....	2	.....	.....	4	2	.....	1	6	.....	.....	44
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	45
28	32	54	27	49	40	37	32	31	31	28	23	23	13	.....	1	46
5	8	5	1	6	4	10	6	5	6	3	5	2	3	.....	.....	47
21	24	48	26	41	33	25	25	25	22	24	16	19	11	.....	1	48
2	.....	.....	.....	2	3	2	1	1	3	1	2	1	.....	.....	.....	49
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	50
118	95	66	56	63	61	60	52	50	40	30	36	34	22	2	.....	51
95	73	47	45	51	48	49	37	41	23	26	30	22	19	.....	.....	52
17	12	14	8	11	11	7	9	8	12	3	3	10	3	1	.....	53
6	8	5	3	6	2	4	6	2	5	1	3	2	.....	.....	.....	54
.....	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	55
.....	1	1	.....	2	3	.....	1	1	1	1	3	.....	3	.....	.....	56
.....	.....	1	.....	2	.....	.....	1	.....	.....	.....	2	.....	1	.....	.....	57
.....	1	.....	.....	.....	3	.....	.....	1	1	1	1	.....	2	.....	.....	58
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 3—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	198	14	12	9	7	7	7	8	6	20	8
2	Under 5	120	7	9	7	3	1	7	3	2	9	6
3	5 to 59	62	7	2	1	1	6	.....	4	3	8	2
4	60 and over	14	.....	1	1	2	.....	.....	1	1	3	.....
5	Unknown	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
6	Inanition	73	2	6	5	4	.....	3	.....	5	6	3
7	Under 5	60	1	4	5	3	.....	3	.....	2	6	3
8	5 to 59	8	1	1	.....	.....	.....	.....	.....	2	.....	.....
9	60 and over	4	.....	1	.....	.....	.....	.....	.....	1	.....	.....
10	Unknown	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
11	General diseases—C	822	31	32	24	30	31	41	31	35	48	48
12	Under 5	450	13	13	14	11	23	15	14	10	28	24
13	5 to 59	31	2	1	1	1	.....	4	2	7	1	.....
14	60 and over	337	16	18	9	18	8	22	15	17	19	24
15	Unknown	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
16	Debility and atrophy	259	7	10	5	4	5	6	5	12	16	10
17	Under 5	201	4	7	4	3	5	1	3	5	13	8
18	5 to 59	31	2	1	1	1	.....	4	2	7	1	.....
19	60 and over	26	1	2	.....	.....	.....	1	.....	.....	2	2
20	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Old age—all ages	314	15	16	9	18	8	21	15	18	17	22
22	60 and over	311	15	16	9	18	8	21	15	17	17	22
23	Unknown	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
24	General diseases—D	2,693	120	111	101	110	109	147	100	152	131	211
25	Under 5	191	4	5	8	6	5	5	9	10	13	15
26	5 to 59	2,005	88	84	69	85	84	119	68	108	87	164
27	60 and over	477	28	22	23	18	20	22	20	34	31	31
28	Unknown	20	.....	.....	1	1	.....	1	3	.....	.....	1
29	Consumption	1,667	81	70	62	68	75	103	58	99	80	133
30	Under 5	75	1	3	4	4	3	1	3	5	5	6
31	5 to 59	1,422	73	58	46	57	66	88	45	84	64	115
32	60 and over	158	7	9	12	6	6	13	8	10	11	11
33	Unknown	12	.....	.....	.....	1	.....	1	2	.....	.....	1
34	2. Diseases of the nervous system	1,373	54	55	56	49	51	63	62	67	67	100
35	Under 5	491	23	17	18	14	15	13	21	19	32	31
36	5 to 59	529	18	19	22	20	16	30	22	24	22	37
37	60 and over	338	12	19	16	15	19	20	19	21	11	31
38	Unknown	15	1	.....	.....	.....	1	.....	.....	3	2	1
39	3. Diseases of the circulatory system	863	42	41	42	47	41	42	33	50	50	47
40	Under 5	41	1	3	2	.....	2	2	5	1	3	2
41	5 to 59	434	21	21	16	25	16	15	12	20	23	29
42	60 and over	379	20	16	24	22	22	24	16	29	23	15
43	Unknown	9	.....	1	.....	.....	1	1	.....	.....	1	1
44	4. Diseases of the respiratory system	1,826	120	103	119	84	153	114	168	110	107	99
45	Under 5	662	43	36	37	30	53	41	54	40	36	38
46	5 to 59	858	51	44	66	34	78	57	82	52	53	48
47	60 and over	288	25	23	16	14	20	14	29	17	18	13
48	Unknown	18	1	.....	.....	.....	2	2	3	1	.....	.....
49	5. Diseases of the digestive system	931	32	33	28	24	32	28	35	25	64	62
50	Under 5	407	10	9	12	9	15	11	11	6	30	22
51	5 to 59	381	15	17	9	8	11	12	17	13	26	28
52	60 and over	135	5	7	6	7	6	5	7	6	6	12
53	Unknown	8	2	.....	1	.....	.....	.....	.....	.....	2	.....
54	6. Diseases of the urinary system	569	31	18	23	19	35	32	36	22	32	18
55	Under 5	37	2	2	2	2	.....	3	3	1	1	.....
56	5 to 59	325	16	11	10	11	21	18	18	18	17	14
57	60 and over	203	13	5	11	6	13	11	15	3	13	4
58	Unknown	4	.....	.....	.....	.....	1	.....	.....	.....	1	.....
59	7. Affections connected with pregnancy	270	.....	25	.....	15	.....	25	.....	29	.....	40

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 3.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
5	5	6	3	11	5	10	14	8	3	10	6	8	[illegible]			1
3	3	3	3	[illegible]	4	5	11	5	3	7	6	3	4			2
1	1	3		3	1	5	3	2		3		4	2			3
	1			2				1				1				4
1																5
1	2	[illegible]		3	3	2	6	4	1	6	3	3	3			6
1	2	1		2	3	2	5	3	1	6	3	2	2			7
		1					1					1	1			8
				1				1								9
																10
30	49	31	43	27	43	27	26	31	41	25	29	35	33	1		11
20	31	20	31	14	25	17	21	22	17	19	14	18	16			12
	1			1				2	3		2		[illegible]			13
9	16	11	12	12	18	10	5	7	21	6	13	16	14	1		14
1	1											1				15
13	23	13	21	8	16	12	13	9	14	9	9	10	8	1		16
11	21	11	20	6	14	11	13	7	7	8	5	9	5			17
	1			1				2	3		2		3			18
2	1	2	1	1	2	1			4	1	2			1		19
												1				20
[illegible]	16	9	11	11	16	9	5	7	17	5	11	16	14			21
7	15	9	11	11	16	9	5	7	17	5	11	16	14			22
1	1															23
85	114	101	121	94	110	80	99	110	115	79	90	88	108	[illegible]	4	24
5	9	8	10	9	8	2	8	12	8	9	7	7	9			25
65	89	81	94	66	89	65	72	76	89	50	63	64	82	3	1	26
15	15	10	17	18	13	12	18	21	17	20	20	16	16			27
	1	2		1		1	1	1	1			1	1		3	28
54	82	60	71	55	59	58	54	66	67	47	51	46	64	1	3	29
2	3	[illegible]	7	2	4	1	4	2	3	5	1	1	2			30
48	74	53	59	47	52	52	44	58	58	35	41	43	60	1	1	31
4	5	3	5	5	3	4	6	5	5	7	[illegible]	2	2			32
		1		1		1		1	1						2	33
64	51	52	56	50	45	53	51	50	46	49	45	79	52	4	2	34
23	16	14	21	18	20	26	22	22	15	16	20	27	25	2	1	35
27	21	29	24	28	15	16	14	20	20	24	11	31	17	1	1	36
13	14	[illegible]	11	4	9	11	14	8	11	9	13	18	10	1		37
1					1		1				1	3				38
29	35	27	35	21	29	36	31	30	25	36	30	35	27	1	1	39
2	2		1	2		5	3	1	4							40
22	16	15	22	13	12	18	14	17	14	22	16	18	17			41
5	17	11	12	[illegible]	17	11	14	12	7	14	14	17	10	1		42
		1				2									1	43
47	27	36	35	35	27	33	26	45	42	67	36	119	71	2	1	44
19	9	19	14	13	[illegible]	11	11	18	20	25	16	35	28	1		45
21	14	10	17	17	11	17	13	17	14	37	16	67	22			46
7	4	6	4	5	6	5	2	9	8	5	4	15	18		1	47
		1			1			1				2	3	1		48
41	31	33	26	33	46	46	46	45	43	49	34	47	45	2	1	49
17	21	18	15	16	24	19	20	23	20	30	15	12	20	1	1	50
20	9	10	9	13	17	19	23	14	16	13	15	28	19			51
4	1	5	2	4	5	[illegible]	[illegible]	8	7	6	4	6	5			52
												1	1	1		53
26	8	34	5	32	15	31	20	22	21	28	16	22	22		1	54
	2	2		2		2	3	3	1	2		2	2			55
17	5	18	4	17	13	17	11	9	11	12	10	11	16			56
9	1	13	1	13	2	12	6	10	9	14	6	9	4			57
		1													1	58
	23		20		16		28		20		15		13		1	59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 3—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX. January. Male.	January. Female.	February. Male.	February. Female.	March. Male.	March. Female.	April. Male.	April. Female.	May. Male.	May. Female.
1	8. Accidents and injuries	907	50	27	49	31	40	31	70	26	55	34
2	Under 5	241	16	12	12	8	11	16	22	9	10	12
3	5 to 59	581	27	13	29	16	26	14	45	15	40	18
4	60 and over	66	3	1	6	7	2	1	3	2	4	4
5	Unknown	19	4	1	2		1				1	
6	Burns and scalds	220	11	19	14	20	4	16	11	12	10	13
7	Under 5	113	9	10	5	6	2	7	8	5	5	4
8	5 to 59	91	1	8	6	11	2	9	3	6	4	9
9	60 and over	14	1		3	3				1	1	
10	Unknown	2		1								
11	Drowning	134	4	2	6	1	6	2	9	2	9	2
12	Under 5	10					2			1		
13	5 to 59	114	3	2	5	1	3	2	9	1	8	2
14	60 and over	4					1					
15	Unknown	6	1		1						1	
16	Exposure and neglect	47		2	2	3		4	5	3	1	2
17	Under 5	29		2	2	1		4	4	1		2
18	5 to 59	15				1			1	2	1	
19	60 and over	3				1						
20	Unknown											
21	Gunshot wounds	105	8	1	4	1	8	2	10	1	10	
22	Under 5	1						1				
23	5 to 59	98	8	1	3	1	8	1	10	1	9	
24	60 and over	4			1						1	
25	Unknown	2										
26	Homicide	44			1		3	1	2		2	3
27	Under 20	9					1					1
28	20 to 59	34			1		2	1	2		2	1
29	60 and over	1										1
30	Unknown											
31	Injuries by machinery	5					2					
32	Under 20	2										
33	20 to 59	2					2					
34	60 and over	1										
35	Unknown											
36	Railroad accidents	48	1		1	1	1		2		8	1
37	Under 5	1										
38	5 to 59	39	1		1		1		2		7	
39	60 and over	5				1					1	1
40	Unknown	3										
41	Suicide by shooting	3							1			
42	Under 20											
43	20 to 59	3							1			
44	60 and over											
45	Unknown											
46	Suicide by drowning	1										
47	Under 20											
48	20 to 59											
49	60 and over	1										
50	Unknown											
51	Suicide by poison	2										
52	Under 20											
53	20 to 59	1										
54	60 and over											
55	Unknown	1										
56	Other suicides	4										1
57	Under 20	1										
58	20 to 59	3										
59	60 and over											1
60	Unknown											
61	Sunstroke	15							1		1	
62	Under 5	1										
63	5 to 59	12							1		1	
64	60 and over	2										
65	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 3—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
66	12	49	22	60	21	40	19	38	10	49	20	57	30	1		1
9	5	3	6	3	3	7	12	7	5	13	10	17	13			2
50	6	43	15	54	16	26	6	26	5	33	8	35	14	1		3
5	1	2	1	3	2	2	1	4		2	2	5	3			4
2		1				5		1		1						5
5	4	2	5		3	7	8	5	2	9	8	16	15	1		6
3	1	1			1	3	5	4	2	7	5	13	7			7
2	3	1	5		2	3	2	1		1	2	2	7	1		8
							1			1	1	1	1			9
						1										10
16		16	4	25	3	9	1	5	1	8		2	1			11
2			1	1		2				1						12
13		13	3	24	3	6	1	4	1	7		2	1			13
		2						1								14
1		1				1										15
1	1			1	3	1			1	5	3	4	5			16
	1					1			1	3	2	2	3			17
1				1	3					2	1		2			18
												2				19
																20
6	1	10	1	5	1	7		7	2	8	2	10				21
																22
6	1	10	1	5	1	4		7	2	8	2	9				23
						1						1				24
						2										25
5		4		2	1	4		3		3	1	5	1			26
3		1		1						1		1				27
5		3		1	1	4		3		2	1	4	1			28
																29
																30
		1				1		1								31
		1						1								32
																33
						1										34
																35
10		4		4	1	3		2	1	4	1	3				36
										1						37
8		4		4	1	2		1	1	2	1	3				38
1								1								39
1						1				1						40
						1		1								41
																42
						1		1								43
																44
																45
1																46
																47
																48
																49
1																50
			1					1								51
																52
			1													53
																54
								1								55
												3				56
												1				57
												2				58
																59
																60
2		1	1	7	1	1										61
																62
1				6		1										63
1		1	1	1	1											64
																65

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 4.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes	25,945	1,289	1,061	1,194	1,047	1,262	1,073	1,214	1,039	1,384	1,221
2	Under 5	8,180	380	339	316	327	347	272	353	301	535	428
3	5 to 59	12,984	672	474	629	523	654	572	631	514	636	589
4	60 and over	4,566	231	238	238	195	254	222	221	214	207	197
5	Unknown	215	6	10	11	2	7	7	9	10	6	7
6	Unknown cause	1,350	55	47	39	37	61	47	53	59	82	61
7	Under 5	728	33	28	19	25	29	26	27	31	43	33
8	5 to 59	436	15	11	15	7	25	18	15	16	29	21
9	60 and over	153	7	6	4	5	7	2	9	9	9	7
10	Unknown	33		2	1			1	2	3	1	
	1. General diseases.											
11	General diseases—A	7,122	287	233	280	240	298	273	336	283	423	394
12	Under 5	3,109	111	102	82	91	97	95	136	104	254	198
13	5 to 59	3,312	153	104	168	122	160	137	159	139	140	159
14	60 and over	651	21	25	29	26	39	41	40	37	29	34
15	Unknown	50	2	2	1	1	2		1	3		3
16	Measles	326	26	26	22	28	18	30	23	12	17	22
17	Under 5	219	23	18	12	15	15	22	14	5	13	11
18	5 to 59	104	3	8	10	12	3	7	9	7	4	11
19	60 and over	3				1		1				
20	Unknown											
21	Scarlet fever	173	6	12	8	7	7	7	3	3	5	4
22	Under 5	96	3	4	5	7	2	3	2	3	2	4
23	5 to 59	77	3	8	3		5	4	1		3	
24	60 and over											
25	Unknown											
26	Diphtheria	121	6	7	4	7	3	5	4	3	5	3
27	Under 5	88	5	5	3	4	2	4	4	2	3	2
28	5 to 59	32	1	2	1	3	1	1		1	2	1
29	60 and over	1										
30	Unknown											
31	Whooping cough	229	6	15	4	8	9	8	16	8	20	14
32	Under 5	216	6	15	3	7	9	8	15	8	20	14
33	5 to 59	12			1	1			1			
34	60 and over											
35	Unknown	1										
36	Malarial fever	1,179	25	29	22	25	22	29	36	37	41	46
37	Under 5	366	6	5	7	6	5	8	12	16	18	12
38	5 to 59	719	17	21	13	17	15	16	17	18	21	34
39	60 and over	85	2	2	2	2	2	5	7	3	2	
40	Unknown	9		1								
41	Influenza	422	14	22	26	29	60	64	45	40	26	31
42	Under 5	120	6	9	7	7	20	13	13	9	7	12
43	5 to 59	148	4	5	8	11	15	29	15	17	12	10
44	60 and over	151	4	8	11	11	25	22	17	14	7	9
45	Unknown	3										
46	Typhoid fever	1,111	51	40	34	24	22	35	26	29	51	30
47	Under 5	217	10	7	9	2	2	6	8	3	17	3
48	5 to 59	832	36	31	23	21	19	25	17	23	30	25
49	60 and over	49	3	1	2	1	1	4	1	2	4	2
50	Unknown	13	2	1						1		
51	Diarrheal diseases	2,211	62	48	46	47	39	25	82	55	187	168
52	Under 5	1,448	36	26	19	25	20	15	55	39	153	121
53	5 to 59	485	19	13	18	15	14	6	20	7	25	31
54	60 and over	267	7	9	9	7	4	4	7	8	9	15
55	Unknown	11					1			1		1
56	Cerebro-spinal fever	84	4	1	2	2	6	1	3	3	6	3
57	Under 5	45		1		1	3	1	1	1	4	3
58	5 to 59	38	4		2	1	2		2	2	2	
59	60 and over	1					1					
60	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 4—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,095	994	1,058	977	1,057	981	1,031	847	1,085	866	1,109	869	1,150	960	44	38	1
440	416	362	348	347	315	288	255	318	258	348	283	310	284	4	6	2
472	416	526	452	536	497	555	447	585	452	561	429	647	479	22	14	3
176	152	159	173	165	154	184	139	172	150	190	149	185	187	6	8	4
7	10	11	4	9	15	4	6	10	6	10	8	8	10	12	10	5
55	45	53	65	71	50	62	58	61	53	45	49	56	56	11	19	6
30	16	35	27	47	32	34	30	33	21	33	27	33	32	2	2	7
16	21	11	23	18	11	22	22	21	23	9	18	17	18	6	8	8
8	6	6	14	5	6	6	6	7	7	2	3	5	3	1	2	9
1	2	1	1	.....	1	.....	.....	.....	2	1	1	1	3	2	7	10
367	367	334	313	293	322	308	242	296	248	289	211	248	218	12	7	11
211	222	165	164	123	140	109	103	100	103	119	95	90	92	1	1	12
131	111	143	121	143	153	174	124	168	122	144	89	135	104	7	2	13
23	32	23	27	26	22	24	13	26	22	22	26	22	20	1	1	14
2	2	3	1	1	7	1	2	2	1	4	1	1	2	3	2	15
5	8	8	5	10	10	4	10	4	6	8	3	14	7	.....	.....	16
3	6	6	4	6	6	2	7	3	4	5	3	11	5	.....	.....	17
2	2	2	1	4	4	2	3	.....	2	3	.....	3	2	.....	.....	18
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
9	1	6	8	8	9	13	8	9	3	8	16	7	6	.....	.....	21
5	1	3	6	7	5	7	4	3	2	4	7	4	3	.....	.....	22
4	.....	3	2	1	4	6	4	6	1	4	9	3	3	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
4	4	4	.....	3	2	5	4	10	7	11	8	5	7	.....	.....	26
3	2	4	.....	3	.....	5	3	10	5	8	5	1	5	.....	.....	27
1	1	.....	.....	.....	2	.....	1	.....	2	3	3	4	2	.....	.....	28
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30
7	10	9	16	12	15	5	9	7	6	5	5	7	8	.....	.....	31
5	10	8	15	11	14	5	6	6	6	5	5	7	8	.....	.....	32
2	.....	1	1	1	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	35
44	48	80	72	85	87	92	56	74	56	55	45	38	32	1	2	36
14	17	21	29	28	30	29	22	13	17	18	16	9	7	.....	1	37
26	27	52	38	51	51	58	27	55	36	36	23	27	22	1	.....	38
3	8	5	5	5	5	5	7	5	3	1	6	2	3	.....	.....	39
1	1	2	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	1	40
3	3	5	1	2	1	2	3	4	6	11	5	11	6	1	1	41
1	1	3	1	1	.....	.....	1	.....	.....	4	.....	4	1	.....	.....	42
2	1	.....	.....	1	.....	.....	2	2	3	4	2	3	1	1	.....	43
.....	1	2	.....	.....	1	2	.....	2	3	1	3	4	4	.....	.....	44
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	1	45
44	62	58	62	52	72	52	55	53	48	51	34	66	57	2	1	46
7	15	13	10	9	18	11	13	10	9	4	10	5	16	.....	.....	47
37	41	42	48	43	48	39	40	43	36	46	21	57	38	2	1	48
.....	5	8	4	.....	2	2	1	.....	2	1	2	4	2	.....	.....	49
.....	1	.....	.....	.....	4	.....	1	.....	1	.....	1	.....	1	.....	.....	50
223	199	127	128	81	89	73	59	90	71	104	72	69	63	3	1	51
163	153	91	91	45	56	42	36	44	43	61	40	39	35	.....	.....	52
40	27	23	20	20	20	21	19	29	15	28	19	18	17	.....	1	53
19	19	12	16	16	13	10	4	16	13	14	13	11	11	1	.....	54
1	.....	1	1	.....	.....	.....	.....	1	.....	1	.....	1	.....	2	.....	55
5	8	4	2	6	1	3	5	3	4	6	4	.....	2	.....	.....	56
4	6	2	.....	2	.....	1	1	2	4	3	4	.....	1	.....	.....	57
1	2	2	2	4	1	2	4	1	.....	8	.....	.....	1	.....	.....	58
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 4—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	593	26	24	23	19	26	14	22	18	49	29
2	Under 5	424	18	17	16	16	20	10	10	11	33	20
3	5 to 59	138	6	4	7	1	4	3	11	5	16	9
4	60 and over	29	2	3		2	2	1	1	1		
5	Unknown	2								1		
6	Inanition	385	19	14	17	17	19	7	9	10	28	22
7	Under 5	361	16	13	16	15	18	6	9	9	28	19
8	5 to 59	14	1		1		1	1				3
9	60 and over	9	2	1		2				1		
10	Unknown	1										
11	General diseases—C	1,543	53	81	65	63	53	64	59	65	78	74
12	Under 5	613	10	21	24	20	22	16	33	22	47	29
13	5 to 59	98	2	3	5	6	2	5	2	5	2	8
14	60 and over	818	41	56	35	36	28	41	24	38	28	37
15	Unknown	14		1	1	1	1	2			1	
16	Debility and atrophy	548	14	24	19	22	19	18	25	18	39	27
17	Under 5	330	4	10	11	9	15	10	18	7	30	18
18	5 to 59	98	2	3	5	6	2	5	2	5	2	8
19	60 and over	115	8	11	3	7	2	2	5	6	6	1
20	Unknown	5						1			1	
21	Old age—all ages	712	33	46	33	30	27	40	19	32	22	36
22	60 and over	703	33	45	32	29	26	39	19	32	22	36
23	Unknown	9		1	1	1	1	1				
24	General diseases—D	3,773	166	117	160	169	192	173	165	169	198	196
25	Under 5	201	9	6	5	7	7	4	11	12	13	12
26	5 to 59	3,016	129	92	124	136	157	139	127	134	152	157
27	60 and over	533	28	19	31	26	28	29	27	22	32	26
28	Unknown	23						1		1	1	1
29	Consumption	2,610	118	65	124	119	144	118	125	118	148	121
30	Under 5	75	3	2	3	2	2	2	4	8	6	5
31	5 to 59	2,321	103	58	107	106	133	109	111	99	127	108
32	60 and over	197	12	5	14	11	9	6	10	10	14	7
33	Unknown	17						1		1	1	1
34	**2.** Diseases of the nervous system	2,530	124	113	111	72	107	82	113	100	106	123
35	Under 5	1,017	47	43	38	31	39	29	38	42	37	52
36	5 to 59	989	49	43	41	26	47	39	49	28	46	46
37	60 and over	514	28	26	31	15	21	14	25	30	22	25
38	Unknown	10		1	1				1		1	
39	**3.** Diseases of the circulatory system	1,688	85	82	82	77	76	78	87	66	76	67
40	Under 5	63	3	4	2	2	2	5	5		4	6
41	5 to 59	886	46	41	37	43	31	36	50	30	45	41
42	60 and over	724	35	35	43	32	42	37	32	36	27	20
43	Unknown	15	1	2			1					
44	**4.** Diseases of the respiratory system	2,850	245	192	240	180	242	187	155	138	118	106
45	Under 5	1,215	114	83	94	94	100	67	56	54	54	46
46	5 to 59	1,189	109	71	112	55	99	82	72	57	49	43
47	60 and over	437	21	38	31	31	43	38	25	27	15	17
48	Unknown	9	1		3				2			
49	**5.** Diseases of the digestive system	1,381	62	53	45	40	46	38	61	44	92	62
50	Under 5	503	16	15	17	15	14	11	19	16	34	21
51	5 to 59	676	36	24	23	20	25	21	31	21	49	30
52	60 and over	195	9	14	5	5	7	5	11	7	9	10
53	Unknown	7	1					1				1
54	**6.** Diseases of the urinary system	1,058	71	39	54	39	56	44	60	26	52	30
55	Under 5	37	1	1	3		1	3	6	2	2	1
56	5 to 59	674	43	29	28	31	30	29	37	20	26	19
57	60 and over	340	27	9	22	8	25	11	16	4	24	10
58	Unknown	7			1			1	1			
59	**7.** Affections connected with pregnancy	335		32		36		28		35		32

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 4—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
37	30	19	21	26	10	19	17	30	25	31	24	29	24	1	.....	1
28	27	15	15	15	8	12	11	21	17	23	18	23	20	.....	.....	2
8	2	4	4	8	1	6	5	8	8	6	6	5	2	1	.....	3
3	1	.....	2	8	1	1	1	1	.....	2	.....	.....	2	.....	.....	4
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	5
22	22	13	14	16	5	9	10	19	15	20	16	23	19	.....	.....	6
21	22	13	12	14	5	8	9	18	15	20	15	22	18	.....	.....	7
.....	.....	.....	2	1	.....	1	1	1	.....	.....	1	.....	.....	.....	.....	8
1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	9
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	10
61	68	81	66	61	77	50	63	52	42	69	56	57	84	1	5	11
30	30	37	27	33	28	20	20	28	17	28	21	25	24	.....	1	12
5	3	4	6	4	7	3	8	5	2	5	4	4	3	.....	.....	13
26	30	38	33	24	42	27	39	19	21	36	30	28	56	1	4	14
.....	.....	2	.....	.....	.....	.....	1	.....	2	.....	1	.....	1	.....	.....	15
29	29	32	25	26	32	14	16	21	13	25	19	20	21	.....	1	16
19	20	22	16	18	19	6	10	14	7	15	10	10	12	.....	.....	17
5	3	4	6	4	7	3	3	5	2	5	4	4	3	.....	.....	18
5	6	6	3	4	6	5	2	2	3	5	5	6	5	.....	1	19
.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	20
21	24	34	30	20	36	22	37	17	19	31	26	22	51	1	3	21
21	24	32	30	20	36	22	37	17	18	31	25	22	51	1	3	22
.....	.....	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	23
144	145	132	153	129	159	153	133	148	146	149	149	174	147	5	2	24
10	13	9	9	6	12	9	4	5	9	7	9	6	7	.....	.....	25
113	115	102	127	101	127	125	116	120	113	118	123	145	119	3	2	26
21	13	20	17	21	16	19	10	20	24	24	15	22	21	2	.....	27
.....	4	1	.....	1	4	.....	3	3	.....	.....	2	1	.....	.....	.....	28
103	87	85	105	90	109	105	95	99	83	101	108	135	103	2	.....	29
4	8	2	3	1	5	5	1	2	.....	2	3	4	3	.....	.....	30
83	80	77	96	78	97	94	87	90	76	89	100	121	90	2	.....	31
16	1	6	6	10	3	6	4	6	7	10	4	10	10	.....	.....	32
.....	3	.....	.....	1	4	.....	3	1	.....	.....	1	.....	.....	.....	.....	33
127	95	107	108	131	99	107	97	112	74	119	94	113	93	1	2	34
62	43	48	45	56	39	49	39	43	25	56	37	44	35	.....	.....	35
45	27	43	46	57	45	38	37	49	29	43	33	46	36	.....	1	36
19	25	16	17	17	14	19	21	19	20	20	24	23	22	1	.....	37
1	.....	.....	.....	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	1	38
63	57	59	56	61	63	84	58	64	65	79	61	76	63	2	1	39
3	2	1	.....	3	1	3	1	3	2	4	2	3	2	.....	.....	40
28	34	32	25	28	37	47	34	32	40	39	37	40	32	1	.....	41
32	20	26	30	29	25	33	23	29	23	35	21	32	26	.....	1	42
.....	1	.....	1	1	.....	1	.....	.....	.....	1	1	1	3	1	.....	43
61	50	54	47	61	40	54	38	109	51	119	70	171	119	2	1	44
27	25	27	28	28	21	25	19	47	26	47	34	54	44	.....	1	45
23	19	20	12	24	13	21	10	45	19	58	24	95	56	1	.....	46
11	6	7	7	8	6	8	9	17	6	14	12	21	19	.....	.....	47
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	48
59	64	56	55	67	53	61	64	78	61	64	57	51	46	2	.....	49
31	33	19	29	22	21	20	22	26	26	18	26	16	15	1	.....	50
22	20	34	19	35	25	28	35	38	19	38	23	29	30	1	.....	51
6	10	2	7	10	7	13	7	14	15	7	8	6	1	.....	.....	52
.....	1	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	53
44	30	50	41	38	47	54	26	50	37	58	37	42	31	2	.....	54
1	2	2	.....	3	2	1	.....	1	1	.....	3	1	.....	.....	.....	55
21	21	34	27	23	31	31	19	34	26	35	28	29	22	1	.....	56
21	7	14	14	11	14	22	7	15	10	22	6	12	9	.....	.....	57
1	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	58
.....	22	.....	21	.....	24	.....	26	.....	33	.....	19	.....	27	.....	.....	59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 4—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	1,525	104	37	86	63	99	25	92	26	103	35
2	Under 5	236	15	14	12	25	11	6	11	6	11	8
3	5 to 59	1,107	77	16	65	31	73	17	70	18	79	17
4	60 and over	145	11	7	6	7	12	1	9	2	11	9
5	Unknown	37	1		3		3	1	2		2	1
6	Burns and scalds	205	11	21	8	33	6	11	8	11	10	8
7	Under 5	90	8	7	4	14	3	2	5	2	4	2
8	5 to 59	94	2	11	3	17	2	7	2	8	6	3
9	60 and over	19	1	3	1	2		1	1	1		3
10	Unknown	2					1	1				
11	Drowning	224	11	2	15	1	13	2	21	1	16	6
12	Under 5	16	1	1			2	1	3		1	
13	5 to 59	185	10	1	14	1	9	1	16	1	14	5
14	60 and over	10					2		1		1	
15	Unknown	13			1				1			1
16	Exposure and neglect	43		2	6	4	3	1			3	3
17	Under 5	30		2	5	3	1				3	1
18	5 to 59	10			1	1		1				2
19	60 and over	2					1					
20	Unknown	1					1					
21	Gunshot wounds	250	18	2	22	2	22		21	1	25	2
22	Under 5	3									1	
23	5 to 59	237	17	2	21	2	21		20	1	22	2
24	60 and over	5							1		2	
25	Unknown	5	1		1		1					
26	Homicide	76	8		6	3	7		3		6	
27	Under 20	9	2								2	
28	20 to 59	61	5		4	2	7		3		4	
29	60 and over	4	1		1	1						
30	Unknown	2			1							
31	Injuries by machinery	10	3								1	
32	Under 20	2										
33	20 to 59	7	3								1	
34	60 and over											
35	Unknown	1										
36	Railroad accidents	138	15	1	7	5	13	1	10		4	3
37	Under 5	7		1		1			1			
38	5 to 59	110	14		6	2	11	1	6		4	
39	60 and over	17	1		1		2		2			3
40	Unknown	4							1			
41	Suicide by shooting	27	4		2				1	1	3	
42	Under 20											
43	20 to 59	25	4		2				1	1	2	
44	60 and over	1										
45	Unknown	1									1	
46	Suicide by drowning	6					1		1	1		
47	Under 20											
48	20 to 59	3							1	1		
49	60 and over	1					1					
50	Unknown											
51	Suicide by poison	23	2		2		3	2		1	2	
52	Under 20											
53	20 to 59	22	1		2		3	2		1	2	
54	60 and over	1	1									
55	Unknown											
56	Other suicides	25	5		2		2					
57	Under 20	2										
58	20 to 59	18	3		2		2					
59	60 and over	5	2									
60	Unknown											
61	Sunstroke	36	1						1	1		
62	Under 5	2	1							1		
63	5 to 59	29							1			
64	60 and over	5										
65	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 4—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
74	20	111	23	112	29	76	17	80	25	86	28	128	40	5	1	1
7	2	4	3	11	10	6	5	9	11	12	10	14	13			2
59	17	97	16	90	17	57	11	64	13	66	15	101	19	1	1	3
6	1	7	4	8	1	12	1	3	1	6	2	11	7			4
2		3		3	1	1		4		2	1	2	1	4		5
4	1	4	3	4	5	1	3	5	7	7	9	9	16			6
2		1		3	3	1		3	4	5	4	7	6			7
2	1	3	3	1	2		3	2	3	1	4	1	7			8
										1	1	1	3			9
																10
17	5	34		26	4	12	1	10	1	9	1	11	2	3		11
				1		1	1			1		2	1			12
15	5	31		22	3	10		9	1	8	1	7	1			13
1		1		1		1						2				14
1		2		2	1			1						3		15
1	2		1	2	2			2	1	4	1	3	2			16
1	1		1	1	1			2	1	2	1	2	2			17
	1				1					2		1				18
				1												19
																20
10	1	9	2	15	4	9	3	17	3	15	5	37	3	1	1	21
					1				1							22
10	1	9	2	15	3	9	3	17	2	15	4	35	3		1	23
												2				24
											1			1		25
5	2	8		6	1	3		4		4		7	3			26
	1	1										1	2			27
5	1	5		6	1	3		4		4		6	1			28
		1														29
		1														30
				1		1		1		1		2				31
						1		1								32
										1		2				33
																34
				1												35
7	1	10	1	5	2	10	1	9	2	10	1	14	5			36
					1	1		1		1						37
6	1	10	1	5	1	6	1	8	2	6	1	12	3			38
1						3				1		2	1			39
										2			1			40
		1		2		2		2		6		3				41
																42
		1		2		2		2		5		3				43
										1						44
																45
1		1				1										46
																47
		1														48
1						1										49
																50
1		3		1		1	1			2	1	1				51
																52
1		3		1		1	1			2	1	1				53
																54
																55
1		3	1	4		2	1	1		2			1			56
							1			1						57
1		2	1	3		2		1		1			1			58
		1		1												59
																60
1	1	9	5	9	1	5	1					1				61
																62
1	1	9	3	8	1	4	1									63
			2	1		1						1				64
																65

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 5.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes	33,792	1,480	1,459	1,322	1,272	1,731	1,694	1,838	1,943	1,506	1,520
2	Under 5	8,612	374	315	362	296	423	348	399	380	378	314
3	5 to 59	12,390	524	556	476	487	609	630	664	718	558	593
4	60 and over	12,586	571	575	477	481	687	707	759	832	559	605
5	Unknown	204	11	13	7	8	12	9	16	13	11	8
6	Unknown cause	411	20	16	21	19	26	25	18	13	19	13
7	Under 5	186	11	6	14	6	11	11	4	9	6	7
8	5 to 59	120	3	7	4	8	7	7	7	2	7	5
9	60 and over	90	6	2	3	4	6	6	4	2	4	1
10	Unknown	15		1		1	2	1	3		2	
	1. General diseases.											
11	General diseases—A	5,679	179	184	147	141	221	260	290	326	186	210
12	Under 5	2,852	72	75	65	50	68	59	76	69	79	69
13	5 to 59	1,571	60	69	52	59	70	94	100	98	54	67
14	60 and over	1,233	46	37	30	32	82	104	112	157	53	74
15	Unknown	23	1	3			1	3	2	2		
16	Measles	223	13	11	7	13	21	21	18	15	24	21
17	Under 5	147	10	5	4	6	15	10	10	10	18	15
18	5 to 59	69	2	5	3	7	5	11	8	5	4	5
19	60 and over	6	1				1				2	1
20	Unknown	1		1								
21	Scarlet fever	201	12	12	12	10	10	4	13	12	11	10
22	Under 5	105	7	8	6	6	4	3	6	9	6	3
23	5 to 59	94	5	3	6	4	6	1	7	3	5	7
24	60 and over	2	1	1								
25	Unknown											
26	Diphtheria	482	19	33	21	21	14	25	14	15	17	16
27	Under 5	272	16	19	18	10	8	8	7	8	10	9
28	5 to 59	207	3	14	3	10	6	16	7	7	7	7
29	60 and over	2				1		1				
30	Unknown	1										
31	Whooping cough	256	15	11	10	10	5	10	9	15	13	15
32	Under 5	237	14	9	10	10	4	8	9	13	13	15
33	5 to 59	14	1	1			1	1		2		
34	60 and over	1										
35	Unknown	4		1				1				
36	Malarial fever	94	3	3	2	1	10	1	2	5	2	
37	Under 5	13	1							1		
38	5 to 59	41	1	2			2		1	2	1	
39	60 and over	37	1	1	2	1	8	1	1	2	1	
40	Unknown	3										
41	Influenza	861	25	25	26	25	68	124	140	196	47	79
42	Under 5	88	1	4	6	3	5	11	11	11	7	6
43	5 to 59	212	4	6	8	9	17	25	41	51	9	16
44	60 and over	559	20	15	12	13	46	87	87	134	31	57
45	Unknown	2						1	1			
46	Typhoid fever	604	34	26	19	21	23	22	22	16	18	15
47	Under 5	22		3	1	2		1	1	1		2
48	5 to 59	523	31	20	17	17	21	20	19	12	17	8
49	60 and over	57	3	2	1	2	2	1	2	3	1	5
50	Unknown	2		1								
51	Diarrheal diseases	2,336	25	32	30	18	34	29	35	21	29	25
52	Under 5	1,810	18	18	13	8	25	14	22	12	21	12
53	5 to 59	177	4	9	9	4	5	6	5	2	1	6
54	60 and over	344	3	5	8	6	4	9	7	7	7	7
55	Unknown	5							1			
56	Cerebro-spinal fever	161	8	7	8	5	5	3	7	4	6	11
57	Under 5	100	2	4	5	8	4	2	5	2	3	5
58	5 to 59	57	5	3	3	2	1	1	2	2	3	6
59	60 and over	4	1									
60	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 5.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,200	1,072	1,426	1,200	1,509	1,477	1,397	1,308	1,276	1,216	1,155	1,174	1,350	1,255	7	5	1
290	213	487	353	571	495	477	426	321	291	254	249	335	258	1	2	2
473	449	493	440	473	503	458	471	475	456	450	458	479	494	2	1	3
427	405	440	400	456	473	457	401	475	465	446	462	528	495	1	2	4
10	5	6	7	[illegible]	6	5	10	5	4	5	5	8	8	3	.....	5
17	10	12	12	13	11	20	17	18	15	20	16	26	13	1	.....	6
10	3	6	7	6	4	11	7	7	6	7	5	14	8	.....	.....	7
2	3	5	4	3	4	7	7	5	5	4	6	4	4	.....	.....	8
5	4	1	1	4	3	1	1	6	3	9	5	8	1	.....	.....	9
.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	1	.....	10
142	125	353	290	461	449	344	369	226	182	154	143	163	133	.....	1	11
79	65	264	196	347	297	227	241	108	93	69	51	68	65	.....	.....	12
28	38	49	54	62	75	77	73	80	58	68	69	69	48	.....	.....	13
32	21	40	40	50	75	40	53	38	31	17	22	26	20	.....	1	14
3	1	.....	.....	2	2	.....	2	.....	.....	.....	1	.....	.....	.....	.....	15
5	12	8	3	4	2	.....	2	2	3	4	2	9	3	.....	.....	16
4	10	8	.....	4	2	.....	2	1	1	3	1	5	3	.....	.....	17
1	2	.....	3	.....	.....	.....	.....	1	2	1	1	3	.....	.....	.....	18
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
3	7	3	2	5	2	3	6	7	8	12	12	9	16	.....	.....	21
.....	2	1	1	2	2	1	3	4	5	7	6	6	8	.....	.....	22
3	5	2	1	3	.....	2	3	3	3	5	6	3	8	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
6	6	15	13	23	16	23	19	37	34	23	25	27	20	.....	.....	26
4	1	5	5	16	6	12	12	19	19	13	12	18	17	.....	.....	27
2	5	10	8	7	10	11	6	18	15	10	13	9	3	.....	.....	28
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	29
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	30
7	5	12	7	14	15	9	9	5	9	12	13	10	16	.....	.....	31
7	3	12	7	13	14	9	8	5	9	11	12	9	13	.....	.....	32
.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	1	1	3	.....	.....	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	34
.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
6	4	5	4	6	9	4	6	7	1	4	3	3	3	.....	.....	36
2	1	1	.....	.....	1	1	2	.....	.....	2	.....	1	.....	.....	.....	37
3	2	3	3	5	4	2	2	2	.....	.....	1	2	3	.....	.....	38
.....	1	1	1	1	4	1	1	5	1	2	1	.....	.....	.....	.....	39
1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	40
10	12	7	4	3	3	3	1	11	9	6	11	14	11	.....	1	41
2	4	3	.....	.....	.....	3	.....	4	2	1	.....	2	2	.....	.....	42
.....	4	1	1	2	.....	.....	1	2	.....	1	4	6	4	.....	.....	43
8	4	3	3	1	3	.....	.....	5	7	4	7	6	5	.....	1	44
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	45
11	6	20	16	24	28	48	32	50	30	38	32	32	21	.....	.....	46
1	.....	1	.....	.....	1	1	1	1	1	1	.....	2	1	.....	.....	47
8	6	16	14	22	24	44	26	42	26	36	28	30	19	.....	.....	48
1	.....	3	2	2	3	3	5	7	3	1	4	.....	1	.....	.....	49
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
64	50	259	218	355	344	230	270	90	68	32	23	26	29	.....	.....	51
53	38	225	180	306	263	188	205	66	51	23	14	16	19	.....	.....	52
3	5	12	[illegible]	12	23	11	23	[illegible]	3	5	4	6	1	.....	.....	53
7	7	22	29	36	56	31	42	15	14	4	5	4	9	.....	.....	54
1	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	55
6	5	8	9	11	10	12	5	6	5	8	2	8	2	.....	.....	56
3	4	7	3	6	6	8	4	6	3	5	2	7	1	.....	.....	57
3	1	.....	5	5	4	4	1	.....	1	3	.....	1	1	.....	.....	58
.....	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 5—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	591	31	25	20	22	36	22	39	23	28	23
2	Under 5	399	17	19	11	20	23	16	22	21	16	20
3	5 to 59	134	12	4	6	2	5	3	15	2	9	2
4	60 and over	49	2	2	2		7	3	2		3	1
5	Unknown	9			1		1					
6	Inanition	415	18	20	13	19	25	19	23	19	15	18
7	Under 5	377	17	18	11	19	22	15	20	19	14	18
8	5 to 59	10		1				2	3			
9	60 and over	20	1	1	1		2	2			1	
10	Unknown	8			1		1					
11	General diseases—C	3,149	143	140	120	126	160	157	131	174	129	143
12	Under 5	1,368	69	48	61	32	64	53	65	52	61	50
13	5 to 59	66	3	3	1	3	7	7	4	6	3	4
14	60 and over	1,696	71	88	56	89	92	97	61	114	64	88
15	Unknown	19		1	2	2	1		1	2	2	1
16	Debility and atrophy	643	21	26	22	23	30	33	29	32	19	30
17	Under 5	414	14	16	13	9	19	15	18	16	13	15
18	5 to 59	65	3	3	1	3	3	7	4	6	2	4
19	60 and over	156	4	7	7	9	8	11	7	9	4	11
20	Unknown	8			1	2				1		
21	Old age—all ages	1,546	66	80	50	80	85	86	55	106	61	78
22	60 and over	1,538	66	80	49	80	84	86	54	105	60	77
23	Unknown	8			1		1		1	1	1	1
24	General diseases—D	5,620	228	240	185	210	234	291	256	341	240	289
25	Under 5	394	13	10	12	16	16	17	22	27	19	20
26	5 to 59	3,697	148	149	119	141	157	207	160	227	157	200
27	60 and over	1,501	66	79	53	53	60	66	73	84	62	68
28	Unknown	28	1	2	1		1	1	1	3	2	1
29	Consumption	3,132	144	121	110	129	131	155	154	184	156	160
30	Under 5	135	7	2	3	9	4	4	3	11	10	9
31	5 to 59	2,573	114	99	86	104	111	136	126	141	125	133
32	60 and over	411	22	20	20	16	16	15	25	31	19	18
33	Unknown	13	1		1					1	2	
34	2. Diseases of the nervous system	4,567	192	179	166	185	209	220	236	227	211	182
35	Under 5	1,039	34	34	48	33	59	44	54	53	57	41
36	5 to 59	1,274	47	48	51	60	62	60	63	59	58	48
37	60 and over	2,241	110	97	66	91	87	116	119	115	93	93
38	Unknown	13	1		1	1	1				3	
39	3. Diseases of the circulatory system	3,285	159	131	150	114	167	159	182	141	168	160
40	Under 5	196	13	8	5	10	7	8	8	6	18	8
41	5 to 59	1,041	49	41	43	40	49	58	43	45	46	59
42	60 and over	2,023	96	79	101	64	111	91	128	89	104	91
43	Unknown	25	1	3	1			2	3	1		2
44	4. Diseases of the respiratory system	4,727	282	281	269	255	386	337	392	450	275	278
45	Under 5	1,577	114	83	113	101	146	115	121	115	94	75
46	5 to 59	1,436	84	81	81	59	126	81	127	142	99	80
47	60 and over	1,692	84	114	74	95	113	139	141	188	82	123
48	Unknown	22		3	1		1	2	3	5		
49	5. Diseases of the digestive system	1,755	63	93	73	67	85	64	79	85	61	72
50	Under 5	303	14	16	17	12	12	6	18	11	15	15
51	5 to 59	874	33	51	33	37	48	29	38	48	31	33
52	60 and over	573	16	26	23	18	25	29	23	26	15	24
53	Unknown	5										
54	6. Diseases of the urinary system	1,869	91	87	93	64	104	80	110	74	94	73
55	Under 5	57	9	3	1	3	1	3	1	6	1	1
56	5 to 59	766	25	54	38	35	27	38	49	38	26	39
57	60 and over	1,038	56	30	54	25	76	39	60	30	67	32
58	Unknown	8	1			1						1
59	7. Affections connected with pregnancy	262		21		16		30		26		29

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 5—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
20	16	28	17	20	34	40	14	34	23	20	18	26	12			1
8	15	17	14	15	26	24	11	24	15	8	12	15	10			2
9	1	8	1	5	4	10	2	7	4	10	3	9	1			3
1		2	2		3	6	1	2	2	1	3	2	1			4
2		1			1			1	1	1						5
10	14	16	14	15	29	22	13	25	17	10	14	18	9			6
7	14	15	13	15	26	22	11	24	14	8	11	15	9			7
1							1					2				8
1			1		2		1		2	1	3	1				9
1		1			1			1	1	1						10
108	116	123	101	135	129	137	134	102	140	107	131	133	129		1	11
58	42	65	44	71	47	77	65	52	56	50	55	76	54		1	12
1		1	1	1	4	6	3	2	4	1	2	2	2			13
47	73	57	56	62	78	54	65	48	80	55	74	55	72			14
2	1			1			1			1			1			15
19	12	31	19	42	27	41	36	20	36	23	26	24	22			16
10	8	22	15	33	17	33	26	15	22	17	19	16	13			17
1		1	1	1	4	6	3	2	4	1	2	2	1			18
6	4	8	3	7	6	2	7	3	10	5	5	6	7			19
2				1									1			20
41	70	49	53	55	72	52	59	45	70	50	69	49	65			21
41	69	49	53	55	72	52	58	45	70	50	69	49	65			22
	1						1									23
213	225	216	241	190	279	198	240	201	260	171	234	189	247	1	1	24
24	10	24	13	9	15	24	13	15	21	15	13	17	9			25
139	157	143	158	122	187	119	167	127	163	112	149	122	166		1	26
49	57	49	68	56	77	55	58	59	74	44	70	49	71	1		27
1	1		2	3			2		2		2	1	1			28
130	107	140	121	110	147	116	121	115	130	98	122	105	126			29
9	1	13	5	4	8	7	4	5	7	3	3	2	2			30
115	97	111	102	83	120	95	105	96	101	83	98	85	107			31
6	8	16	13	20	19	14	11	14	22	12	20	17	17			32
	1		1	3			1				1	1				33
192	179	189	191	199	184	186	163	163	151	179	174	217	193			34
46	39	59	36	61	46	45	32	43	28	35	33	46	33			35
67	49	51	64	50	39	51	59	31	47	56	53	45	56			36
79	91	79	90	88	99	89	72	88	76	87	88	125	103			37
			1			1		1		1		1	1			38
138	112	124	110	133	110	140	101	134	115	141	124	163	108	1		39
13	3	5	9	9	4	9	6	5	6	10	9	16	4			40
40	50	42	37	39	46	34	33	42	34	46	47	41	36	1		41
85	57	77	66	84	59	96	61	87	75	85	67	104	66			42
	2		1	1	1	1	1				1	2	2			43
101	86	72	55	65	55	76	79	114	137	129	146	191	214	1	1	44
33	26	25	24	21	22	30	34	41	41	41	52	57	51	1	1	45
29	22	32	16	24	17	22	22	37	40	42	41	64	68			46
39	38	14	15	20	15	24	23	36	56	46	52	68	93			47
		1			1						1	2	2			48
71	71	76	69	91	92	67	73	83	65	62	72	58	62		1	49
7	5	11	7	22	20	15	15	14	11	9	8	10	13			50
36	43	41	40	42	52	29	31	35	28	24	28	33	31			51
28	23	24	20	27	20	23	26	34	26	28	36	15	17		1	52
			2				1			1			1			53
75	59	101	51	87	48	85	49	100	60	83	50	86	64	1		54
3	1	1	1	1	3	5		4	2		1	5	1			55
26	32	28	26	34	20	29	28	33	30	30	23	23	35			56
46	26	72	24	52	25	51	21	61	28	53	26	56	28			57
								2				2		1		58
	27		15		19		21		20		20		18			59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 5—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	1,615	85	45	73	39	91	38	101	46	87	35
2	Under 5	205	6	12	14	11	13	15	7	11	10	6
3	5 to 59	993	57	18	46	18	49	8	55	16	64	18
4	60 and over	383	17	15	13	5	25	15	36	19	11	8
5	Unknown	34	5			2	4		2		2	3
6	Burns and scalds	150	5	15	7	7	7	10	4	10	3	4
7	Under 5	58	3	6	3	1	5	4	1	5		
8	5 to 59	59	1	6	3	4		3		1	1	4
9	60 and over	33	1	3	1	2	2	3	3	4	2	
10	Unknown											
11	Drowning	238	4	1	4	2	5	1	16	1	24	7
12	Under 5	19	1						4	1	2	1
13	5 to 59	200	2	1	4	2	5	1	11		19	5
14	60 and over	13							1		3	
15	Unknown	8	1									1
16	Exposure and neglect	27	2	2	1	1	2	1	2	2		
17	Under 5	11		1	1	1	1	1		1		
18	5 to 59	4							1			
19	60 and over	11	1	1			1		1	1		
20	Unknown	1	1									
21	Gunshot wounds	56	1			1	3	2	3	1	2	
22	Under 5	4				1		1		1		
23	5 to 59	48					3	1	2		2	
24	60 and over	4	1						1			
25	Unknown											
26	Homicide	14	1	2			1					
27	Under 20	3	1	1								
28	20 to 59	10		1			1					
29	60 and over	1										
30	Unknown											
31	Injuries by machinery	4					1		1			
32	Under 20	2							1			
33	20 to 59	1										
34	60 and over	1					1					
35	Unknown											
36	Railroad accidents	180	16	1	9		15		13		12	2
37	Under 5											
38	5 to 59	150	14	1	8		9		11		11	2
39	60 and over	20			1		3		1		1	
40	Unknown	10	2				3		1			
41	Suicide by shooting	45	2	1	4	1	3		4		6	
42	Under 20	2										
43	20 to 59	37	2	1	4	1	2		3		5	
44	60 and over	6					1		1		1	
45	Unknown											
46	Suicide by drowning	13	1							1	1	
47	Under 20											
48	20 to 59	10								1	1	
49	60 and over	3	1									
50	Unknown											
51	Suicide by poison	26	1		1	1	1	1	1			1
52	Under 20	1										
53	20 to 59	16			1	1	1	1	1			
54	60 and over	6										
55	Unknown	3	1									1
56	Other suicides	88	8	2	4		9	1	9	4	4	4
57	Under 20	6	1				1		1		1	
58	20 to 59	58	7	1	3		7		3	3	1	2
59	60 and over	23		1	1		1	1	5	1	2	2
60	Unknown	1										
61	Sunstroke	9					1					
62	Under 5	1										
63	5 to 59	5					1					
64	60 and over	3										
65	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 5—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
118	31	122	37	106	51	95	33	97	32	88	32	87	44	2		1
9	3	9	4	6	8	8	1	6	10	10	9	9	8			2
92	17	85	18	87	26	70	15	74	14	56	10	61	18	1		3
15	11	24	14	11	16	15	17	16	8	21	13	17	18			4
2		4	1	2	1	2		1		1				1		5
4	7	2	7	4	11	5	5	1	7	7	5	7	6			6
2	1	1	2	2	3	4		1	2	4	2	4	2			7
1	4	1	3	2	7	1	5		3	2	2	2	3			8
1	2		2		1				2	1	1	1	1			9
																10
37	3	44	4	29	8	16	1	9		6	1	10	3	2		11
2	1	2	1	1		2						1				12
34	2	38	2	28	6	14	1	8		4		9	3	1		13
		2	1		2			1		2	1					14
1		2												1		15
1		1	1		1		2	3		2	1	2				16
1					1			1			1	1				17
							1	2								18
		1	1				1			2		1				19
																20
5		6	1	2	2	6	1	12	1	4	1	2				21
											1					22
5		5	1	2	2	6	1	11	1	4		2				23
		1						1								24
																25
		1		1	1		1	2				3	1			26
							1									27
		1		1	1			2				2	1			28
												1				29
																30
						1		1								31
						1										32
								1								33
																34
																35
7	1	15	1	23	2	18	3	15		13	1	12	1			36
																37
5	1	13	1	20	1	16	1	14		12	1	8	1			38
2		1		2	1	1	2			1		4				39
		1		1		1		1								40
2	1	2		3		6		3		1		6				41
																42
	1	1						2				6				43
2		1		3		5		1		1						44
						1										45
1		3	1	1	1			1	2							46
																47
								1	1							48
1		3	1	1					1							49
					1											50
2	5	1	4					1		1			5			51
																52
	1												3			53
1	3		3					1					2			54
	1	1	1							1						55
1																56
5	8	8	1	4		4	2	3	1	5	2	5				57
									1	1						58
5	3	3	1	2		3	1	3		3	2	5				59
		4		2		1	1			1						60
		1														61
3		1		2	1			1								62
																63
1				1												64
2		1		1	1			1								65

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 6.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX. January. Male.	January. Female.	February. Male.	February. Female.	March. Male.	March. Female.	April. Male.	April. Female.	May. Male.	May. Female.
1	All causes	43,009	2,124	1,704	2,018	1,741	2,555	2,239	2,528	2,210	2,307	1,960
2	Under 5	13,672	616	482	629	543	881	693	797	629	671	544
3	5 to 59	16,720	917	682	756	646	880	864	965	826	933	801
4	60 and over	12,305	580	527	609	542	783	668	744	739	691	604
5	Unknown	312	11	13	24	10	11	14	22	16	12	11
6	Unknown cause	1,160	51	46	48	62	75	57	64	51	69	63
7	Under 5	655	32	26	23	35	44	33	36	18	31	29
8	5 to 59	242	10	8	14	10	16	11	14	15	18	18
9	60 and over	238	8	12	10	14	13	11	12	15	17	15
10	Unknown	25	1	.....	1	3	2	2	2	3	3	1
	1. General diseases.											
11	General diseases—A	7,687	284	228	252	228	336	335	327	343	324	307
12	Under 5	4,157	125	92	119	112	159	151	140	132	166	154
13	5 to 59	2,499	132	96	99	81	115	123	107	112	107	99
14	60 and over	993	27	36	33	34	61	59	79	97	51	53
15	Unknown	38	.....	4	1	1	1	2	1	2	.....	1
16	Measles	376	11	12	26	31	32	33	40	38	41	40
17	Under 5	298	6	7	20	23	24	22	35	28	34	33
18	5 to 59	75	5	5	6	8	8	11	5	10	5	6
19	60 and over	3	.....	.....	.....	.....	.....	.....	.....	.....	2	1
20	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Scarlet fever	476	32	26	18	23	32	44	29	31	30	28
22	Under 5	298	22	13	13	13	19	32	16	18	19	14
23	5 to 59	177	10	13	5	10	13	12	13	13	11	14
24	60 and over	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Diphtheria	1,147	73	61	50	54	54	62	40	35	32	40
27	Under 5	604	44	33	31	30	37	33	30	24	19	21
28	5 to 59	531	29	24	19	23	17	26	9	11	13	19
29	60 and over	5	.....	1	.....	.....	.....	2	1	.....	.....	.....
30	Unknown	7	.....	3	.....	1	.....	1	.....	.....	.....	.....
31	Whooping cough	384	14	17	11	22	21	30	26	29	19	35
32	Under 5	363	12	16	11	21	21	27	24	27	19	34
33	5 to 59	20	2	1	.....	1	.....	3	2	2	.....	1
34	60 and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Malarial fever	108	1	3	4	1	4	4	4	3	1	6
37	Under 5	29	.....	.....	3	1	1	2	1	.....	.....	2
38	5 to 59	49	.....	1	1	.....	2	2	3	3	.....	3
39	60 and over	25	1	2	.....	.....	1	.....	.....	.....	1	1
40	Unknown	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
41	Influenza	589	17	29	30	27	57	65	78	102	40	46
42	Under 5	83	6	5	5	6	10	8	7	7	7	7
43	5 to 59	132	4	6	8	4	14	18	17	20	12	6
44	60 and over	371	7	18	16	17	33	39	53	74	21	33
45	Unknown	3	.....	.....	1	.....	.....	.....	1	1	.....	.....
46	Typhoid fever	991	55	24	42	23	39	28	37	27	47	24
47	Under 5	50	1	.....	.....	1	1	.....	2	5	1	.....
48	5 to 59	892	54	24	40	18	38	27	33	21	46	21
49	60 and over	45	.....	.....	2	4	.....	1	2	1	.....	3
50	Unknown	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Diarrheal diseases	2,805	35	28	37	23	48	31	24	41	63	43
52	Under 5	2,220	21	15	24	13	31	16	13	18	52	33
53	5 to 59	261	7	6	7	5	8	7	7	12	5	6
54	60 and over	315	7	7	6	5	8	8	4	11	6	4
55	Unknown	9	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
56	Cerebro-spinal fever	177	4	2	6	2	6	8	14	7	14	8
57	Under 5	108	2	1	4	.....	4	3	7	8	9	6
58	5 to 59	64	2	1	1	2	2	3	7	4	5	2
59	60 and over	4	.....	.....	1	.....	.....	1	.....	.....	.....	.....
60	Unknown	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 6.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,397	1,125	1,843	1,389	1,868	1,553	1,690	1,433	1,665	1,436	1,565	1,282	1,848	1,473	36	20	1
410	326	780	546	785	665	600	535	504	400	393	340	494	403	3	3	2
566	478	623	485	654	493	634	534	698	601	707	545	798	614	14	6	3
404	315	425	348	412	387	434	357	453	429	453	391	545	448	11	6	4
17	6	15	10	17	8	22	7	10	6	12	6	11	8	8	5	5
43	34	40	31	56	46	38	39	45	40	32	41	54	29	5	1	6
20	20	25	20	39	27	24	29	26	23	16	22	43	14			7
6	9	7	6	8	8	4	5	10	13	6	13	3	6	3	1	8
17	5	7	4	9	10	10	5	9	3	9	6	7	8	2		9
		1	1		1				1	1		1	1			10
223	182	514	385	552	503	421	409	299	281	227	206	257	257	3	4	11
140	108	390	285	397	355	252	237	138	117	87	93	103	102	2	1	12
62	56	84	65	93	85	130	130	137	129	116	87	122	131		1	13
20	18	36	33	53	61	38	41	23	35	23	26	30	24		2	14
1		4	2	9	2	1	1	1		1		2		1		15
8	8	4	4	3	8	2	3	3	1	4	4	15	5			16
7	8	4	2	3	8	2	3	3	1	4	4	12	5			17
1			2									3				18
																19
																20
13	9	12	7	11	7	10	9	14	9	15	15	18	34			21
8	6	8	5	8	4	7	6	8	6	11	9	14	19			22
5	3	4	2	3	3	3	3	6	3	3	6	4	15			23
										1						24
																25
28	28	20	17	16	24	41	53	61	71	81	73	60	72		1	26
18	16	15	9	4	12	18	18	26	27	36	38	32	33			27
10	12	5	8	11	11	23	35	35	44	44	35	28	39		1	28
					1											29
				1						1						30
13	8	13	13	10	8	12	11	13	5	7	13	18	16			31
13	8	13	12	10	8	12	11	13	4	6	11	15	15			32
									1	1	2	3	1			33
																34
			1													35
5	2	12	6	4	6	7	4	8	6	8	2	6	1			36
2		6	1	1	2	2	1	1	1	1	1					37
2	1	3	2	1	2	3	2	6	3	4		4	1			38
1	1	2	2	1	2	1	1	1	2	3	1	1				39
		1	1	1		1						1				40
6	11	2	7	8	9	7	3	5	2	4	5	11	17	1		41
1	2		2		1				1	1	1	3	2	1		42
1	2		2	1	4	2		1	1	1	1	3	4			43
4	7	2	3	7	4	5	3	4		2	3	5	11			44
																45
21	21	34	18	51	31	72	72	76	68	49	29	59	44			46
4	1	2	2	8	3	2	1	5	1	2	2	2	4			47
16	19	31	16	38	28	67	67	68	59	45	25	54	37			48
	1	1		3		3	3	3	8	2	2	3	3			49
1				2			1									50
86	72	386	293	413	378	245	233	88	102	35	38	28	31	2	2	51
75	61	335	249	352	303	199	190	70	73	21	21	13	20	1	1	52
7	9	24	21	24	25	20	14	10	11	6	6	8	9			53
4	5	24	23	34	49	26	29	8	18	8	11	7	2		1	54
		3		8	1									1		55
13	9	7	2	10	14	11	5	9	2	1	5	10	8			56
7	3	5	2	6	10	9	4	8	2		4	7	2			57
6	6	2		4	3	2	1	1		1	1	3	5			58
					1								1			59
																60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 6—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	661	26	15	22	22	31	24	35	20	40	30
2	Under 5	450	17	11	15	19	17	18	21	11	21	19
3	5 to 59	169	9	4	7	.....	10	5	11	6	17	6
4	60 and over	39	.....	.....	.....	3	4	1	2	3	2	5
5	Unknown	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
6	Inanition	459	17	11	15	18	16	19	20	12	22	22
7	Under 5	425	15	11	14	18	15	18	20	9	21	18
8	5 to 59	15	2	.....	1	.....	.....	.....	.....	1	.....	1
9	60 and over	19	.....	.....	.....	.....	1	1	.....	2	1	3
10	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	General diseases—C	2,926	121	113	127	106	175	134	170	143	117	141
12	Under 5	1,443	48	44	62	37	78	57	85	49	51	43
13	5 to 59	55	3	2	1	2	1	2	4	4	4	5
14	60 and over	1,402	69	64	62	67	96	73	81	88	62	90
15	Unknown	26	1	3	2	.....	.....	2	.....	2	.....	3
16	Debility and atrophy	992	37	33	36	18	46	28	48	38	42	30
17	Under 5	721	20	18	25	11	36	20	32	19	29	13
18	5 to 59	54	3	2	1	2	1	2	4	4	4	4
19	60 and over	198	14	12	8	5	9	4	12	13	9	11
20	Unknown	19	.....	1	2	.....	.....	2	.....	2	.....	2
21	Old age—all ages	1,211	56	54	54	62	87	69	69	75	53	80
22	60 and over	1,204	55	52	54	62	87	69	69	75	53	79
23	Unknown	7	1	2	.....	.....	.....	.....	.....	.....	.....	1
24	General diseases—D	6,211	267	311	240	288	277	319	307	323	302	328
25	Under 5	342	19	13	14	14	17	10	23	12	19	17
26	5 to 59	3,956	177	212	145	191	168	224	187	210	166	217
27	60 and over	1,866	70	86	74	81	87	83	93	99	116	93
28	Unknown	47	1	.....	7	2	5	2	4	2	1	1
29	Consumption	3,405	157	186	133	153	161	170	195	178	172	169
30	Under 5	137	6	8	5	6	3	2	12	5	9	7
31	5 to 59	2,692	125	153	101	123	128	142	146	142	125	133
32	60 and over	550	26	25	23	23	28	25	34	31	37	28
33	Unknown	26	.....	.....	4	1	2	1	3	.....	1	1
34	2. Diseases of the nervous system	6,527	305	249	316	271	407	353	363	332	372	284
35	Under 5	2,200	119	68	121	84	155	122	142	107	136	75
36	5 to 59	1,725	84	67	60	72	102	93	101	88	95	80
37	60 and over	2,555	99	113	132	114	150	135	116	135	137	127
38	Unknown	47	3	1	3	1	.....	3	4	2	4	2
39	3. Diseases of the circulatory system	3,514	169	151	179	146	192	181	211	186	194	176
40	Under 5	304	16	15	16	10	17	12	16	17	18	11
41	5 to 59	1,372	60	59	57	59	63	75	67	75	75	84
42	60 and over	1,820	93	77	103	77	111	94	126	93	100	80
43	Unknown	18	.....	.....	3	.....	1	.....	2	1	1	1
44	4. Diseases of the respiratory system	6,644	442	315	438	374	651	566	612	513	383	316
45	Under 5	3,071	178	162	210	193	324	248	274	229	171	148
46	5 to 59	1,997	157	77	142	90	169	169	214	143	126	95
47	60 and over	1,549	106	75	84	90	156	146	121	140	85	72
48	Unknown	27	1	1	2	1	2	3	3	1	1	1
49	5. Diseases of the digestive system	2,229	115	104	96	76	107	101	99	106	127	116
50	Under 5	514	36	22	24	14	43	15	24	29	30	24
51	5 to 59	1,066	51	56	39	40	35	54	46	49	61	62
52	60 and over	626	24	25	32	22	29	32	29	27	35	29
53	Unknown	23	4	1	1	.....	.....	.....	.....	1	1	1
54	6. Diseases of the urinary system	1,797	113	78	105	72	96	66	109	86	116	89
55	Under 5	86	1	7	7	4	2	7	3	4	4	5
56	5 to 59	896	55	47	41	38	40	41	48	48	56	59
57	60 and over	805	57	22	57	30	54	18	58	33	56	27
58	Unknown	10	.....	2	.....	.....	.....	.....	.....	1	.....	.....
59	7. Affections connected with pregnancy	328	.....	28	.....	31	.....	33	.....	40	.....	48

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 6—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
28	16	40	27	45	29	42	26	30	24	21	17	28	23	.....	.....	1
13	11	26	23	28	24	28	25	22	16	16	13	19	17	.....	.....	2
12	4	11	3	15	3	11	1	6	8	5	3	8	4	.....	.....	3
3	1	3	1	1	2	2	.....	2	.....	.....	1	1	2	.....	.....	4
.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	5
14	12	27	23	29	24	29	23	23	18	15	13	17	20	.....	.....	6
13	10	25	22	28	22	27	23	20	16	15	12	17	16	.....	.....	7
.....	1	2	.....	1	.....	.....	.....	2	2	.....	.....	.....	2	.....	.....	8
1	1	.....	1	.....	2	2	.....	1	.....	.....	1	.....	2	.....	.....	9
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10
96	88	113	109	130	135	135	135	111	120	86	92	127	96	4	2	11
50	44	74	60	88	82	87	90	58	64	39	38	70	43	1	1	12
.....	3	2	2	1	5	2	2	3	1	2	1	1	2	.....	.....	13
46	41	34	45	41	47	43	42	49	54	45	53	55	51	8	1	14
.....	.....	3	2	.....	1	3	1	1	1	.....	.....	1	.....	.....	.....	15
37	27	51	53	67	66	74	69	38	45	25	33	29	22	.....	.....	16
26	13	39	40	59	55	63	62	26	35	17	25	24	14	.....	.....	17
.....	3	2	2	1	5	2	2	3	1	2	1	1	2	.....	.....	18
11	11	7	11	7	5	6	4	8	8	6	7	4	6	.....	.....	19
.....	.....	3	.....	.....	1	3	1	1	1	.....	.....	.....	.....	.....	.....	20
35	30	27	36	34	42	37	38	41	46	39	46	52	45	3	1	21
35	30	27	34	34	42	37	38	41	46	39	46	51	45	3	1	22
.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	23
210	231	208	258	219	245	201	234	197	274	226	244	244	251	3	4	24
16	11	16	9	19	15	12	14	15	12	14	12	13	6	.....	.....	25
124	148	126	176	131	160	119	160	115	177	135	167	160	159	1	1	26
70	69	64	72	68	68	67	59	65	84	75	65	70	85	2	1	27
.....	3	2	1	1	2	3	1	2	1	2	.....	1	1	.....	2	28
112	110	115	132	113	121	113	131	109	152	130	131	141	120	1	.....	29
5	2	5	2	8	8	6	7	9	5	3	6	5	3	.....	.....	30
86	95	89	116	90	96	88	104	83	120	101	101	108	97	.....	.....	31
21	11	19	13	15	15	18	20	15	27	24	24	27	20	1	.....	32
.....	3	2	1	.....	2	1	.....	2	.....	2	.....	1	.....	.....	.....	33
252	184	275	207	263	208	258	232	246	215	239	219	262	207	7	1	34
78	59	117	70	116	78	103	67	85	60	52	57	67	62	.....	.....	35
69	54	73	63	78	50	49	63	65	55	78	62	70	52	2	.....	36
101	70	84	73	67	78	102	101	95	99	107	99	123	93	4	1	37
4	1	1	1	2	2	4	1	1	1	2	1	2	.....	1	.....	38
120	106	139	90	123	103	120	107	133	127	139	120	171	129	2	.....	39
14	7	18	8	11	8	10	6	10	9	16	6	20	13	.....	.....	40
47	57	53	30	52	38	44	46	47	61	54	53	62	53	1	.....	41
56	42	68	51	59	57	65	55	76	56	68	61	89	63	.....	.....	42
3	.....	.....	1	1	.....	1	.....	.....	1	1	.....	.....	.....	1	.....	43
123	99	112	65	95	73	128	80	195	145	219	160	286	249	2	3	44
46	43	56	36	48	38	55	37	98	66	110	74	124	102	.....	1	45
44	34	24	18	28	24	39	32	57	39	62	45	92	74	2	1	46
31	21	32	11	19	11	34	11	39	39	46	41	67	72	.....	.....	47
2	1	.....	.....	.....	.....	.....	.....	1	1	1	.....	3	1	.....	1	48
76	67	111	95	90	82	78	72	110	89	78	63	96	70	2	3	49
11	11	27	22	21	21	19	17	29	17	18	11	14	15	.....	.....	50
47	35	54	44	41	34	37	34	43	42	39	33	54	35	.....	1	51
16	20	30	28	28	27	21	18	38	30	20	18	28	19	.....	1	52
2	1	.....	1	.....	.....	1	3	.....	.....	1	1	.....	1	2	1	53
66	49	77	46	77	43	69	41	72	46	90	48	84	59	.....	.....	54
3	3	5	1	5	2	.....	2	1	3	9	.....	5	5	.....	.....	55
33	23	32	26	33	25	28	23	37	28	40	32	31	32	.....	.....	56
30	23	40	19	38	16	40	16	34	15	41	15	48	18	.....	.....	57
.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	4	.....	.....	58
.....	22	.....	15	.....	17	.....	19	.....	19	.....	20	.....	36	.....	.....	59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 6—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	2,988	215	49	187	45	194	44	218	52	245	48
2	Under 5	375	18	19	15	17	20	16	29	19	20	18
3	5 to 59	2,225	174	18	149	19	155	19	160	27	196	21
4	60 and over	343	23	11	19	8	19	9	24	5	28	9
5	Unknown	45		1	4	1			5	1	1	
6	Burns and scalds	324	15	21	15	11	16	14	21	18	8	17
7	Under 5	149	9	11	7	8	10	3	11	6	5	6
8	5 to 59	147	6	5	8	3	5	9	8	10	3	5
9	60 and over	22		4			1	2	1	1		3
10	Unknown	6		1					1	1		
11	Drowning	157	4		9	2	6		9	4	15	1
12	Under 5	24	1		1				3	1	2	1
13	5 to 59	110	2		7	2	5		4	3	11	
14	60 and over	21	1		1		1		1		2	
15	Unknown	2							1			
16	Exposure and neglect	31	4			3	5	4		3	1	2
17	Under 5	19	1			3	2	4		2	1	1
18	5 to 59	7	1				3			1		
19	60 and over	5	2									1
20	Unknown											
21	Gunshot wounds	108	6	1	4	2	11	1	5		7	
22	Under 5	1									1	
23	5 to 59	100	6	1	3	2	10	1	5		5	
24	60 and over	4					1				1	
25	Unknown	3			1							
26	Homicide	41	3		3				9		2	
27	Under 20	7	1						2			
28	20 to 59	33	2		3				7		2	
29	60 and over	1										
30	Unknown											
31	Injuries by machinery	18	2				1				3	
32	Under 20	6									1	
33	20 to 59	11	2				1				2	
34	60 and over	1										
35	Unknown											
36	Railroad accidents	623	68	3	42	2	50	2	55	2	52	1
37	Under 5	11		1	1				1		3	
38	5 to 59	556	62	2	38	3	47	2	47	2	46	1
39	60 and over	41	6		2		3		5		3	
40	Unknown	15			1				2			
41	Suicide by shooting	32	5		3		4		2	1	3	
42	Under 20	2										
43	20 to 59	25	4		3		3		2	1	3	
44	60 and over	4	1				1					
45	Unknown	1										
46	Suicide by drowning	6		1	1						2	1
47	Under 20											
48	20 to 59	5		1	1						1	1
49	60 and over	1									1	
50	Unknown											
51	Suicide by poison	17	1			1	3	1	1	2		1
52	Under 20	2				1				1		
53	20 to 59	12	1				2		1	1		1
54	60 and over	3					1	1				
55	Unknown											
56	Other suicides	75	4		6	1	1		5	2	11	
57	Under 20	4								1		
58	20 to 59	51	3		3	1	1		2	1	7	
59	60 and over	20	1		3				3		4	
60	Unknown											
61	Sunstroke	16									1	
62	Under 5	3										
63	5 to 59	9									1	
64	60 and over	4										
65	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 6—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
154	37	205	43	211	47	188	29	213	41	198	34	228	53	8	2	1
17	7	23	8	11	11	7	10	20	11	13	9	14	23			2
118	26	152	25	171	30	164	13	174	17	164	18	189	20	5	1	3
14	4	26	9	27	6	10	6	16	13	18	5	24	10			4
5		4	1	2		7		3		3	2	1		3	1	5
12	11	16	14	8	7	7	8	14	12	8	14	9	27	1		6
6	3	7	3	1	3	1	5	6	5	4	6	6	17			7
5	8	9	11	7	4	5	1	7	5	3	7	2	8			8
							2	1	2	1	1	1	2			9
1						1								1		10
15	1	21	5	22	5	12	1	2	2	9		11		1		11
2		2		7		1		2		1						12
10	1	15	4	13	5	11			1	7		8		1		13
3		4	1	2			1		1	1		2				14
												1				15
	1	1						2				2	3			16
	1	1						1					2			17
								1				1				18
												1	1			19
																20
10	1	11	1	3	1	7	3	5	1	13	1	13	1			21
																22
10	1	10	1	2	1	5	3	5	1	13	1	13	1			23
		1		1												24
						2										25
2		2		2	2	3	1	4		2	3	2			1	26
										2	2					27
2		2		1	2	3	1	4			1	2			1	28
				1												29
																30
1				2		1		3		3		2				31
				2						2		1				32
1						1		2		1		1				33
								1								34
																35
33	1	37	5	42	1	58	1	48	2	56	5	50	4	1	1	36
		2			1	1			1							37
27	1	32	3	39		53		44	1	50	4	47	4	1		38
3		3	2	2		1	1	3		4		3				39
3				1		3		1		2	1				1	40
1		2		2		1	1	1		2		1	2	1		41
1						1										42
		1		2			1	1		1		1	2			43
		1								1						44
														1		45
								1								46
																47
								1								48
																49
																50
1			1	1				1	1	1		1				51
																52
1			1	1				1		1		1				53
									1							54
																55
4		4	1	5	1	8	1	4	2	4		10		1		56
		1										2				57
2		2	1	4	1	6	1	3	1	4		7		1		58
2		1		1		2		1	1			1				59
																60
4	5	2		2	1	1										61
1	1				1											62
3	3	1				1										63
	1	1		2												64
																65

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 7.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes	87,435	4,073	3,422	3,979	3,371	4,718	4,065	4,528	3,972	4,235	3,511
2	Under 5	27,549	1,234	996	1,278	1,012	1,396	1,125	1,323	1,056	1,179	1,005
3	5 to 59	37,148	1,750	1,453	1,657	1,456	1,997	1,733	1,891	1,661	1,903	1,502
4	60 and over	22,531	1,081	970	1,023	898	1,315	1,197	1,309	1,250	1,146	997
5	Unknown	207	8	3	21	5	10	10	5	5	7	7
6	Unknown cause	1,070	55	53	55	41	69	53	52	44	59	40
7	Under 5	551	29	31	35	23	26	20	31	23	31	17
8	5 to 59	306	12	15	11	10	26	23	11	16	16	11
9	60 and over	199	12	7	9	8	17	[illegible]	10	4	10	11
10	Unknown	14	2	.....	.....	.....	.....	1	.....	1	2	1
	1. General diseases.											
11	General diseases—A	15,472	536	455	459	486	558	515	558	503	486	494
12	Under 5	9,274	274	241	234	234	259	249	260	202	243	261
13	5 to 59	4,591	208	154	171	214	208	178	185	180	177	170
14	60 and over	1,591	53	59	54	37	91	87	113	121	65	62
15	Unknown	16	1	1	.....	1	.....	1	.....	.....	1	1
16	Measles	742	50	40	39	51	50	47	44	29	37	48
17	Under 5	617	46	37	32	42	42	37	32	22	34	37
18	5 to 59	125	4	3	7	9	8	10	12	7	3	11
19	60 and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Scarlet fever	947	56	39	56	53	39	48	39	39	37	42
22	Under 5	597	40	27	37	33	25	33	24	24	22	28
23	5 to 59	347	16	12	19	20	14	14	15	15	15	14
24	60 and over	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
25	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Diphtheria	1,997	121	123	86	107	87	77	57	72	48	57
27	Under 5	1,111	69	74	45	45	57	48	28	42	25	34
28	5 to 59	882	52	49	41	62	30	29	29	30	23	23
29	60 and over	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
30	Unknown	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
31	Whooping cough	508	19	17	12	23	24	20	29	23	33	39
32	Under 5	492	19	17	12	21	23	19	28	23	32	37
33	5 to 59	14	.....	.....	.....	2	1	1	1	.....	1	2
34	60 and over	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Malarial fever	193	5	4	5	11	4	8	8	7	9	10
37	Under 5	46	.....	1	1	2	1	1	2	1	1	1
38	5 to 59	114	5	3	4	8	2	4	5	3	6	7
39	60 and over	33	.....	.....	.....	1	1	3	1	3	2	2
40	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
41	Influenza	748	31	41	38	42	80	79	100	122	36	47
42	Under 5	94	5	8	8	9	11	10	16	7	2	3
43	5 to 59	190	10	6	7	17	22	15	22	27	7	13
44	60 and over	463	16	27	23	16	47	53	62	88	27	31
45	Unknown	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
46	Typhoid fever	1,701	65	44	58	51	82	57	55	53	68	51
47	Under 5	103	.....	5	3	4	3	7	4	3	1	3
48	5 to 59	1,502	62	35	52	44	75	47	47	47	60	46
49	60 and over	94	3	4	3	2	4	3	4	3	7	2
50	Unknown	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
51	Diarrheal diseases	6,969	108	90	101	81	100	114	143	94	146	125
52	Under 5	5,672	72	57	69	52	70	75	105	63	104	95
53	5 to 59	631	17	18	16	19	14	23	20	15	26	16
54	60 and over	658	18	15	16	10	16	16	18	16	15	13
55	Unknown	8	1	.....	.....	.....	.....	.....	.....	.....	1	1
56	Cerebro-spinal fever	325	12	13	7	13	19	13	20	6	14	11
57	Under 5	171	6	2	4	10	10	5	10	2	8	5
58	5 to 59	151	6	11	3	3	9	7	10	4	[illegible]	[illegible]
59	60 and over	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
60	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 7.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
3,434	2,749	4,206	3,288	4,057	3,454	3,753	3,057	3,654	2,914	3,470	2,776	3,590	3,133	17	9	1
1,079	866	1,610	1,360	1,587	1,376	1,382	1,124	1,052	828	901	824	1,003	952	.....	1	2
1,550	1,239	1,713	1,250	1,573	1,331	1,504	1,232	1,652	1,336	1,615	1,229	1,610	1,306	4	1	3
797	643	869	669	874	742	859	695	942	746	943	715	971	872	4	4	4
8	1	14	9	23	5	8	6	8	4	11	8	6	3	9	3	5
34	35	49	42	46	46	38	43	37	33	36	32	35	38	3	2	6
19	13	24	24	25	31	20	25	20	14	18	20	15	17	.....	.....	7
9	12	17	11	14	8	10	10	12	14	8	7	9	12	2	.....	8
6	10	5	7	7	7	8	8	4	5	10	5	11	8	.....	1	9
.....	.....	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	1	10
617	512	1,093	989	1,192	1,022	965	883	654	556	505	476	459	496	1	2	11
391	336	848	744	884	740	673	585	357	274	228	246	236	275	.....	.....	12
172	142	169	164	219	194	217	219	236	231	226	198	175	183	.....	1	13
53	34	76	80	88	87	75	79	60	51	51	31	46	38	.....	.....	14
1	.....	.....	1	1	1	.....	.....	1	.....	.....	1	2	.....	1	1	15
26	35	19	23	14	19	8	9	9	11	27	32	32	43	.....	.....	16
19	29	17	16	13	14	8	9	8	9	23	28	26	37	.....	.....	17
7	6	2	7	1	5	.....	.....	1	2	4	4	6	6	.....	.....	18
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
30	32	25	20	21	27	28	29	49	33	56	50	49	49	.....	1	21
18	21	18	10	17	20	15	16	25	18	32	30	32	32	.....	.....	22
12	11	7	10	4	7	13	13	24	15	24	20	17	16	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	25
54	46	55	43	52	60	81	92	116	109	92	122	110	130	.....	.....	26
30	24	28	27	32	35	44	55	73	51	45	64	66	70	.....	.....	27
24	22	27	15	20	25	37	37	43	58	47	56	43	60	.....	.....	28
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	30
12	13	19	23	28	29	26	22	18	11	16	11	14	27	.....	.....	31
12	13	19	23	27	28	26	19	18	11	15	10	13	27	.....	.....	32
.....	.....	.....	.....	1	.....	.....	3	.....	.....	.....	1	1	.....	.....	.....	33
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
9	3	0	4	12	9	11	8	14	11	8	6	10	8	.....	.....	36
4	2	2	1	.....	1	3	2	6	4	4	2	2	2	.....	.....	37
8	1	7	1	9	6	7	5	6	4	3	4	7	4	.....	.....	38
2	.....	.....	2	3	2	1	1	2	3	1	.....	1	2	.....	.....	39
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	40
8	11	9	7	12	4	7	6	5	10	4	13	16	20	.....	.....	41
1	.....	1	.....	1	.....	.....	.....	1	.....	.....	3	3	5	.....	.....	42
4	5	2	2	4	1	3	1	2	3	2	4	4	7	.....	.....	43
3	6	6	5	7	3	4	5	2	7	2	6	9	8	.....	.....	44
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	45
61	42	56	49	110	76	101	96	126	102	105	67	71	54	.....	1	46
4	1	6	3	4	7	2	10	8	6	5	5	4	5	.....	.....	47
53	38	48	43	96	68	93	83	113	87	97	58	63	46	.....	1	48
4	8	2	3	10	1	6	3	4	9	3	4	4	3	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	50
325	263	824	750	850	742	643	554	253	204	121	119	102	116	1	.....	51
277	226	736	647	752	608	550	448	196	151	77	83	76	83	.....	.....	52
29	22	43	45	44	57	40	46	21	28	20	24	11	17	.....	.....	53
18	15	45	57	53	76	53	60	36	25	24	12	15	16	.....	.....	54
1	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	55
23	8	26	18	21	14	15	14	12	10	14	9	7	6	.....	.....	56
12	5	13	9	13	10	11	9	4	6	9	3	2	3	.....	.....	57
10	3	13	9	8	4	4	4	8	4	5	6	5	8	.....	.....	58
1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 7—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases- B	2,439	110	75	129	65	125	74	136	89	114	70
2	Under 5	1,801	83	59	96	52	79	63	94	74	71	60
3	5 to 59	517	21	11	27	10	39	11	33	11	32	7
4	60 and over	111	5	4	6	2	6		9	3	11	3
5	Unknown	10	1	1		1	1			1		
6	Inanition	1,807	82	59	96	53	79	64	93	71	70	63
7	Under 5	1,739	81	56	93	51	76	63	91	68	68	59
8	5 to 59	25		1		1	3	1	2		1	1
9	60 and over	39	1	1	3					2	1	3
10	Unknown	4		1		1				1		
11	General diseases—C	6,214	265	258	255	261	330	328	299	297	277	269
12	Under 5	2,887	126	105	108	100	162	132	142	109	140	124
13	5 to 59	263	16	11	18	12	12	15	9	15	9	9
14	60 and over	3,054	123	142	128	149	156	180	148	173	127	136
15	Unknown	10			1			1			1	
16	Debility and atrophy	1,348	48	47	49	61	70	61	51	66	51	56
17	Under 5	829	18	26	23	33	44	31	24	31	36	38
18	5 to 59	257	16	11	16	11	12	15	9	15	9	9
19	60 and over	256	14	10	9	17	14	15	18	20	5	9
20	Unknown	6			1						1	
21	Old age—all ages	2,800	109	132	119	132	142	166	130	153	122	127
22	60 and over	2,797	109	132	119	132	142	165	130	153	122	127
23	Unknown	3						1				
24	General diseases—D	14,341	590	596	586	532	694	702	629	645	720	648
25	Under 5	862	32	22	38	34	41	49	47	38	36	34
26	5 to 59	10,319	414	440	422	384	500	500	452	446	539	469
27	60 and over	3,142	144	134	123	113	153	152	130	161	145	142
28	Unknown	18			3	1		1				3
29	Consumption	8,303	339	330	374	297	438	382	394	344	474	366
30	Under 5	310	4	6	20	11	10	16	16	14	17	13
31	5 to 59	7,182	298	295	313	257	377	328	347	288	406	306
32	60 and over	795	37	29	38	28	51	37	31	42	51	44
33	Unknown	16			3	1		1				3
34	2. Diseases of the nervous system	10,658	516	389	506	414	559	465	583	479	547	470
35	Under 5	3,914	171	139	194	140	202	164	226	172	220	160
36	5 to 59	3,164	159	98	147	111	162	146	175	145	143	139
37	60 and over	3,557	186	152	163	162	195	153	181	161	183	171
38	Unknown	23			2	1		2	1	1	1	
39	3. Diseases of the circulatory system	7,178	376	323	335	278	407	349	396	349	376	288
40	Under 5	408	23	16	25	9	30	26	22	26	19	13
41	5 to 59	3,235	165	153	133	133	167	159	176	160	165	141
42	60 and over	3,520	188	154	176	136	209	164	198	163	192	134
43	Unknown	15			1		1					
44	4. Diseases of the respiratory system	13,460	864	748	904	756	1,132	872	1,019	925	735	624
45	Under 5	5,644	400	310	431	339	461	322	394	318	309	251
46	5 to 59	4,430	294	228	294	230	422	266	348	292	260	181
47	60 and over	3,369	169	210	175	186	246	283	276	315	166	192
48	Unknown	17	1		4	1	3	1	1			
49	5. Diseases of the digestive system	5,397	207	209	230	187	271	272	277	250	260	225
50	Under 5	1,263	52	35	64	47	79	68	65	53	65	37
51	5 to 59	2,849	107	123	114	103	125	142	144	129	133	121
52	60 and over	1,278	48	51	50	37	66	62	68	68	62	67
53	Unknown	7			2		1					
54	6. Diseases of the urinary system	4,072	201	119	203	148	254	170	239	152	246	133
55	Under 5	209	12	8	10	15	17	10	5	4	5	10
56	5 to 59	2,025	92	75	101	79	107	91	100	97	114	72
57	60 and over	1,831	97	36	92	54	129	68	134	51	127	51
58	Unknown	7					1	1				
59	7. Affections connected with pregnancy	804		59		71		106		87		73

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 7—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
105	71	156	120	142	97	130	92	125	74	108	66	105	60	1	.....	1
61	56	119	96	101	90	101	78	84	56	57	54	68	49	.....	.....	2
40	13	33	19	33	6	26	12	33	13	42	9	28	8	.....	.....	3
2	2	4	5	7	1	3	2	7	5	9	3	9	3	.....	.....	4
2	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	5
62	57	116	100	101	87	97	79	88	56	59	57	69	49	.....	.....	6
59	54	115	96	97	86	96	77	82	53	54	52	65	47	.....	.....	7
2	1	.....	1	1	.....	.....	1	2	2	2	2	.....	1	.....	.....	8
.....	2	1	3	3	1	1	1	4	1	3	3	4	1	.....	.....	9
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10
224	200	254	242	251	250	276	240	248	220	226	235	232	275	1	1	11
117	88	147	120	138	118	143	113	114	101	115	97	111	117	.....	.....	12
12	8	10	8	12	10	12	8	11	12	7	6	12	9	.....	.....	13
94	104	97	114	100	122	119	119	123	107	103	131	108	149	1	1	14
1	.....	.....	.....	1	.....	2	.....	.....	.....	1	1	1	.....	.....	.....	15
52	42	74	59	76	77	71	54	64	54	38	37	49	41	.....	.....	16
32	27	53	37	55	60	50	37	41	36	26	22	25	24	.....	.....	17
12	8	10	8	12	10	11	8	10	12	7	6	12	8	.....	.....	18
7	7	11	14	8	7	9	9	13	5	4	9	12	9	.....	.....	19
1	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	20
87	97	86	100	92	115	110	110	110	101	99	123	96	140	1	1	21
87	97	86	100	92	115	109	110	110	101	99	122	96	140	1	1	22
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	23
594	560	631	553	552	644	547	546	554	562	577	519	610	547	2	1	24
49	32	39	34	43	40	45	36	32	26	27	28	39	21	.....	.....	25
425	412	446	401	373	465	384	402	400	419	421	385	432	386	2	.....	26
120	116	144	115	136	138	117	108	122	116	128	105	139	140	.....	1	27
.....	.....	2	3	.....	1	1	.....	.....	1	1	1	.....	.....	.....	.....	28
385	308	381	310	321	327	306	295	332	299	351	282	376	291	1	.....	29
19	16	11	16	16	12	12	14	14	6	11	10	14	12	.....	.....	30
321	268	336	273	268	296	274	258	282	266	302	251	324	247	1	.....	31
45	24	32	18	37	18	20	23	36	27	37	20	38	32	.....	.....	32
.....	.....	2	3	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	33
459	339	480	371	444	416	443	312	467	344	428	351	485	389	1	1	34
188	126	189	163	163	167	160	107	166	118	150	129	171	128	.....	1	35
136	108	167	108	150	114	143	94	144	108	129	99	131	108	.....	.....	36
133	105	124	100	128	134	139	108	157	116	148	121	183	153	1	.....	37
2	.....	.....	.....	3	1	1	3	.....	2	1	2	.....	.....	.....	.....	38
261	235	289	227	270	220	261	224	316	235	305	239	321	296	.....	2	39
15	14	19	6	14	13	13	9	18	11	14	20	14	19	.....	.....	40
113	123	132	125	107	110	102	106	147	103	137	107	140	131	.....	.....	41
133	98	136	95	147	97	145	109	151	120	153	110	165	146	.....	1	42
.....	.....	2	1	2	.....	1	.....	.....	1	1	2	2	.....	.....	1	43
362	265	277	210	274	193	293	200	437	376	466	392	585	549	2	.....	44
148	123	121	103	130	97	129	82	166	144	192	163	268	243	.....	.....	45
142	79	94	67	80	47	94	60	182	123	168	123	186	170	.....	.....	46
72	62	62	40	63	48	70	57	88	109	106	106	131	136	1	.....	47
.....	1	.....	.....	1	1	.....	1	1	.....	.....	.....	.....	.....	1	.....	48
198	181	249	184	237	216	228	207	267	215	236	166	241	184	.....	.....	49
43	42	60	39	54	46	64	57	59	49	57	30	50	48	.....	.....	50
111	110	123	100	127	126	118	103	139	119	106	94	134	98	.....	.....	51
44	29	65	45	54	44	46	47	69	47	72	42	57	38	.....	.....	52
.....	.....	1	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	53
168	149	212	133	181	126	154	123	187	115	222	116	202	119	.....	.....	54
8	14	7	4	5	9	4	8	2	9	11	11	11	10	.....	.....	55
67	78	100	87	86	76	69	76	77	59	100	60	100	62	.....	.....	56
93	57	105	42	89	40	81	39	107	47	110	44	91	47	.....	.....	57
.....	.....	.....	.....	1	1	.....	.....	1	.....	1	1	.....	.....	.....	.....	58
.....	62	.....	63	.....	61	.....	45	.....	61	.....	53	.....	63	.....	.....	59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 7—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	5,528	334	90	301	79	306	103	316	103	384	124
2	Under 5	604	24	24	39	14	35	18	32	29	31	30
3	5 to 59	4,096	254	48	213	54	226	53	246	50	302	70
4	60 and over	761	53	17	41	11	42	31	35	22	49	22
5	Unknown	67	3	1	8		3	1	3	2	2	2
6	Burns and scalds	420	15	23	18	21	20	11	10	15	14	23
7	Under 5	188	8	7	12	7	14	4	7	7	7	10
8	5 to 59	208	4	15	6	12	4	6	3	7	7	13
9	60 and over	21	2	1		2	2	1		1		
10	Unknown	3	1									
11	Drowning	584	20	5	11	1	18	2	25	3	44	2
12	Under 5	41		2	1		2			3	5	1
13	5 to 59	482	18	3	9	1	15	1	23		37	
14	60 and over	38	2		1		1	1	2		1	
15	Unknown	23									1	1
16	Exposure and neglect	50	3	2	5	3	2	3	6	2	2	3
17	Under 5	21		1	1	2		1	5	1	1	1
18	5 to 59	19	1	1	1	1	2	1	1			2
19	60 and over	7	2		2						1	
20	Unknown	3			1			1		1		
21	Gunshot wounds	138	8	1	4		12	2	6	1	8	
22	Under 5	5					1					
23	5 to 59	124	7	1	4		11	1	6	1	7	
24	60 and over	7	1					1			1	
25	Unknown	2										
26	Homicide	152	12	1	2	3	13	5	10	3	8	5
27	Under 20	22	3			1	1	1	1	2		2
28	20 to 59	119	9	1	2	2	11	3	9	1	8	3
29	60 and over	9					1	1				
30	Unknown	2										
31	Injuries by machinery	37	1		1	1	1		2		3	
32	Under 20	5									1	
33	20 to 59	29			1	1	1		2		1	
34	60 and over	3	1								1	
35	Unknown											
36	Railroad accidents	936	68	3	75	3	56	4	52	7	94	12
37	Under 5	20		1	1		2		2	3	1	3
38	5 to 59	792	55	2	66	3	47	3	43	4	83	7
39	60 and over	109	13		5		6	1	5		10	1
40	Unknown	15			3		1		2			1
41	Suicide by shooting	194	12	2	19		12		26	2	16	2
42	Under 20	2			1		1					
43	20 to 59	172	12	2	16		11		25	2	14	2
44	60 and over	19			2				1		2	
45	Unknown	1										
46	Suicide by drowning	47		1	4		2	1	5	2	5	
47	Under 20	3					1		1			
48	20 to 59	35		1	3		1	1	4	2	3	
49	60 and over	9			1						2	
50	Unknown											
51	Suicide by poison	225	12	5	4	8	4	7	12	5	14	7
52	Under 20	21				2		2	1		2	2
53	20 to 59	180	9	5	3	6	4	5	11	3	10	4
54	60 and over	24	3		1					2	2	1
55	Unknown											
56	Other suicides	342	16	1	15	4	24	11	30	4	28	5
57	Under 20	10			2			1	2			
58	20 to 59	241	11	1	9	4	15	9	21	4	17	3
59	60 and over	89	4		4		9	1	7		11	2
60	Unknown	2	1									
61	Sunstroke	56						1			4	
62	Under 5	7										
63	5 to 59	39										
64	60 and over	10						1			3	
65	Unknown										1	

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 7—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
388	96	486	107	450	114	397	105	343	91	339	84	302	80	[illegible]		1
35	15	29	25	29	18	25	20	27	21	25	21	18	20			2
310	61	402	59	361	77	319	69	261	50	259	51	254	47			3
41	20	49	20	49	19	50	14	52	20	50	12	29	12	1		4
2		6	[illegible]	11		3	2	3		5		1	1	5		5
18	17	11	19	21	18	13	22	17	20	19	15	14	26			6
7	3	4	8	[illegible]	5	4	7	11	12	[illegible]	7	7	14			7
11	12	5	10	13	13	8	14	6	6	9	7	[illegible]	11			8
	2	[illegible]	1			1	1		[illegible]	1	1	1				9
										1			1			10
95	11	111	8	90	15	38	7	31	1	20	3	20	2	1		11
6	4	[illegible]	3	3	3	2		1		1	1		1			12
80	7	101	[illegible]	74	11	33	[illegible]	26	1	15	2	16	1			13
7		5		6	1	[illegible]		4		1		[illegible]				14
2		3	3	7			1			3		1		1		15
5		1		1	2	[illegible]	1	1		1	1	2	1			16
4				1	1	1				1						17
1		1			1	1	1	1			1	1	1			18
						1						1				19
																20
7	2	18	2	10		14	2	15	3	18		5				21
	2							1	1							22
6		18	2	8		14	2	13	2	17		4				23
1				1						1		1				24
				1				1								25
8	2	11	2	13	3	12	4	8	1	9	5	9	2	1		26
		1		[illegible]		2	1	2		1	2					27
6	1	10	2	10	2	9	3	6	1	8	3	8	1			28
2	1			1	1							1	1			29
						1								1		30
2	1	[illegible]		4		5		4		4	1	4				31
				1		2					1					32
2	1	2		3		3		4		4		4				33
		1														34
																35
71	[illegible]	82	11	70	11	78	5	75	3	65	8	70	6	1		36
2	2	2	1													37
61	3	73	7	57	10	70	5	62	2	55	6	64	4			38
8	1	5	3	11	1	8		11	1	9	2	6	2			39
		2		2				2		1				1		40
14	1	18	1	13		17		7	3	19	[illegible]	7	1			41
																42
12	1	15	1	11		14		5	2	17	[illegible]	7	1			43
2		3		2		2		2	1	2						44
						1										45
2	2	3		6	1	1		3	2	2	2	2	1			46
											1					47
2	2	[illegible]		[illegible]				2	[illegible]	2	1	1	1			48
		1		1	1	1		1				1				49
																50
15	7	8	9	18	10	12	9	12	12	10	9	12	4			51
			2	1	[illegible]		3		1		[illegible]					52
13	6	7	6	15	7	10	6	8	11	[illegible]	7	12	4			53
[illegible]	1	1	1	2		[illegible]		4		2						54
																55
25	7	26	7	29	5	20	10	22	4	22	[illegible]	21	3			56
1	1		1	1				1								57
18	6	20	4	22	3	16	7	12	[illegible]	12	3	18	3			58
6		5	2	6	2	4	[illegible]	[illegible]	1	10		3				59
		1														60
10	[illegible]	12	1	9	5	8	3									61
1		2		1	1	1	1									62
8	1	8	1	8	[illegible]	6	2									63
1	2	2			[illegible]	1										64
																65

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 8.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX. January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes	113,445	5,289	4,754	5,078	4,514	6,151	5,420	6,449	5,973	5,946	5,501
2	Under 5	31,979	1,432	1,138	1,466	1,170	1,703	1,303	1,798	1,446	1,739	1,386
3	5 to 59	47,694	2,289	2,078	2,151	1,913	2,518	2,197	2,639	2,392	2,472	2,369
4	60 and over	33,140	1,532	1,518	1,434	1,412	1,893	1,887	1,980	2,112	1,702	1,722
5	Unknown	632	36	20	27	19	37	33	32	23	33	24
6	Unknown cause	3,152	135	143	149	121	153	141	169	135	192	178
7	Under 5	1,701	70	82	97	61	87	64	77	70	105	90
8	5 to 59	762	36	29	22	28	36	38	43	35	43	43
9	60 and over	622	23	30	29	30	29	33	47	30	42	43
10	Unknown	67	6	2	1	2	1	6	2	.....	2	2
	1. General diseases.											
11	General diseases—A	19,760	687	657	675	613	851	776	970	964	927	881
12	Under 5	9,309	262	225	278	226	338	296	385	320	435	382
13	5 to 59	7,561	329	323	308	283	348	308	369	389	322	316
14	60 and over	2,815	95	107	89	101	160	170	213	252	165	182
15	Unknown	75	1	2	.....	3	5	2	3	3	5	1
16	Measles	931	32	31	59	39	74	86	103	98	111	98
17	Under 5	693	22	19	41	22	50	62	86	69	87	76
18	5 to 59	230	10	11	18	16	23	23	17	29	24	22
19	60 and over	7	.....	1	.....	1	1	.....	.....	.....	.....	.....
20	Unknown	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
21	Scarlet fever	610	27	37	28	24	33	32	41	39	35	32
22	Under 5	359	20	18	19	16	23	21	22	21	19	14
23	5 to 59	250	7	19	9	8	10	11	19	18	16	18
24	60 and over	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Diphtheria	2,466	129	148	116	117	129	101	98	88	102	96
27	Under 5	1,384	83	69	78	60	79	59	68	43	69	57
28	5 to 59	1,075	46	79	38	57	48	42	29	45	33	38
29	60 and over	7	.....	.....	.....	.....	2	.....	1	.....	.....	1
30	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
31	Whooping cough	796	19	31	24	33	40	37	45	42	56	48
32	Under 5	747	18	25	22	30	39	37	44	40	52	46
33	5 to 59	48	1	6	2	3	1	.....	1	2	4	2
34	60 and over	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Malarial fever	557	17	11	11	13	14	16	18	21	18	24
37	Under 5	133	2	.....	2	1	2	2	4	8	5	4
38	5 to 59	315	10	7	6	10	10	8	10	9	8	16
39	60 and over	104	5	4	3	2	2	6	3	4	5	4
40	Unknown	5	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
41	Influenza	1,780	64	86	71	91	148	185	231	313	120	156
42	Under 5	249	12	13	16	20	23	22	28	39	16	14
43	5 to 59	504	21	27	23	26	41	56	59	75	33	43
44	60 and over	1,012	31	44	32	45	81	106	144	196	70	99
45	Unknown	15	.....	2	.....	.....	3	1	.....	3	1	.....
46	Typhoid fever	3,796	185	121	163	104	167	114	187	139	131	95
47	Under 5	248	11	7	11	5	8	5	8	11	8	7
48	5 to 59	3,323	163	105	143	92	148	106	169	119	122	72
49	60 and over	211	10	9	9	7	10	3	9	9	6	15
50	Unknown	14	1	.....	.....	.....	1	.....	1	.....	.....	1
51	Diarrheal diseases	6,812	117	102	111	119	133	99	133	109	220	214
52	Under 5	5,009	72	59	68	61	85	65	90	64	150	139
53	5 to 59	817	23	17	27	26	24	13	21	27	29	43
54	60 and over	956	22	26	16	29	24	21	22	18	39	32
55	Unknown	30	.....	.....	.....	3	.....	.....	.....	.....	2	.....
56	Cerebro-spinal fever	297	15	9	12	6	13	7	16	19	15	10
57	Under 5	157	10	5	6	3	8	1	9	10	7	9
58	5 to 59	139	5	4	6	3	5	6	7	9	8	1
59	60 and over	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
60	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 8.

MONTH AND SEX—Continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
4,322	3,867	4,739	4,115	4,543	4,078	4,348	3,864	4,124	3,732	4,018	3,626	4,579	4,246	90	79	1
1,414	1,175	1,752	1,434	1,623	1,409	1,378	1,196	1,096	895	1,012	832	1,179	978	12	13	2
1,830	1,619	1,901	1,626	1,753	1,598	1,834	1,590	1,863	1,720	1,748	1,655	1,976	1,894	38	31	3
1,051	1,048	1,064	1,030	1,146	1,052	1,108	1,059	1,140	1,100	1,241	1,117	1,395	1,353	24	20	4
27	25	22	25	21	19	28	19	25	17	17	22	20	21	16	15	5
125	106	105	104	139	109	119	105	113	123	105	90	148	113	18	14	6
74	55	68	60	81	68	74	58	61	66	51	38	80	60	3	1	7
29	31	14	29	34	25	27	32	25	33	25	28	30	32	8	7	8
20	17	22	13	21	14	16	12	23	23	25	21	36	18	2	3	9
2	3	1	2	3	2	2	6	4	1	4	3	2	3	5	3	10
864	765	1,157	1,151	1,160	1,103	931	911	703	660	597	607	573	549	16	12	11
537	414	790	690	706	621	493	470	292	253	231	234	215	209	2	5	12
250	258	260	314	335	320	336	335	340	336	313	298	294	268	5	4	13
75	92	101	141	113	161	95	103	71	69	52	71	58	71	7	1	14
2	1	6	6	6	1	7	3	.....	2	1	4	6	1	2	2	15
27	26	24	18	13	14	7	4	8	5	16	9	14	14	.....	1	16
24	12	24	14	13	10	7	4	6	4	10	8	10	12	.....	1	17
3	13	.....	4	.....	3	.....	.....	1	1	5	1	4	2	.....	.....	18
.....	1	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
20	16	8	18	22	17	14	17	19	20	31	23	28	28	.....	1	21
10	10	5	9	13	12	10	11	9	13	17	13	19	14	.....	1	22
9	6	3	9	9	5	4	6	10	7	14	10	9	14	.....	.....	23
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
56	68	56	54	68	55	100	91	104	110	138	158	137	147	.....	.....	26
37	35	33	31	44	29	58	44	54	46	81	76	77	74	.....	.....	27
19	33	23	23	22	25	42	47	50	64	57	82	60	73	.....	.....	28
.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30
29	34	32	38	40	46	32	35	25	29	24	15	17	23	1	1	31
28	29	28	35	39	45	31	31	24	29	23	13	16	21	1	1	32
1	5	3	3	1	1	1	4	1	.....	1	2	1	2	.....	.....	33
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
23	18	22	29	21	42	41	41	36	46	18	30	13	12	1	1	36
9	4	10	6	6	12	10	9	10	12	1	10	3	1	.....	.....	37
8	10	10	17	13	23	25	23	19	27	14	15	8	8	1	.....	38
5	4	2	5	2	7	6	8	7	7	3	5	2	3	.....	.....	39
1	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	40
26	29	9	23	12	6	16	15	17	13	24	32	37	49	5	2	41
3	4	2	1	1	1	4	2	1	5	4	4	5	9	.....	.....	42
14	8	2	9	1	3	4	5	5	4	9	5	13	17	.....	1	43
9	17	5	12	9	2	8	8	11	4	11	22	18	23	4	1	44
.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	45
123	99	153	151	223	190	220	194	225	202	177	149	160	115	5	4	46
8	6	21	10	14	16	14	17	12	12	10	15	10	6	.....	1	47
111	88	123	133	201	157	195	167	202	178	159	123	140	102	3	2	48
4	5	9	8	8	17	8	10	11	11	8	9	9	6	1	.....	49
.....	.....	.....	.....	.....	.....	6	.....	.....	1	.....	2	1	1	1	1	50
471	381	788	746	702	656	439	439	223	176	105	138	103	85	2	1	51
394	291	655	566	558	477	339	330	165	115	71	77	62	55	.....	1	52
43	40	58	81	63	65	35	41	31	21	19	32	25	13	.....	.....	53
34	49	70	95	76	113	61	66	27	39	15	28	15	17	2	.....	54
.....	1	5	4	5	1	4	2	.....	1	.....	1	1	.....	.....	.....	55
15	16	12	11	11	13	15	15	9	12	10	10	10	14	2	.....	56
3	6	5	9	7	8	8	6	4	7	6	7	3	9	1	.....	57
12	10	7	2	4	5	7	9	5	5	4	3	7	4	1	.....	58
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 8—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX. January. Male.	January. Female.	February. Male.	February. Female.	March. Male.	March. Female.	April. Male.	April. Female.	May. Male.	May. Female.
	1. General diseases—Continued.											
1	General diseases—B	1,882	99	45	85	50	94	60	92	63	115	83
2	Under 5	1,201	46	29	40	41	48	42	42	45	61	58
3	5 to 59	530	43	13	32	7	38	13	39	12	45	16
4	60 and over	140	10	2	11	2	6	5	11	6	8	7
5	Unknown	11	.....	1	2	.....	2	.....	.....	.....	1	2
6	Inanition	1,221	50	31	42	41	50	45	40	49	56	62
7	Under 5	1,110	44	28	38	39	44	39	38	44	53	53
8	5 to 59	49	3	.....	2	1	3	3	1	2	2	2
9	60 and over	54	3	2	1	1	1	3	1	3	1	5
10	Unknown	8	.....	1	1	.....	2	.....	.....	.....	.....	2
11	General diseases—C	9,304	386	405	358	342	441	423	459	447	461	433
12	Under 5	4,544	188	161	184	118	204	141	223	157	256	164
13	5 to 59	255	11	17	14	11	8	12	6	9	11	17
14	60 and over	4,461	183	226	159	211	227	268	228	279	192	249
15	Unknown	44	4	1	1	2	2	2	2	2	2	3
16	Debility and atrophy	2,923	119	102	110	81	107	90	122	97	135	118
17	Under 5	2,253	86	65	78	53	79	62	91	59	105	80
18	5 to 59	252	11	17	14	11	8	12	6	9	11	17
19	60 and over	410	21	20	18	17	20	16	25	29	19	20
20	Unknown	8	1	.....	.....	.....	.....	.....	.....	.....	.....	1
21	Old age—all ages	4,086	165	206	142	196	209	254	205	252	175	231
22	60 and over	4,050	162	205	141	194	207	252	203	250	173	229
23	Unknown	36	3	1	1	2	2	2	2	2	2	2
24	General diseases—D	18,637	785	825	772	815	887	926	896	951	941	1,085
25	Under 5	1,025	50	29	45	33	60	42	44	48	77	61
26	5 to 59	13,061	531	609	551	576	612	628	636	662	624	768
27	60 and over	4,453	199	180	172	201	209	251	212	236	237	250
28	Unknown	98	5	7	4	5	6	5	4	5	3	6
29	Consumption	11,358	501	510	509	473	556	538	611	553	591	624
30	Under 5	426	20	14	15	12	27	19	16	25	25	32
31	5 to 59	9,488	410	428	434	390	456	435	513	454	485	520
32	60 and over	1,382	70	62	58	68	68	83	79	70	78	68
33	Unknown	62	1	6	2	3	5	1	3	4	3	4
34	2. Diseases of the nervous system	14,863	708	631	650	604	839	685	865	748	776	676
35	Under 5	4,359	202	153	195	169	233	176	314	207	232	208
36	5 to 59	4,487	229	199	176	170	263	200	228	212	256	189
37	60 and over	5,958	272	279	276	264	340	305	323	324	284	272
38	Unknown	59	5	.....	3	1	3	4	.....	5	4	7
39	3. Diseases of the circulatory system	9,327	474	408	468	353	516	427	530	478	467	452
40	Under 5	707	38	30	40	32	60	28	42	31	47	26
41	5 to 59	3,797	192	155	176	147	192	152	218	206	182	204
42	60 and over	4,766	243	222	252	173	263	245	267	239	233	222
43	Unknown	57	1	1	.....	1	1	2	3	2	5	.....
44	4. Diseases of the respiratory system	16,769	1,078	877	1,027	954	1,397	1,219	1,430	1,392	972	871
45	Under 5	6,463	442	330	472	387	553	419	544	461	394	289
46	5 to 59	5,823	392	274	371	309	492	401	530	432	360	312
47	60 and over	4,417	239	271	177	256	344	393	350	494	215	269
48	Unknown	66	5	2	7	2	8	6	6	5	3	1
49	5. Diseases of the digestive system	6,378	273	257	272	221	274	260	297	282	324	320
50	Under 5	1,492	70	37	62	50	59	37	65	52	71	60
51	5 to 59	3,139	143	147	133	113	133	138	143	142	168	168
52	60 and over	1,722	60	72	76	58	80	83	88	88	85	92
53	Unknown	25	.....	1	1	.....	2	2	1	.....	.....	.....
54	6. Diseases of the urinary system	5,574	283	219	264	200	311	209	357	252	308	200
55	Under 5	178	11	8	11	4	[illegible]	10	11	9	9	7
56	5 to 59	2,674	125	116	111	109	126	102	157	118	128	109
57	60 and over	2,681	146	92	140	86	177	96	184	125	169	84
58	Unknown	41	1	3	[illegible]	1	2	1	5	.....	2	.....
59	7. Affections connected with pregnancy	818	.....	74	.....	69	.....	85	.....	91	.....	99

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 8—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
83	63	106	66	112	78	103	75	86	58	87	44	80	54	.....	1	1
60	49	84	50	77	58	64	55	40	41	54	30	46	41	.....	.....	2
16	11	21	15	25	17	32	14	37	12	26	8	26	11	.....	1	3
6	3	1	1	10	3	6	6	9	5	7	5	8	2	.....	.....	4
1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	5
54	53	79	51	70	58	60	63	43	44	62	34	45	39	.....	.....	6
49	47	78	48	67	54	57	53	39	38	52	27	44	37	.....	.....	7
1	4	1	2	.....	5	.....	5	1	2	6	3	.....	2	.....	.....	8
3	2	.....	1	3	1	3	5	3	4	4	3	1	.....	.....	.....	9
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	10
339	346	403	369	409	435	424	382	352	350	308	332	346	348	2	4	11
206	162	254	197	250	236	265	215	201	149	167	140	176	130	.....	.....	12
9	16	14	9	8	18	16	8	1	11	5	9	6	8	.....	1	13
122	165	134	161	151	178	143	156	149	188	136	182	163	208	1	2	14
2	3	1	2	.....	3	.....	3	1	2	.....	1	1	2	1	1	15
121	115	174	153	177	184	195	160	119	117	87	90	79	70	.....	1	16
100	82	154	128	158	148	167	137	106	85	70	58	57	45	.....	.....	17
9	15	14	9	7	18	16	7	1	11	5	9	6	8	.....	1	18
10	18	6	15	12	17	12	16	12	20	12	22	16	17	.....	.....	19
2	.....	.....	1	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	20
112	150	129	147	139	163	131	143	138	169	124	160	148	193	2	3	21
112	147	128	146	139	161	131	140	137	168	124	160	147	191	1	2	22
.....	3	1	1	.....	2	.....	3	1	1	.....	.....	1	2	1	1	23
650	739	671	758	591	748	629	722	605	756	624	729	692	813	9	18	24
45	38	46	36	44	47	45	29	36	32	37	29	37	23	.....	2	25
455	522	495	536	414	513	425	498	422	564	421	521	469	595	5	9	26
149	174	129	183	131	181	158	184	143	156	166	175	179	193	2	3	27
1	5	1	3	2	7	1	1	4	4	.....	4	7	2	2	4	28
430	411	457	418	377	404	393	421	405	446	383	427	446	457	6	11	29
13	11	23	14	19	18	18	16	15	14	13	16	18	12	.....	1	30
374	355	387	357	309	342	318	357	337	393	316	356	362	386	5	9	31
43	42	46	44	48	38	56	48	51	38	54	52	59	58	.....	1	32
.....	3	1	3	1	6	1	.....	2	1	.....	3	7	1	1	.....	33
647	567	622	493	558	523	556	489	552	468	567	436	650	540	8	5	34
205	193	228	177	197	171	183	148	144	112	129	86	179	113	3	2	35
231	164	196	131	155	157	167	136	192	139	184	139	210	162	1	1	36
207	209	193	184	203	195	205	204	213	214	254	209	261	262	4	2	37
4	1	5	1	3	.....	1	1	3	3	.....	2	.....	3	.....	.....	38
358	333	340	293	342	269	339	308	365	301	368	326	426	377	3	6	39
26	22	35	21	35	17	18	19	26	20	21	18	30	25	.....	.....	40
160	156	133	142	132	110	138	133	154	131	121	152	149	160	1	1	41
168	151	171	128	172	139	182	152	181	148	223	154	244	189	1	4	42
4	4	1	2	3	3	1	4	4	2	3	2	3	3	1	1	43
325	247	287	225	265	207	335	255	465	412	525	468	781	740	6	9	44
129	110	112	94	112	82	123	95	185	135	227	164	318	283	2	1	45
119	90	120	69	82	83	130	93	172	135	175	168	287	242	1	4	46
76	68	54	62	69	42	78	67	107	141	121	136	174	212	.....	2	47
1	.....	1	.....	2	.....	4	.....	1	1	2	.....	2	3	2	2	48
248	295	314	246	267	260	287	258	242	215	236	236	233	248	9	4	49
79	82	96	73	71	75	83	66	60	39	52	57	48	46	1	1	50
123	131	136	107	116	120	145	120	118	120	121	110	118	124	1	1	51
45	78	81	63	80	64	57	71	63	56	63	68	67	76	6	2	52
1	4	1	3	.....	1	2	1	1	.....	.....	1	.....	2	1	.....	53
239	172	263	185	258	129	247	155	247	179	243	155	286	208	3	2	54
8	8	5	7	10	6	6	7	3	9	4	3	13	8	.....	.....	55
106	107	120	110	106	80	119	90	123	100	106	79	107	118	2	.....	56
122	60	137	65	142	43	120	57	119	69	132	69	164	81	1	1	57
3	2	1	3	.....	.....	2	1	2	1	1	4	2	1	.....	1	58
.....	56	.....	64	.....	61	.....	46	.....	48	.....	56	.....	68	.....	1	59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 8—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	6,124	359	156	334	127	366	151	350	118	419	178
2	Under 5	848	49	45	38	45	45	38	45	37	36	39
3	5 to 59	4,234	245	85	245	57	262	78	246	58	312	91
4	60 and over	961	57	26	45	25	54	33	53	22	65	46
5	Unknown	81	8		6		5	2	6	1	6	2
6	Burns and scalds	773	40	56	31	39	38	48	19	35	23	59
7	Under 5	330	25	19	20	17	20	14	11	11	6	19
8	5 to 59	364	8	33	8	19	13	26	6	21	15	34
9	60 and over	74	7	4	3	3	4	8	2	3	2	5
10	Unknown	5					1					1
11	Drowning	541	14	5	28	3	10	2	35	7	40	8
12	Under 5	41		2		2			6	3	2	2
13	5 to 59	448	13	3	25	1	9	2	25	3	34	4
14	60 and over	49	1		3		1		4	1	4	2
15	Unknown	3										
16	Exposure and neglect	90	11	9	7	9	8	4	2	1	4	7
17	Under 5	53	4	7	3	5	5	1		1	3	4
18	5 to 59	22	4	2	1	2	3	1	1		1	2
19	60 and over	14	3		3	2	1	2	1			
20	Unknown	1										1
21	Gunshot wounds	193	13	1	9		16		11	6	9	
22	Under 5	4					1					
23	5 to 59	173	11	1	9		14		11	4	8	
24	60 and over	11	1				1			2	1	
25	Unknown	5	1									
26	Homicide	99	7		3		13	4	3	1	3	2
27	Under 20	11					1					
28	20 to 59	70	5		3		9	2	1		3	2
29	60 and over	8					2					
30	Unknown	10	2				1	2	2	1		
31	Injuries by machinery	72	5		4		6	1	10		9	
32	Under 20	11	1				1	1	1		1	
33	20 to 59	58	3		4		5		9		6	
34	60 and over	3	1								2	
35	Unknown											
36	Railroad accidents	993	57	5	59	5	77	4	63	3	83	12
37	Under 5	18							2		2	
38	5 to 59	838	49	5	51	5	70	4	52	2	67	8
39	60 and over	107	5		6		5		7	1	10	4
40	Unknown	30	3		2		2		2		4	
41	Suicide by shooting	105	8		6	2	8	2	10		7	1
42	Under 20	5				1						
43	20 to 59	81	6		5	1	6	2	9		7	1
44	60 and over	18	2		1		2		1			
45	Unknown	1										
46	Suicide by drowning	21			1		1		1		4	3
47	Under 20	2										2
48	20 to 59	13			1				1		2	1
49	60 and over	6					1				2	
50	Unknown											
51	Suicide by poison	90	7	2	5	1	4	5	3	1	7	6
52	Under 20	4		1	1							
53	20 to 59	77	7	1	3	1	2	5	3	1	6	4
54	60 and over	9			1		2				1	2
55	Unknown											
56	Other suicides	289	13	6	12	3	13	2	21	8	25	6
57	Under 20	10	1			1				2		
58	20 to 59	209	10	6	11	2	9	2	14	5	17	6
59	60 and over	69	2		1		4		7	1	8	
60	Unknown	1										
61	Sunstroke	114	2		2				1		4	3
62	Under 5	24										
63	5 to 59	62	1		1				1		4	2
64	60 and over	26	1									1
65	Unknown	2			1							

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 8—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
419	131	451	123	421	118	356	116	366	112	343	106	341	144	16	3	1
38	43	29	25	33	23	19	20	40	33	33	28	29	36	1	1	2
317	66	381	72	335	66	283	55	265	58	246	56	269	71	13	2	3
58	21	37	24	51	27	47	40	56	20	58	22	38	36			4
6	1	4	2	2	2	7	1	5	1	6		5	1	2		5
17	32	16	26	11	17	20	22	25	32	28	41	29	64	3	2	6
10	14	3	7	6	5	6	8	17	16	18	14	17	25	1	1	7
6	17	13	16	4	10	13	9	7	13	9	21	11	29	2	1	8
	1		2	1	2		5	1	3	1	6	1	10			9
1			1			1										10
85	7	103	5	79	6	31	5	20	3	24	1	15	1	4		11
3	2	4		5	2	1	1	3	1	1	1					12
73	5	96	5	68	3	28	4	13	2	14		14	1	3		13
2		2		6	1	2		4		2		1				14
1		1												1		15
1	1	1	2	3	1	4		5	2	2		2	4			16
1	1	1	2	2	1	2		1	2	2		1	4			17
				1		1		4								18
						1						1				19
																20
16		11	2	11	5	17	3	11	1	27	3	18	2	1		21
		1		1			1									22
13		10	2	9	5	16	2	11	1	23	3	18	1	1		23
3										3						24
				1		1				1			1			25
5	2	13	3	10		3	1	10		4	2	9				26
2	1	1		1				1				4				27
4	1	12	2	6		1		2		3	2	5				28
			1	3		2										29
							1			1						30
2		6	1	3		4	1	7		5		8				31
		1				1		2				2				32
2		5	1	3		3	1	5		5		6				33
																34
																35
66	2	93	10	77	8	79	11	89	6	71	10	86	13	4		36
	1	4		4	1	1		2			1					37
53	1	81	9	69	4	66	6	77	4	62	8	73	9	3		38
10		7	1	4	3	8	5	8	2	7	1	9	4			39
3		1				4		2		2		4		1		40
9		9		10	1	3	1	9		8	1	9	1			41
1		1									1	1				42
5		7		2	1	3		7		6		5	1			43
3				1			1	2		2		3				44
		1														45
2		1	2	2		2		1				1				46
																47
1		1	2	1		2						1				48
1				1				1								49
																50
4	5	4	2	3	6	2	3	4	3	5	1	4	3			51
	1								1							52
4	4	4	2	3	6	2	3	4	2	3	1	4	2			53
										2			1			54
																55
24	7	27	5	35	7	21	2	16	4	15		14	3			56
2	2		1									1				57
16	3	18	2	24	7	16	2	10	2	12		12	3			58
6	1	9	2	11		5		6	2	3		1				59
	1															60
30	22	19	10	8	6	4	3									61
7	8	3	4	1	1											62
19	8	12	4	4	3	3										63
4	6	4	2	2	2	1	3									64
				1												65

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 9.

	Cause of death and age.	Total.	Month and sex.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes	49,416	2,013	1,984	2,209	2,016	2,606	2,572	2,598	2,629	2,503	2,593
2	Under 5	17,998	773	673	810	708	926	777	834	658	845	754
3	5 to 59	21,354	808	914	914	894	1,041	1,185	1,085	1,225	1,015	1,265
4	60 and over	9,613	416	382	474	403	620	589	658	725	620	552
5	Unknown	451	16	15	11	11	19	21	21	21	23	22
6	Unknown cause	3,812	173	161	176	198	230	220	186	172	175	191
7	Under 5	2,728	141	117	139	143	161	152	141	112	118	125
8	5 to 59	625	23	20	22	34	32	40	27	34	31	34
9	60 and over	394	8	24	15	20	33	26	16	23	25	25
10	Unknown	65	1			1	4	2	2	3	1	7
	1. General diseases.											
11	General diseases—A	12,461	376	353	404	378	517	564	587	615	560	582
12	Under 5	5,533	154	137	164	140	217	181	231	169	242	241
13	5 to 59	5,031	169	158	169	166	164	222	209	216	179	224
14	60 and over	1,813	53	56	71	71	183	158	144	224	133	111
15	Unknown	84		2		1	3	3	3	6	6	6
16	Measles	931	38	37	66	70	87	89	73	56	41	53
17	Under 5	601	30	22	45	37	57	44	51	27	24	28
18	5 to 59	309	8	15	21	33	29	42	19	26	13	24
19	60 and over	17					1	3	2	3	3	1
20	Unknown	4							1		1	
21	Scarlet fever	165	14	6	10	3	7	4	7	11	5	15
22	Under 5	102	8	5	6		6	2	4	7	2	10
23	5 to 59	59	5	1	4	3	1	2	3	4	3	5
24	60 and over	4	1									
25	Unknown											
26	Diphtheria	492	26	22	13	11	13	18	9	8	13	12
27	Under 5	305	17	15	9	8	8	9	2	4	5	3
28	5 to 59	179	9	7	4	3	5	8	6	4	8	9
29	60 and over	5						1	1			
30	Unknown	3										
31	Whooping cough	745	31	32	31	33	38	51	41	49	45	48
32	Under 5	703	26	31	25	31	36	48	39	48	42	45
33	5 to 59	40	5	1	6	2	2	3	2	1	3	3
34	60 and over											
35	Unknown	2										
36	Malarial fever	695	16	19	17	17	15	15	18	16	24	31
37	Under 5	204	4	7	2	2	4		7	4	5	11
38	5 to 59	422	11	10	13	12	10	14	10	10	16	14
39	60 and over	64	1	2	2	3	1	1	1	2	3	4
40	Unknown	5										2
41	Influenza	1,773	46	57	97	91	199	217	215	302	138	140
42	Under 5	349	11	11	28	21	50	30	53	40	25	21
43	5 to 59	424	9	15	21	25	34	54	49	78	28	47
44	60 and over	984	26	30	48	44	112	132	113	182	83	71
45	Unknown	16		1		1	3	1		2	2	1
46	Typhoid fever	2,886	100	75	64	56	62	71	77	66	70	84
47	Under 5	361	12	12	3	10	7	9	5	4	7	16
48	5 to 59	2,337	83	60	57	41	47	54	64	51	56	63
49	60 and over	166	5	3	4	5	8	7	7	10	7	5
50	Unknown	22						1	1	1		
51	Diarrheal diseases	3,628	62	63	47	44	48	40	72	57	163	141
52	Under 5	2,498	31	25	26	14	30	24	44	25	117	92
53	5 to 59	676	16	22	9	15	13	9	17	13	20	29
54	60 and over	436	15	16	12	15	5	7	11	18	25	19
55	Unknown	18								1	1	1
56	Cerebro-spinal fever	160	5	3	12	7	10	7	17	3	9	7
57	Under 5	102	3		8	3	8	3	11	1	5	2
58	5 to 59	55	2	3	4	4	2	3	6	2	3	5
59	60 and over	3						1				
60	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 9.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,709	1,679	1,889	1,820	2,011	1,965	1,885	1,931	1,889	1,794	1,671	1,605	1,883	1,799	75	88	1
768	690	834	728	890	791	828	789	712	654	639	531	730	620	19	17	2
630	721	709	785	812	877	768	858	849	851	701	784	792	817	25	29	3
292	253	325	288	294	277	278	265	314	272	318	281	350	345	7	15	4
19	15	21	19	15	20	11	19	14	17	13	9	11	17	24	27	5
126	123	154	137	128	128	138	149	114	133	128	118	159	157	18	20	6
101	88	118	91	104	92	105	99	75	91	92	71	128	112	6	6	7
16	23	19	29	13	27	19	24	19	24	18	31	19	29	3	5	8
9	12	15	13	8	8	13	13	18	13	17	14	10	14	.....	2	9
.....	.....	2	4	3	1	1	3	2	5	1	2	2	2	9	7	10
534	514	620	624	701	697	621	649	573	513	395	391	324	337	15	17	11
345	308	357	348	375	335	290	305	226	208	156	148	123	126	4	3	12
137	156	210	214	273	297	232	280	305	261	198	207	165	157	8	5	13
49	46	47	59	50	55	47	60	41	40	39	36	36	53	.....	1	14
3	4	6	3	3	10	2	4	1	4	2	.....	.....	1	2	8	15
32	35	26	23	28	29	22	22	13	13	15	26	16	18	1	2	16
29	25	18	17	19	23	18	17	12	9	11	14	12	11	.....	1	17
3	10	8	6	9	6	3	4	1	4	3	12	3	6	1	.....	18
.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	1	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	20
3	4	5	4	4	7	6	4	9	8	5	6	8	9	1	.....	21
1	2	3	2	4	3	5	3	7	3	4	2	6	6	1	.....	22
2	2	2	1	.....	3	1	1	2	5	1	4	2	2	.....	.....	23
.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
12	10	7	8	13	15	39	37	30	43	32	45	19	37	.....	.....	26
8	6	5	6	10	7	27	22	18	27	20	35	14	20	.....	.....	27
3	2	2	2	3	8	11	15	11	15	12	10	5	17	.....	.....	28
1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	29
.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	30
22	29	22	20	22	21	26	37	22	26	26	23	19	27	3	1	31
22	27	21	19	22	20	24	36	22	25	26	23	17	26	2	.....	32
.....	2	1	1	.....	1	2	1	.....	1	.....	.....	2	1	.....	.....	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	35
25	28	35	42	58	52	39	54	43	49	23	24	20	12	.....	3	36
9	13	15	16	16	9	17	16	13	14	7	1	6	6	.....	.....	37
12	11	19	22	37	35	19	29	30	30	16	21	13	6	.....	2	38
3	4	1	4	5	7	3	9	.....	5	.....	2	1	.....	.....	.....	39
1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	40
15	19	13	14	8	13	10	16	14	17	21	26	34	45	1	5	41
5	4	5	4	2	1	6	1	4	2	4	4	7	9	.....	1	42
1	6	.....	4	.....	6	.....	6	3	6	3	7	9	10	1	2	43
9	8	7	6	6	3	4	9	7	9	13	15	18	26	.....	1	44
.....	1	1	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	45
64	58	149	139	205	190	203	212	239	182	151	137	111	111	6	4	46
9	11	29	19	31	23	25	28	21	22	19	13	15	11	.....	.....	47
52	43	114	106	166	155	168	168	210	153	122	115	94	90	4	1	48
3	2	6	13	7	8	10	13	8	5	10	9	2	9	.....	.....	49
.....	2	.....	1	1	4	.....	3	.....	2	.....	.....	.....	1	2	3	50
326	299	328	327	317	316	222	224	155	130	84	57	57	44	3	2	51
251	208	242	243	248	228	148	163	105	84	51	38	34	25	1	1	52
45	64	51	51	42	56	50	38	30	27	21	11	17	8	2	.....	53
28	27	30	32	25	30	23	23	20	18	12	8	6	11	.....	.....	54
2	.....	5	1	2	2	1	.....	.....	1	.....	.....	.....	.....	.....	1	55
1	7	7	6	2	7	8	7	9	7	7	6	2	4	.....	.....	56
1	4	6	5	2	5	4	6	5	7	2	5	2	3	.....	.....	57
.....	2	1	1	.....	2	4	1	3	.....	5	1	.....	1	.....	.....	58
.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 9—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	497	28	14	18	16	17	13	23	6	34	28
2	Under 5	302	13	9	11	8	11	13	10	3	17	16
3	5 to 59	163	12	4	5	6	5	.....	10	3	15	9
4	60 and over	29	3	1	1	2	1	.....	3	.....	2	3
5	Unknown	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
6	Inanition	238	10	6	9	8	9	12	5	2	13	12
7	Under 5	222	10	6	8	5	9	12	5	2	12	11
8	5 to 59	4	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
9	60 and over	12	.....	.....	1	1	.....	.....	.....	.....	1	1
10	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	General diseases—C	1,650	68	65	67	61	89	82	98	93	92	108
12	Under 5	814	38	22	32	35	48	33	51	33	40	45
13	5 to 59	47	.....	4	2	3	1	1	1	.....	2	6
14	60 and over	769	29	37	33	23	40	48	45	59	48	56
15	Unknown	20	1	2	.....	.....	.....	.....	1	1	2	1
16	Debility and atrophy	232	6	11	8	8	6	9	7	2	15	11
17	Under 5	124	4	3	4	5	3	5	2	1	5	1
18	5 to 59	46	.....	4	2	3	1	1	1	.....	2	5
19	60 and over	49	1	3	2	.....	2	3	3	1	6	5
20	Unknown	13	1	1	.....	.....	.....	.....	1	.....	2	.....
21	Old age—all ages	727	28	35	31	23	38	45	42	59	42	52
22	60 and over	720	28	34	31	23	38	45	42	58	42	51
23	Unknown	7	.....	1	.....	.....	.....	.....	.....	1	.....	1
24	General diseases—D	9,156	318	455	349	439	376	592	397	603	434	638
25	Under 5	697	26	26	26	29	31	36	27	31	40	19
26	5 to 59	6,614	217	347	252	328	257	447	265	446	296	530
27	60 and over	1,742	71	76	70	77	84	101	101	121	96	84
28	Unknown	103	4	6	1	5	4	8	4	5	2	5
29	Consumption	6,157	203	332	223	305	260	435	279	432	296	483
30	Under 5	314	11	11	11	17	16	22	15	16	24	7
31	5 to 59	5,116	165	280	191	255	209	363	218	362	231	430
32	60 and over	664	25	35	21	30	33	46	45	50	41	45
33	Unknown	63	2	6	.....	3	2	4	1	4	.....	1
34	2. Diseases of the nervous system	4,286	207	156	214	167	228	190	236	196	241	226
35	Under 5	1,681	89	48	64	57	84	63	73	47	94	73
36	5 to 59	1,331	47	56	59	51	79	51	89	71	72	75
37	60 and over	1,242	69	52	88	58	64	74	72	78	73	78
38	Unknown	32	2	.....	3	1	1	2	2	.....	2	.....
39	3. Diseases of the circulatory system	2,310	97	92	109	98	134	122	126	129	144	138
40	Under 5	181	7	7	12	8	9	3	11	13	16	7
41	5 to 59	1,031	35	42	38	40	63	68	50	60	56	69
42	60 and over	1,069	54	42	58	50	59	51	64	55	70	62
43	Unknown	29	1	1	1	.....	3	.....	1	1	2	.....
44	4. Diseases of the respiratory system	7,729	428	409	520	414	624	504	559	519	392	343
45	Under 5	4,112	224	222	285	224	289	237	213	193	184	156
46	5 to 59	2,404	143	124	168	125	226	173	214	207	126	109
47	60 and over	1,165	58	62	65	64	107	90	126	117	78	75
48	Unknown	48	3	1	2	1	2	4	6	2	4	3
49	5. Diseases of the digestive system	2,802	83	108	105	87	108	90	114	84	150	148
50	Under 5	1,079	34	32	36	23	34	29	33	15	59	43
51	5 to 59	1,148	26	53	43	44	46	47	55	48	58	78
52	60 and over	560	23	22	25	19	28	13	26	21	33	27
53	Unknown	15	.....	1	1	1	.....	1	.....	.....	.....	.....
54	6. Diseases of the urinary system	1,074	60	35	77	30	78	33	69	38	71	42
55	Under 5	73	4	4	6	3	4	1	4	2	3	3
56	5 to 59	460	24	24	34	15	23	16	19	21	19	23
57	60 and over	532	32	6	36	11	51	15	46	13	49	16
58	Unknown	9	.....	1	1	1	.....	1	.....	2	.....	.....
59	7. Affections connected with pregnancy	513	.....	40	.....	38	.....	64	.....	64	.....	5[illegible]

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 9—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
25	23	36	17	27	17	27	21	14	13	16	19	26	16	1	2	1
14	17	23	16	18	16	12	16	5	11	8	12	13	8	1	1	2
10	5	13	1	9	.....	13	5	8	2	5	4	13	5	.....	1	3
1	1	.....	.....	.....	1	2	.....	1	.....	2	2	.....	3	.....	.....	4
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	5
10	14	15	14	12	12	11	13	3	8	8	12	9	9	1	1	6
10	13	15	14	12	11	9	13	8	8	7	9	9	7	1	1	7
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	8
.....	1	.....	.....	.....	1	1	.....	.....	.....	1	2	.....	2	.....	.....	9
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10
61	57	62	60	78	69	59	55	58	44	62	47	60	52	.....	3	11
30	33	32	27	48	31	35	26	35	27	32	27	34	18	.....	2	12
2	8	5	2	1	1	1	3	1	2	2	.....	2	2	.....	.....	13
28	20	23	31	29	33	22	26	22	15	28	19	24	31	.....	.....	14
1	1	2	.....	.....	4	1	.....	.....	.....	.....	1	.....	1	.....	1	15
13	12	17	10	16	10	18	16	3	11	5	6	4	8	.....	.....	16
6	6	9	5	15	5	12	10	2	7	3	5	2	4	.....	.....	17
2	3	5	2	1	1	1	3	1	2	2	.....	2	2	.....	.....	18
4	2	1	3	.....	2	4	3	.....	2	.....	1	.....	1	.....	.....	19
1	1	2	.....	.....	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	20
24	18	22	28	29	33	18	23	22	13	28	19	24	30	.....	1	21
24	18	22	28	29	31	18	23	22	13	28	18	24	30	.....	.....	22
.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	23
274	363	257	394	269	381	246	393	253	401	265	346	277	402	13	21	24
29	25	36	18	31	38	29	32	30	22	34	32	29	20	1	.....	25
186	280	164	308	180	275	167	293	153	294	176	239	186	308	8	12	26
53	54	54	63	57	64	48	58	65	81	53	73	60	70	2	6	27
6	4	3	5	1	4	2	10	5	4	2	2	2	4	2	3	28
176	250	160	256	149	247	136	259	153	257	157	239	180	265	10	15	29
11	13	14	8	7	15	12	15	8	7	13	19	14	7	1	.....	30
138	215	129	225	125	209	114	219	108	225	127	188	142	231	7	10	31
22	20	16	21	17	19	9	18	34	21	16	31	22	25	.....	2	32
5	2	1	2	.....	4	1	7	3	4	1	1	2	2	2	3	33
166	146	171	156	203	147	155	173	151	130	169	121	183	143	5	6	34
80	68	76	76	100	72	77	88	66	57	65	45	70	48	.....	1	35
54	41	52	44	60	38	53	50	50	40	58	41	55	44	.....	1	36
30	35	42	34	41	36	24	35	34	32	44	35	58	50	2	4	37
2	2	1	2	2	1	1	.....	1	1	2	.....	.....	1	3	.....	38
70	83	81	70	83	87	64	56	88	79	75	68	110	103	3	1	39
4	5	3	4	5	6	9	5	10	9	5	5	8	10	.....	.....	40
28	39	36	35	39	49	21	22	41	36	34	32	52	45	1	.....	41
36	37	40	30	38	32	34	29	36	33	35	30	47	45	2	.....	42
2	2	2	1	1	.....	.....	.....	1	1	1	1	3	3	.....	1	43
129	143	153	114	157	171	218	196	279	235	245	259	362	337	8	11	44
82	92	103	65	102	110	147	133	174	155	157	131	226	200	5	3	45
29	39	32	31	37	49	53	44	78	55	60	87	98	94	.....	3	46
18	12	18	16	15	12	17	19	27	25	28	39	35	41	.....	1	47
.....	.....	.....	2	3	.....	1	.....	.....	.....	.....	2	3	2	3	4	48
125	109	127	124	156	136	151	118	134	119	103	95	121	100	4	3	49
52	38	53	63	75	65	80	59	56	52	40	33	40	32	2	1	50
49	51	39	39	58	51	41	45	54	42	36	47	50	45	2	1	51
23	18	35	22	23	20	30	13	23	23	26	15	31	21	.....	.....	52
1	2	.....	.....	.....	.....	.....	1	1	2	1	.....	.....	2	.....	1	53
58	22	76	25	39	25	53	14	58	27	50	14	59	20	1	.....	54
3	1	3	2	4	2	3	2	4	2	4	1	6	2	.....	.....	55
20	15	29	12	15	18	25	10	18	20	14	9	23	14	.....	.....	56
35	6	43	11	20	5	25	2	36	5	31	4	30	4	.....	.....	57
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	58
.....	40	.....	35	.....	33	.....	38	.....	32	.....	43	.....	31	.....	1	59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 9—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	2,535	159	72	157	72	187	62	185	76	192	57
2	Under 5	557	37	35	28	36	32	26	32	30	26	15
3	5 to 59	1,715	104	33	117	30	137	31	138	37	152	34
4	60 and over	227	14	4	11	6	16	5	13	9	10	8
5	Unknown	36	4		1		2		2		4	
6	Burns and scalds	439	36	39	15	35	21	29	12	26	8	23
7	Under 5	242	28	23	9	15	14	11	11	7	5	8
8	5 to 59	171	7	15	5	18	7	17	1	16	8	13
9	60 and over	24	1	1	1	2		1		3		2
10	Unknown	2										
11	Drowning	107	3	4	7	1	7	2	9	5	9	3
12	Under 5	23	1	1	1				3	1		
13	5 to 59	81	1	3	6	1	6	2	5	4	9	3
14	60 and over	3	1				1		1			
15	Unknown											
16	Exposure and neglect	77	5	5	3	7	5	5	2	8	6	4
17	Under 5	44	3	3	2	5	2	2	1	3	5	1
18	5 to 59	17		2		1	1	2	1	2		1
19	60 and over	16	2		1		2	1		3	1	2
20	Unknown											
21	Gunshot wounds	349	21	3	19	5	29	2	23	2	41	3
22	Under 5	7	2								1	
23	5 to 59	325	16	3	19	5	29	2	22	2	38	3
24	60 and over	9	1						1		1	
25	Unknown	8	2								1	
26	Homicide	154	11	2	12	2	12		17	1	17	1
27	Under 20	22		1	2	1	1		3	1	1	1
28	20 to 59	122	10	1	10	1	10		14		15	
29	60 and over	9	1				1				1	
30	Unknown	1										
31	Injuries by machinery	22			1		1		2		1	
32	Under 20	5					1					
33	20 to 59	17			1				2		1	
34	60 and over											
35	Unknown											
36	Railroad accidents	286	16		26		23	1	37	1	26	1
37	Under 5	5							2			
38	5 to 59	251	13		24		20	1	32	1	23	1
39	60 and over	19	1		2		1		2			
40	Unknown	11	2				2		1		3	
41	Suicide by shooting	19	3		3		2		2		3	
42	Under 20	1										
43	20 to 59	17	3		3		2		2		2	
44	60 and over											
45	Unknown	1										
46	Suicide by drowning	5							1	1		1
47	Under 20											
48	20 to 59	3								1		1
49	60 and over	2							1			
50	Unknown											
51	Suicide by poison	14	1	1	1				3		1	1
52	Under 20											
53	20 to 59	12	1	1	1				3		1	1
54	60 and over	2										
55	Unknown											
56	Other suicides	42	3	1	2		1	1	2	5	1	
57	Under 20	4									1	
58	20 to 59	33	3	1	2			1	2	4		
59	60 and over	5					1			1		
60	Unknown											
61	Sunstroke	17			1		2					
62	Under 5	3										
63	5 to 59	10					1					
64	60 and over	4			1		1					
65	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 9—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
118	30	135	33	148	35	130	44	148	35	148	51	180	73	7	1	1
12	5	19	2	14	8	26	12	17	9	35	19	41	35			2
95	18	105	17	122	19	89	25	117	21	97	24	122	27	3	1	3
7	7	7	7	10	8	12	7	11	5	14	8	16	11	1		4
4		4	1	2		3		3		2		1		2		5
5	4	7	12	4	4	12	16	11	11	21	22	19	45	2		6
3		6	4	2	2	9	7	8	5	18	10	12	25			7
2	4		8	1	2	3	8	2	4	1	11	6	17			8
		1		1			1	1	2	2	1	1	3			9
														2		10
10	2	14	1	13		2		2	2	4	1	3	3			11
	2	2	1	1		2		1	1	2	1	1	2			12
10		12		12				1	1	2		2	1			13
																14
																15
	1			3	1	4	1		2	2	2	6	5			16
				2	1	2	1		1	1	2	2	4			17
				1		2			1	1		2				18
	1											2	1			19
																20
21	1	20	1	29	4	16	3	26	4	25	6	42	1	2		21
				1						2		1				22
21	1	19	1	28	4	13	3	25	4	20	6	38	1	2		23
						1				3		2				24
		1				2		1				1				25
7	2	11		16		13	2	7	2	13		5	1			26
2	1	1		1		2				4						27
5	1	10		12		9	2	6	2	8		5	1			28
				2		2		1		1						29
				1												30
1		5	1	1		3	1			4		1				31
			1				1			2						32
1		5		1		3				2		1				33
																34
																35
16		24	1	21	5	11	5	25		16	1	29	1			36
		1		1		1										37
15		18	1	17	3	10	4	25		15	1	26	1			38
		3		3	2		1			1		3				39
1		2														40
1		1			1		1	1						1		41
		1														42
1					1		1	1								43
																44
														1		45
			1		1											46
																47
			1													48
					1											49
																50
						1		1				3	1			51
																52
						1		1				1	1			53
												2				54
																55
3	3	4	2	1	2	2		2		2		4		1		56
						1				1		1				57
2	2	4	2	1	2	1		1				3		1		58
	1							1		1						59
																60
2	2	1		2	2	2		2		1						61
		1		1	1											62
				1	1	2				1						63
2	2							2								64
																65

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 10.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female
1	All causes	41,859	1,957	1,771	1,921	1,854	2,294	2,059	2,209	2,052	2,019	1,771
2	Under 5	10,864	472	428	508	414	601	507	531	427	464	376
3	5 to 59	18,647	855	810	815	835	985	875	931	957	876	835
4	60 and over	11,970	610	517	577	591	693	652	725	655	658	540
5	Unknown	378	20	16	21	14	15	25	22	13	21	20
6	Unknown cause	1,197	66	56	83	53	57	58	49	57	57	38
7	Under 5	619	38	25	47	21	33	33	24	27	30	20
8	5 to 59	304	17	17	15	19	13	11	9	16	12	8
9	60 and over	236	9	12	19	13	9	10	15	11	12	10
10	Unknown	38	2	2	2	.....	2	4	1	3	5	.....
	1. General diseases.											
11	General diseases—A	7,097	234	234	211	236	274	249	280	245	255	241
12	Under 5	2,978	73	80	69	74	83	80	117	69	102	96
13	5 to 59	3,056	123	117	107	110	126	114	105	116	107	97
14	60 and over	1,019	36	34	34	50	63	51	57	59	43	47
15	Unknown	44	2	3	1	2	2	4	1	1	3	1
16	Measles	255	6	9	10	13	21	23	31	19	20	23
17	Under 5	174	4	5	8	10	9	13	20	12	17	14
18	5 to 59	76	1	4	2	3	12	7	11	7	3	9
19	60 and over	5	1	.....	.....	.....	.....	3	.....	.....	.....	.....
20	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Scarlet fever	130	8	7	7	16	5	5	7	5	6	9
22	Under 5	74	4	5	5	7	4	3	3	3	2	5
23	5 to 59	55	3	2	2	9	1	2	4	2	4	4
24	60 and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Unknown	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Diphtheria	434	16	21	6	21	10	15	13	13	13	14
27	Under 5	227	8	11	4	9	3	10	7	6	9	7
28	5 to 59	204	8	10	2	12	7	5	6	6	3	7
29	60 and over	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....
30	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
31	Whooping cough	393	14	28	10	18	22	29	32	24	32	35
32	Under 5	361	13	23	10	18	16	26	30	20	30	34
33	5 to 59	30	1	5	.....	.....	4	3	2	4	2	1
34	60 and over	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
35	Unknown	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
36	Malarial fever	309	9	13	6	11	12	15	12	8	6	8
37	Under 5	88	3	4	2	.....	3	1	4	1	2	2
38	5 to 59	163	6	5	1	7	7	10	2	5	4	4
39	60 and over	58	.....	4	3	4	2	4	6	2	.....	2
40	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
41	Influenza	452	22	23	21	39	48	39	43	60	32	31
42	Under 5	44	.....	2	4	4	7	4	7	2	1	3
43	5 to 59	133	13	7	10	14	13	13	11	12	9	6
44	60 and over	272	9	14	7	20	28	22	25	45	22	22
45	Unknown	3	.....	.....	.....	1	.....	.....	.....	1	.....	.....
46	Typhoid fever	1,774	58	54	56	43	62	42	58	41	45	32
47	Under 5	119	4	2	3	4	7	2	5	3	4	3
48	5 to 59	1,530	51	48	53	35	49	36	50	38	37	25
49	60 and over	107	3	3	.....	4	5	3	2	.....	3	3
50	Unknown	18	.....	1	.....	.....	1	1	1	.....	1	1
51	Diarrheal diseases	2,474	54	42	50	38	49	41	44	28	60	47
52	Under 5	1,666	25	20	24	17	24	14	25	14	27	21
53	5 to 59	380	16	14	10	8	12	15	3	10	24	12
54	60 and over	416	12	8	16	12	13	12	16	4	8	14
55	Unknown	12	1	.....	.....	1	.....	.....	.....	.....	1	.....
56	Cerebro-spinal fever	218	8	9	10	7	11	6	7	6	4	13
57	Under 5	109	3	6	1	2	5	5	5	3	2	4
58	5 to 59	106	4	3	9	5	6	1	2	3	2	9
59	60 and over	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
60	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 10.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,398	1,234	1,747	1,405	1,722	1,574	1,582	1,427	1,859	1,561	1,638	1,440	1,799	1,516	27	23	1
389	347	600	471	576	496	478	447	483	391	386	318	404	343	3	4	2
648	569	696	618	700	713	691	624	831	754	757	721	801	734	9	7	3
352	312	434	312	430	353	400	346	532	401	477	386	574	431	9	3	4
9	6	17	4	16	12	13	10	13	15	18	15	20	8	[illegible]	9	5
39	35	53	36	42	55	44	48	45	32	35	42	54	50	8	[illegible]	6
21	22	31	19	26	30	23	24	22	16	15	15	32	20	2	3	7
12	6	11	8	10	11	12	11	16	12	9	18	12	15	4	.....	8
4	6	11	9	6	13	8	11	7	4	7	8	9	13	.....	.....	9
2	1	.....	.....	.....	1	1	2	.....	.....	4	1	1	2	2	[illegible]	10
260	217	422	360	448	460	379	386	389	367	250	274	227	193	3	3	11
129	113	256	215	256	228	174	178	150	133	80	87	70	66	.....	.....	12
109	76	110	92	137	185	161	163	187	196	140	148	127	100	1	2	13
21	28	54	52	53	45	41	43	51	36	28	36	28	27	1	1	14
1	.....	2	1	2	2	3	2	1	2	2	3	2	.....	1	.....	15
9	18	3	7	1	6	2	10	3	2	4	2	10	3	.....	.....	16
[illegible]	14	3	5	1	4	2	8	3	1	2	.....	9	1	.....	.....	17
.....	4	.....	2	.....	2	.....	2	.....	1	1	2	1	2	.....	.....	18
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
.....	1	4	2	2	3	1	[illegible]	4	8	2	6	9	7	.....	.....	21
.....	1	4	.....	2	3	1	3	1	5	1	2	6	4	.....	.....	22
.....	.....	.....	2	.....	.....	.....	3	3	3	1	4	3	3	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
3	2	7	4	11	21	20	24	27	45	27	47	32	21	.....	1	26
1	1	3	4	5	9	12	11	16	28	12	24	15	12	.....	.....	27
2	1	4	.....	6	12	7	13	11	17	15	23	17	9	.....	1	28
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30
11	[illegible]	11	13	9	10	9	11	14	15	7	9	5	16	.....	.....	31
11	7	11	12	9	9	8	11	13	15	7	[illegible]	4	15	.....	.....	32
.....	2	.....	1	.....	1	1	.....	1	.....	.....	.....	1	1	.....	.....	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
10	[illegible]	13	10	25	15	22	23	19	19	14	15	10	5	.....	.....	36
2	5	3	2	10	3	7	10	10	6	3	2	3	.....	.....	.....	37
7	3	8	5	13	7	11	10	7	10	10	12	6	3	.....	.....	38
1	1	2	3	2	5	4	3	2	3	1	1	1	2	.....	.....	39
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	40
3	8	6	4	6	4	8	2	7	5	7	9	12	13	.....	.....	41
1	.....	.....	1	1	1	2	.....	2	.....	1	.....	.....	1	.....	.....	42
.....	3	3	.....	1	1	1	1	2	1	1	1	4	6	.....	.....	43
2	5	3	3	4	2	5	1	3	4	5	7	8	6	.....	.....	44
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	45
56	38	55	41	95	113	121	118	138	160	105	99	78	63	2	1	46
2	2	2	1	12	7	5	5	8	11	13	7	5	2	.....	.....	47
51	35	48	34	77	101	107	101	119	141	89	79	71	54	.....	1	48
3	1	5	5	[illegible]	5	7	10	11	6	2	11	1	7	1	.....	49
.....	.....	.....	1	.....	.....	2	2	.....	2	1	2	1	.....	1	.....	50
118	[illegible]	284	246	272	246	164	164	138	91	58	59	43	38	1	1	51
85	74	214	181	207	179	123	122	90	60	35	39	23	23	.....	.....	52
18	10	30	28	28	36	20	15	20	11	13	11	7	8	1	.....	53
15	14	38	37	35	29	20	27	27	20	9	9	13	7	.....	1	54
.....	.....	2	.....	2	2	1	.....	1	.....	1	.....	.....	.....	.....	.....	55
28	14	17	15	9	17	8	4	7	6	2	5	3	2	.....	.....	56
14	7	10	7	5	10	4	[illegible]	3	4	1	3	.....	2	.....	.....	57
14	7	7	7	4	7	4	1	3	2	1	2	3	.....	.....	.....	58
.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 10—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	891	53	27	37	31	44	33	41	31	46	24
2	Under 5	647	33	18	28	19	29	23	20	21	27	13
3	5 to 59	175	12	4	9	9	11	8	17	8	14	5
4	60 and over	47	6	2	.....	1	2	1	2	2	5	2
5	Unknown	22	2	3	.....	2	2	1	2	.....	.....	4
6	Inanition	670	38	22	29	24	31	25	23	20	28	19
7	Under 5	616	32	18	28	17	28	22	19	19	25	13
8	5 to 59	18	3	.....	1	4	.....	1	1	.....	2	1
9	60 and over	16	2	1	.....	1	1	1	1	1	1	1
10	Unknown	20	1	3	.....	2	2	1	2	.....	.....	4
11	General diseases—C	2,925	140	139	122	149	147	153	130	148	146	119
12	Under 5	1,166	54	49	50	41	71	57	47	46	57	35
13	5 to 59	127	4	4	7	17	5	4	12	4	8	4
14	60 and over	1,588	77	85	64	85	70	88	69	95	81	74
15	Unknown	44	5	1	1	6	1	4	2	3	.....	6
16	Debility and atrophy	702	29	25	23	51	33	33	25	23	31	24
17	Under 5	342	13	8	7	17	15	12	11	8	11	9
18	5 to 59	122	4	4	7	17	5	4	10	4	8	3
19	60 and over	221	7	13	8	16	12	14	4	11	12	10
20	Unknown	17	5	.....	1	1	1	8	.....	.....	.....	2
21	Old age—all ages	1,394	70	73	56	74	58	75	67	87	69	68
22	60 and over	1,367	70	72	56	69	58	74	65	84	69	64
23	Unknown	27	.....	1	.....	5	.....	1	2	3	.....	4
24	General diseases—D	8,213	328	356	337	410	412	437	400	443	389	449
25	Under 5	465	11	14	12	18	26	29	28	23	28	19
26	5 to 59	5,906	240	281	244	315	297	315	261	324	254	325
27	60 and over	1,775	77	56	75	77	86	89	107	95	103	100
28	Unknown	67	.....	5	6	.....	3	4	4	1	4	5
29	Consumption	5,383	234	243	242	279	280	285	254	295	248	275
30	Under 5	217	7	9	6	9	11	17	14	11	11	6
31	5 to 59	4,533	205	214	203	245	233	233	202	249	197	238
32	60 and over	591	22	16	29	25	33	33	35	34	36	28
33	Unknown	42	.....	4	4	.....	3	2	3	1	4	3
34	2. Diseases of the nervous system	5,477	266	223	267	227	322	244	280	252	279	261
35	Under 5	1,750	69	73	92	64	101	66	94	71	87	77
36	5 to 59	1,820	87	72	77	79	110	71	82	84	93	87
37	60 and over	1,865	106	76	95	84	108	105	101	95	98	96
38	Unknown	42	4	2	3	.....	3	2	3	2	1	1
39	3. Diseases of the circulatory system	3,237	154	126	176	158	198	167	193	150	167	127
40	Under 5	160	7	6	6	6	4	15	8	7	11	6
41	5 to 59	1,267	50	51	60	57	65	69	62	69	68	55
42	60 and over	1,786	96	69	108	94	129	82	121	74	87	66
43	Unknown	24	1	.....	2	1	.....	1	2	.....	1	.....
44	4. Diseases of the respiratory system	5,597	386	319	365	362	453	437	446	413	266	224
45	Under 5	2,134	156	120	172	139	194	165	157	133	84	81
46	5 to 59	1,840	137	91	102	99	146	120	160	145	99	69
47	60 and over	1,590	91	108	89	122	111	149	125	133	79	73
48	Unknown	33	2	.....	2	2	2	3	4	2	4	1
49	5. Diseases of the digestive system	2,473	97	113	98	89	124	107	102	114	126	107
50	Under 5	488	15	21	13	17	25	18	17	13	20	14
51	5 to 59	1,295	50	60	60	44	62	57	57	70	57	68
52	60 and over	669	32	32	23	28	37	31	27	31	48	23
53	Unknown	21	.....	.....	2	.....	.....	1	1	.....	1	2
54	6. Diseases of the urinary system	1,918	117	72	92	57	112	64	134	86	127	89
55	Under 5	66	2	1	1	3	8	8	2	5	3	3
56	5 to 59	832	47	45	34	33	47	34	47	40	43	46
57	60 and over	1,002	68	26	55	21	57	26	84	41	80	40
58	Unknown	18	.....	.....	2	.....	.....	1	1	.....	1	.....
59	7. Affections connected with pregnancy	251	.....	31	.....	27	.....	29	.....	34	.....	24

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 10—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
37	29	51	49	43	31	46	31	40	27	43	21	37	38	.....	1	1
24	25	42	47	35	27	35	29	31	24	32	16	18	31	.....	.....	2
8	4	6	2	5	2	9	2	6	2	7	5	14	5	.....	1	3
5	.....	3	.....	2	1	2	.....	2	1	4	.....	4	.....	.....	.....	4
.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	1	2	.....	.....	5
23	25	45	45	37	27	33	28	30	23	30	16	19	30	.....	.....	6
22	24	42	44	35	25	33	28	29	22	29	16	18	28	.....	.....	7
.....	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8
1	.....	1	.....	.....	1	.....	.....	.....	1	1	.....	1	.....	.....	.....	9
.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	2	.....	.....	10
90	91	136	90	108	94	102	104	116	126	125	100	131	115	4	.....	11
48	42	58	35	52	43	50	39	58	49	52	44	52	37	.....	.....	12
4	5	7	7	5	3	6	5	2	1	3	1	4	5	.....	.....	13
38	44	70	48	51	45	46	58	54	75	69	50	75	73	4	.....	14
.....	.....	1	.....	.....	3	.....	2	2	1	1	5	.....	.....	.....	.....	15
19	25	43	34	28	20	32	28	30	30	36	24	28	28	.....	.....	16
13	18	27	17	15	12	18	18	18	21	16	11	12	15	.....	.....	17
4	4	7	6	5	3	6	5	2	1	3	1	4	5	.....	.....	18
2	3	9	11	8	5	8	5	9	8	17	9	12	8	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	3	.....	.....	.....	.....	20
36	41	62	37	43	43	38	55	46	68	53	43	63	65	4	.....	21
36	41	61	37	43	40	38	53	45	67	52	41	63	65	4	.....	22
.....	.....	1	.....	.....	3	.....	2	1	1	1	2	.....	.....	.....	.....	23
263	302	276	332	249	337	258	283	291	325	280	339	345	365	2	5	24
21	12	19	16	19	26	24	19	16	15	15	11	20	24	.....	.....	25
183	225	190	253	163	247	170	200	206	236	194	262	242	275	1	3	26
56	65	60	61	62	63	62	61	68	70	70	66	79	66	1	.....	27
3	.....	7	2	5	1	2	3	1	4	1	.....	4	.....	.....	2	28
158	194	187	216	154	207	176	179	202	197	193	210	233	238	.....	4	29
8	9	11	10	12	9	12	7	8	6	6	4	6	8	.....	.....	30
135	167	146	193	124	174	133	159	172	165	158	182	194	210	.....	2	31
15	18	26	12	17	24	29	12	22	24	28	24	29	20	.....	.....	32
.....	.....	4	1	1	.....	2	1	.....	2	1	.....	4	.....	.....	2	33
212	213	276	171	251	208	196	160	213	180	229	132	243	169	1	2	34
73	84	113	71	95	75	66	59	52	59	65	35	59	50	.....	.....	35
80	70	95	51	74	67	75	51	80	63	89	39	87	57	.....	.....	36
57	58	66	49	79	66	55	50	80	57	73	56	95	60	.....	.....	37
2	1	2	.....	3	.....	.....	.....	1	1	2	2	2	2	1	2	38
120	89	101	92	122	85	114	93	153	103	119	117	168	140	2	3	39
8	7	8	4	8	5	5	4	6	4	6	5	8	6	.....	.....	40
43	41	42	51	45	39	46	48	53	43	46	49	52	62	1	.....	41
59	41	50	37	68	41	62	41	93	52	65	62	105	71	1	2	42
.....	.....	1	.....	1	.....	1	.....	1	4	2	1	3	1	.....	1	43
96	71	89	57	72	74	112	101	216	177	219	171	241	228	1	1	44
40	22	28	28	21	22	45	45	91	61	83	60	105	81	.....	1	45
37	26	33	17	33	31	35	33	67	62	81	62	71	84	.....	.....	46
19	21	28	12	18	21	31	22	56	54	54	49	62	63	.....	.....	47
.....	2	.....	.....	.....	.....	1	1	2	.....	1	.....	3	.....	1	.....	48
75	80	80	101	129	108	100	107	130	101	101	100	102	79	3	.....	49
14	6	23	17	38	27	30	32	31	18	23	28	20	7	1	.....	50
43	45	42	63	58	51	43	48	61	57	46	50	53	49	1	.....	51
18	28	15	20	32	29	26	27	37	24	30	20	28	22	1	.....	52
.....	1	.....	1	1	1	1	.....	1	2	2	2	1	1	.....	.....	53
87	30	89	35	88	43	85	49	90	40	90	68	119	53	1	1	54
1	3	.....	.....	4	2	5	4	4	2	3	3	4	2	.....	.....	55
35	15	33	24	35	24	34	26	23	20	36	36	46	29	.....	.....	56
50	11	54	11	47	15	46	19	62	18	51	29	68	22	1	.....	57
1	1	2	.....	2	2	2	.....	1	.....	.....	.....	1	.....	.....	1	58
.....	15	.....	12	.....	13	.....	8	.....	18	.....	19	.....	20	.....	1	59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 10—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	2,179	108	57	122	40	139	54	144	59	146	44
2	Under 5	290	11	17	15	9	21	14	14	12	9	8
3	5 to 59	1,539	86	27	93	17	98	25	113	31	115	27
4	60 and over	329	9	13	14	13	20	15	16	15	19	9
5	Unknown	21	2			1			1	1	3	
6	Burns and scalds	252	8	24	14	16	12	24	7	20	6	12
7	Under 5	101	4	9	9	4	10	8	4	7	2	2
8	5 to 59	115	3	12	5	7	2	11	1	11	4	8
9	60 and over	35	1	3		5		5	2	2		2
10	Unknown	1										
11	Drowning	224	8		7	1	2		10	4	19	3
12	Under 5	20					1		1	1	1	1
13	5 to 59	189	7		7	1	7		9	3	15	2
14	60 and over	15	1								3	
15	Unknown											
16	Exposure and neglect	18	2	1	4		2		3			1
17	Under 5	6	1	1	1		1		2			
18	5 to 59	7			1		1		1			
19	60 and over	4			2							1
20	Unknown	1	1									
21	Gunshot wounds	139	11	1	8	2	14		9	2	8	1
22	Under 5	3			1							
23	5 to 59	129	11	1	7	1	14		8	2	7	1
24	60 and over	6				1			1		1	
25	Unknown	1										
26	Homicide	85	3	1	4		6	1	7	4	9	2
27	Under 20	14	2						3	1		1
28	20 to 59	65	1	1	3		5	1	4	3	9	1
29	60 and over	5			1		1					
30	Unknown	1										
31	Injuries by machinery	10					2		1		2	
32	Under 20	2					1					
33	20 to 59	8					1		1		2	
34	60 and over											
35	Unknown											
36	Railroad accidents	286	23	2	18	2	18	1	22	2	21	1
37	Under 5	8								1	1	
38	5 to 59	247	20	2	17	2	16		22		18	1
39	60 and over	29	2		1		2	1		1	2	
40	Unknown	2	1									
41	Suicide by shooting	59	2	1	5		5		7	1	8	
42	Under 20	1	1									
43	20 to 59	49	1	1	5		4		6	1	6	
44	60 and over	7					1		1		1	
45	Unknown	2									1	
46	Suicide by drowning	18	1						2		1	
47	Under 20											
48	20 to 59	13							2		1	
49	60 and over	5	1									
50	Unknown											
51	Suicide by poison	46	3	1	1		3		1	1	2	3
52	Under 20	5										
53	20 to 59	37	3	1	1		3		1	1	2	2
54	60 and over	4										1
55	Unknown											
56	Other suicides	99	3	2	7		8	3	12	2	9	
57	Under 20	4			1							
58	20 to 59	71	2	2	6		5	2	11	2	7	
59	60 and over	22	1				3	1	1		1	
60	Unknown	2									1	
61	Sunstroke	29					1					
62	Under 5	6										
63	5 to 59	17					1					
64	60 and over	6										
65	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 10—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
112	33	158	38	155	47	130	38	165	42	141	39	115	46	2		1
8	9	15	13	15	7	15	10	15	6	11	9	12	15			2
91	22	120	15	130	30	96	17	128	26	103	23	84	21	1		3
13	7	21	10	9	10	17	11	20	9	24	7	18	10			4
		2		1		2		2	1	3		1		1		5
3	8	3	7	6	8	8	9	6	10	7	11	5	18			6
1	2			2		5	2	5	4	3	3	4	11			7
2	3	2	4	4	7	3	4	1	6	3	6	1	3			8
	1	1	3		1		3				2		4			9
										1						10
22	3	41	5	42	9	13	2	10	1	7	3	5	1			11
1	1	3		6		1	1			1	1					12
19	1	36	4	36	8	12	1	10	1	4	1	4	1			13
2	1	2	1		1					2	1	1				14
																15
1										1		2	1			16
																17
										1		3	1			18
1																19
																20
8	1	13	2	6	1	5		8	4	17	2	9	6	1		21
1													1			22
7	1	12	2	6	1	4		8	4	16	2	9	5			23
		1				1				1						24
														1		25
5	1	4	1	5		2	1	9	1	9	2	7	1			26
1		1		2								2	1			27
4	1	3		2		2	1	8	1	8	2	5				28
			1					1		1						29
				1												30
1				1					1	1		1				31
									1							32
1				1						1		1				33
																34
																35
20	2	22		18	1	20	4	37	2	19	4	25	1	1		36
1	1	1					1	1			1					37
18	1	20		15	1	19	1	32	1	17	3	19	1	1		38
1				3		1	2	4	1	2		6				39
		1														40
2	1	4		1		8		7		4		3				41
																42
2	1	3		1		6		6		3		3				43
		1				2				1						44
								1								45
1	1	3				3	1	1	2		1		1			46
																47
1		2				2	1	1	1		1		1			48
	1	1				1			1							49
																50
3	2	1	1	3	2	5		4	1	4	2		3			51
					2	1					1					52
	1					2		4	1	4	1		3			53
3	1		1	3		2										54
		1														55
5		10		5		11	3	5	1	7	1	4	1			56
							1						1			57
1						6	2	4	1	4		3				58
2		7		5		4		1		3	1	1				59
2		3				1										60
3		5		8	4	4	2	1				1				61
		3			3	1										62
				7	2	2	1	1								63
3				1		1	1					1				64
		2														65

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 11.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes	57,604	2,374	2,266	2,496	2,390	2,828	2,888	2,747	2,960	3,564	3,839
2	Under 5	20,011	815	702	899	766	955	853	864	801	1,507	1,329
3	5 to 59	27,022	1,078	1,120	1,114	1,152	1,248	1,475	1,202	1,541	1,359	1,774
4	60 and over	10,042	464	424	464	451	599	536	656	597	656	710
5	Unknown	529	17	20	19	21	26	24	25	21	42	26
6	Unknown cause	5,410	191	215	235	214	216	259	233	242	378	381
7	Under 5	3,478	143	122	162	126	158	164	160	135	265	236
8	5 to 59	1,281	30	63	40	60	34	60	46	68	67	100
9	60 and over	581	17	26	30	25	20	30	24	39	42	43
10	Unknown	70	1	4	3	3	4	5	3	.....	4	2
	1. General diseases.											
11	General diseases—A.	16,143	518	461	580	542	670	652	655	706	1,065	1,006
12	Under 5	6,822	186	163	231	209	270	257	266	246	613	509
13	5 to 59	7,372	265	232	278	260	275	281	230	307	292	349
14	60 and over	1,841	63	63	68	71	120	109	155	148	151	144
15	Unknown	108	4	3	3	2	5	5	4	5	9	4
16	Measles	1,184	65	58	132	127	101	125	80	77	74	53
17	Under 5	693	40	24	84	63	65	61	54	36	52	31
18	5 to 59	455	24	32	46	56	34	56	26	36	20	22
19	60 and over	31	1	1	2	8	1	6	.....	4	2	.....
20	Unknown	5	.....	1	.....	.....	1	2	.....	1	.....	.....
21	Scarlet fever	56	1	4	4	2	4	3	2	1	5	5
22	Under 5	34	1	2	2	1	3	2	2	1	3	1
23	5 to 59	22	.....	2	2	1	1	1	.....	.....	2	4
24	60 and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Diphtheria	278	7	9	10	9	12	9	4	5	8	8
27	Under 5	194	4	6	8	6	9	4	3	4	5	6
28	5 to 59	84	3	3	2	3	3	5	1	1	3	2
29	60 and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
30	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
31	Whooping cough	616	15	23	23	21	31	36	32	36	65	73
32	Under 5	580	15	22	19	20	30	34	32	34	61	71
33	5 to 59	34	.....	1	4	1	1	2	.....	2	4	2
34	60 and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35	Unknown	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Malarial fever	2,285	52	42	39	34	53	56	49	63	87	120
37	Under 5	736	12	15	16	11	18	15	12	24	38	51
38	5 to 59	1,340	37	23	20	20	30	31	26	33	40	54
39	60 and over	194	1	4	3	3	5	10	11	6	9	15
40	Unknown	15	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
41	Influenza	1,766	69	76	90	86	176	167	223	231	175	163
42	Under 5	504	25	26	33	28	52	47	62	49	62	29
43	5 to 59	487	16	23	23	26	41	48	53	67	38	58
44	60 and over	765	27	27	34	31	83	71	107	114	73	76
45	Unknown	10	1	.....	.....	1	.....	1	1	1	2	.....
46	Typhoid fever	3,971	116	103	81	90	67	77	72	95	115	124
47	Under 5	656	13	5	9	16	7	16	14	12	33	21
48	5 to 59	3,087	95	89	68	65	55	56	53	77	73	96
49	60 and over	201	7	9	4	8	4	4	5	6	8	5
50	Unknown	27	1	.....	.....	1	1	1	.....	.....	1	2
51	Diarrheal diseases	3,958	75	69	61	65	77	72	91	90	394	348
52	Under 5	2,803	51	39	31	34	43	47	65	55	304	262
53	5 to 59	715	16	16	22	19	25	16	10	25	50	47
54	60 and over	418	8	13	7	12	8	9	16	10	39	37
55	Unknown	22	.....	1	1	.....	1	.....	.....	.....	1	2
56	Cerebro-spinal fever	94	8	.....	7	6	7	4	5	4	5	3
57	Under 5	40	4	.....	3	4	4	1	1	2	2	3
58	5 to 59	50	3	.....	3	2	3	3	3	2	2	.....
59	60 and over	4	1	.....	1	.....	.....	.....	1	.....	1	.....
60	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 11.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,771	1,991	2,030	2,260	2,274	2,478	2,274	2,267	1,992	2,157	1,715	1,768	2,061	1,984	121	109	1
760	727	821	802	916	876	916	813	737	689	589	555	676	606	20	17	2
700	952	854	1,142	984	1,271	1,028	1,145	889	1,133	815	907	998	1,047	50	44	3
284	292	340	303	358	315	312	291	352	312	305	297	371	315	21	17	4
27	20	15	13	16	16	18	18	14	23	6	9	16	16	30	31	5
168	190	201	197	252	247	236	221	191	180	168	174	191	181	27	22	6
119	108	128	123	170	150	146	144	136	116	114	98	136	106	8	5	7
29	58	50	55	58	71	69	61	27	47	38	46	36	54	9	5	8
18	22	21	18	21	26	20	15	23	16	16	26	17	18	4	4	9
2	2	2	1	3	.....	1	1	5	1	.....	4	2	3	6	8	10
560	635	693	789	895	871	823	797	638	706	464	468	488	413	23	25	11
311	304	328	357	399	356	356	311	232	246	173	166	168	157	3	5	12
195	208	301	365	420	453	411	419	346	417	253	263	264	210	9	9	13
50	58	59	65	71	57	52	62	58	37	33	38	54	45	3	2	14
4	5	5	2	5	5	4	5	2	6	.....	1	2	1	8	9	15
21	31	17	33	23	28	21	18	13	16	13	14	23	18	1	2	16
16	22	8	18	13	19	15	8	8	9	10	11	13	12	.....	1	17
5	9	9	13	9	9	6	9	5	6	3	3	10	5	1	1	18
.....	.....	.....	2	1	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
2	2	1	.....	1	2	3	2	3	2	1	1	3	1	.....	1	21
2	.....	1	.....	1	2	1	2	2	.....	1	.....	3	1	.....	.....	22
.....	2	.....	.....	.....	.....	2	.....	1	2	.....	1	.....	.....	.....	1	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
4	5	3	2	13	20	27	28	23	23	13	12	12	12	.....	.....	26
4	3	2	1	8	12	21	21	17	17	10	7	9	7	.....	.....	27
.....	2	1	1	5	8	6	7	6	6	3	5	3	5	.....	.....	28
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30
16	19	21	26	25	16	32	16	17	23	16	10	7	17	.....	.....	31
15	18	20	24	25	13	29	15	15	22	15	10	6	15	.....	.....	32
.....	1	1	2	.....	2	3	1	2	1	1	.....	1	2	.....	.....	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
74	93	122	126	211	188	162	169	123	125	77	93	64	58	2	3	36
23	23	37	44	74	63	54	55	34	39	16	21	22	19	.....	.....	37
47	65	73	74	117	111	95	95	79	80	57	61	39	30	2	1	38
3	5	10	8	20	12	13	16	10	4	4	10	3	9	.....	.....	39
1	.....	2	.....	.....	2	.....	3	.....	2	.....	1	.....	.....	.....	2	40
15	16	14	15	13	17	25	18	23	20	22	26	41	41	2	2	41
7	2	3	1	4	7	8	5	6	4	10	8	12	14	.....	.....	42
3	7	4	5	5	3	10	6	7	9	3	9	9	13	1	.....	43
5	7	7	9	4	7	7	7	10	7	9	9	20	14	.....	.....	44
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	45
108	126	191	246	274	312	283	291	231	302	168	170	172	135	12	10	46
32	20	45	47	48	45	56	42	30	40	30	29	26	19	1	.....	47
71	98	133	180	211	250	221	235	190	247	133	137	138	106	5	5	48
5	7	11	19	14	17	9	12	11	13	5	4	6	9	1	1	49
.....	1	2	.....	1	.....	.....	2	.....	2	.....	.....	2	1	5	4	50
265	276	247	270	263	219	216	188	147	133	110	97	95	82	5	3	51
198	192	182	203	204	167	148	135	100	94	67	68	55	55	2	2	52
36	50	42	42	34	33	43	35	24	31	29	23	28	19	.....	.....	53
30	30	22	24	23	18	24	18	21	7	14	6	12	8	1	1	54
1	4	1	1	2	1	1	.....	2	1	.....	.....	.....	.....	2	.....	55
5	6	7	1	4	1	1	7	2	2	2	.....	4	5	.....	.....	56
.....	2	3	.....	2	1	.....	5	.....	1	.....	.....	1	.....	.....	.....	57
5	4	4	1	2	.....	1	1	2	1	2	.....	3	3	.....	.....	58
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 11—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	492	18	8	18	16	25	16	18	17	34	35
2	Under 5	334	10	6	13	9	10	9	12	11	23	23
3	5 to 59	131	6	2	3	6	11	6	4	6	9	10
4	60 and over	25	2	.....	2	1	4	1	2	.....	1	2
5	Unknown	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
6	Inanition	189	7	4	11	4	7	4	8	3	10	14
7	Under 5	179	6	4	10	4	6	4	8	3	8	14
8	5 to 59	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	60 and over	5	1	.....	1	.....	1	.....	.....	.....	1	.....
10	Unknown	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
11	General diseases—C	1,831	73	87	74	83	89	87	57	93	84	131
12	Under 5	637	35	23	29	16	31	19	14	24	36	45
13	5 to 59	88	5	2	2	3	2	4	5	5	3	3
14	60 and over	1,074	33	62	43	61	55	61	37	62	45	79
15	Unknown	32	.....	.....	.....	3	1	3	1	2	.....	4
16	Debility and atrophy	276	8	9	8	9	14	11	11	17	13	11
17	Under 5	89	2	1	4	.....	4	2	4	5	6	3
18	5 to 59	86	4	2	2	3	2	4	5	5	3	3
19	60 and over	82	2	6	2	4	7	2	2	6	4	3
20	Unknown	19	.....	.....	.....	2	1	3	.....	1	.....	2
21	Old age—all ages	1,005	31	56	41	58	48	59	36	57	41	78
22	60 and over	992	31	56	41	57	48	59	35	56	41	76
23	Unknown	13	.....	.....	.....	1	.....	.....	1	1	.....	2
24	General diseases—D	9,444	346	427	322	444	367	572	409	628	533	839
25	Under 5	689	28	21	26	23	29	22	35	31	49	48
26	5 to 59	7,095	246	336	232	341	260	468	279	519	372	661
27	60 and over	1,544	68	69	62	74	71	76	88	74	100	123
28	Unknown	116	4	1	2	6	7	6	7	4	12	7
29	Consumption	6,235	225	290	214	306	241	388	259	458	341	588
30	Under 5	308	12	10	16	10	18	12	16	21	21	29
31	5 to 59	5,334	183	257	175	265	192	345	209	405	282	512
32	60 and over	508	27	23	21	30	25	27	27	29	27	42
33	Unknown	85	3	.....	2	1	6	4	7	3	11	5
34	2. Diseases of the nervous system	4,234	176	147	178	162	189	197	212	179	224	278
35	Under 5	1,330	48	46	45	40	57	53	59	44	91	86
36	5 to 59	1,701	68	65	70	71	77	86	80	69	64	99
37	60 and over	1,163	56	33	61	48	54	57	72	66	68	90
38	Unknown	40	4	3	2	3	1	1	1	.....	1	3
39	3. Diseases of the circulatory system	2,783	117	113	103	125	136	152	146	162	182	215
40	Under 5	140	8	8	4	7	7	3	7	6	7	11
41	5 to 59	1,341	46	63	40	66	57	82	55	79	76	113
42	60 and over	1,266	63	42	56	51	71	66	84	74	94	89
43	Unknown	36	.....	.....	3	1	1	1	.....	3	5	2
44	4. Diseases of the respiratory system	8,162	544	459	592	445	719	556	610	548	493	418
45	Under 5	3,643	226	185	277	205	279	209	207	185	252	187
46	5 to 59	3,263	233	192	247	159	317	258	280	267	179	165
47	60 and over	1,214	83	77	67	80	121	87	111	92	60	65
48	Unknown	42	2	5	1	1	2	2	6	4	2	1
49	5. Diseases of the digestive system	3,379	124	114	112	109	135	108	131	117	208	213
50	Under 5	1,725	47	49	45	48	48	40	47	59	108	125
51	5 to 59	1,126	52	37	42	44	51	47	58	40	66	59
52	60 and over	509	25	28	24	17	35	20	25	18	32	29
53	Unknown	19	.....	.....	1	.....	1	1	1	.....	2	.....
54	6. Diseases of the urinary system	1,181	54	33	61	18	86	38	79	31	102	45
55	Under 5	71	3	3	3	1	7	2	4	1	4	3
56	5 to 59	600	23	20	27	9	42	24	32	18	49	23
57	60 and over	503	28	9	31	8	37	12	41	12	48	19
58	Unknown	7	.....	1	.....	.....	.....	.....	2	.....	1	.....
59	7. Affections connected with pregnancy	843	.....	55	.....	71	.....	85	.....	74	.....	114

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 11—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
17	13	23	17	33	34	31	23	19	10	19	13	22	11	1	1	1
14	13	13	14	24	24	21	20	16	8	12	9	14	6			2
2		[illegible]	3	8	10	[illegible]	3	[illegible]	1	6	3	7	3		1	3
1		1		1		1				1	1	1	2	1		4
									1							5
8	10	[illegible]	7	11	16	8	9	6	[illegible]	9	5	7	5			6
8	10	8	6	11	15	8	8	6	7	9	5	7	4			7
			1		1		1									8
													1			9
									1							10
58	69	68	78	69	68	70	68	63	84	61	70	72	68	4	3	11
25	32	32	30	27	30	30	20	25	21	30	22	26	14	1		12
7	1	6	4	2		4	3	8	2	3	4	5	5			13
23	35	30	43	39	38	33	44	30	59	27	44	40	46	2	3	14
3	1		1	1		3	1		2	1		1	3	1		15
16	12	10	10	6	11	12	9	15	8	13	11	17	14	1		16
4	8	2	3	2	7	4	4	1	2	7	5	5	4			17
7	1	6	4	1		4	3	8	2	3	4	5	5			18
3	3	2	2	3	4	1	1	6	3	3	2	7	4			19
2			1			3	1		1				1	1		20
21	33	28	41	37	34	32	43	24	57	25	42	34	44	2	3	21
20	32	28	41	36	34	32	43	24	56	24	42	33	42	2	[illegible]	22
1	1			1					1	1		1	2			23
250	394	263	436	246	449	264	378	239	392	231	348	258	379	[illegible]	22	24
22	25	36	25	22	40	38	32	32	27	18	23	17	19		1	25
172	309	174	352	163	337	180	286	153	300	159	269	196	308	7	16	26
47	56	50	56	58	69	42	53	51	58	51	55	44	48		1	27
[illegible]	4	3	3	3	3	4	7	3	7	3	1	1	4	1	4	28
154	265	157	290	139	293	166	247	138	242	143	232	181	259	6	13	29
6	[illegible]	9	12	8	15	13	14	14	11	5	12	8	6		1	30
126	235	128	262	113	255	138	211	109	207	122	204	156	226	6	11	31
13	17	18	16	15	22	11	16	14	18	14	16	16	24			32
[illegible]	4	2		3	1	4	6	1	6	2		1	3		1	33
158	176	193	168	187	172	193	168	152	135	146	124	164	144	10	2	34
63	70	69	52	79	70	67	59	35	46	39	30	45	36		1	35
57	63	68	88	67	71	83	79	70	52	66	52	65	68	2	1	36
36	40	54	26	41	30	42	29	47	35	41	41	52	40	4		37
2	3	2	2		1	1	1		2		1	2		4		38
78	89	80	104	91	124	92	83	97	107	78	83	88	121	8	[illegible]	39
[illegible]	[illegible]	2	5	5	2	5	1	8	6	6	4	3	10			40
35	48	33	53	44	80	36	55	35	58	33	47	39	64	2	2	41
31	34	44	46	41	40	49	26	54	43	39	32	44	45	5	[illegible]	42
[illegible]	1	1		1	2	2	1					2	2	1	4	43
146	126	130	119	128	162	174	180	228	216	232	216	392	308	12	9	44
78	68	77	72	69	79	107	101	128	115	109	112	169	144	2	1	45
54	43	38	36	35	62	44	55	68	67	90	74	160	124	6	4	46
14	15	15	10	24	20	22	23	30	33	32	29	62	39	1	2	47
			1		1	1	1	2	1	1	1	1	1	3	2	48
147	130	169	161	170	169	168	155	162	129	99	109	116	111	7	6	49
85	73	106	93	100	96	108	90	82	61	47	55	50	55	5	3	50
43	39	46	48	44	50	41	41	61	51	35	39	43	46			51
19	17	17	19	26	21	17	20	18	16	17	15	22	10	1	1	52
	1		1		2	2	1	1	1			1		1	2	53
55	28	63	31	62	29	53	35	59	41	62	28	58	27	2	1	54
2	2	7	3	1	2	2	2	5	2	5	4	2	1			55
20	17	20	21	31	19	25	25	26	33	27	17	32	18	2		56
33	8	36	7	30	8	26	8	28	5	30	6	24	8		1	57
	1								1		1					58
	62		73		64		74		57		46		65		3	59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 11—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	3,199	200	133	203	141	178	134	185	122	247	121
2	Under 5	1,049	76	74	56	79	55	74	49	56	55	50
3	5 to 59	1,849	101	45	124	48	110	47	121	53	175	52
4	60 and over	256	21	12	19	14	9	13	15	11	12	16
5	Unknown	45	2	2	4		4			2	5	3
6	Burns and scalds	877	53	85	54	80	31	74	23	53	27	45
7	Under 5	507	40	43	32	44	24	39	16	23	17	18
8	5 to 59	304	7	32	19	32	4	28	7	26	8	23
9	60 and over	59	5	8	2	4	2	7		3	2	4
10	Unknown	7	1	2	1		1			1		
11	Drowning	128	6		4	2	6	3	21	6	16	4
12	Under 5	14	1		1	1	1	1	2	2	1	
13	5 to 59	109	4		3	1	5	2	18	3	15	4
14	60 and over	4	1						1			
15	Unknown	1								1		
16	Exposure and neglect	128	11	10	5	11	3	7	8	9	12	10
17	Under 5	112	10	9	4	11	3	6	8	8	10	8
18	5 to 59	8			1			1		1	1	2
19	60 and over	7	1	1							1	
20	Unknown	1										
21	Gunshot wounds	454	28	3	32	6	32	4	27	2	57	7
22	Under 5	24	1	1		2					2	1
23	5 to 59	407	26	2	30	4	31	4	25	2	51	6
24	60 and over	11			1		1		2		1	
25	Unknown	12	1		1						3	
26	Homicide	227	17	1	23	3	16	4	11	4	25	5
27	Under 20	30	1	1	2	1	5	2	1		1	1
28	20 to 59	181	15		17	2	10	2	9	4	21	3
29	60 and over	11	1		4		1		1		1	
30	Unknown	5									2	1
31	Injuries by machinery	26	1		2						1	
32	Under 20	8			1							
33	20 to 59	17	1								1	
34	60 and over	1			1							
35	Unknown											
36	Railroad accidents	182	14	3	14	1	14	1	21		20	1
37	Under 5	1		1								
38	5 to 59	165	13	2	12	1	14	1	19		19	
39	60 and over	11	1		1				2		1	1
40	Unknown	5			1							
41	Suicide by shooting	23	4		4		2		2		2	
42	Under 20	2					1					
43	20 to 59	16	2		2				2		2	
44	60 and over	3	2		1							
45	Unknown	2			1		1					
46	Suicide by drowning	4		1			1	1				
47	Under 20	1						1				
48	20 to 59	2		1								
49	60 and over	1					1					
50	Unknown											
51	Suicide by poison	13					3		2		2	2
52	Under 20											
53	20 to 59	13					3		2		2	2
54	60 and over											
55	Unknown											
56	Other suicides	39	1	1	3		7		3		4	
57	Under 20	2										
58	20 to 59	33	1	1	2		7		2		4	
59	60 and over	3			1				1			
60	Unknown	1										
61	Sunstroke	29	2				2				2	1
62	Under 5	2										
63	5 to 59	18	1								2	1
64	60 and over	6	1				1					
65	Unknown	3					1					

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 11—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
118	50	131	62	127	59	159	60	136	70	147	66	201	128	19	2	1
24	24	17	24	16	22	33	29	36	36	34	29	44	56	1		2
78	21	101	32	105	32	118	24	87	28	102	30	142	58	13	2	3
12	5	11	5	4	4	8	7	12	6	10	7	11	12			4
4		2	1	2	1			1		1		4	2	5		5
16	16	13	21	5	16	10	21	20	27	32	36	41	76	1	1	6
11	10	5	13	3	7	[illegible]	13	19	16	23	18	29	36			7
5	[illegible]	7	8	2	8		7	1	9	5	15	10	33	1	1	8
		1			1	2	1		2	4	3	2	6			9
													1			10
19		15		[illegible]	3	3	1	5	1		2	2				11
1				1				2								12
17		15		8	2	3	1	3	1		2	2				13
1					1											14
																15
2	4		5	2	3	4	3	2	2	3	3	1	8			16
2	4		5	[illegible]	1	3	3	1	2	2	3	1	6			17
					1					1						18
						1		1					2			19
					1											20
18	4	23	5	26	5	32	6	25	4	25	7	58	14	4		21
	1	2		1	1	3	2	3	1		1	2				22
15	3	19	5	23	4	29	4	21	3	24	6	55	13	2		23
2		1						1		1			1			24
1		1		2								1		2		25
7	2	13	4	13		13	2	12	5	19	2	20	2	3	1	26
	1	1		1		2	1	2	3	1	1	1	1			27
5	1	12	4	12		11	1	10	2	17	1	18		3	1	28
2												1				29
										1			1			30
		1	1	1		6		6		5		2				31
		1	1			1		1		2		1				32
				1		5		5		3		1				33
																34
																35
4	2	11		9		18	1	12	1	15	2	11	2	5		36
																37
3	2	10		9		17	1	12	1	14	1	[illegible]	2	3		38
1						1				1	1	1				39
		1										1		2		40
		1	1		1	2		1		1		2				41
					1											42
		1	1			2		1		1		2				43
																44
																45
			1													46
																47
			1													48
																49
																50
2	1	1														51
																52
2	1	1														53
																54
																55
4		4	1	2		4		2		1		2				56
			1					1								57
				1		4		1		1		1				58
4		4		1												59
												1				60
2	1	6	1	5	3		1	2				1				61
	1				1											62
		4		5	2		1					1				63
1		2	1					1								64
								1								65
1																

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 12.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX. January. Male.	January. Female.	February. Male.	February. Female.	March. Male.	March. Female.	April. Male.	April. Female.	May. Male.	May. Female.
1	All causes	17,778	965	740	876	785	1,032	930	951	861	1,001	861
2	Under 5	5,231	235	190	233	231	260	262	232	198	314	253
3	5 to 59	9,967	584	455	523	453	607	537	548	515	526	485
4	60 and over	2,377	133	92	110	96	156	121	167	137	149	115
5	Unknown	203	13	[illegible]	10	5	9	10	4	11	12	8
6	Unknown cause	1,751	82	60	71	66	86	72	72	63	110	102
7	Under 5	957	47	32	38	35	48	37	41	25	64	55
8	5 to 59	613	24	25	24	21	30	28	21	29	34	41
9	60 and over	147	9	3	5	8	7	6	[illegible]	7	9	5
10	Unknown	34	2	.....	4	2	1	1	1	[illegible]	[illegible]	1
	1. General diseases.											
11	General diseases—A	5,385	232	194	223	216	262	269	271	250	307	243
12	Under 5	2,041	77	61	80	80	87	96	84	84	131	111
13	5 to 59	2,877	136	122	132	126	154	146	146	137	150	116
14	60 and over	422	17	11	10	10	20	23	39	26	24	14
15	Unknown	45	2	.....	1	.....	1	4	[illegible]	3	2	2
16	Measles	653	39	40	61	73	59	83	37	55	42	32
17	Under 5	377	26	18	34	40	37	43	26	28	27	24
18	5 to 59	268	13	22	27	32	21	40	11	24	15	6
19	60 and over	7	.....	.....	.....	1	1	.....	.....	2	.....	2
20	Unknown	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
21	Scarlet fever	27	.....	.....	.....	1	.....	2	1	.....	1	.....
22	Under 5	13	.....	.....	.....	.....	.....	1	1	.....	.....	.....
23	5 to 59	14	.....	.....	.....	1	.....	1	.....	.....	1	.....
24	60 and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Diphtheria	62	4	3	2	1	6	1	5	.....	1	1
27	Under 5	40	4	2	2	1	4	1	3	.....	1	.....
28	5 to 59	21	.....	1	.....	.....	2	.....	1	.....	.....	1
29	60 and over	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
30	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
31	Whooping cough	205	5	5	6	5	10	13	12	18	19	30
32	Under 5	187	4	4	6	4	9	12	12	16	17	27
33	5 to 59	17	1	1	.....	1	1	.....	.....	2	[illegible]	3
34	60 and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35	Unknown	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
36	Malarial fever	1,424	33	33	30	42	31	43	47	44	58	44
37	Under 5	426	7	7	8	9	5	12	11	14	20	10
38	5 to 59	885	24	24	19	30	24	27	34	27	36	[illegible]
39	60 and over	97	1	2	2	3	2	4	2	3	2	1
40	Unknown	16	1	.....	1	.....	.....	.....	.....	.....	.....	.....
41	Influenza	320	19	11	15	19	28	33	51	43	27	21
42	Under 5	83	4	2	7	4	6	1	19	8	6	9
43	5 to 59	154	12	8	6	12	15	17	18	25	12	[illegible]
44	60 and over	83	3	1	2	3	7	15	14	10	[illegible]	3
45	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
46	Typhoid fever	753	32	29	24	15	23	21	21	19	23	24
47	Under 5	165	8	6	2	4	3	7	3	2	4	1
48	5 to 59	542	22	22	22	10	19	13	13	15	17	19
49	60 and over	40	2	1	.....	1	1	1	5	2	1	4
50	Unknown	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
51	Diarrheal diseases	1,053	30	23	14	16	29	23	26	17	57	43
52	Under 5	551	12	11	5	8	15	11	5	8	35	28
53	5 to 59	367	12	8	9	6	12	11	15	5	15	12
54	60 and over	125	6	4	.....	2	2	.....	6	4	7	2
55	Unknown	10	.....	.....	.....	.....	.....	1	.....	.....	.....	1
56	Cerebro-spinal fever	58	1	1	1	3	9	2	2	1	3	1
57	Under 5	21	.....	1	1	.....	3	2	.....	.....	1	.....
58	5 to 59	35	1	.....	.....	3	6	.....	2	1	2	1
59	60 and over	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
60	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 12.

MONTH AND SEX—continued.

June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
471	492	614	561	745	714	722	672	674	566	600	531	710	558	71	75	1
169	173	207	192	286	259	246	238	201	184	157	128	175	171	16	21	2
229	243	337	295	365	363	384	345	395	306	356	316	427	308	34	31	3
65	68	66	68	85	82	86	79	71	74	83	79	100	73	11	11	4
8	8	4	6	9	10	6	10	7	2	4	8	8	6	10	12	5
62	49	78	75	89	83	80	72	58	57	57	50	74	59	11	13	6
34	27	40	42	59	46	46	46	31	27	33	26	42	31	2	3	7
19	18	33	25	29	30	23	20	24	27	18	19	19	24	3	5	8
8	4	5	7	1	7	8	5	3	3	6	4	12	4	1	.....	9
1	.....	.....	1	.....	.....	3	1	.....	.....	.....	1	1	.....	4	5	10
152	160	225	205	283	278	284	255	226	183	159	148	166	134	27	33	11
70	73	99	85	120	116	105	105	85	82	48	38	48	53	9	14	12
69	67	112	101	133	139	165	122	126	86	94	92	103	74	11	18	13
11	18	13	17	26	19	14	23	12	15	17	17	14	7	4	1	14
2	2	1	2	4	4	.....	5	3	.....	.....	1	1	.....	3	.....	15
8	6	9	4	6	7	10	13	10	8	5	11	16	17	2	.....	16
5	2	5	3	5	2	8	9	5	5	4	3	6	10	2	.....	17
8	4	4	1	1	5	2	4	5	3	1	8	10	6	.....	.....	18
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
2	2	2	.....	1	3	2	2	1	1	.....	3	1	1	.....	1	21
1	1	2	.....	.....	.....	2	1	1	1	.....	1	.....	1	.....	.....	22
1	1	.....	.....	1	3	.....	1	.....	.....	.....	2	1	.....	.....	1	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
2	3	2	1	1	3	2	3	3	5	1	2	3	6	.....	1	26
1	.....	2	.....	.....	3	1	2	3	4	1	1	1	3	.....	.....	27
1	3	.....	1	1	.....	1	1	.....	1	.....	1	2	3	.....	1	28
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30
3	7	2	4	1	4	5	11	13	13	1	6	9	3	.....	.....	31
3	7	2	4	1	4	5	10	13	10	1	5	8	3	.....	.....	32
.....	.....	.....	.....	.....	.....	.....	1	.....	3	.....	1	1	.....	.....	.....	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
39	48	78	84	125	121	109	96	77	64	44	44	43	40	3	4	36
15	18	24	27	41	43	29	30	28	21	14	11	12	9	1	.....	37
20	22	51	52	70	70	72	53	45	36	27	26	28	30	1	4	38
3	6	3	5	11	7	8	10	2	7	3	6	3	1	.....	.....	39
1	2	.....	.....	3	1	.....	3	2	.....	.....	1	.....	.....	1	.....	40
.....	1	6	.....	2	2	7	2	2	2	6	6	10	6	1	.....	41
.....	.....	9	.....	.....	1	4	.....	1	1	3	2	.....	3	.....	.....	42
.....	.....	2	.....	2	.....	2	2	1	.....	1	2	7	1	.....	.....	43
.....	1	2	.....	.....	1	1	.....	.....	1	2	2	3	2	1	.....	44
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	45
20	18	26	33	43	51	57	46	45	33	36	36	29	22	12	15	46
2	6	3	10	14	11	16	12	12	7	4	3	5	8	3	9	47
18	11	23	23	26	36	38	31	33	23	31	29	22	13	7	6	48
.....	1	.....	.....	2	2	3	2	.....	3	1	4	2	1	1	.....	49
.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....	.....	1	.....	50
63	61	83	64	85	73	66	69	47	38	40	27	24	22	3	10	51
40	36	51	37	47	43	32	37	14	21	16	10	12	11	1	5	52
17	18	24	17	25	20	32	21	24	13	15	13	8	10	.....	5	53
6	7	7	8	13	9	2	10	8	4	9	4	3	1	1	.....	54
.....	.....	1	2	.....	1	.....	1	1	.....	.....	.....	1	.....	1	.....	55
3	1	2	4	2	1	4	2	3	2	.....	3	4	1	1	1	56
.....	1	.....	3	1	1	4	.....	1	1	.....	1	.....	.....	.....	.....	57
3	.....	2	1	1	.....	.....	2	1	1	.....	2	4	1	.....	1	58
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 12—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	227	13	9	6	1	9	7	9	10	14	7
2	Under 5	138	8	8	3	1	5	5	6	7	6	3
3	5 to 59	80	6	1	3		4	2	3	3	7	3
4	60 and over	4	1								1	
5	Unknown	5										1
6	Inanition	94	5	5	2	1	2	3	5	2	5	2
7	Under 5	89	5	5	2	1	2	3	5	2	5	2
8	5 to 59	3										
9	60 and over											
10	Unknown	2										
11	General diseases—C	507	26	28	27	22	29	20	22	18	18	35
12	Under 5	143	7	8	6	5	11	6	6	4	4	8
13	5 to 59	20	1		3	1			2		1	2
14	60 and over	330	16	20	16	16	17	14	14	13	13	25
15	Unknown	14	2		2		1			1		
16	Debility and atrophy	63	3	2	9	2	1	2	4	2	2	3
17	Under 5	21	1		1			1	1	1		1
18	5 to 59	19	1		3	1			1		1	2
19	60 and over	23	1	2	5	1	1	1	2	1	1	
20	Unknown											
21	Old age—all ages	321	17	18	13	15	17	13	12	13	12	25
22	60 and over	307	15	18	11	15	16	13	12	12	12	25
23	Unknown	14	2		2		1			1		
24	General diseases—D	2,637	120	117	127	124	125	152	143	147	146	179
25	Under 5	152	1	6	10	5	4	8	11	5	13	4
26	5 to 59	2,103	103	100	96	111	101	130	106	121	107	152
27	60 and over	349	16	10	20	8	19	13	25	19	25	22
28	Unknown	33		1	1		1	1	1	2	1	1
29	Consumption	1,827	89	79	94	98	93	110	95	106	105	122
30	Under 5	70		4	7	2	3	6	7	4	6	3
31	5 to 59	1,616	82	71	76	91	80	100	79	93	87	110
32	60 and over	124	7	3	10	5	10	3	9	7	12	8
33	Unknown	17		1	1			1		2		1
34	2. Diseases of the nervous system	1,207	72	45	45	50	59	61	55	45	63	51
35	Under 5	435	26	13	12	15	21	21	14	10	28	17
36	5 to 59	577	33	24	26	26	26	30	31	26	25	21
37	60 and over	174	10	8	7	9	11	9	10	7	10	11
38	Unknown	21	3				1	1		2		2
39	3. Diseases of the circulatory system	660	30	27	23	30	36	42	28	33	37	50
40	Under 5	19	3		2	1	1	2			2	
41	5 to 59	380	15	15	12	16	16	27	16	20	13	34
42	60 and over	250	12	12	9	12	19	13	12	13	20	16
43	Unknown	11				1					2	
44	4. Diseases of the respiratory system	2,855	272	145	243	179	312	188	226	200	134	94
45	Under 5	802	44	43	63	61	67	66	53	49	35	29
46	5 to 59	1,638	186	81	151	92	204	94	139	111	79	54
47	60 and over	393	39	20	27	25	39	27	34	39	19	11
48	Unknown	22	3	1	2	1	2	1		1	1	
49	5. Diseases of the digestive system	898	27	30	27	31	36	43	37	35	54	43
50	Under 5	312	10	9	5	9	5	11	10	7	22	19
51	5 to 59	464	15	17	20	19	22	26	18	20	20	20
52	60 and over	120	2	4	2	3	9	6	9	8	12	4
53	Unknown	2										
54	6. Diseases of the urinary system	405	23	10	24	10	24	9	31	9	19	8
55	Under 5	15			1					1		
56	5 to 59	278	17	9	15	9	16	7	20	8	10	4
57	60 and over	110	6	1	8	1	8	2	11	2	9	4
58	Unknown	2										
59	7. Affections connected with pregnancy	217		36		18		32		22		16

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 12—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
12	11	13	7	9	11	13	12	7	7	12	9	12	7			1
11	7	7	4	6	5	7	8	6	5	7	[illegible]	4	5			2
1	3	6	2	3	[illegible]	5	4	1	2	5	3	5	2			3
	1											1				4
			1			1						2				5
[illegible]	3	4	4	2	2	6	6	[illegible]	2	5	6	5	5			6
[illegible]	3	4	3	2	1	[illegible]	6	3	2	5	6	3	4			7
			1		1								1			8
																9
												2				10
10	18	16	12	25	35	14	24	16	22	10	22	16	16	[illegible]	4	11
5	8	5	1	7	13	2	8	7	3	2	3	[illegible]	5			12
	1			[illegible]			1		1		2	1		1		13
5	9	10	11	14	21	11	15	9	18	[illegible]	16	[illegible]	10	1	2	14
		1		1	1	1					1		1		2	15
	4	6		4	3		4	3	2		3	2	1	1		16
	2	3		1	2		2	2			1	1	1			17
	1			3			1		1		2	1		1		18
	1	3			1		1	1	1							19
																20
[illegible]	[illegible]	8	11	15	21	12	14	8	17	8	17	6	11	1	4	21
5	8	7	11	14	20	11	14	[illegible]	17	8	16	[illegible]	10	1	[illegible]	22
		1		1	1	1					1		1		2	23
47	103	88	83	82	94	73	87	95	102	80	103	106	98	7	[illegible]	24
2	[illegible]	5	3	7	3	10	[illegible]	7	6	[illegible]	8	3	7		1	25
35	79	70	63	64	81	49	67	72	86	60	82	85	75	5	3	26
9	13	12	16	11	7	14	13	13	8	10	12	16	15	1	2	27
1	2	1	1		3		1	3	2	2	1	2	1	1	3	28
32	70	52	54	51	63	43	60	60	77	56	69	76	65	5	3	29
	5	[illegible]	1	2	1	4	2	1	3	[illegible]	2	1	2			30
28	60	46	48	46	60	34	52	55	70	52	64	70	57	4	1	31
3	3	4	5	8	2	5	5	2	4	1	3	4	5	1		32
1	2						1	2		1		1	1		2	33
44	34	45	42	70	66	52	48	44	35	48	41	45	41	2	4	34
																35
19	[illegible]	19	26	36	32	23	20	16	11	13	7	10	17			36
21	19	21	13	27	28	25	21	22	17	23	27	28	15	1	1	37
[illegible]	4	4	3	[illegible]	6	4	[illegible]	5	7	11	7	6	8	1	2	38
2	2	1		1			1	1		1		1	1		1	39
26	17	20	30	21	22	30	25	15	20	27	24	19	24	1	3	
																40
1			1		1	2			1	1			1			41
14	10	13	20	11	14	18	18	8	12	15	15	14	12		2	42
10	6	7	9	8	6	10	7	7	7	11	7	5	11		1	43
1	1			2	1						2			1		44
33	32	25	30	43	35	46	45	87	57	79	69	163	98	12	8	
9	13	12	13	22	14	21	21	25	23	23	20	42	29	[illegible]	3	45
16	13	11	14	16	16	17	19	56	26	46	37	96	55	7	2	46
[illegible]	5	2	2	5	5	[illegible]	4	6	8	10	10	24	12	2	2	47
	1		1				1				2	1	2	1	1	48
29	28	39	32	58	41	50	49	35	39	39	35	26	30	4	1	49
15	13	16	10	22	21	21	19	10	13	11	15	5	12	2		50
11	14	18	21	31	15	21	26	18	20	26	14	15	15	2		51
3	1	5	1	[illegible]	5	7	3	7	6	2	6	[illegible]	[illegible]		1	52
						1	1									53
10	10	20	16	25	17	24	13	32	5	25	[illegible]	23	11	1		54
	1	1	1	1	1	2	1	1		1		1	2			55
	[illegible]	13	14	17	11	16	11	23	4	18	6	14	[illegible]	1		56
6	[illegible]	[illegible]	1	7	5	6	1	[illegible]	1	5		[illegible]	1			57
3	6									1						58
1																
	7		15		11		23		14		8		15			59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 12—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	917	63	31	58	31	49	30	51	25	96	20
2	Under 5	200	13	10	13	18	11	10	5	6	9	6
3	5 to 59	646	45	19	40	10	33	13	42	17	77	12
4	60 and over	62	4	2	5	3	4	7	4	2	7	1
5	Unknown	9	1				1				3	1
6	Burns and scalds	155	7	18	9	16	11	14	2	11	3	4
7	Under 5	82	6	6	7	7	8	6	1	2	2	1
8	5 to 59	63	1	11	1	6	2	6	1	9	1	3
9	60 and over	10		1	1	3	1	2				
10	Unknown											
11	Drowning	62	2		1		3		14	1	16	5
12	Under 5	3										3
13	5 to 59	57	2		1		3		13	1	15	2
14	60 and over	2							1		1	
15	Unknown											
16	Exposure and neglect	32	3	3	2	1		2		4		
17	Under 5	24	3	1	1	1		1		1		
18	5 to 59	6		2				1		2		
19	60 and over	2			1					1		
20	Unknown											
21	Gunshot wounds	203	21	4	11	3	11	4	9	1	28	2
22	Under 5	3	1			1						
23	5 to 59	194	19	4	11	2	10	4	9	1	26	1
24	60 and over	3	1				1				1	
25	Unknown	3									1	1
26	Homicide	73	6		5		4		3		10	3
27	Under 20	12	1		2						1	
28	20 to 59	59	5		3		4		3		8	3
29	60 and over	1										
30	Unknown	1									1	
31	Injuries by machinery	7			1						1	
32	Under 20	1									1	
33	20 to 59	6			1							
34	60 and over											
35	Unknown											
36	Railroad accidents	42	3		8		2	2	1	1	4	
37	Under 5											
38	5 to 59	37	2		7		2	1		1	4	
39	60 and over	5	1		1			1	1			
40	Unknown											
41	Suicide by shooting	4					2				1	
42	Under 20	1					1					
43	20 to 59	2					1				1	
44	60 and over	1										
45	Unknown											
46	Suicide by drowning	1										1
47	Under 20											
48	20 to 59	1										1
49	60 and over											
50	Unknown											
51	Suicide by poison	5							2		1	
52	Under 20	1										
53	20 to 59	4							2		1	
54	60 and over											
55	Unknown											
56	Other suicides	14	1		2		1		3		1	
57	Under 20											
58	20 to 59	11	1		2		1		3			
59	60 and over	3									1	
60	Unknown											
61	Sunstroke	12							1			
62	Under 5	2										
63	5 to 59	9							1			
64	60 and over											
65	Unknown	1										

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 12—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
40	16	44	10	39	15	52	14	57	21	61	14	58	18	4		1
3	12	3	5	6	7	5	3	11	12	8	4	10	9	1		2
33	4	39	4	30	6	44	9	45	8	51	10	46	6	3		3
4		2	1	2	1	3	2	1	1	2		2	2			4
				1	1								1			5
1	4	1		4	3	3	3	9	3	5	4	8	11	1		6
	2			2	2	1	1	6	1	4	2	7	5	1		7
1	2	1		2	1	2	2	3		1	2	1	4			8
													2			9
																10
4		4	1	3		3	1					2		2		11
4		4	1	3		3	1									12
												2		2		13
																14
																15
2	3		4	1				1	1	3		1	1			16
2	3		4					1	1	3		1	1			17
				1												18
																19
																20
11		15		7	2	12	2	16	1	20		21	1	1		21
					1											22
11		15		6	1	12	2	16	1	20		21	1	1		23
				1												24
																25
3	1	4		5		6		6	2	5	1	8	1			26
1		1		2		1			1		1	1				27
2	1	3		3		4		6	1	5		7	1			28
						1										29
																30
						2				2		1				31
																32
						2				2		1				33
																34
																35
2		4		2		2		4	1	4		2				36
																37
1		4		2		2		4	1	4		2				38
1																39
																40
												1				41
																42
																43
												1				44
																45
																46
																47
																48
																49
																50
				1								1				51
												1				52
				1												53
																54
																55
1						1		1	1	1	1					56
																57
1						1			1		1					58
								1		1						59
																60
3		1		2	2	1	1		1							61
1					1											62
2		1		2		1	1		1							63
					1											64
																65

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 13.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes	37,077	1,809	1,482	1,841	1,516	2,099	1,791	1,981	1,767	1,716	1,427
2	Under 5	10,019	421	348	476	368	550	473	429	390	383	337
3	5 to 59	16,923	838	685	819	697	936	841	911	829	813	703
4	60 and over	9,855	531	441	531	445	597	464	624	535	514	379
5	Unknown	280	19	8	15	8	16	13	17	13	6	8
6	Unknown cause	1,091	48	39	45	55	65	46	45	37	44	48
7	Under 5	615	29	24	26	25	33	28	23	13	21	22
8	5 to 59	254	9	8	8	21	15	9	10	12	10	13
9	60 and over	189	9	6	10	8	12	6	12	12	13	11
10	Unknown	33	1	1	1	1	5	3	.....	.....	.....	2
	1. General diseases.											
11	General diseases—A	6,379	214	201	208	190	246	227	222	248	199	198
12	Under 5	2,981	72	73	96	73	94	83	78	85	85	81
13	5 to 59	2,655	113	99	81	95	114	116	97	103	79	94
14	60 and over	707	25	28	30	20	37	26	46	57	35	22
15	Unknown	36	4	1	1	2	1	2	1	3	.....	1
16	Measles	254	7	6	19	18	25	24	19	29	19	22
17	Under 5	148	4	5	10	10	13	11	14	12	13	17
18	5 to 59	102	3	1	9	7	12	13	5	16	6	4
19	60 and over	4	.....	.....	.....	1	.....	.....	.....	1	.....	1
20	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Scarlet fever	176	12	6	15	5	3	9	6	10	13	5
22	Under 5	106	6	5	9	3	1	6	5	7	8	3
23	5 to 59	69	6	1	6	2	2	3	1	3	4	2
24	60 and over	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
25	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Diphtheria	637	38	46	26	30	33	23	24	25	34	18
27	Under 5	321	21	23	13	12	19	12	13	14	18	11
28	5 to 59	311	17	22	13	18	14	11	9	11	16	7
29	60 and over	4	.....	1	.....	.....	.....	.....	1	.....	.....	.....
30	Unknown	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
31	Whooping cough	283	5	12	12	12	15	9	12	13	10	17
32	Under 5	259	5	10	12	12	14	8	12	10	10	15
33	5 to 59	24	.....	2	.....	.....	1	1	.....	3	.....	2
34	60 and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Malarial fever	571	16	6	10	17	17	10	20	14	22	18
37	Under 5	178	3	.....	7	3	3	.....	6	4	7	5
38	5 to 59	304	9	4	2	9	11	8	10	7	10	12
39	60 and over	81	2	2	1	5	3	2	4	2	5	1
40	Unknown	8	2	.....	.....	.....	.....	.....	.....	1	.....	.....
41	Influenza	291	9	13	29	17	35	25	40	45	11	14
42	Under 5	57	1	1	7	6	9	7	8	7	.....	3
43	5 to 59	86	3	4	6	6	9	8	18	8	1	4
44	60 and over	147	5	8	16	5	16	10	14	30	10	7
45	Unknown	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
46	Typhoid fever	1,198	52	40	34	31	41	44	40	39	17	23
47	Under 5	106	8	6	4	2	5	3	3	2	2	1
48	5 to 59	993	41	29	30	24	33	36	33	30	13	20
49	60 and over	89	1	5	.....	4	3	5	4	5	2	2
50	Unknown	10	2	.....	.....	1	.....	.....	.....	2	.....	.....
51	Diarrheal diseases	2,160	37	30	36	17	40	39	32	31	41	44
52	Under 5	1,544	16	9	21	9	19	21	10	15	17	19
53	5 to 59	361	11	15	8	8	11	12	11	7	14	22
54	60 and over	249	10	5	7	.....	10	5	11	9	10	3
55	Unknown	6	.....	1	.....	.....	.....	1	.....	.....	.....	.....
56	Cerebro-spinal fever	196	9	12	4	11	8	6	5	10	3	8
57	Under 5	89	1	5	2	4	2	2	3	3	2	3
58	5 to 59	105	8	7	2	7	6	4	2	7	1	5
59	60 and over	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
60	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 13.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,344	1,073	1,613	1,229	1,785	1,372	1,653	1,308	1,626	1,234	1,420	1,161	1,519	1,259	33	19	1
368	312	588	497	601	511	516	420	428	323	327	299	349	299	3	3	2
603	520	648	475	756	577	715	571	742	588	702	582	732	628	8	4	3
365	239	363	248	406	277	412	310	441	316	382	275	424	323	8	5	4
8	2	14	9	22	7	10	7	15	7	9	5	14	9	14	7	5
28	21	52	37	54	53	59	50	50	41	48	31	54	33	2	6	6
12	13	29	27	34	30	35	30	33	30	22	20	35	21			7
7	7	13	5	13	15	12	13	13	7	14	4	9	7			8
9		9	4	5	7	10	6	4	3	11	7	9	3	1	2	9
	1	1	1	2	1	2	1		1	1		1	2	1	4	10
195	199	400	343	475	384	396	353	326	276	248	220	223	177	8	3	11
108	103	279	231	274	234	211	184	130	113	85	78	70	58	3		12
70	78	91	83	154	112	150	132	156	136	140	128	131	101	1	1	13
16	18	30	27	44	37	33	37	38	26	23	14	22	16			14
1			2	3	1	2		2	1				2	4	2	15
7	4	5	5	7	5	6	9	6	3	2		5	1	1		16
5	2	1	4	4	4	5	5	1	2	2		2	1	1		17
2	2	4	1	8	1	1	4	4	1			3				18
								1								19
																20
4	3	1	8	6	8	3	6	6	12	11	11	12	11			21
2	1	1	2	8	1	3	3	4	9	2	5	9	8			22
2	2		1	3	2		3	2	3	9	6	3	3			23
																24
																25
14	12	7	13	12	16	26	19	38	29	41	44	36	31	2		26
6	8	5	7	6	5	16	10	19	15	20	16	14	16	2		27
8	4	1	6	6	11	10	9	18	14	21	28	22	15			28
		1						1								29
																30
8	16	20	27	16	16	11	4	9	9	9	7	7	7			31
8	13	17	26	15	16	11	8	8	8	7	5	7	7			32
	3	8	1	1			1	1	1	2	2					33
																34
																35
10	14	31	30	57	34	55	57	43	29	21	23	6	5	2	1	36
2	2	12	15	14	20	14	25	11	7	9	5	3	1			37
5	12	15	13	36	10	36	22	25	16	9	16	2	5			38
3		4	1	7	4	5	10	7	6	3	8	1	1			39
			1										1	2	1	40
2	4	2	4	3	3	1	5	5	3	7	1	7	6			41
			1					2	1	3			1			42
	2		1	1	2		1		2	3		4	3			43
2	2	2	2	2	1	1	4	3		1	1	3	2			44
																45
18	22	37	31	76	55	86	66	94	74	79	63	79	53	2	2	46
2	3	5		9	5	10	8	8	6	2	4	5	3			47
16	16	30	28	64	44	63	52	81	61	72	56	72	47	1	1	48
	3	2	2	3	5	12	6	5	7	5	8	2	3			49
			1		1	1								1	1	50
97	92	256	204	271	217	175	157	100	79	49	41	44	31			51
76	65	221	160	216	173	137	124	69	52	29	28	23	15			52
15	15	20	23	26	20	26	20	18	18	11	8	13	9			53
6	12	15	21	26	24	12	13	13	8	9	5	8	7			54
				3					1							55
11	15	12	13	10	9	9	9	2	10	4	9	4	3			56
5	4	9	9	4	5	6	4	1	7	1	6	1				57
5	11	3	4	5	4	8	5	1	3	3	3	3	3			58
				1												59
1																60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 13—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	886	37	40	47	23	50	38	43	27	30	28
2	Under 5	716	30	33	38	22	40	30	30	23	23	23
3	5 to 59	136	7	6	7	.....	7	6	10	3	6	4
4	60 and over	22	.....	1	2	.....	2	.....	2	1	1	1
5	Unknown	12	.....	.....	.....	1	1	2	1	.....	.....	.....
6	Inanition	702	27	32	37	23	41	33	31	22	20	23
7	Under 5	683	27	31	37	22	39	30	30	22	20	22
8	5 to 59	8	.....	1	.....	.....	2	2	.....	.....	.....	.....
9	60 and over	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1
10	Unknown	8	.....	.....	.....	1	.....	1	.....	.....	.....	.....
11	General diseases—C	2,752	121	136	114	120	137	136	129	133	102	128
12	Under 5	943	46	30	41	27	44	48	33	33	35	35
13	5 to 59	74	3	2	3	5	7	3	2	1	8	2
14	60 and over	1,723	71	102	69	88	86	85	93	97	64	91
15	Unknown	12	1	2	1	.....	.....	.....	1	2	.....	.....
16	Debility and atrophy	652	22	14	16	19	28	37	29	25	31	26
17	Under 5	460	15	7	12	13	17	25	19	16	20	15
18	5 to 59	71	3	2	1	5	6	3	2	1	3	2
19	60 and over	117	4	4	3	1	5	9	7	7	8	9
20	Unknown	4	.....	1	.....	.....	.....	.....	1	1	.....	.....
21	Old age—all ages	1,614	68	99	67	87	81	76	86	91	56	82
22	60 and over	1,606	67	98	66	87	81	76	86	90	56	82
23	Unknown	8	1	1	1	.....	.....	.....	.....	1	.....	.....
24	General diseases—D	6,170	271	271	277	261	293	327	296	312	327	303
25	Under 5	334	14	16	18	14	15	13	20	13	16	20
26	5 to 59	4,461	188	195	195	181	208	244	202	238	229	227
27	60 and over	1,331	67	60	62	65	66	68	71	58	82	55
28	Unknown	44	2	.....	2	1	4	2	3	3	.....	1
29	Consumption	3,692	168	141	178	140	192	186	184	189	214	176
30	Under 5	106	5	5	8	2	1	7	5	2	9	7
31	5 to 59	3,220	136	129	147	125	157	166	157	169	180	157
32	60 and over	342	26	7	22	12	30	13	20	17	25	11
33	Unknown	24	1	.....	1	1	4	.....	2	1	.....	1
34	2. Diseases of the nervous system	4,436	238	136	218	167	236	190	227	193	225	178
35	Under 5	1,615	71	47	77	59	73	73	72	71	75	51
36	5 to 59	1,458	85	45	68	54	81	68	74	60	79	67
37	60 and over	1,334	79	44	72	54	82	49	81	61	69	58
38	Unknown	29	3	.....	1	.....	.....	.....	.....	1	2	2
39	3. Diseases of the circulatory system	2,637	149	97	139	108	149	127	152	143	142	101
40	Under 5	158	9	7	9	4	15	10	4	12	6	8
41	5 to 59	1,201	58	41	56	55	65	65	66	70	63	47
42	60 and over	1,261	81	48	72	49	69	51	81	60	73	45
43	Unknown	17	1	1	2	.....	.....	1	1	1	.....	1
44	4. Diseases of the respiratory system	5,632	381	311	446	335	570	400	542	405	270	175
45	Under 5	1,773	105	93	132	109	189	141	138	112	81	65
46	5 to 59	2,323	175	117	194	132	238	144	257	167	124	65
47	60 and over	1,499	96	98	114	93	141	114	142	124	64	44
48	Unknown	37	5	3	6	1	2	1	5	2	1	1
49	5. Diseases of the digestive system	2,441	106	89	109	91	124	122	123	111	110	119
50	Under 5	539	25	13	26	21	31	26	21	16	26	19
51	5 to 59	1,252	50	60	55	40	54	60	69	63	50	71
52	60 and over	642	30	16	28	30	38	35	33	32	34	29
53	Unknown	8	1	.....	.....	.....	1	1	.....	.....	.....	.....
54	6. Diseases of the urinary system	1,767	104	57	102	60	107	66	100	61	93	59
55	Under 5	65	6	4	1	1	2	4	1	3	1	1
56	5 to 59	896	49	28	48	34	55	41	45	36	39	41
57	60 and over	794	49	25	53	25	50	20	53	22	53	17
58	Unknown	12	.....	.....	.....	.....	.....	1	1	.....	.....	.....
59	7. Affections connected with pregnancy	338	.....	41	.....	36	.....	36	.....	37	.....	24

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 13—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
40	31	48	25	56	43	47	37	31	24	39	31	41	30	.....	.....	1
26	28	41	25	41	33	42	32	24	23	29	27	26	27	.....	.....	2
11	3	6	.....	11	8	4	4	3	1	10	4	13	2	.....	.....	3
3	.....	1	.....	2	.....	1	1	2	.....	.....	.....	1	1	.....	.....	4
.....	.....	.....	.....	2	2	.....	.....	2	.....	.....	.....	1	.....	.....	.....	5
25	26	41	24	40	32	40	32	24	22	29	25	26	27	.....	.....	6
25	26	40	24	39	30	40	31	22	22	29	25	24	26	.....	.....	7
.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	8
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	9
.....	.....	.....	.....	1	2	.....	.....	2	.....	.....	.....	1	.....	.....	.....	10
97	100	117	114	124	113	115	104	130	102	90	89	112	82	7	.....	11
36	40	62	39	59	48	45	31	54	29	33	31	36	28	.....	.....	12
1	3	1	5	2	2	2	2	5	6	1	3	8	2	.....	.....	13
60	57	52	70	63	63	68	71	71	67	56	54	67	52	[illegible]	.....	14
.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	15
24	26	41	36	43	35	40	20	41	25	10	14	34	16	.....	.....	16
22	20	35	27	37	30	26	13	29	15	7	11	20	9	.....	.....	17
1	3	1	5	2	2	2	2	5	6	1	3	8	2	.....	.....	18
1	3	4	4	4	[illegible]	12	5	7	4	2	.....	6	[illegible]	.....	.....	19
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
59	54	49	66	59	60	56	66	64	63	54	55	62	47	7	.....	21
59	54	48	66	59	60	56	66	64	63	54	54	61	47	6	.....	22
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	23
200	217	227	223	250	232	242	229	233	245	231	222	235	241	3	2	24
12	19	13	9	17	7	16	9	17	12	10	8	10	16	.....	.....	25
140	162	151	176	166	185	174	167	166	177	162	174	173	179	1	1	26
48	35	61	35	65	39	52	52	49	53	57	37	51	43	.....	.....	27
.....	1	2	3	2	1	.....	1	1	3	2	3	1	3	2	1	28
116	118	143	137	154	155	152	118	136	145	141	127	145	134	2	1	29
2	7	7	2	9	3	4	3	4	4	3	3	1	[illegible]	.....	.....	30
99	104	118	125	132	139	135	106	122	127	122	114	131	121	1	1	31
15	6	17	8	13	13	13	8	10	13	14	8	12	[illegible]	.....	.....	32
.....	1	1	2	.....	.....	.....	1	.....	1	2	2	1	1	1	.....	33
191	144	214	169	199	174	204	143	190	143	179	128	191	157	2	.....	34
79	60	91	94	79	79	78	59	68	49	52	46	60	52	.....	.....	35
57	43	58	44	67	51	64	48	66	46	67	45	63	57	1	.....	36
53	41	65	30	52	42	60	34	55	46	59	36	66	46	.....	.....	37
2	.....	.....	1	1	2	2	2	1	2	1	1	2	2	1	.....	38
120	66	94	76	117	85	85	82	100	83	115	89	126	90	1	1	39
5	2	7	5	9	4	2	7	4	2	10	6	5	[illegible]	.....	.....	40
51	37	41	37	58	48	40	32	40	43	49	41	55	41	1	1	41
[illegible]	27	45	34	48	33	42	42	56	38	56	42	63	43	.....	.....	42
1	.....	1	.....	2	.....	1	1	.....	.....	.....	.....	3	.....	.....	.....	43
105	80	86	65	90	70	102	88	187	117	176	142	247	233	5	4	44
47	31	30	29	31	32	44	33	56	31	53	52	69	68	.....	2	45
33	28	37	18	35	17	28	32	79	51	82	54	123	90	[illegible]	.....	46
25	21	17	18	24	21	28	22	51	35	40	36	54	75	.....	2	47
.....	.....	2	.....	.....	.....	2	1	1	.....	1	.....	1	.....	2	.....	48
84	75	109	70	131	103	125	75	117	90	83	88	104	82	.....	1	49
24	8	23	25	39	30	25	21	25	24	19	17	21	13	.....	1	50
41	49	60	29	72	52	62	35	53	42	45	42	48	50	.....	.....	51
18	18	26	16	19	21	38	19	38	24	17	29	35	19	.....	.....	52
1	.....	.....	.....	1	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	53
76	40	86	43	108	45	111	45	94	41	80	46	89	51	2	1	54
3	.....	1	3	3	2	6	5	4	1	4	3	3	3	.....	.....	55
28	28	47	32	46	35	46	27	40	26	30	27	35	33	.....	.....	56
44	12	38	7	56	8	59	12	48	14	45	16	51	15	1	1	57
1	.....	.....	1	3	.....	.....	1	2	.....	1	.....	.....	.....	1	.....	58
.....	25	.....	15	.....	20	.....	32	.....	23	.....	28	.....	21	.....	.....	59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 13—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	2,204	127	50	126	44	108	52	94	39	159	46
2	Under 5	202	11	6	7	10	11	14	5	7	9	9
3	5 to 59	1,648	95	31	100	23	82	33	75	24	124	31
4	60 and over	314	20	13	18	11	13	5	10	7	23	6
5	Unknown	40	1		1		2		4	1	3	
6	Burns and scalds	154	8	12	6	9	7	6	5	8	3	9
7	Under 5	49	4	3	2	2	6	3		2	1	2
8	5 to 59	83	3	9	3	3	1	2	3	4	2	6
9	60 and over	20	1		1	4		1	2	2		1
10	Unknown	2										
11	Drowning	222	5	3	5	1	6	2	6	2	25	1
12	Under 5	9								1	2	
13	5 to 59	191	4	2	5		5	2	5	1	20	1
14	60 and over	12	1	1		1	1				2	
15	Unknown	10							1		1	
16	Exposure and neglect	18	2	1	1	1		1	2			
17	Under 5	6	1	1								
18	5 to 59	11	1		1	1		1	2			
19	60 and over	1										
20	Unknown											
21	Gunshot wounds	126	14		8	1	9	5	3		9	1
22	Under 5	3			1						1	
23	5 to 59	112	13		7	1	9	5	3		6	1
24	60 and over	5	1								1	
25	Unknown	6									1	
26	Homicide	108	3		8		7		5		18	3
27	Under 20	14			2				2		2	1
28	20 to 59	89	3		6		7		2		15	2
29	60 and over	5							1		1	
30	Unknown											
31	Injuries by machinery	7	1		1				1		1	
32	Under 20	1										
33	20 to 59	6	1		1				1		1	
34	60 and over											
35	Unknown											
36	Railroad accidents	218	11	1	12	1	18	1	16	1	19	2
37	Under 5	3										2
38	5 to 59	188	10	1	11	1	14	1	12	1	15	
39	60 and over	21	1		1		4		3		4	
40	Unknown	6							1			
41	Suicide by shooting	43	3		1		3		4	1	7	
42	Under 20	6								1		
43	20 to 59	28	1				3		4		5	
44	60 and over	8	2		1						1	
45	Unknown	1									1	
46	Suicide by drowning	13					1		2	2	2	
47	Under 20											
48	20 to 59	9							2	2	1	
49	60 and over	4					1				1	
50	Unknown											
51	Suicide by poison	38	2	1	2	1	2			2	5	3
52	Under 20	6										2
53	20 to 59	26	2	1	2	1	2			2	4	1
54	60 and over	6									1	
55	Unknown											
56	Other suicides	190	12	4	13	4	13	5	14	3	14	5
57	Under 20	3				1	1	1		1		1
58	20 to 59	150	12	3	10	3	10	4	13	2	12	4
59	60 and over	30		1	3		2		1		2	
60	Unknown	1										
61	Sunstroke	37	1									
62	Under 5	2										
63	5 to 59	24	1									
64	60 and over	11										
65	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 13—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
197	61	166	32	171	32	157	48	157	41	124	29	92	48	3	1	1
11	6	6	7	12	6	10	7	10	8	6	6	12	6			2
158	46	137	19	126	20	126	30	118	23	100	20	71	34	1	1	3
26	9	17	5	27	6	20	11	24	10	17	3	5	8			4
2		6	1	6		1		5		1		4		2		5
3	5	3	4	7	3	5	3		6	4	5	9	23	1		6
1	1	1	2	4		3			1	2	2	4	3			7
1	3	2	1	8	3	2	3		4	2	3	3	17			8
1	1		1						1			1	3			9
												1		1		10
52	4	39	2	26	2	16	2	6	1	6		10				11
2		1		2					1							12
48	4	34	1	21	1	15	2	5		6		9				13
1		1	1		1	1		1								14
1		3		3								1				15
		1		1	1	5	2						1		1	16
				1	1		1						1			17
		1				3									1	18
							1									19
																20
6	3	5	1	11		10	1	12	1	15	3	7		1		21
												1				22
6	3	5	1	9		9	1	10	1	14	3	5				23
				1		1				1						24
				1				2				1		1		25
1		8	2	13		12	1	9	1	11		6				26
		2		1		2		1		1						27
		6	2	11		10	1	8	1	9		6				28
1				1						1						29
																30
				1				1		1						31
				1												32
								1		1						33
																34
																35
16	1	15	3	31	1	15	1	14		18	1	17	3			36
											1					37
16	1	13	3	28	1	13	1	10		17		16	3			38
		1		2		1		2		1		1				39
		1		1		1		2								40
2	1	6		3		2		3	1	3		2	1			41
	1					1		1	1	1						42
2		4		2		1		1		2		2	1			43
		2		1				1								44
																45
		2					1	2		1						46
																47
		1						2		1						48
		1					1									49
																50
2	2		1	1		1	4	1	3	2	1		2			51
	1										1		2			52
						1	4		2	2						53
1			1					1	1							54
1	1			1												55
10	3	3	3	15	3	14	8	19	6	7	2	9	5	1		56
							1		2							57
			1				2	15	3	5	2	8	5	1		58
6	3	3	1	11	1	11		8	1	2		1				59
4			1	4	2	8		1								60
												1				61
5		5		5	1	13	5	1								62
						1	1					1				63
				3	1	9	2	1								64
2		4		2		3	2									65
3		1														

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 14.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes	68,543	3,134	2,747	3,238	2,959	3,545	3,188	3,024	2,844	3,175	2,992
2	Under 5	26,813	1,042	908	1,188	1,022	1,160	1,052	972	890	1,257	1,093
3	5 to 59	31,993	1,577	1,460	1,526	1,540	1,725	1,677	1,435	1,489	1,327	1,469
4	60 and over	9,067	488	353	501	372	623	435	587	439	559	400
5	Unknown	670	27	26	23	25	37	24	30	26	32	30
6	Unknown cause	6,403	276	274	267	237	261	249	219	224	268	265
7	Under 5	4,065	180	174	184	140	156	157	133	116	184	144
8	5 to 59	1,779	67	82	58	79	69	69	65	87	59	88
9	60 and over	457	27	15	21	15	29	22	18	18	22	28
10	Unknown	102	2	3	4	3	7	1	3	3	3	5
	1. General diseases.											
11	General diseases—A	21,955	749	671	792	799	893	863	738	798	971	955
12	Under 5	10,963	293	258	373	345	409	382	324	352	565	522
13	5 to 59	9,388	397	353	344	399	407	405	330	367	306	346
14	60 and over	1,473	55	54	72	48	70	69	80	77	92	81
15	Unknown	131	4	6	3	7	7	7	4	2	8	6
16	Measles	3,211	138	150	238	266	279	308	184	234	166	180
17	Under 5	1,723	63	69	138	128	142	136	80	105	101	97
18	5 to 59	1,419	75	76	96	133	131	164	96	121	62	76
19	60 and over	53	.....	5	4	3	2	8	6	8	2	0
20	Unknown	16	.....	.....	.....	2	4	.....	2	.....	1	1
21	Scarlet fever	717	47	68	34	46	42	37	29	40	24	28
22	Under 5	511	39	44	26	30	32	26	26	30	21	21
23	5 to 59	204	8	24	8	16	9	11	3	10	3	7
24	60 and over	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
25	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Diphtheria	482	19	20	28	26	19	15	15	16	13	9
27	Under 5	344	17	10	24	15	15	12	11	15	11	7
28	5 to 59	132	1	10	4	10	3	3	4	1	2	2
29	60 and over	3	1	.....	.....	.....	1	.....	.....	.....	.....	.....
30	Unknown	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
31	Whooping cough	1,132	25	25	48	52	52	64	53	52	78	95
32	Under 5	1,074	25	23	46	47	47	59	48	52	74	93
33	5 to 59	54	.....	2	2	5	5	5	4	.....	4	1
34	60 and over	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1
35	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Malarial fever	3,597	86	80	70	62	84	86	97	85	120	114
37	Under 5	1,256	21	18	20	20	32	33	25	29	48	42
38	5 to 59	2,062	61	57	43	40	43	42	59	51	53	62
39	60 and over	256	4	5	7	2	8	9	12	5	19	8
40	Unknown	23	.....	.....	.....	.....	1	2	1	.....	.....	2
41	Influenza	826	51	42	81	56	80	72	71	82	55	49
42	Under 5	200	15	11	23	15	22	16	18	18	9	8
43	5 to 59	251	17	14	27	16	27	23	16	26	15	14
44	60 and over	367	17	17	31	24	30	33	37	37	30	27
45	Unknown	8	2	.....	.....	1	1	.....	.....	1	1	.....
46	Typhoid fever	4,319	146	120	88	107	110	85	75	107	103	127
47	Under 5	864	12	18	11	15	14	16	11	21	21	26
48	5 to 59	3,198	124	91	73	90	89	62	57	80	70	89
49	60 and over	235	10	11	4	2	7	4	7	6	11	10
50	Unknown	22	.....	.....	.....	.....	.....	3	.....	.....	1	2
51	Diarrheal diseases	5,506	115	78	100	74	97	90	109	86	300	261
52	Under 5	4,139	64	40	52	44	58	60	66	51	236	192
53	5 to 59	920	35	22	32	16	26	16	32	21	46	47
54	60 and over	409	15	13	14	11	13	14	10	13	16	21
55	Unknown	38	1	3	2	3	.....	.....	1	1	2	1
56	Cerebro-spinal fever	411	29	17	29	26	18	16	22	13	19	11
57	Under 5	195	10	6	8	10	9	4	10	5	9	6
58	5 to 59	206	18	11	21	16	9	11	11	7	9	5
59	60 and over	8	1	.....	.....	.....	.....	.....	1	1	1	.....
60	Unknown	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 14.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
2,237	2,036	2,862	2,717	3,552	3,487	2,951	2,714	2,785	2,428	2,517	2,203	2,725	2,247	134	102	1
1,131	964	1,381	1,283	1,652	1,589	1,301	1,227	1,078	986	993	858	955	795	15	21	2
791	856	1,107	1,156	1,501	1,557	1,296	1,223	1,317	1,190	1,152	1,104	1,313	1,105	57	43	3
295	203	354	255	368	320	332	246	361	235	336	220	433	325	17	10	4
20	13	20	23	31	21	22	18	29	17	36	21	24	22	45	28	5
217	200	331	270	398	400	304	276	257	229	241	199	270	211	31	29	6
157	132	216	185	236	225	210	191	165	138	163	135	195	134	5	10	7
38	60	91	68	132	148	71	71	72	74	60	50	51	59	8	5	8
21	7	24	12	27	23	22	10	13	16	13	12	20	16	3	8	9
3	1	.....	5	3	4	1	4	7	1	5	2	4	2	15	11	10
871	806	1,139	1,073	1,473	1,470	1,199	1,141	1,003	897	743	699	596	572	26	18	11
601	513	668	636	801	790	584	596	436	428	318	315	234	213	5	2	12
230	247	396	376	576	594	542	487	484	423	373	345	326	311	16	8	13
39	45	67	57	89	81	68	53	73	43	43	36	33	46	1	1	14
1	1	8	4	7	5	5	5	10	3	9	3	3	2	4	7	15
110	101	72	82	81	108	67	82	46	66	58	58	60	67	7	3	16
82	69	50	52	51	61	50	48	25	39	38	28	37	32	2	.....	17
28	29	20	29	29	47	17	34	21	27	19	29	23	32	4	1	18
.....	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	19
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	2	20
5	8	12	17	18	23	18	28	26	33	22	40	27	45	.....	.....	21
3	6	8	13	11	17	12	20	18	22	15	25	19	27	.....	.....	22
2	2	4	4	7	6	6	8	8	11	6	15	8	18	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
13	8	19	9	30	16	29	31	32	21	22	25	20	27	.....	.....	26
9	5	10	4	24	10	24	21	27	15	12	15	15	16	.....	.....	27
4	3	9	5	6	6	5	10	5	6	9	10	3	11	.....	.....	28
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	30
31	38	39	54	52	67	40	73	34	44	31	43	19	21	1	1	31
31	36	38	53	49	65	38	68	31	43	27	42	18	20	1	.....	32
.....	2	1	1	2	2	2	5	3	1	3	1	1	1	.....	1	33
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	35
99	107	212	213	380	375	293	262	194	180	128	99	97	68	1	5	36
41	36	84	90	145	143	80	106	56	69	38	30	26	24	.....	.....	37
52	61	115	109	208	210	189	143	118	97	83	61	63	38	1	3	38
5	10	13	14	27	21	22	10	16	12	7	7	8	5	.....	.....	39
1	.....	.....	.....	.....	1	2	3	4	2	.....	1	.....	1	.....	2	40
10	9	7	8	9	12	10	10	20	12	16	11	24	28	.....	1	41
1	1	2	1	3	3	3	3	5	5	6	2	7	3	.....	.....	42
3	4	2	1	.....	5	4	1	5	3	5	3	10	9	.....	1	43
6	4	3	6	6	4	3	6	9	4	5	6	7	15	.....	.....	44
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	45
87	99	223	206	308	334	329	282	302	269	225	220	191	168	5	3	46
25	25	57	56	74	83	70	74	49	55	41	40	29	19	1	1	47
60	67	150	137	212	225	247	193	237	205	172	167	158	140	2	1	48
2	6	14	12	18	23	11	15	15	9	12	12	4	9	.....	1	49
.....	1	2	1	4	3	1	.....	1	.....	.....	1	.....	.....	2	.....	50
463	375	490	409	501	430	324	288	243	197	167	141	82	76	6	4	51
385	308	382	322	396	354	256	221	181	153	111	105	54	46	1	1	52
56	47	71	62	74	48	42	50	37	30	41	26	19	20	4	.....	53
22	20	31	23	30	27	25	16	22	13	10	10	9	10	1	.....	54
.....	.....	6	2	1	1	1	1	3	1	5	.....	.....	.....	.....	3	55
9	12	18	19	24	20	17	12	19	11	15	8	16	11	.....	.....	56
5	5	10	15	12	15	9	8	10	5	4	4	7	6	.....	.....	57
4	4	8	4	10	4	8	4	9	6	10	4	9	4	.....	.....	58
.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	59
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 14—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	817	40	19	50	29	38	26	30	24	38	27
2	Under 5	565	24	15	30	23	23	24	19	17	24	19
3	5 to 59	210	14	3	19	6	12	2	8	5	14	7
4	60 and over	36	2	1	1	.....	3	.....	3	1	.....	1
5	Unknown	6	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
6	Inanition	451	15	10	24	21	22	21	16	15	16	16
7	Under 5	434	14	10	22	20	22	20	16	14	16	15
8	5 to 59	8	1	.....	1	1	.....	1	.....	1	.....	1
9	60 and over	6	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
10	Unknown	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	General diseases—C	2,099	80	80	84	99	97	104	94	90	112	96
12	Under 5	1,086	41	32	50	39	39	41	50	43	53	53
13	5 to 59	59	.....	5	1	4	1	2	1	3	1	5
14	60 and over	923	38	43	33	55	57	60	41	43	55	37
15	Unknown	31	1	.....	.....	1	.....	1	2	1	3	1
16	Debility and atrophy	279	3	11	9	16	7	12	12	12	11	16
17	Under 5	110	1	1	3	6	3	5	4	4	5	5
18	5 to 59	58	.....	5	1	3	1	2	1	3	1	5
19	60 and over	98	2	5	5	7	3	4	6	4	5	6
20	Unknown	13	.....	.....	.....	.....	.....	1	1	1	.....	.....
21	Old age—all ages	843	37	38	28	49	54	56	36	39	53	32
22	60 and over	825	36	38	28	48	54	56	35	39	50	31
23	Unknown	18	1	.....	.....	1	.....	.....	1	.....	3	1
24	General diseases—D	8,582	332	390	380	407	428	486	409	460	439	540
25	Under 5	622	20	23	25	13	31	28	23	21	28	24
26	5 to 59	6,345	240	310	280	329	293	390	274	368	310	433
27	60 and over	1,482	69	50	70	61	98	59	108	65	95	76
28	Unknown	133	3	7	5	4	6	9	4	6	6	7
29	Consumption	5,754	218	271	263	292	293	349	263	329	286	384
30	Under 5	236	6	13	10	5	12	9	10	8	12	11
31	5 to 59	4,871	184	231	224	265	240	305	207	290	242	334
32	60 and over	559	26	22	25	20	36	28	45	26	29	34
33	Unknown	88	2	5	4	2	5	7	1	5	3	5
34	2. Diseases of the nervous system	5,815	237	219	282	212	309	238	243	223	271	234
35	Under 5	2,439	86	73	94	68	88	84	80	85	104	95
36	5 to 59	2,391	106	115	123	101	156	102	97	95	104	94
37	60 and over	943	41	31	59	42	63	52	64	42	62	44
38	Unknown	42	4	.....	6	1	2	.....	2	1	1	1
39	3. Diseases of the circulatory system	2,459	133	115	117	100	137	138	124	117	152	135
40	Under 5	202	6	7	15	10	10	11	5	6	14	7
41	5 to 59	1,243	63	69	47	64	54	83	52	57	59	69
42	60 and over	978	61	38	55	25	70	42	65	53	77	56
43	Unknown	36	3	1	.....	1	3	2	2	1	2	3
44	4. Diseases of the respiratory system	10,092	846	614	854	663	892	647	678	551	394	327
45	Under 5	4,024	289	230	322	282	292	225	218	182	164	137
46	5 to 59	4,662	433	289	422	294	474	324	350	264	174	151
47	60 and over	1,326	118	89	108	81	122	96	104	99	51	37
48	Unknown	80	6	6	2	6	4	2	6	6	5	2
49	5. Diseases of the digestive system	4,315	157	117	134	139	179	145	163	142	192	181
50	Under 5	1,824	54	45	40	52	62	53	60	36	72	64
51	5 to 59	1,928	81	58	69	67	84	74	73	86	87	89
52	60 and over	542	22	14	25	19	32	17	30	19	33	27
53	Unknown	21	.....	.....	.....	1	1	1	.....	1	.....	1
54	6. Diseases of the urinary system	1,396	87	34	83	36	116	35	91	38	94	42
55	Under 5	80	5	2	5	4	5	4	3	2	3	2
56	5 to 59	710	47	25	39	19	49	24	37	23	40	31
57	60 and over	590	35	7	39	12	61	7	49	11	51	8
58	Unknown	16	.....	.....	.....	1	1	.....	2	2	.....	1
59	7. Affections connected with pregnancy	885	.....	94	.....	109	.....	115	.....	72	.....	89

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 14—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
31	17	46	34	45	39	38	27	45	34	35	30	35	35	3	2	1
23	15	27	28	28	29	25	21	23	29	28	24	22	24	.....	1	2
6	2	14	6	15	8	10	4	21	4	4	2	12	9	2	1	3
1	.....	5	.....	1	2	3	2	1	.....	3	3	1	2	.....	.....	4
1	.....	.....	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	5
19	12	18	22	22	25	18	13	17	22	21	22	22	21	.....	1	6
18	12	18	22	21	23	16	13	17	21	20	20	22	21	.....	1	7
.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	8
.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	2	.....	.....	.....	.....	9
1	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	10
78	69	84	90	94	113	72	63	86	68	78	80	98	85	2	3	11
47	43	48	45	56	65	42	37	49	34	53	35	53	37	.....	1	12
2	1	1	6	2	4	.....	4	1	2	.....	9	1	3	.....	.....	13
29	24	34	39	34	44	27	22	35	31	21	35	41	43	1	1	14
.....	1	1	.....	2	.....	3	.....	1	1	4	1	3	2	1	1	15
9	10	14	13	17	19	12	12	11	14	8	14	8	9	.....	.....	16
4	7	6	6	6	9	5	4	6	7	4	3	3	3	.....	.....	17
2	1	1	6	2	4	.....	4	1	2	.....	9	1	3	.....	.....	18
3	2	6	1	8	6	4	4	4	4	2	2	3	2	.....	.....	19
.....	.....	1	.....	1	.....	3	.....	.....	1	2	.....	1	1	.....	.....	20
26	23	28	38	27	38	23	18	32	27	21	34	40	42	2	2	21
26	22	28	38	26	38	23	18	31	27	19	33	38	41	1	1	22
.....	1	.....	.....	1	.....	.....	.....	1	.....	2	1	2	1	1	1	23
243	287	263	370	274	371	266	336	266	307	288	337	321	345	16	21	24
13	22	43	26	41	33	32	33	29	18	26	26	21	21	.....	2	25
171	225	151	290	162	291	183	250	173	244	197	261	230	272	6	12	26
49	35	67	50	65	42	48	49	62	43	61	42	67	43	4	4	27
10	5	2	4	6	5	8	4	2	2	4	8	3	9	6	3	28
156	199	159	252	153	250	165	220	149	209	178	234	212	249	9	12	29
3	11	20	12	8	13	15	11	11	8	9	6	6	7	.....	.....	30
130	177	113	224	114	219	128	187	121	181	140	203	177	221	5	9	31
17	7	24	14	29	14	20	19	15	20	27	20	26	15	.....	1	32
6	4	2	2	2	4	2	3	2	.....	2	5	3	6	4	2	33
217	180	279	269	386	338	260	219	232	174	211	164	237	167	7	7	34
108	91	137	141	190	175	121	116	97	76	93	66	95	73	.....	3	35
78	62	111	105	158	120	106	77	100	75	75	72	91	61	4	3	36
31	25	31	21	37	40	29	26	33	23	39	26	50	31	1	.....	37
.....	2	.....	2	1	3	4	.....	2	.....	4	.....	1	2	2	1	38
65	62	68	82	101	106	92	71	89	80	81	80	123	82	6	3	39
8	5	7	7	17	8	8	4	7	8	6	10	8	8	.....	.....	40
25	36	24	56	52	67	44	40	43	47	38	54	57	41	1	1	41
31	20	36	19	30	30	39	25	39	23	36	15	58	33	1	1	42
1	1	1	.....	2	1	1	2	.....	2	1	1	.....	.....	4	1	43
153	104	149	131	189	150	210	178	325	254	405	292	599	457	21	9	44
69	60	71	74	97	74	122	95	151	128	193	135	225	186	3	.....	45
58	38	56	44	74	62	70	59	134	103	161	129	298	190	5	6	46
25	6	21	12	15	13	18	23	38	22	47	27	70	78	6	.....	47
1	.....	1	1	3	1	.....	1	2	1	4	1	6	3	7	3	48
164	159	237	226	292	263	256	205	204	177	175	139	145	116	5	3	49
75	67	127	116	145	132	116	96	79	90	69	70	54	49	.....	1	50
62	69	82	85	129	101	115	69	106	68	76	55	66	51	4	2	51
26	23	24	22	18	29	25	20	19	18	28	13	24	15	.....	.....	52
1	.....	4	3	.....	1	.....	.....	.....	1	2	1	1	1	1	.....	53
60	40	66	34	81	36	74	29	66	37	69	25	92	26	3	2	54
5	5	2	.....	3	7	5	4	1	2	6	3	.....	2	.....	.....	55
25	25	30	22	38	23	34	18	37	27	27	16	36	14	2	2	56
30	10	33	12	39	6	34	7	27	7	35	4	56	10	.....	.....	57
.....	.....	1	.....	1	.....	1	.....	1	1	1	2	.....	.....	1	.....	58
.....	46	.....	44	.....	71	.....	63	.....	71	.....	60	.....	48	.....	3	59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 14—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	3,042	175	87	166	108	173	97	213	71	223	62
2	Under 5	712	38	42	40	44	36	36	43	21	37	20
3	5 to 59	2,026	121	38	110	52	118	54	142	41	166	36
4	60 and over	249	12	7	15	12	14	7	24	8	16	3
5	Unknown	55	4		1		5		4	1	4	3
6	Burns and scalds	526	26	46	25	68	29	51	16	25	10	15
7	Under 5	284	17	25	20	31	21	19	13	5	9	4
8	5 to 59	207	8	18	4	32	7	28	3	15	1	10
9	60 and over	27	1	3	1	5	1	4		4		
10	Unknown	8								1		1
11	Drowning	213	3	3	10	3	12	2	26	5	30	6
12	Under 5	34			3	1			3	1	3	2
13	5 to 59	168	3	2	7	2	11	2	21	4	27	4
14	60 and over	7		1					1			
15	Unknown	4					1		1			
16	Exposure and neglect	65	4	3	3	1	1	6	3	3	3	1
17	Under 5	45	3	2	2			3	3	2	3	1
18	5 to 59	14		1	1	1		3		1		
19	60 and over	6	1				1					
20	Unknown											
21	Gunshot wounds	436	31	4	29	6	34	7	32	7	42	3
22	Under 5	7				1				1	1	
23	5 to 59	403	29	4	27	5	31	7	29	6	36	2
24	60 and over	11	1		1		2		2		2	
25	Unknown	15	1		1		1		1		3	1
26	Homicide	170	10	2	9	1	9	1	18	1	17	6
27	Under 20	21		2	1	1		1	4		1	2
28	20 to 59	136	10		7		8		13	1	15	4
29	60 and over	5			1						1	
30	Unknown	8					1		1			
31	Injuries by machinery	30	4		1		2				2	
32	Under 20	10									1	
33	20 to 59	19	4		1		2				1	
34	60 and over	1										
35	Unknown											
36	Railroad accidents	193	10	1	16	1	17	1	17	1	16	
37	Under 5	1								1		
38	5 to 59	174	9	1	15	1	17		15		14	
39	60 and over	17	1		1			1	2		1	
40	Unknown	1									1	
41	Suicide by shooting	50	8	1	2		5		3		8	1
42	Under 20	3										
43	20 to 59	41	7	1	2		4		2		5	1
44	60 and over	6	1				1		1		1	
45	Unknown											
46	Suicide by drowning	6				1		1	1			
47	Under 20	1										
48	20 to 59	3				1		1				
49	60 and over	2							1			
50	Unknown											
51	Suicide by poison	37	1		1	1	2	1			7	1
52	Under 20	5										1
53	20 to 59	29	1		1	1	2	1			7	
54	60 and over	2										
55	Unknown	1										
56	Other suicides	88	6	2	8	2	4	1	9	2	7	1
57	Under 20	7		1						1		
58	20 to 59	60	5	1	6	1	2	1	7	1	6	1
59	60 and over	16			2	1	2		1		1	
60	Unknown	5	1						1			
61	Sunstroke	49	1	1			1	1	1	1		1
62	Under 5	5						1				
63	5 to 59	34	1	1			1		1	1		1
64	60 and over	9										
65	Unknown	1										

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 14—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
120	41	177	60	198	79	155	60	194	64	171	69	186	77	14	2	1
16	9	24	15	24	24	27	20	29	25	27	34	36	42	2	1	2
91	27	140	35	157	49	108	31	141	29	134	32	137	28	9		3
11	5	11	8	12	6	16	7	20	8	8	2	11	8			4
2		2	2	5		4	2	4	2	2	1	2	1	3	1	5
1	3	7	9	9	21	10	20	20	22	15	26	18	32	1	1	6
	1	5	3	4	4	8	8	14	14	12	13	14	19			7
1	2	1	6	4	16	2	9	5	6	3	12	3	10	1		8
				1	1		2	1	1				2			9
							1		1		1	1	1		1	10
18	9	23	6	16	5	10	4	4	1	3	2	4	3	2		11
4	1	3	1	2	1	1	1			2	2	1	1	1		12
12	8	18	5	14	7	8	3	3		1		3	2	1		13
1		1				1		1	1							14
1		1														15
	1	1	3	4	7	3			1	4		6	6		1	16
	1		1	4	6	3			1	1		4	4		1	17
			2		1					1		1	2			18
		1								2		1				19
																20
26	3	31	4	21	2	28	4	49	5	25	1	39	2	3		21
		1					1			1		1				22
26	3	30	4	18	2	26	3	46	3	24	1	37	2	2		23
						1		2								24
				3		1		1				1		1		25
9		13	2	13		8	2	18	4	12		13	1	1		26
1		3		1		1		1		1		1				27
7		10	2	12		6		15	3	10		12	1			28
1							1		1							29
						1	1	2		1				1		30
1				4		5	1	3		5		2				31
						3	1			4		1				32
1				4		2		2		1		1				33
								1								34
																35
13		7		18	1	14		15	3	21	1	16	1	3		36
																37
9		7		18	1	12		12	2	21	1	16		3		38
4						2		3	1				1			39
																40
6		2		4		3		4		2	1	2				41
1				1						1						42
4		2		3		2		4		1	1	2				43
1						1										44
																45
				1				1		1						46
				1												47
								1								48
										1						49
																50
2	1	3		5	2	3		4		3		1	1			51
					1			1		1						52
	1				1	1		2		2		1	1			53
2		3		3		1		1								54
						1										55
3	2	9		9		5	1	5	2	3	2	5				56
						1			1			2				57
1				6		3	1	3		3	2	2				58
2	2	5		2		1		2				1				59
		3		1					1							60
		1														
7	1	7	1	16	4	2		1		2			1			61
													1			62
		1	1	1						2						63
6	1	4		11	2	2		1								64
1		2		3	2											65
				1												

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 15.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes	68,006	3,112	2,911	3,213	2,880	3,601	3,451	3,669	3,434	3,300	3,151
2	Under 5	18,077	798	662	930	699	941	795	858	688	790	670
3	5 to 59	30,093	1,277	1,365	1,275	1,344	1,486	1,572	1,489	1,606	1,435	1,555
4	60 and over	19,286	1,013	861	983	816	1,153	1,061	1,294	1,115	1,051	907
5	Unknown	550	24	23	25	21	21	23	28	25	24	19
6	Unknown cause	2,569	112	96	128	102	134	109	121	112	127	104
7	Under 5	1,442	74	57	82	64	77	64	62	55	72	57
8	5 to 59	590	14	23	19	23	26	33	29	36	33	29
9	60 and over	456	19	14	26	12	28	12	30	17	18	15
10	Unknown	81	5	2	1	3	3	.....	.....	4	4	3
	1. General diseases.											
11	General diseases—A	13,077	421	427	438	412	459	460	517	513	434	437
12	Under 5	5,387	148	129	151	129	163	145	153	143	165	159
13	5 to 59	5,652	195	223	185	191	204	203	206	221	163	188
14	60 and over	1,974	75	74	98	90	90	109	155	147	105	89
15	Unknown	64	3	1	4	2	2	3	3	2	1	1
16	Measles	574	20	24	51	40	46	48	44	62	33	50
17	Under 5	336	12	14	33	19	28	29	27	31	24	24
18	5 to 59	212	6	9	14	18	17	18	15	27	9	22
19	60 and over	21	1	1	2	2	1	1	2	4	.....	3
20	Unknown	5	1	.....	2	1	.....	.....	.....	.....	.....	1
21	Scarlet fever	304	16	15	15	18	18	13	10	17	12	15
22	Under 5	196	11	8	11	7	14	9	7	10	9	6
23	5 to 59	108	5	7	4	11	4	4	3	7	3	9
24	60 and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Diphtheria	747	39	56	31	32	26	36	14	15	9	19
27	Under 5	364	21	22	15	15	12	14	7	8	8	10
28	5 to 59	375	17	34	16	17	14	20	6	7	1	9
29	60 and over	3	.....	.....	.....	.....	.....	1	1	.....	.....	.....
30	Unknown	5	1	.....	.....	.....	.....	1	.....	.....	.....	.....
31	Whooping cough	591	21	32	30	27	38	31	22	33	30	40
32	Under 5	562	19	30	30	26	37	30	20	31	29	39
33	5 to 59	26	2	2	.....	1	1	1	2	2	1	1
34	60 and over	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Malarial fever	695	20	11	16	25	16	18	26	16	17	27
37	Under 5	160	6	1	4	2	8	2	2	1	7	7
38	5 to 59	421	12	7	10	17	10	16	16	10	4	15
39	60 and over	110	2	3	2	6	3	.....	8	5	6	5
40	Unknown	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
41	Influenza	1,140	39	62	81	77	86	128	148	165	82	89
42	Under 5	128	5	8	17	4	13	15	16	15	10	9
43	5 to 59	279	12	15	21	19	24	33	33	38	14	25
44	60 and over	725	22	45	42	54	49	79	99	111	58	55
45	Unknown	8	.....	1	1	.....	.....	1	.....	1	.....	.....
46	Typhoid fever	3,410	118	115	90	84	82	72	89	76	83	66
47	Under 5	285	7	11	7	11	2	9	8	1	8	10
48	5 to 59	2,877	100	96	76	66	76	54	73	70	67	52
49	60 and over	230	11	8	7	7	3	9	8	5	7	4
50	Unknown	18	.....	.....	.....	.....	1	.....	.....	.....	1	.....
51	Diarrheal diseases	4,092	73	36	61	47	63	40	80	55	88	72
52	Under 5	2,929	40	21	19	25	30	17	46	30	39	42
53	5 to 59	548	15	8	18	14	18	15	18	15	30	19
54	60 and over	600	18	7	24	8	15	8	14	9	19	11
55	Unknown	15	.....	.....	.....	.....	.....	.....	2	1	.....	.....
56	Cerebro-spinal fever	325	19	9	10	10	15	12	19	12	20	6
57	Under 5	191	16	4	5	7	8	7	8	4	16	4
58	5 to 59	128	2	4	5	3	7	5	11	8	4	2
59	60 and over	6	1	1	.....	.....	.....	.....	.....	.....	.....	.....
60	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 15.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,898	1,761	2,444	2,261	2,725	2,695	2,669	2,526	2,831	2,891	2,607	2,529	2,839	2,459	79	67	1
505	416	845	694	1,039	944	928	808	806	745	672	583	708	526	16	11	2
862	907	919	1,018	1,019	1,126	1,072	1,168	1,208	1,454	1,146	1,266	1,262	1,209	25	28	3
515	427	662	528	646	611	655	531	791	668	771	658	846	698	15	10	4
16	11	18	21	21	17	14	19	26	24	18	22	23	26	23	18	5
73	83	104	82	130	124	135	102	99	112	73	85	102	91	13	16	6
37	36	62	41	82	79	73	54	62	59	40	33	60	51	4	5	7
21	26	21	23	23	19	21	25	18	37	16	27	25	18	2	3	8
15	20	20	14	21	22	38	16	16	13	14	21	12	20	1	2	9
.....	1	1	4	4	4	3	7	8	3	3	4	5	2	6	6	10
300	288	647	598	875	851	803	778	694	790	548	535	437	397	11	7	11
152	139	414	335	520	461	406	374	243	279	181	157	125	114	1	1	12
106	117	160	180	258	265	323	326	383	434	301	324	245	240	6	5	13
39	31	73	80	93	121	71	76	64	74	65	51	63	39	2	.....	14
3	1	.....	3	4	4	3	2	4	3	1	3	4	4	2	1	15
13	17	9	14	9	15	7	10	5	7	8	10	12	20	.....	.....	16
8	14	7	6	8	10	5	6	4	3	4	4	8	8	.....	.....	17
5	3	1	8	1	4	2	3	1	5	4	6	4	12	.....	.....	18
.....	.....	1	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
4	6	8	7	4	10	12	9	11	12	17	12	18	25	.....	.....	21
3	3	8	4	3	8	10	8	8	5	8	9	11	16	.....	.....	22
1	3	.....	3	1	2	2	1	3	7	9	3	7	9	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
13	6	16	10	14	14	31	42	45	70	59	64	42	43	1	.....	26
5	2	8	3	8	4	17	18	27	33	33	27	25	22	.....	.....	27
8	4	8	7	5	10	14	24	18	36	26	36	17	21	.....	.....	28
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	30
18	9	19	22	15	28	26	29	14	25	17	26	18	19	1	1	31
17	9	18	20	14	27	25	28	13	24	17	25	16	17	1	.....	32
1	.....	1	2	1	1	.....	1	1	1	.....	1	1	2	.....	.....	33
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	35
12	19	28	35	42	43	57	58	45	62	27	30	26	18	.....	1	36
2	5	8	12	14	9	17	14	9	18	7	3	4	3	.....	.....	37
10	12	16	16	22	28	32	30	31	34	19	25	16	12	.....	1	38
.....	2	4	5	6	5	8	13	5	10	1	2	6	3	.....	.....	39
.....	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	40
16	16	13	4	10	12	6	7	8	10	13	18	18	23	2	.....	41
.....	2	3	.....	.....	1	3	.....	.....	.....	.....	2	3	2	.....	.....	42
4	3	2	2	3	5	1	3	1	4	2	3	2	10	.....	.....	43
12	10	8	2	7	6	2	4	7	6	11	12	13	10	1	.....	44
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	45
46	47	89	88	193	168	261	230	307	332	228	220	170	148	5	3	46
5	4	12	9	12	24	24	23	19	23	15	22	10	9	.....	.....	47
33	41	70	70	168	126	222	197	274	281	194	184	150	130	4	3	48
5	2	7	9	12	16	13	9	11	28	19	13	8	8	1	.....	49
3	.....	.....	.....	1	2	2	1	3	.....	.....	1	2	1	.....	.....	50
135	114	401	359	528	500	357	337	206	211	119	91	70	47	1	1	51
95	78	333	265	445	360	286	262	148	158	78	54	35	23	.....	.....	52
25	23	28	39	28	57	33	33	25	28	13	22	11	11	1	1	53
15	13	40	54	52	82	37	42	32	23	27	15	23	12	.....	.....	54
.....	.....	.....	1	3	1	1	.....	1	2	1	.....	1	1	.....	.....	55
22	18	18	18	14	10	11	10	22	9	19	6	10	6	.....	.....	56
10	14	10	10	11	8	7	2	10	7	9	4	5	5	.....	.....	57
12	4	6	7	8	2	4	8	11	2	10	2	5	1	.....	.....	58
.....	.....	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 15—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	1,175	57	37	61	34	60	41	62	35	63	44
2	Under 5	820	34	29	37	24	45	30	43	27	30	33
3	5 to 59	242	16	5	15	3	10	6	15	4	22	7
4	60 and over	94	4	3	7	6	4	5	4	4	5	4
5	Unknown	19	3	.....	2	1	1	.....	.....	.....	.....	.....
6	Inanition	838	36	32	42	26	49	29	43	27	35	34
7	Under 5	758	33	28	35	22	45	27	41	23	33	31
8	5 to 59	19	.....	1	2	1	.....	.....	1	1	.....	.....
9	60 and over	51	2	3	3	2	3	2	1	3	2	3
10	Unknown	10	1	.....	2	1	1	.....	.....	.....	.....	.....
11	General diseases—C	3,882	210	197	188	179	213	232	204	203	192	187
12	Under 5	1,419	79	50	77	59	90	80	68	60	88	70
13	5 to 59	107	6	6	1	3	5	5	4	5	7	9
14	60 and over	2,333	125	139	110	116	118	147	132	136	96	108
15	Unknown	23	.....	2	.....	1	.....	.....	.....	2	1	.....
16	Debility and atrophy	728	35	34	30	21	39	39	32	33	34	34
17	Under 5	311	9	9	11	9	18	14	8	12	12	12
18	5 to 59	103	6	6	1	3	4	5	4	5	7	9
19	60 and over	307	20	18	18	9	17	20	20	16	15	13
20	Unknown	7	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
21	Old age—all ages	2,041	105	122	92	108	101	127	112	122	82	95
22	60 and over	2,026	105	121	92	107	101	127	112	120	81	95
23	Unknown	15	.....	1	.....	1	.....	.....	.....	2	1	.....
24	General diseases—D	13,970	548	690	567	656	627	813	642	868	663	883
25	Under 5	827	29	30	48	30	44	36	35	47	40	40
26	5 to 59	9,782	369	518	379	483	426	604	430	642	455	650
27	60 and over	3,233	148	132	132	137	153	166	172	174	163	186
28	Unknown	128	2	10	8	6	4	7	5	5	5	7
29	Consumption	9,028	347	482	351	428	424	561	421	593	447	576
30	Under 5	387	8	13	20	14	19	16	17	30	18	19
31	5 to 59	7,434	286	408	280	366	345	469	337	489	368	491
32	60 and over	1,137	51	54	47	44	57	71	62	70	61	62
33	Unknown	70	2	7	4	4	3	5	5	4	.....	4
34	2. Diseases of the nervous system	8,301	394	364	399	337	477	365	453	346	454	403
35	Under 5	2,468	100	91	110	95	145	103	131	71	120	103
36	5 to 59	2,637	115	125	119	122	135	103	134	124	164	144
37	60 and over	3,151	177	148	168	118	195	157	187	148	168	154
38	Unknown	45	2	.....	2	2	2	2	1	3	2	2
39	3. Diseases of the circulatory system	4,732	245	207	232	212	270	225	283	251	283	230
40	Under 5	397	31	18	33	12	20	14	21	24	27	7
41	5 to 59	1,842	89	93	67	92	91	89	88	106	102	105
42	60 and over	2,454	124	95	129	106	155	120	172	118	154	117
43	Unknown	39	1	1	3	2	4	2	2	3	.....	1
44	4. Diseases of the respiratory system	8,830	559	483	607	556	769	743	783	666	401	385
45	Under 5	3,386	211	178	277	221	269	243	264	201	151	136
46	5 to 59	2,945	207	142	189	188	286	260	273	214	142	135
47	60 and over	2,448	138	160	139	146	210	236	239	249	106	112
48	Unknown	51	3	3	2	1	4	4	7	2	2	2
49	5. Diseases of the digestive system	4,233	164	175	191	142	186	180	190	185	212	209
50	Under 5	1,055	49	36	57	23	32	32	46	32	43	34
51	5 to 59	1,989	54	91	85	81	100	94	90	91	95	110
52	60 and over	1,168	51	48	48	37	54	54	53	60	73	64
53	Unknown	21	.....	.....	1	1	.....	.....	1	2	1	1
54	6. Diseases of the urinary system	2,485	166	70	157	83	153	90	174	80	172	93
55	Under 5	90	3	5	11	5	6	7	4	3	6	1
56	5 to 59	987	50	29	56	52	37	55	46	41	51	56
57	60 and over	1,377	111	35	89	25	110	27	122	35	113	36
58	Unknown	22	2	.....	1	1	.....	1	2	1	2	.....
59	7. Affections connected with pregnancy	559	.....	53	.....	50	.....	64	.....	53	.....	50

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 15—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
47	31	50	46	52	48	56	44	66	43	62	43	58	34	1	.....	1
35	23	28	36	36	39	36	36	45	37	38	32	34	26	1	.....	2
11	7	13	6	9	7	16	5	13	4	17	7	20	4	.....	.....	3
.....	1	8	4	5	1	3	3	6	2	5	2	4	4	.....	.....	4
1	.....	1	.....	2	1	1	.....	2	.....	2	2	.....	.....	.....	.....	5
32	24	30	37	35	39	37	38	47	38	35	31	32	29	1	.....	6
31	21	26	34	33	34	34	33	43	35	32	27	31	25	1	.....	7
1	2	.....	.....	.....	4	2	3	.....	1	.....	.....	.....	.....	.....	.....	8
.....	1	4	3	2	1	1	2	2	2	2	2	1	4	.....	.....	9
.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	2	.....	.....	.....	.....	10
102	87	113	118	119	126	121	136	165	158	143	159	179	146	3	2	11
43	32	39	39	47	44	56	49	74	50	51	50	86	38	.....	.....	12
1	4	1	6	5	1	1	5	2	7	6	7	3	6	.....	.....	13
56	50	73	71	66	81	64	80	87	101	85	101	89	100	1	1	14
2	1	.....	2	.....	.....	.....	2	2	.....	1	1	1	2	2	1	15
20	19	23	21	32	24	25	40	34	38	33	33	25	29	1	.....	16
11	9	13	10	17	16	19	24	18	14	12	13	13	8	.....	.....	17
1	4	1	5	6	1	1	5	2	7	5	7	3	5	.....	.....	18
8	6	9	6	9	7	5	10	13	17	15	12	9	15	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	1	1	.....	20
49	45	64	67	57	74	59	71	75	84	70	89	81	86	2	2	21
48	44	64	65	57	74	59	70	74	84	70	89	80	85	1	1	22
1	1	.....	2	.....	.....	.....	1	1	.....	.....	.....	1	1	1	1	23
360	524	371	583	405	618	407	544	435	655	438	564	476	606	11	16	24
24	20	28	25	31	37	37	27	42	45	42	26	27	37	.....	.....	25
250	398	216	433	261	460	251	411	256	459	264	411	309	432	5	10	26
81	101	123	120	108	115	117	103	132	145	130	121	137	131	4	2	27
5	5	4	5	5	6	2	3	5	6	2	6	3	6	2	4	28
238	342	218	386	253	390	246	331	247	410	264	356	309	390	5	13	29
12	8	16	15	18	16	17	11	14	21	23	12	11	19	.....	.....	30
197	305	161	333	191	332	182	287	185	338	203	302	240	326	4	9	31
28	27	40	38	40	38	46	33	44	50	36	39	57	41	.....	1	32
1	2	1	.....	4	4	1	.....	4	1	2	3	1	4	1	8	33
298	232	356	269	344	331	298	284	357	287	328	270	379	258	8	10	34
93	72	126	103	153	133	113	98	111	78	95	68	96	52	5	3	35
112	85	124	76	92	80	86	91	107	98	110	90	118	79	.....	4	36
91	74	104	88	98	118	96	94	137	109	121	110	163	125	.....	3	37
2	1	2	2	1	.....	3	1	2	2	2	2	2	2	3	.....	38
156	117	170	140	152	122	165	142	184	177	213	150	225	170	8	5	39
16	8	11	13	16	12	16	13	18	9	22	8	14	14	.....	.....	40
64	54	60	69	51	55	57	63	66	79	67	64	84	81	4	2	41
76	53	95	57	83	55	92	66	96	86	124	78	126	72	4	1	42
.....	2	4	1	2	.....	.....	.....	4	3	.....	.....	1	3	.....	.....	43
133	103	97	100	135	122	176	147	249	232	276	329	413	350	11	5	44
50	41	40	44	67	62	80	68	112	96	118	141	181	129	4	2	45
52	38	34	34	38	35	56	44	74	78	84	99	128	112	3	.....	46
31	24	22	21	30	25	40	33	62	53	73	88	102	108	1	.....	47
.....	.....	1	1	.....	.....	.....	2	1	5	1	1	2	1	3	3	48
120	128	197	181	192	176	199	167	184	218	163	164	153	152	2	3	49
30	24	66	45	56	54	79	62	57	59	40	37	35	27	.....	.....	50
56	68	77	93	81	80	77	73	62	115	75	79	72	78	1	1	51
34	36	53	42	54	42	43	32	64	44	46	45	45	45	.....	1	52
.....	.....	1	1	1	.....	.....	.....	1	.....	2	3	1	2	1	1	53
98	49	105	47	100	52	105	49	141	71	144	72	131	82	1	.....	54
1	1	1	3	4	1	6	2	5	8	4	4	4	3	.....	.....	55
33	28	34	27	32	31	28	31	46	34	49	45	50	46	.....	.....	56
64	20	70	17	64	19	69	15	89	28	89	23	76	31	.....	.....	57
.....	.....	.....	.....	.....	1	2	1	1	1	2	.....	1	2	1	.....	58
.....	31	.....	31	.....	37	.....	44	.....	45	.....	48	.....	50	.....	3	59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 15—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	3,485	207	79	214	82	225	91	209	76	273	79
2	Under 5	580	27	32	36	30	43	32	25	17	29	21
3	5 to 59	2,367	141	34	148	30	151	34	156	37	191	40
4	60 and over	493	36	11	29	22	30	23	21	21	47	17
5	Unknown	45	3	2	1		1	2	7	1	6	1
6	Burns and scalds	419	16	26	23	39	19	32	10	12	13	21
7	Under 5	222	10	12	12	21	12	12	6	5	8	9
8	5 to 59	161	5	11	8	11	7	15	4	4	3	10
9	60 and over	35	1	3	3	7		5		3	1	2
10	Unknown	1									1	
11	Drowning	175	4	2	6	2	7	1	16	2	17	4
12	Under 5	21			2		1	1		2	1	2
13	5 to 59	142	3	2	3	2	6		14		14	2
14	60 and over	8	1		1						2	
15	Unknown	4							2			
16	Exposure and neglect	44	1	3	4		3	4		4	9	3
17	Under 5	27	1	1			2	4		3	7	2
18	5 to 59	11		1	2					1	2	1
19	60 and over	6		1	2		1					
20	Unknown											
21	Gunshot wounds	319	23	3	16	5	20	3	28	2	27	3
22	Under 5	9			1							1
23	5 to 59	290	21	3	13	5	18	3	25	2	23	2
24	60 and over	17	2		2		2		2		4	
25	Unknown	3							1			
26	Homicide	86	4		6	3			2	3	12	
27	Under 20	16	1			3					3	
28	20 to 59	63	3		5				1	3	8	
29	60 and over	3							1		1	
30	Unknown	4			1							
31	Injuries by machinery	10	1						1			
32	Under 20	4	1						1			
33	20 to 59	4										
34	60 and over	2										
35	Unknown											
36	Railroad accidents	535	32	2	39	1	40	1	41	6	36	4
37	Under 5	8					1		1			1
38	5 to 59	461	25	2	34	1	36		35	5	30	3
39	60 and over	53	6		5		3	1	3	1	3	
40	Unknown	13	1						2		3	
41	Suicide by shooting	87	8	2	6	1	10	1	10	2	7	
42	Under 20											
43	20 to 59	76	6	2	6	1	9	1	9	2	6	
44	60 and over	9	2				1				1	
45	Unknown	2							1			
46	Suicide by drowning	8							1	1	1	1
47	Under 20											
48	20 to 59	7							1	1	1	1
49	60 and over	1										
50	Unknown											
51	Suicide by poison	78	9	1	6	1	1		5	1	4	
52	Under 20	13	1		1				1			
53	20 to 59	54	6	1	5	1	1		3	1	4	
54	60 and over	11	2						1			
55	Unknown											
56	Other suicides	182	8	1	8	1	15	2	13	6	24	3
57	Under 20	11					1			1		
58	20 to 59	135	7	1	8		11	2	8	4	18	2
59	60 and over	32	1			1	3		5	1	5	1
60	Unknown	4									1	
61	Sunstroke	32					1				2	2
62	Under 5	3										
63	5 to 59	18										
64	60 and over	11					1				1	2
65	Unknown										1	

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 15—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
189	64	214	41	199	63	189	48	237	68	198	70	270	85	10	2	1
16	14	19	7	19	12	21	13	29	18	29	20	39	31	1	.....	2
148	36	175	27	157	41	151	29	174	38	149	37	200	38	4	1	3
22	14	17	7	21	9	17	6	33	12	18	13	28	17	2	.....	4
3	.....	3	.....	2	1	.....	.....	1	.....	2	.....	3	2	3	1	5
8	10	9	12	7	10	11	9	24	19	15	16	24	33	1	.....	6
5	2	6	3	5	5	7	2	10	11	12	9	19	18	1	.....	7
3	6	3	8	2	5	3	5	13	7	3	6	5	14	.....	.....	8
.....	2	.....	1	.....	.....	1	2	1	1	.....	1	.....	1	.....	.....	9
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10
35	6	30	2	20	5	1	1	5	.....	4	.....	4	.....	.....	.....	11
3	1	2	1	2	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	12
30	5	25	1	18	6	1	1	2	.....	3	.....	4	.....	.....	.....	13
1	.....	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	14
1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
1	2	1	.....	2	.....	.....	1	2	1	1	1	1	.....	.....	.....	16
1	1	1	.....	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	17
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	18
.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
17	1	17	2	17	6	23	3	25	3	31	3	33	7	1	.....	21
.....	.....	.....	1	.....	2	1	.....	.....	.....	1	.....	.....	2	.....	.....	22
17	1	17	1	16	4	22	3	23	3	30	3	30	4	1	.....	23
.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	2	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	25
7	1	5	.....	5	2	6	1	3	2	3	4	13	.....	3	1	26
3	.....	.....	.....	3	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	27
4	1	4	.....	3	1	4	1	2	2	3	4	13	.....	1	.....	28
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	30
.....	.....	.....	.....	2	.....	1	.....	2	.....	3	.....	.....	.....	.....	.....	31
.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	32
.....	.....	.....	.....	2	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	33
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
24	4	51	2	29	3	46	9	53	.....	39	2	64	6	1	.....	36
.....	.....	1	.....	.....	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	37
20	2	47	2	27	2	43	7	47	.....	37	2	51	2	1	.....	38
3	2	2	.....	1	.....	2	2	3	.....	1	.....	12	3	.....	.....	39
1	.....	1	.....	1	.....	.....	.....	1	.....	1	.....	1	1	.....	.....	40
4	.....	6	.....	3	1	3	.....	5	1	6	.....	11	.....	.....	.....	41
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	42
3	.....	4	.....	3	1	3	.....	4	1	5	.....	10	.....	.....	.....	43
.....	.....	2	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	44
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	45
.....	.....	1	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	46
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	47
.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	48
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
4	4	8	2	2	3	6	1	3	4	4	3	6	5	.....	.....	51
.....	3	.....	.....	.....	.....	.....	1	.....	3	.....	1	.....	2	.....	.....	52
2	1	8	2	2	3	5	.....	2	1	3	1	5	2	.....	.....	53
2	.....	.....	.....	.....	.....	1	.....	1	.....	1	1	1	1	.....	.....	54
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	55
10	3	15	4	9	7	10	2	9	3	12	3	11	2	1	.....	56
1	1	2	1	1	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	57
7	1	12	3	7	5	8	2	5	3	8	3	8	2	.....	.....	58
2	1	.....	.....	1	1	2	.....	4	.....	1	.....	2	.....	1	.....	59
.....	.....	1	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	60
5	.....	2	1	6	1	4	2	1	1	2	.....	2	.....	.....	.....	61
.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	62
4	.....	1	.....	3	.....	3	1	.....	.....	2	.....	1	.....	.....	.....	63
1	.....	1	.....	2	1	1	.....	1	1	.....	.....	1	.....	.....	.....	64
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	65

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 16.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes	77,601	3,684	3,096	3,894	3,348	4,523	3,907	4,209	3,646	3,698	3,153
2	Under 5	20,692	882	750	1,006	831	1,265	937	1,083	837	834	585
3	5 to 59	32,494	1,493	1,373	1,464	1,440	1,667	1,740	1,606	1,634	1,518	1,522
4	60 and over	23,696	1,276	952	1,385	1,058	1,553	1,210	1,493	1,159	1,307	929
5	Unknown	719	33	21	39	19	38	20	27	16	39	17
6	Unknown cause	3,517	177	162	163	126	196	154	169	144	161	134
7	Under 5	1,963	101	91	97	62	111	87	95	71	96	54
8	5 to 59	752	32	36	30	33	38	31	32	38	28	41
9	60 and over	692	37	31	33	29	41	32	40	33	33	36
10	Unknown	110	7	4	3	2	6	4	2	2	4	3
	1. General diseases.											
11	General diseases—A	13,544	454	426	438	449	489	515	506	494	400	421
12	Under 5	6,417	163	159	178	166	227	187	218	181	170	165
13	5 to 59	5,258	204	208	170	209	170	243	174	219	153	176
14	60 and over	1,792	86	55	84	72	92	82	111	92	74	78
15	Unknown	77	1	4	6	2		3	3	2	3	2
16	Measles	480	16	13	25	40	38	53	52	37	24	31
17	Under 5	290	11	7	18	19	25	24	24	21	15	20
18	5 to 59	180	5	5	7	21	13	29	25	16	7	11
19	60 and over	9		1					3		1	
20	Unknown	1									1	
21	Scarlet fever	439	28	26	27	31	26	25	25	38	25	24
22	Under 5	272	17	10	24	18	19	9	17	26	17	12
23	5 to 59	164	11	16	3	13	7	16	8	11	8	12
24	60 and over	1								1		
25	Unknown	2										
26	Diphtheria	1,103	54	73	52	42	29	46	36	39	21	19
27	Under 5	508	27	39	26	17	17	15	22	18	8	8
28	5 to 59	589	27	34	24	25	12	30	14	20	13	11
29	60 and over	4						1		1		
30	Unknown	2			2							
31	Whooping cough	776	35	32	28	49	40	39	46	42	37	42
32	Under 5	739	33	31	28	44	38	38	45	40	34	41
33	5 to 59	33	2	1		4	2	1	1	1	2	1
34	60 and over	1				1				1		
35	Unknown	2									1	
36	Malarial fever	641	21	11	13	14	20	12	9	25	20	21
37	Under 5	206	5	4	3	3	9	5	2	2	5	5
38	5 to 59	303	13	4	6	7	8	2	4	17	10	11
39	60 and over	125	3	3	3	4	3	5	3	5	4	5
40	Unknown	7			1					1	1	
41	Influenza	846	48	41	57	65	74	88	92	98	39	53
42	Under 5	147	7	5	14	6	27	19	23	12	5	9
43	5 to 59	187	9	10	13	21	9	25	15	21	4	13
44	60 and over	501	32	26	29	36	38	43	51	65	30	31
45	Unknown	11			1	2		1	3			
46	Typhoid fever	2,645	84	69	84	65	67	62	58	50	59	49
47	Under 5	250	4	7	6	5	10	8	3	6	4	7
48	5 to 59	2,155	71	56	64	54	50	49	44	41	51	38
49	60 and over	221	9	5	13	6	7	5	11	3	4	3
50	Unknown	19		1	1							1
51	Diarrheal diseases	4,791	84	66	77	73	96	84	83	73	89	86
52	Under 5	3,487	36	30	45	39	50	41	45	40	55	43
53	5 to 59	702	29	28	15	23	26	27	23	27	24	26
54	60 and over	585	19	7	16	11	20	15	15	6	10	17
55	Unknown	17		1	1			1				
56	Cerebro-spinal fever	345	13	18	6	7	18	17	21	9	17	12
57	Under 5	189	7	9	3	5	11	10	15	4	9	4
58	5 to 59	144	5	7	3	2	6	7	5	5	7	7
59	60 and over	10	1	1			1		1		1	1
60	Unknown	2		1								

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND-GROUP 16.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
2,417	1,961	3,081	2,463	3,548	2,914	3,369	2,910	3,435	2,824	3,028	2,484	3,152	2,685	100	72	1
603	449	953	786	1,240	992	1,133	982	974	759	732	635	720	594	12	18	2
1,019	996	1,206	1,090	1,340	1,154	1,262	1,208	1,379	1,265	1,304	1,176	1,340	1,244	30	24	3
771	498	887	571	930	745	946	683	1,049	772	958	647	1,057	831	19	10	4
24	18	35	16	38	23	28	37	33	28	34	26	35	16	39	20	5
138	84	128	110	155	131	177	135	157	157	143	115	152	126	15	8	6
77	88	74	57	95	72	109	78	99	80	85	67	89	70	2	6	7
31	31	24	34	31	34	28	31	24	44	21	26	25	27	2	.....	8
26	14	24	15	26	22	32	21	29	26	31	19	33	24	5	.....	9
4	1	6	4	3	3	8	5	5	7	6	3	5	5	6	2	10
319	299	662	618	1,049	939	909	849	786	659	514	468	450	397	20	14	11
156	157	410	396	669	549	496	466	344	300	181	193	152	126	4	4	12
124	110	175	164	278	258	310	288	360	303	277	228	227	218	7	5	13
38	30	75	58	95	126	100	87	81	53	53	45	68	52	4	1	14
1	2	2	.....	7	6	3	8	1	3	3	2	3	1	5	4	15
17	22	12	15	10	14	8	10	7	4	8	7	7	8	1	1	16
12	17	9	12	6	8	5	5	5	4	8	5	4	5	.....	1	17
4	5	2	3	4	6	3	5	1	.....	.....	2	2	3	1	.....	18
1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
6	8	10	7	9	7	7	11	12	13	18	16	21	17	1	1	21
3	5	2	5	8	3	6	8	10	6	11	13	13	10	.....	.....	22
3	3	8	2	1	4	1	3	2	7	7	3	8	7	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	25
16	18	24	20	22	18	51	50	85	78	76	75	87	70	1	1	26
7	8	6	10	9	9	19	24	48	27	34	31	41	36	1	1	27
9	10	18	10	13	8	32	26	37	50	42	44	46	34	.....	.....	28
.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30
16	32	30	46	42	37	24	38	20	23	16	27	15	20	.....	.....	31
16	30	27	41	42	35	23	37	18	22	16	27	14	19	.....	.....	32
.....	2	2	5	.....	2	1	1	2	1	.....	.....	1	1	.....	.....	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
17	12	36	32	52	57	45	63	37	44	23	17	21	15	1	3	36
9	2	10	13	14	16	19	25	12	18	8	8	5	3	.....	1	37
5	8	16	14	24	32	20	28	20	18	11	8	8	6	1	2	38
3	2	10	5	12	9	6	9	5	7	4	1	8	6	.....	.....	39
.....	.....	.....	.....	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	40
17	15	15	8	8	13	13	12	11	10	9	11	19	24	4	2	41
3	2	1	1	.....	1	3	1	1	1	1	.....	3	2	.....	.....	42
3	4	6	4	2	.....	8	4	3	2	4	1	7	2	1	1	43
10	9	8	3	6	12	7	7	7	7	4	8	9	20	2	1	44
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	45
41	40	69	58	164	145	208	196	258	213	192	157	129	120	5	3	46
3	8	6	3	12	18	14	29	18	23	14	24	9	9	.....	.....	47
36	29	58	46	141	112	174	146	220	174	162	121	109	106	2	1	48
2	3	5	9	9	15	19	18	19	15	14	12	11	4	.....	.....	49
.....	.....	.....	.....	2	.....	1	3	1	1	2	.....	.....	1	3	2	50
119	98	416	368	661	574	483	410	284	208	121	99	68	65	5	1	51
84	71	336	293	545	433	384	325	214	171	73	66	35	30	3	.....	52
25	15	39	41	61	62	44	36	31	21	26	16	17	19	.....	1	53
10	11	41	34	54	74	53	46	39	16	21	17	15	16	2	.....	54
.....	1	.....	.....	1	5	2	3	.....	.....	1	.....	1	.....	.....	.....	55
30	19	18	19	15	21	10	10	12	15	8	5	14	11	.....	.....	56
12	8	8	8	12	11	4	6	9	12	6	3	9	4	.....	.....	57
18	10	10	10	3	8	6	4	3	2	2	2	5	7	.....	.....	58
.....	1	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 16—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	1,142	63	38	48	35	74	44	60	43	52	41
2	Under 5	771	38	34	32	30	47	30	38	32	31	29
3	5 to 59	251	18	1	13	3	12	8	19	8	16	10
4	60 and over	102	6	3	2	2	11	6	3	3	3	2
5	Unknown	18	1	.....	1	.....	4	.....	.....	.....	2	.....
6	Inanition	709	33	33	28	31	50	32	34	24	31	27
7	Under 5	650	29	32	26	29	42	27	33	23	27	24
8	5 to 59	17	1	.....	.....	1	1	1	.....	.....	1	1
9	60 and over	33	3	1	2	1	4	4	1	1	1	2
10	Unknown	9	.....	.....	.....	.....	3	.....	.....	.....	2	.....
11	General diseases—C	4,742	231	207	237	212	275	248	243	249	227	204
12	Under 5	1,389	74	53	69	50	74	45	77	58	76	57
13	5 to 59	125	5	5	2	12	6	7	7	5	6	10
14	60 and over	3,191	151	147	162	150	195	196	158	186	140	137
15	Unknown	37	1	2	4	.....	.....	.....	1	.....	5	.....
16	Debility and atrophy	740	30	31	37	33	40	36	35	32	31	39
17	Under 5	281	10	9	11	8	8	13	10	12	10	10
18	5 to 59	123	5	5	2	11	6	7	7	5	6	10
19	60 and over	325	14	16	23	14	26	16	18	15	15	19
20	Unknown	11	1	1	1	.....	.....	.....	.....	.....	.....	.....
21	Old age—all ages	2,891	137	132	141	136	169	180	141	171	130	118
22	60 and over	2,866	137	131	139	136	169	180	140	171	125	118
23	Unknown	25	.....	1	2	.....	.....	.....	1	.....	5	.....
24	General diseases—D	13,806	596	628	540	657	670	779	696	758	653	723
25	Under 5	720	34	27	25	23	40	33	45	33	38	26
26	5 to 59	9,113	368	429	323	457	391	555	425	543	401	523
27	60 and over	3,854	190	170	186	172	230	190	219	181	207	169
28	Unknown	119	4	2	6	5	9	1	7	1	7	5
29	Consumption	7,733	302	355	293	390	352	466	384	462	363	405
30	Under 5	324	11	15	16	9	16	13	17	13	18	7
31	5 to 59	6,313	238	296	226	329	267	399	293	391	280	358
32	60 and over	1,022	50	42	48	48	62	53	69	58	62	37
33	Unknown	74	3	2	3	4	7	1	5	.....	3	3
34	2. Diseases of the nervous system	9,635	475	361	540	394	570	450	555	410	510	406
35	Under 5	2,694	119	94	129	117	151	116	138	118	113	100
36	5 to 59	3,239	149	123	170	127	195	158	181	155	175	159
37	60 and over	3,616	201	140	234	149	222	174	232	136	217	146
38	Unknown	86	6	4	7	1	2	2	4	1	5	1
39	3. Diseases of the circulatory system	6,296	331	256	365	285	385	264	358	294	376	268
40	Under 5	511	26	23	26	20	46	24	29	26	25	11
41	5 to 59	2,318	111	112	120	118	119	99	109	103	124	117
42	60 and over	3,418	193	121	216	146	218	141	217	164	226	140
43	Unknown	49	1	.....	3	1	2	.....	3	1	1	.....
44	4. Diseases of the respiratory system	10,272	652	549	834	738	1,089	867	849	714	457	387
45	Under 5	3,847	220	186	332	279	436	321	318	239	175	143
46	5 to 59	3,419	229	175	272	222	348	291	293	238	158	139
47	60 and over	2,943	201	185	225	233	298	249	238	235	124	102
48	Unknown	63	2	3	5	4	7	6	.....	2	.....	3
49	5. Diseases of the digestive system	5,425	237	212	266	191	292	271	249	228	272	251
50	Under 5	1,417	63	48	76	46	86	58	68	40	58	64
51	5 to 59	2,525	109	109	122	89	133	128	108	118	121	133
52	60 and over	1,460	60	55	68	54	73	84	72	68	92	53
53	Unknown	23	5	.....	.....	2	.....	1	1	2	1	1
54	6. Diseases of the urinary system	3,115	191	69	189	74	199	106	229	87	224	95
55	Under 5	122	8	1	5	4	8	4	5	8	6	10
56	5 to 59	1,198	71	39	56	48	57	68	75	44	71	57
57	60 and over	1,770	110	28	127	22	132	34	147	34	146	28
58	Unknown	25	2	1	1	.....	2	.....	2	1	1	.....
59	7. Affections connected with pregnancy	749	.....	68	.....	72	.....	96	.....	89	.....	72

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 16—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
42	22	74	28	60	53	58	39	58	36	55	40	46	29	3	1	1
30	13	47	22	37	40	41	26	34	31	34	25	26	23	.....	1	2
8	5	20	5	19	10	14	7	16	4	9	11	11	4	.....	.....	3
4	3	6	1	4	3	2	4	7	1	12	3	9	2	.....	.....	4
.....	1	1	.....	.....	.....	1	2	1	.....	.....	1	.....	.....	3	.....	5
26	15	36	22	32	35	36	26	31	22	34	24	26	19	1	1	6
25	12	35	21	32	31	35	21	31	22	30	21	24	17	.....	1	7
.....	2	.....	.....	.....	2	1	1	.....	.....	1	2	1	1	.....	.....	8
1	.....	1	1	.....	2	.....	2	.....	.....	3	1	1	1	.....	.....	9
.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	1	.....	10
124	125	193	146	189	153	176	186	210	185	163	152	192	204	5	6	11
41	28	66	46	71	53	47	47	56	57	65	48	69	61	.....	1	12
2	3	5	6	4	3	3	3	3	4	7	7	3	2	.....	.....	13
79	92	121	92	114	95	124	134	149	123	90	97	114	140	1	4	14
2	2	1	2	.....	2	2	2	2	1	1	.....	1	1	4	1	15
22	17	32	28	37	18	24	30	30	30	38	29	37	22	1	1	16
11	5	14	9	19	9	10	15	14	17	22	11	12	11	.....	1	17
2	3	5	6	4	3	3	3	3	4	7	7	7	2	.....	.....	18
8	9	12	13	14	5	10	10	12	9	9	11	18	9	.....	.....	19
1	.....	1	.....	.....	1	1	2	1	.....	.....	.....	.....	.....	1	.....	20
72	85	109	81	100	91	115	124	138	115	82	86	97	132	4	5	21
71	83	109	79	100	90	114	124	137	114	81	86	96	131	1	4	22
1	2	.....	2	.....	1	1	.....	1	1	1	.....	1	1	3	1	23
422	444	483	565	488	561	447	537	477	567	489	532	486	583	9	16	24
21	19	28	28	35	31	38	34	37	26	28	21	27	22	.....	1	25
254	342	310	416	286	389	263	385	276	383	292	387	290	411	5	9	26
143	80	143	120	159	138	143	113	157	151	165	117	161	147	1	2	27
4	3	2	1	8	3	3	5	7	7	4	7	8	8	3	4	28
237	257	251	342	248	315	229	332	250	322	251	313	250	348	5	11	29
11	11	16	14	17	16	14	18	16	15	8	11	9	12	.....	1	30
187	231	198	303	187	266	176	283	181	272	201	257	192	290	4	8	31
38	13	35	25	38	30	37	28	48	32	41	41	44	43	.....	.....	32
1	2	2	.....	6	3	2	2	6	3	1	4	5	3	1	2	33
358	299	404	306	428	347	415	353	412	296	367	274	384	306	9	6	34
123	80	143	106	148	97	141	129	123	81	92	78	90	65	1	2	35
119	121	133	90	135	109	139	105	124	91	123	85	143	121	.....	3	36
113	95	122	102	143	135	133	116	159	123	149	107	145	119	3	1	37
3	3	6	2	2	6	2	3	6	1	3	4	6	1	5	.....	38
234	187	234	153	207	196	217	172	267	236	257	207	309	228	6	4	39
17	12	19	11	21	14	23	16	25	16	17	20	27	17	.....	.....	40
73	88	67	67	69	80	74	83	86	96	81	100	115	102	3	2	41
143	86	147	73	112	100	117	70	153	122	155	84	166	107	1	.....	42
1	1	1	2	5	2	3	3	3	2	4	3	1	2	2	2	43
170	116	137	106	147	98	213	143	317	231	333	284	437	394	5	5	44
68	50	49	49	45	45	89	68	115	87	131	108	148	144	2	.....	45
51	47	42	32	59	32	53	42	110	71	119	98	166	132	.....	.....	46
51	19	43	24	42	20	71	32	91	69	82	75	116	116	1	1	47
.....	.....	3	1	1	1	.....	1	1	4	1	3	7	2	2	4	48
172	148	222	179	260	208	261	244	263	223	216	175	207	172	4	2	49
31	32	71	43	75	54	94	84	82	53	51	46	55	38	1	.....	50
95	77	94	94	116	95	103	108	107	120	104	84	83	73	.....	2	51
46	38	57	41	66	59	64	49	74	50	60	45	68	61	3	.....	52
.....	1	.....	1	3	.....	.....	3	.....	.....	1	.....	1	.....	.....	.....	53
149	70	154	76	164	65	153	67	166	71	181	61	196	75	1	3	54
1	1	5	5	3	5	7	6	13	2	5	1	3	5	.....	1	55
55	46	51	40	46	37	40	28	48	39	55	31	61	35	.....	.....	56
91	23	95	31	115	23	106	32	103	30	118	28	131	35	.....	1	57
2	.....	3	.....	.....	.....	.....	1	2	.....	3	1	1	.....	1	1	58
.....	52	.....	47	.....	46	.....	50	.....	46	.....	53	.....	55	.....	3	59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 16—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	4,610	247	89	243	78	260	82	268	87	331	107
2	Under 5	642	30	27	27	28	29	23	38	23	32	23
3	5 to 59	3,154	180	47	171	29	188	39	174	47	253	55
4	60 and over	720	34	14	42	20	37	19	52	17	36	28
5	Unknown	94	3	1	3	1	6	1	4		10	1
6	Burns and scalds	371	20	18	9	19	12	14	15	24	11	14
7	Under 5	186	13	5	6	13	6	8	10	6	8	4
8	5 to 59	157	7	13	3	6	4	6	4	15	2	8
9	60 and over	24					2		1	3	1	2
10	Unknown	4										
11	Drowning	377	13	1	4	1	18	5	23	1	40	10
12	Under 5	66			1		2	3	8	1	2	6
13	5 to 59	289	12	1	2	1	16	1	10		37	3
14	60 and over	17	1		1			1	4		1	1
15	Unknown	5							1			
16	Exposure and neglect	64	2	3	9	4	5	9	2	5	3	1
17	Under 5	41	1	2	7	3	4	4	2	4	1	1
18	5 to 59	14	1	1	2	1		4			1	
19	60 and over	9					1	1		1	1	
20	Unknown											
21	Gunshot wounds	317	25	3	18		21		22	4	24	7
22	Under 5	15					2				2	
23	5 to 59	282	22	3	18		15		22	3	19	7
24	60 and over	14	3				2			1	2	
25	Unknown	6					2				1	
26	Homicide	104	1	1	10		3	1	7	1	8	2
27	Under 20	10	1		1		1				2	
28	20 to 59	79			7		2	1	5	1	6	2
29	60 and over	8		1	1				2			
30	Unknown	7			1							
31	Injuries by machinery	16			1		1		2			
32	Under 20	3										
33	20 to 59	13			1		1		2			
34	60 and over											
35	Unknown											
36	Railroad accidents	591	39		38	3	53	2	34	3	45	
37	Under 5	5										
38	5 to 59	486	33		33	1	44	1	27	3	39	
39	60 and over	79	6		5	2	7	1	6		1	
40	Unknown	21					2		1		5	
41	Suicide by shooting	98	10		7		9		7	1	9	2
42	Under 20	6							1	1		
43	20 to 59	74	9		5		8		4		6	2
44	60 and over	16			2		1		2		2	
45	Unknown	2	1								1	
46	Suicide by drowning	14	1	1				1	2		1	2
47	Under 20	1										1
48	20 to 59	7	1	1				1				2
49	60 and over	6							2		1	
50	Unknown											
51	Suicide by poison	58	3	3	4	2	2	2	6	1	4	1
52	Under 20	12	1	1		1			1	1		
53	20 to 59	39	2	2	3	1	2	1	4		3	1
54	60 and over	7			1			1	1		1	
55	Unknown											
56	Other suicides	332	10	5	13	1	17	7	28	7	20	9
57	Under 20	22						1	2	1		2
58	20 to 59	240	8	4	12	1	14	5	21	5	13	5
59	60 and over	64	2	1	1		3	1	5	1	7	2
60	Unknown	6										
61	Sunstroke	53	1		1		2		1		5	
62	Under 5	3										
63	5 to 59	31					1				5	
64	60 and over	19	1		1		1		1			
65	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 16—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
266	80	366	92	365	94	313	101	291	86	289	94	273	81	23	4	1
31	15	31	16	27	23	37	22	33	19	37	19	29	19	2	2	2
194	52	276	65	281	51	225	56	214	46	207	50	200	40	13	1	3
34	11	49	9	49	20	45	21	39	19	37	25	42	21			4
7	2	10	2	8		6	2	5	2	8		2	1	8	1	5
9	6	7	12	8	13	15	22	20	16	15	30	19	20	1	2	6
2	3	4	5	5	5	9	9	13	5	12	11	13	8	1	2	7
6	3	3	6	2	7	6	11	4	10	3	15	4	9			8
1			1	1	1			2	1		4	1	3			9
							2	1				1				10
58	16	78	10	43	2	9	5	9	4	11	3	9	1	3		11
9	6	4	3	5	1	4	2	3		5	1					12
47	9	71	7	38	1	5	3	6	1	6	1	8	1	2		13
	1	2							3		1	1				14
2		1												1		15
1	1	2	3	2	2	2	1	3		2		1	1			16
	1	2	1		2	2	1	1		1		1				17
			2	1				1								18
1				1				1		1			1			19
																20
14	3	24	6	21	3	21	7	20	3	27	3	34	5	2		21
1		1	2	2		1	1			1	1	1				22
13	3	20	4	17	3	20	6	18	3	25	2	33	5	1		23
		1		2				2		1						24
		2												1		25
3	1	5	4	12	3	10	1	15	3	4		7	1	1		26
		1	1					3								27
2		4	3	9	3	8	1	10	3	3		7	1	1		28
1				1		1				1						29
	1			2		1		2								30
1		1	1	2		2		1		2		1		1		31
			1	1										1		32
1		1		1		2		1		2		1				33
																34
																35
35	6	48	4	67	2	59	4	49	6	45	8	35	3	3		36
2	1					1		1								37
25	4	40	4	58	2	50	4	39	2	39	5	28	2	2		38
6	1	7		6		5		9	2	6	2	6	1			39
2		1		8		3			2			1		1		40
6		7		9	1	6	1	8	4	5		6				41
1						1			2							42
3		4		9	1	3	1	8	1	5		5				43
2		3				2			1			1				44
																45
2		1						2								46
																47
								2								48
2		1														49
																50
1	3	3	2	3	1	1	2			4	3	3	4			51
	1		1		1						2		2			52
1	2	2	1	2		1	2			4	1	2	2			53
		1		1								1				54
																55
26	9	23	8	24	7	19	4	26	5	27	7	26	3		1	56
1	1		2	1	2	1		4		1		1	1		1	57
18	8	18	5	17	3	14	2	19	4	17	6	20	1			58
6		4	1	6	2	4	2	3	1	5	1	5	1			59
1		1								4						60
1	1	9	1	14	2	8	3	2	1	1						61
					1	1	1									62
	1	5	1	11		3	2	1	1							63
1		4		3	1	4		1		1						64
																65

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 17.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes	14,742	692	585	710	644	841	732	789	687	642	598
2	Under 5	4,303	170	133	219	187	258	180	209	168	154	141
3	5 to 59	7,026	335	308	289	309	350	389	360	344	303	322
4	60 and over	3,270	180	139	196	145	226	158	204	169	178	128
5	Unknown	143	7	5	6	3	7	5	16	6	7	4
6	Unknown cause	585	20	16	22	34	24	25	25	17	30	29
7	Under 5	340	13	9	17	20	13	13	15	12	21	12
8	5 to 59	156	4	5	2	8	5	7	5	3	5	11
9	60 and over	83	2	2	3	6	6	5	5	2	4	6
10	Unknown	6	1									
	1. General diseases.											
11	General diseases—A	2,780	78	82	93	101	102	115	83	101	69	87
12	Under 5	1,300	30	29	43	40	37	40	32	40	25	34
13	5 to 59	1,168	32	48	33	52	42	59	34	46	31	38
14	60 and over	296	15	5	16	7	22	16	16	14	13	15
15	Unknown	16	1		1	2	1		1	1		
16	Measles	100	3	10	9	10	9	11	4	6	6	4
17	Under 5	63	3	7	8	5	7	6		4	2	1
18	5 to 59	37		3	1	5	2	5	4	2	4	3
19	60 and over											
20	Unknown											
21	Scarlet fever	65	7	3	4	4	4	2	5	8	2	5
22	Under 5	40	4	1	4	3	2	2	3	7	1	2
23	5 to 59	21	2	2		1	2		2	1	1	2
24	60 and over	2	1									1
25	Unknown	2										
26	Diphtheria	270	16	20	9	11	6	10	9	9	10	12
27	Under 5	126	10	7	3	3	2	[illegible]	4	5	7	6
28	5 to 59	143	[illegible]	13	6	8	3	4	5	4	3	6
29	60 and over	1					1					
30	Unknown											
31	Whooping cough	146	2	3	5	8	5	11	9	7	3	5
32	Under 5	131	2	3	5	[illegible]	4	8	8	6	[illegible]	5
33	5 to 59	14					1	3	1			
34	60 and over	1								1		
35	Unknown											
36	Malarial fever	169	1	[illegible]	2	4	3	5	1	[illegible]	4	[illegible]
37	Under 5	50		4	1		1	1	1	2	2	1
38	5 to 59	95	1	1	1	3	1	2		5	2	2
39	60 and over	24				1	1	2		1		
40	Unknown											
41	Influenza	151	3	7	9	4	20	25	17	19	10	14
42	Under 5	29		1	4	1	4	4	2	5		3
43	5 to 59	50		3	2	1	4	11	4	7	2	6
44	60 and over	71	3	3	3	2	11	10	11	7	8	5
45	Unknown	1					1					
46	Typhoid fever	537	19	11	14	18	14	7	4	15	8	16
47	Under 5	54	1		2	3	2		1	2		1
48	5 to 59	443	13	10	10	14	10	7	3	12	8	12
49	60 and over	37	5	1	2	1	2			1		3
50	Unknown	3										
51	Diarrheal diseases	950	9	6	17	22	13	17	10	13	14	18
52	Under 5	698	5	2	7	12	7	5	7	7	9	11
53	5 to 59	139	1	4	4	8	3	[illegible]	1	5	5	4
54	60 and over	108	2		6	2	3	3	1	1		3
55	Unknown	5	1						1			
56	Cerebro-spinal fever	69	3		8	1	4	2	4	1	2	1
57	Under 5	38	2		6	1	1	2	3		1	
58	5 to 59	27	1		1		3		1			
59	60 and over	2									1	1
60	Unknown	2			1					1		

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 17.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
525	443	571	550	706	610	624	521	592	519	536	466	642	494	18	5	1
152	154	229	212	247	217	199	191	170	160	141	113	172	123	1	.....	2
270	216	219	238	304	281	298	243	273	268	272	258	300	265	9	3	3
99	70	114	94	148	110	124	84	140	85	114	92	165	102	6	.....	4
4	3	9	6	7	2	3	3	[illegible]	6	9	3	5	4	2	2	5
36	14	25	30	36	24	24	20	25	24	24	14	27	19	.....	1	6
20	9	16	20	27	13	13	9	13	15	11	8	11	10	.....	.....	7
14	3	7	6	6	8	8	9	8	4	10	4	7	6	.....	1	8
2	2	1	4	2	3	3	2	4	4	3	2	7	3	.....	.....	9
.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	10
97	96	151	166	200	207	173	155	138	117	108	84	91	83	3	.....	11
60	53	108	108	114	113	93	83	57	44	32	23	37	25	.....	.....	12
28	35	28	42	64	71	67	58	63	67	69	59	46	53	3	.....	13
8	[illegible]	14	16	22	22	13	14	15	5	5	2	8	5	.....	.....	14
1	.....	1	.....	.....	1	.....	.....	3	1	2	.....	.....	.....	.....	.....	15
7	5	2	2	4	1	.....	2	2	.....	1	.....	1	1	.....	.....	16
7	3	1	2	3	1	.....	1	.....	.....	1	.....	1	.....	.....	.....	17
.....	2	1	.....	1	.....	.....	1	2	.....	.....	.....	.....	1	.....	.....	18
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
.....	1	.....	.....	4	3	1	.....	2	3	8	2	1	1	.....	.....	21
.....	1	.....	.....	3	1	1	.....	.....	1	1	2	1	.....	.....	.....	22
.....	.....	.....	.....	1	2	.....	.....	2	2	.....	.....	.....	1	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	25
6	8	8	7	4	5	13	14	10	11	16	17	18	21	.....	.....	26
4	4	5	.....	2	3	5	7	9	4	5	6	11	8	.....	.....	27
2	4	3	7	2	2	8	7	1	7	11	11	7	13	.....	.....	28
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30
6	8	4	15	4	9	10	5	3	7	5	4	4	4	.....	.....	31
4	8	4	13	4	7	10	4	3	6	5	4	4	3	.....	.....	32
2	.....	.....	2	.....	2	.....	1	.....	1	.....	.....	.....	1	.....	.....	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
7	3	7	11	17	14	7	14	18	13	2	10	5	5	.....	.....	36
1	1	3	4	4	4	2	4	4	6	1	1	2	.....	.....	.....	37
5	1	4	7	10	8	4	8	9	7	1	7	2	4	.....	.....	38
1	1	.....	.....	3	2	1	2	5	.....	.....	2	1	1	.....	.....	39
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	40
2	5	.....	1	2	2	2	3	2	1	.....	.....	2	1	.....	.....	41
.....	.....	.....	.....	.....	1	1	3	.....	.....	.....	.....	.....	.....	.....	.....	42
.....	2	.....	1	1	1	.....	.....	1	1	.....	.....	2	1	.....	.....	43
2	3	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	44
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	45
7	9	9	4	36	30	46	36	53	45	49	32	33	21	1	.....	46
.....	1	1	.....	3	4	3	5	6	4	6	.....	4	5	.....	.....	47
6	8	8	2	31	21	40	27	42	39	43	32	28	16	1	.....	48
.....	.....	.....	2	2	5	3	4	3	2	.....	.....	1	.....	.....	.....	49
1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	50
44	40	109	107	116	124	85	67	39	25	19	11	15	10	.....	.....	51
39	29	89	85	88	90	68	54	30	20	11	9	10	4	.....	.....	52
2	8	7	11	14	19	9	5	4	2	6	2	3	3	.....	.....	53
3	3	12	11	14	15	8	8	4	2	2	.....	2	3	.....	.....	54
.....	.....	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	55
11	7	4	5	2	1	1	5	1	2	.....	.....	2	1	1	.....	56
4	4	4	1	2	1	.....	2	1	1	.....	.....	2	.....	.....	.....	57
7	3	.....	4	.....	.....	1	3	.....	1	.....	.....	.....	1	1	.....	58
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 17—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	383	23	11	18	13	17	8	17	13	16	13
2	Under 5	243	17	8	12	12	9	4	10	10	4	8
3	5 to 59	112	5	2	6		4	4	5	3	10	4
4	60 and over	25	1	1		1	4		2		2	1
5	Unknown	3										
6	Inanition	243	18	9	11	11	8	4	10	9	5	8
7	Under 5	226	17	8	11	11	8	4	9	8	4	7
8	5 to 59	10							1	1		
9	60 and over	7	1	1							1	1
10	Unknown											
11	General diseases—C	780	43	42	29	37	45	33	39	32	34	32
12	Under 5	318	19	10	9	10	19	8	19	6	15	15
13	5 to 59	23	1	4		2	2	1		2	1	1
14	60 and over	433	23	27	19	25	23	24	19	23	18	16
15	Unknown	6		1	1		1		1	1		
16	Debility and atrophy	101	2	5	3	4	7	2	3	2	5	3
17	Under 5	68	1	1	2	2	4	1	3		4	1
18	5 to 59	21	1	4		2	1	1		2	1	1
19	60 and over	12			1		2					1
20	Unknown											
21	Old age—all ages	426	23	28	19	25	22	24	19	24	18	15
22	60 and over	421	23	27	18	25	21	24	19	23	18	15
23	Unknown	5		1	1		1			1		
24	General diseases—D	2,506	99	111	92	115	119	146	138	146	102	133
25	Under 5	143	3	3	1	10	12	8	6	5	5	6
26	5 to 59	1,839	74	92	66	83	77	119	98	106	67	102
27	60 and over	487	21	14	24	22	28	17	30	31	26	23
28	Unknown	37	1	2	1		2	2	4	1	1	2
29	Consumption	1,609	71	66	58	83	78	104	90	103	63	85
30	Under 5	69	3	1	1	5	7	7	2	5	4	3
31	5 to 59	1,334	61	61	46	66	62	85	76	85	47	75
32	60 and over	180	6	3	10	12	8	10	8	13	11	5
33	Unknown	26	1	1	1		1	2	4		1	2
34	2. Diseases of the nervous system	1,671	69	57	75	69	87	71	99	75	91	57
35	Under 5	536	22	11	23	24	26	21	29	20	24	17
36	5 to 59	641	30	26	21	23	30	29	42	34	33	24
37	60 and over	463	17	19	24	21	31	20	23	19	30	15
38	Unknown	31		1	2	1		1	5	2	4	1
39	3. Diseases of the circulatory system	1,069	61	49	53	52	65	47	64	46	58	50
40	Under 5	93	6	5	6	6	4	2	2	1	5	2
41	5 to 59	528	25	21	22	30	30	27	32	31	29	30
42	60 and over	437	29	23	25	16	31	17	30	14	24	18
43	Unknown	11	1					1				
44	4. Diseases of the respiratory system	2,242	145	128	197	118	258	170	184	147	84	71
45	Under 5	902	45	44	80	48	122	62	70	58	33	28
46	5 to 59	846	67	51	79	47	79	72	67	41	37	32
47	60 and over	477	32	33	37	23	55	35	44	47	14	10
48	Unknown	17	1		1		2	1	3	1		1
49	5. Diseases of the digestive system	986	46	34	44	42	42	46	57	48	47	43
50	Under 5	252	7	8	14	12	10	12	15	7	9	13
51	5 to 59	536	30	21	18	22	21	23	30	32	26	22
52	60 and over	193	9	5	12	8	10	11	12	9	12	13
53	Unknown	5					1					
54	6. Diseases of the urinary system	522	39	16	36	17	26	22	25	15	31	21
55	Under 5	17			2		2	1				1
56	5 to 59	242	12	12	12	5	11	13	7	9	8	10
57	60 and over	260	26	4	22	12	13	8	18	6	22	10
58	Unknown	3	1								1	
59	7. Affections connected with pregnancy	139		10		18		18		18		13

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 17—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
16	15	27	19	15	13	16	18	25	16	14	9	22	9			1
6	12	17	14	10	11	5	16	13	10	5	5	10	8			2
10	3	6	4	4	2	5	2	7	5	6	3	11	1			3
		4	1	1		3		2	1			1				4
								3								5
8	11	15	16	9	12	7	17	15	9	8	5	11	7			6
6	11	15	14	9	11	6	16	12	9	8	5	10	7			7
2			1		1	1	1	1				1				8
			1					2								9
																10
16	24	25	29	41	33	31	28	30	32	29	32	39	22	3		11
9	10	11	11	16	16	21	13	18	14	16	13	14	6			12
1		1	2			1			2				1	1		13
6	14	13	16	25	17	9	15	12	16	13	18	25	15	2		14
											1					15
	2	4	5	4	4	8	6	4	10	3	5	6	3	1		16
	1	2	3	4	4	5	6	4	8	3	5	4				17
		1	2			1			2				1	1		18
	1	1				2						2	2			19
																20
6	13	12	16	25	17	7	15	12	16	13	19	23	13	2		21
6	13	12	16	25	17	7	15	12	16	13	18	23	13	2		22
											1					23
92	89	92	105	75	118	97	109	61	84	80	103	102	95	2	1	24
1	8	4	7	7	8	8	12	2	4	5	7	4	1			25
76	72	61	79	46	86	66	76	46	66	52	81	73	74	1		26
15	8	24	15	21	23	22	19	13	13	20	14	23	20	1		27
	1	3	4	1	1	1	2		1	3	1	2			1	28
65	65	56	69	38	71	53	71	40	53	44	65	57	59	2		29
	4	2	2		4	3	6	1	2	2	3	1	1			30
58	58	42	59	31	60	39	54	31	47	34	54	48	54	1		31
7	2	9	5	6	7	10	10	8	3	8	7	7	4	1		32
	1	3	3	1		1	1		1		1	1				33
74	69	65	60	96	69	81	49	58	59	60	46	82	53			34
23	29	25	24	34	29	18	20	19	20	20	15	23	15			35
29	28	26	17	30	30	33	18	17	22	20	16	32	22			36
22	12	12	17	22	10	30	11	21	14	17	15	27	14			37
		2	2	1				1	3	3			2			38
42	32	33	32	42	38	41	33	45	32	39	35	49	30	1		39
2	4	6	2	3	1	6	1	2	2	4	5	9	7			40
18	16	12	19	16	19	23	19	25	19	21	14	18	12			41
20	12	14	11	22	18	11	12	17	11	14	16	22	9	1		42
2		1		1		1	1	1					2			43
43	27	33	29	31	23	42	25	67	75	79	61	113	87	4	1	44
17	12	20	15	13	11	13	11	24	36	32	27	41	39	1		45
17	10	8	11	11	8	15	13	26	25	29	24	46	30	1		46
9	5	5	3	5	4	13	1	17	14	17	10	25	18	1		47
				2		1				1		1		1	1	48
30	29	40	36	58	42	41	37	56	33	29	35	31	33		2	49
10	6	11	7	14	10	17	18	16	9	7	5	9	6			50
14	19	21	22	32	27	19	13	28	20	15	22	17	20		2	51
5	3	8	7	11	5	5	6	12	4	7	7	5	7			52
1	1			1							1					53
16	11	19	10	24	13	22	14	35	8	28	18	38	18			54
		2	2			1	1	1	1		1	2				55
7	6	5	4	14	9	13	11	12	6	14	11	19	12			56
9	4	12	4	10	4	8	2	22	1	14	6	17	6			57
	1															58
	9		10		7		8		10		9		9			59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 17—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX. January. Male.	January. Female.	February. Male.	February. Female.	March. Male.	March. Female.	April. Male.	April. Female.	May. Male.	May. Female.
1	8. Accidents and injuries	941	66	19	47	24	49	23	55	19	77	30
2	Under 5	129	7	2	6	3	3	7	11	6	9	6
3	5 to 59	702	53	13	30	17	43	11	38	9	55	23
4	60 and over	102	5	3	11	4	3	5	4	4	12	1
5	Unknown	8	1	1					2		1	
6	Burns and scalds	86	5	3	3	5	2		6	3	3	5
7	Under 5	44	3		2	3	1		4	2	1	2
8	5 to 59	37	1	2	1	1	1		2	1	2	3
9	60 and over	5	1	1		1						
10	Unknown											
11	Drowning	54	1			1	3	1	3		8	
12	Under 5	9						1	3		1	
13	5 to 59	42	1				3				7	
14	60 and over	3				1						
15	Unknown											
16	Exposure and neglect	22	1	2	1	1		2			1	4
17	Under 5	19	1	2	1			2			1	3
18	5 to 59	1										1
19	60 and over	2				1						
20	Unknown											
21	Gunshot wounds	72	7		4	1	5		4		7	
22	Under 5	2										
23	5 to 59	68	7		4	1	5		4		7	
24	60 and over	2										
25	Unknown											
26	Homicide	20			3	1	2		1	1	4	
27	Under 20											
28	20 to 59	17			3		2		1	1	3	
29	60 and over	3				1					1	
30	Unknown											
31	Injuries by machinery	5	1		1		1					
32	Under 20											
33	20 to 59	5	1		1		1					
34	60 and over											
35	Unknown											
36	Railroad accidents	144	13		9	3	15	1	4		9	1
37	Under 5	4	1								1	
38	5 to 59	127	11		5	3	14	1	4		6	1
39	60 and over	12	1		1		1				2	
40	Unknown	1										
41	Suicide by shooting	26	3		5		2	1	3		3	
42	Under 20											
43	20 to 59	24	3		4		2	1	3		2	
44	60 and over	2			1						1	
45	Unknown											
46	Suicide by drowning	2						1				
47	Under 20											
48	20 to 59	2						1				
49	60 and over											
50	Unknown											
51	Suicide by poison	22	1	1	2		2		2		1	2
52	Under 20	2										1
53	20 to 59	20	1	1	2		2		2		1	1
54	60 and over											
55	Unknown											
56	Other suicides	62	4		5		1	1	6	2	5	5
57	Under 20	7									1	2
58	20 to 59	49	3		5		1	1	6	2	3	3
59	60 and over	4	1								1	
60	Unknown	2										
61	Sunstroke	13										
62	Under 5	2										
63	5 to 59	9										
64	60 and over	2										
65	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 17—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
60	23	56	20	82	15	54	20	50	20	42	15	47	23	5		1
4	9	6	2	8	2		[illegible]	5	4	5	2	12	4			2
53	12	43	18	69	9	47	13	40	14	33	11	31	14	3		3
3	2	6		5	4	7	1	4	2	4	2	4	5	1		4
		1						1						1		5
4	4	3	3	5	3		4	1	6	4	4	5	[illegible]			6
1	2	3		[illegible]	1		2		1	3		5	3			7
3	2		3		1		2	1	5	1	3		2			8
					1						1					9
																10
6	2	8	1	10		3	2			1	2	1		1		11
	2			1			1									12
6		7	1	9		3	1			1	2	1				13
		1												1		14
																15
				1				1	3		1	4				16
				1				1	2		1	4				17
																18
									1							19
																20
4	1	4	1	7		4	1	8		4	1	8	1			21
1								1								22
3		4	1	7		3	1	7		4	1	8	1			23
	1					1										24
																25
		2								1		4		1		26
																27
		1								1		4		1		28
		1														29
																30
				2												31
																32
				2												33
																34
																35
10	1	13	1	20	1	17		10		7		9	3			36
		1	1													37
10	1	11		20	1	17		7		6		8	1			38
		1						2		1		1	2			39
								1								40
2			1			1				2		2		1		41
																42
2			1			1				[illegible]		2		1		43
																44
																45
										1						46
																47
										1						48
																49
																50
1		1	1		1	3		1	[illegible]				1			51
					1											52
1		1	1			3		1	2				1			53
																54
																55
6		6		5	1	4	2	3	1	2	2			1		56
1					1	1					1					57
5		4		5		3	2	3	1	2						58
		1									1					59
		1												1		60
1		4		7			1									61
		1					1									62
1		3		5												63
				2												64
																65

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 18.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes	14,221	673	537	693	559	787	609	814	609	766	664
2	Under 5	4,921	213	158	213	185	238	224	266	198	233	243
3	5 to 59	6,854	336	293	350	264	386	281	390	317	382	317
4	60 and over	2,259	114	83	121	107	149	98	152	90	143	99
5	Unknown	187	10	3	9	3	14	6	6	4	8	5
6	Unknown cause	866	30	35	33	46	34	46	45	28	53	47
7	Under 5	529	18	21	14	30	22	33	28	14	33	33
8	5 to 59	198	6	8	11	8	4	6	9	10	7	9
9	60 and over	105	3	4	6	6	5	5	8	3	13	5
10	Unknown	34	3	2	2	2	3	2		1		
	1. General diseases.											
11	General diseases—A	3,444	112	96	117	101	146	129	132	148	130	142
12	Under 5	1,963	70	45	57	51	87	80	85	80	74	77
13	5 to 59	1,271	37	47	51	41	47	43	35	60	50	57
14	60 and over	185	5	3	8	9	12	5	11	8	6	8
15	Unknown	25		1	1			1	1			
16	Measles	247	13	5	11	5	22	23	22	19	16	15
17	Under 5	176	12	3	6	4	16	14	17	11	11	9
18	5 to 59	66	1	1	5	1	6	9	4	7	5	6
19	60 and over	2								1		
20	Unknown	3		1					1			
21	Scarlet fever	122	6	10	9	6	12	8	5	6	5	4
22	Under 5	79	5	5	7	4	10	5	3	4	2	4
23	5 to 59	42	1	5	2	2	2	3	2	2	3	
24	60 and over											
25	Unknown	1										
26	Diphtheria	329	20	19	19	17	14	11	13	23	15	16
27	Under 5	161	10	10	8	8	10	8	10	9	5	3
28	5 to 59	168	10	9	11	9	4	3	3	14	10	13
29	60 and over											
30	Unknown											
31	Whooping cough	232	7	4	13	15	18	17	19	20	23	18
32	Under 5	223	7	4	12	14	16	17	19	20	22	18
33	5 to 59	9			1	1	2				1	
34	60 and over											
35	Unknown											
36	Malarial fever	199	2	4	9	3	9	5	10	9	6	9
37	Under 5	83	1	1	3		3	2	4	3	2	4
38	5 to 59	95	1	3	4	2	6	2	3	5	4	5
39	60 and over	21			2	1		1	3	1		
40	Unknown											
41	Influenza	115	7	3	10	9	17	16	8	7	4	7
42	Under 5	40	4	2	5	4	5	7	3	1	2	2
43	5 to 59	35	1	1	2	1	3	6	3	2		1
44	60 and over	39	2		2	4	9	3	2	4	2	4
45	Unknown	1			1							
46	Typhoid fever	580	18	7	15	11	7	6	11	14	14	15
47	Under 5	105	6	2	2	2	2	4	3	5	2	3
48	5 to 59	449	12	4	13	9	5	2	7	9	12	12
49	60 and over	20		1					1			
50	Unknown	6										
51	Diarrheal diseases	1,060	18	16	11	14	18	17	19	23	27	38
52	Under 5	858	14	10	6	10	13	12	15	16	21	26
53	5 to 59	140	3	6	2	3	5	5	4	6	6	10
54	60 and over	54	1		3	1				1		2
55	Unknown	8										
56	Cerebro-spinal fever	63	1	3			3	1	2	1		2
57	Under 5	38	1				2	1	1	1		1
58	5 to 59	24		3			1		1			1
59	60 and over											
60	Unknown	1										

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 18.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
514	434	627	506	750	586	594	435	598	410	574	442	582	405	27	26	1
201	166	246	232	315	294	225	174	162	137	159	135	162	130	6	6	2
234	208	277	215	328	242	265	202	319	201	300	231	300	200	6	10	3
73	53	93	57	99	48	98	55	108	70	104	68	105	55	2	2	4
5	7	11	2	8	2	6	4	9	2	11	8	15	7	13	3	5
28	21	29	41	49	45	32	40	32	21	41	19	33	21	9	8	6
15	10	19	29	32	28	24	19	20	13	26	11	20	9	4	4	7
9	10	3	9	13	16	4	11	7	5	5	7	9	6		2	8
2		6	3	2	1	3	9	3	2	7	1	3	5			9
2	1	1		2		1	1	2	1			1	1	5	1	10
159	134	200	170	295	230	178	148	156	96	96	127	99	94	3	6	11
111	80	132	116	185	157	105	85	62	45	41	55	40	41	1	1	12
43	45	52	50	95	63	65	54	84	42	48	58	50	44		2	13
4	7	14	5	15	10	7	8	9	9	7	2	9	6			14
1	2	2	1	2		1	1	1			2		3	2	3	15
23	18	9	7	11	5	5	1		1	1	5	6	4			16
18	12	7	6	8	4	4			1	1	4	5	8			17
5	4	2	1	3	1	1	1				1	1	1			18
	1															19
	1															20
5	7	6	3	4	3	1	3	1	3	3	7	2	2	1		21
3	3	4	3	3	2	1	2		1	3	4		1			22
2	4	2		1	1		1	1	2		3	2	1			23
																24
														1		25
11	8	9	17	13	10	10	12	7	10	11	15	11	18			26
6	5	6	9	3	6	4	1	6	5	5	9	5	10			27
5	3	3	8	10	4	6	11	1	5	6	6	6	8			28
																29
																30
8	4	6	9	3	9	5	10	3	2	5	8	2	4			31
8	4	6	9	2	8	4	10	3	1	5	8	2	4			32
				1	1	1			1							33
																34
																35
13	3	8	6	24	16	16	9	11	9	2	7	5	4			36
7	1	3	5	11	4	8	3	4	4	1	4	2	3			37
5	2	4	1	7	10	8	6	6	4	1	3	2	1			38
1		1		6	2			1	1			1				39
																40
2	2	2	4	2		1	1	2	1	1	2	4	3			41
1	1						1		1				1			42
1	1	2	3	1		1		1			1	3	1			43
			1	1				1		1	1	1	1			44
																45
13	9	32	19	56	34	53	32	57	29	35	43	28	20		2	46
8	1	5	4	9	9	13	3	5	3	3	4	4	3			47
5	7	22	15	46	24	36	27	51	23	31	38	23	15		1	48
	1	4		1	1	3	1	1	3	1		1	1			49
		1				1	1				1		1		1	50
62	52	104	75	155	134	67	63	51	28	18	18	17	13		2	51
48	39	90	65	135	114	58	56	39	24	14	13	13	6		1	52
12	7	7	7	14	13	6	3	9	1	3	4	1	3			53
1	5	7	2	4	7	3	4	2	3	1	1	3	3			54
1	1		1	2				1					1		1	55
4	6	3	2	4	2	4	6	5	2	1	4	2	4	1		56
4	3	3	1	2	2	3	5	1	1		3	1	2			57
	3		1	2		1	1	4	1	1	1	1	2			58
																59
														1		60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 18—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX. January. Male.	January. Female.	February. Male.	February. Female.	March. Male.	March. Female.	April. Male.	April. Female.	May. Male.	May. Female.
	1. General diseases—Continued.											
1	General diseases—B	230	12	4	13	[illegible]	18	13	15	5	13	15
2	Under 5	119	8	3	7	3	8	7	5	4	[illegible]	9
3	5 to 59	89	3	1	5	3	5	6	10	1	[illegible]	4
4	60 and over	14	1				4				2	1
5	Unknown	8			1		1				1	1
6	Inanition	106	7	3	6	2	9	6	3	3	[illegible]	8
7	Under 5	100	7	3	6	2	8	6	3	[illegible]	3	7
8	5 to 59	3										
9	60 and over											
10	Unknown	3					1					1
11	General diseases—C	618	39	18	18	26	31	30	41	29	32	24
12	Under 5	299	21	6	10	7	11	11	24	10	19	14
13	5 to 59	24	1	1			1	1	4	3		1
14	60 and over	290	17	11	8	19	18	18	13	16	12	8
15	Unknown	5					1				1	1
16	Debility and atrophy	124	4	1	4	3	5	3	10	8	7	7
17	Under 5	62	2		3	2	2	[illegible]	4	3	4	[illegible]
18	5 to 59	23	1	1			1	1	1	3		1
19	60 and over	37	1		1	1	1		2	2	2	3
20	Unknown	2					1				1	
21	Old age—all ages	256	16	11	7	18	17	18	11	14	10	6
22	60 and over	253	16	11	7	18	17	18	11	14	10	5
23	Unknown	3										1
24	General diseases—D	2,318	112	102	103	101	118	91	135	112	149	117
25	Under 5	149	7	5	5	7	9	5	12	8	8	9
26	5 to 59	1,795	87	84	83	77	93	70	106	85	109	91
27	60 and over	354	18	13	15	17	13	16	15	18	31	15
28	Unknown	20					3		2	1	1	2
29	Consumption	1,566	84	73	79	62	89	62	102	73	101	80
30	Under 5	78	5	2	3	4	3	2	8	5	2	7
31	5 to 59	1,362	71	64	72	55	81	52	86	61	88	67
32	60 and over	114	8	7	4	3	3	[illegible]	6	6	11	5
33	Unknown	12					2		2	1		1
34	2. Diseases of the nervous system	1,318	63	58	66	50	79	37	78	45	66	73
35	Under 5	502	18	21	27	16	17	11	25	17	22	36
36	5 to 59	502	27	25	21	18	39	14	32	22	27	19
37	60 and over	299	16	12	14	16	21	12	20	6	17	18
38	Unknown	15	2		1		2		1			
39	3. Diseases of the circulatory system	815	39	31	42	27	49	38	54	38	51	39
40	Under 5	90	5	3	6	4	6	3	1	3	9	[illegible]
41	5 to 59	421	20	17	21	12	27	19	26	23	26	19
42	60 and over	297	14	11	15	11	15	16	27	12	15	14
43	Unknown	7					1				1	
44	4. Diseases of the respiratory system	1,999	139	112	184	113	189	121	167	104	101	74
45	Under 5	796	48	41	63	51	65	54	60	41	39	38
46	5 to 59	876	69	47	93	43	97	51	75	49	48	24
47	60 and over	305	22	24	27	19	27	16	32	13	13	12
48	Unknown	22			1					1	1	
49	5. Diseases of the digestive system	912	38	31	36	36	38	37	50	34	38	62
50	Under 5	284	7	[illegible]	14	8	4	10	14	10	[illegible]	15
51	5 to 59	467	24	22	13	22	18	21	27	17	13	37
52	60 and over	154	6	1	9	6	16	5	9	7	15	9
53	Unknown	7	1					1			1	1
54	6. Diseases of the urinary system	414	20	19	31	9	26	13	30	10	32	12
55	Under 5	25	1			2	3	1	1			
56	5 to 59	214	11	15	14	5	10	10	17	[illegible]	18	7
57	60 and over	167	8	4	15	2	13	2	12	4	13	5
58	Unknown	8			2						1	
59	7. Affections connected with pregnancy	196		18		22		26		22		22

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 18—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
12	8	4	11	12	12	8	7	6	6	9	4	11	4	1	1	1
4	5		8	10	9	8	2	1	4	4	3	4	2	1		2
8	2	3	3	2	8	4	4	5	1	3	1	6	1			3
	1					1			1	2			1			4
		1					1					1			1	5
3	6		9	8	8	2	2	1	8	3	8	4	2	1	1	6
3	5		8	8	8	2	2	1	3	2	3	4	2	1		7
	1		1							1						8
																9
															1	10
20	20	12	14	26	25	30	26	24	30	37	25	22	17	1	1	11
10	6	9	7	10	12	16	16	16	15	19	9	13	8			12
2	1	1		2				2			4					13
8	13	2	7	14	13	14	10	5	15	18	12	9	8	1	1	14
								1					1			15
8	1	2	1	8	9	6	8	5	3	6	7	4	4			16
3		1	1	4	6	3	6	3	2	3	3	1	1			17
2		1		2				2			4					18
3	1			2	3	3	2		1	3		3	3			19
																20
5	12	2	7	12	10	11	8	6	14	15	12	6	6	1	1	21
5	12	2	7	12	10	11	8	5	14	15	12	6	5	1	1	22
								1					1			23
82	79	104	86	89	83	73	66	84	75	95	76	103	75	5	3	24
6	5	10	6	2	9	4	2	6	6	3	7	7	4			25
60	65	81	68	73	67	60	55	58	55	80	57	70	57	3	1	26
16	8	12	12	14	9	9	9	20	13	11	11	24	14		1	27
	1	1			1				1	1	1	2		2	1	28
58	44	71	54	66	53	50	38	55	47	67	42	65	45	4	2	29
5	2	7	1	1	4	3	1	4	2	1		8	3			30
50	40	61	48	59	47	44	34	45	39	62	40	54	39	8	1	31
3	2	2	5	6	2	3	3	6	5	4	1	7	3		1	32
		1							1		1	1		2		33
53	37	59	45	91	49	55	42	51	39	62	40	45	34		1	34
19	22	30	26	33	28	24	21	13	12	21	13	17	13			35
20	10	20	8	34	16	15	15	25	18	23	20	17	13		1	36
14	5	8	11	22	5	15	6	11	9	17	5	11	8			37
		1		2		1		2		1	2					38
31	25	36	28	31	16	34	12	52	19	39	22	34	22	3	3	39
4	2	5	2	3	3	2	4	4	4	4	2	3	9			40
15	15	12	18	19	10	17	7	25	10	19	10	18	14	1	1	41
12	8	19	8	9	3	15	1	23	5	16	9	13	5	1		42
											1		1	1	2	43
42	38	32	31	34	36	40	24	60	48	74	53	112	69	1	1	44
22	22	12	20	20	22	20	6	17	19	24	20	42	30			45
11	13	14	8	10	12	14	14	30	23	37	19	46	27	1	1	46
8	3	5	3	4	2	5	4	12	6	7	12	17	12			47
1		1				1		1		6	2	7				48
30	24	47	36	34	41	53	29	42	31	42	39	30	33	1		49
7	7	21	14	14	20	21	13	14	10	10	9	10	15			50
18	13	17	17	16	20	29	11	18	17	24	21	16	16			51
5	3	9	5	4	1	3	5	9	4	8	9	4	2			52
	1							1						1		53
10	6	26	5	19	9	31	8	26	9	21	9	24	8		1	54
	1	1	1	8	2	2		2	1	1		2	1			55
6	1	11	2	7	5	12	5	13	5	10	5	15	3		1	56
4	3	12	2	9	2	17	3	11	3	8	4	7	4			57
	1	2								2						58
	17		13		10		13		13		13		7			59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 18—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	961	63	8	47	11	49	20	63	25	98	28
2	Under 5	129	6	4	9	4	5	7	9	7	13	5
3	5 to 59	726	49	4	34	6	37	9	48	15	78	20
4	60 and over	76	4		4	1	4	3	4	2	6	3
5	Unknown	30	4				3	1	2	1	1	
6	Burns and scalds	54	3	5	5	4	1	4	3	5		1
7	Under 5	30	3	4	5	2		2	3	2		
8	5 to 59	22		1		2	1	2		3		1
9	60 and over											
10	Unknown	2										
11	Drowning	55	1				1		5	1	14	2
12	Under 5	15					1		3		5	2
13	5 to 59	39	1						2	1	9	
14	60 and over											
15	Unknown	1										
16	Exposure and neglect	15	2		1	1	2	1	2		1	
17	Under 5	8	1			1	1	1				
18	5 to 59	7	1		1		1		2		1	
19	60 and over											
20	Unknown											
21	Gunshot wounds	120	5		7		11	4	3	1	12	2
22	Under 5	7	1					1	1		1	
23	5 to 59	109	4		7		10	2	2	1	10	2
24	60 and over	2									1	
25	Unknown	2					1	1				
26	Homicide	28	2		4	1	2		1	2	3	1
27	Under 20	5				1				1	1	1
28	20 to 59	20	2		4		2		1		2	
29	60 and over											
30	Unknown	3								1		
31	Injuries by machinery	13	4				1					
32	Under 20	3										
33	20 to 59	10	4				1					
34	60 and over											
35	Unknown											
36	Railroad accidents	87	7		2	1	4		8		7	1
37	Under 5	1									1	
38	5 to 59	80	6		2	1	4		8		5	1
39	60 and over	4									1	
40	Unknown	2	1									
41	Suicide by shooting	29	3		2				1	1	3	5
42	Under 20	1										
43	20 to 59	25	3		1				1	1	3	5
44	60 and over	2			1							
45	Unknown	1										
46	Suicide by drowning	1								1		
47	Under 20											
48	20 to 59	1								1		
49	60 and over											
50	Unknown											
51	Suicide by poison	15	1	1	1		2		1			1
52	Under 20	1										
53	20 to 59	12	1	1			2		1			1
54	60 and over	2			1							
55	Unknown											
56	Other suicides	39	1		4		4		2		5	
57	Under 20											
58	20 to 59	30	1		3		2		2		5	
59	60 and over	7			1		1					
60	Unknown	2					1					
61	Sunstroke	6								1		
62	Under 5	1								1		
63	5 to 59	1										
64	60 and over	4										
65	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 18—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female	Male.	Female.	Male.	Female.	
43	20	75	17	65	21	57	16	63	19	53	13	67	16	3	1	1
1	5	7	2	2	4	4	4	6	7	2	6	4	4		1	2
40	12	61	12	56	15	44	12	51	10	47	5	51	9	1		3
	2	5	2	5	1	7		5	2	3	2	8	3			4
2		2	1	2	1	2		1		1		4		2		5
1	2	1		1	3	2	2		3	1	1	3	2	1		6
1					1	1			1		1	3	1			7
	2	1			2	1	2		2	1			1			8
																9
				1										1		10
4	3	10		4		2	1	2		3	1	1				11
	1					1				1	1					12
4	2	10		4		1	1	2		1		1				13
																14
										1						15
							1			1	1	1	1			16
							1				1	1	1			17
										1						18
																19
																20
3	2	11	2	12	3	5		13	2	8	2	10	1	1		21
				1	1								1			22
3	2	11	2	10	2	5		13	2	8	2	10		1		23
				1												24
																25
1		1		2		2		3		1		1		1		26
						1										27
		1		2		1		3		1		1				28
																29
1														1		30
				1		2		2		2		1				31
				1		2										32
								2		2		1				33
																34
																35
5		8		5		7	3	9		5		12	3			36
																37
5		7		5		7	3	7		5		11	3			38
								2				1				39
		1														40
		2		2		3		2	1	2		2				41
						1										42
		2		1		1		2	1	2		2				43
						1										44
				1												45
																46
																47
																48
																49
																50
		2	1	1					1	1		1	1			51
		1														52
		1		1					1	1		1	1			53
			1													54
																55
3		4		1	1	3	1	3	1	4		1	1			56
																57
3		2		1	1	1	1	3	1	3			1			58
		2				2				1						59
												1				60
		1		1					1			2				61
																62
		1														63
				1					1			2				64
																65

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 19.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX. January. Male.	January. Female.	February. Male.	February. Female.	March. Male.	March. Female.	April. Male.	April. Female.	May. Male.	May. Female.
1	All causes	23,676	1,111	962	1,077	939	1,251	1,115	1,282	1,070	1,240	1,003
2	Under 5	6,046	293	228	302	204	309	247	319	210	300	220
3	5 to 59	9,788	422	421	377	410	512	496	504	488	502	472
4	60 and over	7,704	387	309	389	323	422	368	447	369	426	307
5	Unknown	138	9	4	9	2	8	4	12	3	12	4
6	Unknown cause	806	36	32	31	33	50	27	34	35	41	31
7	Under 5	467	25	16	23	18	32	12	22	22	23	17
8	5 to 59	196	8	10	3	7	10	9	4	8	11	8
9	60 and over	135	3	5	5	8	6	6	8	5	5	6
10	Unknown	8		1			2				2	
	1. General diseases.											
11	General diseases—A	3,857	136	135	137	112	142	159	150	151	149	148
12	Under 5	1,907	56	48	57	41	61	65	62	54	64	63
13	5 to 59	1,324	55	68	47	47	57	64	51	61	53	51
14	60 and over	619	25	18	32	24	24	30	37	36	32	33
15	Unknown	7		1	1							1
16	Measles	193	3	8	12	11	15	19	13	18	17	18
17	Under 5	119	1	[illegible]	7	5	9	13	6	9	10	12
18	5 to 59	69	2	2	5	5	6	6	7	9	6	6
19	60 and over	5				1					1	
20	Unknown											
21	Scarlet fever	97	6	5	3	4	7	5	6	5	6	7
22	Under 5	61	4	3	1	4	6	4	3	3	4	4
23	5 to 59	35	2	2	2		1	1	3	2	2	2
24	60 and over											
25	Unknown	1										1
26	Diphtheria	313	18	22	17	12	16	18	22	5	7	10
27	Under 5	118	11	7	9	6	7	5	10	1	4	5
28	5 to 59	194	7	15	8	6	9	13	11	4	3	5
29	60 and over	1							1			
30	Unknown											
31	Whooping cough	259	11	11	8	9	10	18	5	11	9	12
32	Under 5	244	11	10	7	6	8	18	5	9	6	12
33	5 to 59	14		1	1	3	2			1	3	
34	60 and over	1								1		
35	Unknown											
36	Malarial fever	101	1	5	2	2	4	4	2	3	6	4
37	Under 5	13					2			2		
38	5 to 59	48		4	1	1	1	2	1	1	2	3
39	60 and over	40	1	1	1	1	1	2	1		4	1
40	Unknown											
41	Influenza	328	14	17	28	23	28	29	30	42	19	27
42	Under 5	51	2	4	7	5	6	1	3	8	3	4
43	5 to 59	79	2	5	3	6	7	11	5	11	3	1
44	60 and over	197	10	[illegible]	17	12	15	17	22	23	13	22
45	Unknown	1			1							
46	Typhoid fever	543	27	20	15	9	21	6	11	12	15	15
47	Under 5	32		2	1	1	3		2	1	1	3
48	5 to 59	480	26	18	12	7	18	6	9	9	13	12
49	60 and over	30	1		2	1				2	1	
50	Unknown	1										
51	Diarrheal diseases	1,506	32	26	21	18	18	27	33	33	39	30
52	Under 5	1,115	17	15	15	9	13	16	24	15	29	15
53	5 to 59	163	7	8	4	5	3	6	5	13	4	10
54	60 and over	226	[illegible]	2	2	4	2	5	4	5	6	5
55	Unknown	2		1								
56	Cerebro-spinal fever	126	7	6	7	3	6	7	6	1	7	5
57	Under 5	73	6	1	2	1	3	2	3		5	3
58	5 to 59	49	1	5	5	2	3	5	2	1	2	2
59	60 and over	4							1			
60	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 19.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
901	735	875	729	1,002	861	1,100	902	1,026	853	960	786	1,054	827	9	6	1
228	160	224	185	349	298	397	328	269	197	208	154	233	181		3	2
364	333	347	341	368	350	383	307	407	381	407	372	445	372	5	2	3
301	238	300	201	273	210	313	264	341	273	340	258	368	273	3	1	4
8	4	4	2	12	3	7	3	9	2	5	2	8	1	1		5
42	21	33	18	39	27	38	29	41	30	38	31	31	27	5	6	6
25	[illegible]	20	9	25	16	25	16	18	17	24	19	16	15		3	7
11	6	[illegible]	[illegible]	6	[illegible]	5	8	13	10	9	6	8	5	4	2	8
6	6	5	1	[illegible]	2	7	5	10	3	5	6	7	7	1	1	9
				2		1										10
116	107	140	107	274	248	336	288	187	159	141	114	124	96	1		11
72	49	86	62	176	164	232	198	81	58	43	41	44	30			12
31	41	29	32	73	51	71	46	76	72	75	59	63	50	1		13
13	17	25	13	24	33	32	44	29	29	23	14	16	16			14
				1		1		1				1				15
10	8	3	8		4	3	3	3	1	1	5	7	3			16
9	7	3	3		2	2	3	3		1	3	4	1			17
1	1		5		2						1	3	2			18
						1			1		1					19
																20
1	4	2	2	3	4	3		3	3	4	5	7	2			21
1	2	2	1	1	1	3		1	1	2	3	6	1			22
	2		1	2	3			2	2	2	2	1	1			23
																24
																25
8	5	6	5	9	6	13	6	12	18	13	19	21	25			26
[illegible]	2	3	3	1	2	3	2	6	2	5	6	8	7			27
5	3	[illegible]	2	8	4	10	4	6	16	8	13	13	18			28
																29
																30
15	13	12	12	16	14	12	19	7	6	7	6	6	10			31
15	13	12	11	16	13	12	18	7	6	7	[illegible]	6	10			32
			1		1		1									33
																34
																35
2	1	7		3	2	2	12	12	12	3	5	4	3			36
		1		1			1	3	2			1				37
1	1	2		1	1	2	4	5	8	1	4	1	1			38
1		4		1	1		7	4	[illegible]	2	1	2	2			39
																40
10	10	4	2	2	1	5	1	3	4	5	5	10	9			41
1					1						2	2	2			42
5	5	1		1				1	1	2	1	5	3			43
4	5	3	2	1		5	1	2	3	3	2	3	4			44
																45
5	9	15	11	38	16	38	27	53	38	53	29	36	23	1		46
		1	1	1		1		1	3	2	1	4	3			47
5	8	11	10	33	15	34	25	49	33	47	28	31	20	1		48
	1	[illegible]		4	1	2	2	3	2	4		1				49
						1										50
34	29	68	55	179	178	244	199	74	66	39	30	21	13			51
28	18	56	41	148	138	201	164	54	40	25	17	12	5			52
3	4	3	5	15	15	19	5	6	7	5	5	2	4			53
3	7	9	[illegible]	15	25	24	30	14	19	9	8	7	4			54
				1												55
16	12	4	1	8	7	9	7	4			2	1				56
10	5	4		6	4	8	6	2			1	1				57
4	7			2	3	1	1	2			1					58
2			1													59
																60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 19—Continued.

	CAUSE OF DEATH AND AGE.	Total	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	425	25	13	18	12	20	13	23	13	19	19
2	Under 5	287	17	10	12	11	8	9	15	9	13	14
3	5 to 59	100	4		2	1	10	2	6	3	4	5
4	60 and over	32	3	2	4		2	2	2	1	1	
5	Unknown	6	1	1							1	
6	Inanition	287	17	12	15	11	8	10	14	7	13	15
7	Under 5	267	17	10	12	11	8	9	14	7	12	14
8	5 to 59	7						1				1
9	60 and over	11		2	3						1	
10	Unknown	2										
11	General diseases—C	1,741	88	61	85	68	84	93	84	88	81	82
12	Under 5	644	28	20	36	26	28	31	29	24	33	21
13	5 to 59	34	3	1	1	2	2	1	1	2	1	2
14	60 and over	1,057	57	40	48	40	52	61	53	62	47	58
15	Unknown	6					1		1			1
16	Debility and atrophy	276	12	6	12	9	14	12	17	12	12	12
17	Under 5	147	5	3	7	5	7	8	8	4	6	1
18	5 to 59	34	3	1	1	2	2	1	1	2	1	2
19	60 and over	94	4	2	4	2	5	3	8	6	5	9
20	Unknown	1										
21	Old age—all ages	968	53	38	44	38	48	58	46	56	42	50
22	60 and over	963	53	38	44	38	47	58	45	56	42	49
23	Unknown	5					1		1			1
24	General diseases—D	3,942	136	192	140	192	173	222	190	209	167	198
25	Under 5	200	9	12	9	2	5	8	10	6	18	8
26	5 to 59	2,650	81	132	91	138	116	162	117	152	104	146
27	60 and over	1,066	46	47	36	50	51	52	60	50	43	43
28	Unknown	26		1	4	2	1		3	1	2	1
29	Consumption	1,979	49	93	73	98	90	122	87	112	89	103
30	Under 5	62	1	6	1		3	1	6	2	8	2
31	5 to 59	1,684	44	80	58	87	75	105	72	97	72	91
32	60 and over	215	4	7	11	10	11	16	8	13	7	9
33	Unknown	18			3	1	1		3		2	1
34	2. Diseases of the nervous system	2,921	132	126	126	108	156	123	170	127	164	119
35	Under 5	690	37	25	39	15	48	27	44	23	44	26
36	5 to 59	927	39	40	34	37	44	40	57	44	45	42
37	60 and over	1,295	56	61	52	56	64	54	69	60	74	50
38	Unknown	9			1			2			1	1
39	3. Diseases of the circulatory system	2,325	135	87	108	83	126	100	130	100	124	99
40	Under 5	160	12	9	6	6	8	5	11	7	11	10
41	5 to 59	802	45	30	29	31	38	41	36	41	40	36
42	60 and over	1,351	76	48	73	44	80	53	81	52	72	53
43	Unknown	12	2					1	2		1	
44	4. Diseases of the respiratory system	2,763	172	155	198	171	230	191	220	169	198	124
45	Under 5	1,012	70	64	82	61	87	63	84	40	68	43
46	5 to 59	965	59	45	61	51	76	64	82	68	81	48
47	60 and over	774	42	46	54	59	67	64	53	61	45	33
48	Unknown	12	1		1				1		4	
49	5. Diseases of the digestive system	1,707	70	73	74	74	78	84	84	80	99	79
50	Under 5	398	21	17	24	18	20	16	24	13	18	16
51	5 to 59	810	32	34	25	32	36	42	36	44	44	44
52	60 and over	489	16	22	24	24	21	26	23	23	37	19
53	Unknown	10	1		1		1		1			
54	6. Diseases of the urinary system	1,057	79	26	64	29	69	32	71	28	75	27
55	Under 5	39	3	2	1	1	3	1	2	3		
56	5 to 59	442	30	9	17	17	28	20	29	15	29	23
57	60 and over	573	46	15	45	11	38	11	40	10	46	4
58	Unknown	3			1							
59	7. Affections connected with pregnancy	281		32		27		30		25		34

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 19—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
21	9	15	12	23	17	27	17	28	14	19	14	26	8			1
7	5	12	9	14	14	21	13	20	10	11	10	15	8			2
11	3	3	2	8	1	6	2	7	3	5	3	9				3
3			1		2		2	1	1	2	1	2				4
	1			1						1						5
7	5	8	10	14	14	20	14	21	9	11	9	15	8			6
7	5	8	9	12	13	20	12	19	9	8	8	15	8			7
				1	1		1	1		1						8
			1				1	1		1	1					9
				1						1						10
71	59	58	53	67	55	62	69	71	71	71	68	74	79			11
26	25	28	19	37	24	26	25	33	20	28	15	28	34			12
	1	2	2	1	2		1		2	1	2	1	3			13
44	33	27	32	29	29	36	43	38	49	42	50	45	42			14
1		1									1					15
10	6	13	8	14	9	9	15	15	11	9	13	10	16			16
6	4	9	5	10	5	7	9	12	4	6	3	5	7			17
	1	2	2	1	2		1		2	1	2	1	3			18
4	1	2	1	3	1	2	5	3	5	2	7	4	6			19
											1					20
41	32	26	31	26	28	34	38	35	44	40	43	41	36			21
40	32	25	31	26	28	34	38	35	44	40	43	41	36			22
1		1														23
149	192	128	159	126	163	139	157	127	159	122	177	156	169			24
14	7	10	7	8	6	6	7	12	7	5	7	12	5			25
91	135	73	114	75	117	86	109	80	109	84	124	97	117			26
40	50	45	37	42	39	46	41	35	42	33	46	45	47			27
4			1	1	1	1			1			2				28
82	109	59	85	55	86	62	83	54	64	69	84	75	96			29
7	2	4	3			1	2	2	1	3	2	2	3			30
65	100	47	75	44	76	49	71	48	55	56	72	64	81			31
8	7	8	6	10	9	11	10	4	8	10	10	8	12			32
2			1	1	1	1						1				33
108	99	109	105	118	98	122	112	146	100	131	95	131	96			34
19	17	23	27	33	32	31	26	36	27	25	21	25	20			35
36	39	38	33	35	28	47	31	49	30	34	29	47	29			36
53	43	48	45	49	37	44	54	60	43	72	45	59	47			37
				1	1		1	1								38
104	77	108	72	82	61	87	69	99	79	100	76	130	89			39
9	4	7	2	6	2	4	4	10	5	6	2	9	3			40
29	24	38	42	25	28	25	23	28	32	25	31	48	34			41
64	49	62	28	48	31	58	41	60	42	69	43	72	52			42
2		1					1	1				1				43
64	40	48	53	32	34	45	39	88	76	97	75	134	109	1		44
24	17	13	25	11	14	19	14	32	25	36	28	48	41			45
26	11	20	16	11	16	14	13	28	22	36	26	52	39			46
14	12	15	11	10	4	12	12	28	25	25	20	34	28			47
			1						1		1		1	1		48
55	52	64	47	71	68	89	49	79	70	74	51	83	59	1		49
15	17	10	16	20	14	22	15	17	13	12	4	20	16			50
30	20	26	23	31	36	39	24	37	40	38	35	33	29			51
10	15	27	8	19	18	28	10	24	17	22	12	29	14	1		52
		1		1				1		2		1				53
56	30	49	30	49	24	49	15	56	32	51	27	56	33			54
3	2	1		5	1	1	1	1	2	2	1	3				55
17	19	17	14	15	15	16	7	20	19	18	17	11	20			56
36	9	31	16	28	8	32	7	35	11	31	9	41	13			57
				1								1				58
	19		26		21		11		18		16		22			59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 19—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	1,593	93	20	88	22	114	25	114	29	118	32
2	Under 5	201	11	4	11	3	9	6	13	8	8	2
3	5 to 59	1,090	61	13	62	13	88	13	81	13	86	24
4	60 and over	265	17	2	15	6	14	5	16	6	23	6
5	Unknown	37	4				3	1	4	2	1	
6	Burns and scalds	127	8	3	4	7	5	4	5	6	4	5
7	Under 5	57	5	2	2	3	3	1	2	1	2	
8	5 to 59	58	2	1	2	4		3	3	4	2	5
9	60 and over	11	1				1			1		
10	Unknown	1					1					
11	Drowning	178	6	1	2		4		6	1	18	2
12	Under 5	23							1	1	1	
13	5 to 59	141	6	1	2		4		5		16	2
14	60 and over	12									1	
15	Unknown	2										
16	Exposure and neglect	27	1	2	5	2	8	3	4		1	
17	Under 5	14		1	3			3	2			
18	5 to 59	9	1	1	1	2	2		2			
19	60 and over	4			1		1				1	
20	Unknown											
21	Gunshot wounds	92	4		4	1	2	1	5		7	2
22	Under 5	3							1			
23	5 to 59	84	4		4	1	2	1	3		6	2
24	60 and over	5							1		1	
25	Unknown	1										
26	Homicide	16		1					3			
27	Under 20	1										
28	20 to 59	14		1					3			
29	60 and over											
30	Unknown	1										
31	Injuries by machinery	15	1		4		2					
32	Under 20	6			2		1					
33	20 to 59	7	1		1		1					
34	60 and over	2			1							
35	Unknown											
36	Railroad accidents	191	12		10		19		16	1	20	1
37	Under 5	1									1	
38	5 to 59	162	10		9		17		14	1	18	1
39	60 and over	15	1		1		1		1			
40	Unknown	13	1				1		1		1	
41	Suicide by shooting	45	6	1			4	1	4		4	
42	Under 20	2										
43	20 to 59	34	5	1			4	1	3		2	
44	60 and over	9	1						1		2	
45	Unknown											
46	Suicide by drowning	6									2	1
47	Under 20											
48	20 to 59	4									1	1
49	60 and over	1									1	
50	Unknown	1										
51	Suicide by poison	25	1		1		2	1	2	2	1	1
52	Under 20	4							1			
53	20 to 59	13			1		2	1	1	1		1
54	60 and over	7	1							1	1	
55	Unknown	1										
56	Other suicides	72	5	4	1		10	1	9	1	12	
57	Under 20	2							1			
58	20 to 59	42	2	4			6	1	6	1	5	
59	60 and over	27	3		1		3		2		7	
60	Unknown	1					1					
61	Sunstroke	7									1	
62	Under 5	3										
63	5 to 59	4									1	
64	60 and over											
65	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 19—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
111	22	112	31	110	30	98	31	98	31	106	24	103	30	1		1
13	5	11	9	10	10	9	7	7	7	14	4	11	9			2
81	13	86	16	79	15	69	19	67	14	76	13	73	15			3
16	3	14	6	17	4	16	4	19	10	14	7	17	6	1		4
1	1	1		4	1	4	1	5		2		2				5
4	3	4	6	2	8	6	7	5	3	7	6	8	6	1		6
3		1	1	2	2	2	3	3	2	5	4	5	3			7
	2	3	5		6	4	3	2		2	1	1	3			8
1	1						1		1		1	2		1		9
																10
35	5	29	6	27	2	5	3	5		6	1	11	2			11
4	2	3	1	4	1	1	1	1					2			12
29	3	23	4	21	1	3	2	4		4	1	10				13
2		2	1	1		1		1		2		1				14
		1		1												15
									1	1			4			16
									1	1			3			17
																18
													1			19
																20
3	1	4		10		10		16	4	11		6	2			21
	1								1							22
3		4		5		8		16	3	10		6	2			23
				1		1				1						24
						1										25
1		2			1	1		2		3		3				26
												1				27
1		2				1		2		2		2				28
																29
					1											30
		2		1		2				3						31
						2				1						32
		2		1						1						33
										1						34
																35
7		9	1	15	1	14	1	19	4	18	2	19	2			36
																37
5		7	1	12	1	13	1	14	2	17	2	14	2			38
1		2						1	2	1		4				39
				3		1		4				1				40
1		3	1	3		1		6	1	4	1	3	1			41
								1	1							42
1		1	1	2				5		4	1	2	1			43
		2		1		1						1				44
																45
		2										1				46
																47
		2														48
																49
												1				50
		1	1	1	1	3	3		2	2						51
							2		1							52
			1		1	2				2						53
		1		1		1			1							54
							1									55
8	1	1	1	2		3	1	5	2	2		3				56
								1								57
5	1	1	1	1			1	2	1	2		2				58
3				1		3		2	1			1				59
																60
		4	1	1												61
		1	1													62
		3		1												63
																64
																65

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 20.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes	21,392	1,216	732	1,125	704	1,313	835	1,350	843	1,590	952
2	Under 5	5,440	248	197	260	213	309	236	325	245	346	294
3	5 to 59	10,865	640	400	579	339	653	435	656	422	846	465
4	60 and over	4,589	308	124	256	145	321	149	340	165	343	186
5	Unknown	498	20	11	30	7	30	15	29	11	55	7
6	Unknown cause	1,351	67	40	55	41	67	54	84	52	86	52
7	Under 5	581	28	18	27	24	24	23	48	25	36	24
8	5 to 59	508	27	13	18	10	26	26	22	24	25	23
9	60 and over	194	9	7	8	5	14	4	14	3	24	5
10	Unknown	68	3	2	2	2	3	1			1	
	1. General diseases.											
11	General diseases—A	4,165	162	171	133	137	178	160	196	185	222	237
12	Under 5	2,038	68	72	56	65	81	80	92	85	113	115
13	5 to 59	1,692	80	87	57	61	76	64	69	73	78	93
14	60 and over	383	14	10	19	10	19	16	33	25	31	29
15	Unknown	52		2	1	1	2		2	2		
16	Measles	245	17	20	13	18	26	15	10	13	10	15
17	Under 5	162	9	10	7	11	18	8	8	10	6	12
18	5 to 59	76	8	10	5	7	7	7	2	3	4	3
19	60 and over	4			1							
20	Unknown	3					1					
21	Scarlet fever	251	9	25	10	12	9	9	14	10	13	14
22	Under 5	149	6	14	6	7	7	8	8	5	8	7
23	5 to 59	97	3	10	4	5	2	1	5	5	5	7
24	60 and over	3										
25	Unknown	2		1					1			
26	Diphtheria	284	12	22	4	10	9	19	8	14	11	9
27	Under 5	117	9	8	2	4	4	10	2	4	7	3
28	5 to 59	161	3	13	2	6	5	9	5	10	4	6
29	60 and over	6		1					1			
30	Unknown											
31	Whooping cough	277	8	8	8	8	12	15	29	24	16	25
32	Under 5	256	6	6	8	8	12	15	27	23	15	23
33	5 to 59	17	2	2					1	1	1	2
34	60 and over	1							1			
35	Unknown	3										
36	Malarial fever	220	5	5	4	7	10	3	7	8	9	18
37	Under 5	83	3	3	1	3	3	1	2	5	3	6
38	5 to 59	97	1	1	3	4	7	1	4	3	1	7
39	60 and over	30	1	1				1	1		5	5
40	Unknown											
41	Influenza	244	11	4	17	6	16	23	31	23	29	37
42	Under 5	50	2		5	1	2	7	5	4	9	5
43	5 to 59	73	4	1	6	2	3	6	10	5	7	14
44	60 and over	120	5	3	6	2	11	10	16	14	13	18
45	Unknown	1				1						
46	Typhoid fever	638	28	27	19	14	22	20	20	22	23	21
47	Under 5	93	4	6	2	1	3	5	3	4	5	5
48	5 to 59	500	22	19	14	13	17	15	12	15	16	15
49	60 and over	34	2	1	3		2		4	3	2	1
50	Unknown	11		1					1			
51	Diarrheal diseases	1,020	27	22	25	15	26	13	30	26	41	31
52	Under 5	729	15	12	13	11	17	5	19	17	27	22
53	5 to 59	189	10	7	6	3	8	6	9	6	10	7
54	60 and over	85	2	3	5	1	1	2	2	2	4	2
55	Unknown	17			1					1		
56	Cerebro-spinal fever	123	4	4	3	1	3	5	11	4	10	13
57	Under 5	58	2	2	2			3	4	2	3	6
58	5 to 59	58	1	2	1	1	3	2	6	2	7	7
59	60 and over	6	1						1			
60	Unknown	1										

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 20.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
854	530	880	543	896	559	900	629	944	622	965	570	1,058	606	112	64	1
203	173	204	166	261	224	241	223	202	195	181	150	199	121	10	14	2
442	272	432	279	409	231	461	286	493	323	522	322	527	351	46	34	3
190	83	222	94	199	92	180	113	213	98	232	93	301	123	14	5	4
19	2	22	4	27	12	18	7	36	6	30	5	31	11	42	11	5
56	32	55	36	52	45	59	42	59	51	42	34	71	44	40	35	6
24	18	18	10	28	20	25	21	26	30	19	16	19	17	4	9	7
21	9	29	19	15	18	22	12	22	16	17	12	31	20	15	16	8
7	5	6	7	8	6	9	5	7	4	6	5	13	3	7	3	9
4	.....	2	.....	1	1	3	4	4	1	.....	1	8	4	14	7	10
161	114	186	144	218	194	221	196	186	165	155	145	147	123	15	14	11
86	79	99	82	127	129	119	113	76	86	52	55	58	44	4	2	12
58	32	71	52	66	52	85	66	90	70	82	81	69	67	3	10	13
15	3	14	10	17	9	15	17	14	8	19	8	17	10	1	.....	14
2	.....	2	.....	8	4	2	.....	6	1	2	1	3	2	7	2	15
7	12	10	13	3	8	2	2	1	2	6	4	10	5	.....	3	16
7	12	8	8	2	7	.....	2	.....	2	5	1	5	4	.....	.....	17
.....	.....	2	4	1	.....	2	.....	1	.....	.....	3	5	.....	.....	2	18
.....	.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	20
13	5	6	4	11	8	6	6	8	7	13	12	15	9	1	1	21
7	5	2	2	7	5	4	3	5	4	8	7	7	5	1	.....	22
5	1	3	1	4	2	2	3	3	3	5	5	8	4	.....	1	23
1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
8	3	12	12	13	13	12	7	12	16	12	20	12	14	.....	.....	26
4	3	5	3	7	5	2	3	4	6	4	5	7	3	.....	.....	27
4	.....	6	9	5	8	8	3	8	10	6	14	5	11	.....	.....	28
.....	.....	.....	.....	.....	.....	1	1	.....	.....	2	.....	.....	.....	.....	.....	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30
7	20	2	7	10	9	10	9	8	7	3	7	13	10	2	.....	31
7	20	2	5	10	8	9	8	8	7	3	6	10	9	.....	.....	32
.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	1	2	1	.....	.....	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	2	.....	35
14	6	8	10	14	14	18	14	3	8	6	14	7	7	.....	1	36
6	3	4	3	4	7	6	2	1	3	2	7	2	2	.....	1	37
5	3	4	7	7	4	11	6	1	4	3	5	2	3	.....	.....	38
3	.....	.....	.....	3	3	1	6	1	1	1	2	3	2	.....	.....	39
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	40
4	1	4	2	1	2	1	1	1	5	9	5	8	3	.....	.....	41
.....	.....	.....	.....	.....	.....	.....	1	.....	2	2	.....	2	2	.....	.....	42
1	1	3	1	1	1	.....	.....	.....	1	2	2	1	1	.....	.....	43
3	.....	1	1	.....	1	1	.....	1	2	5	3	4	.....	.....	.....	44
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	45
24	12	31	16	29	16	43	24	51	38	49	25	32	30	2	.....	46
4	4	6	2	3	3	6	4	2	11	2	2	3	2	1	.....	47
19	8	22	14	23	13	36	18	45	27	43	22	25	27	.....	.....	48
1	.....	3	.....	2	.....	1	2	2	.....	2	.....	1	1	1	.....	49
.....	.....	.....	.....	1	.....	.....	.....	2	.....	2	1	3	.....	.....	.....	50
41	25	51	45	105	87	94	103	65	54	27	24	19	22	1	1	51
29	20	38	38	75	76	76	79	46	40	18	12	12	11	.....	1	52
7	4	8	4	13	6	11	18	11	8	5	9	5	7	1	.....	53
4	1	4	3	10	2	7	6	6	5	4	3	2	4	.....	.....	54
1	.....	1	.....	7	3	.....	.....	2	1	.....	.....	.....	.....	.....	.....	55
10	5	8	2	5	3	3	3	3	3	4	7	5	4	.....	.....	56
5	2	4	1	4	1	3	1	1	2	3	3	3	1	.....	.....	57
5	3	3	1	1	2	.....	2	1	1	1	4	.....	2	.....	.....	58
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 20—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	419	22	7	26	12	32	12	30	5	32	13
2	Under 5	156	2	5	12	4	12	6	12	2	10	8
3	5 to 59	196	14	1	11	6	16	4	13	3	17	4
4	60 and over	49	5	.....	2	1	1	1	4	.....	5	.....
5	Unknown	18	1	1	1	1	3	1	1	.....	.....	1
6	Inanition	147	6	5	12	3	11	6	7	2	5	7
7	Under 5	131	2	4	11	3	11	5	7	2	8	7
8	5 to 59	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	60 and over	9	3	.....	1	.....	.....	1	.....	.....	.....	.....
10	Unknown	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
11	General diseases—C	1,093	49	33	48	37	60	45	66	49	73	54
12	Under 5	347	11	10	13	18	21	15	20	14	28	14
13	5 to 59	55	2	2	2	1	4	3	3	3	2	7
14	60 and over	663	35	21	33	18	35	25	41	32	41	32
15	Unknown	28	1	.....	.....	.....	.....	2	2	.....	2	1
16	Debility and atrophy	223	11	6	16	6	10	10	14	5	17	18
17	Under 5	74	3	1	5	2	.....	1	4	2	8	4
18	5 to 59	54	2	2	2	1	4	3	3	3	2	7
19	60 and over	86	6	3	9	3	6	6	7	.....	6	6
20	Unknown	9	.....	.....	.....	.....	.....	1	.....	.....	1	1
21	Old age—all ages	596	30	18	24	15	29	21	36	32	36	26
22	60 and over	577	29	18	24	15	29	20	34	32	35	26
23	Unknown	19	1	.....	.....	.....	.....	1	2	.....	1	.....
24	General diseases—D	3,267	199	143	182	122	190	143	194	130	197	164
25	Under 5	183	9	8	9	10	14	7	15	8	11	13
26	5 to 59	2,301	144	106	122	85	127	111	136	100	136	113
27	60 and over	720	43	27	45	27	44	21	38	21	49	36
28	Unknown	63	3	2	6	.....	5	4	5	1	4	2
29	Consumption	1,988	136	87	118	62	134	85	121	74	126	97
30	Under 5	66	2	1	4	4	5	3	7	6	3	7
31	5 to 59	1,648	113	74	92	54	105	76	94	64	100	81
32	60 and over	230	18	10	17	4	20	5	17	3	20	9
33	Unknown	44	3	2	5	.....	4	1	3	1	3	.....
34	2. Diseases of the nervous system	1,996	114	68	102	58	146	61	118	73	117	97
35	Under 5	556	29	17	30	21	39	20	20	19	38	27
36	5 to 59	812	46	31	36	23	62	28	46	33	42	50
37	60 and over	595	39	19	34	14	41	13	51	19	33	18
38	Unknown	33	.....	1	2	.....	4	.....	1	2	4	2
39	3. Diseases of the circulatory system	1,433	79	49	77	64	93	60	101	54	92	58
40	Under 5	109	3	5	5	3	9	2	10	4	9	5
41	5 to 59	749	31	34	38	38	47	40	43	31	47	31
42	60 and over	555	44	9	33	23	37	17	46	19	34	21
43	Unknown	20	1	1	1	.....	.....	1	2	.....	2	.....
44	4. Diseases of the respiratory system	3,117	262	108	240	126	302	150	300	150	230	129
45	Under 5	974	77	47	82	51	91	62	76	65	65	55
46	5 to 59	1,453	127	41	115	43	140	55	158	54	113	47
47	60 and over	615	54	18	36	32	65	31	57	27	48	26
48	Unknown	75	4	2	7	.....	6	2	9	4	4	1
49	5. Diseases of the digestive system	1,228	63	39	59	34	67	61	77	57	66	50
50	Under 5	259	8	4	16	11	10	11	14	13	12	17
51	5 to 59	691	35	32	27	17	33	37	42	33	33	22
52	60 and over	261	19	3	13	5	22	12	20	11	21	11
53	Unknown	17	1	.....	3	1	2	1	1	.....	.....	.....
54	6. Diseases of the urinary system	717	51	15	42	18	42	21	43	22	62	23
55	Under 5	25	2	1	2	.....	1	.....	1	1	5	1
56	5 to 59	365	22	10	16	13	17	15	20	16	28	19
57	60 and over	311	27	4	23	4	22	5	21	5	26	3
58	Unknown	16	.....	.....	1	1	2	1	1	.....	3	.....
59	7. Affections connected with pregnancy	256	.....	21	.....	21	.....	27	.....	31	.....	26

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 20—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
21	12	24	10	27	9	25	6	20	8	19	11	29	3	4	.....	1
6	6	5	5	10	4	10	4	8	3	8	5	7	2	.....	.....	2
[illegible]	5	11	3	12	4	10	2	9	5	8	6	19	1	3	.....	3
4	1	6	2	4	1	5	.....	2	.....	2	.....	3	.....	.....	.....	4
2	.....	2	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	5
[illegible]	7	4	3	11	4	10	4	8	1	7	[illegible]	[illegible]	2	1	.....	6
5	6	4	3	9	4	8	4	7	1	7	5	6	[illegible]	.....	.....	7
.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	8
1	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	9
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	10
46	31	53	18	39	32	48	51	52	33	53	33	56	31	3	.....	11
14	13	16	8	14	5	22	19	12	9	16	[illegible]	17	9	.....	.....	12
2	1	4	.....	[illegible]	.....	2	1	4	5	2	1	.....	1	.....	.....	13
29	17	31	10	20	25	22	30	36	18	32	21	38	21	.....	.....	14
1	.....	2	.....	2	2	2	1	.....	1	[illegible]	2	1	.....	3	.....	15
7	[illegible]	15	.....	7	5	7	[illegible]	12	8	10	3	6	11	1	.....	16
1	5	5	.....	4	2	3	[illegible]	5	.....	4	2	4	3	.....	.....	17
2	.....	4	.....	3	.....	2	1	4	5	2	1	.....	1	.....	.....	18
4	4	6	.....	.....	2	.....	1	3	2	4	.....	2	7	.....	.....	19
.....	.....	.....	.....	.....	1	2	1	.....	1	.....	.....	.....	.....	1	.....	20
26	13	27	10	22	24	22	29	33	16	31	23	37	14	2	.....	21
25	13	25	10	20	23	22	29	33	16	28	21	36	14	.....	.....	22
1	.....	2	.....	2	1	.....	.....	.....	.....	3	2	1	.....	[illegible]	.....	23
147	84	131	105	104	85	125	97	123	79	148	92	154	118	5	[illegible]	24
1	4	10	[illegible]	6	8	5	7	2	4	7	3	11	5	.....	.....	25
113	70	72	75	68	62	87	69	88	59	97	72	95	86	3	5	26
31	10	46	21	24	15	31	21	29	16	39	16	44	25	.....	1	27
2	.....	3	.....	6	.....	2	.....	4	.....	5	1	4	2	2	.....	28
98	54	72	59	60	54	75	55	70	44	96	53	91	61	4	2	29
.....	1	3	3	2	3	1	5	.....	2	1	1	2	.....	.....	.....	30
84	51	59	51	47	47	61	47	61	39	72	47	71	53	[illegible]	2	31
13	2	7	5	8	4	12	3	7	3	18	5	14	6	.....	.....	32
1	.....	3	.....	3	.....	1	.....	2	.....	5	.....	4	2	1	.....	33
93	61	90	63	101	43	88	47	104	58	90	38	105	56	2	[illegible]	34
22	15	24	24	29	17	19	21	27	21	21	17	24	13	.....	2	35
40	28	35	25	38	17	38	19	40	25	29	16	38	26	.....	1	36
28	17	30	13	32	9	30	7	35	11	36	5	43	17	1	.....	37
[illegible]	1	1	1	2	.....	1	.....	2	1	4	.....	.....	.....	1	.....	38
49	36	61	31	71	26	51	42	52	44	73	44	81	38	7	.....	39
2	3	3	.....	4	3	[illegible]	3	7	4	6	[illegible]	6	4	.....	.....	40
29	24	30	18	24	16	29	29	22	32	32	28	26	26	4	.....	41
18	[illegible]	27	12	42	[illegible]	19	10	21	[illegible]	34	10	46	[illegible]	2	.....	42
.....	.....	1	1	1	1	1	.....	2	.....	1	.....	3	.....	1	.....	43
85	59	48	39	60	33	70	37	111	80	137	80	185	83	11	2	44
24	25	10	20	14	18	19	14	20	25	28	30	37	18	.....	1	45
46	27	24	13	30	7	35	17	59	37	81	36	104	38	[illegible]	.....	46
13	7	11	[illegible]	14	7	15	6	21	18	24	14	39	25	1	.....	47
2	.....	3	.....	2	1	1	.....	11	.....	4	.....	5	2	4	1	48
50	43	47	36	47	41	49	41	74	28	65	41	55	35	2	1	49
12	5	13	6	15	14	10	11	15	8	12	6	12	3	1	.....	50
25	33	22	25	26	18	28	21	45	15	42	28	27	25	.....	.....	51
13	5	12	3	6	7	11	9	13	5	10	7	15	7	.....	1	52
.....	.....	.....	2	.....	2	.....	.....	1	.....	1	.....	1	.....	1	.....	53
38	18	45	14	31	11	30	15	37	17	40	15	46	17	4	.....	54
1	.....	.....	.....	.....	.....	.....	3	2	.....	4	1	.....	.....	.....	.....	55
16	12	24	6	15	[illegible]	18	5	12	11	21	10	18	13	2	.....	56
20	6	20	8	15	4	12	6	22	6	15	4	28	4	1	.....	57
1	.....	1	.....	1	1	.....	1	1	.....	.....	.....	.....	.....	1	.....	58
.....	7	.....	24	.....	13	.....	21	.....	26	.....	13	.....	26	.....	.....	59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 20—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	2,170	144	27	157	27	132	29	130	27	401	39
2	Under 5	178	9	2	7	5	7	8	12	8	20	13
3	5 to 59	1,684	110	15	135	18	102	18	101	15	319	22
4	60 and over	203	19	4	9	4	20	2	12	2	27	4
5	Unknown	105	6		6		3	1	5	2	35	
6	Burns and scalds	83	3		3	5	4	3	3	4	1	3
7	Under 5	34	1		1		1	2	2	4		1
8	5 to 59	41	2		2	4	2	1	1		1	2
9	60 and over	7				1	1					
10	Unknown	1										
11	Drowning	155	7	2	7		7	2	9		24	9
12	Under 5	57	2	2	3		3		4		11	8
13	5 to 59	84	5	1	4		3	2	3		10	1
14	60 and over	10					1		2		3	
15	Unknown	4										
16	Exposure and neglect	28	5		2	1	1		4	1	1	
17	Under 5	9	3			1			1	1		
18	5 to 59	8	1		1		1		2			
19	60 and over	8			1				1		1	
20	Unknown	3	1									
21	Gunshot wounds	174	12	1	12	3	21	2	12	1	13	1
22	Under 5	3		1								
23	5 to 59	155	12		11	3	20	1	12	1	11	1
24	60 and over	9			1						2	
25	Unknown	7					1	1				
26	Homicide	87	4	1	6	1	4	1	6	3	7	
27	Under 20	11				1	1					
28	20 to 59	67	4	1	6		3	1	5	2	6	
29	60 and over	6										
30	Unknown	3							1	1	1	
31	Injuries by machinery	2										
32	Under 20											
33	20 to 59	2										
34	60 and over											
35	Unknown											
36	Railroad accidents	187	12	1	17		13		11		23	
37	Under 5	2					1					
38	5 to 59	155	10	1	15		11		10		17	
39	60 and over	12	1				1		1		2	
40	Unknown	18	1		2						4	
41	Suicide by shooting	49	3				3		5		10	1
42	Under 20	1										
43	20 to 59	41	3				3		5		8	1
44	60 and over	7									2	
45	Unknown											
46	Suicide by drowning	4						1	1			
47	Under 20											
48	20 to 59	4						1	1			
49	60 and over											
50	Unknown											
51	Suicide by poison	43	2	2	3	5	1	2	4	1	1	2
52	Under 20	5				1		1	1			
53	20 to 59	31	2	2	3	3	1	1	2	1	1	2
54	60 and over	5				1			1			
55	Unknown	2										
56	Other suicides	141	12	4	11	3	11	3	11		8	
57	Under 20	5			1	1	1		1			
58	20 to 59	99	7	4	8	2	6	3	9		4	
59	60 and over	31	3		1		7		1		4	
60	Unknown	6	2		1							
61	Sunstroke	6	1									
62	Under 5											
63	5 to 59	4	1									
64	60 and over	1										
65	Unknown	1										

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 20—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
104	27	135	17	140	20	127	26	116	23	139	19	124	19	18	3	1
9	4	6	2	12	6	7	6	4	5	6	1	7	5	1		2
81	20	110	14	109	12	104	19	99	15	110	16	97	12	9	2	3
12	2	14	1	16	2	10	1	9	1	14	2	14	1	1		4
2	1	5		3		6		4	2	9		6	1	7	1	5
1	3	3	5	3	5	5	4	3	2	8	5	4	2		1	6
	2	1		3	2	2	1	1	1	3		4	2			7
1		2	5		2	3	3	1	1	4	3				1	8
	1				1			1			2					9
										1						10
19	4	16	8	12	8	5	3	5	1	3		3		1	1	11
5	1	3	1	4	3	2	3	1								12
11	3	12	6	8		5		4	1	2		2			1	13
1		1	1									1				14
1						1				1				1		15
		1		3		1			2	1		5				16
				1					2							17
						1						2				18
		1		2						1		1				19
												2				20
6	5	13		18	1	15	1	14		13		8		2		21
						1								1		22
5	5	11		17	1	12	1	14		10		7				23
1		2		1		1				1						24
						1				2		1		1		25
7	1	5		10		5	2	7		8		8	1			26
1				1		2	2	1		1		1				27
5	1	4		5		3		6		7		7	1			28
1		1		4												29
																30
						1				1						31
																32
						1				1						33
																34
																35
9	1	19		8		11	3	17		19		19	3	1		36
													1			37
8	1	15		8		11	3	15		14		14	2			38
1		1						1		2		2				39
		3						1		3		3		1		40
9	1	6		6	1	5	1	1		3			1			41
					1											42
2	1	5		4		4	1			3			1			43
		1		2		1		1								44
																45
							1			1						46
																47
							1			1						48
																49
																50
2	3	1		3	1	3		2	1		1		1	1	1	51
	1												1			52
1	2			2	1	3		2			1			1		53
1		1		1												54
									1						1	55
10	1	12		9	1	10	2	5	5	12	3	6		2		56
		1														57
8	1	8		8	1	7	2	3	5	9	3	3		1		58
2		3		1		2		2		2		3				59
						1				1				1		60
1		4														61
																62
1		2														63
		1														64
		1														65

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 21.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes	22,329	1,294	796	1,174	751	1,345	812	1,314	835	1,289	841
2	Under 5	3,871	214	138	169	132	185	145	194	147	202	155
3	5 to 59	11,862	682	421	655	403	717	405	692	467	684	428
4	60 and over	6,360	380	233	339	213	424	252	409	219	394	255
5	Unknown	236	18	4	11	3	19	10	19	2	9	3
6	Unknown cause	390	24	14	21	12	15	9	13	23	21	11
7	Under 5	161	10	6	6	5	5	5	4	7	8	4
8	5 to 59	135	9	4	11	4	5	4	2	13	7	5
9	60 and over	77	5	4	4	3	4		7	3	6	2
10	Unknown	17				1	1	2				
	1. General diseases.											
11	General diseases—A	2,671	126	87	108	72	120	103	138	97	144	108
12	Under 5	1,057	42	29	22	20	39	30	44	34	50	36
13	5 to 59	1,239	68	42	64	39	54	53	68	48	69	53
14	60 and over	367	16	16	21	13	25	19	26	15	25	19
15	Unknown	8			1		2	1				
16	Measles	46	3	3		1	1	1	2	4	5	2
17	Under 5	29	1	1			1		2	3	5	
18	5 to 59	16	2	2		1		1		1		1
19	60 and over	1										1
20	Unknown											
21	Scarlet fever	82	3	6	1	1	6	2	4	7	2	3
22	Under 5	39	1	3			3	1	3	2	1	
23	5 to 59	43	2	3	1	1	3	1	1	5	1	3
24	60 and over											
25	Unknown											
26	Diphtheria	237	18	13	11	8	8	12	3	11	16	6
27	Under 5	96	9	5	5	1	5	4		1	8	4
28	5 to 59	141	9	8	6	7	3	8	3	10	8	2
29	60 and over											
30	Unknown											
31	Whooping cough	127	5	2	3	3	7	5	8	14	8	9
32	Under 5	119	5	2	3	3	6	5	7	12	8	9
33	5 to 59	8					1		1	2		
34	60 and over											
35	Unknown											
36	Malarial fever	64	1	1		2	3		4		3	2
37	Under 5	16									1	
38	5 to 59	39	1	1		1	2		3		2	2
39	60 and over	9				1	1		1			
40	Unknown											
41	Influenza	221	8	13	15	5	26	19	25	16	26	20
42	Under 5	21	1	2	1		2	3	1	1	2	3
43	5 to 59	65	2	3	4	1	8	6	8	5	5	6
44	60 and over	135	5	8	10	4	16	10	16	10	19	11
45	Unknown											
46	Typhoid fever	529	35	17	21	11	23	21	21	10	26	22
47	Under 5	40	2	1	1	1	1	2	2		3	3
48	5 to 59	461	32	13	19	9	21	18	19	9	22	19
49	60 and over	26	1	3	1	1	1	1		1	1	
50	Unknown	2										
51	Diarrheal diseases	908	35	20	33	24	29	19	50	19	30	27
52	Under 5	594	18	14	8	13	16	10	28	12	15	15
53	5 to 59	213	15	3	22	7	6	4	17	5	14	9
54	60 and over	96	2	3	2	4	5	5	5	2	1	3
55	Unknown	5			1		2					
56	Cerebro-spinal fever	98	1	2	4	4	3	6	4	2	4	3
57	Under 5	51	1	1	1	1	3	1	1	2	2	1
58	5 to 59	45		1	2	3		5	3		2	2
59	60 and over	2			1							
60	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 21.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,018	622	1,016	613	907	627	957	630	1,084	694	1,078	665	1,215	690	39	23	1
154	108	174	122	149	141	188	129	198	159	185	146	178	153	3	3	2
561	351	555	327	457	336	487	361	562	361	567	343	654	362	17	7	3
291	161	270	159	289	149	271	138	311	170	317	173	359	171	11	2	4
12	2	17	5	12	1	11	2	13	4	9	3	24	4	8	11	5
10	4	18	11	13	15	23	14	20	21	19	13	16	12	7	11	6
4	3	7	4	6	8	12	7	11	12	7	7	7	7	.....	1	7
4	.....	7	2	5	7	6	7	5	5	6	3	5	2	4	3	8
2	1	4	4	1	.....	3	.....	4	4	5	3	3	2	2	2	9
.....	.....	.....	1	1	.....	2	.....	.....	.....	1	.....	1	1	1	5	10
99	85	113	88	116	91	131	111	167	122	127	83	133	92	8	2	11
50	35	45	41	52	47	75	52	78	70	39	35	46	43	2	1	12
37	38	57	37	49	35	48	50	66	34	66	41	78	41	3	1	13
12	10	11	10	14	[illegible]	8	8	23	18	22	7	9	8	8	.....	14
.....	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	15
3	2	3	2	1	3	1	1	2	.....	2	1	3	.....	.....	.....	16
1	1	.....	1	1	3	1	1	[illegible]	.....	2	.....	3	.....	.....	.....	17
2	1	3	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	18
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
3	5	5	1	1	3	3	4	3	2	5	2	[illegible]	5	1	.....	21
3	3	1	.....	.....	2	1	4	1	1	4	.....	1	3	1	.....	22
.....	2	4	1	1	1	2	.....	2	1	1	2	3	2	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
6	16	9	3	7	5	[illegible]	15	9	6	6	10	16	14	.....	.....	26
3	8	4	2	4	1	2	3	4	2	2	5	9	5	.....	.....	27
3	8	5	1	3	4	7	12	5	4	4	5	7	9	.....	.....	28
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30
8	1	6	2	1	4	2	4	10	5	2	5	4	9	.....	.....	31
8	1	5	2	1	4	2	4	10	5	2	4	4	7	.....	.....	32
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
3	2	[illegible]	3	3	5	5	1	9	5	2	1	4	2	.....	.....	36
.....	1	1	2	.....	4	1	.....	2	2	1	1	.....	.....	.....	.....	37
1	1	1	1	3	1	4	.....	6	2	1	.....	4	2	.....	.....	38
2	.....	1	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	39
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	40
4	5	2	2	2	3	4	2	2	3	5	4	4	4	1	1	41
1	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	1	42
1	2	.....	1	1	1	2	.....	1	1	2	3	1	1	.....	.....	43
2	3	2	1	1	2	.....	1	1	2	3	1	[illegible]	3	1	.....	44
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	45
18	13	26	19	29	16	21	18	28	17	39	18	41	17	1	1	46
3	1	.....	.....	1	2	5	1	2	2	2	2	1	2	.....	.....	47
14	9	25	18	25	14	15	17	24	12	36	15	40	14	1	1	48
1	1	1	1	3	.....	1	.....	2	3	1	1	.....	1	.....	.....	49
.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
32	24	41	38	55	32	65	45	78	71	48	22	42	26	3	.....	51
22	17	31	30	41	26	54	30	53	55	23	19	23	20	1	.....	52
9	3	4	2	8	4	9	11	14	[illegible]	16	2	16	4	1	.....	53
1	4	6	6	5	2	2	3	11	8	9	1	3	2	1	.....	54
.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	55
7	5	[illegible]	4	5	4	8	3	6	2	1	4	3	4	.....	.....	56
6	3	3	2	1	2	4	4	[illegible]	1	1	2	[illegible]	3	.....	.....	57
1	2	3	2	3	2	4	2	4	1	.....	2	.....	1	.....	.....	58
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 21—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	1. General diseases—Continued.											
1	General diseases—B	699	37	18	31	23	41	15	43	24	41	23
2	Under 5	383	20	15	15	17	19	13	20	17	20	16
3	5 to 59	248	12	2	14	5	18	1	18	6	13	7
4	60 and over	56	3	1	2	1	4	1	3	1	8	
5	Unknown	12	2						2			
6	Inanition	393	20	15	14	17	21	12	20	18	20	14
7	Under 5	364	19	15	14	17	19	12	19	15	19	14
8	5 to 59	14					1		1	2		
9	60 and over	13	1				1			1	1	
10	Unknown	2										
11	General diseases—C	1,063	67	58	46	32	54	44	65	37	58	43
12	Under 5	353	25	20	13	14	13	14	22	8	20	15
13	5 to 59	32	4	2	1		1		4		1	1
14	60 and over	668	38	35	32	17	40	30	38	29	37	26
15	Unknown	10		1		1			1			1
16	Debility and atrophy	174	14	8	4	5	7	6	8	3	5	6
17	Under 5	94	7	3	2	5	5	5	2	2	2	5
18	5 to 59	31	4	2			1		4		1	1
19	60 and over	48	3	3	2		1	1	2	1	2	
20	Unknown	1										
21	Old age—all ages	629	35	33	30	18	39	29	37	28	35	27
22	60 and over	620	35	32	30	17	39	29	36	28	35	26
23	Unknown	9		1		1			1			1
24	General diseases—D	5,271	302	200	251	194	289	211	314	237	277	215
25	Under 5	283	14	12	13	10	11	13	19	14	6	14
26	5 to 59	3,906	222	150	186	155	219	145	217	188	215	157
27	60 and over	1,040	60	36	50	28	58	50	76	35	55	44
28	Unknown	42	6	2	2	1	1	3	2		1	
29	Consumption	3,357	203	114	178	117	211	115	207	141	193	127
30	Under 5	102	5	6	8	3	5	8	8	5	5	6
31	5 to 59	2,892	170	99	150	106	179	95	172	130	168	115
32	60 and over	335	24	7	23	7	26	15	27	6	19	6
33	Unknown	28	4	2	2	1	1	2			1	
34	2. Diseases of the nervous system	2,552	148	99	145	88	152	89	148	79	145	101
35	Under 5	494	30	16	29	15	29	21	22	17	29	20
36	5 to 59	1,025	58	36	62	39	56	33	65	33	58	36
37	60 and over	1,012	60	47	52	34	66	34	61	28	57	45
38	Unknown	21			2		1	1		1	1	
39	3. Diseases of the circulatory system	2,411	139	85	147	79	132	85	132	97	142	76
40	Under 5	80	1	3	3	4	5	2	5	8	2	2
41	5 to 59	1,125	67	44	77	32	50	43	71	46	57	32
42	60 and over	1,188	67	38	67	43	77	39	55	43	83	41
43	Unknown	18	4					1	1			1
44	4. Diseases of the respiratory system	2,581	186	103	189	114	225	132	188	110	176	103
45	Under 5	702	49	29	54	37	46	34	44	29	48	32
46	5 to 59	1,091	81	48	87	33	122	46	72	47	74	37
47	60 and over	765	53	26	47	44	55	51	69	33	53	34
48	Unknown	23	3		1		2	1	3	1	1	
49	5. Diseases of the digestive system	1,397	65	62	72	45	79	50	75	58	71	68
50	Under 5	197	13	2	9	5	7	7	7	6	12	11
51	5 to 59	820	29	39	41	29	47	30	50	34	45	37
52	60 and over	374	23	21	22	11	25	13	17	18	14	20
53	Unknown	6							1			
54	6. Diseases of the urinary system	1,147	74	28	57	42	91	26	78	30	65	36
55	Under 5	31	4	2		3	1		3	2	3	
56	5 to 59	566	28	19	27	25	36	14	30	17	23	18
57	60 and over	542	41	7	29	14	52	12	45	11	39	17
58	Unknown	8	1		1		2					1
59	7. Affections connected with pregnancy	131		10		15		14		7		14

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 21—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
36	17	45	22	27	26	44	24	30	14	36	21	40	21			1
12	10	27	17	13	18	25	12	12	11	14	13	19	8			2
22	6	14	5	11	7	15	10	14	3	16	4	14	11			3
1	1	5		2	1	3	2	3		6	3	5	2			4
1		1		1		1		1			1	2				5
12	9	27	17	16	19	24	13	11	10	15	17	22	10			6
11	9	25	17	13	18	23	12	11	10	13	13	18	8			7
1		1		2	1						1	3	1			8
		1		1			1			2	2	1	1			9
						1					1					10
42	29	55	26	38	35	39	26	43	35	67	35	55	34			11
13	5	22	10	8	16	12	5	17	11	29	12	14	15			12
4	1	2	1	1	1	1	2		1	2	1	1				13
25	23	31	15	28	18	25	19	26	22	36	21	39	18			14
				1		1			1		1	1	1			15
12	6	13	3	5	8	10	5	5	10	8	2	11	7			16
5	2	6	1	3	6	4	1	5	6	4		6	6			17
4	1	2	1	1	1	1	2		1	2	1	1				18
3	3	5	1	1	1	5	2	2	3	2	1	3	1			19
												1				20
22	20	26	14	28	17	21	17	24	20	34	21	36	18			21
22	20	26	14	27	17	20	17	24	19	34	20	36	17			22
				1		1			1		1		1			23
214	169	232	154	212	156	214	167	226	193	221	165	274	177	2	5	24
10	16	14	7	9	6	11	10	11	12	13	9	16	13			25
159	117	176	115	138	119	157	134	175	144	162	128	194	132	1	1	26
44	36	39	32	63	31	46	22	39	35	44	27	58	31	1		27
1		3		2			1	1	2	2	1	6	1		4	28
145	92	156	97	124	82	144	109	150	114	139	94	198	103	1	3	29
3	1	5	1	4	2	6	4	3	3	6	3	8	4			30
127	77	140	79	99	74	122	98	127	103	123	85	159	93	1	1	31
15	14	8	17	19	6	16	6	20	7	10	5	27	5			32
		3		2			1		1		1	4	1		2	33
136	76	127	84	85	67	96	73	128	71	128	80	128	74	3	2	34
24	10	18	13	21	11	22	17	24	17	28	18	18	24	1		35
51	43	63	31	25	27	33	30	50	30	48	28	58	29	1	2	36
60	23	43	40	38	29	40	26	51	24	48	34	50	21	1		37
1		3		1		1		3		4		2				38
129	66	107	74	111	53	109	57	120	58	130	65	149	62	7		39
2	5	5	3	3		5	1	4	3	3	3	6	2			40
63	36	48	38	52	30	37	33	55	27	59	28	68	29	3		41
62	25	54	33	56	22	65	23	59	28	68	34	74	30	2		42
2					1	2		2				1	1	2		43
88	59	77	55	70	45	56	44	98	50	118	77	140	75	2	1	44
26	11	20	18	19	16	12	11	23	10	33	30	39	31		1	45
34	29	38	22	31	15	28	14	44	24	55	28	57	25			46
27	19	16	15	20	14	15	19	29	16	29	19	42	19	1		47
1		3				1		2		1		2		1		48
47	51	61	37	61	55	65	53	61	52	49	53	51	55		1	49
4	7	9	4	9	11	13	10	11	7	11	11	7	4			50
32	30	29	27	30	34	39	36	28	35	24	29	28	38			51
11	14	22	5	22	10	12	7	21	10	14	13	16	13			52
		1	1			1		1							1	53
63	29	53	21	51	27	65	24	74	29	53	25	77	27	2		54
1	1	1	2	1	1			1	2	1			2			55
31	21	23	15	28	17	28	17	35	19	21	21	37	15	1		56
31	7	29	4	21	9	37	7	38	8	31	4	39	10			57
				1								1		1		58
	7		10		9		9		15		8		13			59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN

GRAND GROUP 21—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	1,818	120	20	103	24	138	25	114	29	141	33
2	Under 5	111	5	2	5	1	8	8	3	5	4	5
3	5 to 59	1,403	100	17	82	18	106	13	91	22	118	22
4	60 and over	234	13	1	12	5	14	8	11	2	13	6
5	Unknown	70	2		4		10	1	9		6	
6	Burns and scalds	89	3	1	6	5	6	3	4	6	2	7
7	Under 5	32	1	1	2		2	2	2	1		3
8	5 to 59	50	1		4	5	2	1	2	5	2	4
9	60 and over	6	1				1					
10	Unknown	1					1					
11	Drowning	262	18	2	14	2	20	1	22		19	3
12	Under 5	13			1	1	2					1
13	5 to 59	205	17	2	12	1	16		15		18	2
14	60 and over	21					1	1	3		1	
15	Unknown	23	1		1		1		4			
16	Exposure and neglect	15				1	3	2			2	
17	Under 5	6					1	2			1	
18	5 to 59	3					1					
19	60 and over	6				1	1				1	
20	Unknown											
21	Gunshot wounds	109	17	1	6		7		14	1	8	1
22	Under 5											
23	5 to 59	97	16	1	6		4		11	1	8	1
24	60 and over	7	1						1			
25	Unknown	5					3		2			
26	Homicide	84	6		4	1	7	3	2		5	2
27	Under 20	4										
28	20 to 59	66	5		2	1	7	3	2		4	2
29	60 and over	11	1		2						1	
30	Unknown	3										
31	Injuries by machinery	7			1				1		1	
32	Under 20											
33	20 to 59	5							1			
34	60 and over	2			1						1	
35	Unknown											
36	Railroad accidents	165	10	1	8	1	17	1	6	2	16	2
37	Under 5	9	2		1					1		
38	5 to 59	131	7	1	7		14		6	1	13	1
39	60 and over	16	1			1	1					1
40	Unknown	9					2	1			3	
41	Suicide by shooting	86	5		8	1	8		5	2	8	
42	Under 20	1				1						
43	20 to 59	70	5		4		7		4	2	8	
44	60 and over	9			3		1					
45	Unknown	6			1				1			
46	Suicide by drowning	12	1			1	1		1	1	2	
47	Under 20	1										
48	20 to 59	9	1			1	1			1	2	
49	60 and over	1										
50	Unknown	1							1			
51	Suicide by poison	97	4	6	6	5	6	6	7	4	4	2
52	Under 20	2										1
53	20 to 59	81	3	5	4	8	4	6	7	4	4	1
54	60 and over	9	1		1		2					
55	Unknown	5			1							
56	Other suicides	149	9	1	9	2	10		11	4	10	3
57	Under 20											
58	20 to 59	118	8		7	1	7		9	4	8	3
59	60 and over	26		1	1	1	1		2		2	
60	Unknown	5	1		1		2					
61	Sunstroke	5										
62	Under 5											
63	5 to 59	4										
64	60 and over	1										
65	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 21—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
147	24	122	23	115	30	113	26	110	23	123	22	146	38	8	1	1
8	4	6	3	7	5	1	4	6	4	4	6	4	3			2
117	18	94	16	82	21	93	17	85	16	105	14	112	20	4		3
16	2	16	1	22	4	17	5	16	2	13	2	22	15	1		4
6		6	3	4		2		3	1	1		8		3	1	5
3	2	1	3	6		4	4	3	6	3	1	5	5			6
		1	1	3			1	2	2	2	1	3	2			7
3	2		2	2		4	3	1	4	1		1	1			8
				1								1	2			9
																10
37	1	22	4	14	8	18	1	20	1	17		15	4	3	1	11
2			1	3	2											12
28	1	19	1	9	1	16	1	17	1	15		10	1	2		13
2		1	1			2		1		2		3	3			14
5		2	1	2				2				2		1	1	15
	1	1		1				1	1	1		1				16
	1	1														17
									1	1						18
				1				1				1				19
																20
6		9		3		7	1	8	2	9		9				21
																22
6		8		3		7	1	7	1	8		8				23
		1						1	1	1		1				24
																25
8	3	4	4	7	3	6	1	4	1	6	1	5	1			26
	1	1				1						1				27
8	2	2	3	6	3	5		2	1	4	1	2	1			28
		1		1			1	2		2						29
			1									2				30
		2		1						1						31
																32
		2		1						1						33
																34
																35
11		11	1	13	2	17	2	6	1	14	3	16	3	1		36
						1	1		1		2					37
10		8		12	2	12	1	4		13	1	14	3	1		38
1		2		1		4		2		1		1				39
		1	1									1				40
8		9		8		7	1	4	1	4	1	6				41
																42
8		7		6		5	1	2	1	4	1	5				43
		1		2		1		1								44
		1				1		1				1				45
			1	1	1	1		1								46
						1										47
			1		1			1								48
				1												49
																50
3	2	5	3	6	4	3		2	3	8	2	5	2	1		51
					1											52
3	2	3	3	3	3	3		2	2	7	2	3	2	1		53
		2		2								1				54
				1					1	1		1				55
15	5	7		15	3	6	3	10	3	6		13	3	1		56
																57
14	4	4		12	3	4	3	10	3	5		7	2			58
1	1	3		3		2				1		6	1			59
														1		60
				3				1					1			61
																62
				3									1			63
								1								64
																65